

21 Oct 2008



Xerox[®] 490/980[™] Color Continuous Feed Printing System Error Messages Guide



Table of Contents

1	Error Codes	1-i
2	Error Messages.....	2-i

Error Codes

1

Note

Use the search feature of your PDF viewer to find the desired error code in this chapter.

Error Code	Description	Action
01-01	Paper end occurred on the output device	Load paper
01-02	Pre-processor not ready occurred on the output device	Check condition of the pre-processing device.
02-02	Post-processor stack full occurred on the output device	Check condition of the post-processing device.
04-01	Toner empty occurred on the output device	Correct the error by referring to User Guide: Printer Instructions.
05-01	Waste Toner Container full occurred on the output device	Correct the error by referring to User Guide: Printer Instructions.
05-02	Waste Toner Container not installed occurred on the output device	Open the rear cover of Unit and install the waste toner container properly.
06-01	Developer degraded occurred on the output device	Replace developer on Unit
07-01	Transfer unit open occurred on the output device	Close the transfer unit
07-02	Transfer unit open occurred on the output device	Check paper condition and reload paper if necessary. Close the transfer unit. Press the RESET button.
08-02	Fuser unit open occurred on the output device	Close the fuser unit.
08-03	Fuser unit open occurred on the output device	Close the fuser unit.
08-04	Fuser top cover open occurred on the output device	Close the fuser top cover.
08-05	Fuser top cover open occurred on the output device	Check paper condition and reload paper if necessary. Close the fuser top cover. Press the RESET button.
08-06	Fuser left cover open occurred on the output device	The indicated error occurred in the printer with device number #.
08-07	Fuser left cover open occurred on the output device	Check paper condition and reload paper if necessary. Close the fuser left cover. Press the RESET button.
08-08	Fuser front cover open occurred on the output device	Close the fuser front cover.
08-09	Fuser front cover open occurred on the output device	Check paper condition and reload paper if necessary. Close the fuser front cover. Press the RESET button.
0A-02	Cleaner blade not installed occurred on the output device	Open the front cover of Unit and install the cleaner blade properly.
0A-03	Kit B degraded occurred on the output device	Replace Kit B
0A-04	Transfer cleaner not installed occurred on the output device	Install the transfer cleaner properly.
0A-05	Transfer cleaner degraded occurred on the output device	Replace the transfer cleaner.
0B-01	Smoking filter degraded occurred on the output device	Replace the smoke filter.
0B-02	Smoking filter not installed occurred on the output device	Install the smoke filter properly.
0C-01	Developer outlet open occurred on the output device	Set the developer discharge lever of Unit to the close side.
0D-04	Paper path not ready occurred on the output device	Load paper correctly.

Error Code	Description	Action
0D-08	Paper setting not completed occurred on the output device	Press the Setting switch.
0D-09	Feeder unit paper loading error occurred on the output device	Load paper correctly.
0D-10	Paper load error in fuser occurred on the output device	Load paper correctly.
0D-31	Feeder right cover open occurred on the output device	Close the feeder right cover.
0D-32	Feeder right cover open occurred on the output device	Check paper condition and reload paper if necessary. Close the feeder right cover. Press the RESET button.
0D-33	Feeder front cover open occurred on the output device	Close the feeder front cover.
0D-34	Feeder front cover open occurred on the output device	Check paper condition and reload paper if necessary. Close the feeder front cover. Press the RESET button.
0D-48	Paper tension release occurred on the output device	Press the Set/Release switch to turn it to the "Set" position.
0D-52	Paper edge position check occurred on the output device	Reset the paper settings after the edge fault and then place the job on hold while resetting the paper settings.
0D-53	Paper edge position check occurred on the output device	Reset the paper settings after the edge fault and then place the job on hold while resetting the paper settings.
0D-54	Sub nip release lever position check occurred on the output device	Correct the position of the sub nip release lever on Feeder unit.
0E-01	Post-processor not ready occurred on the output device	Check condition of the post-processing device.
0F-01	Toner filter not installed occurred on the output device	Open the rear cover of Unit and install the toner filter properly.
0F-02	Kit A degraded occurred on the output device	Replace Kit A
12-03	Mark detection timeout occurred on the output device	Check the paper information setting for the job. If error persist, see section on Adjusting the Mark Reading Position.
12-04	Pin hole detection timeout occurred on the output device	Check the paper information setting for the job.
13-0B	Back tension pitch adjust position error occurred on the output device	Press the RESET button. If the error persists, please call for service.
16-08	Back tension motor failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
19-16	Transfer roller motor failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
19-17	Transfer unit position error occurred on the output device	Press the RESET button. If the error persists, please call for service.
1B-0C	Paper width motor rotation failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
1B-0D	Paper width motor position error occurred on the output device	Press the RESET button. If the error persists, please call for service.
1B-0E	Paper width measurement failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
1C-0F	Tension adjustment motor position error occurred on the output device	Press the RESET button. If the error persists, please call for service.

Error Code	Description	Action
1D-06	Drive motor failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
1D-07	Sub-drive motor failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
20-01	Paper jam roller occurred on the output device	Check paper condition and reload paper if necessary. Press the RESET button.
21-05	Paper end occurred on the output device	Check paper condition and reload paper if necessary. Press the RESET button.
21-06	Paper tension jam occurred on the output device	Check paper condition and reload paper if necessary. Press the RESET button.
21-07	Paper tension limit alarm occurred on the output device	Check paper condition and reload paper if necessary. Press the RESET button.
21-08	Paper jam occurred on the output device	Check paper condition and reload paper if necessary. Press the RESET button.
21-09	Paper jam at Fuser occurred on the output device	Check paper condition and reload paper if necessary. Press the RESET button.
22-20	Fuser unit temperature failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
24-21	Flash error 1 occurred on the output device	Press the RESET button. If the error persists, please call for service.
24-22	Flash error 2 occurred on the output device	Press the RESET button. If the error persists, please call for service.
24-23	Flash error 3 occurred on the output device	Press the RESET button. If the error persists, please call for service.
24-24	Flash error 4 occurred on the output device	Press the RESET button. If the error persists, please call for service.
24-25	Flash error 5 occurred on the output device	Press the RESET button. If the error persists, please call for service.
24-26	Flash error 6 occurred on the output device	Press the RESET button. If the error persists, please call for service.
24-27	Flash error 7 occurred on the output device	Press the RESET button. If the error persists, please call for service.
24-28	Flash error 8 occurred on the output device	Press the RESET button. If the error persists, please call for service.
25-2B	Flash charge voltage low error 1 occurred on the output device	Press the RESET button. If the error persists, please call for service.
25-2C	Flash charge voltage low error 2 occurred on the output device	Press the RESET button. If the error persists, please call for service.
25-2D	Flash charge voltage low error 3 occurred on the output device	Press the RESET button. If the error persists, please call for service.
25-2E	Flash charge voltage low error 4 occurred on the output device	Press the RESET button. If the error persists, please call for service.
26-29	Flash cycle failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
27-2A	Flash overrun occurred on the output device	Please call for service.
29-2F	Fuser facing unit position error occurred on the output device	Press the RESET button. If the error persists, please call for service.
41-01	Pre-processor check occurred on the output device	Check condition of the pre-processing device.
42-01	Post-processor jam occurred on the output device	Check condition of the post-processing device. Check paper condition and reload paper if necessary. Press the RESET button.

Error Code	Description	Action
4F-FE	Other unit EMS error occurred on the output device	Check paper condition and reload paper if necessary. Press the RESET button.
4F-FF	Other device error occurred on the output device	No action. The error factor is in another device.
55-10	Job was aborted due to Filter error	Press the RESET button.
55-20	Job was aborted due to Impose error	Press the RESET button.
55-30	Job was aborted due to a job scheduling error	Press the RESET button.
55-80	Physical page length error occurred on the output device	Press the RESET button.
55-81	Logical page size error occurred on the output device	Press the RESET button.
55-90	Data format error occurred on the output device	Press the RESET button.
55-91	Data format error occurred on the output device	Press the RESET button.
55-92	Data format error occurred on the output device	Press the RESET button.
55-9C	Job terminated by the cancel switch	Cancel the job and press the RESET button.
60-6B	Developer temperature failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
60-6C	Development MG motor failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
60-6D	Development MX motor failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
60-6E	Development agitating axis rotation failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
60-6F	Small hopper agitating axis rotation failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
60-70	Development MG rotation failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
60-71	Small hopper supply motor failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
60-72	Small hopper agitating motor failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
60-74	Small hopper supply axis rotation failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
62-69	Toner density high alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
62-6A	Toner density low alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
63-33	Toner reclaim blower inverter alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
63-36	Toner recovery blower rotation failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
64-68	Toner density sensor error occurred on the output device	Press the RESET button. If the error persists, please call for service.
66-1E	Electricity removal LED light-on failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
68-3C	P-IO electronic cam error occurred on the output device	Press the RESET button. If the error persists, please call for service.
68-3D	Drum encoder pulse failure occurred on the output device	Press the RESET button. If the error persists, please call for service.

Error Code	Description	Action
68-3E	Electronic cam data failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
68-3F	Electronic cam data read timeout occurred on the output device	Press the RESET button. If the error persists, please call for service.
68-55	Drum motor error occurred on the output device	Press the RESET button. If the error persists, please call for service.
6A-01	Inner door open occurred on the output device	Close the inner door of Unit
6A-02	Inner door open occurred on the output device	Close the inner door of Unit. Check paper condition and reload paper if necessary. Press the RESET button.
6A-03	Cleaner cover open occurred on the output device	Close the cleaner cover of Unit
6A-04	Cleaner cover open occurred on the output device	Close the cleaner cover of Unit. Check paper condition and reload paper if necessary. Press the RESET button.
6A-05	XU top cover open occurred on the output device	Close the print unit top cover.
6A-06	XU top cover open occurred on the output device	Close the print unit top cover. Check paper condition and reload paper if necessary. Press the RESET button.
6A-5C	Drum cover open occurred on the output device	Press the RESET button. If the error persists, please call for service.
6A-FE	Adjacent unit cover open occurred on the output device	Close the inner door and cleaner cover of the adjacent print unit. Check paper condition and reload paper if necessary. Press the RESET button.
6A-FF	Other unit EMS error occurred on the output device	Check paper condition and reload paper if necessary. Press the RESET button.
6C-1C	Cleaner brush motor rotation error occurred on the output device	Press the RESET button. If the error persists, please call for service.
6C-1D	Cleaner blade oscillating motor failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
6C-75	Toner hopper supply axis rotation failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
6C-76	Toner hopper unit rotation failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
6C-77	Toner hopper main motor failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
6C-78	Toner bottle vibration motor failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
6C-79	Toner shutter motor failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
6C-7A	Toner shutter open/close position error occurred on the output device	Press the RESET button. If the error persists, please call for service.
6F-5D	Drum heater low temperature alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
6F-5E	Drum heater high temperature alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
6F-5F	Drum heater temperature sensor failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
76-3A	LED head low temperature alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.

Error Code	Description	Action
76-3B	LED head high temperature alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
76-80	LED temperature failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
76-81	LED transfer check 1 occurred on the output device	Press the RESET button. If the error persists, please call for service.
76-82	LED transfer check 2 occurred on the output device	Press the RESET button. If the error persists, please call for service.
78-85	Curvature correction board IF failure between mechanical controller and curvature occurred on the output device	Press the RESET button. If the error persists, please call for service.
7D-40	UPC board interface failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
7D-41	Mechanical control board failure occurred on the output device	Please call for service.
7D-D5	Internal temperature/humidity sensor failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
87-10	IOT control error occurred on the output device	Please call for service.
87-11	IOT control error occurred on the output device	Please call for service.
87-12	IOT control error occurred on the output device	Please call for service.
87-13	IOT control error occurred on the output device	Please call for service.
87-14	IOT control error occurred on the output device	Please call for service.
87-20	IOT control error occurred on the output device	Please call for service.
87-21	IOT control error occurred on the output device	Please call for service.
87-30	IOT control error occurred on the output device	Please call for service.
89-00	Output service processing error occurred on the output device	Please call for service.
89-10	Output service processing error occurred on the output device	Please call for service.
89-1A	Output service processing error occurred on the output device	Please call for service.
89-1B	Output service processing error occurred on the output device	Please call for service.
89-20	Output service processing error occurred on the output device	Please call for service.
89-2A	Output service processing error occurred on the output device	Please call for service.
89-2B	Output service processing error occurred on the output device	Please call for service.
89-30	Output service processing error occurred on the output device	Please call for service.
89-40	Output service processing error occurred on the output device	Please call for service.
89-41	Output service processing error occurred on the output device	Please call for service.

Error Code	Description	Action
89-48	Output service processing error occurred on the output device	Please call for service.
89-50	Output service processing error occurred on the output device	Please call for service.
89-5A	Output service processing error occurred on the output device	Please call for service.
89-5B	Output service processing error occurred on the output device	Please call for service.
89-5C	Output service processing error occurred on the output device	Please call for service.
89-93	Decomposition error occurred on the output device	Please call for service.
89-9A	Decomposition error occurred on the output device	Please call for service.
89-9B	Decomposition error occurred on the output device	Please call for service.
89-9C	Decomposition error occurred on the output device	Please call for service.
89-A0	Decomposition error occurred on the output device	Please call for service.
89-A1	Decomposition error occurred on the output device	Please call for service.
89-A2	Decomposition error occurred on the output device	Please call for service.
89-AF	Image processing error occurred on the output device	Please call for service.
89-B0	Image control error occurred on the output device	Please call for service.
89-B1	Image control error occurred on the output device	Please call for service.
89-B8	Data control error occurred on the output device	Please call for service.
89-B9	Data control error occurred on the output device	Please call for service.
89-BA	Data control error occurred on the output device	Please call for service.
89-C2	IOT communication error occurred on the output device	Please call for service.
89-D0	IOT communication error occurred on the output device	Please call for service.
89-D1	IOT communication error occurred on the output device	Please call for service.
89-D2	IOT communication error occurred on the output device	Please call for service.
89-D3	IOT communication error occurred on the output device	Please call for service.
89-D4	IOT communication error occurred on the output device	Please call for service.
89-D5	IOT communication error occurred on the output device	Please call for service.
89-D7	IOT communication error occurred on the output device	Please call for service.
89-DA	IOT communication error occurred on the output device	Please call for service.

Error Code	Description	Action
89-DB	IOT communication error occurred on the output device	Please call for service.
89-DF	IOT communication error occurred on the output device	Please call for service.
89-E2	IOT control error occurred on the output device	Please call for service.
89-E3	IOT control error occurred on the output device	Please call for service.
89-E4	IOT control error occurred on the output device	Please call for service.
89-E5	IOT control error occurred on the output device	Please call for service.
8A-60	Image control error occurred on the output device	Please call for service.
8C-01	Mechanical controller RAM failure occurred on the output device	Please call for service.
8C-02	Dual-Port RAM failure occurred on the output device	Please call for service.
8C-4A	Adaptor board interface failure occurred on the output device	Please call for service.
8C-4B	Adaptor board illegal command occurred on the output device	Please call for service.
8C-4C	Adaptor board illegal parameter occurred on the output device	Please call for service.
8C-4D	Adaptor board sequence error occurred on the output device	Please call for service.
8C-4E	Adaptor board command rejection occurred on the output device	Please call for service.
8C-4F	Adaptor board memory error occurred on the output device	Please call for service.
8C-B4	Nonvolatile RAM failure occurred on the output device	Please call for service.
8C-FF	Other unit memory failure occurred on the output device	Please call for service.
8D-30	IOT communication error occurred on the output device	Please call for service.
8D-31	IOT communication error occurred on the output device	Please call for service.
8D-32	IOT communication error occurred on the output device	Please call for service.
8D-33	IOT communication error occurred on the output device	Please call for service.
8D-34	IOT communication error occurred on the output device	Please call for service.
8D-35	IOT communication error occurred on the output device	Please call for service.
8D-40	IOT communication error occurred on the output device	Please call for service.
8D-41	IOT communication error occurred on the output device	Please call for service.
8D-42	IOT communication error occurred on the output device	Please call for service.
8D-43	IOT communication error occurred on the output device	Please call for service.

Error Code	Description	Action
8D-4E	Device power interrupted occurred on the output device	Check that the printer is turned off, and then reboot the system.
8D-4F	Device power OFF button pressed) occurred on the output device	Check that the printer is turned off, and then reboot the system.
8D-80	MEC PWD detected a hardware error	Press the RESET button.If the error persists, please call for service.
8D-88	MEC PWD detected a hardware error	Press the RESET button.If the error persists, please call for service.
8D-89	MEC PWD detected a hardware error	Press the RESET button.If the error persists, please call for service.
8D-A0	IOT power supply power-off error	Press the RESET button.If the error persists, please call for service.
8D-A1	IOT error	Press the RESET button.If the error persists, please call for service.
8D-A2	Unexpected I/F error	Press the RESET button.If the error persists, please call for service.
8D-A3	IOT loopback error	Press the RESET button.If the error persists, please call for service.
8D-A4	Video cable error	Press the RESET button.If the error persists, please call for service.
8D-A5	Abnormal change of register value error	Press the RESET button. If the error persists, please call for service.
8D-B1	Video data parity error occurred on the output device	Press the RESET button. If the error persists, please call for service.
8D-B2	Video receive data empty occurred on the output device	Press the RESET button. If the error persists, please call for service.
8D-B3	Video data overrun occurred on the output device	Press the RESET button. If the error persists, please call for service.
8D-B5	Head video data error occurred on the output device	Press the RESET button. If the error persists, please call for service.
8D-F1	IOT control error occurred on the output device	Please call for service.
8D-F2	IOT control error occurred on the output device	Please call for service.
8D-F3	8D-F3: IOT control error occurred on the output device	Please call for service.
8D-F4	IOT control error occurred on the output device	Please call for service.
8D-F5	IOT control error occurred on the output device	Please call for service.
8D-F7	IOT control error occurred on the output device	Press the RESET button. If the error persists, please call for service.
8D-F8	IOT control error occurred on the output device	Please call for service.
8D-F9	IOT control error occurred on the output device	Please call for service.
8D-FA	IOT control error occurred on the output device	Please call for service.
8D-FF	IOT control error occurred on the output device	Please call for service.
8F-10	IOT control error occurred on the output device	Please call for service.
8F-11	IOT control error occurred on the output device	Please call for service.

Error Code	Description	Action
8F-20	IOT control error occurred on the output device	Please call for service.
8F-30	IOT control error occurred on the output device	Please call for service.
8F-31	IOT control error occurred on the output device	Press the RESET button. If the error persists, please call for service.
8F-40	IOT control error occurred on the output device	Please call for service.
8F-50	IOT control error occurred on the output device	Please call for service.
8F-51	IOT control error occurred on the output device	Please call for service.
8F-70	IOT control error occurred on the output device	Please call for service.
8F-80	IOT control error occurred on the output device	Please call for service.
8F-90	Back tension pinch adjustment position error.	Please call for service.
8F-A0	IOT power supply error	Press the RESET button. If the error persists, please call for service.
8F-A1	IOT error	Press the RESET button. If the error persists, please call for service.
8F-A2	Unexpected I/F error	Press the RESET button. If the error persists, please call for service.
8F-A3	IOT loopback error	Press the RESET button. If the error persists, please call for service.
8F-A4	Video cable error	Press the RESET button. If the error persists, please call for service.
8F-A5	Abnormal change of register value error	Press the RESET button. If the error persists, please call for service.
8F-A6	Register access error - 1	Press the RESET button. If the error persists, please call for service.
8F-A7	Register access error - 2	Press the RESET button. If the error persists, please call for service.
8F-A8	Basic register error	Press the RESET button. If the error persists, please call for service.
8F-A9	Register memory error	Press the RESET button. If the error persists, please call for service.
90-1B	Pre-charger cleaner position error occurred on the output device	Press the RESET button. If the error persists, please call for service.
90-51	Pre-charger failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
90-58	Grid voltage high alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
90-59	Grid voltage low alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
91-18	Transfer cleaner rotation failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
91-50	Transfer charger failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
91-52	Transfer cleaner charger failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
94-53	Developer bias failure occurred on the output device	Press the RESET button. If the error persists, please call for service.

Error Code	Description	Action
95-56	Differential alarm between target potential and average occurred on the output device	Press the RESET button. If the error persists, please call for service.
95-57	Differential alarm between surface potentials occurred on the output device	Use of Cleaning Button on the Front panel for Corotron Cleaning. Press the RESET button. If the error persists, please call for service.
9F-FA	Xerox Unit LV2 alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
9F-FB	Xerox Unit LV3 alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
A1-11	Blower path position error occurred on the output device	Press the RESET button. If the error persists, please call for service.
A1-32	Blower inverter alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
A1-35	Blower rotation error occurred on the output device	Press the RESET button. If the error persists, please call for service.
A2-31	Fuser unit cooling fan inverter 1 alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
A2-34	Fuser unit cooling fan inverter 2 alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
A8-86	Black & White mode electromagnetic counter failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
A8-87	Color mode electromagnetic counter failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
AE-E0	Feeder unit sensor hub fuse alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AE-E1	Feeder unit fan hub 1 fuse alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AE-E2	Feeder unit F-IO board fuse alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AE-E3	Feeder unit fan hub 2 fuse alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AE-E4	Fuser unit sensor hub 1 fuse alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AE-E5	Fuser unit sensor hub 2 fuse alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AE-E6	Fuser unit sensor hub 3 fuse alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AE-E7	Fuser unit sensor hub 4 fuse alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AE-E8	Fuser unit fan hub 1 fuse alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AE-E9	Fuser unit fan hub 2 fuse alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AE-EA	Fuser unit fan hub 3 fuse alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AE-EB	Fuser unit F-IO board fuse alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AE-EC	UIF board fuse alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AE-EF	Mechanical control board fuse alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.

Error Code	Description	Action
AE-F0	Xero Unit sensor hub 1 fuse alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AE-F1	Xero Unit sensor hub 2 fuse alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AE-F2	Xero Unit sensor hub 3 fuse alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AE-F3	Xero Unit sensor hub 4 fuse alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AE-F4	Xero Unit sensor hub 5 fuse alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AE-F5	Xero Unit fan hub 1 fuse alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AE-F6	Xero Unit fan hub 2 fuse alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AE-F7	Xero Unit fan hub 3 fuse alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AE-F8	Xero Unit fan hub 4 fuse alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AE-F9	Xero Unit P-IO board fuse alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-90	Feeder unit servo amplifier lower cooling fan alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-91	Feeder unit servo amplifier upper cooling fan alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-92	Feeder unit print board cooling fan alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-93	Feeder unit controller board cooling fan alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-94	Feeder unit controller cooling fan alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-95	Feeder unit mount area cooling fan alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-96	Fuser unit servo amplifier cooling fan alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-97	Fuser unit inverter cooling fan alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-98	Fuser unit PLC cooling fan 1 alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-99	Fuser unit PLC cooling fan 2 alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-9A	Fuser unit choke coil A cooling fan 1 alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-9B	Fuser unit choke coil A cooling fan 2 alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-9C	Choke coil B cooling fan 1 alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-9D	Choke coil B cooling fan 2 alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-9E	Fuser unit print board cooling fan 1 alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-9F	Fuser unit print board cooling fan 2 alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-A0	Fuser unit print board cooling fan 3 alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.

Error Code	Description	Action
AF-A1	Fuser unit blower atmosphere exhaust fan alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-A2	Xero Unit servo amplifier cooling fan 1 alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-A3	Xero Unit servo amplifier cooling fan 2 alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-A4	Xero Unit servo amplifier cooling fan 3 alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-A6	Xero Unit ozone agitating fan 1 alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-A7	Xero Unit ozone agitating fan 2 alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-A8	Xero Unit ozone agitating fan 3 alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-A9	Xero Unit ozone agitating fan 4 alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-AA	Xero Unit head cooling fan 1 alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-AB	Xero Unit head cooling fan 2 alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-AC	Xero Unit head cooling fan 3 alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-AD	Xero Unit head cooling fan 4 alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-AE	Xero Unit development unit cooling fan 1 alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-AF	Xero Unit development unit cooling fan 2 alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-B8	Xero Unit PLC cooling fan 1 alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-B9	Xero Unit PLC cooling fan 2 alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-BA	Xero Unit print board cooling fan 1 alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-BB	Xero Unit print board cooling fan 2 alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-BD	Xero Unit toner recovery blower exhaust fan alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
AF-BE	Xero Unit main unit cooling fan alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
B1-D3	Standby operation timeout error occurred on the output device	Press the RESET button. If the error persists, please call for service.
B2-C0	Registration mark detection board IF failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
B2-C1	Color registration mark detection board IF failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
B2-C4	Registration mark read error on Side 1 occurred on the output device	Press the RESET button. If the error persists, refer to the procedure on adjusting the mark reading position.
B2-C5	Registration mark read error on Side 2 occurred on the output device	Press the RESET button. If the error persists, refer to the procedure on adjusting the mark reading position.
B2-C6	Color registration mark read error on Side 1 occurred on the output device	Press the RESET button. If the error persists, please call for service.

Error Code	Description	Action
B3-C9	Registration main scan writing compensation alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
B3-CA	Registration sub scan writing compensation alarm occurred on the output device	Press the RESET button. If the error persists, please call for service.
B4-60	Registration sensor shift motor rotation error on Side 1 occurred on the output device	Press the RESET button. If the error persists, please call for service.
B4-61	Registration sensor shift motor position error on Side 1 occurred on the output device	Press the RESET button. If the error persists, please call for service.
B4-62	Registration sensor shift motor rotation error on Side 2 occurred on the output device	Press the RESET button. If the error persists, please call for service.
B4-63	Registration sensor shift motor position error on Side 2 occurred on the output device	Press the RESET button. If the error persists, please call for service.
B4-64	Color registration sensor shift motor rotation error on Side 1 occurred on the output device	Press the RESET button. If the error persists, please call for service.
B4-65	Color registration sensor shift motor position error on Side 1 occurred on the output device	Press the RESET button. If the error persists, please call for service.
B8-FC	Collation check 1 occurred on the output device	Press the RESET button. If the error persists, please call for service.
B8-FD	Collation check 2 occurred on the output device	Press the RESET button. If the error persists, please call for service.
BA-45	Inter-unit communication 1394 command timeout occurred on the output device	Press the RESET button. If the error persists, please call for service.
BA-46	Inter-unit communication 1394 command rejection occurred on the output device	Press the RESET button. If the error persists, please call for service.
BA-47	Inter-unit communication 1394 failure occurred on the output device	Please call for service.
BB-8C	F-PLC communication failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
BB-8D	P-PLC communication failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
BB-8E	F-PLC failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
BB-8F	P-PLC failure occurred on the output device	Press the RESET button. If the error persists, please call for service.
BF-FE	Other unit SVC error resettable occurred on the output device	Press the RESET button. If the error persists, please call for service.
BF-FF	Other unit SVC error unresettable occurred on the output device	Press the RESET button. If the error persists, please call for service.

Error Messages

2

Note

Use the search feature of your PDF viewer to find the desired error message in this chapter.

Message	Description	Action
Black and white mode currently set. Are you sure you want to start printing?	An attempt was made to print color data, but the printer is in the black-and-white mode.	When printing, press OK; when canceling, press Hold.
Black and white mode currently set. Are you sure you want to start printing?	Any color images and text will be printed in black and white.	No action
Blank page due to intermittent printing.	A blank page occurred in printing	No Action.
Cancel request received from the client.	Received a cancellation request for the client.	No action.
Cancel request received from the panel, but could not cancel job.	Failed in canceling the IOT panel.	Please call for service.
Cancel request received from the panel, but could not delete the job.	Failed in deleting the job on the IOT panel.	Please call for service.
Canceling the crash recovery operation.	Stops crash recovery.	No action.
Cancelled clear print of job.	Cancelled clear printing.	No action.
Cannot accept the request because system is being started.	Received a system startup request during system startup.	No action
Cannot connect a new UI server because the number of servers reached limit.	The specified value exceeded the maximum number of connectable GUIs in the system.	Exit the already connected remote GUIs, and then reconnect them.
Cannot connect a new UI server because the system is not started.	An attempt was made to connect a GUI while the system was terminated abnormally.	Reboot the system.
Cannot connect a new UI server because the system is shutting down.	An attempt was made to connect a GUI while the system is being shut down.	Be sure that the system is shut down, and then set up the system again.
Cannot connect the socket that communicates with GUI.	An error occurred when establishing the socket communication with a GUI.	Please call for service.
Cannot continue processing because the output device is not started.	Failed in starting the output service associated with the output device because the Printer Controller task associated with the output device was not started (or stopped).	Please call for service.
Cannot continue processing due to internal inconsistency.	An internal error occurred in the GUI manager.	Reboot the system. If the error persists, please call for service.
Cannot delete the FTP-connected client information because the FTP server is running.	Failed in deleting the FTP-connected client information because the FTP server was active.	Stop the FTP server, and then reenter the command.

Message	Description	Action
Cannot delete the GUI server task from the management table.	An attempt was made to delete the desired information from the task management table under the GUI manager after the end of process was notified from the GUI server, but an error occurred.	Please call for service.
Cannot delete the GUI server task information from the user management table.	An internal error occurred.	Reboot the system. If the error persists, please call for service.
Cannot delete the LPR-connected client information because the LPR server is running.	Failed in deleting the LPR-connected client information because the LPR server was active.	Stop the LPR server, and then reenter the command.
Cannot delete the queue because it does not exist.	An attempt was made delete the queue, but it was already deleted.	Check that the queue exists.
Cannot detect the downstream printer. Check if the downstream printer is powered on.	The post-printer is not turned on in the duplex printing system, or it is already started in the single configuration.	Turn the post-printer power on if not done. When the post-printer is already started in the single configuration, start the printer in the single configuration. Then change to the duplex printing system if necessary.
Cannot detect the upstream printer. Check if the upstream printer is powered on.	The pre-printer is not turned on in the duplex printing system or it is already started in the single configuration.	Turn the pre-printer power on if not done. When the pre-printer is already started in the single configuration, start the printer in the single configuration. Then change to the duplex printing system if necessary.
Cannot disconnect the socket that communicates with GUI.	An error occurred when closing the socket communication with a GUI.	Please call for service.
Cannot find the GUI server task from the management table.	An attempt was made to search for the desired information from the task management table under the GUI manager after the end of process was notified from the GUI server, but an error occurred.	Please call for service.
Cannot fulfill the request because of stopping operation in progress.	Could not issue the request because the reader was already stopped.	No action.
Cannot fulfill the request because the reader is not activated.	Cannot execute the request because the reader is not active.	No action.
Cannot generate a GUI server task.	Cannot generate the GUI server for any reason.	Please call for service.
Cannot get a control event.	Cannot obtain any event code.	Please call for service.

Message	Description	Action
Cannot get a list of modules from the specified configuration file.	The configuration file (/opt/FXcffi/ini/CFPSWrapper) for the wrapper is incorrect.	Please call for service.
Cannot get event data.	An internal error occurred.	Reboot the system. If the error persists, please call for service.
Cannot get from CD-ROM the optional software to be installed.	Failed in getting the optional software to be installed from CD-ROM.	Check the medium in the CD-ROM.
Cannot get GUI server task information.	An attempt was made to obtain task information of the GUI server after the GUI server was started, but an error occurred.	Please call for service.
Cannot get information about the event source.	An internal error occurred.	Reboot the system. If the error persists, please call for service.
Cannot get status of the GUI server task.	Failed in inquiring for the current state of the GUI server, and cannot recognize the current state.	Please call for service.
Cannot get stop event data from Supervisor.	Cannot obtain data associated with the stop event from the system.	Please call for service.
Cannot get the [LOG]Count information from BasicSystem.ini.	System configuration error.	Please call for service.
Cannot get the [LOG]Prefix information from BasicSystem.ini.	System configuration error.	Please call for service.
Cannot get the [LOG]RootDir information from BasicSystem.ini.	System configuration error.	Please call for service.
Cannot get the control information about the mechanical control board because it is not saved.	Can get no control information on the mechanical control board because it was not saved.	Save the control information on the mechanical control board, and then reenter the command.
Cannot get the event code.	An internal error occurred.	Reboot the system. If the error persists, please call for service.
Cannot get the event.	An internal error occurred.	Reboot the system. If the error persists, please call for service.
Cannot get the host name.	An attempt was made to obtain host name information of the local host, but an error occurred.	Please call for service.
Cannot get the number of registered users.	An internal error occurred.	Reboot the system. If the error persists, please call for service.
Cannot initialize the socket that communicates with GUI.	An error occurred when opening the socket communication with a GUI.	Please call for service.
Cannot input job because the file name includes invalid characters.	The number of specified files in the control file is different from that of received data files.	No action.

Message	Description	Action
Cannot install the option because it does not match with the system configuration.	Failed in installing the option because it does not conform to the system configuration.	Please call for service.
Cannot install the optional software because the version number is invalid.	Failed in installing the optional software because its version is not appropriate.	Install the appropriate optional software contained in the CD-ROM.
Cannot install the optional software due to an active job remaining.	Failed in installing the optional software because an active job is found.	After the end of the job, reenter the command.
Cannot install the PS option because it does not match with the system configuration.	Failed in installing the PS option because it does not conform to the system configuration.	Conduct the system installation process, and then install the PS optional software.
Cannot load the license file.	Failed in reading the license file.	Please call for service.
Cannot log in with the user name.	The user logged out.	Check the registered user name, and rerun the job with the correct user name.
Cannot name the backup output file.	The backup definition file is invalid.	Please call for service.
Cannot open the image file.	Cannot open the image file.	Check whether the image is correct. If correct, please call for service.
Cannot open the initial settings file.	Cannot open the configuration file.	Please call for service.
Cannot open the IOT configuration definition file.	Cannot open the IOT configuration.	Please call for service.
Cannot open the machine level definition file.	Failed in opening the machine level definition file.	Please call for service.
Cannot print due to imposition setting.	The job cannot be printed because it is edited using invalid Imposition settings.	Please call for service.
Cannot print the control information about the mechanical control board because it is not saved.	Failed in printing because control information on the mechanical control board was not saved.	Save the control information on the mechanical control board, and then reenter the command.
Cannot receive data from the socket that communicates with GUI.	A communication error occurred when receiving data from a GUI.	Please call for service.
Cannot reference the resource required for converting the form.	Cannot reference a resource necessary for FRM resource conversion.	The FNT resource reference by the FRM resource is not imported. First import that FNT resource.
Cannot register because the subsystem to which the requested external task belongs is not started.	An internal error occurred.	Please call for service.
Cannot register job because the received file has zero-length data.	Cannot register the job because the data length is set to 0.	Correct the file and then rerun the job.
Cannot register job due to data missing.	Data other than the header is not found.	Check the sent data.

Message	Description	Action
Cannot register the GUI server task information to the user management table.	An internal error occurred.	Reboot the system. If the error persists, please call for service.
Cannot register the GUI server task to the management table.	An error occurred while registering data in the task management table under the GUI manager.	Please call for service.
Cannot register the job due to invalid data length	Data length is invalid.	Check the sent data.
Cannot register the specified FTP-connected user information because it is reserved in the system.	An attempt was made to register FTP-connected users that were reserved in the system.	Register the specified FTP-connected user with another name.
Cannot register the specified LPR-connected client information because it is reserved in the system.	An attempt was made to register the LPR-connected client that was reserved in the system.	Register the LPR-connected client with another name.
Cannot register the specified queue because it is reserved in the system.	The specified queue name is reserved in the system.	Register the queue with another queue name.
Cannot register the specified remote GUI information because it is reserved in the system.	An attempt was made to register remote GUI information that was reserved in the system.	Register the other remote GUI information.
Cannot register the specified user information because it is reserved in the system.	An attempt was made to register a user name reserved in the system.	Register the user with another name.
Cannot register/update the queue because it is in Stream output mode and the selected paper identifier is for signature.	Failed in registering or updating the queue because the signature was selected as the imposition when the output process was in the stream mode.	Select a imposition other than the signature, and then register or update the queue.
Cannot report Ready status to Supervisor.	Cannot notify the system of the ready state.	Reboot the system. If the error persists, please call for service.
Cannot resume the job because the printer is not available	Cannot rerun the job.	Place the printer into the enable state, and then rerun the job.
Cannot send data to the socket that communicates with GUI.	A communication error occurred when sending data to a GUI.	Please call for service.
Cannot send the event.	An internal error occurred.	Reboot the system. If the error persists, please call for service.
Cannot send the stop event.	Failed in sending an event to the GUI server.	Please call for service.
Cannot set information on the destination of stop event.	Cannot specify the destination of the event to be sent to the GUI server.	Please call for service.
Cannot start because all filters are started.	When multiple filters are controlled, all filters are active.	Issue the request after the active filters stopped or ended.
Cannot start because other filters are started.	When multiple filters are not controlled, other filter is active.	Set the multi-filter controlled state, or issue the request after the active filter stopped or ended.

Message	Description	Action
Cannot start IPDS input function because there is no client which is allowed to connect.	Cannot start the IPDS input function because there is no client allowed for connection in the IPDS server settings.	Register at least one client that can be connected to, and then start the IPDS input function.
Cannot start IPDS input function due to an ongoing print job.	Cannot start IPDS because there is an active job.	Start IPDS again after completing the active job.
Cannot update the FTP-connected client information because the FTP server is running.	Failed in updating the FTP-connected client information because the FTP server was active.	Stop the FTP server, and then reenter the command.
Cannot update the FTP-connected user information because the FTP server is running.	Failed in updating FTP-connected user information because the FTP server was active.	Stop the FTP server, and then reenter the command.
Cannot update the LPR-connected client information because the LPR server is running.	Failed in updating the LPR-connected client information because the LPR server was active.	Stop the LPR server, and then reenter the command.
Cannot use the following paper identifier for IPDS stream jobs.	The specified paper identifier file is not allowed for the IPDS input function.	Change the paper identifier file specified in the queue. and then restart the IPDS stream job again by pressing the Start button.
Cannot use the following QUEUE for IPDS stream job.	The specified queue is not allowed for use in the IPDS input function.	Check to correct the queue attributes, and then restart the IPDS stream job again by pressing the Start button.
Changed the printer name successfully.	The printer name was changed.	No action
Changing configuration	Now modifying the configuration.	No action
Check the paper.	The paper size is identical to that of the previous job.	No action.
Clear buffer operation cancelled.	Canceled the clear buffer process.	No Action.
Clear buffer operation started.	Started the clear buffer process.	No action.
Clear the error and they try again.	Could not execute drain processing because the device was in error when the IPDS stream job drain button was pressed.	Clear the device error, and then execute the drain operation again.
Command to cancel job on the output device failed.	Failed in executing the job cancel command for the RIP controller.	Please call for service.
Command to start job on the output device has failed.	Failed in executing the job start command for the RIP controller.	Please call for service.
Command to start reporting the job on the output device failed.	Failed in executing the report start command for the RIP controller.	Please call for service.
Command to the output device failed.	Failed in executing the internal through command for the RIP controller.	Please call for service.

Message	Description	Action
Command to the output device panel failed.	Failed in executing the internal through command for the panel via the RIP controller.	Please call for service.
Configuration has been changed to Dual System.	The configuration was changed to the duplex printing system.	No action
Configuration has been changed to Single System.	The configuration was changed to the single system.	No action
Confirmed the filter is started.	Completed the activation of the job filter.	No action.
Connect request received was invalid.	Received an invalid event.	Please call for service.
Connect to the duplex printing system that consists of the same devices, and then reboot the system.	With duplex printing system, the system cannot execute printing because paper size information does not match between the upstream and downstream printers.	Make paper size settings again so that they match between printers.
Connection from terminal is not permitted.	The connection request was rejected because the terminal is not allowed to connect to the system	Enable connection from the terminal. Alternatively, use another terminal to connect to the system.
Connection request has was issued to the output device that is connected to another service.	The output service requested a connection with the PrinterController task, but failed because the PrinterController task was already connected to another output service.	Please call for service.
Consumable (Aligner Roll) for the output device is near end of life.	The indicated error occurred in the printer with device.	Replace the consumables by referring to User Guide: Printer Instructions.
Consumable (Brake Shoe) for the output device is near end of life.	The indicated error occurred in the printer with device.	Replace the consumables by referring to User Guide: Printer Instructions.
Consumable (Charger) for the output device is near end of life.	The indicated error occurred in the printer with device.	Please call for service.
Consumable (Developer) for the output device is near end of life	The indicated error occurred in the printer with device.	Replace the consumables by referring to User Guide: Printer Instructions.
Consumable (Developer) for the output device is near end of life.	The indicated error occurred in the printer with device.	Replace the consumables by referring to User Guide: Printer Instructions.
Consumable (Discharge Brush) for the output device is near end of life.	The indicated error occurred in the printer with device.	Please call for service.
Consumable (Drum Unit) for the output device is near end of life.	The indicated error occurred in the printer with device.	Please call for service.
Consumable (Eraser) for the output device is near end of life.	The indicated error occurred in the printer with device.	Please call for service.
Consumable (Flash Lamp) for the output device is near end of life.	The indicated error occurred in the printer with device.	Please call for service.

Message	Description	Action
Consumable (Front/Back Total Print Charge Counter) for the output device is near end of life.	An invalid consumable life near-expiry notification was issued from device.	Please call for service.
Consumable (Kit A) for the output device is near end of life.	The indicated error occurred in the printer with device.	Replace the consumables by referring to User Guide: Printer Instructions.
Consumable (Kit B) for the output device is near end of life.	The indicated error occurred in the printer with device.	Replace the consumables by referring to User Guide: Printer Instructions.
Consumable (Ozone Filter) for the output device is near end of life.	The indicated error occurred in the printer with device.	Please call for service.
Consumable (Pre-Charger Cleaner Pad) for the output device is near end of life.	The indicated error occurred in the printer with device.	Please call for service.
Consumable (Pre-Charger) for the output device is near end of life.	The indicated error occurred in the printer with device.	Please call for service.
Consumable (Print Charge Counter A) for the output device is near end of life.	An invalid consumable life near-expiry notification was issued from device.	Please call for service.
Consumable (Print Charge Counter B) for the output device is near end of life.	An invalid consumable life near-expiry notification was issued from device.	Please call for service.
Consumable (Printer Operation Counter) for the output device is near end of life.	An invalid consumable life near-expiry notification was issued from device.	Please call for service.
Consumable (Smoke Filter) for the output device is near end of life.	The indicated error occurred in the printer with device.	Replace the consumables by referring to User Guide: Printer Instructions.
Consumable (Toner) for the output device is near end of life.	The indicated error occurred in the printer with device.	Replace the consumables by referring to User Guide: Printer Instructions.
Consumable (Transfer Roller) for the output device is near end of life.	The indicated error occurred in the printer with device.	Please call for service.
Consumable (Waste Toner Container) for the output device is near end of life.	The indicated error occurred in the printer with device.	Replace the consumables by referring to User Guide: Printer Instructions.
Control has been disconnected.	Control connection was cut off.	No action.
Could not add the specified attachment information.	Failed in adding the specified attachment information.	Please call for service.
Could not add the specified IPDS-connected client information.	Failed in adding the specified IPDS-connected client information.	Please call for service.
Could not add the specified paper information because it was reserved in the system.	Failed in adding the specified paper information because it was reserved in the system.	No action.
Could not add the specified test job information because it was reserved in the system.	An attempt was made to register a test job that was reserved in the system.	Register the job with another name.

Message	Description	Action
Could not add the test job because test job information amount reached the upper limit.	Failed in registering test job information because the number of test jobs reached the maximum.	Delete one or more test jobs, and then reenter the command.
Could not add/update the specified paper information.	Failed in adding or updating the specified paper information.	Please call for service.
Could not add/update the specified test job information.	Failed in adding or updating the test job.	Please call for service.
Could not allocate dynamic memory.	Cannot ensure a dynamic memory space used in the GUI server.	Please call for service.
Could not archive the log file.	An error occurred when archiving the log file.	Please call for service.
Could not back up the color resource set due to an active job remaining.	Failed in backing up the color resource set because an active job was found.	Delete the active job, and then reenter the command.
Could not back up the color resource set.	Failed in backing up the color resource set.	Please call for service.
Could not back up the definition file due to an active job remaining.	Failed in backing up the definition file because an active job was found.	After the end of the job, reenter the command.
Could not back up the log file because of insufficient disk space.	Failed in backing up the log file because the disk space was insufficient.	Delete one or more log files, and then reenter the command.
Could not back up the log file.	Failed in backing up the log file.	Please call for service.
Could not back up the resource set due to an active job remaining.	Failed in backing up the resource set because an active job existed.	End the active job, and then back up the resource set again.
Could not back up the resource set.	Failed in backing up the resource set.	Please call for service.
Could not back up the stock set due to an active job remaining.	Failed in backing up the paper set because an active job was found.	Delete the active job, and then reenter the command.
Could not back up the stock set.	Failed in backing up the paper set.	Please call for service.
Could not cancel paper loading.	Failed in canceling paper loading.	Please call for service.
Could not cancel paper output.	Failed in stopping paper ejection.	Please call for service.
Could not cancel printing.	Failed in stopping printing.	Please call for service.
Could not cancel some jobs.	Failed in canceling one or more jobs.	See the previous message.
Could not cancel the job.	Failed in canceling the specified job ID.	See the previous message.
Could not change attributes because the resource set did not exist.	The resource set was deleted, and its attribute could not be changed.	Check the specified resource set.
Could not change attributes because they were being used for a job.	Failed in changing the attribute because it was in use.	After the job that used the specified resource set has ended, reenter the command.
Could not change attributes of the resource set.	Failed in changing the attribute of the resource set.	Please call for service.

Message	Description	Action
Could not change printer configuration due to an active job remaining.	Failed in changing the printer configuration because an active job was found.	Remove the active job, and then reenter the command.
Could not change status of the FTP server.	Failed in changing the state of the FTP server.	Please call for service.
Could not change status of the LPR server.	Failed in changing the state of the LPR server.	Please call for service.
Could not change the color resource name because the specified resource was being used for a job.	Failed in renaming the specified color resource because it was being used by the job.	After the end of the job that used the specified resource, reenter the command.
Could not change the color resource name.	Failed in renaming the color resource.	Please call for service.
Could not change the color resource set name because it was set in a queue.	Failed in renaming the color resource set name because it was set in the queue.	Remove the specified color resource set from queue information, and then rename it.
Could not change the color resource set name because the color resource set did not exist.	Failed in renaming the color resource set because it was not found.	Check the copy-source color resource set.
Could not change the color resource set name because the new set already existed.	Failed in renaming the color resource set because the change-destination color resource set was found.	Delete the change-destination color resource set, and then reenter the command.
Could not change the color resource set name because the set was being used for a job.	Failed in renaming the color resource set name because it was being used by the job.	Remove the specified color resource set from job information, and then rename it.
Could not change the color resource set name.	Failed in changing the color resource set name.	Please call for service.
Could not change the job priority.	Failed in changing the priority of the specified job ID.	See the previous message.
Could not change the name because the specified color resource did not allow updating.	Failed in renaming the specified color resource because its update was not permitted.	No action.
Could not change the name because the specified resource did not allow updating.	Failed in renaming the specified resource because its updating was not permitted.	No action
Could not change the name because the specified system resource did not allow updating.	Failed in renaming the specified imposition because its update was not permitted.	No action
Could not change the name because the stock set did not exist.	The change-source paper set is not found.	Check the copy-source paper set.
Could not change the printer name because the new name already existed.	The specified printer name is duplicated.	Specify another printer name.
Could not change the printer name.	Could not rename the printer.	Please call for service.
Could not change the resource name because the specified resource was being used for a job.	Failed in renaming the specified resource because it was being used by the job.	No action

Message	Description	Action
Could not change the resource name.	Failed in renaming the resource set.	Please call for service.
Could not change the resource set name because it was set in a queue.	Failed in renaming the resource set because the change-source resource set was set in the queue.	Remove the specified resource set from queue information, and then rename the resource set.
Could not change the resource set name because the new name already exists.	Failed in changing the resource set name because the change-destination resource set existed.	Delete the change-destination resource set, and then reenter the command.
Could not change the resource set name because the resource set did not exist.	The change-source resource set is not found.	Check that the copy-source resource set exists.
Could not change the resource set name because the resource set was being used for a job.	Failed in changing the resource set name because the change-source resource set was set in the job.	Remove the specified resource set from job information, and then rename the resource set.
Could not change the resource set name.	Failed in renaming the resource set.	Please call for service.
Could not change the stock set name because it was set in a queue.	Failed in renaming the paper set because the change-source paper set was set in the queue.	Remove the specified paper set from queue information, and then rename it.
Could not change the stock set name because the new name already existed.	Failed in renaming the paper set name because the change-destination paper set was found.	Delete the copy-destination paper set, and then reenter the command.
Could not change the stock set name because the stock set was being used for a job.	Failed in renaming the paper set because the change-source paper set was set in the job.	Remove the specified paper set from job information, and then rename it.
Could not change the stock set name.	Failed in renaming the paper set.	Please call for service.
Could not change the system configuration due to an active job remaining.	Failed in changing the system configuration because an active job was found.	Delete the active job, and then reenter the command.
Could not change the system configuration.	Failed in changing the system configuration.	Please call for service.
Could not clear errors.	Failed in resetting the error.	Please call for service.
Could not close the log file.	An error occurred when closing the log file.	Please call for service.
Could not close the specified file.	Cannot close the specified file; the file name is displayed.	Please call for service.
Could not collect logs due to an active job remaining.	Failed in logging the data because an active job was found.	Please call for service.
Could not compress the log file.	An error occurred when compressing the log file.	Please call for service.
Could not configure system terminals.	Could not set the system terminal.	Please call for service.
Could not connect to RIP.	A system communication error occurred.	Please call for service.
Could not connect to RIP.	Failed in setting paper information.	Please call for service.
Could not continue replacing consumables.	Failed in setting the printer name.	Please call for service.

Message	Description	Action
Could not copy (overwrite) because the destination color resource did not allow updating.	Failed in copying (overwriting) the specified copy-destination color resource because its update was not permitted.	No action.
Could not copy (overwrite) because the destination color resource was being used for a job.	Failed in copying (overwriting) the specified copy-destination color resource because it was being used by the job.	After the end of the job, reenter the command.
Could not copy (overwrite) because the destination system resource was being used for a job.	Failed in copying (overwriting) the copy-destination imposition because it was being used by the job.	After the end of the job, reenter the command.
Could not copy (overwrite) the color resource set because it was being used for a job.	Failed in copying (overwriting) the color resource set because it was being used in the job.	No action
Could not copy (overwrite) the color resource set because it was set in a queue.	Failed in copying (overwriting) the specified color resource set because it was set in the queue.	Delete one or more color resource sets, and then reenter the command.
Could not copy (overwrite) the resource because the destination resource did not allow updating.	Failed in copying (overwriting) the copy-destination resource because its updating was not permitted.	No action
Could not copy (overwrite) the resource set because it was being used for a job.	Failed in overwriting and copying the resource set because the copy-destination resource set was set in the job.	Remove the specified resource set from the job information, and then overwrite and copy the resource set
Could not copy (overwrite) the resource set because it was set in a queue.	Failed in overwriting and copying the resource set because the copy-destination resource set was set in the queue.	Remove the specified resource set from the queue information, and then overwrite and copy the resource set.
Could not copy (overwrite) the stock set because it being was used for a job.	Failed in overwriting and copying the paper set because the destination stock set is applied to a job.	Remove the paper set specification from the job information settings, and then retry overwriting the paper set.
Could not copy (overwrite) the stock set because it was set in a queue.	Failed in overwriting and copying the copy-destination paper set because it was set in the queue.	Remove the specified paper set from queue information, and then overwrite and copy it.
Could not copy because the maximum number of color resources already reached.	Failed in copying the color resource because the number of color resources reached the maximum.	Delete one or more color resources, and then reenter the command.
Could not copy the color resource set because it did not exist.	Failed in copying the specified color resource set because it was not found.	Check the copy-source color resource set.
Could not copy the color resource set because the destination set was reserved in the system.	Failed in copying the specified copy-destination color resource set because it was reserved in the system.	Copy the copy-destination color resource set with another name.

Message	Description	Action
Could not copy the color resource set because the maximum number of color resources already reached.	Failed in copying the specified color resource set because the number of color resource sets reached the maximum.	Delete color resources in the copy-destination color resource set so that the number of color resources is within the limit value. Then reenter the command.
Could not copy the color resource set because the maximum number of sets already reached.	Failed in copying the specified color resource set because the number of color resource sets reached the maximum.	Delete one or more color resource sets, and then reenter the command.
Could not copy the color resource set.	Failed in copying the specified color resource set.	Please call for service.
Could not copy the color resource.	Failed in copying the color resource.	Please call for service.
Could not copy the log file.	An error occurred when copying the log file.	Please call for service.
Could not copy the resource because the destination resource was being used for a job.	Failed in copying (overwriting) the copy-destination resource because it was being used by the job.	After the job has ended, reenter the command.
Could not copy the resource because the maximum number of resources already reached.	Failed in copying any more resources because the number of resources reached the maximum.	Delete one or more resources, and then reenter the command.
Could not copy the resource set because it did not exist.	The specified copy-source resource set is not found.	Check the copy-source resource set.
Could not copy the resource set because the destination set was reserved in the system.	Failed in copying the resource set because the copy-destination resource set was reserved in the system.	Specify another copy-destination resource set name, and then copy the resource set.
Could not copy the resource set because the maximum number of resources already reached.	Failed in overwriting and copying any more resource sets because the number of resource sets reached the maximum.	Delete resources in the copy-destination resource set so that the number of resources is within the limit value. Then reenter the command.
Could not copy the resource set because the maximum number of sets already reached.	Failed in copying any more resource sets because the number of resource sets reached the maximum.	Delete one or more resource sets, and then reenter the command.
Could not copy the resource set.	Failed in copying the resource set.	Please call for service.
Could not copy the resource.	Failed in copying the resource.	Please call for service.
Could not copy the stock set because it did not exist.	The change-source paper set is not found.	Check the copy-source paper set.
Could not copy the stock set because the destination set was reserved in the system.	Failed in copying the copy-destination paper set because it was reserved in the system.	Copy the paper set with another name.
Could not copy the stock set because the maximum number of paper identifiers already reached.	Failed in overwriting and copying the paper set because the number of impositions reached the maximum.	Delete impositions in the copy-destination resource set so that the number of impositions is within the limit value. Then reenter the command.

Message	Description	Action
Could not copy the stock set because the maximum number of sets already reached.	Failed in copying the paper set because the number of paper sets reached the maximum.	Delete one or more paper sets, and then reenter the command.
Could not copy the stock set.	Failed in copying the paper set.	Please call for service.
Could not copy the system resource.	Failed in copying the imposition.	Please call for service.
Could not create a color resource set because the maximum number of sets already reached.	Failed in creating the specified color resource set because the number of color resource sets reached the maximum.	Delete one or more color resource sets, and then reenter the command.
Could not create a resource set because the maximum number of sets already reached.	The specified resource set already exists.	Create the resource set with another name.
Could not create a resource set.	An attempt was made to create the resource set name reserved in the system.	Please call for service.
Could not create the color resource set.	Failed in creating the specified color resource set.	Please call for service.
Could not create the paper identifier because the maximum number of paper identifiers already reached.	Failed in creating the imposition because the number of impositions reached the maximum.	Delete one or more impositions, and then reenter the command.
Could not create the specified stock set because it was reserved in the system.	Failed in creating the paper set because the specified name was reserved in the system.	Create the paper set with another name.
Could not create the stock set because the maximum number of sets already reached.	Cannot create a new paper set because the number of paper sets reached the maximum.	Delete one or more paper sets, and then reenter the command.
Could not create the stock set.	Failed in creating a paper set.	Please call for service.
Could not create/update the specified paper identifier because it was being used for a job.	Failed in updating the specified imposition because it was being used by the job.	After the end of the job, reenter the command.
Could not create/update the specified paper identifier.	Failed in creating or updating the imposition.	Please call for service.
Could not create the specified color resource set because it was reserved in the system.	Failed in creating the specified color resource set because it was reserved in the system.	Specify the color resource set with another name.
Could not create the specified resource set because it was reserved in the system.	Cannot create any more resource sets because the number of resource sets reaches the maximum.	Delete one or more resource sets, and then reenter the command.
Could not delete some jobs.	Failed in deleting one or more jobs.	See the previous message.
Could not delete the color resource set because it did not exist.	Failed in deleting the color resource set because it was not found.	Please call for service.
Could not delete the color resource set because it was being used for a job.	Failed in deleting the color resource set because it was being used by the job.	Remove the specified color resource set from job information, and then delete it.
Could not delete the color resource set because it was set in a queue.	Failed in deleting the color resource set because it was set in the queue.	Remove the specified color resource set from queue information, and then delete it.

Message	Description	Action
Could not delete the color resource set.	Cannot delete the specified color resource set.	Please call for service.
Could not delete the color resource.	Failed in deleting the color resource.	Please call for service.
Could not delete the file.	Cannot delete the specified file; the file name is displayed.	Please call for service.
Could not delete the GUI server initialization file.	Cannot delete a parameter file for the GUI server.	Please call for service.
Could not delete the image file.	Failed in deleting the image file for the test job.	Please call for service.
Could not delete the job.	Failed in deleting the specified job ID.	See the previous message.
Could not delete the log file.	An error occurred when deleting the log file.	Please call for service.
Could not delete the remote GUI information.	Cannot delete remote GUI information.	Please call for service.
Could not delete the resource set because it did not exist.	The specified resource set is not found.	Please call for service.
Could not delete the resource set because it was being used for a job.	Failed in deleting the specified resource set because it was set in the job.	Remove the specified resource set from job information, and then delete it.
Could not delete the resource set because it was set in a queue.	Failed in deleting the specified resource set because it was set in the queue.	Remove the specified resource set from queue information, and then delete it.
Could not delete the resource set.	Failed in deleting the specified resource set.	Please call for service.
Could not delete the resource.	Failed in deleting the specified resource.	Please call for service.
Could not delete the specified attachment information.	Failed in deleting the specified attachment information.	Please call for service.
Could not delete the specified color resource because it was being used for a job.	Failed in deleting the specified color resource because it was being used by the job.	After the end of the job that used the specified resource, reenter the command.
Could not delete the specified FTP-connected client information because it did not exist.	Failed in deleting the FTP-connected client information because it was not found.	FTP-connected client information may be deleted. Check that it resides.
Could not delete the specified FTP-connected client information.	Failed in deleting the FTP-connected client information.	Please call for service.
Could not delete the specified FTP-connected user information because it did not exist.	Failed in deleting the FTP-connected user information because it was not found.	FTP-connected user information may be deleted. Check that it resides.
Could not delete the specified FTP-connected user information.	Failed in deleting the FTP-connected user information.	Please call for service.
Could not delete the specified GUI information because it was set on the system terminal.	Cannot delete the specified remote GUI information because it is set in the system terminal.	Remove the specified remote GUI from the system terminal, and then reenter the command.
Could not delete the specified IPDS connected client information.	Failed in deleting the specified IPDS-connected client information.	Please call for service.

Message	Description	Action
Could not delete the specified LPR-connected client information because it did not exist.	Failed in deleting the LPR-connected client information because it was not found.	LPR-connected client information may be deleted. Check that it resides.
Could not delete the specified LPR-connected client information.	Failed in deleting the LPR-connected client information.	Failed in deleting the LPR-connected client information.
Could not delete the specified queue.	Failed in deleting the specified queue.	Please call for service.
Could not delete the specified resource because it was being used for a job.	Failed in deleting the specified resource because it was being used by the job.	After the job has ended, delete the resource again.
Could not delete the specified system resource because it was being used for a job.	Failed in deleting the specified imposition because it was being used by the job.	After the end of the job, reenter the command.
Could not delete the specified test job because it did not exist.	Failed in deleting the test job information because it was not found.	Test job information may be deleted. Check that it resides.
Could not delete the specified test job.	Failed in deleting the test job.	Please call for service.
Could not delete the specified user information because it did not exist.	Failed in updating user information because it was not found.	User information may be deleted. Check that the user information exists.
Could not delete the specified user information because the user was logged on.	Cannot delete information of the logged-on users.	Log on before deleting the users.
Could not delete the specified user information.	Failed in deleting user information.	Please call for service.
Could not delete the stock set because it did not exist.	The specified paper set is not found.	Please call for service.
Could not delete the stock set because it was being used for a job.	Failed in deleting the specified paper set because it was set in the job.	Remove the specified paper set from job information, and then delete it.
Could not delete the stock set because it was set in a queue.	Failed in deleting the specified paper set because it was set in the queue.	Remove the specified paper set from queue information, and then delete it.
Could not delete the stock set.	Failed in deleting the paper set.	Please call for service.
Could not delete the system initialization file.	Cannot delete a system file.	Please call for service.
Could not delete the system resource.	Failed in deleting the imposition.	Please call for service.
Could not disable the specified queue from accepting jobs.	Failed in changing the specified queue to the job unreceivable state.	Please call for service.
Could not disable the specified queue from processing jobs.	Failed in changing the specified queue to the job unprocessable state.	Please call for service.
Could not enable the specified queue to accept jobs.	Failed in changing the specified queue to the job receivable state.	Please call for service.
Could not enable the specified queue to process jobs.	Failed in changing the specified queue to the job processible state.	Please call for service.

Message	Description	Action
Could not exit Test mode.	Failed in ending the test mode.	Please call for service.
Could not export the color resource.	Failed in exporting the color resource.	Please call for service.
Could not export the resource.	Failed in exporting the specified resource.	Please call for service.
Could not export the specified color resource because it is a system color resource.	Failed in exporting the specified color resource because it was a system color resource.	No action.
Could not export the specified color resource because it was being used for a job.	Failed in exporting the specified color resource because it was being used by the job.	After the end of the job, reenter the command.
Could not export the specified resource because it was a system resource.	Failed in exporting the specified resource because it was a system resource.	No action
Could not export the specified resource because it was being used for a job.	Failed in exporting the specified resource because it was being used by the job.	After the job has ended, reenter the command.
Could not export the specified system resource	Failed in exporting the specified imposition because it was for the system.	No action.
Could not export the specified system resource because it was being used for a job.	Failed in exporting the specified imposition because it was being used by the job.	After the job has ended, reenter the command.
Could not export the system resource.	Failed in exporting the imposition.	Please call for service.
Could not find the end command. Cannot process byte at the end of the data.	Data with invalid syntax was processed.	Please call for service.
Could not finish downloading the PS font.	Failed in ending downloading the PS font.	Please call for service.
Could not finish mechanical controller unit testing.	Failed in ending the mechanical control unit test.	Please call for service.
Could not finish process printing.	Failed in ending process printing.	Please call for service.
Could not finish test printing.	Failed in ending test printing.	Please call for service.
Could not force the following task to stop while terminating the sub-system.	An internal error occurred.	Please call for service.
Could not force the following task to stop while terminating the task group.	An internal error occurred.	Please call for service.
Could not force the task to stop.	An internal error occurred.	Please call for service.
Could not generate a log file.	Failed in creating a log file.	Please call for service.
Could not generate the file.	Cannot create the specified file; the file name is displayed.	Please call for service.
Could not generate the GUI server initialization file.	Cannot create a parameter file for the GUI server.	Please call for service.
Could not generate the system initialization file.	Cannot create a system file.	Please call for service.
Could not get a job list.	Failed in getting the job information.	Please call for service.

Message	Description	Action
Could not get a list of color resource sets.	Failed in getting the color resource set list.	Please call for service.
Could not get a list of color resources.	Failed in getting the color resource list.	Please call for service.
Could not get a list of FTP-connected clients.	Failed in getting the information about the clients connected to the FTP server.	Please call for service.
Could not get a list of FTP-connected users.	Failed in getting the list of the users connected to the FTP server.	Please call for service.
Could not get a list of IPDS-connected clients.	Failed in getting the list of IPDS-connected clients.	Please call for service.
Could not get a list of JDE names.	Failed in getting the JDE name list in JDL.	Please call for service.
Could not get a list of JDL names.	Failed in getting the JDL resource list.	Please call for service.
Could not get a list of log files.	Failed in getting the log file list.	Please call for service.
Could not get a list of LPR-connected clients.	Failed in getting information of the clients connected to the LPR server.	Please call for service.
Could not get a list of output services.	Failed in getting the output service list.	Please call for service.
Could not get a list of paper identifiers.	Failed in getting the imposition list.	Please call for service.
Could not get a list of printers.	Failed in getting the printer list.	Please call for service.
Could not get a list of registered users.	Failed in getting the list of registered users.	Failed in getting the list of registered users.
Could not get a list of remote GUIs.	Failed in getting the remote GUI list information.	Failed in getting the remote GUI list information.
Could not get a list of resources.	Failed in getting the resource list.	Please call for service.
Could not get a list of stock sets.	Failed in getting the paper set list.	Please call for service.
Could not get a list of system resources.	Failed in getting the imposition list.	Please call for service.
Could not get a list of system terminals.	Failed in getting the system terminal information list.	Please call for service.
Could not get a list of test jobs.	Failed in getting the test job list.	Please call for service.
Could not get a list of the image data registered to the system.	Failed in getting the image data list for the test job.	Please call for service.
Could not get a paper stock list.	Failed in getting the paper list.	Please call for service.
Could not get a queue list.	Failed in getting the queue information.	Please call for service.
Could not get a report list.	Failed in getting the report information.	Please call for service.
Could not get a resource set list.	Failed in getting the resource set list.	Please call for service.
Could not get a task name from the specified task configuration file.	The task name (default: PostScript) was not found in the PostScript configuration file.	Please call for service.

Message	Description	Action
Could not get AMTO information.	Failed in getting the AMTO information.	Please call for service.
Could not get an execution path from the specified task configuration file.	The CPSI execution path (default: /opt/FXcff/system/bin/cpp/cpsi/CPSI) was not found in the PostScript configuration file.	Please call for service.
Could not get attachment default values.	Failed in getting attachment initial-value information.	Please call for service.
Could not get attachment list.	Failed in getting the attachment list.	Please call for service.
Could not get attributes of the resource set.	Failed in getting the attribute of the resource set.	Please call for service.
Could not get code page information.	Failed in getting the code page information.	Please call for service.
Could not get CPP system information.	Failed in getting the system information.	Please call for service.
Could not get darkness information.	Failed in getting the printer density information.	Please call for service.
Could not get data from the file containing optional software information.	Failed in getting the data from the optional software information file.	Please call for service.
Could not get dynamic information.	Failed in getting the dynamic information.	Please call for service.
Could not get event data.	An error occurred when receiving event data.	Please call for service.
Could not get information about attachment options.	Failed in getting the optional attachment information.	Please call for service.
Could not get information about consumables.	Failed in getting the consumable information.	Please call for service.
Could not get information about printer consumables.	Failed in getting the printer consumable information.	Please call for service.
Could not get information about system devices.	Failed in getting the device information when collecting system information.	Please call for service.
Could not get information about system disks.	Failed in getting the disk information when collecting system information.	Please call for service.
Could not get information about system terminals.	Failed in getting the system terminal information.	Please call for service.
Could not get information about the system CPU.	Failed in getting the CPU information when collecting system information.	Please call for service.
Could not get information on start parameters.	An internal error occurred.	Reboot the system. If the error persists, please call for service.
Could not get job properties.	Failed in getting the job property information.	Please call for service.
Could not get mechanical controller data.	Failed in getting mechanical control data.	Please call for service.
Could not get optional software information from CD-ROM.	Failed in getting the optional software information from the CD-ROM.	Check the medium in the CD-ROM.
Could not get package information from CD-ROM.	Failed in getting package information from CD-ROM.	Please call for service.

Message	Description	Action
Could not get page count information.	Failed in getting the page count information.	Please call for service.
Could not get printer device information.	Failed in getting the printer device information.	Please call for service.
Could not get printer information.	Failed in getting the printer information.	Please call for service.
Could not get printer sub-device information.	Failed in getting the printer sub device information.	Please call for service.
Could not get properties of the paper.	Failed in getting the property information for the paper.	Please call for service.
Could not get properties of the resource.	Failed in getting the property information for the specified resource.	Please call for service.
Could not get properties of the test job.	Failed in getting the properties for the test job.	Test job information may be deleted. Check that it resides.
Could not get PSM status.	Failed in getting the PSM status information.	Please call for service.
Could not get queue information.	Failed in getting the specified queue information.	Please call for service.
Could not get static information.	Failed in getting the statistic information.	Please call for service.
Could not get status of developer replacement.	Failed in getting the developer replacement state.	Please call for service.
Could not get status of IPDS Reader.	Failed in getting the state of the IPDS reader.	Please call for service.
Could not get status of the FTP server.	Failed in getting the state of the FTP server.	Please call for service.
Could not get status of the LPR server.	Failed in getting the state of the LPR server.	Please call for service.
Could not get status of the printer device.	Cannot obtain the printer device state.	Please call for service.
Could not get status of the printer sub-device.	Failed in getting the printer sub device state.	Please call for service.
Could not get system settings information.	Failed in getting the information from the initialization file.	Please call for service.
Could not get the Console port number.	Failed in getting the console port number.	Please call for service.
Could not get the control information about the mechanical control board.	Could get no control information on the mechanical control board.	Please call for service.
Could not get the GUI port number.	Failed in getting the GUI port number.	Please call for service.
Could not get the maximum number from the initial settings file.	Failed in reading the initialization file when the security manager started.	Reboot the system. If the error persists, please call for service.
Could not get the pre print form being used by the paper identifier.	Failed in getting the preprinted form used for the imposition.	Check that the resource set contains the preprinted form specified with the imposition.
Could not get the print mark being used by the paper identifier.	Failed in getting the printing mark used for the imposition.	Check that the resource set contains the printing mark specified with the imposition.

Message	Description	Action
Could not get the printer name.	Failed in getting the printer name for the specified output service.	Please call for service.
Could not get the selected event.	Failed in obtaining the event while waiting for it from the system.	Please call for service.
Could not get the specified attachment information.	Failed in getting the specified attachment information.	Please call for service.
Could not get the specified configuration file.	The configuration file (/opt/FXcfc/ini/CFPSWrapper) is not found for the wrapper.	Please call for service.
Could not get the specified IPDS-connected client information.	Failed in getting the specified IPDS-connected client information.	Please call for service.
Could not get the specified system resource information.	Failed in getting the imposition information.	Please call for service.
Could not get the specified task configuration file.	The task name (default: PostScript) was not found in the PostScript configuration file.	Please call for service.
Could not get the user's temporary folder.	Failed in getting a temporary folder of the specified user.	Please call for service.
Could not get user information.	Failed in getting the user information.	Redisplay user list information, and check that the specified user information exists. If it is found, please call for service.
Could not give print instructions for the test job.	Failed in printing the test job.	Please call for service.
Could not hold some jobs.	Failed in holding one or more jobs.	See the previous message.
Could not hold the job.	Failed in holding the specified job ID.	See the previous message.
Could not import (overwrite) the specified color resource because it did not allow updating.	Failed in importing (overwriting) the specified color resource because its update was not permitted.	No action
Could not import (overwrite) the specified color resource because it was being used for a job.	Failed in importing (overwriting) the specified color resource because it was being used by the job.	After the end of the job, reimport the color resource.
Could not import (overwrite) the specified resource because it did not allow updating.	Failed in importing (overwriting) the specified resource because its update was not permitted.	No action
Could not import (overwrite) the specified resource because it was being used for a job.	Failed in importing (overwriting) the specified resource because it was being used by the job.	After the job has ended, reenter the command.
Could not import (overwrite) the specified system resource because it did not allow updating.	Failed in importing (overwriting) the specified imposition because its update was not permitted.	No action.

Message	Description	Action
Could not import (overwrite) the specified system resource because it was being used for a job.	Failed in importing (overwriting) the specified imposition because it was being used by the job.	After the end of the job, reenter the command.
Could not import because it was in old format.	Failed in importing the color resource because the format was old.	Import the color resource in the format defined in the system.
Could not import because it was in old format.	Failed in importing the imposition because the format was old.	Import the imposition in the format defined in the system.
Could not import because it was in unsupported format.	Failed in importing the color resource because the format was not supported.	Check the format of the color resource to be imported.
Could not import because it was in unsupported format.	Failed in importing the paper identifier name because the format was not supported.	Import a paper identification name whose format is predefined in the system.
Could not import the color resource because the maximum number of color resources already reached.	Failed in importing the color resource because the number of color resources reached the maximum.	Delete one or more color resources, and then reenter the command.
Could not import the color resource.	Failed in importing the color resource.	Please call for service.
Could not import the control information about the mechanical control board.	Failed in exporting control information on the mechanical control board.	Please call for service.
Could not import the image file.	Failed in importing the image file for the test job.	Please call for service.
Could not import the resource because the maximum number of resources already reached.	Failed in importing the specified resource because the number of resources reached the maximum.	Delete one or more resources, and then reenter the command.
Could not import the resource.	Failed in importing the specified resource.	Please call for service.
Could not import the system resource because the maximum number of system resources already reached.	Failed in importing the imposition because the number of impositions reached the maximum.	Delete one or more impositions, and then reenter the command.
Could not import the system resource.	Failed in importing the imposition.	Please call for service.
Could not initialize the control information about the mechanical control board.	Failed in initializing control information on the mechanical control board.	Please call for service.
Could not initialize the message processing operation.	An internal error (initialization error) occurred.	Please call for service.
Could not install the package due to the invalid package number.	Failed in installing the package because its number was not correct.	Please call for service.
Could not lock the system initialization file.	Cannot lock a system file.	Please call for service.
Could not log on to Service Mode.	Cannot log on to the service mode.	Please call for service.
Could not mount the CD-ROM device.	Failed in mounting the CD-ROM device.	Please call for service.

Message	Description	Action
Could not move the job.	Failed in moving the specified job ID.	See the previous message.
Could not move to Service Mode.	Failed in switching to the service mode.	Please call for service.
Could not open the file.	Cannot open the specified file; the file name is displayed.	Please call for service.
Could not open the GUI server initialization file.	Cannot open a parameter file for the GUI server.	Please call for service.
Could not open the log file.	An error occurred when opening the log file.	Please call for service.
Could not open the management table.	Failed in opening the table with the specified table name.	Please call for service.
Could not open the system initialization file.	Cannot open a system file.	Please call for service.
Could not open the system settings file.	The system settings file is invalid.	Please call for service.
Could not output paper.	Failed in paper eject.	Please call for service.
Could not pause the printer.	Cannot temporarily stop the printer.	Please call for service.
Could not pause the printer.	Failed in halting the printer.	Please call for service.
Could not pause the printer.	Failed in temporarily stopping the printer.	Please call for service.
Could not perform the specified operation because it is currently prohibited on the output device.	When the output device is in a certain state, it inhibits a specific operation, for example, the device is active when a device error occurred; therefore, the request (command instruction) could not be executed.	If a device error occurs, correct it and press the RESET button as required. Then rerun the job.
Could not read data from the file.	Cannot read the specified file; the file name is displayed.	Please call for service.
Could not read data from the GUI server initialization file.	Cannot read a parameter file for the GUI server.	Please call for service.
Could not read data from the log file.	An error occurred when reading the log file.	Please call for service.
Could not read data from the management table.	Failed in reading the table with the specified table name.	Please call for service.
Could not read data from the system initialization file.	Cannot read a system file.	Please call for service.
Could not re-edit the job.	Failed in re-editing the specified job ID.	Please call for service.
Could not reference the file containing optional software information.	Failed in referencing the optional software information file.	Check the medium in the CD-ROM.
Could not register the specified FTP-connected client information.	Failed in registering the FTP-connected client information.	Please call for service.
Could not register the specified FTP-connected user information.	Failed in registering the FTP-connected user information.	Please call for service.
Could not register the specified LPR-connected client information.	Failed in registering the LPR-connected client information.	Please call for service.

Message	Description	Action
Could not register the specified user information.	Failed in registering user information.	Please call for service.
Could not register to the internal management table.	The console server was started too many times.	The system stops. Please call for service.
Could not register/update the specified queue.	Failed in registering or updating the specified queue.	Please call for service.
Could not release some jobs.	Failed in releasing the hold state of one or more jobs.	See the previous message.
Could not release the job.	Failed in releasing the hold state of the specified job ID.	See the previous message.
Could not re-print the job.	Failed in outputting the specified job ID again.	See the previous message.
Could not reset the consumable counter.	Failed in resetting the consumable counter.	Please call for service.
Could not reset the job ID.	Failed in resetting the job ID.	Please call for service.
Could not reset the page counter.	Failed in resetting the page counter.	Please call for service.
Could not restore the color resource set because it was being used for a job.	Failed in restoring the color resource set because it was being used by the job.	Remove the specified color resource set from job information, and then restore it.
Could not restore the color resource set because it was being used in a queue.	Failed in restoring the color resource set because it was used in the queue.	Remove the specified color resource set from queue information, and then restore it.
Could not restore the color resource set due to an active job remaining.	Failed in restoring the color resource set because an active job was found.	Delete the active job, and then reenter the command.
Could not restore the color resource set.	Failed in restoring the color resource set.	Please call for service.
Could not restore the control information about the mechanical control board.	Failed in restoring control information on the mechanical control board.	Please call for service.
Could not restore the control information about the mechanical control board. It is not saved.	Failed in restoring control information on the mechanical control board because it was not saved.	Save the control information on the mechanical control board, and then reenter the command.
Could not restore the definition file because the version number was invalid.	Failed in restoring the definition file because its version was not appropriate.	Specify the backup file of the definition file that conforms to the system.
Could not restore the definition file due to an active job remaining.	Failed in restoring the definition file because an active job was found.	After the end of the job, reenter the command.
Could not restore the resource set because it was being used for a job.	Failed in restoring the resource set because it was being used in the job.	After the job has ended, restore the resource set again.
Could not restore the resource set because it was being used in a queue.	Failed in restoring the resource set because it was currently used in the queue.	Remove the specified resource set from queue information, and then restore it again.
Could not restore the resource set due to an active job remaining.	Failed in restoring the resource set because an active job existed.	End the active job, and then restore the resource set again.
Could not restore the resource set.	Failed in restoring the resource set.	Please call for service.

Message	Description	Action
Could not restore the stock set because it was being used for a job.	Failed in restoring the paper set because it was being used by the job.	Remove the specified color resource set from job information, and then restore it.
Could not restore the stock set because it was being used in a queue.	Failed in restoring the paper set because it was being used by the queue.	Remove the specified color resource set from queue information, and then restore it.
Could not restore the stock set due to an active job remaining.	Failed in restoring the paper set because an active job was found.	Delete the active job, and then reenter the command.
Could not restore the stock set.	Failed in restoring the paper set.	Please call for service.
Could not resume the job.	Failed in restarting the specified job ID.	See the previous message.
Could not resume the printer.	Cannot restart the printer	Please call for service.
Could not resume the printer.	Failed in restarting the printer.	Please call for service.
Could not save the control information about the mechanical control board.	Failed in saving control information on the mechanical control board.	Please call for service.
Could not send a command to the printer.	An error occurred when sending an operation command to the printer.	Please call for service.
Could not send message.	An error occurred during message sending.	Please call for service.
Could not send to event.	An error occurred while issuing a request to the reader.	Please call for service.
Could not set darkness information.	Failed in setting the printer density information.	Please call for service.
Could not set job properties.	Failed in setting job property information.	Please call for service.
Could not set mechanical controller data.	Failed in setting mechanical control data.	Please call for service.
Could not set the Color mode.	Failed in setting the color mode	Please call for service.
Could not set the Console port number.	Could not set the console port number.	Please call for service.
Could not set the current darkness (Back).	Failed in setting the density preset value (back).	Please call for service.
Could not set the current darkness (Front).	Failed in setting the density preset value (front).	Please call for service.
Could not set the Economy mode.	Failed in setting the number of monitoring pages.	Please call for service.
Could not set the GUI port number.	Cannot set the GUI port number.	Please call for service.
Could not set the High Toner Coverage mode.	Failed in setting the compensation value of the vertical printing position.	Please call for service.
Could not set the image shift amount (Back).	Failed in setting the developer density (back).	Please call for service.
Could not set the image shift amount (Front).	Failed in setting the developer density (front).	Please call for service.
Could not set the MarkSensor.	Failed in setting the mark sensor.	Please call for service.

Message	Description	Action
Could not set the number of monitored pages.	Failed in setting the printing side.	Please call for service.
Could not set the paper information.	Failed in setting the movement of the image position (front).	Please call for service.
Could not set the paper thickness.	Failed in setting the high printing ratio mode.	Please call for service.
Could not set the path length.	Could not specify the path length.	Please call for service.
Could not set the post-processing device path length.	Failed in setting the path length of the postprocessor.	Please call for service.
Could not set the preset darkness value (Back).	Failed in setting the printing mode.	Please call for service.
Could not set the preset darkness value (Front).	Failed in setting the movement of the image position (back).	Please call for service.
Could not set the print mode.	Failed in setting the economy mode.	Please call for service.
Could not set the remote GUI information.	Cannot set remote GUI information.	Please call for service.
Could not set the RofMark.	Failed in setting the ROF mark.	Please call for service.
Could not set the side to be printed.	Failed in setting the paper thickness.	Please call for service.
Could not set the system date and time.	Could not specify the system date/time.	Please call for service.
Could not set the system time due to an active job remaining.	Failed in setting the system time because an active job was found.	After the end of the job, reenter the command.
Could not set the system time.	Failed in setting the system time.	Please call for service.
Could not set the value that corrects vertical print positions.	Failed in starting replacing consumables.	Please call for service.
Could not shut down the system due to an active job remaining.	Failed in shutting down the system because an active job was found.	After the end of the job, reenter the command.
Could not start adjustment print.	Failed in starting adjust-printing.	Please call for service.
Could not start AMTO testing.	Failed in starting AMTO testing.	Please call for service.
Could not start checking the print position.	Failed in starting checking the printing position.	Please call for service.
Could not start downloading the PS font due to an active job remaining.	Could not start downloading the PS font because an active job was found.	Delete the active job, and then reenter the command.
Could not start downloading the PS font.	Could not start downloading the PS font.	Please call for service.
Could not start IPDS Reader.	Failed in starting the IPDS reader.	Please call for service.
Could not start mechanical controller unit testing.	Failed in starting the mechanical control unit test.	Please call for service.
Could not start PDIC testing.	Failed in starting the PDIC test.	Please call for service.
Could not start printing the control information about the mechanical control board.	Could not start printing control information on the mechanical control board.	Please call for service.
Could not start process printing.	Failed in starting process printing.	Please call for service.

Message	Description	Action
Could not start replacing consumables.	Failed in continuing replacing consumables.	Please call for service.
Could not start Test mode.	Failed in starting the test mode.	Please call for service.
Could not start test printing.	Failed in starting test printing.	Please call for service.
Could not start the FTP server.	An error occurred when the FTP server started.	Please call for service.
Could not start the LPR server.	An error occurred when the LPR server started.	Please call for service.
Could not start the system.	Failed in starting the system.	Please call for service.
Could not stop adjustment print.	Failed in ending adjust-printing.	Failed in ending adjust-printing.
Could not stop checking the print position.	Failed in ending checking the printing position.	Please call for service.
Could not stop IPDS Reader.	Failed in stopping the IPDS reader.	Please call for service.
Could not stop the FTP server.	An error occurred when the FTP server stopped.	Please call for service.
Could not stop the LPR server.	An error occurred when the LPR server stopped.	Please call for service.
Could not stop the output service.	Failed in stopping the output service.	Please call for service.
Could not stop the system.	Failed in stopping the system.	Please call for service.
Could not turn off the attention lamp.	Failed in turning off the Patlite.	Please call for service.
Could not turn on the attention lamp.	Failed in turning on the Patlite.	Please call for service.
Could not turn the power off.	Failed in turning the power off.	Please call for service.
Could not unmount the CD-ROM device.	Failed in mounting the CD-ROM device.	Please call for service.
Could not update because the specified queue does not exist.	An attempt was made to update the queue, but it was already deleted.	Check that the queue exists.
Could not update the specified attachment information.	Failed in updating the specified attachment information.	Please call for service.
Could not update the specified FTP-connected client information because it did not exist.	Failed in updating the FTP-connected client information because it was not found.	FTP-connected client information may be deleted. Check that it resides.
Could not update the specified FTP-connected client information.	Failed in updating the FTP-connected client information.	Please call for service.
Could not update the specified FTP-connected user information because it did not exist.	Failed in updating FTP-connected user information because it was not found.	FTP-connected user information may be deleted. Check that it resides.
Could not update the specified FTP-connected user information because of incorrect password.	Failed in updating the specified FTP-connected user information because the password is not appropriate.	No action.
Could not update the specified FTP-connected user information.	Failed in updating FTP-connected user information.	Please call for service.

Message	Description	Action
Could not update the specified IPDS-connected client information.	Failed in updating the specified IPDS-connected client information.	Please call for service.
Could not update the specified LPR-connected client information because it did not exist.	Failed in updating the LPR-connected client information because it was not found.	LPR-connected user information may be deleted. Check that it resides.
Could not update the specified LPR-connected client information.	Failed in updating the LPR-connected client information.	Please call for service.
Could not update the specified paper information because it did not exist.	Failed in updating the specified paper information because it was not found.	Please call for service.
Could not update the specified remote GUI information because it did not exist.	Failed in updating the specified remote GUI information because it was not found.	The specified remote GUI information may be deleted. Check that it resides.
Could not update the specified test job information because it did not exist.	Failed in updating test job information because it was not found.	Test job information may be deleted. Check that it resides.
Could not update the specified user information because it did not exist.	Failed in updating user information because it was not found.	User information may be deleted. Check that the user information exists.
Could not update the specified user information because of incorrect password.	Can update no user information because the password is not appropriate.	Check the password.
Could not update the specified user information.	Failed in updating user information.	Please call for service.
Could not write data to the file.	Cannot write the specified file; the file name is displayed.	Please call for service.
Could not write data to the GUI server initialization file.	Cannot write a parameter file for the GUI server.	Please call for service.
Could not write data to the log file.	An error occurred when writing the log file.	Please call for service.
Could not write data to the management table.	Failed in writing the table with the specified table name.	Please call for service.
Could not write data to the system initialization file.	Cannot write a system file.	Please call for service.
CPSI Copyright (c) 1984-2005 Adobe Systems, Inc. All right reserved.	Displayed based on LSA (Licensed Software Appendix).	No action
CPSI has detected Decompose Error.	CPSI detected an error.	Please call for service.
CPSI-related error has been detected.	An error occurred during communication with CPSI.	Please call for service.
Customer-size form cannot be converted to bitmap.	Could not convert the irregular-size FRM resource.	Please call for service.
Data buffer full detected on the output device. Printing may be temporarily interrupted.	Data buffer full (no data can be sent temporarily) was notified from the RIP controller during printing.	No action

Message	Description	Action
Data contained that is not printed yet. Do you want to print?	Job processing was interrupted during the previous streaming job and there is print data remaining in the machine memory.	No action.
Data input complete	Started the data input process	No action.
Data input has been completed.	Completed job registration.	No action.
Data input has been started.	Starts job registration.	No action.
Data input started.	Started the data input process.	No action.
Data output task for the output device has stopped.	The output controller task ends.	No action.
Data reset finished on the output device.	Data reset finished on the output device.	No action
Definition file is being backed up.	The definition file is currently being backed up.	No action
Delete one or more FTP-connected clients, and then reenter the command.	An attempt was made to register FTP-connected clients that are reserved in the system.	Register the specified FTP-connected client with another name.
Detected a filter aborted.	Detected filter abort.	No action.
Detected a filter management task aborted. The service will be stopped.	Detected that the filter management task aborted.	No action.
Detected a reader aborted.	Detected reader abort.	No action.
Detected a task aborted. The operation will be continued.	Detected the end notification of an invalid task.	No action.
Detected a writer aborted. The service will be stopped.	Detected writer abort.	No action.
Detected an invalid task status.	Detected an invalid task status.	Please call for service.
Detected device configuration of inconsistent devices on the output device.	The duplex printing system consists of different devices such as Dione and Pyxis.	Connect to the duplex printing system that consists of the same devices, and then reboot the system.
Detected event interface violation on the output device.	Invalid event message information was obtained in the internal event message fetch process.	Please call for service.
Detected inconsistency in version number of the firmware installed to the output device.	The firmware installed in each YMCK unit has an invalid version.	Please call for service.
Detected that a task finished operation, but information on the task is not registered.	An internal error occurred.	Please call for service.
Detected that Supervisor stopped abnormally.	An internal error occurred.	Reboot the system. If the error persists, please call for service.
Detected that Task Manager stopped abnormally.	The task management process aborted.	Please call for service.
Detected the job abort. The IPDS input function to be exited.	The IPDS input function will be stopped because job abort has been detected.	Clear the cause of job abort, restart the IPDS input function, and then execute the job again.

Message	Description	Action
Developer (B) replacement Cannot replace because the back-side unit is evacuated.	An error occurred when replacing developer.	Set the printing side to "both sides" to prevent the developer (back) from being placed into the standby state.
Developer [R1] replacement Center door is open. Close the door.	An error occurred when replacing developer.	Close the inner door.
Developer [R1] replacement Cleaner cover is open. Close the cover.	An error occurred when replacing developer.	Close the cleaner cover.
Developer [R1] replacement Developer outlet is closed. Set the developer outlet lever to Open.	An operation error occurred when replacing developer.	Set the developer exhaust lever to the close side.
Developer [R1] replacement Developer outlet is open. Set the developer outlet lever to Close.	An operation error occurred when replacing developer.	Set an empty developer bottle.
Developer [R1] replacement Developer Unit is released. Secure the Developer Unit.	An operation error occurred when replacing developer.	Set the developer exhaust lever to the open side.
Developer [R1] replacement Empty developer container is not installed. Install the empty container.	An error occurred when replacing developer.	Please call for service.
Developer [R1] replacement Top cover is open. Close the cover.	An error occurred when replacing developer.	Close the top cover.
Developer [R1] replacement Unexpected error occurred.	An operation error occurred when replacing developer.	Set the developing machine. If error continues, please call for service.
Device will be paused to cancel jobs on the printer.	Temporarily stops the printer to cancel the job.	No action.
Device will resume as all jobs have been cancelled on the printer.	Restarts the printer because job cancellation was completed.	No Action.
Different operation is in progress.	Could not execute drain processing because another process was in progress when the IPDS stream job drain button was pressed.	The system might be in reset mode. Check to see the device condition, and then execute the drain operation again.
Disconnect request was invalid.	Received an invalid event	Please call for service.
Disk for resource registration is full.	The disk capacity was made full to register resources.	Delete resources.
Disk space not sufficient to process job.	Disk space is not enough to process the job.	Please call for service
Duplex print is specified on the simplex system.	An imposition file for duplex printing system was specified in simplex printing system (single configuration).	Select an imposition file for simplex printing system.
During API method, an error occurred.	A fatal internal error occurred.	Reboot the system. If the error persists, please call for service.

Message	Description	Action
During initialization, an error occurred in adding to task management table.	Failed in registering the started sub program in the process management table.	Reboot the system. If the error persists, see log information and Please call for service.
During print of active job, paper of different length was loaded on the output device.	During print of active job, paper of different length was loaded on the output device.	Check if the paper matches the paper identifier for the job.
During system initialization, encountered an error in getting information on the issuing task.	An internal error occurred in the GUI manager.	Please call for service.
Edited as both sides imposition, but one side imposition is set. Re-edition is necessary.	Both side imposition was specified at editing, but the imposition file setting is changed to one side.	No action.
Edited as one side imposition, but both sides imposition is set. Re-edition is necessary.	One side imposition was specified at editing, but the imposition file setting is changed to both sides.	No action.
Encountered an error while allocating memory for the task management table.	An internal error occurred in the GUI manager.	Please call for service.
Encountered an error while allocating memory for the user management table.	An internal error occurred.	Reboot the system. If the error persists, please call for service.
Encountered Disk Full while saving the log file.	The disk was made full during saving of the log file.	Please call for service.
Encountered I/O Error while editing the log file.	An I/O error occurred during editing of the log file.	Please call for service.
Encountered I/O Error while saving the log file.	An I/O error occurred during saving of the log file.	Please call for service.
End job command on the output device has failed.	Failed in executing the job end command for the RIP controller.	Please call for service.
Error	An internal error occurred.	Please call for service.
Error access to basic information file occurred.	An error occurred while accessing the basic information file.	Please call for service.
Error access to reader definition information occurred.	An error occurred while accessing reader definition information	Please call for service.
Error access to the definition file occurred.	An error occurred while accessing the definition file.	Please call for service.
Error in getting event.	An error occurred during event receiving.	Please call for service.
Error in initializing the initial settings file.	The internal configuration file is not found.	Please call for service.
Error in the unit has been cleared.	Unit name. The unit error has been cleared.	No action.
Error in writing to spool.	Failed in writing on the spool.	No action.
Error initializing LPR reader.	An error occurred during initialization of the LPR reader.	Please call for service.
Error occurred.	A task control error occurred	Reboot the system. If the error persists, please call for service.
Error occurred during access to the task management table.	An error occurred while accessing the internal table.	Please call for service.

Message	Description	Action
Error occurred during immediate stop operation.	An immediate stop request was issued, but it failed.	The system stops. After a while, reboot the system.
Error occurred during initialization.	An error occurred during initialization. The reader stops.	If the error persists, please call for service.
Error occurred during internal processing. The command request will not be handled.	Failed in getting the information of the sub task manager when sending the command input on the console to the subtask manager.	If this message reappears, please call for service.
Error occurred during log initialization.	An error occurred during log utilization.	No action.
Error occurred during registration to the internal management table.	Failed to register console task information in the internal management table.	The system stops. After a while, reboot the system. If the error persists, please call for service.
Error occurred during registration to the reply table.	Failed to register reply information in the internal management table.	Please call for service.
Error occurred during registration to the task management table.	An error occurred while registering data in the internal table.	Please call for service.
Error occurred during spooling operation.	An error occurs at linkage with the spooler, and the process cannot be continued.	Please call for service.
Error occurred during the process.	An error occurred during processing. The reader stops.	If the error persists, please call for service.
Error occurred during the start operation.	Failed in initializing the system resource manager.	Please call for service.
Error occurred in a filter while processing job. The device will be paused.	An error occurred in the filter process.	The job is invalid or resources are insufficient. If the cause is unknown, please call for service.
Error occurred in analyzing job.	Data that cannot be analyzed was processed.	Please call for service.
Error occurred in analyzing the header information for job.	Failed in analyzing header information. Invalid header information.	Please call for service.
Error occurred in auto-starting the specified reader.	An error occurred while automatically starting the specified reader.	No action.
Error occurred in canceling task stop notification.	Failed to cancel a stop notification request for the task that issued a reply request.	If the error persists, please call for service.
Error occurred in checking the queue directory.	An error occurred while checking the queue directory.	Check the spool and queue directories, and then reboot the system.
Error occurred in checking the spool directory.	An error occurred while checking the spool director.	Check the spool and queue directories and then reboot the system.
Error occurred in creating PLW order.	An error occurred when creating a PLW order.	Please call for service.

Message	Description	Action
Error occurred in deleting a task from the output device information delivery service.	An error occurred when deleting the registered internal task in internal asynchronism notification event distribution function.	Please call for service.
Error occurred in event communications.	An error occurred during event issuance.	Please call for service.
Error occurred in executing the command on the output device.	Failed in executing the internal command to the RIP controller.	Please call for service.
Error occurred in getting an event on the output device.	An error occurred in the internal event message fetch process.	Please call for service.
Error occurred in getting an event.	An error occurred when obtaining an event.	Please call for service.
Error occurred in getting information	Failed in getting the information on the sub program started by the supervisor.	The system stops. After a while, reboot the system.
Error occurred in getting information about the task to which events are sent.	Failed to acquire task information for the message manager.	Stop the GUI client once. After a while, reboot the system.
Error occurred in handling a message from the output device.	An error occurred in the asynchronous message process for the internal RIP controller.	Please call for service.
Error occurred in handling an event on the output device.	An error occurred in the internal event process.	Please call for service.
Error occurred in operating the spooler.	A spooler error occurred, and the system failed to continue the process.	Please call for service.
Error occurred in reading the message template.	Failed to read a message template.	The system continues the process. Check parameters indicating the respective names of the system and task that failed to read the message template before calling for service.
Error occurred in receiving an event.	A fatal error occurred in the internal process.	Please call for service.
Error occurred in receiving data from GUI.	An error occurred during socket communication with a GUI.	Please call for service.
Error occurred in receiving data from RIP.	An error occurred during communication with the RIP.	Please call for service.
Error occurred in registering a task to the output device information delivery service.	An error occurred when registering the internal task in internal asynchronism notification event distribution function.	Please call for service.
Error occurred in registering task stop notification.	Failed to register a stop notification request for the task that issued a reply request.	The system stops. After a while, reboot the system. If the error persists, please call for service.

Message	Description	Action
Error occurred in searching for an event on the output device.	An error occurred in the internal event message search process.	Please call for service.
Error occurred in sending an event.	An error occurred during event sending.	Please call for service.
Error occurred in sending data to GUI.	An error occurred during socket communication with a GUI.	Please call for service.
Error occurred in sending data to the output device.	An error occurred when sending data to the RIP controller.	Please call for service.
Error occurred in sending information to IOT-GUI.	An error occurred during communication with the IOT-GUI.	Please call for service.
Error occurred in starting the issuing task.	An error occurred in the Spooler start process.	Reboot the system. If the error persists, please call for service.
Error occurred in the communication environment with the console.	Failed to disconnect from the GUI console.	The system stops. After a while, reboot the system. If the error persists, please call for service.
Error occurred in the method of the object.	An error occurred during processing of the internal API object. The reader stops.	See the related messages to take the appropriate action. The job may not be registered completely. Delete the job, and retransfer it. If the error persists, please call for service.
Error occurred in the system.	An internal error occurred.	Please call for service.
Error occurred in the system. Please shut down the system.	The system aborted.	Shut down the system.
Error occurred in the system. Shutting down the system forcefully.	An internal error occurred.	Reboot the system. If the error persists, please call for service.
Error occurred in writing to socket.	An error occurred when sending a response to the client.	Resend data.
Error occurred while allocating memory for the console management table.	Failed to acquire memory during initialization.	Please call for service.
Error occurred while allocating memory for the sub-system management table.	An internal error occurred during memory acquisition.	The system stops. After a while, reboot the system. If the error persists, please call for service.
Error occurred while attempting to connect to the console.	Failed to disconnect from the console.	Stop the GUI client once. After a while, reboot the system.
Error occurred while attempting to get message event data.	Failed to obtain event data.	The system continues the process. Check parameter (error code) before contacting us.
Error occurred while checking an event.	A fault occurred while branching the received event.	The system stops. After a while, reboot the system.
Error occurred while checking if the task is finished.	An internal error occurred.	Please call for service.
Error occurred while checking the sub-system status.	The sub system is in an invalid task state.	Please call for service.

Message	Description	Action
Error occurred while checking the Task Manager status	An internal error occurred during task control.	Please call for service.
Error occurred while checking the task status.	An error occurred while checking the task status.	Please call for service.
Error occurred while collecting log files.	Failed in getting the log file.	Any process such as FTP entry or remote GUI operation may be executed in the background. Stop that process, and reenter the command.
Error occurred while creating a reader management table.	An error occurred while creating a reader management table.	Reboot the system. If the error persists, please call for service.
Error occurred while deleting an event.	A fault occurred in the communication socket during event deletion.	Reboot the system. If the error persists, please call for service.
Error occurred while deleting GUI server information.	An error occurred during deletion of task management information of the GUI server.	Please call for service.
Error occurred while deleting sub-system management information.	An internal error occurred.	Reboot the system. If the error persists, please call for service.
Error occurred while deleting task management information.	An access error occurred in the internal table.	Reboot the system. If the error persists, please call for service.
Error occurred while deleting task management information.	An access error occurred in the internal table.	The system stops. After a while, reboot the system.
Error occurred while delivering a message to the console server.	An error occurred in the event communication equipment.	The system stops. After a while, reboot the system. If the error persists, please call for service.
Error occurred while delivering a stop event.	An event error occurred during event distribution to the GUI server.	Please call for service.
Error occurred while generating manager.	Failed in generating the task. System resources may be insufficient.	Reboot the system. If the error persists, please call for service.
Error occurred while generating the task.	An internal error occurred.	Reboot the system. If the error persists, please call for service.
Error occurred while getting start parameters.	Failed in getting the parameter to be transferred to the console.	Stop the GUI client once. After a while, reboot the system.
Error occurred while getting task information.	An access error occurred in the internal table.	The system stops. After a while, reboot the system.
Error occurred while getting task information.	An error occurred while obtaining task information.	Please call for service.
Error occurred while initializing the communication environment with the console.	Failed to disconnect from the GUI console.	The system stops. After a while, reboot the system. If the error persists, please call for service.
Error occurred while initializing the communication function of Sub-Task Manager.	Failed to initialize the sub task manager class when sending the command input on the console to the sub task manager.	Please call for service.

Message	Description	Action
Error occurred while messages are output.	Failed to send a message to the console server.	The system stops. After a while, reboot the system.
Error occurred while newly registering to the sub-task management table.	An internal error occurred.	The system stops. After a while, reboot the system. If the error persists, please call for service.
Error occurred while notifying of the Ready state.	Failed to send a ready notification to the supervisor.	The system stops. After a while, reboot the system. If the error persists, please call for service.
Error occurred while obtaining an event.	An error occurred in the communication equipment in the event standby state.	The system stops. After a while, reboot the system. If the error persists, please call for service.
Error occurred while obtaining information about the event request task.	Failed in getting the event sending source information.	The system stops. After a while, reboot the system. If the error persists, please call for service.
Error occurred while operating the sub-system.	Failed to send a command to the sub task manager.	No action
Error occurred while reading for data connection.	An error occurred while inputting data from the client. The reader stops.	Please call for service.
Error occurred while reading for data connection.	The specified queue is not found. End the LPR reader.	Check the specified queue.
Error occurred while receiving an event.	A fault occurred in the communication socket during event receiving.	Reboot the system. If the error persists, please call for service.
Error occurred while receiving data from the console.	Failed to receive data from the console.	Stop the GUI client once. After a while, reboot the system.
Error occurred while receiving event data.	An error occurred while obtaining event data.	Please call for service.
Error occurred while receiving initial data from the console.	A fault occurred while receiving a port number from the GUI console.	The system stops. After a while, reboot the system. If the error persists, please call for service.
Error occurred while referencing	Failed in responding to the number of currently running sub tasks.	Please call for service.
Error occurred while referencing the task status.	A fault occurred in the communication socket while receiving a status change notification of the started process.	Reboot the system. If the error persists, please call for service.
Error occurred while rejecting connection with the GUI server.	A communication error occurred while sending a connection reject request to GUI.	Please call for service.
Error occurred while searching for an event.	A message queue error occurred	Reboot the system. If the error persists, please call for service.
Error occurred while searching for task management information.	An internal error occurred.	Reboot the system. If the error persists, please call for service.

Message	Description	Action
Error occurred while sending a Reply Cancel request.	Failed to send a reply cancellation request to the GUI client.	Stop the GUI client once. After a while, reboot the system.
Error occurred while sending a stop request to the console server.	Failed to send a stop request to the console server.	The system stops. After a while, reboot the system. If the error persists, please call for service.
Error occurred while sending an event.	A fault occurred in the communication socket during event sending.	Reboot the system. If the error persists, please call for service.
Error occurred while sending event data.	An error occurred in the communication equipment during event sending.	If the system stops, wait for a while to reboot the system. If the error persists, please call for service.
Error occurred while sending messages to the console.	An error occurred when sending a message to the console.	Stop the GUI client once. After a while, reboot the system.
Error occurred while sending the reply to Message Manager.	An error occurred when sending the reply from the GUI client to the message manager.	Stop the GUI client once. After a while, reboot the system.
Error occurred while setting information about the recipient of the event.	An error occurred in the communication equipment when specifying the event destination.	If the system stops, wait for a while to reboot the system. If the error persists, please call for service.
Error occurred while setting information about the recipient of the message event.	Failed to specify an event destination.	Stop the GUI client once. After a while, reboot the system. If the error persists, please call for service.
Error occurred while setting information about the recipient of the stop request.	Failed to set destination information when sending a stop request to the GUI client.	The system stops. If the error persists, please call for service.
Error occurred while setting information on the destination of the event.	An error occurred while setting event destination information.	Please call for service.
Error occurred while setting the destination to which events are sent.	Failed to specify the event sending destination.	Stop the GUI client once. After a while, reboot the system.
Error occurred while setting the source of event notification.	Failed in setting where to send the event.	The system stops. After a while, reboot the system.
Error occurred while shutting down the system.	Failed to send the Shutdown command to the supervisor.	Reenter the Shutdown command. If this message reappears, please call for service.
Error occurred while starting manager.	Cannot startup the process.	Reboot the system. If the error persists, please call for service.
Error occurred while starting the CFF sub system.	An error occurred at startup of the OFF subsystem.	Please call for service.
Error occurred while starting the console server.	Failed to start the console server.	The system stops. After a while, reboot the system. If the error persists, please call for service.
Error occurred while starting the GUI server.	Failed in starting the GUI server.	Please call for service.

Message	Description	Action
Error occurred while starting the reader.	An error occurred while activating the reader.	Please call for service.
Error occurred while starting the sub-system	Failed in starting the specified sub system.	The system continues the process. Check the sub system module, and reenter the Start command.
Error occurred while starting the system.	An error occurred during system startup.	Reboot the system. If the error persists, please call for service.
Error occurred while starting the task operation.	An internal error occurred.	Please call for service.
Error occurred while starting the task.	An internal error occurred.	Reboot the system. If the error persists, please call for service.
Error occurred while stopping	A fault occurred in the communication socket during the stop process.	The system stops. After a while, reboot the system.
Error occurred while stopping the system.	Failed to send the Stop command to the supervisor.	Reenter the Stop command. If this message reappears, please call for service.
Error occurred while stopping.	A fault occurred in the communication socket during the stop process.	The system stops. After a while, reboot the system.
Error occurred while terminating communications with the console.	Failed to disconnect from the console in the console server stop process.	Stop the GUI client once. After a while, reboot the system.
Error occurred while terminating the communication environment with the console.	Failed to disconnect from the GUI console.	The system stops. After a while, reboot the system. If the error persists, please call for service.
Error occurred while waiting for notification of Ready state of the master console server.	A fault occurred while the console server was in the ready state.	The system stops. After a while, reboot the system. If the error persists, please call for service.
Error occurred while waiting until becomes ready.	A fault occurred in the communication socket while the process was started or in the stop standby state.	The system stops. After a while, reboot the system. If the error persists, please call for service.
Error-level merging performed onto the output device.	An error occurred in one of the printers, or the different level of error occurred in each printer with duplex printing system, so the system made adjustment of error levels. The actual error level might be different from the displayed one for the printer	No action
Event error occurred.	An event error occurred.	Please call for service.
Event interface violation detected on the output device.	An invalid event message was obtained in the internal event message fetch process.	Please call for service.
Event interface violation occurred.	An invalid event message was fetched in the internal event message fetch process.	Please call for service.
Event loop error.	An error occurred when processing an event.	Please call for service.

Message	Description	Action
Event-related error has been detected.	An event API has ended in error or has been aborted,	Please call for service.
Exceeded the maximum number of reports.	The number of groups exceeded the limit value.	Please call for service.
Exceeded the spooling upper limit.	The maximum value of one spool-enabled job was exceeded.	Please call for service.
Exceeded the upper limit of one record.	An attempt was made to register the job over the limit value of one record.	Please call for service.
Exiting AmtoCnt	The AmtoCnt task ended.	No action.
Exiting AmtoMgr	The AmtoMgr task ended.	No action.
Exiting AmtoOutTask	The AmtoOut task ended.	No action.
Exiting AmtoTrkTask	The AmtoTrk task ended.	No action.
Exiting BufferCnt.	The BufferCnt task ends.	No action.
Exiting Compress.	The Compress task ends.	
Exiting CompressCnt.	The CompressCnt task ends.	
Exiting DecompCnt.	The DecompCnt task ends.	No action.
Exiting ImageCnt.	The RipImageCnt task ends.	No action.
Exiting IPDS Reader.	IPDS job input starts.	No action.
Exiting job director.	End message .	No action.
Exiting job processing.	Ends the job process.	No action.
Exiting job registration.	Ends job registration.	No action.
Exiting MultiCnt.	The RipMultiCnt task ends.	No action.
Exiting Output.	The RipOutput task ends.	No action.
Exiting RipCnt.	The RipCnt task ends.	No action.
Exiting RipInput.	The RipInput task ends.	No action.
Exiting RipInputIo.	The RipInputIo task ends.	No action.
Exiting RipTrack.	The RipTrack task ends.	No action.
Exiting the file reader.	End message.	No action.
Externally caused error has been detected.	The API supplied by another module was terminated abnormally.	Please call for service.
Extrusion print command or the job failed on the output device.	Failed in executing the extrusion print command for the RIP controller.	Please call for service.
Failed auto-reset command on the output device.	Failed in executing the automatic reset command (recovery reset performed by the RIP controller) for the RIP controller.	Please call for service.
Failed in backup processing.	The backup definition file is invalid.	Please call for service.
Failed in judging the PostScript option.	Checking of the PostScript option failed because of some error, for example, the setting file has some error in it.	Please call for service.
Failed in removing the sub-system stop notification.	An error occurred during message transfer.	Please call for service.
Failed in setting the sub-system stop notification.	An error occurred during message transfer.	Please call for service.
Failed in setting the TRC file.	Failed in setting the TRC file.	Please call for service.

Message	Description	Action
Failed to access the internal table for the output device Error Code.	An error occurred in API to operate the internal table.	Please call for service.
Failed to allocate memory on the output device.	An error occurred in API to operate the internal event.	Please call for service.
Failed to analyze the imposition for job ID.	Failed in analyzing the imposition file.	Please call for service.
Failed to back up the backup definition file.	The backup definition file does not exist.	Please call for service.
Failed to back up the definition file.	Failed in backing up the definition file.	Please call for service.
Failed to calculate the recovery page of job ID. Cannot resume the operation.	Could not calculate the page to be started at job recovery.	Please call for service.
Failed to cancel on the printer.	Cancellation failed at the printer.	Please call for service.
Failed to cancel the pop-up screen.	Failed in canceling the popup screen when a job fault occurred.	If the error persists, please call for service.
Failed to cancel.	Failed in canceling the specific job.	The specified job was inactive and the job cancellation process failed.
Failed to change printer configuration.	Failed in changing the printer configuration. Error in renewing OutputDevice/GUIGuiServer	Please call for service.
Failed to change the system configuration.	Failed to change the system configuration.	Reboot the system. If the problem continues, please call for service.
Failed to clear error masks on the output device.	Failed in executing the error mask reset instruction for the RIP controller.	Please call for service.
Failed to clear errors on the output device.	Failed in executing the error reset instruction for the RIP controller.	Please call for service.
Failed to collect logs.	Failed in logging.	Please call for service.
Failed to configure interruption to the resource management for Job ID.	Failed in setting a resource management interrupt.	Please call for service.
Failed to connect to OutCnt.	Failed in the connection with Out Controller during initialization.	Please call for service.
Failed to connect to the output device.	An error occurred in the connection process with the RIP controller, or timeout occurred in the connection wait state.	Check whether the output device is started. If not started, activate the output device and reboot the entire system. If started, please call for service.
Failed to convert the log file to SJIS.	Failed in SJIS conversion of the log file.	Please call for service.
Failed to create a directory.	An internal error occurred.	Reboot the system. If the error persists, please call for service.
Failed to create a filter.	Failed in creating a filter task.	Please call for service.
Failed to create a job due to a spooler error.	A spooler error occurred, and job registration failed.	Please call for service.

Message	Description	Action
Failed to delete all files in the spool director.	Could not delete the entire spool directory file.	Check the spool and queue directories, and then reboot the system.
Failed to delete all jobs.	Failed in deleting all jobs.	Please call for service.
Failed to display a fault pop-up.	Failed in displaying the pop-up screen.	Please call for service.
Failed to display a pop-up because job was aborted.	A communication error occurred.	Please call for service.
Failed to display a pop-up on the console.	When displaying the fault dialog box, could not display the popup screen, because the terminal that conducted job operation was logged off.	If the error persists when the terminal that conducted job operation is logged in, please call for service.
Failed to display a pop-up on the master console.	When displaying the fault dialog box, could not display the popup screen, because the master console terminal was logged off.	If the error persists when the terminal that conducted job operation is logged in, please call for service.
Failed to download the color resource.	An attempt was made to download the color resource to RIP, but it failed.	Please call for service.
Failed to download the Forms File	An attempt was made to download the forms file of the specified imposition to RIP, but the target file is not found.	Please call for service.
Failed to download the pre-form	An attempt was made to download the specified pre-form image file to RIP, but the target file is not found.	Please call for service.
Failed to download the process mark	An attempt was made to download the image file of the specified process mark to RIP, but the target file is not found.	Please call for service.
Failed to download the resource to RIP.	Failed in downloading the resource.	Reboot the system. If the error persist, please call for service.
Failed to eject paper from the output device.	Failed in executing the paper eject instruction for the RIP controller.	After a while, rerun the job.
Failed to generate link information between process mark and pre-form.	An attempt was made to write link information with the process mark, pre-form, and imposition sheet to the forms file of the specified imposition, but it failed.	Please call for service.
Failed to get a message from the output device.	An error occurred in the asynchronous message process from the RIP controller.	Please call for service.
Failed to get an event.	An error occurred when obtaining an event.	Please call for service.
Failed to get data in the received event.	Data is invalid in the received event.	Please call for service.
Failed to get imposition.	Failed in getting imposition information at job start.	Please call for service.

Message	Description	Action
Failed to get information about the issuing task.	Could not obtain local task information.	Reboot the system. If the error persists, please call for service.
Failed to get job ID resource.	Failed in getting the system resource at job start.	Please call for service.
Failed to get printer configuration.	Cannot obtain the printer configuration.	Please call for service.
Failed to get the color resource.	An error occurred when accessing the color source used for printing data.	Register the color resource, and then rerun the job.
Failed to get the event.	Failed in getting the internal event message.	Please call for service.
Failed to get the name of the initial settings file.	Cannot read the name of the parameter file to be read during initialization of the GUI manager.	Please call for service.
Failed to get the system page.	Failed in getting the system page for the specified job ID.	Please call for service.
Failed to get the TRC file.	Failed in getting the TRC file.	Please call for service.
Failed to initialize the output device.	An error occurred during initialization of the PrinterController task (initialization of the PrinterController task, start of the PrinterController task, connection with the RIP controller, etc.).	Please call for service.
Failed to initialize the resource management for Job.	Failed in initializing resource management.	Please call for service.
Failed to install the optional software.	Failed in installing the optional software.	Please call for service.
Failed to load the backup definition file.	The backup definition file is invalid.	Please call for service.
Failed to load the initial settings file.	An internal error occurred. - Internal error code	Please call for service.
Failed to lock the stock set.	Could not lock paper setting.	See reason in the message. If the error persists, please call for service.
Failed to notify data status to the output device.	Failed in executing the data state notification command for the RIP controller.	Please call for service.
Failed to notify error information to the output device.	Failed in executing the error information notification instruction for the RIP controller.	Please call for service.
Failed to notify newly selected active IPP on the output device.	Failed in executing the operation IPP change notification command for the RIP controller.	Please call for service.
Failed to notify of additional information to the output device.	Failed in executing the additional information notification instruction for the RIP controller.	Please call for service.

Message	Description	Action
Failed to notify of displayed host message to the output device.	Failed in executing the host message display notification instruction for the RIP controller.	Please call for service.
Failed to notify of displayed status code to the output device.	Failed in executing the status code display notification instruction for the RIP controller.	Please call for service.
Failed to obtain the license for the pre-installed PostScript Japanese font.	The PSWrapper ini file instructed to check whether the PSJFONT option is available, and there is the PSJFONT option installed. The Japanese PostScript license font, however, is not available due to an error of the license acquisition.	Please call for service.
Failed to open the IMPOSITION file.	An error occurred when opening the specified file.	The specified imposition file cannot be opened due to a format error. Correct the format according to the format specifications.
Failed to open the output spool.	An error occurred when opening the output spool during initialization	Please call for service.
Failed to pause the device because job was aborted.	A printer error occurred.	Please call for service
Failed to pause the output device.	Failed in halting the RIP controller.	Please call for service.
Failed to read optional software information from FD.	Cannot read the optional software information from the floppy disk.	Please call for service.
Failed to read the definition file.	Failed in reading the CFDataFormat.def file.	Check the CFDataFormat.def file, and then reboot the system. If the error persists, please call for service.
Failed to read the INI file.	Failed in reading the CFFilterCnt.ini file.	Check the CFFilteCnt.inifile, or the CFFilterCnt.ini file. Then reboot the system. If the error persists, please call for service.
Failed to receive an event.	A fatal internal error occurred in the internal process.	Reboot the system. If the error persists, please call for service.
Failed to register a job ID to the resource management for Job ID.	Failed in specifying the job ID.	Please call for service.
Failed to register a resource set to the resource management for Job.	Failed in registering a resource set name.	Please call for service.
Failed to register a service to the resource management for Job ID.	Failed in registering the service name.	Please call for service.
Failed to register task stop monitoring.	Failed in registering task stop monitoring.	Please call for service.

Message	Description	Action
Failed to restore the definition file.	Failed in restoring the definition file.	Please call for service.
Failed to resume the output device.	Failed in restarting the RIP controller.	Please call for service.
Failed to select the specified attachment information.	Failed in selecting the specified attachment information.	Please call for service.
Failed to send a filter stop request.	Failed in sending the stop request to the filter during management when the system was inactive.	Please call for service.
Failed to send a terminate-acknowledge response.	Failed in sending the end response to the job director	Please call for service.
Failed to send Abort to Job Director	An error occurred when sending a job abort notification in the filter imposer.	Please call for service.
Failed to send Abort to Job Manager.	An error occurred when sending a job abort notification in the reader.	Please call for service.
Failed to send an event.	An error occurred during event sending.	Please call for service.
Failed to send an internal event in the output device.	An error occurred in API to operate the internal event.	Please call for service.
Failed to send notification of Filter Ready.	Failed in sending the Filter Ready notification to the job director.	Please call for service.
Failed to send notification of the stopping task.	Failed in sending a stop task notification.	Please call for service.
Failed to send Ready.	Failed in sending Ready.	Please call for service.
Failed to set the destination to which events are sent.	An internal error occurred.	Reboot the system. If the error persists, please call for service.
Failed to start	Failed in starting the sub program registered in the internal configuration file.	The system stops. See log (that contains the failure cause) and Please call for service.
Failed to start the data output task for the output device.	An error occurred in the output controller task start process.	Please call for service.
Failed to start the output device	Failed in starting the Printer Controller task for the output device.	Please call for service.
Failed to start the output service associated with the output device	Failed in calling a function to request starting of the output service for job manager API.	Please call for service.
Failed to start the printer task for the output device.	An error occurred when starting the printer task (process task associated with the output device).	Please call for service.
Failed to start the task.	Failed in starting the RIP task.	Please call for service.
Failed to start the task.	Cannot start PostScript because system resources reach the limit.	Please call for service.
Failed to start.	Failed in starting the sub program registered in the internal configuration file.	Reboot the system. If the error persists, please call for service.

Message	Description	Action
Failed to stop the job schedule.	Failed in stopping the schedule for the specified job ID.	Please call for service.
Failed to stop the output device	Failed in stopping the Printer Controller task for the output device.	Please call for service.
Failed to stop the output service associated with the output device	Failed in calling a function to request stopping of the output service for job manager API.	Please call for service.
Failed to stop the printer task for the output device.	An error occurred when stopping the printer task (process task associated with the output device).	Please call for service.
Failed to stop the task.	Failed in stopping the RIP task.	Please call for service.
Failed to unlock the resource set.	Could not unlock the resource set.	See reason in the message. If the error persists, please call for service.
Failed to unlock the stock set.	Could not unlock paper setting.	See reason in the message. If the error persists, please call for service.
Failed to update data in the file containing optional software information.	Failed in updating data in the optional software information file.	Please call for service.
Failed to update the IOT-GUI version info.	Cannot update the IOT-GUI version information.	Please call for service.
Failure occurred in process communication with the filter.	An error occurred during communication with the filter.	Please call for service.
Failure occurred in process communications with the job manager.	An error occurred during communication with the job manager.	Please call for service.
Failure occurred in process communication with the filter managing task.	An error occurred during communication with the filter manager.	Please call for service.
Failure occurred in process communication with the printer controller.	An error occurred during communication with the printer controller.	Please call for service.
Failure occurred in process communication with the reader.	An error occurred during communication with the reader.	Please call for service.
Failure occurred in process communications with the writer.	An error occurred during communication with the writer.	Please call for service.
Fatal error occurred. The operation cannot be continued.	An internal error occurred, and the process could not be continued.	Please call for service.
File name for the RETR command is incorrect.	An invalid file name is specified in the RETR command.	Specify the correct file name (joblist or printerinfo).
File reader has been started.	Start message.	No action.
Filter management task started.	The filter management task has been started normally.	No action.
FilterController API error has been detected.	Filter controller API was terminated abnormally.	Please call for service.
Finished CSSV extraction.	Ended CSSV output.	No action.

Message	Description	Action
Finished processing job up to the logical page.	The report of the job associated with the displayed number was ended with the displayed logical page number.	No action.
Forced stop request received. The service will be stopped.	Received a forced service stop request.	No action.
Form cannot be converted to bitmap.	Could not convert the FRM resource.	Please call for service.
Forms File is not found.	An attempt was made to download the forms file of the specified imposition to RIP, but the target file is not found.	Create a file. If problem continues, please call for service.
From the output device, received a request to cancel job.	Received a cancel request (Need Cancel) for the specified job from the ID RIP controller.	No action
From the output device, received notification of buffer status change.	As shown in this message, continuing the print process will result in a printing failure.	Reload the paper same in length as the one that was set before loading, or hold the job.
From the output device, received notification of job buffer full.	As shown in this message, continuing the print process will result in a printing failure.	Reload the paper same in length as the one that was set before loading, or hold the job.
From the output device, received notification of undefined procedural mistake code for developer replacement.	A replacement procedure error occurred while replacing developer in the printer with device number #, and an undefined error code was notified.	Please call for service.
Full.	The queue or spool was filled in the data input process.	Reduce the number of registered jobs, and then retransfer the job.
General User is not permitted to log on from this terminal.	Cannot log on with a general user privilege from the terminal.	No action.
Header information for job is too long. Cannot start the operation.	Failed in analyzing header information. Invalid header information.	Please call for service.
I am going to print different plural jobs of paper length consecutively. I restrain the output and stop a pressrun.	Paper length of the next job does not match that of the previous job, and the continuous print operation is suspended.	
Image area is partially off the specified paper size.	The printable area exceeds the loaded paper size.	Change the paper or adjust the printable area size of the imposition file.
Image cannot be converted to bitmap.	Could not convert the IMG resource.	Please call for service.
Image Control Error/Page Error.	An image control or page error occurred.	See the previous message.
Image file does not exist.	The image file is not found.	Check whether the image is defined. If defined, please call for service.

Message	Description	Action
Image file is invalid.	An invalid name is specified for the image file.	Check the file name format or data type of the image. If the image is correct, please call for service.
Image Reader has been exited.	The Image Reader ended.	No action
Image Reader started.	The Image Reader started.	No action
Imposition file was updated during edit.	The job cannot be printed because the imposition file at the time of editing is updated.	No Action.
In output device a job report printed a page after print and stopped.	In output device a job report printed a page after print and stopped.	No action
In the output device information delivery service, an error occurred in delivering information to a task.	An error occurred when distributing the event to the registered internal task in internal asynchronism notification event distribution function.	Please call for service.
In the unit, errors occurred.	Multiple errors simultaneously occurred in the internal process.	Press the RESET button.
Incoming job is rejected because scheduling is prohibited.	Rejects job receiving because the schedule is inhibited.	Release the job schedule inhibited state, and then rerun the job.
Incoming job is rejected because the specified queue does not accept jobs.	Rejects job receiving because the specified queue could not be received.	Rejects job receiving because the specified queue could not be received.
Incoming job is rejected job because the specified queue is in Stream + Spool mode.	Rejects job receiving because the specified queue is in the Stream+Spool mode.	The Stream+Spool mode is not supported. Change the queue input or output process or specify another queue, and then rerun the job.
Information on the readers not registered to the definition file	No reader information is registered in the definition file	Register reader information in the definition file, and then rerun the job.
Information on the source of the event could not be obtained.	Failed in getting event destination information.	Please call for service.
Initial settings are incorrect. Default values will be used.	The internal initialization file is not registered normally.	Please call for service.
Initial settings are not found.	The internal initialization file is not found.	Please call for service.
Initial settings are not found. Default values will be used.	The internal initialization file is not found.	Please call for service.
Initialization error occurred.	An error occurred during initialization.	Please call for service.
Initialization failed.	An error occurred during initialization of the output device manager (creation of the output device management table file, start of the Printer Controller task, etc.).	Please call for service.
Initialized the task successfully.	The system ended PostScript initialization, and entered the ready state. (Normal)	No action

Message	Description	Action
Initializing the task.	Waits for the initialization of PostScript. (Normal)	No action
Input queue does not allow job input because it is in Stream mode.	Failed in the job input process because the job was in the stream mode.	Change the mode with queue setting, or specify another queue.
Input queue is not allowed to accept jobs.	Cannot receive the input queue.	Permit receiving with queue setting, or specify another queue.
Input queue is undefined.	No input queue is set.	Set the input queue.
Instruction to cancel an invalid job.	Received an instruction to cancel an invalid job.	Please call for service
Instruction was given to resume job from physical page. Output will start from physical page due to the imposition pattern.	Number of the page to be reprinted.	No action.
Instruction was given to start a job with an invalid job ID.	Received an instructions start on undefined job in a different state.	Please call for service.
Internal error (API error) occurred.	An internal error occurred.	Please call for service.
Internal error occurred in the system.	An internal error occurred.	Please call for service.
Internal error occurred.	An internal error occurs, and the process cannot be continued.	Reboot the system. If the error persists, please call for service.
Invalid event received.	Received an invalid internal event.	No action.
Invalid termination event received.	Received an invalid input interrupt request.	Please call for service.
IPDS filter finished converting job ID.	Job conversion ended.	No action.
IPDS filter has been exited.	The IPDS filter task ends.	No action.
IPDS filter started converting job ID.	Job conversion started.	No action.
IPDS filter started.	The IPDS filter task starts.	No action.
IPDS input function will be started with the maintenance function. OK?	The IPDS input function was started while its maintenance function is set to on.	No Action.
IPDS job input started	IPDS job input starts.	No action.
IPDS Reader is already started.	The IPDS reader is already started.	No action.
IPDS Reader is already stopped.	The IPDS reader is already stopped.	No action.
IPDS reader started.	The IPDS Reader task starts.	No action.
Is not registered to the file of allowable connection settings, reader cannot be started.	Reader name cannot activate the reader because it is not registered in the connectable configuration file.	Register the reader in the connectable configuration file, and then rerun the job.
Is not set in the initial settings file.	The set value required for the internal configuration file is not registered.	Please call for service.
Issue a job processing request.	Waits for the next job.	No action.
It is not registered to the internal management table.	Received an invalid task end notification.	If the error persists, please call for service.

Message	Description	Action
It is not registered to the message template.	The specified message number is not registered in the message template.	The system continues the process. Check parameters indicating the respective names of the system and task that failed to read the message template before calling for service.
Job abort encountered, but processed printing up to Report ID. The job will be held.	The aborted job has completed printing.	No action.
Job abort notification received.	The filter/writer judged that the job was invalid.	Please call for service.
Job abort notification.	The reader judged that the job was invalid.	Please call for service.
Job attributes cannot be started.	The job is invalid, or an error occurred in the spooler.	Please call for service.
Job cancel notification received.	Received a job cancellation notification.	No action.
Job cannot be started due to specified copy count exceeds the maximum number of reports of the spooler.	Cannot start the job due to the limit value.	Reduce the number of copies and reprint data. If the error persists, please call for service.
Job control file does not exist	The job control file is not found	No action.
Job data input completed.	Ends file registration.	No action.
Job data input has been started.	Starts file registration.	No action.
Job deletion request is rejected because the output service is activated.	Rejects the all job deletion request because the output service is active.	Please call for service.
Job director started.	Start message.	No action.
Job director successfully initialized.	Initialization completion message.	No action.
Job drain processing already in progress.	IPDS stream job drain processing was already in progress when IPDS stream job drain button was pressed.	No action.
Job drain processing completed.	The IPDS stream job drain processing is complete.	No action.
Job drain processing was canceled by the cancel operation.	IPDS stream job processing was terminated because the Cancel button was pressed during processing.	As required, press the drain button again.
Job drain processing was canceled by the device error.	IPDS stream job drain processing was terminated because a device error occurred during processing.	Clear the device error, and then execute the drain operation again.
Job drain processing was cancelled by the drain exception.	IPDS stream job processing was terminated because data exception was detected during processing.	Correct data by referring to the message that is notified from the IPDS client, and then execute the job again.
Job file to be registered cannot be opened.	Cannot read the file to be registered.	Please call for service.
Job file to be registered does not exist.	The file to be registered is not found.	Pease call for service.

Message	Description	Action
Job full occurred.	The spool became full.	Adjust the space capacity in the spool, and then register the spool.
Job has different paper length than the previous job.	The paper length value set for the current job is different from that set for the previous job. Therefore, the system temporarily stops print operation. Because the actual behavior for this state is the same as intermittent printing, this message can help	Please call for service.
Job history information will be deleted.	Deletes job history information.	No action.
Job input is not allowed because the file name includes invalid characters.	Failed in the job input process because the file name contains an invalid character.	Change the file name that contains an invalid character.
Job input will be cancelled.	Cancels the job input process.	No action.
Job is going to be cancelled.	Cancels the job.	No action.
Job is not in ART format or of unsupported version.	The data to be converted is not based on PLW, or the data cannot be converted because its version is invalid.	Please call for service.
Job name is omitted in the DELET command.	The job name is omitted.	Specify the job name or job number, and then rerun the job.
Job name is omitted in the STOR command.	The job name is omitted.	Specify the job name and rerun the job.
Job not in process and could not cancel.	Received a request to cancel an inactive job.	Please call for service.
Job not printed yet, but there is no page that can be re-printed. The device will be initialized.	Job processing was interrupted during the previous streaming job, but there is no print data remaining in the machine memory. The system cannot perform recovery.	The job is invalid or resources are insufficient. If the cause is unknown, please call for service.
Job number is out of range and incorrect.	An invalid job number was specified in the DELE command.	Specify the correct job number.
Job output will be cancelled.	Cancels the job output process.	No action.
Job print finished.	Job printing has terminated.	No action.
Job processing finished.	The job process has been ended.	No action.
Job rasterizing error	There was an error that should be notified during rasterizing, in the printer with device number #.	Please call for service.
Job rasterizing notification	There was an information that should be notified during rasterizing, in the printer with device number #.	No action

Message	Description	Action
Job rasterizing warning	There was a warning that should be notified during rasterizing, in the printer with device number #.	Please call for service.
Job registration error.	An error occurred in the job registration start process.	Please call for service.
Job registration has been permitted.	Job registration has been permitted. The registration process will now be started.	No action
Job registration has been permitted. Starting job registration.	Job registration is enabled. Starts job registration.	No action.
Job registration is not allowed.	The number of tasks registered in the task management table exceeded the maximum.	Reboot the system. If the error persists, please call for service.
Job registration terminated abnormally.	Job registration has terminated abnormally.	No action.
Job registration was permitted. Job registration will be started.	Started job registration.	No action.
Job registration was rejected. The operation will be stopped.	Cannot register the job.	Please call for service.
Job registration was rejected. The operation will be terminated.	Job registration is disabled.	Please call for service.
Job resume notification is invalid.	Received an invalid start instruction.	Please call for service.
Job schedule mode will be changed.	Changes the job schedule mode.	No action.
Job schedule will be locked.	Locks the job schedule.	No action.
Job schedule will be unlocked.	Unlocks the job schedule.	No action.
Job scheduling will be prohibited.	Job scheduling will be prohibited.	No action.
Job status inconsistent. The specified job is already in the held status.	The job status did not match the specified job.	Please call for service.
Job status will be changed.	Job state has been changed.	No action.
Job stop request received.	Received a job stop required.	No action.
Job will be deleted	Deletes the job.	No action.
Job will be moved.	Moves the job.	No action.
JobDirector API error has been detected.	Job director API was terminated abnormally.	Please call for service.
Key Operator is not permitted to log on from this terminal.	Cannot log on with the key operator privilege from the terminal.	No action.
Larger than extended spool.	The extended spool space is insufficient. Print data without copying or hold the job.	No action.
License for IPDS is missing.	The IPDS license was not installed at startup of the IPDS emulation function.	With the duplex printing system, the IPDS license must be installed on both systems.
License is missing.	No license for the data format is registered.	Register license for the data format.

Message	Description	Action
Logical page numbers are inconsistent between the specified first and last pages.	The first logical page number does not match the last one.	Check the imposition.
Logical page on the image area is insufficient in area and does not exist.	The logical page is out of the image area, or the X or Y coordinate does not overlap 1 inch or more.	Adjust the position of the logical page so that the X and Y coordinates overlap 1 inch or more.
Logoff failed.	Failed in logging off.	Please call for service.
Logon failed.	Failed in logon.	Check the user name, password, etc., and then log on again.
Logs have been collected successfully.	Succeeded in logging.	No action
LPR protocol error.	An LPR protocol error occurred.	Check the control file information (H, P) as well as the data length.
LPR Reader disconnected.	The connection with the LPR client was cut off.	No action.
LPR reader internal error.	A fatal error occurred in the internal process.	Please call for service.
LPR reader started.	The LPR reader has been started.	No action.
LPR reader stopped.	The LPR reader has been ended.	No action.
Machine level is not registered to the terminal you are trying to log on.	Cannot log on because the machine level definition file is not registered.	No action
Maintenance User is not permitted to log on from this terminal.	Cannot log on with the maintenance privilege from the terminal.	No action.
Manager does not exist.	Cannot execute the module.	The controller must be reinstalled. Please call for service.
Manager stopped abnormally	The task aborted.	Please call for service.
Maximum number of registered jobs already reached. Could not register the job.	The number of register able jobs reached the maximum	Delete jobs if any, and then register the job.
Maximum number of started readers cannot be obtained.	Cannot obtain the maximum number of activated readers.	Please call for service.
Memory allocation error.	Failed in acquiring memory.	Please call for service.
Monitoring the management task started.	Started monitoring the management task.	No action.
Monitoring the management task stopped.	Canceled monitoring the management task.	No action.
Multiple errors occurred. Hidden Error Code.	Multiple errors simultaneously occurred in the internal process.	Press the RESET button.
New filter will be created.	Create a new filter.	No action.
New reader could not be started because the maximum number already reached.	An error occurred while registering data in the internal table.	Please call for service.
NLST command is incorrect.	No argument is specified in NLST command.	Specify the correct argument in the NLST command.

Message	Description	Action
No appropriate data format in the definition table.	The specified data format is not defined in the CFDataFormat.def file.	Check the CFDataFormat.def file, and then reboot the system. If the error persists, please call for service.
No available space in the spool.	Could not register the job because the spool was full.	Adjust the space capacity in the spool, and then register the job again.
No event data.	No event data is found.	No Action.
No IPDS stream jobs.	The IPDS stream job had not started when the IPDS stream job drain button was pressed.	No action.
No job matches.	The specified job name is not found.	Specify the correct job name.
No media is inserted in CD-ROM.	No medium is set in the CD-ROM drive.	Set the medium in the CD-ROM drive.
No page to be printed.	The actual page to be printed is not found.	No action.
Not set in the initial settings file.	The set value required for the internal configuration file is not registered.	Please call for service.
Notification received of page output for job which was not in process.	A page output notification was received from the printer, but the number of an inactive job was notified.	Please call for service.
Notified that CSSV capture completed from the output device.	Received a CSSV log output end notification from the RIP controller.	No action
Notified that CSSV capture started from the output device.	Received a CSSV log output start notification from the RIP controller.	No action
Number of files specified in the control file is inconsistent with the number of received data files.	The number of specified files in the control file is different from that of received data files.	No action.
Number of registered jobs reached the upper limit. The job could not be registered.	The number of registerable jobs reached the maximum.	Delete jobs if any, and then register the job.
Number of registrations to the network task management table exceed the upper limit.	The number of tasks registered in the net task management table exceeded the maximum.	Please call for service.
Number of registrations to the task management table exceeded the upper limit.	The number of tasks registered in the task management table exceeded the maximum.	Please call for service.
Number of resources exceeds the registration limit.	The number of resources reached the maximum while loading the preinstalled resource.	Delete resources in the SYSTEM_DEFAULT paper set so that the number of resources is within the limit value, and then reboot the system. If the error persists, please call for service.
Number of resources in the resource set exceeds the registration limit.	The number of resources that can be registered in a resource set exceeds the maximum.	Delete resources, and then import or copy the required ones.

Message	Description	Action
Number of started readers will exceed the limit, reader cannot be started.	Maximum number of readers that can be activated at a time. Cannot activate the network input reader because the number of readers that can be activated at a time exceeds the maximum.	Stop the currently active network input reader, and then restart it.
Obtained an undefined event code.	An undefined event code was received.	Please call for service.
On the output device, a job cancel request was issued but the job was already printed or cancelled.	On the output device, a job cancel request was issued but the job was already printed or cancelled.	No action
On the output device, paper of different length was loaded during print job.	On the output device, paper of different length was loaded during print job.	Check if the paper matches the paper identifier for the job.
On the output device, rasterization for the job has started.	On the output device, rasterization for the job has started.	No action
On the output device, the first page of the job has been stacked.	On the output device, the first page of the job has been stacked.	No action
On the output device, the first page of the job has been transferred.	On the output device, the first page of the job has been transferred.	No action
On the output device, the job has been cancelled.	On the output device, the job has been cancelled.	No action
On the output device, the job has been stored in buffer.	On the output device, the job has been stored in buffer.	No action
On the output device, the job page stored in buffer.	On the output device, the job page stored in buffer.	No action
On the output device, the last page of the job has been stacked.	On the output device, the last page of the job has been stacked.	No action
On the output device, the print job has been cancelled after page printed.	On the output device, the print job has been cancelled after page printed.	No action
Operation already activated.	The network input function is already activated.	No action.
Operation already deactivated.	The network input function is already deactivated.	No action.
Operation cannot be activated because the system is shutting down.	Cannot activate the FTP input function because the system is inactive.	No action.
Operation cannot be continued because the output device has an unfinished job.	Failed in receiving the output controller stop request during job processing, and ignored it.	Please call for service.
Operation is going to be resumed.	Received a restart request from another process, and restarted the process.	No action.
Operation is going to be suspended.	Received a halt request from another process, and stopped the process.	No action.

Message	Description	Action
Operation multiple readers cannot be started.	Cannot activate the reader because its definition information is not specified.	No action.
Operation Target already started.	The target reader is already activated.	No action.
Operation Target already stopped.	The reader is already stopped, and the request cannot be issued.	No action.
Operation Target disabled because the system is shutting down.	A cancellation request was issued, but the specified job is not in process, and it cannot be cancelled.	No action.
Operation Target not in process.	A cancellation request was issued, but the specified job is not in process, and it cannot be cancelled.	No action.
Output device command to end reporting the job failed.	Failed in executing the report end command for the RIP controller.	Please call for service.
Output device error appeared and became an intermittent print state. A blank page is output for the job middle.	The indicated error occurred in the printer with device number #.	Press the RESET button.
Output device found the data output task stopped, the task has been disconnected.	An imposer (output service) stop request was detected during job processing, so job processing was interrupted and the imposer was disconnected.	No action.
Output device has been connected to the data output task.	The output controller received a connection request from the imposer, and it was connected normally.	No action.
Output device has been disconnected from the data output task.	The output controller received a disconnection request from the imposer, and it was disconnected normally.	No action.
Output device was already in use, the request to connect the output task has been rejected.	The output controller received a connection request from the imposer, but it was already connected to another imposer (output service), and the connection request was rejected.	No action.
Output service is successfully started, but the service will be forcefully stopped because the output device is not started.	Received an output service start completion notification, but the Printer Controller task already ends or is not started. The system forcibly stops the output service that sent the start completion notification.	Please call for service.
Page attribute is invalid.	There is a format error in the logical page attribute.	Correct the page attribute.
Page in job has been spooled.	The job has been spooled.	No action.

Message	Description	Action
Page range was specified, but there is no page to be output.	The printing range was selected by GUI operation, but no logical data was found in the range.	Reselect the printing range.
Page size is larger than the maximum size.	The paper size of the imposition exceeded the limit value of the paper size.	No action.
Paper identifier is different from previous one. Please check paper.	The imposition was changed.	Check the paper. If the paper does not match the printout size, replace the paper.
Paper identifier will be used for IPDS stream jobs.	Starting of the IPDS stream job was confirmed.	Check to see the paper ID file name displayed. If it is correct, press the [Yes] button. Otherwise, press the [No] button. If you pressed the [No] button, change the paper ID file specified in the queue, and then restart the IPDS stream job again by pressi
Paper information between units restrains the resuming of a device for disagreement.	Paper size information does not match between units (YMCK), and the print operation is suspended.	Make paper settings again so that there is no inconsistency.
Paper length is not specified in units of 0.5 inches.	An attempt was made to control the print length according to the imposition file settings, but the print length is not specified on a 0.5-inch basis.	Specify the print length on a 0.5-inch basis.
Paper of different length was loaded on the output device.	Paper of different length was loaded on the output device.	No action
Paper setup was not completed automatically on the output device. Please re-set up paper information.	Paper setup was not completed automatically on the output device.	Make paper size settings again so that they match between printers.
Paper size loaded as imposition is different. Please confirm paper.	Paper size differs between the paper ID setting and actually loaded paper.	No action.
Password for the user is incorrect.	The user's password is incorrect.	Enter the correct password.
PDL conversion program could not be connected.	Cannot communicate with the resource conversion program.	Please call for service.
PDL conversion program failed to convert.	Failed in converting the resource. This message is displayed when the version of the imported resource is invalid.	No action. Import the correct resource.
PDL conversion program has terminated abnormally.	The resource conversion module was exited for a reason other than data conversion.	Reboot the system. If the error persists, please call for service.

Message	Description	Action
PDL conversion program has terminated abnormally. It will be restarted.	The resource conversion module was exited for a reason other than data conversion. This error may occur when the imported resource contains invalid data.	If the error persists, please call for service.
Performed Job drain processing due to the number of registered groups reached the upper limit.	Auto job drain was executed because the number of groups has reached the maximum allowed.	If any further draining of IPDS stream jobs is necessary, press the drain button again.
Please clear the error.	The IPDS input function could not be started because the printer was in error state during startup of the function.	Clear the printer error, and then start the function again.
PLW Filter finished converting the job.	Ended job conversion.	No Action.
PLW Filter has been exited.	End message.	No action.
PLW Filter started converting the job	Started job conversion	No action.
PLW filter started.	Start message.	No action
Pre-form is not found.	An attempt was made to download the specified pre-form image file to RIP, but the target file is not found.	Import the image or please call for service.
Printer configuration has been changed.	The printer configuration (duplex/single) was changed.	No action
Printer contains data that was previously printed, but all data has been printed.	Job processing was interrupted during the previous streaming job, but there is no print data remaining in the machine memory. The system cannot perform recovery.	The job is invalid or resources are insufficient. If the cause is unknown, Please call for service.
Printer status will be changed.	Printer status will be changed.	No action.
Procedural mistake in replacing developer (Procedural Mistake Code 01: Developer not installed) occurred on the output device.	A replacement procedure error occurred while replacing developer in the printer.	Set developer.
Procedural mistake in replacing developer (Procedural Mistake Code 02: Developer outlet closed) occurred on the output device.	A replacement procedure error occurred while replacing developer in the printer.	Set the developer eject lever to the open side.
Procedural mistake in replacing developer (Procedural Mistake Code 03: Developer outlet open) occurred on the output device.	A replacement procedure error occurred while replacing developer in the printer.	Set the developer eject lever to the close side.
Procedural mistake in replacing developer (Procedural Mistake Code 04: Empty developer container not installed) occurred on the output device.	A replacement procedure error occurred while replacing developer in the printer.	Set an empty developer bottle.

Message	Description	Action
Procedural mistake in replacing developer (Procedural Mistake Code 05: Inner door open) occurred on the output device.	A replacement procedure error occurred while replacing developer in the printer.	Close the center door.
Procedural mistake in replacing developer (Procedural Mistake Code 06: Transfer unit open) occurred on the output device.	The indicated error occurred in the printer.	Please call for service.
Procedural mistake in replacing developer (Procedural Mistake Code 07: Cleaner cover open) occurred on the output device.	A replacement procedure error occurred while replacing developer in the printer.	Close the cleaner cover.
Procedural mistake in replacing developer (Procedural Mistake Code 08: XU top cover open) occurred on the output device.	A replacement procedure error occurred while replacing developer in the printer.	Close upper cover of the unit.
Procedural mistake in replacing developer (Procedural Mistake Code 09: XU top cover 2 open) occurred on the output device.	The indicated error occurred in the printer.	Please call for service.
Process mark is not found.	An attempt was made to download the image file of the specified process mark to RIP, but the target file is not found.	Import the image or please call for service.
Process printing is already finished.	Process printing is already ended.	Please call for service.
PS Filter encountered an internal error.	A firm bug occurred in the PSFilter.	Please call for service.
PS Filter has been exited.	The PSFilter ended.	No Action
PS Filter has finished converting the job.	Reported the end of job to JDR	No Action
PS Filter has started converting the job.	Received a start job event.	No Action
PS Filter is active in Debug mode.	The PSFilter outputs images and PLW orders to the file. (Debug mode)	Change Pbm_output_enable of CFPSFilter.ini to 0. Restart the PS filter.
PS Filter started.	Succeeded in starting the PSFilter.	No Action
PURGE END event received.	Received the purge end event.	Please call for service.
PURGE event received.	Received the purge event.	Please call for service.
Queue deletion is rejected because the specified queue contains a job.	Failed in deleting the queue because the job is in the specified queue.	Failed in deleting the queue because the job is in the specified queue.
Queue does not support signature print.	An invalid process was specified.	Please call for service
Queue information does not exist.	The specified queue is not found. The specified queue may have been deleted by another GUI.	Check that the specified queue exists.
Reader is not activated.	The reader is not active.	Please call for service.
Reader is not registered.	Reader name detected an invalid task status.	Register the reader, and then reboot the system. If the error persists, please call for service.

Message	Description	Action
Reader out of management has ended.	An internal error occurred.	Please call for service.
Received a cancel request.	Interrupts the LPR reader.	No action.
Received a clear print request from the output device.	Received a clear print (Need Clear Print) from the RIP controller.	No action
Received a connection request from GUI.	Received connection request from a GUI client successfully.	No action
Received a connection request from he following IP address which is not allowed to connect.The request will be rejected.	Received connection request from a client not allowed to connect.	If connection from the client is allowed, add it as an eligible client using the gateway's IPDS server settings.
Received a data reset request from the output device.	Received a data reset (Need Data Reset) from the RIP controller.	No action
Received a forced stop request.	Forcibly stops the LPR reader.	No action.
Received a normal stop request.	Stops the LPR reader.	No action.
Received a request to cancel all jobs from the output device.	Received an all job cancel request (Need Cancel) from the RIP controller.	No action
Received a request to delete an invalid external task. The specified task does not exist.	An internal error occurred.	Please call for service.
Received a request to delete an invalid external task. The specified task is not managed by the source that issued the request.	An internal error occurred.	Please call for service.
Received a stop request. The operation will be stopped.	A spooler error occurred, and the job registration failed.	Please call for service
Received a system shutdown request.	Received system shutdown.	No action
Received a termination request. The operation will be stopped.	A termination request was received. The Image Reader will be ended.	No action
Received an event of job registration rejection from Job Manager.	Received a job registration reject event from the job manager.	No action.
Received an illegal operation request.	Received an invalid start request from the input manager.	Please call for service.
Received an illegal stop request.	Received an invalid stop request from the input management.	Please call for service.
Received an invalid control event code.	Received an unexpected event code.	Please call for service.
Received an invalid event code.	An invalid event was received, but ignored.	No action
Received an invalid event code. The request will be ignored.	Received an invalid event code. The request will be ignored.	Please call for service.
Received an invalid event request. The request will be ignored.	An internal error occurred.	Please call for service.

Message	Description	Action
Received an invalid event.	Received an invalid event code.	The system stops. After a while, reboot the system. If the error persists, please call for service.
Received an undefined event code.	Invalid event code was received when obtaining the internal event message.	Please call for service.
Received an undefined event.	An undefined event was received.	Please call for service.
Received an unexpected event.	Received an invalid event code.	Please call for service.
Received an unknown scheduling operation.	An internal error occurred.	Please call for service.
Received an unsupported daemon command.	Received an invalid daemon command.	Check the command.
Received event data does not match the job ID.	Event data does not match the job number.	No action.
Received event is inconsistent with the job registration status.	The received event does not match the state of the registered job.	No action.
Received invalid event information.	Received an invalid request.	No action.
Received notification of undefined error code	An error (sense code) that was not defined in the error definition information occurred in the printer with device number #.	Please call for service.
Received notification that an invalid task has been initialized.	An internal error occurred.	Please call for service.
Received notification that an invalid task has ended. (It is not registered to the task management table.)	Received the end event of an invalid task.	Please call for service.
Received notification to start task operation, but the task is already stopped.	An internal error occurred.	Please call for service.
Received notification to stop invalid task operation.	An internal error occurred.	Please call for service.
Received progress report of the invalid job.	Received a lapse report of an invalid job from the printer.	Please call for service.
Recovery command to the output device failed.	Failed in executing the stored data print instruction for recovery when the process terminated abnormally for the RIP controller.	Please call for service.
Recovery was not possible. Please input a job again.	Job processing was interrupted during the previous streaming job and there is print data remaining in the machine memory. The system cannot perform recovery because there is page inconsistency between units.	The job is invalid or resources are insufficient. If the cause is unknown, please call for service.

Message	Description	Action
Recovery was required during the print job.	The printer is placed into the recovery state during job output.	Release the printer recovery state (jam, paper-out, etc.), and then rerun the job.
Reference resource is not found.	The resource was referenced during data conversion, but it was not found.	Import the reference resource, and then reimport the target one.
Registration is no longer allowed because queue information amount reached the upper limit.	Failed in registering any more queues because the number of queues reached the maximum.	Delete queues before registering the specified queue.
Registration is no longer allowed because remote GUI information amount reached the upper limit.	Failed in registering remote GUI information because the number of remote GUIs reached the maximum.	Delete one or more remote GUI information items, and then reenter the command.
Registration is no longer allowed because the maximum number of FTP-connected clients already reached.	Failed in registering any more FTP-connected clients because the number of FTP-connected clients reached the maximum.	Delete one or more FTP-connected clients, and then reenter the command.
Registration is no longer allowed because the maximum number of FTP-connected users already reached.	Failed in registering the FTP-connected user information because the number of FTP-connected users reached the maximum.	Delete one or more FTP-connected users, and then reenter the command.
Registration is no longer allowed because the maximum number of IPDS-connected clients already reached.	Failed in registration because the maximum number of IPDS-connected clients already reached.	Delete one or more IPDS-connected clients, and then retry.
Registration is no longer allowed because the maximum number of LPR-connected clients already reached.	Failed in registering the LPR-connected client information because the number of LPR-connected clients reached the maximum.	Delete one or more LPR-connected clients, and then reenter the command.
Registration is no longer allowed because user information amount reached the limit.	Failed in registering the user because the number of users reached the maximum.	Delete one or more users, and then reenter the command.
Registration of task information failed.	Failed in collecting information on the started process.	The system stops. After a while, reboot the system.
Rejecting a connection request from the console because the limit of console connections reached.	An attempt was made to start a console beyond the maximum allowable number of connectable consoles.	Stop the unnecessary console.
Rejecting a connection request from the console because the system is shutting down.	An attempt was made to connect from GUI during the system stop process.	No action
Request to move the queue is rejected because of inconsistency in attributes.	Failed in moving the job queue because the attributes of the move-destination queue were different from those of the move-source queue.	Check that the move-destination queue is correct. The data format, input process mode, and output process mode must be the same between the move-source and move-destination queues.
Reset command failed on the output device.	Failed in executing the reset command for the RIP controller.	Please call for service.

Message	Description	Action
Resource file is being backed up.	The system is backing up the resource file.	No action
Resource Operator is not permitted to log on from this terminal.	Cannot log on with the resource operator privilege from the terminal.	No action.
Resource set lock has failed.	Could not lock the resource set.	See reason in the message. If the error persists, please call for service.
Response to the job processing request received.	Received the next job process request.	No action.
Restored the definition file successfully. Please shut down the system.	Shut down the system.	No action.
Restoring the definition file.	The definition file is currently being restored.	No action
Restoring the resource file	The system is restoring the resource file.	No action
Resume response received to the job processing request.	Received a restart printing instruction.	No action.
Resuming the operation.	Received a restart request from another process, and restarted the process.	No action.
RipCnt has been started.	The RipCnt task starts.	No action.
RipInput has been started.	The RipInput task starts.	No action.
RipInputIo has been started.	The RipInputIo task starts.	No action.
ROF-Mark print setup was not completed automatically on the output device. Please re-set up ROF-Mark print information.	ROF-Mark print setup was not completed automatically on the output device.	Make ROF-Mark print settings again so that they match between printers.
Schedules the job that does not use extended spool.	The system settings will be configured to schedule jobs not using extended spool	No action.
Schedules the job that uses extended spool.	The system settings will be configured to schedule jobs using extended spool.	No action.
Send a request to stop Filter.	A stop request was issued to the filter.	No action.
Sending page parameters for the job failed on the output device.	Failed in executing the page parameter send command for the RIP controller.	Please call for service.
Service is deactivated.	The network input service function is inactive.	To use the network input service function, execute the activate process, and then reconnect it.
Service will be stopped.	Received a stop request.	No action.
Set the manual job deletion.	Sets the manual job deletion.	No action.
Set the time to automatically delete the job.	Sets the automatic job deletion time.	No action.
Set the time to automatically release a held job.	Sets the automatic job suspension release time.	No action.
Set the time to automatically release a held job.	Sets the automatic job suspension release time.	No action.

Message	Description	Action
Setting in the initial settings file is invalid.	An invalid sets value is specified for the internal configuration file.	Please call for service.
Setting in the initial settings file is invalid.	An invalid sets value is specified for the internal configuration file.	Please call for service.
Shutting down the system.	The system is shut down.	No action
Simplex print is specified on the duplex system.	An imposition file for simplex printing system was specified in duplex printing system (duplex configuration).	Select an imposition file for duplex printing system.
Size of the paper loaded for service has changed. Job is going to be started. Please check the paper.	The paper size was changed.	No action.
Some logical page number is missing.	A logical page number is missing.	Check the imposition.
Some pages are not stacked. Do you want to delete?	One or more un-stacked pages were detected when the button for stopping the IPDS input function was pressed.	Press the [Yes] button to delete any un-stacked pages. Alternatively, press the [No] button to cancel the stop operation.
Specified copy count will be ignored because it is invalid.	An invalid number of copies is specified. This specified value is ignored.	Check the command.
Specified font for Job ID does not exist.	Failed in registering the font.	Please call for service.
Specified form for Job does not exist.	Failed in registering the form.	Please call for service.
Specified IMPOSITION file does not exist.	The file associated with the specified imposition is not found.	Create a file or please call for service.
Specified logical page does not exist.	The specified logical page does not exist. An error occurred when reading the logical page from the output spool.	Please call for service.
Specified maximum number of internal information tables is too large.	The maximum number of internal information tables is too high.	Please call for service.
Specified paper length is invalid.	An attempt was made to control the print length according to the imposition file settings, but the print length is not between 3.0 and 60 inches.	Specify the print length between 3.0 and 60 inches.
Specified queue does not accept job input because of being in Stream mode.	Failed in the job input process because the specified queue was in the stream mode.	Check the setting of the specified queue.
Specified queue does not exist.	The specified queue is not found. End the LPR reader.	Check the specified queue.
Specified queue does not exist. The LPR default queue will be used.	The specified queue is not found. Use the LPR default queue.	Check the specified queue.

Message	Description	Action
Specified queue is not allowed to accept jobs.	Cannot receive a job for the specified queue.	Check the setting of the specified queue.
Specify paper length in units of 1/6 inches.	Specify paper length in units of 1/6 inches.	No action.
Spool API error has been detected.	Spool API was terminated abnormally.	Please call for service.
Spool close error.	Could not close the spool.	Reboot the system. If the error persists, please call for service.
Spool open error.	Failed in opening the spool.	Reboot the system. If the error persists, please call for service.
Start creating a new job.	Starts the job new-creation process.	No action.
Start up process error.	Name of the task that could not be started. Failed in starting the task.	Please call for service.
Started CSSV extraction.	Started CSSV output.	No action.
Started process from the logical page.	The report of the job associated with the displayed number was started with the displayed logical page number.	No action.
Starting job processing.	The process has been started.	No action.
Starting job registration.	Starts job registration.	No action.
Starting the clear print operation.	Starts the clear print process.	No action.
Starting the continual recovery for job ID.	Starts job recovery in the continue mode.	No action.
Starting the crash recovery operation.	Restart crash recovery.	No action.
Starting the purge operation.	Started the purge process	No action
Starting the specified-page recovery for job ID.	Starts job recovery in the page specification mode.	No action.
Stock set is in process. Attempt to operate this stock set is rejected.	Paper setting is executed by another.	After another GUI ended the operation, rerun the job.
Stop request received. The operation will be stopped.	A stop request was received. The system then ends the image reader	No action.
Stop request received. The operation will be terminated.	Received a stop request.	No action.
Stopped abnormally	The system detected that the sub program started by the supervisor stopped abnormally.	The system stops. After a while, reboot the system.
Stopping the output service because its associated output device terminated abnormally.	The Printer Controller task was terminated abnormally. The system forcibly stopped the output service associated with the output device for the Printer Controller task.	Please call for service.

Message	Description	Action
Successfully obtained the license for the pre-installed PostScript Japanese font.	The PSWrapper ini file instructed to check whether the PSJFONT option is available, and there is the PostScript Japanese license font pre-installed with the PSJFONT option.	No action
Suspending the operation.	Received a halt request from another process and stopped the process.	No action.
Switching impositions of the job failed on the output device.	Failed in executing the imposition switch command for the RIP controller.	Please call for service.
System call error occurred.	An error occurred in the system calling process.	Reboot the system. If the error persists, please call for service.
System file error.	A system file error occurred when creating a job.	No action.
System operations disabled.	Could not execute drain processing because the device was malfunctioning when the IPDS stream job drain button was pressed.	Clear the device error, and then execute the drain operation again.
System shutdown	System shutdown	No action.
Task issuing a request to the output device does not exist.	The internal task that requested the connection with the output controller was not found, and the connection request was ignored.	Please call for service.
Task out of management has ended.	An internal error occurred.	Please call for service.
Task startup parameter is too long.	The specified parameter is too long a start of the task.	Please call for service.
Task terminated abnormally.	The task was terminated abnormally.	Please call for service.
Temporarily disabled Auto Ready on the output device due to developer being replaced.	Temporarily disabled Auto Ready on the output device due to developer being replaced.	No action
Terminated the task because control connection was detected.	The specified job name is not found.	Reboot the system. If the error persists, please call for service.
Terminating the operation because job registration was rejected.	The job registration was rejected. The Image Reader will be ended.	If the error persists, please call for service.
Terminating the operation.	The RipDmaCnt task ends.	No action.
Termination event received for the requested operation.	Received the interrupt event. The reader stops.	If the error persists, please call for service.
Termination request received. The operation will be stopped.	An interrupt request was received. The system then ends the image reader.	No action.
The Administrator User is not permitted to log on from this terminal.	Cannot log on with the administrator privilege from the terminal.	No action.
The AmtoCnt has been started.	The AmtoCnt task started.	No action.
The AmtoMgr has been started.	The AmtoMgr task started.	No action.

Message	Description	Action
The AmtoOutTask has been started.	The AmtoOut task started.	No action.
The AmtoTrkTask has been started.	The AmtoTrk task started.	No action.
The automatic job delete flag uses default values.	An internal error occurred.	Please call for service.
The BASIC_SYSTEM_FILE environmental variable is not defined.	System configuration error.	Please call for service.
The buffer for data sending/receiving overflowed.	The transfer buffer for socket communication with a GUI overflowed.	Please call for service.
The caller of Task Manager is incorrect. (Syst)	An internal error occurred during task control.	Please call for service.
The command failed to get developer replacement step numbers from the output device.	Failed in importing the developer replacement procedure number into RipController.	Please call for service.
The command of an attention lamp to the output device failed.	Failed in the attention lamp command.	Please call for service.
The command syntax is incorrect.	An error was found in the syntax or reserved character string of the command that was input in the console.	Check that the command is correct, and reenter it.
The command to delete resources on the output device failed.	Failed in executing the resource deletion instruction for the RIP controller.	Please call for service.
The command to force print on the output device failed.	Failed in executing the forced print instruction for the RIP controller.	Please call for service.
The command to get consumables information from the output device failed. The displayed information will not be correct.	Failed in executing the consumable fetch instruction for the RIP controller.	Please call for service.
The command to get information from the output device failed.	Failed in executing the information fetch command for the RIP controller.	Please call for service.
The command to get recovery information from the output device failed.	Failed in executing the stored data print instruction for recovery when the process terminated abnormally for the RIP controller.	Please call for service.
The command to notify of initial information to the output device failed.	Failed in the initial information notification for the RIP controller.	Please call for service.
The command to set a printable range for the output device failed.	Failed in setting the printable range for the RIP controller.	Please call for service.
The command to set device configuration onto the output device failed.	Failed in setting the device configuration for the RIP controller.	Please call for service.

Message	Description	Action
The command to set information on the output device failed.	Failed in executing the information setting command for the RIP controller.	Please call for service.
The command was ignored because the output device is busy.	Requests (command instructions) were issued from the printer panel and the PC-GUI at the same time, and the one from the PC-GUI could not be executed.	Execute those requests one by one, not simultaneously.
The connection port number received from the console is incorrect.	An invalid port number is specified for the GUI console.	The system stops. Please call for service.
The console server was terminated abnormally.	The console server indicated by parameter was terminated abnormally.	The system stops if this fault occurred during initialization. After a while, reboot the system. If the error persists, please call for service.
The continuation of a job command to the output device failed.	Failed in the job continuation command into RipController.	Please call for service.
The default value is used for the maximum number of schedule registrations.	An internal error occurred. - Internal error code	Please call for service.
The error occurred during immediate stop operation.	An immediate stop request (SIGTERM interrupt) was issued, but it failed.	No action. If the error persists at the next start, please call for service.
The error occurred in adding a schedule.	An internal error occurred. - Internal error code 1 - Internal error code 2	Please call for service.
The error occurred in deleting a schedule.	An internal error occurred. - Internal error code 1 - Internal error code 2	Please call for service.
The error occurred in deleting an event.	An internal error occurred. - Internal error code 1 - Internal error code 2	Please call for service.
The error occurred in getting an event.	An error occurred in the internal event message fetch process.	Please call for service.
The error occurred in getting event data.	An internal error occurred. - Internal error code 1 - Internal error code 2	Please call for service.
The error occurred in handling the output device management table.	An error occurred when accessing the output device management table file.	Please call for service.
The error occurred in receiving an event.	An internal error occurred. - Internal error code 1 - Internal error code 2	Please call for service.
The error occurred in sending an event to the output device	An error occurred when sending an event message to the Printer Controller task.	Please call for service.
The error occurred in sending an event.	An internal error occurred. - Internal error code 1 - Internal error code 2	Please call for service.

Message	Description	Action
The error occurred while deleting an event.	A fault occurred in the communication socket during event deletion.	The system stops. After a while, reboot the system.
The error occurred while deleting task management information.	An access error occurred in the internal table.	The system stops. After a while, reboot the system.
The error occurred while getting task information.	An access error occurred in the internal table.	The system stops. After a while, reboot the system.
The error occurred while receiving an event.	A fault occurred in the communication socket during event receiving.	The system stops. After a while, reboot the system.
The error occurred while referencing the task status.	A fault occurred in the communication socket while receiving a status change notification of the started process.	The system stops. After a while, reboot the system.
The error occurred while searching for an event.		The system stops. After a while, reboot the system.
The error occurred while sending an event.	A fault occurred in the communication socket during event sending.	The system stops. After a while, reboot the system.
The error occurred while setting the source of event notification.	Failed in setting where to send the event.	The system stops. After a while, reboot the system.
The error occurred while stopping	A fault occurred in the communication socket during the stop process.	The system stops. After a while, reboot the system.
The error occurred while waiting until becomes ready.	A fault occurred in the communication socket while the process was started or in the stop standby state.	The system stops. After a while, reboot the system.
The error reset command to the output device failed.	Failed in executing the error reset instruction for the RIP controller.	Please call for service.
The event data is invalid.	Invalid event message information was received when obtaining the internal event message.	Please call for service.
The execution path in the specified task configuration file is not executable.	An invalid permission is assigned to the CPSI execution path (default: /opt/FXcff/system/bin/cpp/cpsi/CPSI) in PostScript configuration file.	Please call for service.
The external task has failed.	An internal error occurred.	Please call for service.
The file specified for restoring is invalid.	An invalid file was specified for restoration.	Specify the definition file that was backed up.
The file to be backed up is not found.	The backup definition file is invalid.	Please call for service.
The GUI server version is incorrect.	No consistency is ensured between the version of the GUI and that of the GUI server under the system.	The system version does not match the GUI version.

Message	Description	Action
The held job is auto-released immediately because it is already past the scheduled time of automatic release.	The job suspension state is over the automatic release time, and it is released automatically. - Job No. - Internal code	No action.
The held job will be released.	Releases the job suspension state.	No action.
The initial settings file contains an error.	An error occurred while obtaining information from the configuration file.	Please call for service.
The initial settings file is invalid.	Failed in reading the initialization file when the security manager started.	Reboot the system. If the error persists, please call for service.
The job fault has been cleared.	A job fault has been cleared.	No action
The job has been cancelled by depression of the job cancel button on the output device	The indicated error occurred in the printer with device number #.	Press the RESET button.
The job is already being cancelled.	The job is already in the cancellation process.	No action.
The job is already being deleted.	The job is already in the deletion process.	No action.
The job is already being deleted.	The job is already in the deletion process.	No action.
The job is already being held.	The job is already in the hold process.	No action.
The job is auto-deleted immediately because it is already past the scheduled time of automatic deletion.	The automatic job deletion time is already lapsed, and the job is deleted automatically.	No action.
The job not using extended spool cannot be scheduled now. The job will be held.	Holds the job because the system settings are configured not to schedule jobs that do not use extended spool.	Configure the system settings to disable scheduling of jobs using extended spool, and then retry operation.
The job status will be changed because of inconsistency in the job management table.	Changes the job state because inconsistency was detected in the job management table.	Manually delete the job if unnecessary.
The job using extended spool cannot be scheduled now. The job will be held.	Holds the job because the system settings are configured not to schedule jobs that use extended spool.	Configure the system settings to enable scheduling of jobs using extended spool, and then retry operation.
The job will be cancelled.	Cancels the job.	No action.
The job will be deleted after job input is cancelled.	Cancels the job input process, and deletes the job.	No action.
The job will be deleted after job output is cancelled.	Cancels the job output process, and deletes the job.	No action.
The job will be deleted because a warning-level error occurred during job processing.	Deletes the job because a warning error occurred in the job process.	Correct the cause of the job process error, and then rerun the job.
The job will be deleted because an error occurred during job processing.	Deletes the job because an error occurred in the job process.	Correct the cause of the job process error, and then rerun the job.

Message	Description	Action
The job will be deleted because of inconsistency in the job management table.	Deletes the job because inconsistency was detected in the job management table.	Re-input the deleted job if necessary.
The job will be deleted when finished.	The job will be deleted after completion	No action.
The job will be deleted.	Deletes the job.	No action.
The job will be held after job input is finished.	Suspends the job after the job input process was completed.	No action.
The job will be held after job output is cancelled.	Cancels the job output process, and suspends the job.	No action.
The job will be held because a warning-level error occurred during job processing.	Suspends the job because a warning error occurred in the job process.	Correct the cause of the job process error, and then rerun the job.
The job will be held because an error occurred during job processing.	Suspends the job because an error occurred in the job process.	Correct the cause of the job process error, and then rerun the job.
The job will be held because it cannot be scheduled now.	Holds the job because it cannot be scheduled now.	No action.
The job will be held.	Suspends the job.	No action.
The job will be re-printed.	Re-outputs the job.	No action.
The job will be resumed.	Restarts the job.	No action.
The license for the optional software is invalid.	The optional software floppy disk which is inserted is not for the system.	Perform the operation again using the correct floppy disk with a valid license information included.
The license key for the PostScript option is invalid.	CPSI does not startup because the PostScript option license key does not match though it is installed.	Please call for service.
The log file does not exist.	The log file is not found.	Please call for service.
The logical page is partially off the layout.	The logical page is out of the layout.	Check the imposition.
The LPR default queue does not exist.	The default queue is not found.	Check whether the LPR default queue resides.
The management task for the output device has stopped.	The Printer Controller task ends.	No action
The mechanical switch (EJECT) operated on the output device.	The mechanical switch (EJECT) operated on the output device.	No action
The mechanical switch (RESET) operated on the output device.	The mechanical switch (RESET) operated on the output device.	No action
The mechanical switch (START) operated on the output device.	The mechanical switch (START) operated on the output device.	No action
The mechanical switch (STOP) operated on the output device.	The mechanical switch (STOP) operated on the output device.	No action
The mechanical switch (UNKNOWN) operated on the output device.	The mechanical switch (UNKNOWN) operated on the output device.	Please call for service.
The number of console connections exceeds the limit.	The basic information file is set abnormally.	Please call for service.

Message	Description	Action
The number of devices connected to the output device has exceeded the upper limit.	The number of physically connected devices exceeded the maximum.	Cut off connections with unused devices in the duplex printing system or a configuration that consists of preprocessor and postprocessor.
The number of registrations to the sub-system management table exceeded the upper limit.	The total number of sub systems and tool tasks registered in the basic information file exceeds the maximum.	The system stops. Please call for service.
The number of schedule registrations already reached the limit. The request will be ignored.	An internal error occurred. - Internal error code	Please call for service.
The operation is going to be resumed.	Received a restart request from another process, and restarted the process.	No action.
The operation is going to be suspended.	Received a halt request from another process, and stopped the process.	No action.
The operation terminated abnormally.	The process was terminated abnormally.	Please call for service.
The optional software FD is not writable.	The optional software floppy disk which is inserted is write protected.	Turn off write protection, and then perform the operation again.
The optional software has been installed successfully. Please shut down the system.	Shut down the system.	No action.
The optional software is not installed.	Failed in setting the system time.	Please call for service.
The output device encountered an Error Code.	An error occurred in the internal ODMAPI.	Please call for service.
The output device has been connected to the output service.	The output service sent a connection request to the Printer Controller task, and it was connected normally.	No action
The output device has been disconnected from the output service.	The output service sent a disconnection request to the Printer Controller task, and it was disconnected normally.	No action
The output device is already configured according to the specified status or settings.	A command to specify the desired state or set value was sent to the RIP controller, but the state or set value is already defined. The command was therefore ignored by the RIP controller.	No action
The output device is already started.	The Printer Controller task associated with the specified output device has already been started.	No action.

Message	Description	Action
The output device is already stopped.	The Printer Controller task associated with the specified output device has already stopped.	No action.
The output device is available now.	The RIP controller internally notified that the printer status changed to the ready state (non-printing).	No action
The output device printer task terminated abnormally.	OutputController or the printer task (process task associated with the output device) terminated abnormally.	Please call for service.
The output device should undergo regular maintenance soon.	The indicated error occurred in the printer with device.	Please call for service.
The output service associated with the output device is already started on another output device	The same output service is associated with multiple output devices. An attempt was made to activate the started output device and connected output service.	Change the output service associated with the specified output device, or stop the same output device that is already started. Then activate the output service again.
The output service associated with the output device is already started.	The output service associated with the specified output device has already been started and connected to the output device.	No action.
The output service associated with the output device is already stopped.	The output service associated with the specified output device has already been stopped and disconnected from the output device.	No action.
The output service is not stopped.	An attempt was made to stop the output service, but it failed.	Please call for service.
The password is incorrect.	Cannot log on.	Check the password, and then log on again.
The path length has been set.	The path length was specified.	No action
The port number notified from GUI is incorrect.	When seven or more digits were assigned to a port number for communication with a GUI, the process resulted in a failure.	Check the specified GUI port number in the GUI, and then change it to an appropriate port number.
The PostScript options is not installed.	The PostScript options is not installed. CPSI does not startup.	No action
The pre-form on the image area is insufficient in area or does not exist.	The pre-form is out of the image area, or the X or Y coordinate does not overlap 32 dots (per 600 dpi) or more.	Adjust the position of the pre-form so that the X and Y coordinates overlap 32 dots or more.
The pre-print form is partially off the paper.	The preprinting form is out of the layout.	Check the imposition.
The print mark is partially off the paper.	The printing mark is out of the layout.	Check the imposition.

Message	Description	Action
The process mark on the image area is insufficient in area or does not exist.	The process mark is out of the image area, or the X or Y coordinate does not overlap 32 dots (per 600 dpi) or more.	Adjust the position of the process mark so that the X and Y coordinates overlap 32 dots (per 600 dpi) or more.
The program name for the master console is too long. (Max. 256)	The basic information file is set abnormally.	Please call for service.
The prohibited job scheduling will be released.	Releases the job schedule inhibited state.	No action.
The PS optional software is not installed.	Failed in setting the system time.	Please call for service.
The request code is undefined.	An invalid request was detected.	Please call for service.
The requested operation is rejected because the resuming page range is invalid.	The page number specified to rerun the job exceeds the range of restart enable pages.	Check the range of restart enable pages.
The requested operation is rejected because the specified time is invalid.	Rejects the operation request because the specified time is incorrect.	Check that the specified time is correct.
The requested operation is rejected due to inconsistency in job status.	Rejects the job operation request.	If the error persists, please call for service.
The setting code is undefined.	An invalid request was detected.	Please call for service.
The shutting down operation failed.	Failed in shutting down the system.	Please call for service.
The specified backup definition file is invalid.	The backup definition file is invalid.	Please call for service.
The specified backup directory is invalid.	The backup definition file is invalid.	Please call for service.
The specified color resource does not allow deletion.	Failed in deleting the specified color resource.	No action.
The specified color resource set already exists.	The specified color resource set already exists.	Specify the color resource set with another name.
The specified color resource set does not allow changing its name.	Cannot rename the specified color resource set.	No action
The specified color resource set does not allow copying.	Cannot copy the specified color resource set.	No action
The specified color resource set does not allow deletion.	Cannot delete the color resource set.	No action
The specified console server is not running.	There is no console to send a message or reply request.	The system continues the process. If the error persists, please call for service.
The specified file does not exist.	The specified file is not found; the file name is displayed.	Please call for service.
The specified FTP-connected client information already exists.	The specified FTP-connected client is already registered.	Register the specified FTP-connected client with another name.
The specified FTP-connected user information already exists.	The specified FTP-connected user is already registered.	Register the specified FTP-connected user with another name.

Message	Description	Action
The specified FTP-connected user information does not allow password change.	Updating the password for specified FTP-connected user information is not permitted.	No action.
The specified IP address of the default recipient of the basic information file is incorrect.	An invalid value is specified for the default IP address of the internal configuration file.	Please call for service.
The specified IP address of the message recipient is incorrect.	An invalid value is specified for the IP address to send a message or reply request to.	Please call for service.
The specified job does not exist.	The specified job is not found.	If the error persists, please call for service.
The specified job is not in the default state.	The specified job is not in the fault state.	If the error persists, please call for service.
The specified LPR-connected client information already exists.	The specified LPR-connected client is already registered.	Register the LPR-connected client with another name.
The specified module does not exist. The task could not be started.	An internal error occurred.	Please call for service.
The specified new queue name is the same as the current one.	The specified new queue name is identical to the current one.	If the error persists, please call for service.
The specified output service is not activated.	The specified output service is not activated.	Please call for service.
The specified paper identifier does not allow updating.	Failed in updating the specified imposition because its update was not permitted.	No action.
The specified paper information does not allow updating.	Updating the specified paper information is not permitted.	No action.
The specified queue already exists.	An attempt was made to newly register an existing queue.	Register the queue in another queue name that has not been registered.
The specified queue does not allow deletion.	Cannot delete the specified queue.	The system queue cannot be deleted.
The specified queue does not allow updating.	Cannot update the specified queue. The system queue cannot be updated.	Create a new queue.
The specified queue is already registered.	The specified queue is already registered.	If the error persists, please call for service.
The specified queue is inconsistent with the current settings.	The specified queue is different from the current setting.	If the error persists, please call for service.
The specified queue is not registered.	The specified queue is not registered.	If the error persists, please call for service.
The specified queue is registered as FTP connection entry, and thus cannot be deleted.	Cannot delete the specified queue because it is registered as an FTP entry.	Cancel the FTP entry for the queue, and then delete the queue.
The specified queue is registered as IPDS attachment information, and thus cannot be deleted.	Cannot delete the specified queue because it is registered as an IPDS attachment information.	Deselect the specified queue in the IPDS attachment information, and then delete the queue.
The specified remote GUI information does not allow deletion.	Cannot delete the specified remote GUI information.	No action.

Message	Description	Action
The specified remote GUI information does not allow updating.	Updating the specified remote GUI information is not permitted.	No action.
The specified remote GUI information does not exist.	The specified remote GUI information is not found.	The specified remote GUI information may be deleted. Check that it resides.
The specified resource does not allow deletion.	Failed in deleting the specified resource because it was a system resource.	No action
The specified resource set already exists.	Failed in creating a resource set.	Please call for service.
The specified resource set does not allow changing its attributes.	Cannot change the attribute of the system resource set.	No action
The specified resource set does not allow changing its name.	Failed in renaming the resource set because changing the copy-source resource set was not permitted.	No action
The specified resource set does not allow copying.	Failed in copying the resource set because updating the copy-destination resource set was not permitted.	No action
The specified resource set does not allow deletion.	Failed in deleting the specified resource set because its deletion was not permitted.	No action
The specified schedule is already deleted or does not exist.	An internal error occurred.	Please call for service.
The specified stock set already exists.	The paper set already exists.	Create the paper set with another name.
The specified stock set does not allow changing its name.	Failed in renaming the change-source paper set because its renaming was not permitted.	No action.
The specified stock set does not allow copying.	Failed in overwriting and copying the copy-destination paper set because its update was not permitted.	No action.
The specified stock set does not allow deletion.	Failed in deleting the specified paper set because its deletion was not permitted.	No action.
The specified system resource does not allow deletion.	Failed in deleting the specified imposition because it was for the system.	No action.
The specified test job does not allow deletion.	Deleting the specified test job is not permitted.	No action.
The specified test job information does not allow updating.	Failed in updating the specified test job.	No action.
The specified user information already exists.	The specified user is already registered.	Register the user with another name.
The specified user information does not allow password change.	Cannot update the password for the specified user information.	No action.
The sub-system is already started.	The sub system that requested Start is already started.	No action

Message	Description	Action
The sub-system is already stopped.	The sub system that requested Stop or Shutdown is already stopped.	Reboot the subsystem.
The sub-system is not registered.	The system name specified in the command is not registered in the basic information file.	Check that the system name is correct, and reenter it.
The sub-system requested to start is already running. Cannot start the sub-system.	An internal error occurred.	Please call for service.
The sub-system to which the finished task belongs is not registered.	An internal error occurred.	Please call for service.
The system date and time have been set.	The system date/time was specified.	No action
The system is already shut down.	The system already shuts down.	No action.
The system is already started.	The system is already started.	No action.
The system is already stopped.	The system is already stopped.	No action.
The system name for the specified task is incorrect. The task cannot be generated.	An internal error occurred.	Please call for service.
The system or component name is invalid.	An invalid system or component name is specified in the message to be sent to the GUI client.	Please call for service.
The system page does not exist.	The system page for the specified job ID is not found.	No action
The task has been exited.	PostScript ended.	No action
The task issuing a request to the output device does not exist.	The internal task that requested information to the PrinterController task was not found, and the information was ignored.	Please call for service.
The task terminated abnormally.	An internal error occurred.	Please call for service.
The task that manages output devices has finished all its operations. Output devices are no longer available.	The OutputDeviceManager task ends.	No action.
The tool is already started.	The tool that requested Start is already started.	No action
The tool is already stopped.	The tool that requested Stop or Shutdown is already stopped.	No action
The tool is not registered.	The tool name specified in the command is not registered in the basic information file.	Check that the tool name is correct, and reenter it.
The type of the reader is incorrect.	The reader type is incorrect.	No action.
The user management table has become full.	An internal error occurred.	Reboot the system. If the error persists, please call for service.
The user name is not registered.	Cannot log on.	Check the user name, and then log on again.
The user's logon level is invalid.	An invalid logon level was specified.	Please call for service.

Message	Description	Action
The value in the initial settings file exceeds the max. number of tasks.	The maximum number of connected GUIs exceeded that of tasks defined in the system.	Please call for service.
There is no console server to output data.	There is no console to send a message or reply request.	Please call for service.
There is no event data.	Failed in getting event data.	When the system stops, wait for a minute and reboot the system. If the error persists, please call for service.
There is no logical page.	No logical page is found.	Check the imposition.
This command is not defined in IOTC-IF. The operation was terminated.	An attempt was made to execute an undefined command.	Please call for service.
This TIFF image is not supported.	Printing data is based on an invalid TIFF format.	Check the printing data (TIFF image format).
TIFF Filter has been exited.	End message.	No action.
TIFF Filter has completed converting job.	Ended job conversion.	No action.
TIFF filter has started converting job.	Started job conversion.	No action.
TIFF Filter started.	Start message.	No action.
TIFF sample reader has been exited.	The TIFF sample reader has been ended.	No action.
TIFF sample reader started	The TIFF sample reader has been started.	No action.
Time has been set successfully.	Succeeded in time setting.	No action
Time setting failed.	Failed in time setting.	Please call for service.
Timeout occurred while initializing the task.	Timeout occurred during PostScript initialization.	Please call for service.
Timeout occurred.	Timeout occurred during data receiving or in the FIP command and standby process.	No action.
Transparent Filter has been exited	End message.	No action.
Transparent Filter has finished converting job.	Ended job conversion.	No action.
Transparent Filter has started converting job.	Started job conversion.	No action.
Transparent Filter started	Start message.	No action.
Unsupported function was requested on the output device.	Unsupported function was internally requested.	Please call for service.
Value not set in the initial settings file.	The set value required for the internal configuration file is not registered.	Please call for service.
Value setting in the initial settings file is invalid.	An invalid sets value is specified for the internal configuration file.	Please call for service.
Waiting for response to the Filter stop request.	Waiting for a response after the filter stop request was issued.	No action.
Warning	An internal warning occurred.	Please call for service.

Message	Description	Action
When processing, the upper limit for one page has been exceeded.	The data exceeds the upper limit for one page.	Please call for service.
While generating a reader, an error occurred.	An error occurred while creating a reader management table.	Reboot the system. If the error persists, please call for service.
Will reject Incoming jobs because the number of job registrations exceeded the limit.	Maximum number of registered jobs Rejects job receiving because the number of registered jobs exceeds the maximum.	Delete unnecessary jobs, and then rerun the job.
Will resume registering the file reader.	Received a restart request from another process, and restarted the job.	No action.
Will send a filter stop request to all activated filters.	When the filter controller was terminated because the system stopped, a filter stop request was sent to all the active filters.	No action.
Will send abort to Job Director.	Job abort was sent.	No action.
Will stop accepting job due to failure in locking the resource.	Stops job receiving because resource lock failed.	Check that the resource name is correct.
Will suspend registering the file reader.	Received a halt request from another process, and stopped the job.	No action.
Writer task started.	The writer task has been started normally.	No action.
You are prohibited from operating mechanical switches on the output device. Operating the switches will not take effect.	The execution of the mechanical switch was inhibited internally and rejected.	After a while, rerun the job.
You are prohibited from operations on the output device. The operations will not take effect.	The execution of the mechanical switch was inhibited internally and rejected.	After a while, rerun the job.
You cannot specify the same logical page number for both front and back pages.	The same logical page number can not be specified for both front and back pages.	Check the paper identifier name.
You do not have rights to input job data.	The user logged out.	Check the registered user name, and rerun the job with the correct user name.
You do not have rights to monitor job equipment.	The user's password is incorrect.	Enter the correct password.

