

```

Name           : orca                      Relocations: (not relocatable)
Version        : 2.28.2                   Vendor: CentOS
Release        : 1.el6                    Build Date: Fri 20 Aug 2010
04:15:28 PM EDT
Install Date: Fri 06 Feb 2015 09:05:38 AM EST      Build Host:
c6b3.bsys.dev.centos.org
Group          : User Interface/Desktops          Source RPM: orca-2.28.2-
1.el6.src.rpm
Size           : 9129325                    License: LGPLv2+
Signature      : RSA/8, Sun 03 Jul 2011 12:52:57 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://projects.gnome.org/orca/
Summary        : Assistive technology for people with visual impairments
Description    :
Orca is a flexible, extensible, and powerful assistive technology for
people
with visual impairments. Using various combinations of speech synthesis,
braille, and magnification, Orca helps provide access to applications and
toolkits that support AT-SPI (e.g. the GNOME desktop).

```

```

Name           : libXpm                     Relocations: (not relocatable)
Version        : 3.5.10                    Vendor: CentOS
Release        : 2.el6                     Build Date: Thu 21 Feb 2013
02:07:51 PM EST
Install Date: Fri 06 Feb 2015 09:02:28 AM EST      Build Host:
c6b9.bsys.dev.centos.org
Group          : System Environment/Libraries      Source RPM: libXpm-3.5.10-
2.el6.src.rpm
Size           : 104511                     License: MIT
Signature      : RSA/SHA1, Sat 23 Feb 2013 12:38:01 PM EST, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.x.org
Summary        : X.Org X11 libXpm runtime library
Description    :
X.Org X11 libXpm runtime library

```

```

Name           : python-ethtool             Relocations: (not relocatable)
Version        : 0.6                       Vendor: CentOS
Release        : 3.el6                     Build Date: Thu 21 Feb 2013
10:56:21 PM EST
Install Date: Fri 06 Feb 2015 09:04:06 AM EST      Build Host:
c6b7.bsys.dev.centos.org
Group          : System Environment/Libraries      Source RPM: python-ethtool-
0.6-3.el6.src.rpm
Size           : 70150                       License: GPLv2
Signature      : RSA/SHA1, Sat 23 Feb 2013 12:39:49 PM EST, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            :
http://fedorapeople.org/gitweb?p=dsommers/public_git/python-
ethtool.git;a=summary
Summary        : Ethernet settings python bindings

```

Description :

Python bindings for the ethtool kernel interface, that allows querying and changing of Ethernet card settings, such as speed, port, auto-negotiation, and PCI locations.

Name : xml-common Relocations: (not relocatable)
Version : 0.6.3 Vendor: CentOS
Release : 32.el6 Build Date: Thu 11 Nov 2010
02:34:28 PM EST
Install Date: Fri 06 Feb 2015 09:01:41 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Applications/Text Source RPM: sgml-common-
0.6.3-32.el6.src.rpm
Size : 1055 License: GPL+
Signature : RSA/8, Sun 03 Jul 2011 12:53:36 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.w3.org/2003/entities/>
Summary : Common XML catalog and DTD files
Description :
The xml-common is a subpackage of sgml-common which contains a collection XML catalogs that are useful for processing XML, but that don't need to be included in main package.

Name : gok Relocations: (not relocatable)
Version : 2.28.1 Vendor: CentOS
Release : 5.el6 Build Date: Thu 11 Nov 2010
08:14:11 AM EST
Install Date: Fri 06 Feb 2015 09:05:45 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: gok-2.28.1-
5.el6.src.rpm
Size : 9411129 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:19:16 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gok.ca/>
Summary : GNOME Onscreen Keyboard
Description :
The gok project aims to enable users to control their computer without having to rely on a standard keyboard or mouse, leveraging GNOME's built-in accessibility framework.

Name : libgphoto2 Relocations: (not relocatable)
Version : 2.4.7 Vendor: CentOS
Release : 4.el6 Build Date: Thu 11 Nov 2010
12:10:55 PM EST
Install Date: Fri 06 Feb 2015 09:02:30 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: libgphoto2-2.4.7-
4.el6.src.rpm

Size : 4522998 License: GPLv2+ and LGPLv2+
and LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:34:49 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gphoto.org/>
Summary : Library for accessing digital cameras
Description :
libgphoto2 is a library that can be used by applications to access
various digital cameras. libgphoto2 itself is not a GUI application,
opposed to gphoto. There are GUI frontends for the gphoto2 library,
however, such as gtkam for example.

Name : pygtk2-libglade Relocations: (not relocatable)
Version : 2.16.0 Vendor: CentOS
Release : 3.el6 Build Date: Fri 20 Aug 2010
11:03:41 PM EDT
Install Date: Fri 06 Feb 2015 09:04:07 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Development/Languages Source RPM: pygtk2-2.16.0-
3.el6.src.rpm
Size : 21384 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:58:15 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.pygtk.org/>
Summary : A wrapper for the libglade library for use with PyGTK
Description :
This module contains a wrapper for the libglade library. Libglade allows
a program to construct its user interface from an XML description, which
allows the programmer to keep the UI and program logic separate.

Name : paktype-fonts-common Relocations: (not relocatable)
Version : 2.0 Vendor: CentOS
Release : 8.el6 Build Date: Tue 24 Aug 2010
08:33:49 PM EDT
Install Date: Fri 06 Feb 2015 09:01:42 AM EST Build Host:
c6b2.bsys.dev.centos.org
Group : User Interface/X Source RPM: paktype-fonts-
2.0-8.el6.src.rpm
Size : 28567 License: GPLv2 with
exceptions
Signature : RSA/8, Sun 03 Jul 2011 12:36:22 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://sourceforge.net/projects/paktype/>
Summary : Common files for paktype-fonts
Description :

The paktype-fonts package contains fonts for the display of
Arabic from the PakType by Lateef Sagar.

Name : bfa-firmware Relocations: (not relocatable)
Version : 3.0.3.1 Vendor: CentOS

Release : 1.el6 Build Date: Thu 21 Feb 2013
04:22:51 PM EST
Install Date: Fri 06 Feb 2015 09:05:46 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: bfa-firmware-
3.0.3.1-1.el6.src.rpm
Size : 2716690 License: Redistributable,
no modification permitted
Signature : RSA/SHA1, Sat 23 Feb 2013 12:54:02 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : [http://www.brocade.com/sites/dotcom/services-
support/drivers-downloads/CNA/Linux.page](http://www.brocade.com/sites/dotcom/services-support/drivers-downloads/CNA/Linux.page)
Summary : Brocade Fibre Channel HBA Firmware
Description :
Brocade Fibre Channel HBA Firmware.

Name : m17n-db-bengali Relocations: (not relocatable)
Version : 1.5.5 Vendor: CentOS
Release : 1.1.el6 Build Date: Thu 19 Aug 2010
02:00:34 AM EDT
Install Date: Fri 06 Feb 2015 09:02:31 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-db-1.5.5-
1.1.el6.src.rpm
Size : 6826 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:29:01 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : m17n-db input maps for Bengali
Description :
This package contains m17n-db input maps for Bengali.

Name : gnome-python2-gnome Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
06:32:37 AM EST
Install Date: Fri 06 Feb 2015 09:04:08 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Languages Source RPM: gnome-python2-
2.28.0-3.el6.src.rpm
Size : 360122 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:18:32 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/gnome-python/>
Summary : Python bindings for libgnome
Description :
This module contains a wrapper that makes libgnome functionality
available
from Python.

Name : thai-scalable-fonts-common Relocations: (not relocatable)

Version : 0.4.12 Vendor: CentOS
Release : 2.1.el6 Build Date: Thu 11 Nov 2010
09:33:51 AM EST
Install Date: Fri 06 Feb 2015 09:01:44 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : User Interface/X Source RPM: thai-scalable-
fonts-0.4.12-2.1.el6.src.rpm
Size : 11671 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:50:38 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://linux.thai.net/projects/thaifonts-scalable>
Summary : Common files of <NAME>
Description :

thaifonts-scalable provides a collection of free scalable Thai fonts.

This package consists of files used by other thai-scalable-fonts packages.

Name : iwl1000-firmware Relocations: (not relocatable)
Version : 39.31.5.1 Vendor: CentOS
Release : 1.el6 Build Date: Wed 07 Dec 2011
10:00:46 AM EST
Install Date: Fri 06 Feb 2015 09:05:47 AM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: iwl1000-firmware-
39.31.5.1-1.el6.src.rpm
Size : 679399 License: Redistributable,
no modification permitted
Signature : RSA/SHA1, Thu 08 Dec 2011 03:11:11 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://intellinuxwireless.org/>
Summary : Firmware for Intel® PRO/Wireless 1000 B/G/N network
adaptors
Description :
This package contains the firmware required by the iwlagn driver
for Linux to support the iwl1000 hardware. Usage of the firmware
is subject to the terms and conditions contained inside the provided
LICENSE file. Please read it carefully.

Name : m17n-db-kannada Relocations: (not relocatable)
Version : 1.5.5 Vendor: CentOS
Release : 1.1.el6 Build Date: Thu 19 Aug 2010
02:00:34 AM EDT
Install Date: Fri 06 Feb 2015 09:02:31 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-db-1.5.5-
1.1.el6.src.rpm
Size : 7749 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:29:13 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : m17n-db input maps for Kannada
Description :
This package contains m17n-db input maps for Kannada.

Name : gnome-python2-libwnck Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 4.el6 Build Date: Thu 11 Nov 2010
07:11:34 AM EST
Install Date: Fri 06 Feb 2015 09:04:09 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Languages Source RPM: gnome-python2-
desktop-2.28.0-4.el6.src.rpm
Size : 71120 License: LGPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:18:36 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : Python bindings for interacting with libwnck
Description :
This module contains a wrapper that allows the use of libwnck via
Python.

Name : glibc-common Relocations: (not relocatable)
Version : 2.12 Vendor: CentOS
Release : 1.107.el6 Build Date: Thu 21 Feb 2013
08:13:11 AM EST
Install Date: Fri 06 Feb 2015 09:01:53 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Base Source RPM: glibc-2.12-
1.107.el6.src.rpm
Size : 112398608 License: LGPLv2+ and
LGPLv2+ with exceptions and GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:43 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sources.redhat.com/glibc/>
Summary : Common binaries and locale data for glibc
Description :
The glibc-common package includes common binaries for the GNU libc
libraries, as well as national language (locale) support.

Name : readahead Relocations: (not relocatable)
Version : 1.5.6 Vendor: CentOS
Release : 1.el6 Build Date: Mon 23 Aug 2010
05:36:24 AM EDT
Install Date: Fri 06 Feb 2015 09:05:51 AM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Base Source RPM: readahead-1.5.6-
1.el6.src.rpm
Size : 114714 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:00:09 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/readahead/>

Summary : Read a preset list of files into memory
Description :
readahead reads the contents of a list of files into memory,
which causes them to be read from cache when they are actually
needed. Its goal is to speed up the boot process.

Name : m17n-db-malayalam Relocations: (not relocatable)
Version : 1.5.5 Vendor: CentOS
Release : 1.1.el6 Build Date: Thu 19 Aug 2010
02:00:34 AM EDT
Install Date: Fri 06 Feb 2015 09:02:31 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-db-1.5.5-
1.1.el6.src.rpm
Size : 7521 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:29:17 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : m17n-db input maps for Malayalam
Description :
This package contains m17n-db input maps for Malayalam.

Name : python-crypto Relocations: (not relocatable)
Version : 2.0.1 Vendor: CentOS
Release : 22.el6 Build Date: Fri 12 Nov 2010
06:15:23 AM EST
Install Date: Fri 06 Feb 2015 09:04:10 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Development/Libraries Source RPM: python-crypto-
2.0.1-22.el6.src.rpm
Size : 578990 License: Public Domain
Signature : RSA/8, Sun 03 Jul 2011 12:58:30 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.amk.ca/python/code/crypto.html>
Summary : Cryptography library for Python
Description :
Python-crypto is a collection of both secure hash functions (such as MD5
and
SHA), and various encryption algorithms (AES, DES, RSA, ElGamal, etc.).

Name : dbus-libs Relocations: (not relocatable)
Version : 1.2.24 Vendor: CentOS
Release : 7.el6_3 Build Date: Thu 13 Sep 2012
01:04:30 PM EDT
Install Date: Fri 06 Feb 2015 09:01:57 AM EST Build Host:
c6b10.bsys.dev.centos.org
Group : Development/Libraries Source RPM: dbus-1.2.24-
7.el6_3.src.rpm
Size : 265728 License: GPLv2+ or AFL
Signature : RSA/SHA1, Thu 13 Sep 2012 01:37:18 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.freedesktop.org/software/dbus/>
Summary : Libraries for accessing D-BUS
Description :
This package contains lowlevel libraries for accessing D-BUS.

Name : vino Relocations: (not relocatable)
Version : 2.28.1 Vendor: CentOS
Release : 8.el6_3 Build Date: Mon 21 Jan 2013
06:12:14 PM EST
Install Date: Fri 06 Feb 2015 09:05:52 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: vino-2.28.1-
8.el6_3.src.rpm
Size : 1997763 License: GPLv2+
Signature : RSA/SHA1, Mon 21 Jan 2013 06:24:45 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : A remote desktop system for GNOME
Description :
Vino is a VNC server for GNOME. It allows remote users to
connect to a running GNOME session using VNC.

Name : pinentry Relocations: (not relocatable)
Version : 0.7.6 Vendor: CentOS
Release : 6.el6 Build Date: Fri 23 Sep 2011
09:22:05 AM EDT
Install Date: Fri 06 Feb 2015 09:02:31 AM EST Build Host:
c6b18n1.dev.centos.org
Group : Applications/System Source RPM: pinentry-0.7.6-
6.el6.src.rpm
Size : 143708 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:23:37 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnupg.org/aegypten/>
Summary : Collection of simple PIN or passphrase entry dialogs
Description :
Pinentry is a collection of simple PIN or passphrase entry dialogs which
utilize the Assuan protocol as described by the aegypten project; see
<http://www.gnupg.org/aegypten/> for details.
This package contains the curses (text) based version of the PIN entry
dialog.

Name : PackageKit-yum-plugin Relocations: (not relocatable)
Version : 0.5.8 Vendor: CentOS
Release : 21.el6 Build Date: Thu 21 Feb 2013
05:42:20 PM EST
Install Date: Fri 06 Feb 2015 09:04:11 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Base Source RPM: PackageKit-0.5.8-
21.el6.src.rpm
Size : 227036 License: GPLv2+

Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:21 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.packagekit.org>
Summary : Tell PackageKit to check for updates when yum exits
Description :
PackageKit-yum-plugin tells PackageKit to check for updates when yum
exits.
This way, if you run 'yum update' and install all available updates,
puplet
will almost instantly update itself to reflect this.

Name : libcom_err Relocations: (not relocatable)
Version : 1.41.12 Vendor: CentOS
Release : 14.el6 Build Date: Thu 21 Feb 2013
06:51:14 PM EST
Install Date: Fri 06 Feb 2015 09:01:58 AM EST Build Host:
c6b7.bsyz.dev.centos.org
Group : Development/Libraries Source RPM: e2fsprogs-
1.41.12-14.el6.src.rpm
Size : 59233 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:53 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://e2fsprogs.sourceforge.net/>
Summary : Common error description library
Description :
This is the common error description library, part of e2fsprogs.

libcom_err is an attempt to present a common error-handling mechanism.

Name : ibus-m17n Relocations: (not relocatable)
Version : 1.3.0 Vendor: CentOS
Release : 2.el6 Build Date: Mon 18 Jul 2011
06:43:10 PM EDT
Install Date: Fri 06 Feb 2015 09:05:54 AM EST Build Host:
c6b5.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: ibus-m17n-1.3.0-
2.el6.src.rpm
Size : 53705 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:22 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/ibus/>
Summary : The M17N engine for IBus platform
Description :
M17N engine for IBus input platform. It allows input of many languages
using
the input table maps from m17n-db.

Name : libgomp Relocations: (not relocatable)
Version : 4.4.7 Vendor: CentOS
Release : 3.el6 Build Date: Thu 21 Feb 2013
12:16:26 PM EST

Install Date: Fri 06 Feb 2015 09:02:32 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: gcc-4.4.7-
3.el6.src.rpm
Size : 97798 License: GPLv3+ and GPLv3+
with exceptions and GPLv2+ with exceptions
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:55 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gcc.gnu.org>
Summary : GCC OpenMP v3.0 shared support library
Description :
This package contains GCC shared support library which is needed
for OpenMP v3.0 support.

Name : libproxy Relocations: (not relocatable)
Version : 0.3.0 Vendor: CentOS
Release : 3.el6_3 Build Date: Wed 14 Nov 2012
04:08:01 PM EST
Install Date: Fri 06 Feb 2015 09:04:13 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libproxy-0.3.0-
3.el6_3.src.rpm
Size : 118431 License: LGPLv2+
Signature : RSA/SHA1, Wed 14 Nov 2012 08:41:39 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/libproxy/>
Summary : A library handling all the details of proxy configuration
Description :
libproxy offers the following features:

- * extremely small core footprint (< 35K)
- * no external dependencies within libproxy core
 (libproxy plugins may have dependencies)
- * only 3 functions in the stable external API
- * dynamic adjustment to changing network topology
- * a standard way of dealing with proxy settings across all scenarios
- * a sublime sense of joy and accomplishment

Name : db4 Relocations: (not relocatable)
Version : 4.7.25 Vendor: CentOS
Release : 17.el6 Build Date: Wed 04 Apr 2012
09:42:16 AM EDT
Install Date: Fri 06 Feb 2015 09:01:59 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: db4-4.7.25-
17.el6.src.rpm
Size : 1530375 License: Sleepycat and BSD
Signature : RSA/SHA1, Wed 04 Apr 2012 09:00:34 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.oracle.com/database/berkeley-db/>
Summary : The Berkeley DB database library (version 4) for C

Description :

The Berkeley Database (Berkeley DB) is a programmatic toolkit that provides embedded database support for both traditional and client/server applications. The Berkeley DB includes B+tree, Extended Linear Hashing, Fixed and Variable-length record access methods, transactions, locking, logging, shared memory caching, and database recovery. The Berkeley DB supports C, C++, Java, and Perl APIs. It is used by many applications, including Python and Perl, so this should be installed on all systems.

Name : cups-pk-helper Relocations: (not relocatable)
Version : 0.0.4 Vendor: CentOS
Release : 12.el6 Build Date: Wed 10 Nov 2010
11:00:36 PM EST
Install Date: Fri 06 Feb 2015 09:05:57 AM EST Build Host:
c6b4.bsyz.dev.centos.org
Group : System Environment/Base Source RPM: cups-pk-helper-
0.0.4-12.el6.src.rpm
Size : 77400 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:08:54 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.vuntz.net/download/cups-pk-helper/>
Summary : A helper that makes system-config-printer use PolicyKit
Description :
cups-pk-helper is an application which makes cups configuration
interfaces available under control of PolicyKit.

Name : dash Relocations: (not relocatable)
Version : 0.5.5.1 Vendor: CentOS
Release : 4.el6 Build Date: Wed 17 Oct 2012
03:48:39 AM EDT
Install Date: Fri 06 Feb 2015 09:02:37 AM EST Build Host:
c6b7.bsyz.dev.centos.org
Group : System Environment/Shells Source RPM: dash-0.5.5.1-
4.el6.src.rpm
Size : 127277 License: BSD
Signature : RSA/SHA1, Wed 17 Oct 2012 06:45:23 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gondor.apana.org.au/~herbert/dash/>
Summary : Small and fast POSIX-compliant shell
Description :
DASH is a POSIX-compliant implementation of /bin/sh that aims to be as
small as
possible. It does this without sacrificing speed where possible. In fact,
it is
significantly faster than bash (the GNU Bourne-Again SHell) for most
tasks.

Name : abrt Relocations: (not relocatable)
Version : 2.0.8 Vendor: CentOS
Release : 15.el6.centos Build Date: Fri 22 Feb 2013
11:39:47 PM EST

Install Date: Fri 06 Feb 2015 09:04:13 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : Applications/System Source RPM: abrt-2.0.8-
15.el6.centos.src.rpm
Size : 693466 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:25 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : Automatic bug detection and reporting tool
Description :
abrt is a tool to help users to detect defects in applications and
to create a bug report with all informations needed by maintainer to fix
it.
It uses plugin system to extend its functionality.

Name : libart_lgpl Relocations: (not relocatable)
Version : 2.3.20 Vendor: CentOS
Release : 5.1.el6 Build Date: Wed 18 Aug 2010
12:47:13 PM EDT
Install Date: Fri 06 Feb 2015 09:02:00 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libart_lgpl-
2.3.20-5.1.el6.src.rpm
Size : 129211 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:31:41 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/>
Summary : Library of graphics routines used by libgnomecanvas
Description :

Graphics routines used by the GnomeCanvas widget and some other
applications. libart renders vector paths and the like.

Name : nspluginwrapper Relocations: (not relocatable)
Version : 1.4.4 Vendor: CentOS
Release : 1.el6_3 Build Date: Tue 13 Nov 2012
09:19:01 AM EST
Install Date: Fri 06 Feb 2015 09:05:57 AM EST Build Host:
c6b10.bsys.dev.centos.org
Group : Applications/Internet Source RPM: nspluginwrapper-
1.4.4-1.el6_3.src.rpm
Size : 482276 License: GPLv2+
Signature : RSA/SHA1, Tue 13 Nov 2012 10:28:06 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gwenole.beauchesne.info/projects/nspluginwrapper/>
Summary : A compatibility layer for Netscape 4 plugins
Description :
nspluginwrapper makes it possible to use Netscape 4 compatible plugins
compiled for i386 architecture (e.g. flash-plugin) into Mozilla for
another
architecture, e.g. x86_64.

This package consists in:

- * npviewer: the plugin viewer
- * npwrapper.so: the browser-side plugin
- * nspluginplayer: stand-alone NPAPI plugin player
- * mozilla-plugin-config: a tool to manage plugins installation and update

Name : cracklib-dicts Relocations: (not relocatable)
Version : 2.8.16 Vendor: CentOS
Release : 4.el6 Build Date: Sat 25 Jun 2011
02:39:10 AM EDT
Install Date: Fri 06 Feb 2015 09:02:39 AM EST Build Host:
c6b6.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: cracklib-2.8.16-
4.el6.src.rpm
Size : 9327207 License: LGPLv2+
Signature : RSA/8, Tue 05 Jul 2011 09:37:32 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceforge.net/projects/cracklib/>
Summary : The standard CrackLib dictionaries
Description :
The cracklib-dicts package includes the CrackLib dictionaries.
CrackLib will need to use the dictionary appropriate to your system,
which is normally put in /usr/share/dict/words. Cracklib-dicts also
contains the utilities necessary for the creation of new dictionaries.

If you are installing CrackLib, you should also install cracklib-dicts.

Name : libreport-gtk Relocations: (not relocatable)
Version : 2.0.9 Vendor: CentOS
Release : 15.el6.centos Build Date: Fri 22 Feb 2013
11:25:32 PM EST
Install Date: Fri 06 Feb 2015 09:04:16 AM EST Build Host:
c6b7.bsyz.dev.centos.org
Group : User Interface/Desktops Source RPM: libreport-2.0.9-
15.el6.centos.src.rpm
Size : 135992 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:17 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : GTK front-end for libreport
Description :
Applications for reporting bugs using libreport backend

Name : shadow-utils Relocations: (not relocatable)
Version : 4.1.4.2 Vendor: CentOS
Release : 13.el6 Build Date: Wed 07 Dec 2011
12:17:13 PM EST
Install Date: Fri 06 Feb 2015 09:02:01 AM EST Build Host:
c6b4.bsyz.dev.centos.org

Group : System Environment/Base Source RPM: shadow-utils-4.1.4.2-13.el6.src.rpm
Size : 2777471 License: BSD and GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 04:15:05 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://pkg-shadow.alioth.debian.org/>
Summary : Utilities for managing accounts and shadow password files
Description :
The shadow-utils package includes the necessary programs for converting UNIX password files to the shadow password format, plus programs for managing user and group accounts. The pwconv command converts passwords to the shadow password format. The pwunconv command unconverts shadow passwords and generates a passwd file (a standard UNIX password file). The pwck command checks the integrity of password and shadow files. The lastlog command prints out the last login times for all users. The useradd, userdel, and usermod commands are used for managing user accounts. The groupadd, groupdel, and groupmod commands are used for managing group accounts.

Name : pinfo Relocations: (not relocatable)
Version : 0.6.9 Vendor: CentOS
Release : 12.el6 Build Date: Fri 20 Aug 2010 09:43:27 PM EDT
Install Date: Fri 06 Feb 2015 09:06:02 AM EST Build Host: c6b5.bsyzs.dev.centos.org
Group : System Environment/Base Source RPM: pinfo-0.6.9-12.el6.src.rpm
Size : 300866 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:57:02 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://pinf0.alioth.debian.org>
Summary : An info file viewer
Description :
Pinfo is an info file (or man page) viewer with a user interface similar to the Lynx Web browser's interface. Pinfo supports searching using regular expressions, and is based on the ncurses library.

Name : module-init-tools Relocations: (not relocatable)
Version : 3.9 Vendor: CentOS
Release : 21.el6 Build Date: Thu 21 Feb 2013 06:37:57 PM EST
Install Date: Fri 06 Feb 2015 09:02:44 AM EST Build Host: c6b9.bsyzs.dev.centos.org
Group : System Environment/Kernel Source RPM: module-init-tools-3.9-21.el6.src.rpm
Size : 1207417 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:15 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : Kernel module management utilities.
Description :

The module-init-tools package includes various programs needed for automatic loading and unloading of modules under 2.6 and later kernels, as well as other module management programs. Device drivers and filesystems are two examples of loaded and unloaded modules.

Name : gdb Relocations: (not relocatable)
Version : 7.2 Vendor: CentOS
Release : 60.el6 Build Date: Thu 21 Feb 2013
07:13:34 PM EST
Install Date: Fri 06 Feb 2015 09:04:18 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Development/Debuggers Source RPM: gdb-7.2-
60.el6.src.rpm
Size : 5532820 License: GPLv3+ and GPLv3+
with exceptions and GPLv2+ and GPLv2+ with exceptions and GPL+ and
LGPLv2+ and GFDL and BSD and Public Domain
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:56 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gnu.org/software/gdb/>
Summary : A GNU source-level debugger for C, C++, Java and other
languages
Description :
GDB, the GNU debugger, allows you to debug programs written in C, C++,
Java, and other languages, by executing them in a controlled fashion
and printing their data.

Name : libogg Relocations: (not relocatable)
Version : 1.1.4 Vendor: CentOS
Release : 2.1.el6 Build Date: Wed 18 Aug 2010
12:28:41 PM EDT
Install Date: Fri 06 Feb 2015 09:02:02 AM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libogg-1.1.4-
2.1.el6.src.rpm
Size : 30454 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:37:28 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.xiph.org/>
Summary : The Ogg bitstream file format library
Description :
Libogg is a library for manipulating Ogg bitstream file formats.
Libogg supports both making Ogg bitstreams and getting packets from
Ogg bitstreams.

Name : xorg-x11-fonts-Type1 Relocations: (not relocatable)
Version : 7.2 Vendor: CentOS
Release : 9.1.el6 Build Date: Thu 11 Nov 2010
09:24:29 AM EST
Install Date: Fri 06 Feb 2015 09:06:09 AM EST Build Host:
c6b4.bsys.dev.centos.org

Group : User Interface/X Source RPM: xorg-x11-fonts-7.2-9.1.el6.src.rpm
Size : 883992 License: MIT and Lucida and Public Domain
Signature : RSA/8, Sun 03 Jul 2011 12:54:48 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Type1 fonts provided by the X Window System
Description :
A collection of Type1 fonts which are part of the core X Window System distribution.

Name : cairomm Relocations: (not relocatable)
Version : 1.8.0 Vendor: CentOS
Release : 2.1.el6 Build Date: Wed 10 Nov 2010 09:25:10 PM EST
Install Date: Fri 06 Feb 2015 09:02:50 AM EST Build Host: c6b6.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: cairomm-1.8.0-2.1.el6.src.rpm
Size : 160422 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:06:30 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.cairographics.org>
Summary : C++ API for the cairo graphics library
Description :
Cairomm is the C++ API for the cairo graphics library. It offers all the power of cairo with an interface familiar to C++ developers, including use of the Standard Template Library where it makes sense.

Name : iputils Relocations: (not relocatable)
Version : 20071127 Vendor: CentOS
Release : 16.el6 Build Date: Tue 19 Jul 2011 02:57:17 AM EDT
Install Date: Fri 06 Feb 2015 09:04:19 AM EST Build Host: c6b5.bsyz.dev.centos.org
Group : System Environment/Daemons Source RPM: iputils-20071127-16.el6.src.rpm
Size : 299349 License: BSD with advertising and GPLv2+ and Rdisc
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:31 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.skbuff.net/iputils>
Summary : Network monitoring tools including ping
Description :
The iputils package contains basic utilities for monitoring a network, including ping. The ping command sends a series of ICMP protocol ECHO_REQUEST packets to a specified network host to discover whether the target machine is alive and receiving network traffic.

Name : libXext Relocations: (not relocatable)
Version : 1.3.1 Vendor: CentOS
Release : 2.el6 Build Date: Thu 21 Feb 2013
02:28:43 PM EST
Install Date: Fri 06 Feb 2015 09:02:03 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXext-1.3.1-
2.el6.src.rpm
Size : 89680 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:22 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXext runtime library
Description :
X.Org X11 libXext runtime library

Name : xorg-x11-utils Relocations: (not relocatable)
Version : 7.5 Vendor: CentOS
Release : 6.el6 Build Date: Sat 23 Feb 2013
03:32:13 PM EST
Install Date: Fri 06 Feb 2015 09:06:12 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : User Interface/X Source RPM: xorg-x11-utils-
7.5-6.el6.src.rpm
Size : 220920 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:17:06 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 X client utilities
Description :
A collection of client utilities which can be used to query the X server
for various information.

Name : poppler Relocations: (not relocatable)
Version : 0.12.4 Vendor: CentOS
Release : 3.el6_0.1 Build Date: Fri 24 Jun 2011
09:17:31 PM EDT
Install Date: Fri 06 Feb 2015 09:02:51 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: poppler-0.12.4-
3.el6_0.1.src.rpm
Size : 1964853 License: GPLv2
Signature : RSA/8, Tue 05 Jul 2011 09:45:01 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://poppler.freedesktop.org/>
Summary : PDF rendering library
Description :
Poppler, a PDF rendering library, is a fork of the xpdf PDF
viewer developed by Derek Noonburg of Glyph and Cog, LLC.

Name : usermode Relocations: (not relocatable)
Version : 1.102 Vendor: CentOS
Release : 3.el6 Build Date: Sun 22 Aug 2010
03:00:06 PM EDT
Install Date: Fri 06 Feb 2015 09:04:24 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/System Source RPM: usermode-1.102-
3.el6.src.rpm
Size : 798347 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:04:37 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/usermode/>
Summary : Tools for certain user account management tasks
Description :
The usermode package contains the userhelper program, which can be
used to allow configured programs to be run with superuser privileges
by ordinary users.

Name : libXcursor Relocations: (not relocatable)
Version : 1.1.13 Vendor: CentOS
Release : 2.el6 Build Date: Thu 21 Feb 2013
01:59:46 PM EST
Install Date: Fri 06 Feb 2015 09:02:03 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXcursor-
1.1.13-2.el6.src.rpm
Size : 69445 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:03 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Cursor management library
Description :
This is a simple library designed to help locate and load cursors.
Cursors can be loaded from files or memory. A library of common cursors
exists which map to the standard X cursor names. Cursors can exist in
several sizes and the library automatically picks the best size.

Name : enscript Relocations: (not relocatable)
Version : 1.6.4 Vendor: CentOS
Release : 15.el6 Build Date: Thu 11 Nov 2010
01:44:36 AM EST
Install Date: Fri 06 Feb 2015 09:06:24 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Applications/Publishing Source RPM: enscript-1.6.4-
15.el6.src.rpm
Size : 1865199 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:13:11 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/enscript>
Summary : A plain ASCII to PostScript converter
Description :

GNU enscript is a free replacement for Adobe's Enscript program. Enscript converts ASCII files to PostScript(TM) and spools generated PostScript output to the specified printer or saves it to a file. Enscript can be extended to handle different output media and includes many options for customizing printouts

Name : sgml-common Relocations: (not relocatable)
Version : 0.6.3 Vendor: CentOS
Release : 32.el6 Build Date: Thu 11 Nov 2010
02:34:28 PM EST
Install Date: Fri 06 Feb 2015 09:02:52 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Applications/Text Source RPM: sgml-common-
0.6.3-32.el6.src.rpm
Size : 135735 License: GPL+
Signature : RSA/8, Sun 03 Jul 2011 12:47:47 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.w3.org/2003/entities/>
Summary : Common SGML catalog and DTD files
Description :
The sgml-common package contains a collection of entities and DTDs that are useful for processing SGML, but that don't need to be included in multiple packages. Sgml-common also includes an up-to-date Open Catalog file.

Name : device-mapper-event-libs Relocations: (not relocatable)
Version : 1.02.77 Vendor: CentOS
Release : 9.el6 Build Date: Fri 22 Feb 2013
01:21:40 AM EST
Install Date: Fri 06 Feb 2015 09:04:28 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: lvm2-2.02.98-
9.el6.src.rpm
Size : 21632 License: LGPLv2
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:50 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sources.redhat.com/lvm2>
Summary : Device-mapper event daemon shared library
Description :
This package contains the device-mapper event daemon shared library, libdevmapper-event.

Name : btparser Relocations: (not relocatable)
Version : 0.17 Vendor: CentOS
Release : 1.el6 Build Date: Thu 21 Feb 2013
02:47:23 PM EST
Install Date: Fri 06 Feb 2015 09:02:04 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Development/Libraries Source RPM: btparser-0.17-
1.el6.src.rpm
Size : 135358 License: GPLv2+

Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:08 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/btparser>
Summary : Parser and analyzer for backtraces produced by GDB
Description :
Btparser is a backtrace parser and analyzer, which works with
backtraces produced by the GNU Project Debugger. It can parse a text
file with a backtrace to a tree of C structures, allowing to analyze
the threads and frames of the backtrace and work with them.

Btparser also contains some backtrace manipulation and extraction
routines:

- it can find a frame in the crash-time backtrace where the program
most likely crashed (a chance is that the function described in that
frame is buggy)
- it can produce a duplication hash of the backtrace, which helps to
discover that two crash-time backtraces are duplicates, triggered by
the same flaw of the code
- it can "rate" the backtrace quality, which depends on the number of
frames with and without the function name known (missing function
name is caused by missing debugging symbols)

Name : cyrus-sasl-plain Relocations: (not relocatable)
Version : 2.1.23 Vendor: CentOS
Release : 13.el6_3.1 Build Date: Tue 27 Nov 2012
06:49:36 AM EST
Install Date: Fri 06 Feb 2015 09:06:27 AM EST Build Host:
c6b9.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: cyrus-sasl-
2.1.23-13.el6_3.1.src.rpm
Size : 37616 License: BSD
Signature : RSA/SHA1, Tue 27 Nov 2012 07:18:56 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://asg.web.cmu.edu/sasl/sasl-library.html>
Summary : PLAIN and LOGIN authentication support for Cyrus SASL
Description :
The cyrus-sasl-plain package contains the Cyrus SASL plugins which
support
PLAIN and LOGIN authentication schemes.

Name : ppp Relocations: (not relocatable)
Version : 2.4.5 Vendor: CentOS
Release : 5.el6 Build Date: Sun 22 Aug 2010
07:22:23 PM EDT
Install Date: Fri 06 Feb 2015 09:02:55 AM EST Build Host:
c6b6.bsyz.dev.centos.org
Group : System Environment/Daemons Source RPM: ppp-2.4.5-
5.el6.src.rpm
Size : 777793 License: BSD and LGPLv2+
and GPLv2+ and Public Domain
Signature : RSA/8, Sun 03 Jul 2011 12:57:52 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.samba.org/ppp>
Summary : The Point-to-Point Protocol daemon
Description :
The ppp package contains the PPP (Point-to-Point Protocol) daemon and documentation for PPP support. The PPP protocol provides a method for transmitting datagrams over serial point-to-point links. PPP is usually used to dial in to an ISP (Internet Service Provider) or other organization over a modem and phone line.

Name : rarian Relocations: (not relocatable)
Version : 0.8.1 Vendor: CentOS
Release : 5.1.el6 Build Date: Wed 18 Aug 2010
07:01:23 PM EDT
Install Date: Fri 06 Feb 2015 09:04:30 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Base Source RPM: rarian-0.8.1-
5.1.el6.src.rpm
Size : 340580 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:00:04 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://rarian.freedesktop.org/>
Summary : Documentation meta-data library
Description :
Rarian is a documentation meta-data library that allows access to documents,
man pages and info pages. It was designed as a replacement for
scrollkeeper.

Name : libsigc++20 Relocations: (not relocatable)
Version : 2.2.4.2 Vendor: CentOS
Release : 1.el6 Build Date: Tue 17 Aug 2010
02:30:57 AM EDT
Install Date: Fri 06 Feb 2015 09:02:05 AM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libsigc++20-
2.2.4.2-1.el6.src.rpm
Size : 154116 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:39:01 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://libsigc.sourceforge.net/>
Summary : Typesafe signal framework for C++
Description :
This library implements a full callback system for use in widget
libraries,
abstract interfaces, and general programming. Originally part of the Gtk-
-
widget set, libsigc++20 is now a separate library to provide for more
general
use. It is the most complete library of its kind with the ability to
connect
an abstract callback to a class method, function, or function object. It

contains adaptor classes for connection of dissimilar callbacks and has an ease of use unmatched by other C++ callback libraries.

Package GTK-- (gtkmm), which is a C++ binding to the GTK+ library, starting with version 1.1.2, uses libsigc++20.

Name : ml7n-contrib-urdu Relocations: (not relocatable)
Version : 1.1.10 Vendor: CentOS
Release : 4.el6_1.1 Build Date: Fri 23 Sep 2011
06:12:49 AM EDT
Install Date: Fri 06 Feb 2015 09:06:28 AM EST Build Host:
c6b5.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: ml7n-contrib-
1.1.10-4.el6_1.1.src.rpm
Size : 3608 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:45 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.ml7n.org/ml7n-lib/index.html>
Summary : Contributed input maps for Urdu
Description :
This package provides contributed multilingualization (ml7n) input maps for Urdu.

Name : fipscheck-lib Relocations: (not relocatable)
Version : 1.2.0 Vendor: CentOS
Release : 7.el6 Build Date: Wed 07 Dec 2011
02:13:53 PM EST
Install Date: Fri 06 Feb 2015 09:02:57 AM EST Build Host:
c6b18n3.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: fipscheck-1.2.0-
7.el6.src.rpm
Size : 10353 License: BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 02:58:46 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/fipscheck/>
Summary : Library files for fipscheck
Description :
This package contains the FIPSCheck library.

Name : system-config-users-docs Relocations: (not relocatable)
Version : 1.0.8 Vendor: CentOS
Release : 1.el6 Build Date: Thu 11 Nov 2010
06:01:59 PM EST
Install Date: Fri 06 Feb 2015 09:04:38 AM EST Build Host:
c6b6.bsyz.dev.centos.org
Group : Documentation Source RPM: system-config-
users-docs-1.0.8-1.el6.src.rpm
Size : 1610018 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:48:55 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <https://fedorahosted.org/system-config-users-docs>
Summary : Documentation for administering users and groups
Description :
This package contains the online documentation for system-config-users which is a graphical utility for administrating users and groups.

Name : krb5-libs Relocations: (not relocatable)
Version : 1.10.3 Vendor: CentOS
Release : 10.el6 Build Date: Thu 21 Feb 2013
11:29:16 PM EST
Install Date: Fri 06 Feb 2015 09:02:06 AM EST Build Host:
c6b9.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: krb5-1.10.3-
10.el6.src.rpm
Size : 2126628 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:36 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://web.mit.edu/kerberos/www/>
Summary : The shared libraries used by Kerberos 5
Description :
Kerberos is a network authentication system. The krb5-libs package contains the shared libraries needed by Kerberos 5. If you are using Kerberos, you need to install this package.

Name : wqy-zenhei-fonts Relocations: (not relocatable)
Version : 0.9.45 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
01:55:32 PM EST
Install Date: Fri 06 Feb 2015 09:06:33 AM EST Build Host:
c6b6.bsyzs.dev.centos.org
Group : User Interface/X Source RPM: wqy-zenhei-fonts-
0.9.45-3.el6.src.rpm
Size : 16794196 License: GPLv2 with
exceptions
Signature : RSA/8, Sun 03 Jul 2011 12:53:02 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://wenq.org/enindex.cgi>
Summary : WenQuanYi Zen Hei CJK Font
Description :

WenQuanYi Zen Hei is a Hei-Ti style (sans-serif type) Chinese outline font. It is designed for general purpose text formatting and on-screen display of Chinese characters and symbols from many other languages. The embolden strokes of the font glyphs produces enhanced screen contrast, making it easier to read recognize. The embedded bitmap glyphs further enhance on-screen performance, which can be enabled with the provided configuration files. WenQuanYi Zen Hei provides a rather complete coverage to Chinese Hanzi glyphs, including both simplified and traditional forms. The total glyph number in this font is over 35,000, including over 21,000 Chinese Hanzi. This font has full coverage to GBK(CP936)

charset, CJK Unified Ideographs, as well as the code-points needed for zh_cn, zh_sg, zh_tw, zh_hk, zh_mo, ja (Japanese) and ko (Korean) locales for fontconfig. Starting from version 0.8, this font package has contained two font families, i.e. the proportionally-spaced Zen Hei, and a mono-spaced face named "WenQuanYi Zen Hei Mono".

Name : genisoimage Relocations: (not relocatable)
Version : 1.1.9 Vendor: CentOS
Release : 12.el6 Build Date: Mon 12 Nov 2012
06:44:52 AM EST
Install Date: Fri 06 Feb 2015 09:03:05 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : Applications/System Source RPM: cdrkit-1.1.9-
12.el6.src.rpm
Size : 1512545 License: GPLv2
Signature : RSA/SHA1, Mon 12 Nov 2012 09:34:31 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://cdrkit.org/>
Summary : Creates an image of an ISO9660 filesystem
Description :
The genisoimage program is used as a pre-mastering program; i.e., it generates the ISO9660 filesystem. Genisoimage takes a snapshot of a given directory tree and generates a binary image of the tree which will correspond to an ISO9660 filesystem when written to a block device. Genisoimage is used for writing CD-ROMs, and includes support for creating bootable El Torito CD-ROMs.

Install the genisoimage package if you need a program for writing CD-ROMs.

Name : udisks Relocations: (not relocatable)
Version : 1.0.1 Vendor: CentOS
Release : 4.el6 Build Date: Wed 07 Dec 2011
05:01:07 PM EST
Install Date: Fri 06 Feb 2015 09:04:39 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: udisks-1.0.1-
4.el6.src.rpm
Size : 619471 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 04:26:30 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/wiki/Software/udisks>
Summary : Storage Management Service
Description :
udisks provides a daemon, D-Bus API and command line tools for managing disks and storage devices.

Name : dbus Relocations: (not relocatable)
Version : 1.2.24 Vendor: CentOS
Release : 7.el6_3 Build Date: Thu 13 Sep 2012
01:04:30 PM EDT

Install Date: Fri 06 Feb 2015 09:02:08 AM EST Build Host:
c6b10.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: dbus-1.2.24-
7.el6_3.src.rpm
Size : 482857 License: GPLv2+ or AFL
Signature : RSA/SHA1, Thu 13 Sep 2012 01:37:18 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/software/dbus/>
Summary : D-BUS message bus
Description :
D-BUS is a system for sending messages between applications. It is
used both for the system-wide message bus service, and as a
per-user-login-session messaging facility.

Name : abyssinica-fonts Relocations: (not relocatable)
Version : 1.0 Vendor: CentOS
Release : 5.1.el6 Build Date: Wed 10 Nov 2010
06:59:04 PM EST
Install Date: Fri 06 Feb 2015 09:06:51 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : User Interface/X Source RPM: abyssinica-fonts-
1.0-5.1.el6.src.rpm
Size : 649794 License: OFL
Signature : RSA/8, Sat 02 Jul 2011 11:59:30 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : http://scripts.sil.org/AbyssinicaSIL_Download
Summary : SIL Abyssinica fonts
Description :

SIL Abyssinica is a Unicode typeface family containing glyphs for the
Ethiopic script.

The Ethiopic script is used for writing many of the languages of Ethiopia
and
Eritrea. Abyssinica SIL supports all Ethiopic characters which are in
Unicode
including the Unicode 4.1 extensions. Some languages of Ethiopia are not
yet
able to be fully represented in Unicode and, where necessary, we have
included
non-Unicode characters in the Private Use Area (see Private-use (PUA)
characters supported by Abyssinica SIL).

Abyssinica SIL is based on Ethiopic calligraphic traditions. This release
is
a regular typeface, with no bold or italic version available or planned.

Name : libcurl Relocations: (not relocatable)
Version : 7.19.7 Vendor: CentOS
Release : 35.el6 Build Date: Fri 22 Feb 2013
01:06:45 AM EST

Install Date: Fri 06 Feb 2015 09:03:06 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : Development/Libraries Source RPM: curl-7.19.7-
35.el6.src.rpm
Size : 340968 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:22 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://curl.haxx.se/>
Summary : A library for getting files from web servers
Description :
This package provides a way for applications to use FTP, HTTP, Gopher and
other servers for getting files.

Name : hal-info Relocations: (not relocatable)
Version : 20090716 Vendor: CentOS
Release : 3.1.el6 Build Date: Thu 11 Nov 2010
08:56:50 AM EST
Install Date: Fri 06 Feb 2015 09:04:42 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: hal-info-
20090716-3.1.el6.src.rpm
Size : 317340 License: AFL or GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:13:07 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/Software/hal>
Summary : Device information files for HAL
Description :
The hal-info package contains various device information files (also
known as .fdi files) for the hal package.

Name : libXxf86misc Relocations: (not relocatable)
Version : 1.0.3 Vendor: CentOS
Release : 4.el6 Build Date: Thu 21 Feb 2013
07:50:09 PM EST
Install Date: Fri 06 Feb 2015 09:02:08 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXxf86misc-
1.0.3-4.el6.src.rpm
Size : 25380 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:45 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXxf86misc runtime library
Description :
X.Org X11 libXxf86misc runtime library

Name : paktype-naqsh-fonts Relocations: (not relocatable)
Version : 2.0 Vendor: CentOS
Release : 8.el6 Build Date: Tue 24 Aug 2010
08:33:49 PM EDT

Install Date: Fri 06 Feb 2015 09:07:09 AM EST Build Host:
c6b2.bsys.dev.centos.org
Group : User Interface/X Source RPM: paktype-fonts-
2.0-8.el6.src.rpm
Size : 635031 License: GPLv2 with
exceptions
Signature : RSA/8, Sun 03 Jul 2011 12:36:22 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://sourceforge.net/projects/paktype/>
Summary : Naqsh Fonts for Arabic from PakType
Description :
The paktype-naqsh-fonts package contains fonts for the display of\
Arabic from the PakType by Lateef Sagar.

Name : passwd Relocations: (not relocatable)
Version : 0.77 Vendor: CentOS
Release : 4.el6_2.2 Build Date: Wed 22 Feb 2012
06:48:41 AM EST
Install Date: Fri 06 Feb 2015 09:03:08 AM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : System Environment/Base Source RPM: passwd-0.77-
4.el6_2.2.src.rpm
Size : 357699 License: BSD or GPLv2+
Signature : RSA/SHA1, Wed 22 Feb 2012 08:37:28 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/passwd>
Summary : An utility for setting or changing passwords using PAM
Description :
This package contains a system utility (passwd) which sets
or changes passwords, using PAM (Pluggable Authentication
Modules) library.

Name : xorg-x11-drv-wacom Relocations: (not relocatable)
Version : 0.16.1 Vendor: CentOS
Release : 3.el6 Build Date: Sat 23 Feb 2013
03:22:38 PM EST
Install Date: Fri 06 Feb 2015 09:04:44 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-wacom-0.16.1-3.el6.src.rpm
Size : 780270 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 04:16:46 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 wacom input driver
Description :
X.Org X11 wacom input driver for Wacom tablets.

Name : apr-util Relocations: (not relocatable)
Version : 1.3.9 Vendor: CentOS

Release : 3.el6_0.1 Build Date: Sat 25 Jun 2011
12:38:40 AM EDT
Install Date: Fri 06 Feb 2015 09:02:09 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: apr-util-1.3.9-
3.el6_0.1.src.rpm
Size : 202360 License: ASL 2.0
Signature : RSA/8, Tue 05 Jul 2011 09:37:03 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://apr.apache.org/>
Summary : Apache Portable Runtime Utility library
Description :
The mission of the Apache Portable Runtime (APR) is to provide a
free library of C data structures and routines. This library
contains additional utility interfaces for APR; including support
for XML, LDAP, database interfaces, URI parsing and more.

Name : madan-fonts Relocations: (not relocatable)
Version : 2.000 Vendor: CentOS
Release : 3.el6 Build Date: Wed 25 Aug 2010
03:18:17 PM EDT
Install Date: Fri 06 Feb 2015 09:07:28 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : User Interface/X Source RPM: madan-fonts-
2.000-3.el6.src.rpm
Size : 255911 License: GPL+
Signature : RSA/8, Sun 03 Jul 2011 12:29:31 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://madanpuraskar.org/>
Summary : Font for Nepali language
Description :
This package provides the Madan font for Nepali made by the
Madan Puraskar Pustakalaya project.

Name : rhino Relocations: (not relocatable)
Version : 1.7 Vendor: CentOS
Release : 0.7.r2.2.el6 Build Date: Sat 21 Aug 2010
05:59:06 PM EDT
Install Date: Fri 06 Feb 2015 09:03:10 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Development/Libraries/Java Source RPM: rhino-1.7-
0.7.r2.2.el6.src.rpm
Size : 826259 License: GPL+ and LGPL+
and Netscape and MPLv1.0 and (MPLv1.1 or GPLv2+)
Signature : RSA/8, Sun 03 Jul 2011 12:45:20 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mozilla.org/rhino/>
Summary : JavaScript for Java
Description :
Rhino is an open-source implementation of JavaScript written entirely
in Java. It is typically embedded into Java applications to provide

scripting to end users.

Name : xorg-x11-drv-vmware Relocations: (not relocatable)
Version : 12.0.2 Vendor: CentOS
Release : 3.20120718gite5ac80d8f.el6 Build Date: Sat 23 Feb 2013
03:18:18 PM EST
Install Date: Fri 06 Feb 2015 09:04:49 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-vmware-12.0.2-3.20120718gite5ac80d8f.el6.src.rpm
Size : 55904 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:16:36 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 vmware video driver
Description :
X.Org X11 vmware video driver.

Name : libv4l Relocations: (not relocatable)
Version : 0.6.3 Vendor: CentOS
Release : 2.el6 Build Date: Sat 21 Aug 2010
09:47:40 PM EDT
Install Date: Fri 06 Feb 2015 09:02:11 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libv4l-0.6.3-
2.el6.src.rpm
Size : 287613 License: LGPLv2+ and GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:40:38 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://hansdegoede.livejournal.com/3636.html>
Summary : Collection of video4linux support libraries
Description :
libv4l is a collection of libraries which adds a thin abstraction layer
on
top of video4linux2 devices. The purpose of this (thin) layer is to make
it
easy for application writers to support a wide variety of devices without
having to write separate code for different devices in the same class.
libv4l
consists of 3 different libraries: libv4lconvert, libv4l1 and libv4l2.

libv4lconvert offers functions to convert from any (known) pixelformat
to V4l2_PIX_FMT_BGR24 or V4l2_PIX_FMT_YUV420.

libv4l1 offers the (deprecated) v4l1 API on top of v4l2 devices,
independent
of the drivers for those devices supporting v4l1 compatibility (which
many
v4l2 drivers do not).

libv4l2 offers the v4l2 API on top of v4l2 devices, while adding for the
application transparent libv4lconvert conversion where necessary.

Name : vconfig Relocations: (not relocatable)
Version : 1.9 Vendor: CentOS
Release : 8.1.el6 Build Date: Wed 18 Aug 2010
10:34:42 AM EDT
Install Date: Fri 06 Feb 2015 09:07:32 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Base Source RPM: vconfig-1.9-
8.1.el6.src.rpm
Size : 182082 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:04:52 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.candelatech.com/~greear/vlan.html>
Summary : Linux 802.1q VLAN configuration utility
Description :
The vconfig program configures and adjusts 802.1q VLAN parameters.

Name : ethtool Relocations: (not relocatable)
Version : 3.5 Vendor: CentOS
Release : 1.el6 Build Date: Thu 21 Feb 2013
02:47:59 PM EST
Install Date: Fri 06 Feb 2015 09:03:26 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : Applications/System Source RPM: ethtool-3.5-
1.el6.src.rpm
Size : 279515 License: GPLv2
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:03 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceforge.net/projects/gkernel/>
Summary : Ethernet settings tool for PCI ethernet cards
Description :
This utility allows querying and changing settings such as speed,
port, autonegotiation, PCI locations and checksum offload on many
network devices, especially of ethernet devices.

Name : xorg-x11-drv-siliconmotion Relocations: (not relocatable)
Version : 1.7.7 Vendor: CentOS
Release : 2.el6 Build Date: Sat 23 Feb 2013
03:06:13 PM EST
Install Date: Fri 06 Feb 2015 09:04:49 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-siliconmotion-1.7.7-2.el6.src.rpm
Size : 115438 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:15:47 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 siliconmotion video driver
Description :
X.Org X11 siliconmotion video driver.

Name : libxslt Relocations: /usr
Version : 1.1.26 Vendor: CentOS
Release : 2.el6_3.1 Build Date: Thu 13 Sep 2012
01:20:04 PM EDT
Install Date: Fri 06 Feb 2015 09:02:12 AM EST Build Host:
c6b10.bsys.dev.centos.org
Group : Development/Libraries Source RPM: libxslt-1.1.26-
2.el6_3.1.src.rpm
Size : 2223955 License: MIT
Signature : RSA/SHA1, Thu 13 Sep 2012 02:29:18 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://xmlsoft.org/XSLT/>
Summary : Library providing the Gnome XSLT engine
Description :
This C library allows to transform XML files into other XML files
(or HTML, text, ...) using the standard XSLT stylesheet transformation
mechanism. To use it you need to have a version of libxml2 >= 2.6.27
installed. The xsltproc command is a command line interface to the XSLT
engine

Name : trace-cmd Relocations: (not relocatable)
Version : 1.0.5 Vendor: CentOS
Release : 10.el6 Build Date: Thu 21 Feb 2013
10:52:42 PM EST
Install Date: Fri 06 Feb 2015 09:07:33 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Development/Tools Source RPM: trace-cmd-1.0.5-
10.el6.src.rpm
Size : 266562 License: GPLv2 and
LGPLv2.1
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:07 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.kernel.org/pub/linux/analysis/trace-cmd/>
Summary : trace-cmd is a user interface to Ftrace
Description :
trace-cmd is a user interface to Ftrace. Instead of needing to use the
debugfs directly, trace-cmd will handle of setting of options and
tracers and will record into a data file.

Name : libevent Relocations: (not relocatable)
Version : 1.4.13 Vendor: CentOS
Release : 4.el6 Build Date: Fri 22 Jun 2012
07:58:49 AM EDT
Install Date: Fri 06 Feb 2015 09:03:28 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libevent-1.4.13-
4.el6.src.rpm
Size : 232536 License: BSD
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:20 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://monkey.org/~provos/libevent/>

Summary : Abstract asynchronous event notification library
Description :
The libevent API provides a mechanism to execute a callback function when a specific event occurs on a file descriptor or after a timeout has been reached. libevent is meant to replace the asynchronous event loop found in event driven network servers. An application just needs to call event_dispatch() and can then add or remove events dynamically without having to change the event loop.

Name : xorg-x11-drv-nv Relocations: (not relocatable)
Version : 2.1.20 Vendor: CentOS
Release : 4.el6 Build Date: Sat 23 Feb 2013
02:57:34 PM EST
Install Date: Fri 06 Feb 2015 09:04:50 AM EST Build Host:
c6b7.bsyzs.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-nv-2.1.20-4.el6.src.rpm
Size : 178034 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:15:16 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 nv video driver
Description :
X.Org X11 nv video driver.

Name : startup-notification Relocations: (not relocatable)
Version : 0.10 Vendor: CentOS
Release : 2.1.el6 Build Date: Thu 11 Nov 2010
09:17:43 AM EST
Install Date: Fri 06 Feb 2015 09:02:13 AM EST Build Host:
c6b5.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: startup-
notification-0.10-2.1.el6.src.rpm
Size : 88089 License: LGPLv2
Signature : RSA/8, Sun 03 Jul 2011 01:02:26 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/software/startup-notification/>
Summary : Library for tracking application startup
Description :
This package contains libstartup-notification which implements a startup notification protocol. Using this protocol a desktop environment can track the launch of an application and provide feedback such as a busy cursor, among other features.

Name : ivtv-firmware Relocations: (not relocatable)
Version : 20080701 Vendor: CentOS
Release : 20.2 Build Date: Tue 24 Aug 2010
11:34:52 AM EDT
Install Date: Fri 06 Feb 2015 09:07:37 AM EST Build Host:
c6b3.bsyzs.dev.centos.org
Group : System Environment/Kernel Source RPM: ivtv-firmware-
20080701-20.2.src.rpm

Size : 857256 License: Redistributable,
no modification permitted
Signature : RSA/8, Sun 03 Jul 2011 12:16:26 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://dl.ivtvdriver.org/ivtv/firmware/>
Summary : Firmware for the Hauppauge PVR 250/350/150/500/USB2 model
series
Description :
This package contains the firmware for WinTV Hauppauge PVR
250/350/150/500/USB2 cards.

Name : gnome-keyring Relocations: (not relocatable)
Version : 2.28.2 Vendor: CentOS
Release : 8.el6_3 Build Date: Thu 04 Oct 2012
04:10:21 AM EDT
Install Date: Fri 06 Feb 2015 09:03:37 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: gnome-keyring-
2.28.2-8.el6_3.src.rpm
Size : 4764811 License: GPLv2+ and
LGPLv2+
Signature : RSA/SHA1, Thu 04 Oct 2012 12:07:38 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : Framework for managing passwords and other secrets
Description :
The gnome-keyring session daemon manages passwords and other types of
secrets for the user, storing them encrypted with a main password.
Applications can use the gnome-keyring library to integrate with the
keyring.

Name : xorg-x11-drv-ii128 Relocations: (not relocatable)
Version : 1.3.6 Vendor: CentOS
Release : 3.el6 Build Date: Sat 23 Feb 2013
02:41:23 PM EST
Install Date: Fri 06 Feb 2015 09:04:50 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-ii128-1.3.6-3.el6.src.rpm
Size : 55288 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:14:30 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 ii128 video driver
Description :
X.Org X11 ii128 video driver.

Name : libbonobo Relocations: (not relocatable)
Version : 2.24.2 Vendor: CentOS
Release : 5.el6 Build Date: Fri 22 Jun 2012
03:56:17 AM EDT

Install Date: Fri 06 Feb 2015 09:02:14 AM EST Build Host:
c6b10.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libbonobo-
2.24.2-5.el6.src.rpm
Size : 1955069 License: GPLv2+ and
LGPLv2+
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:57 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://ftp.gnome.org>
Summary : Bonobo component system
Description :
Bonobo is a component system based on CORBA, used by the GNOME desktop.

Name : iwl3945-firmware Relocations: (not relocatable)
Version : 15.32.2.9 Vendor: CentOS
Release : 4.el6 Build Date: Sat 21 Aug 2010
12:19:21 AM EDT
Install Date: Fri 06 Feb 2015 09:07:38 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: iwl3945-firmware-
15.32.2.9-4.el6.src.rpm
Size : 457396 License: Redistributable,
no modification permitted
Signature : RSA/8, Sun 03 Jul 2011 12:16:28 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://intellinuxwireless.org/>
Summary : Firmware for Intel® PRO/Wireless 3945 A/B/G network
adaptors
Description :
This package contains the firmware required by the iwl3945 driver for
Linux.
Usage of the firmware is subject to the terms and conditions contained
inside the provided LICENSE file. Please read it carefully.

Name : at-spi Relocations: (not relocatable)
Version : 1.28.1 Vendor: CentOS
Release : 2.el6.centos Build Date: Fri 02 Dec 2011
04:45:53 AM EST
Install Date: Fri 06 Feb 2015 09:03:42 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: at-spi-1.28.1-
2.el6.centos.src.rpm
Size : 894826 License: LGPLv2+
Signature : RSA/SHA1, Fri 02 Dec 2011 07:47:36 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://developer.gnome.org/projects/gap/>
Summary : Assistive Technology Service Provider Interface
Description :
at-spi allows assistive technologies to access GTK-based
applications. Essentially it exposes the internals of applications for
automation, so tools such as screen readers, magnifiers, or even

scripting interfaces can query and interact with GUI controls.

Name : xorg-x11-drv-ast Relocations: (not relocatable)
Version : 0.97.0 Vendor: CentOS
Release : 2.el6 Build Date: Sat 23 Feb 2013
02:27:14 PM EST
Install Date: Fri 06 Feb 2015 09:04:50 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-ast-0.97.0-2.el6.src.rpm
Size : 76060 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:13:34 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 ast video driver
Description :
X.Org X11 ast video driver.

Name : portreserve Relocations: (not relocatable)
Version : 0.0.4 Vendor: CentOS
Release : 9.el6 Build Date: Tue 03 Apr 2012
11:33:39 AM EDT
Install Date: Fri 06 Feb 2015 09:02:15 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: portreserve-
0.0.4-9.el6.src.rpm
Size : 35723 License: GPLv2+
Signature : RSA/SHA1, Tue 03 Apr 2012 12:02:05 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://cyberelk.net/tim/portreserve/>
Summary : TCP port reservation utility
Description :
The portreserve program aims to help services with well-known ports that
lie in the portmap range. It prevents portmap from a real service's port
by occupying it itself, until the real service tells it to release the
port (generally in the init script).

Name : libnotify Relocations: (not relocatable)
Version : 0.5.0 Vendor: CentOS
Release : 1.el6 Build Date: Thu 11 Nov 2010
05:41:32 PM EST
Install Date: Fri 06 Feb 2015 09:03:44 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libnotify-0.5.0-
1.el6.src.rpm
Size : 79987 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:37:22 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://live.gnome.org/libnotify>
Summary : Desktop notification library
Description :

libnotify is a library for sending desktop notifications to a notification daemon, as defined in the freedesktop.org Desktop Notifications spec. These notifications can be used to inform the user about an event or display some form of information without getting in the user's way.

Name : authconfig-gtk Relocations: (not relocatable)
Version : 6.1.12 Vendor: CentOS
Release : 13.el6 Build Date: Thu 21 Feb 2013
10:08:55 PM EST
Install Date: Fri 06 Feb 2015 09:04:53 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Base Source RPM: authconfig-
6.1.12-13.el6.src.rpm
Size : 183966 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:57 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/authconfig>
Summary : Graphical tool for setting up authentication from network
services
Description :
Authconfig-gtk is a GUI program which can configure a workstation
to use shadow (more secure) passwords. Authconfig-gtk can also configure
a system to be a client for certain networked user information and
authentication schemes.

Name : libXdmcp Relocations: (not relocatable)
Version : 1.1.1 Vendor: CentOS
Release : 3.el6 Build Date: Thu 21 Feb 2013
03:52:53 PM EST
Install Date: Fri 06 Feb 2015 09:02:16 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXdmcp-1.1.1-
3.el6.src.rpm
Size : 59748 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:10 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X Display Manager Control Protocol library
Description :
X Display Manager Control Protocol library.

Name : libXi Relocations: (not relocatable)
Version : 1.6.1 Vendor: CentOS
Release : 3.el6 Build Date: Thu 21 Feb 2013
09:00:59 PM EST
Install Date: Fri 06 Feb 2015 09:07:41 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXi-1.6.1-
3.el6.src.rpm

Size : 60711 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:53:24 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXi runtime library
Description :
X.Org X11 libXi runtime library

Name : pangomm Relocations: (not relocatable)
Version : 2.26.0 Vendor: CentOS
Release : 1.el6 Build Date: Tue 17 Aug 2010
07:04:25 AM EDT

Install Date: Fri 06 Feb 2015 09:03:48 AM EST Build Host:
c6b2.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: pangomm-2.26.0-
1.el6.src.rpm

Size : 227578 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:53:55 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gtkmm.sourceforge.net/>
Summary : C++ interface for Pango

Description :
pangomm provides a C++ interface to the Pango library. Highlights
include typesafe callbacks, widgets extensible via inheritance and a
comprehensive set of widget classes that can be freely combined to
quickly create complex user interfaces.

Name : sane-backends-libs Relocations: (not relocatable)
Version : 1.0.21 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
04:59:36 PM EST

Install Date: Fri 06 Feb 2015 09:04:56 AM EST Build Host:
c6b6.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: sane-backends-
1.0.21-3.el6.src.rpm

Size : 7927072 License: GPLv2+ and GPLv2+
with exceptions and Public Domain

Signature : RSA/8, Sun 03 Jul 2011 01:01:07 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.sane-project.org>
Summary : SANE libraries

Description :
This package contains the SANE libraries which are needed by applications
that
want to access scanners.

Name : libtasn1 Relocations: (not relocatable)
Version : 2.3 Vendor: CentOS
Release : 3.el6_2.1 Build Date: Tue 27 Mar 2012
08:07:19 PM EDT

Install Date: Fri 06 Feb 2015 09:02:20 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libtasn1-2.3-
3.el6_2.1.src.rpm
Size : 442852 License: GPLv3+ and
LGPLv2+
Signature : RSA/SHA1, Tue 27 Mar 2012 08:41:33 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/libtasn1/>
Summary : The ASN.1 library used in GNUTLS
Description :
This is the ASN.1 library used in GNUTLS. More up to date information
can
be found at <http://www.gnu.org/software/gnutls> and <http://www.gnutls.org>

Name : perl-Filesys-Df Relocations: (not relocatable)
Version : 0.92 Vendor: Dag Apt
Repository, <http://dag.wieers.com/apt/>
Release : 1.el6.rf Build Date: Wed 10 Nov 2010
11:50:03 PM EST
Install Date: Fri 06 Feb 2015 09:09:14 AM EST Build Host:
lisse.hasselt.wieers.com
Group : Applications/CPAN Source RPM: perl-Filesys-Df-
0.92-1.el6.rf.src.rpm
Size : 75286 License: Artistic/GPL
Signature : DSA/SHA1, Thu 11 Nov 2010 01:29:39 AM EST, Key ID
a20e52146b8d79e6
Packager : Dag Wieers <dag@wieers.com>
URL : <http://search.cpan.org/dist/Filesys-Df/>
Summary : Perl module for filesystem disk space information
Description :
perl-Filesys-Df is a Perl module for filesystem disk space information.

Name : jakarta-commons-daemon Relocations: (not relocatable)
Version : 1.0.1 Vendor: CentOS
Release : 8.9.el6 Build Date: Thu 19 Aug 2010
05:46:58 AM EDT
Install Date: Fri 06 Feb 2015 09:03:49 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Applications/System Source RPM: jakarta-commons-
daemon-1.0.1-8.9.el6.src.rpm
Size : 124200 License: ASL 2.0
Signature : RSA/8, Sun 03 Jul 2011 12:25:30 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://jakarta.apache.org/commons/daemon/>
Summary : Defines API to support an alternative invocation mechanism
Description :
The scope of this package is to define an API in line with the current
Java(tm) Platform APIs to support an alternative invocation mechanism
which could be used instead of the above mentioned public static void
main(String[]) method. This specification cover the behavior and life
cycle of what we define as Java(tm) daemons, or, in other words, non

interactive Java(tm) applications.

Name : system-config-date-docs Relocations: (not relocatable)
Version : 1.0.11 Vendor: CentOS
Release : 1.el6 Build Date: Fri 22 Jun 2012
04:42:37 AM EDT
Install Date: Fri 06 Feb 2015 09:04:58 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : Documentation Source RPM: system-config-
date-docs-1.0.11-1.el6.src.rpm
Size : 1604459 License: GPLv2+
Signature : RSA/SHA1, Sun 24 Jun 2012 06:16:53 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/system-config-date-docs>
Summary : Documentation for setting the system date and time
Description :
This package contains the online documentation for system-config-date,
with
which you can configure date, time and the use of timeservers on your
system.

Name : perl-Pod-Escapes Relocations: (not relocatable)
Version : 1.04 Vendor: CentOS
Release : 129.el6 Build Date: Thu 21 Feb 2013
10:04:33 PM EST
Install Date: Fri 06 Feb 2015 09:02:20 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
129.el6.src.rpm
Size : 21092 License: GPL+ or Artistic
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:29 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Perl module for resolving POD escape sequences
Description :
This module provides things that are useful in decoding Pod E<...>
sequences. Presumably, it should be used only by Pod parsers and/or
formatters.

Name : perl-XML-Writer-String Relocations: (not relocatable)
Version : 0.1 Vendor: (none)
Release : 1 Build Date: Thu 15 Jul 2010
09:29:16 AM EDT
Install Date: Fri 06 Feb 2015 09:09:16 AM EST Build Host: lorax
Group : Applications/CPAN Source RPM: perl-XML-Writer-
String-0.1-1.src.rpm
Size : 5088 License: Artistic/GPL
Signature : (none)
Packager : Jason Messmer <Jason.Messmer@xerox.com>
URL : <http://search.cpan.org/dist/XML-Writer-String/>
Summary : Capture output from XML::Writer
Description :

Capture output from XML::Writer.

Name : tomcat6-lib Relocations: (not relocatable)
Version : 6.0.24 Vendor: CentOS
Release : 49.el6 Build Date: Fri 22 Feb 2013
12:42:25 AM EST
Install Date: Fri 06 Feb 2015 09:03:55 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : Development/Compilers Source RPM: tomcat6-6.0.24-
49.el6.src.rpm
Size : 3196893 License: ASL 2.0
Signature : RSA/SHA1, Sat 23 Feb 2013 12:53:27 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://tomcat.apache.org/>
Summary : Libraries needed to run the Tomcat Web container
Description :
Libraries needed to run the Tomcat Web container.

Name : cyrus-sasl Relocations: (not relocatable)
Version : 2.1.23 Vendor: CentOS
Release : 13.el6_3.1 Build Date: Tue 27 Nov 2012
06:49:36 AM EST
Install Date: Fri 06 Feb 2015 09:05:00 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: cyrus-sasl-
2.1.23-13.el6_3.1.src.rpm
Size : 132742 License: BSD
Signature : RSA/SHA1, Tue 27 Nov 2012 07:18:57 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://asg.web.cmu.edu/sasl/sasl-library.html>
Summary : The Cyrus SASL library
Description :
The cyrus-sasl package contains the Cyrus implementation of SASL.
SASL is the Simple Authentication and Security Layer, a method for
adding authentication support to connection-based protocols.

Name : perl-ExtUtils-MakeMaker Relocations: (not relocatable)
Version : 6.55 Vendor: CentOS
Release : 129.el6 Build Date: Thu 21 Feb 2013
10:04:33 PM EST
Install Date: Fri 06 Feb 2015 09:02:25 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Development/Languages Source RPM: perl-5.10.1-
129.el6.src.rpm
Size : 622458 License: GPL+ or Artistic
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:34 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Create a module Makefile
Description :
Create a module Makefile.

Name : perl-Tk-JComboBox Relocations: (not relocatable)
Version : 1.14 Vendor: (none)
Release : 1 Build Date: Thu 15 Jul 2010
08:46:11 AM EDT
Install Date: Fri 06 Feb 2015 09:09:20 AM EST Build Host: lorax
Group : Applications/CPAN Source RPM: perl-Tk-
JComboBox-1.14-1.src.rpm
Size : 162855 License: Artistic/GPL
Signature : (none)
Packager : Jason Messmer <Jason.Messmer@xerox.com>
URL : <http://search.cpan.org/dist/Tk-JComboBox/>
Summary : Provides various Combo Box implementations
Description :
Provides various Combo Box implementations.

Name : gtk2-engines Relocations: (not relocatable)
Version : 2.18.4 Vendor: CentOS
Release : 5.el6.centos Build Date: Fri 02 Dec 2011
03:43:08 AM EST
Install Date: Fri 06 Feb 2015 09:03:56 AM EST Build Host:
c6b4.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: gtk2-engines-
2.18.4-5.el6.centos.src.rpm
Size : 1157734 License: LGPLv2+
Signature : RSA/SHA1, Fri 02 Dec 2011 07:10:05 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/gtk-engines>
Summary : Theme engines for GTK+ 2.0
Description :
The gtk2-engines package contains shared objects and configuration
files that implement a number of GTK+ theme engines. Theme engines
provide different looks for GTK+, some of which resemble other
toolkits or operating systems.

Name : iptables-ipv6 Relocations: (not relocatable)
Version : 1.4.7 Vendor: CentOS
Release : 9.el6 Build Date: Thu 21 Feb 2013
08:45:54 PM EST
Install Date: Fri 06 Feb 2015 09:05:03 AM EST Build Host:
c6b9.bsyzs.dev.centos.org
Group : System Environment/Base Source RPM: iptables-1.4.7-
9.el6.src.rpm
Size : 188901 License: GPLv2
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:03 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.netfilter.org/>
Summary : IPv6 support for iptables
Description :
The iptables package contains IPv6 (the next version of the IP
protocol) support for iptables. Iptables controls the Linux kernel
network packet filtering code, allowing you to set up firewalls and IP

masquerading.

Install iptables-ipv6 if you need to set up firewalling for your network and you are using ipv6.

Name : mtdev Relocations: (not relocatable)
Version : 1.1.2 Vendor: CentOS
Release : 5.el6 Build Date: Thu 21 Feb 2013
05:54:09 PM EST
Install Date: Fri 06 Feb 2015 09:02:25 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: mtdev-1.1.2-
5.el6.src.rpm
Size : 21165 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:03 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://bitmath.org/code/mtdev/>
Summary : Multitouch Protocol Translation Library
Description :
mtdev is a stand-alone library which transforms all variants of kernel MT events to the slotted type B protocol. The events put into mtdev may be from any MT device, specifically type A without contact tracking, type A with contact tracking, or type B with contact tracking.

Name : jre Relocations: /usr/java
Version : 1.6.0_37 Vendor: Oracle and/or its affiliates.
Release : fcs Build Date: Mon 24 Sep 2012
05:05:00 PM EDT
Install Date: Fri 06 Feb 2015 09:09:44 AM EST Build Host: jrb6-lin-
amd64.sfbay.sun.com
Group : Development/Tools Source RPM: jre-1.6.0_37-
fcs.src.rpm
Size : 51450876 License: Copyright (c)
2011, Oracle and/or its affiliates. All rights reserved. Also under other license(s) as shown at the Description field.
Signature : (none)
Packager : Java Software <jre-comments@java.sun.com>
URL :
<http://www.oracle.com/technetwork/java/javase/overview/index.html>
Summary : Java(TM) Platform Standard Edition Runtime Environment
Description :
The Java Platform Standard Edition Runtime Environment (JRE) contains everything necessary to run applets and applications designed for the Java platform. This includes the Java virtual machine, plus the Java platform classes and supporting files.

The JRE is freely redistributable, per the terms of the included license.

Name : libgail-gnome Relocations: (not relocatable)
Version : 1.20.1 Vendor: CentOS

Release : 4.1.el6.centos Build Date: Fri 02 Dec 2011
04:06:34 AM EST
Install Date: Fri 06 Feb 2015 09:03:59 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libgail-gnome-
1.20.1-4.1.el6.centos.src.rpm
Size : 53142 License: LGPLv2+
Signature : RSA/SHA1, Fri 02 Dec 2011 07:47:00 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://developer.gnome.org/projects/gap>
Summary : Accessibility implementation for GTK+ and GNOME libraries
Description :
GAIL implements the abstract interfaces found in ATK for GTK+ and GNOME
libraries, enabling accessibility technologies such as at-spi to access
those GUIs.

libgail-gnome contains the GNOME portions of GAIL.

Name : kernel-firmware Relocations: (not relocatable)
Version : 2.6.32 Vendor: CentOS
Release : 358.18.1.el6 Build Date: Wed 28 Aug 2013
08:47:08 AM EDT
Install Date: Fri 06 Feb 2015 09:05:06 AM EST Build Host:
c6b10.bsys.dev.centos.org
Group : Development/System Source RPM: kernel-2.6.32-
358.18.1.el6.src.rpm
Size : 19542220 License: GPL+ and GPLv2+
and MIT and Redistributable, no modification permitted
Signature : RSA/SHA1, Wed 28 Aug 2013 03:02:33 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.kernel.org/>
Summary : Firmware files used by the Linux kernel
Description :
Kernel-firmware includes firmware files required for some devices to
operate.

Name : perl-HTML-Tagset Relocations: (not relocatable)
Version : 3.20 Vendor: CentOS
Release : 4.el6 Build Date: Thu 19 Aug 2010
07:43:57 PM EDT
Install Date: Fri 06 Feb 2015 09:02:26 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-HTML-Tagset-
3.20-4.el6.src.rpm
Size : 19692 License: GPL+ or Artistic
Signature : RSA/8, Sun 03 Jul 2011 12:37:58 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://search.cpan.org/dist/HTML-Tagset/>
Summary : HTML::Tagset - data tables useful in parsing HTML
Description :
This module contains several data tables useful in various kinds of

HTML parsing operations, such as tag and entity names.

Name : avahi-autoipd Relocations: (not relocatable)
Version : 0.6.25 Vendor: CentOS
Release : 12.el6 Build Date: Thu 21 Feb 2013
05:22:11 PM EST
Install Date: Fri 06 Feb 2015 09:04:00 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Base Source RPM: avahi-0.6.25-
12.el6.src.rpm
Size : 40273 License: LGPLv2
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:00 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://avahi.org>
Summary : Link-local IPv4 address automatic configuration daemon
(IPv4LL)
Description :
avahi-autoipd implements IPv4LL, "Dynamic Configuration of IPv4
Link-Local Addresses" (IETF RFC3927), a protocol for automatic IP
address
configuration from the link-local 169.254.0.0/16 range without the need
for a
central server. It is primarily intended to be used in ad-hoc networks
which
lack a DHCP server.

Name : systemtap-runtime Relocations: (not relocatable)
Version : 1.8 Vendor: CentOS
Release : 7.el6 Build Date: Thu 21 Feb 2013
11:15:03 PM EST
Install Date: Fri 06 Feb 2015 09:05:15 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : Development/System Source RPM: systemtap-1.8-
7.el6.src.rpm
Size : 539786 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:20 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceware.org/systemtap/>
Summary : Programmable system-wide instrumentation system - runtime
Description :
SystemTap runtime contains the components needed to execute
a systemtap script that was already compiled into a module
using a local or remote systemtap-devel installation.

Name : perl-CGI Relocations: (not relocatable)
Version : 3.51 Vendor: CentOS
Release : 129.el6 Build Date: Thu 21 Feb 2013
10:04:33 PM EST
Install Date: Fri 06 Feb 2015 09:02:26 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
129.el6.src.rpm

Size : 444353 License: GPL+ or Artistic
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:23 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Handle Common Gateway Interface requests and responses
Description :
CGI.pm is a stable, complete and mature solution for processing and
preparing HTTP requests and responses. Major features including
processing
form submissions, file uploads, reading and writing cookies, query string
generation and manipulation, and processing and preparing HTTP headers.
Some HTML generation utilities are included as well.

Name : mcpp Relocations: (not relocatable)
Version : 2.7.2 Vendor: CentOS
Release : 4.1.el6 Build Date: Wed 18 Aug 2010
11:52:52 AM EDT
Install Date: Fri 06 Feb 2015 09:04:01 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Languages Source RPM: mcpp-2.7.2-
4.1.el6.src.rpm
Size : 49783 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:44:57 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://mcpp.sourceforge.net/>
Summary : Alternative C/C++ preprocessor
Description :
C/C++ preprocessor defines and expands macros and processes '#if',
'#include' and some other directives.

MCPP is an alternative C/C++ preprocessor with the highest conformance.
It supports multiple standards: K&R, ISO C90, ISO C99, and ISO C++98.
MCPP is especially useful for debugging a source program which uses
complicated macros and also useful for checking portability of a source.

Though mcpp could be built as a replacement of GCC's resident
preprocessor or as a stand-alone program without using library build of
mcpp, this package installs only a program named 'mcpp' which links
shared library of mcpp and behaves independent from GCC.

Name : tomcat6 Relocations: (not relocatable)
Version : 6.0.24 Vendor: CentOS
Release : 49.el6 Build Date: Fri 22 Feb 2013
12:42:25 AM EST
Install Date: Fri 06 Feb 2015 09:05:31 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : Networking/Daemons Source RPM: tomcat6-6.0.24-
49.el6.src.rpm
Size : 192051 License: ASL 2.0
Signature : RSA/SHA1, Sat 23 Feb 2013 12:54:56 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://tomcat.apache.org/>
Summary : Apache Servlet/JSP Engine, RI for Servlet 2.5/JSP 2.1 API
Description :
Tomcat is the servlet container that is used in the official Reference Implementation for the Java Servlet and JavaServer Pages technologies. The Java Servlet and JavaServer Pages specifications are developed by Sun under the Java Community Process.

Tomcat is developed in an open and participatory environment and released under the Apache Software License version 2.0. Tomcat is intended to be a collaboration of the best-of-breed developers from around the world.

Name : tmpwatch Relocations: (not relocatable)
Version : 2.9.16 Vendor: CentOS
Release : 4.el6 Build Date: Fri 23 Sep 2011 12:34:17 PM EDT
Install Date: Fri 06 Feb 2015 09:02:27 AM EST Build Host: c6b18n1.dev.centos.org
Group : System Environment/Base Source RPM: tmpwatch-2.9.16-4.el6.src.rpm
Size : 41144 License: GPLv2
Signature : RSA/SHA1, Mon 26 Sep 2011 12:25:54 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/tmpwatch/>
Summary : A utility for removing files based on when they were last accessed
Description :
The tmpwatch utility recursively searches through specified directories and removes files which have not been accessed in a specified period of time. Tmpwatch is normally used to clean up directories which are used for temporarily holding files (for example, /tmp). Tmpwatch ignores symlinks, won't switch filesystems and only removes empty directories and regular files.

Name : libffi Relocations: (not relocatable)
Version : 3.0.5 Vendor: CentOS
Release : 3.2.el6 Build Date: Thu 11 Nov 2010 03:25:12 PM EST
Install Date: Fri 06 Feb 2015 09:04:02 AM EST Build Host: c6b5.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: libffi-3.0.5-3.2.el6.src.rpm
Size : 42881 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:33:39 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceware.org/libffi>
Summary : A portable foreign function interface library
Description :
Compilers for high level languages generate code that follow certain conventions. These conventions are necessary, in part, for separate

compilation to work. One such convention is the "calling convention". The calling convention is a set of assumptions made by the compiler about where function arguments will be found on entry to a function. A calling convention also specifies where the return value for a function is found.

Some programs may not know at the time of compilation what arguments are to be passed to a function. For instance, an interpreter may be told at run-time about the number and types of arguments used to call a given function. `Libffi' can be used in such programs to provide a bridge from the interpreter program to compiled code.

The `libffi' library provides a portable, high level programming interface to various calling conventions. This allows a programmer to call any function specified by a call interface description at run time.

FFI stands for Foreign Function Interface. A foreign function interface is the popular name for the interface that allows code written in one language to call code written in another language. The `libffi' library really only provides the lowest, machine dependent layer of a fully featured foreign function interface. A layer must exist above `libffi' that handles type conversions for values passed between the two languages.

```
Name       : gdm-plugin-fingerprint      Relocations: (not relocatable)
Version    : 2.30.4                      Vendor: CentOS
Release    : 39.el6                      Build Date: Thu 21 Feb 2013
08:25:25 PM EST
Install Date: Fri 06 Feb 2015 09:05:34 AM EST      Build Host:
c6b7.bsyzs.dev.centos.org
Group      : User Interface/Desktops        Source RPM: gdm-2.30.4-
39.el6.src.rpm
Size       : 80805                        License: GPLv2+
Signature  : RSA/SHA1, Sat 23 Feb 2013 12:39:22 PM EST, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://download.gnome.org/sources/gdm
Summary    : GDM fingerprint plugin
Description:
The GDM fingerprint plugin provides functionality necessary to use a
fingerprint reader with GDM.
```

```
Name       : libdmx                      Relocations: (not relocatable)
Version    : 1.1.2                      Vendor: CentOS
Release    : 2.el6                      Build Date: Thu 21 Feb 2013
01:49:38 PM EST
Install Date: Fri 06 Feb 2015 09:02:28 AM EST      Build Host:
c6b9.bsyzs.dev.centos.org
Group      : System Environment/Libraries    Source RPM: libdmx-1.1.2-
2.el6.src.rpm
Size       : 34049                        License: MIT
Signature  : RSA/SHA1, Sat 23 Feb 2013 12:39:48 PM EST, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
```

URL : <http://www.x.org>
Summary : X.Org X11 DMX runtime library
Description :
The X.Org X11 DMX (Distributed Multihead X) runtime library.

Name : newt-python Relocations: (not relocatable)
Version : 0.52.11 Vendor: CentOS
Release : 3.el6 Build Date: Fri 23 Sep 2011
12:24:28 PM EDT
Install Date: Fri 06 Feb 2015 09:04:05 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: newt-0.52.11-
3.el6.src.rpm
Size : 111017 License: LGPLv2
Signature : RSA/SHA1, Mon 26 Sep 2011 12:22:14 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/newt/>
Summary : Python bindings for newt
Description :
The newt-python package contains the Python bindings for the newt library
providing a python API for creating text mode interfaces.

Name : m17n-db Relocations: (not relocatable)
Version : 1.5.5 Vendor: CentOS
Release : 1.1.el6 Build Date: Thu 19 Aug 2010
02:00:34 AM EDT
Install Date: Fri 06 Feb 2015 09:01:40 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-db-1.5.5-
1.1.el6.src.rpm
Size : 89375 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:28:58 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : Multilingualization datafiles for m17n-lib
Description :
This package contains multilingualization (m17n) datafiles for m17n-lib
which describe input maps, encoding maps, and OpenType font data
for many languages.

Name : gvfs-archive Relocations: (not relocatable)
Version : 1.4.3 Vendor: CentOS
Release : 15.el6 Build Date: Tue 31 Jul 2012
05:43:31 AM EDT
Install Date: Fri 06 Feb 2015 09:05:41 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: gvfs-1.4.3-
15.el6.src.rpm
Size : 143647 License: LGPLv2+
Signature : RSA/SHA1, Tue 31 Jul 2012 06:32:06 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.gtk.org>
Summary : Archiving support for gvfs
Description :
This package provides support for accessing files inside Zip and Tar archives,
as well as ISO images, to applications using gvfs.

Name : polkit-desktop-policy Relocations: (not relocatable)
Version : 0.96 Vendor: CentOS
Release : 2.el6_0.1 Build Date: Sat 25 Jun 2011
08:49:09 AM EDT
Install Date: Fri 06 Feb 2015 09:02:29 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: polkit-0.96-
2.el6_0.1.src.rpm
Size : 965 License: LGPLv2+
Signature : RSA/8, Tue 05 Jul 2011 09:44:26 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/wiki/Software/PolicyKit>
Summary : Roles and default policy for desktop usage
Description :
Roles and default policy for desktop usage.

Name : pycairo Relocations: (not relocatable)
Version : 1.8.6 Vendor: CentOS
Release : 2.1.el6 Build Date: Wed 18 Aug 2010
10:51:19 PM EDT
Install Date: Fri 06 Feb 2015 09:04:07 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Development/Languages Source RPM: pycairo-1.8.6-
2.1.el6.src.rpm
Size : 423809 License: MPLv1.1 or LGPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:58:09 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://cairographics.org/pycairo>
Summary : Python bindings for the cairo library
Description :
Python bindings for the cairo library.

Name : dejavu-fonts-common Relocations: (not relocatable)
Version : 2.30 Vendor: CentOS
Release : 2.el6 Build Date: Wed 10 Nov 2010
11:23:58 PM EST
Install Date: Fri 06 Feb 2015 09:01:42 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : User Interface/X Source RPM: dejavu-fonts-
2.30-2.el6.src.rpm
Size : 117064 License: Bitstream Vera
and Public Domain
Signature : RSA/8, Sun 03 Jul 2011 12:04:19 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://dejavu-fonts.org/>
Summary : Common files for the DejaVu font set
Description :

The DejaVu font set is based on the "Bitstream Vera" fonts, release 1.10. Its purpose is to provide a wider range of characters, while maintaining the original style, using an open collaborative development process.

This package consists of files used by other DejaVu packages.

Name : openssh-askpass Relocations: (not relocatable)
Version : 5.3p1 Vendor: CentOS
Release : 84.1.el6 Build Date: Thu 21 Feb 2013
10:51:49 PM EST
Install Date: Fri 06 Feb 2015 09:05:46 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : Applications/Internet Source RPM: openssh-5.3p1-
84.1.el6.src.rpm
Size : 12880 License: BSD
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:20 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.openssh.com/portable.html>
Summary : A passphrase dialog for OpenSSH and X
Description :
OpenSSH is a free version of SSH (Secure SHell), a program for logging
into and executing commands on a remote machine. This package contains
an X11 passphrase dialog for OpenSSH.

Name : libatasmart Relocations: (not relocatable)
Version : 0.17 Vendor: CentOS
Release : 4.el6_2 Build Date: Thu 31 May 2012
04:16:03 AM EDT
Install Date: Fri 06 Feb 2015 09:02:30 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libatasmart-
0.17-4.el6_2.src.rpm
Size : 96267 License: LGPLv2+
Signature : RSA/SHA1, Thu 31 May 2012 05:47:50 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://git.0pointer.de/?p=libatasmart.git;a=summary>
Summary : ATA S.M.A.R.T. Disk Health Monitoring Library
Description :
A small and lightweight parser library for ATA S.M.A.R.T. hard disk
health monitoring.

Name : python-slip Relocations: (not relocatable)
Version : 0.2.20 Vendor: CentOS
Release : 1.el6_2 Build Date: Mon 26 Mar 2012
09:03:16 AM EDT
Install Date: Fri 06 Feb 2015 09:04:07 AM EST Build Host:
c6b5.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM: python-slip-0.2.20-1.el6_2.src.rpm
Size : 56037 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Mar 2012 09:36:32 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/python-slip>
Summary : Miscellaneous convenience, extension and workaround code for Python
Description :
The Simple Library for Python packages contain miscellaneous code for convenience, extension and workaround purposes.

This package provides the "slip" and the "slip.util" modules.

Name : mozilla-filesystem Relocations: (not relocatable)
Version : 1.9 Vendor: CentOS
Release : 5.1.el6 Build Date: Wed 18 Aug 2010 11:44:21 AM EDT
Install Date: Fri 06 Feb 2015 09:01:43 AM EST Build Host: c6b3.bsys.dev.centos.org
Group : Applications/Internet Source RPM: mozilla-filesystem-1.9-5.1.el6.src.rpm
Size : 0 License: MPLv1.1
Signature : RSA/8, Sun 03 Jul 2011 12:45:46 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : Mozilla filesystem layout
Description :
This package provides some directories required by packages which use Mozilla technologies such as NPAPI plugins or toolkit extensions.

Name : iwl6000g2a-firmware Relocations: (not relocatable)
Version : 17.168.5.3 Vendor: CentOS
Release : 1.el6 Build Date: Wed 07 Dec 2011 12:44:17 PM EST
Install Date: Fri 06 Feb 2015 09:05:47 AM EST Build Host: c6b6.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: iwl6000g2a-firmware-17.168.5.3-1.el6.src.rpm
Size : 450973 License: Redistributable, no modification permitted
Signature : RSA/SHA1, Thu 08 Dec 2011 03:11:19 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://intellinuxwireless.org/>
Summary : Firmware for Intel(R) Wireless WiFi Link 6005 Series Adapters
Description :
This package contains the firmware required by the iwlagn driver for Linux to support the iwl6000g2a hardware. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : ml7n-contrib-assamese Relocations: (not relocatable)
Version : 1.1.10 Vendor: CentOS
Release : 4.el6_1.1 Build Date: Fri 23 Sep 2011
06:12:49 AM EDT
Install Date: Fri 06 Feb 2015 09:02:31 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ml7n-contrib-
1.1.10-4.el6_1.1.src.rpm
Size : 12605 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:31 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.ml7n.org/ml7n-lib/index.html>
Summary : Contributed input maps for Assamese
Description :
This package provides contributed multilingualization (ml7n) input maps
for Assamese.

Name : gnome-python2-extras Relocations: (not relocatable)
Version : 2.25.3 Vendor: CentOS
Release : 20.el6 Build Date: Thu 11 Nov 2010
06:53:06 AM EST
Install Date: Fri 06 Feb 2015 09:04:09 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Development/Languages Source RPM: gnome-python2-
extras-2.25.3-20.el6.src.rpm
Size : 68392 License: GPLv2+ and
LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:18:31 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.pygtk.org/>
Summary : Additional PyGNOME Python extension modules
Description :
The gnome-python-extra package contains the source packages for
additional
Python bindings for GNOME. It should be used together with gnome-python.

Name : dmz-cursor-themes Relocations: (not relocatable)
Version : 0.4 Vendor: CentOS
Release : 4.el6 Build Date: Wed 10 Nov 2010
11:29:46 PM EST
Install Date: Fri 06 Feb 2015 09:01:44 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: dmz-cursor-
themes-0.4-4.el6.src.rpm
Size : 6526975 License: CC-BY-SA
Signature : RSA/8, Sun 03 Jul 2011 12:04:45 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://jimmac.musichall.cz/themes.php?skin=7>
Summary : X cursors themes
Description :
An X cursors theme by Jakub Steiner used by OpenSUSE.

Name : quota Relocations: (not relocatable)
Version : 3.17 Vendor: CentOS
Release : 18.el6 Build Date: Tue 20 Nov 2012
07:06:54 PM EST
Install Date: Fri 06 Feb 2015 09:05:50 AM EST Build Host:
c6b10.bsys.dev.centos.org
Group : System Environment/Base Source RPM: quota-3.17-
18.el6.src.rpm
Size : 1012641 License: BSD and GPLv2+
Signature : RSA/SHA1, Wed 21 Nov 2012 07:59:43 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceforge.net/projects/linuxquota/>
Summary : System administration tools for monitoring users' disk
usage
Description :
The quota package contains system administration tools for monitoring
and limiting user and or group disk usage per filesystem.

Name : m17n-contrib-hindi Relocations: (not relocatable)
Version : 1.1.10 Vendor: CentOS
Release : 4.el6_1.1 Build Date: Fri 23 Sep 2011
06:12:49 AM EDT
Install Date: Fri 06 Feb 2015 09:02:31 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-contrib-
1.1.10-4.el6_1.1.src.rpm
Size : 15817 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:35 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : Contributed input maps for Hindi
Description :
This package provides contributed multilingualization (m17n) input maps
for Hindi.

Name : pyxdg Relocations: (not relocatable)
Version : 0.18 Vendor: CentOS
Release : 1.el6 Build Date: Fri 20 Aug 2010
07:54:34 AM EDT
Install Date: Fri 06 Feb 2015 09:04:09 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Development/Libraries Source RPM: pyxdg-0.18-
1.el6.src.rpm
Size : 305876 License: LGPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:43:51 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://freedesktop.org/Software/pyxdg>
Summary : Python library to access freedesktop.org standards
Description :
PyXDG is a python library to access freedesktop.org standards

```

Name           : ncurses-libs                      Relocations: (not relocatable)
Version        : 5.7                               Vendor: CentOS
Release        : 3.20090208.el6                    Build Date: Wed 18 Aug 2010
11:42:34 AM EDT
Install Date: Fri 06 Feb 2015 09:01:56 AM EST      Build Host:
c6b3.bsys.dev.centos.org
Group          : System Environment/Libraries      Source RPM: ncurses-5.7-
3.20090208.el6.src.rpm
Size           : 760448                             License: MIT
Signature      : RSA/8, Sun 03 Jul 2011 12:47:02 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://invisible-island.net/ncurses/ncurses.html
Summary        : Ncurses libraries
Description    :
The curses library routines are a terminal-independent method of
updating character screens with reasonable optimization. The ncurses
(new curses) library is a freely distributable replacement for the
discontinued 4.4 BSD classic curses library.

```

This package contains the ncurses libraries.

```

Name           : prelink                          Relocations: (not relocatable)
Version        : 0.4.6                             Vendor: CentOS
Release        : 3.el6                             Build Date: Wed 07 Dec 2011
06:36:38 PM EST
Install Date: Fri 06 Feb 2015 09:05:52 AM EST      Build Host:
c6b18n2.bsys.dev.centos.org
Group          : System Environment/Base            Source RPM: prelink-0.4.6-
3.el6.src.rpm
Size           : 2050786                             License: GPLv2+
Signature      : RSA/SHA1, Thu 08 Dec 2011 03:58:38 PM EST, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
Summary        : An ELF prelinking utility
Description    :
The prelink package contains a utility which modifies ELF shared
libraries
and executables, so that far fewer relocations need to be resolved at
runtime
and thus programs come up faster.

```

```

Name           : m17n-contrib-sinhala              Relocations: (not relocatable)
Version        : 1.1.10                             Vendor: CentOS
Release        : 4.el6_1.1                          Build Date: Fri 23 Sep 2011
06:12:49 AM EDT
Install Date: Fri 06 Feb 2015 09:02:31 AM EST      Build Host:
c6b5.bsys.dev.centos.org
Group          : System Environment/Libraries      Source RPM: m17n-contrib-
1.1.10-4.el6_1.1.src.rpm
Size           : 18588                             License: LGPLv2+
Signature      : RSA/SHA1, Mon 26 Sep 2011 12:21:43 AM EDT, Key ID
0946fca2c105b9de

```

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : Contributed input maps for Sinhala
Description :
This package provides contributed multilingualization (m17n) input maps for Sinhala.

Name : python-urlgrabber Relocations: (not relocatable)
Version : 3.9.1 Vendor: CentOS
Release : 8.el6 Build Date: Tue 19 Jul 2011
01:19:32 PM EDT
Install Date: Fri 06 Feb 2015 09:04:11 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: python-
urlgrabber-3.9.1-8.el6.src.rpm
Size : 322193 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:13:59 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://urlgrabber.baseurl.org/>
Summary : A high-level cross-protocol url-grabber
Description :
A high-level cross-protocol url-grabber for python supporting HTTP, FTP and file locations. Features include keepalive, byte ranges, throttling, authentication, proxies and more.

Name : libstdc++ Relocations: (not relocatable)
Version : 4.4.7 Vendor: CentOS
Release : 3.el6 Build Date: Thu 21 Feb 2013
12:16:26 PM EST
Install Date: Fri 06 Feb 2015 09:01:58 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: gcc-4.4.7-
3.el6.src.rpm
Size : 987096 License: GPLv3+ and GPLv3+
with exceptions and GPLv2+ with exceptions
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:38 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gcc.gnu.org>
Summary : GNU Standard C++ Library
Description :
The libstdc++ package contains a rewritten standard compliant GCC Standard C++ Library.

Name : ibus-table-additional Relocations: (not relocatable)
Version : 1.2.0.20100111 Vendor: CentOS
Release : 4.el6 Build Date: Sun 22 Aug 2010
06:05:42 AM EDT
Install Date: Fri 06 Feb 2015 09:05:53 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ibus-table-
1.2.0.20100111-4.el6.src.rpm

Size : 300534 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:15:38 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/ibus/>
Summary : Additional tables for general table engine of IBus
Description :
This package contains additional tables for Ibus-Table.

Name : libcdio Relocations: (not relocatable)
Version : 0.81 Vendor: CentOS
Release : 3.1.el6 Build Date: Wed 18 Aug 2010
12:50:21 PM EDT
Install Date: Fri 06 Feb 2015 09:02:32 AM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libcdio-0.81-
3.1.el6.src.rpm
Size : 620291 License: GPLv3+
Signature : RSA/8, Sun 03 Jul 2011 12:32:23 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/libcdio/>
Summary : CD-ROM input and control library
Description :
This library provides an interface for CD-ROM access. It can be used
by applications that need OS- and device-independent access to CD-ROM
devices.

Name : PackageKit-device-rebind Relocations: (not relocatable)
Version : 0.5.8 Vendor: CentOS
Release : 21.el6 Build Date: Thu 21 Feb 2013
05:42:20 PM EST
Install Date: Fri 06 Feb 2015 09:04:12 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : Development/Libraries Source RPM: PackageKit-0.5.8-
21.el6.src.rpm
Size : 236490 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:53 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.packagekit.org>
Summary : Device rebind functionality for PackageKit
Description :
The device rebind functionality offer the ability to re-initialize
devices
after firmware has been installed by PackageKit. This removes the need
for the
user to restart the computer or remove and re-insert the device.

Name : libpng Relocations: (not relocatable)
Version : 1.2.49 Vendor: CentOS
Release : 1.el6_2 Build Date: Wed 25 Apr 2012
09:30:45 AM EDT

Install Date: Fri 06 Feb 2015 09:01:58 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libpng-1.2.49-
1.el6_2.src.rpm
Size : 654803 License: zlib
Signature : RSA/SHA1, Wed 25 Apr 2012 09:58:17 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.libpng.org/pub/png/>
Summary : A library of functions for manipulating PNG image format
files
Description :
The libpng package contains a library of functions for creating and
manipulating PNG (Portable Network Graphics) image format files. PNG
is a bit-mapped graphics format similar to the GIF format. PNG was
created to replace the GIF format, since GIF uses a patented data
compression algorithm.

Libpng should be installed if you need to manipulate PNG format image
files.

Name : gnome-screensaver Relocations: (not relocatable)
Version : 2.28.3 Vendor: CentOS
Release : 24.el6 Build Date: Thu 21 Feb 2013
11:24:41 PM EST
Install Date: Fri 06 Feb 2015 09:05:56 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : Amusements/Graphics Source RPM: gnome-
screensaver-2.28.3-24.el6.src.rpm
Size : 6150333 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:20 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : GNOME Screensaver
Description :
gnome-screensaver is a screen saver and locker that aims to have
simple, sane, secure defaults and be well integrated with the desktop.

Name : zlib Relocations: (not relocatable)
Version : 1.2.3 Vendor: CentOS
Release : 27.el6 Build Date: Wed 07 Dec 2011
12:51:15 PM EST
Install Date: Wed 25 Feb 2015 04:31:28 AM EST Build Host:
c6b18n1.dev.centos.org
Group : System Environment/Libraries Source RPM: zlib-1.2.3-
27.el6.src.rpm
Size : 139037 License: zlib and Boost
Signature : RSA/SHA1, Thu 08 Dec 2011 04:47:42 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gzip.org/zlib/>
Summary : The zlib compression and decompression library
Description :

Zlib is a general-purpose, patent-free, lossless data compression library which is used by many different programs.

Name : upstart Relocations: (not relocatable)
Version : 0.6.5 Vendor: CentOS
Release : 12.el6 Build Date: Fri 22 Jun 2012
05:50:08 AM EDT
Install Date: Fri 06 Feb 2015 09:02:34 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Base Source RPM: upstart-0.6.5-
12.el6.src.rpm
Size : 563633 License: GPLv2 and LGPLv2+
Signature : RSA/SHA1, Sun 24 Jun 2012 06:19:19 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://upstart.ubuntu.com>
Summary : An event-driven init system
Description :
Upstart is an event-based replacement for the /sbin/init daemon which handles starting of tasks and services during boot, stopping them during shutdown and supervising them while the system is running.

Name : libreport-python Relocations: (not relocatable)
Version : 2.0.9 Vendor: CentOS
Release : 15.el6.centos Build Date: Fri 22 Feb 2013
11:25:32 PM EST
Install Date: Fri 06 Feb 2015 09:04:13 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libreport-2.0.9-
15.el6.centos.src.rpm
Size : 68883 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:23 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : Python bindings for report-libs
Description :
Python bindings for report-libs.

Name : m17n-contrib Relocations: (not relocatable)
Version : 1.1.10 Vendor: CentOS
Release : 4.el6_1.1 Build Date: Fri 23 Sep 2011
06:12:49 AM EDT
Install Date: Fri 06 Feb 2015 09:02:00 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-contrib-
1.1.10-4.el6_1.1.src.rpm
Size : 39144 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:31 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : Contributed multilingualization datafiles for m17n-lib
Description :

This package contains contributed multilingualization (ml7n) datafiles for the ml7n-lib project.

Name : paps Relocations: (not relocatable)
Version : 0.6.8 Vendor: CentOS
Release : 13.el6.2 Build Date: Sat 25 Jun 2011
04:26:48 AM EDT
Install Date: Fri 06 Feb 2015 09:05:57 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Applications/Publishing Source RPM: paps-0.6.8-
13.el6.2.src.rpm
Size : 56705 License: LGPLv2+
Signature : RSA/8, Tue 05 Jul 2011 09:44:33 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://paps.sourceforge.net/>
Summary : Plain Text to PostScript converter
Description :
paps is a PostScript converter from plain text file using Pango.

Name : coreutils-libs Relocations: (not relocatable)
Version : 8.4 Vendor: CentOS
Release : 19.el6_4.2 Build Date: Thu 23 May 2013
07:03:21 AM EDT
Install Date: Fri 06 Feb 2015 09:02:38 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: coreutils-8.4-
19.el6_4.2.src.rpm
Size : 5576 License: GPLv3+
Signature : RSA/SHA1, Thu 23 May 2013 09:50:48 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/coreutils/>
Summary : Libraries for coreutils
Description :
Libraries for coreutils package.

Name : evolution-data-server Relocations: (not relocatable)
Version : 2.28.3 Vendor: CentOS
Release : 16.el6 Build Date: Thu 21 Feb 2013
04:31:10 PM EST
Install Date: Fri 06 Feb 2015 09:04:16 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: evolution-data-
server-2.28.3-16.el6.src.rpm
Size : 12617039 License: LGPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:29 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://projects.gnome.org/evolution/>
Summary : Backend data server for Evolution
Description :
The evolution-data-server package provides a unified backend for programs that work with contacts, tasks, and calendar information.

It was originally developed for Evolution (hence the name), but is now used by other packages.

Name : libselinux Relocations: (not relocatable)
Version : 2.0.94 Vendor: CentOS
Release : 5.3.el6 Build Date: Fri 22 Jun 2012
03:51:44 AM EDT
Install Date: Fri 06 Feb 2015 09:02:00 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libselinux-
2.0.94-5.3.el6.src.rpm
Size : 130088 License: Public Domain
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:41 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.selinuxproject.org>
Summary : SELinux library and simple utilities
Description :
Security-enhanced Linux is a feature of the Linux® kernel and a number of utilities with enhanced security functionality designed to add mandatory access controls to Linux. The Security-enhanced Linux kernel contains new architectural components originally developed to improve the security of the Flask operating system. These architectural components provide general support for the enforcement of many kinds of mandatory access control policies, including those based on the concepts of Type Enforcement®, Role-based Access Control, and Multi-level Security.

libselinux provides an API for SELinux applications to get and set process and file security contexts and to obtain security policy decisions. Required for any applications that use the SELinux API.

Name : sudo Relocations: (not relocatable)
Version : 1.8.6p3 Vendor: CentOS
Release : 7.el6 Build Date: Fri 22 Feb 2013
01:26:41 AM EST
Install Date: Fri 06 Feb 2015 09:06:02 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : Applications/System Source RPM: sudo-1.8.6p3-
7.el6.src.rpm
Size : 2461511 License: ISC
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:40 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.courtesan.com/sudo/>
Summary : Allows restricted root access for specified users
Description :
Sudo (superuser do) allows a system administrator to give certain users (or groups of users) the ability to run some (or all) commands as root while logging all commands and arguments. Sudo operates on a per-command basis. It is not a replacement for the shell. Features include: the ability to restrict what commands a user may run on a

per-host basis, copious logging of each command (providing a clear audit trail of who did what), a configurable timeout of the sudo command, and the ability to use the same configuration file (sudoers) on many different machines.

Name : openssl Relocations: (not relocatable)
Version : 1.0.0 Vendor: CentOS
Release : 27.el6 Build Date: Thu 21 Feb 2013
06:46:20 PM EST
Install Date: Fri 06 Feb 2015 09:02:44 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: openssl-1.0.0-
27.el6.src.rpm
Size : 3768416 License: OpenSSL
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:14 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.openssl.org/>
Summary : A general purpose cryptography library with TLS
implementation
Description :
The OpenSSL toolkit provides support for secure communications between machines. OpenSSL includes a certificate management tool and shared libraries which provide various cryptographic algorithms and protocols.

Name : abrt-tui Relocations: (not relocatable)
Version : 2.0.8 Vendor: CentOS
Release : 15.el6.centos Build Date: Fri 22 Feb 2013
11:39:47 PM EST
Install Date: Fri 06 Feb 2015 09:04:17 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: abrt-2.0.8-
15.el6.centos.src.rpm
Size : 13945 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:56 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : abrt's command line interface
Description :
This package contains simple command line client for processing abrt reports in command line environment

Name : elfutils-libelf Relocations: (not relocatable)
Version : 0.152 Vendor: CentOS
Release : 1.el6 Build Date: Tue 19 Jul 2011
11:14:19 AM EDT
Install Date: Fri 06 Feb 2015 09:02:01 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Tools Source RPM: elfutils-0.152-
1.el6.src.rpm

```

Size           : 920293                               License: GPLv2 with
exceptions
Signature      : RSA/SHA1, Mon 26 Sep 2011 12:18:01 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : https://fedorahosted.org/elfutils/
Summary        : Library to read and write ELF files
Description    :
The elfutils-libelf package provides a DSO which allows reading and
writing ELF files on a high level.  Third party programs depend on
this package to read internals of ELF files.  The programs of the
elfutils package use it also to generate new ELF files.

Name           : wget                                Relocations: (not relocatable)
Version        : 1.12                               Vendor: CentOS
Release        : 1.8.el6                            Build Date: Wed 10 Oct 2012
05:06:55 AM EDT
Install Date: Fri 06 Feb 2015 09:06:04 AM EST        Build Host:
c6b9.bsyz.dev.centos.org
Group          : Applications/Internet                Source RPM: wget-1.12-
1.8.el6.src.rpm
Size           : 1877052                             License: GPLv3+ and GFDL
Signature      : RSA/SHA1, Wed 10 Oct 2012 07:50:30 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.gnu.org/software/wget/
Summary        : A utility for retrieving files using the HTTP or FTP
protocols
Description    :
GNU Wget is a file retrieval utility which can use either the HTTP or
FTP protocols. Wget features include the ability to work in the
background while you are logged out, recursive retrieval of
directories, file name wildcard matching, remote file timestamp
storage and comparison, use of Rest with FTP servers and Range with
HTTP servers to retrieve files over slow or unstable connections,
support for Proxy servers, and configurability.

Name           : hicolor-icon-theme                  Relocations: (not relocatable)
Version        : 0.11                               Vendor: CentOS
Release        : 1.1.el6                            Build Date: Wed 18 Aug 2010
02:52:21 PM EDT
Install Date: Fri 06 Feb 2015 09:02:49 AM EST        Build Host:
c6b2.bsyz.dev.centos.org
Group          : User Interface/Desktops              Source RPM: hicolor-icon-
theme-0.11-1.1.el6.src.rpm
Size           : 45406                               License: GPL+
Signature      : RSA/8, Sun 03 Jul 2011 12:13:15 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://icon-theme.freedesktop.org/wiki/HicolorTheme
Summary        : Basic requirement for icon themes
Description    :
Contains the basic directories and files needed for icon theme support.

```

Name : kbd-misc Relocations: (not relocatable)
Version : 1.15 Vendor: CentOS
Release : 11.el6 Build Date: Thu 11 Nov 2010
03:43:02 PM EST
Install Date: Fri 06 Feb 2015 09:04:18 AM EST Build Host:
c5b2.bsys.dev.centos.org
Group : System Environment/Base Source RPM: kbd-1.15-
11.el6.src.rpm
Size : 1443451 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:18:04 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://ftp.altlinux.org/pub/people/legion/kbd>
Summary : Data for kbd package
Description :
The kbd-misc package contains data for kbd package - console fonts,
keymaps etc. Please note that kbd-misc is not helpful without kbd.

Name : findutils Relocations: (not relocatable)
Version : 4.4.2 Vendor: CentOS
Release : 6.el6 Build Date: Thu 11 Nov 2010
02:50:57 AM EST
Install Date: Fri 06 Feb 2015 09:02:02 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Applications/File Source RPM: findutils-4.4.2-
6.el6.src.rpm
Size : 1446945 License: GPLv3+
Signature : RSA/8, Sun 03 Jul 2011 12:14:37 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/findutils/>
Summary : The GNU versions of find utilities (find and xargs)
Description :
The findutils package contains programs which will help you locate
files on your system. The find utility searches through a hierarchy
of directories looking for files which match a certain set of criteria
(such as a filename pattern). The xargs utility builds and executes
command lines from standard input arguments (usually lists of file
names generated by the find command).

You should install findutils because it includes tools that are very
useful for finding things on your system.

Name : audit Relocations: (not relocatable)
Version : 2.2 Vendor: CentOS
Release : 2.el6 Build Date: Fri 22 Jun 2012
05:43:24 AM EDT
Install Date: Fri 06 Feb 2015 09:06:12 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: audit-2.2-
2.el6.src.rpm
Size : 979444 License: GPLv2+
Signature : RSA/SHA1, Sun 24 Jun 2012 06:17:26 PM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://people.redhat.com/sgrubb/audit/>
Summary : User space tools for 2.6 kernel auditing
Description :
The audit package contains the user space utilities for
storing and searching the audit records generate by
the audit subsystem in the Linux 2.6 kernel.

Name : pulseaudio-libs-glib2 Relocations: (not relocatable)
Version : 0.9.21 Vendor: CentOS
Release : 14.el6_3 Build Date: Thu 12 Jul 2012
01:11:51 AM EDT
Install Date: Fri 06 Feb 2015 09:02:50 AM EST Build Host:
c6b7.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: pulseaudio-
0.9.21-14.el6_3.src.rpm
Size : 15384 License: LGPLv2+
Signature : RSA/SHA1, Thu 12 Jul 2012 07:53:15 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://pulseaudio.org/>
Summary : GLIB 2.x bindings for PulseAudio clients
Description :
This package contains bindings to integrate the PulseAudio client library
with
a GLIB 2.x based application.

Name : udev Relocations: (not relocatable)
Version : 147 Vendor: CentOS
Release : 2.46.el6 Build Date: Fri 22 Feb 2013
12:22:19 AM EST
Install Date: Fri 06 Feb 2015 09:04:21 AM EST Build Host:
c6b9.bsyzs.dev.centos.org
Group : System Environment/Base Source RPM: udev-147-
2.46.el6.src.rpm
Size : 1234356 License: GPLv2
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:47 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL :
<http://www.kernel.org/pub/linux/utils/kernel/hotplug/udev.html>
Summary : A userspace implementation of devfs
Description :
The udev package contains an implementation of devfs in
userspace using sysfs and netlink.

Name : libXtst Relocations: (not relocatable)
Version : 1.2.1 Vendor: CentOS
Release : 2.el6 Build Date: Thu 21 Feb 2013
02:19:18 PM EST
Install Date: Fri 06 Feb 2015 09:02:03 AM EST Build Host:
c6b9.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: libXtst-1.2.1-
2.el6.src.rpm

Size : 59596 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:14 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXtst runtime library
Description :
X.Org X11 libXtst runtime library

Name : perl-Time-HiRes Relocations: (not relocatable)
Version : 1.9721 Vendor: CentOS
Release : 129.el6 Build Date: Thu 21 Feb 2013
10:04:33 PM EST

Install Date: Fri 06 Feb 2015 09:06:12 AM EST Build Host:
c6b7.bsyzs.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
129.el6.src.rpm
Size : 57406 License: GPL+ or Artistic
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:33 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : High resolution alarm, sleep, gettimeofday, interval timers
Description :
The Time::HiRes module implements a Perl interface to the usleep,
nanosleep,
ualarm, gettimeofday, and setitimer/getitimer system calls, in other
words,
high resolution time and timers. See the "EXAMPLES" section below and the
test
scripts for usage; see your system documentation for the description of
the
underlying nanosleep or usleep, ualarm, gettimeofday, and
setitimer/getitimer
calls.

Name : libcanberra Relocations: (not relocatable)
Version : 0.22 Vendor: CentOS
Release : 1.el6.centos Build Date: Fri 02 Dec 2011
04:56:08 AM EST

Install Date: Fri 06 Feb 2015 09:02:52 AM EST Build Host:
c6b6.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: libcanberra-
0.22-1.el6.centos.src.rpm
Size : 179160 License: LGPLv2+
Signature : RSA/SHA1, Fri 02 Dec 2011 07:46:09 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://git.0pointer.de/?p=libcanberra.git;a=summary>
Summary : Portable Sound Event Library
Description :
A small and lightweight implementation of the XDG Sound Theme
Specification
(<http://0pointer.de/public/sound-theme-spec.html>).

Name : phonon-backend-gstreamer Relocations: (not relocatable)
Version : 4.6.2 Vendor: CentOS
Release : 25.el6 Build Date: Fri 07 Sep 2012
12:33:27 PM EDT
Install Date: Fri 06 Feb 2015 09:04:28 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : Applications/Multimedia Source RPM: qt-4.6.2-
25.el6.src.rpm
Size : 246840 License: (LGPLv2 with
exceptions or GPLv3 with exceptions) and ASL 2.0 and BSD and FLT and MIT
Signature : RSA/SHA1, Fri 07 Sep 2012 01:57:28 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.qtsoftware.com/>
Summary : Gstreamer phonon backend
Description :
Gstreamer phonon backend.

Name : procps Relocations: (not relocatable)
Version : 3.2.8 Vendor: CentOS
Release : 25.el6 Build Date: Thu 15 Nov 2012
08:54:14 AM EST
Install Date: Fri 06 Feb 2015 09:02:04 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : Applications/System Source RPM: procps-3.2.8-
25.el6.src.rpm
Size : 465911 License: GPLv2+ and
LGPLv2+
Signature : RSA/SHA1, Thu 15 Nov 2012 09:57:08 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://procps.sourceforge.net>
Summary : System and process monitoring utilities
Description :
The procps package contains a set of system utilities that provide
system information. Procps includes ps, free, skill, pkill, pgrep,
snice, tload, top, uptime, vmstat, w, watch and pdwx. The ps command
displays a snapshot of running processes. The top command provides
a repetitive update of the statuses of running processes. The free
command displays the amounts of free and used memory on your
system. The skill command sends a terminate command (or another
specified signal) to a specified set of processes. The snice
command is used to change the scheduling priority of specified
processes. The tload command prints a graph of the current system
load average to a specified tty. The uptime command displays the
current time, how long the system has been running, how many users
are logged on, and system load averages for the past one, five,
and fifteen minutes. The w command displays a list of the users
who are currently logged on and what they are running. The watch
program watches a running program. The vmstat command displays
virtual memory statistics about processes, memory, paging, block
I/O, traps, and CPU activity. The pdwx command reports the current
working directory of a process or processes.

Name : crash-gcore-command Relocations: (not relocatable)
 Version : 1.0 Vendor: FUJITSU LIMITED
 Release : 3.el6 Build Date: Fri 22 Jun 2012
 02:10:01 AM EDT
 Install Date: Fri 06 Feb 2015 09:06:27 AM EST Build Host:
 c6b8.bsys.dev.centos.org
 Group : Development/Debuggers Source RPM: crash-gcore-
 command-1.0-3.el6.src.rpm
 Size : 88671 License: GPLv2
 Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:47 PM EDT, Key ID
 0946fca2c105b9de
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>
 URL : [http://people.redhat.com/anderson/extensions/crash-gcore-
 command-1.0.tar.gz](http://people.redhat.com/anderson/extensions/crash-gcore-command-1.0.tar.gz)
 Summary : Gcore extension module for the crash utility
 Description :
 Command for creating a core dump file of a user-space task that was
 running in a kernel dumpfile.

Name : festvox-slt-arctic-hts Relocations: (not relocatable)
 Version : 0.20061229 Vendor: CentOS
 Release : 18.el6 Build Date: Thu 11 Nov 2010
 02:34:29 AM EST
 Install Date: Fri 06 Feb 2015 09:02:54 AM EST Build Host:
 c6b4.bsys.dev.centos.org
 Group : Applications/Multimedia Source RPM: festival-1.96-
 18.el6.src.rpm
 Size : 2257839 License: MIT and GPL+ and
 TCL
 Signature : RSA/8, Sun 03 Jul 2011 12:08:20 AM EDT, Key ID
 0946fca2c105b9de
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>
 URL : <http://www.cstr.ed.ac.uk/projects/festival/>
 Summary : US English female speaker "SLT" for Festival
 Description :
 US English female speaker ("SLT") voice for Festival.

This is a HMM-based Speech Synthesis System (HTS) voice from the Nagoya
 Institute of Technology, trained using the CMU ARCTIC database. This
 voice
 is based on 1132 utterances spoken by a US English female speaker. The
 speaker is experienced in building synthetic voices. This was recorded at
 16bit 32KHz, in a sound proof room, in stereo, one channel was the
 waveform,
 the other EGG. The database was automatically labelled using CMU Sphinx
 using the FestVox labelling scripts. No hand correction has been made.

Name : mdadm Relocations: (not relocatable)
 Version : 3.2.5 Vendor: CentOS
 Release : 4.el6 Build Date: Thu 21 Feb 2013
 10:18:37 PM EST
 Install Date: Fri 06 Feb 2015 09:04:28 AM EST Build Host:
 c6b9.bsys.dev.centos.org

Group : System Environment/Base Source RPM: mdadm-3.2.5-4.el6.src.rpm
Size : 860588 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:32 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.kernel.org/pub/linux/utils/raid/mdadm/>
Summary : The mdadm program controls Linux md devices (software RAID arrays)
Description :
The mdadm program is used to create, manage, and monitor Linux MD (software RAID) devices. As such, it provides similar functionality to the raidtools package. However, mdadm is a single program, and it can perform almost all functions without a configuration file, though a configuration file can be used to help with some common tasks.

Name : libgcrypt Relocations: (not relocatable)
Version : 1.4.5 Vendor: CentOS
Release : 9.el6_2.2 Build Date: Mon 16 Apr 2012 09:21:58 AM EDT
Install Date: Fri 06 Feb 2015 09:02:04 AM EST Build Host: c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libgcrypt-1.4.5-9.el6_2.2.src.rpm
Size : 536622 License: LGPLv2+
Signature : RSA/SHA1, Mon 16 Apr 2012 09:42:27 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnupg.org/>
Summary : A general-purpose cryptography library
Description :
Libgcrypt is a general purpose crypto library based on the code used in GNU Privacy Guard. This is a development version.

Name : lsof Relocations: (not relocatable)
Version : 4.82 Vendor: CentOS
Release : 4.el6 Build Date: Tue 03 Apr 2012 11:46:27 AM EDT
Install Date: Fri 06 Feb 2015 09:06:28 AM EST Build Host: c6b6.bsys.dev.centos.org
Group : Development/Debuggers Source RPM: lsof-4.82-4.el6.src.rpm
Size : 911411 License: zlib
Signature : RSA/SHA1, Tue 03 Apr 2012 12:02:30 PM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://lsof.itap.purdue.edu/pub/tools/unix/lsof>
Summary : A utility which lists open files on a Linux/UNIX system
Description :
Lsof stands for LiSt Open Files, and it does just that: it lists information about files that are open by the processes running on a UNIX system.

Name : bind-libs Relocations: (not relocatable)
Version : 9.8.2 Vendor: CentOS
Release : 0.17.rc1.el6 Build Date: Thu 21 Feb 2013
10:10:36 PM EST
Install Date: Fri 06 Feb 2015 09:02:57 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : Applications/System Source RPM: bind-9.8.2-
0.17.rc1.el6.src.rpm
Size : 2302096 License: ISC
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:03 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.isc.org/products/BIND/>
Summary : Libraries used by the BIND DNS packages
Description :
Contains libraries used by both the bind server package as well as the
utils
packages.

Name : zenity Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 1.el6 Build Date: Mon 16 Aug 2010
07:12:21 PM EDT
Install Date: Fri 06 Feb 2015 09:04:32 AM EST Build Host:
c6b2.bsys.dev.centos.org
Group : Applications/System Source RPM: zenity-2.28.0-
1.el6.src.rpm
Size : 4338271 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:07:05 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://directory.fsf.org/zenity.html>
Summary : Display dialog boxes from shell scripts
Description :
Zenity lets you display Gtk+ dialog boxes from the command line and
through
shell scripts. It is similar to gdialog, but is intended to be saner. It
comes
from the same family as dialog, Xdialog, and cdialog.

Name : xmlrpc-c Relocations: (not relocatable)
Version : 1.16.24 Vendor: CentOS
Release : 1209.1840.el6 Build Date: Fri 22 Jun 2012
05:25:01 AM EDT
Install Date: Fri 06 Feb 2015 09:02:05 AM EST Build Host:
c6b10.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: xmlrpc-c-
1.16.24-1209.1840.el6.src.rpm
Size : 269113 License: BSD and MIT
Signature : RSA/SHA1, Sun 24 Jun 2012 06:17:17 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://xmlrpc-c.sourceforge.net/>

Summary : A lightweight RPC library based on XML and HTTP
Description :
XML-RPC is a quick-and-easy way to make procedure calls over the Internet. It converts the procedure call into XML document, sends it to a remote server using HTTP, and gets back the response as XML.

This library provides a modular implementation of XML-RPC for C.

Name : nfs4-acl-tools Relocations: (not relocatable)
Version : 0.3.3 Vendor: CentOS
Release : 6.el6 Build Date: Fri 22 Jun 2012
02:10:47 AM EDT
Install Date: Fri 06 Feb 2015 09:06:29 AM EST Build Host:
c6b10.bsys.dev.centos.org
Group : Applications/System Source RPM: nfs4-acl-tools-
0.3.3-6.el6.src.rpm
Size : 104480 License: BSD
Signature : RSA/SHA1, Sun 24 Jun 2012 06:20:10 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.citi.umich.edu/projects/nfsv4/linux/>
Summary : The nfs4 ACL tools
Description :
This package contains commandline and GUI ACL utilities for the Linux NFSv4 client.

Name : libspectre Relocations: (not relocatable)
Version : 0.2.4 Vendor: CentOS
Release : 1.el6 Build Date: Mon 23 Aug 2010
12:31:44 AM EDT
Install Date: Fri 06 Feb 2015 09:03:04 AM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libspectre-
0.2.4-1.el6.src.rpm
Size : 84276 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:39:17 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://libspectre.freedesktop.org>
Summary : A library for rendering PostScript(TM) documents
Description :
libspectre is a small library for rendering PostScript(TM) documents. It provides a convenient easy to use API for handling and rendering PostScript documents.

Name : python-meh Relocations: (not relocatable)
Version : 0.12.1 Vendor: CentOS
Release : 3.el6 Build Date: Fri 22 Jun 2012
05:53:55 AM EDT
Install Date: Fri 06 Feb 2015 09:04:39 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: python-meh-
0.12.1-3.el6.src.rpm
Size : 190627 License: GPLv2+

Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:41 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://git.fedorahosted.org/git/?p=python-meh.git>
Summary : A python library for handling exceptions
Description :
The python-meh package is a python library for handling, saving, and
reporting
exceptions.

Name : psmisc Relocations: (not relocatable)
Version : 22.6 Vendor: CentOS
Release : 15.el6_0.1 Build Date: Sat 25 Jun 2011
02:02:12 AM EDT
Install Date: Fri 06 Feb 2015 09:02:07 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Applications/System Source RPM: psmisc-22.6-
15.el6_0.1.src.rpm
Size : 222302 License: GPLv2+
Signature : RSA/8, Tue 05 Jul 2011 09:45:24 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceforge.net/projects/psmisc>
Summary : Utilities for managing processes on your system
Description :
The psmisc package contains utilities for managing processes on your
system: pstree, killall and fuser. The pstree command displays a tree
structure of all of the running processes on your system. The killall
command sends a specified signal (SIGTERM if nothing is specified) to
processes identified by name. The fuser command identifies the PIDs
of processes that are using specified files or filesystems.

Name : dejavu-sans-mono-fonts Relocations: (not relocatable)
Version : 2.30 Vendor: CentOS
Release : 2.el6 Build Date: Wed 10 Nov 2010
11:23:58 PM EST
Install Date: Fri 06 Feb 2015 09:06:44 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : User Interface/X Source RPM: dejavu-fonts-
2.30-2.el6.src.rpm
Size : 1078519 License: Bitstream Vera
and Public Domain
Signature : RSA/8, Sun 03 Jul 2011 12:04:24 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://dejavu-fonts.org/>
Summary : Monospace sans-serif font faces
Description :

The DejaVu font set is based on the "Bitstream Vera" fonts, release 1.10.
Its
purpose is to provide a wider range of characters, while maintaining the
original style, using an open collaborative development process.

This package consists of the DejaVu sans-serif monospace font faces, in their unabridged version.

Name : nss-tools Relocations: (not relocatable)
Version : 3.14.0.0 Vendor: CentOS
Release : 12.el6 Build Date: Fri 22 Feb 2013
05:55:38 PM EST
Install Date: Fri 06 Feb 2015 09:03:06 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Base Source RPM: nss-3.14.0.0-
12.el6.src.rpm
Size : 2886944 License: MPLv2.0
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:50 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mozilla.org/projects/security/pki/nss/>
Summary : Tools for the Network Security Services
Description :
Network Security Services (NSS) is a set of libraries designed to support cross-platform development of security-enabled client and server applications. Applications built with NSS can support SSL v2 and v3, TLS, PKCS #5, PKCS #7, PKCS #11, PKCS #12, S/MIME, X.509 v3 certificates, and other security standards.

Install the nss-tools package if you need command-line tools to manipulate the NSS certificate and key database.

Name : nautilus-extensions Relocations: (not relocatable)
Version : 2.28.4 Vendor: CentOS
Release : 19.el6 Build Date: Fri 22 Jun 2012
04:07:58 AM EDT
Install Date: Fri 06 Feb 2015 09:04:40 AM EST Build Host:
c6b10.bsys.dev.centos.org
Group : Development/Libraries Source RPM: nautilus-2.28.4-
19.el6.src.rpm
Size : 35936 License: LGPLv2+
Signature : RSA/SHA1, Sun 24 Jun 2012 06:16:44 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://projects.gnome.org/nautilus/>
Summary : Nautilus extensions library
Description :
This package provides the libraries used by nautilus extensions.

Name : dbus-x11 Relocations: (not relocatable)
Version : 1.2.24 Vendor: CentOS
Release : 7.el6_3 Build Date: Thu 13 Sep 2012
01:04:30 PM EDT
Install Date: Fri 06 Feb 2015 09:02:08 AM EST Build Host:
c6b10.bsys.dev.centos.org
Group : Development/Libraries Source RPM: dbus-1.2.24-
7.el6_3.src.rpm
Size : 28915 License: GPLv2+ or AFL

Signature : RSA/SHA1, Thu 13 Sep 2012 01:37:17 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/software/dbus/>
Summary : X11-requiring add-ons for D-BUS
Description :
D-BUS contains some tools that require Xlib to be installed, those are
in this separate package so server systems need not install X.

Name : lohit-devanagari-fonts Relocations: (not relocatable)
Version : 2.4.3 Vendor: CentOS
Release : 7.el6 Build Date: Sat 25 Jun 2011
02:31:22 AM EDT
Install Date: Fri 06 Feb 2015 09:07:02 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : User Interface/X Source RPM: lohit-devanagari-
fonts-2.4.3-7.el6.src.rpm
Size : 113695 License: GPLv2 with
exceptions

Signature : RSA/8, Tue 05 Jul 2011 09:40:40 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/lohit/>
Summary : Free Devanagari Script Font
Description :
This package provides a free Devanagari Script TrueType/OpenType font.

Name : rpm Relocations: (not relocatable)
Version : 4.8.0 Vendor: CentOS
Release : 32.el6 Build Date: Thu 21 Feb 2013
09:13:55 PM EST
Install Date: Fri 06 Feb 2015 09:03:07 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Base Source RPM: rpm-4.8.0-
32.el6.src.rpm
Size : 2031240 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:17 PM EST, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.rpm.org/>
Summary : The RPM package management system
Description :
The RPM Package Manager (RPM) is a powerful command line driven
package management system capable of installing, uninstalling,
verifying, querying, and updating software packages. Each software
package consists of an archive of files along with information about
the package like its version, a description, etc.

Name : system-setup-keyboard Relocations: (not relocatable)
Version : 0.7 Vendor: CentOS
Release : 4.el6 Build Date: Thu 11 Nov 2010
01:47:45 PM EST
Install Date: Fri 06 Feb 2015 09:04:43 AM EST Build Host:
c6b4.bsys.dev.centos.org

Group : Applications/System Source RPM: system-setup-keyboard-0.7-4.el6.src.rpm
Size : 14409 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 01:02:47 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://git.fedorahosted.org/git/system-setup-keyboard.git/>
Summary : Hal keyboard layout callout
Description :
system-setup-keyboard gets invoked by hal to apply the keyboard layout defined in /etc/sysconfig/keyboard.

Name : elfutils-libs Relocations: (not relocatable)
Version : 0.152 Vendor: CentOS
Release : 1.el6 Build Date: Tue 19 Jul 2011 11:14:19 AM EDT
Install Date: Fri 06 Feb 2015 09:02:08 AM EST Build Host: c6b6.bsys.dev.centos.org
Group : Development/Tools Source RPM: elfutils-0.152-1.el6.src.rpm
Size : 488752 License: GPLv2 with exceptions
Signature : RSA/SHA1, Mon 26 Sep 2011 12:18:02 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/elfutils/>
Summary : Libraries to handle compiled objects
Description :
The elfutils-libs package contains libraries which implement DWARF, ELF, and machine-specific ELF handling. These libraries are used by the programs in the elfutils package. The elfutils-devel package enables building other programs using these libraries.

Name : lohit-tamil-fonts Relocations: (not relocatable)
Version : 2.4.5 Vendor: CentOS
Release : 5.el6 Build Date: Fri 23 Sep 2011 09:08:02 AM EDT
Install Date: Fri 06 Feb 2015 09:07:21 AM EST Build Host: c6b6.bsys.dev.centos.org
Group : User Interface/X Source RPM: lohit-tamil-fonts-2.4.5-5.el6.src.rpm
Size : 98270 License: GPLv2 with exceptions
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:28 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/lohit/>
Summary : Free Tamil font
Description :
This package provides a free Tamil truetype/opentype font.

Name : libgsf Relocations: (not relocatable)
Version : 1.14.15 Vendor: CentOS

Release : 5.el6 Build Date: Thu 11 Nov 2010
02:06:19 PM EST
Install Date: Fri 06 Feb 2015 09:03:09 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libgsf-1.14.15-
5.el6.src.rpm
Size : 346396 License: LGPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:34:55 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/projects/libgsf/>
Summary : GNOME Structured File library
Description :
A library for reading and writing structured files (eg MS OLE and Zip)

Name : gnome-session Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 18.el6 Build Date: Wed 07 Dec 2011
12:54:27 PM EST
Install Date: Fri 06 Feb 2015 09:04:46 AM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: gnome-session-
2.28.0-18.el6.src.rpm
Size : 1839090 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:05:32 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : GNOME session manager
Description :
gnome-session manages a GNOME desktop or GDM login session. It starts up
the other core GNOME components and handles logout and saving the
session.

Name : binutils Relocations: (not relocatable)
Version : 2.20.51.0.2 Vendor: CentOS
Release : 5.36.el6 Build Date: Thu 21 Feb 2013
05:15:29 PM EST
Install Date: Fri 06 Feb 2015 09:02:10 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Development/Tools Source RPM: binutils-
2.20.51.0.2-5.36.el6.src.rpm
Size : 9814963 License: GPLv3+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:00 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sources.redhat.com/binutils>
Summary : A GNU collection of binary utilities
Description :
Binutils is a collection of binary utilities, including ar (for
creating, modifying and extracting from archives), as (a family of GNU
assemblers), gprof (for displaying call graph profile data), ld (the
GNU linker), nm (for listing symbols from object files), objcopy (for
copying and translating object files), objdump (for displaying

information from object files), ranlib (for generating an index for the contents of an archive), readelf (for displaying detailed information about binary files), size (for listing the section sizes of an object or archive file), strings (for listing printable strings from files), strip (for discarding symbols), and addr2line (for converting addresses to file and line).

Name : rsh Relocations: (not relocatable)
Version : 0.17 Vendor: CentOS
Release : 60.el6 Build Date: Sun 22 Aug 2010
07:17:39 AM EDT
Install Date: Fri 06 Feb 2015 09:07:32 AM EST Build Host:
c6b4.bsyz.dev.centos.org
Group : Applications/Internet Source RPM: rsh-0.17-
60.el6.src.rpm
Size : 79374 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 01:00:36 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.uk.linux.org/pub/linux/Networking/netkit>
Summary : Clients for remote access commands (rsh, rlogin, rcp)
Description :
The rsh package contains a set of programs which allow users to run commands on remote machines, login to other machines and copy files between machines (rsh, rlogin and rcp). All three of these commands use rhosts style authentication. This package contains the clients needed for all of these services.
The rsh package should be installed to enable remote access to other machines

Name : zip Relocations: (not relocatable)
Version : 3.0 Vendor: CentOS
Release : 1.el6 Build Date: Thu 11 Nov 2010
10:26:40 AM EST
Install Date: Fri 06 Feb 2015 09:03:26 AM EST Build Host:
c6b3.bsyz.dev.centos.org
Group : Applications/Archiving Source RPM: zip-3.0-
1.el6.src.rpm
Size : 823612 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 01:07:05 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.info-zip.org/Zip.html>
Summary : A file compression and packaging utility compatible with PKZIP
Description :
The zip program is a compression and file packaging utility. Zip is analogous to a combination of the UNIX tar and compress commands and is compatible with PKZIP (a compression and file packaging utility for MS-DOS systems).

Install the zip package if you need to compress files using the zip program.

Name : xorg-x11-drv-trident Relocations: (not relocatable)
Version : 1.3.6 Vendor: CentOS
Release : 4.el6 Build Date: Sat 23 Feb 2013
03:13:54 PM EST
Install Date: Fri 06 Feb 2015 09:04:49 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-trident-1.3.6-4.el6.src.rpm
Size : 143460 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:16:22 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 trident video driver
Description :
X.Org X11 trident video driver.

Name : openjpeg-libs Relocations: (not relocatable)
Version : 1.3 Vendor: CentOS
Release : 9.el6_3 Build Date: Mon 17 Sep 2012
01:16:19 PM EDT
Install Date: Fri 06 Feb 2015 09:02:11 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: openjpeg-1.3-
9.el6_3.src.rpm
Size : 123200 License: BSD
Signature : RSA/SHA1, Mon 17 Sep 2012 03:49:14 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.openjpeg.org/>
Summary : JPEG 2000 codec library
Description :
The openjpeg-libs package contains runtime libraries for applications
that use
OpenJPEG.

Name : strace Relocations: (not relocatable)
Version : 4.5.19 Vendor: CentOS
Release : 1.17.el6 Build Date: Thu 21 Feb 2013
10:44:26 PM EST
Install Date: Fri 06 Feb 2015 09:07:33 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Development/Debuggers Source RPM: strace-4.5.19-
1.17.el6.src.rpm
Size : 546156 License: BSD
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:30 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceforge.net/projects/strace/>
Summary : Tracks and displays system calls associated with a running
process
Description :
The strace program intercepts and records the system calls called and
received by a running process. Strace can print a record of each

system call, its arguments and its return value. Strace is useful for diagnosing problems and debugging, as well as for instructional purposes.

Install strace if you need a tool to track the system calls made and received by a process.

```
Name           : m17n-lib                      Relocations: (not relocatable)
Version        : 1.5.5                          Vendor: CentOS
Release       : 2.el6_1.1                      Build Date: Fri 23 Sep 2011
07:12:17 AM EDT
Install Date: Fri 06 Feb 2015 09:03:28 AM EST    Build Host:
c6b18n1.dev.centos.org
Group         : System Environment/Libraries    Source RPM: m17n-lib-1.5.5-
2.el6_1.1.src.rpm
Size          : 362868                          License: LGPLv2+
Signature     : RSA/SHA1, Mon 26 Sep 2011 12:21:47 AM EDT, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           : http://www.m17n.org/m17n-lib/index.html
Summary       : Multilingual text library
Description   :
m17n-lib is a multilingual text library used primarily to allow
the input of many languages with the input table maps from m17n-db.
```

```
Name           : xorg-x11-drv- rendition        Relocations: (not relocatable)
Version        : 4.2.5                          Vendor: CentOS
Release       : 2.el6                          Build Date: Sat 23 Feb 2013
03:02:17 PM EST
Install Date: Fri 06 Feb 2015 09:04:49 AM EST    Build Host:
c6b8.bsyzs.dev.centos.org
Group         : User Interface/X Hardware Support Source RPM: xorg-x11-
drv- rendition-4.2.5-2.el6.src.rpm
Size          : 40354                          License: MIT
Signature     : RSA/SHA1, Sat 23 Feb 2013 04:15:35 PM EST, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           : http://www.x.org
Summary       : Xorg X11 rendition video driver
Description   :
X.Org X11 rendition video driver.
```

```
Name           : giflib                      Relocations: (not relocatable)
Version        : 4.1.6                          Vendor: CentOS
Release       : 3.1.el6                      Build Date: Thu 11 Nov 2010
04:03:51 AM EST
Install Date: Fri 06 Feb 2015 09:02:12 AM EST    Build Host:
c6b1.bsyzs.dev.centos.org
Group         : System Environment/Libraries    Source RPM: giflib-4.1.6-
3.1.el6.src.rpm
Size          : 81932                          License: MIT
Signature     : RSA/8, Sun 03 Jul 2011 12:16:39 AM EDT, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
```

URL : <http://www.sourceforge.net/projects/giflib/>
Summary : Library for manipulating GIF format image files
Description :
The giflib package contains a shared library of functions for loading and saving GIF format image files. It is API and ABI compatible with libungif, the library which supported uncompressed GIFs while the Unisys LZW patent was in effect.

Name : ql2400-firmware Relocations: (not relocatable)
Version : 5.08.00 Vendor: CentOS
Release : 1.el6 Build Date: Thu 21 Feb 2013
06:05:36 PM EST
Install Date: Fri 06 Feb 2015 09:07:37 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: ql2400-firmware-5.08.00-1.el6.src.rpm
Size : 258951 License: Redistributable,
no modification permitted
Signature : RSA/SHA1, Sat 23 Feb 2013 12:53:02 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.qlogic.com/outgoing/linux/firmware/>
Summary : Firmware for qlogic 2400 devices
Description :
Firmware for qlogic 2400 devices.

Name : java-1.5.0-gcj Relocations: (not relocatable)
Version : 1.5.0.0 Vendor: CentOS
Release : 29.1.el6 Build Date: Thu 11 Nov 2010
09:36:07 AM EST
Install Date: Fri 06 Feb 2015 09:03:35 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Languages Source RPM: java-1.5.0-gcj-1.5.0.0-29.1.el6.src.rpm
Size : 143079 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:25:54 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sources.redhat.com/rhug/java-gcj-compatible.html>
Summary : JPackage runtime compatibility layer for GCJ
Description :
This package installs directory structures, shell scripts and symbolic links to simulate a JPackage-compatible runtime environment with GCJ.

Name : xorg-x11-drv-modesetting Relocations: (not relocatable)
Version : 0.5.0 Vendor: CentOS
Release : 1.el6 Build Date: Sat 23 Feb 2013
02:49:34 PM EST
Install Date: Fri 06 Feb 2015 09:04:50 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-modesetting-0.5.0-1.el6.src.rpm
Size : 41893 License: MIT

Signature : RSA/SHA1, Sat 23 Feb 2013 04:14:56 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 modesetting video driver
Description :
X.Org X11 modesetting video driver - basic modesetting fallback driver.

Name : bc Relocations: (not relocatable)
Version : 1.06.95 Vendor: CentOS
Release : 1.el6 Build Date: Wed 10 Nov 2010
08:18:13 PM EST
Install Date: Fri 06 Feb 2015 09:02:13 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Applications/Engineering Source RPM: bc-1.06.95-
1.el6.src.rpm
Size : 217289 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:04:45 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/bc/>
Summary : GNU's bc (a numeric processing language) and dc (a
calculator)
Description :
The bc package includes bc and dc. Bc is an arbitrary precision
numeric processing arithmetic language. Dc is an interactive
arbitrary precision stack based calculator, which can be used as a
text mode calculator.

Install the bc package if you need its number handling capabilities or
if you would like to use its text mode calculator.

Name : zd1211-firmware Relocations: (not relocatable)
Version : 1.4 Vendor: CentOS
Release : 4.el6 Build Date: Fri 20 Aug 2010
09:31:47 PM EDT
Install Date: Fri 06 Feb 2015 09:07:38 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: zd1211-firmware-
1.4-4.el6.src.rpm
Size : 65337 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:55:47 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://zd1211.wiki.sourceforge.net>
Summary : Firmware for wireless devices based on zd1211 chipset
Description :
This package contains the firmware required to work with the zd1211
chipset.

Name : gnome-icon-theme Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010
05:57:38 AM EST

Install Date: Fri 06 Feb 2015 09:03:41 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: gnome-icon-theme-
2.28.0-2.el6.src.rpm
Size : 11781508 License: GPL+
Signature : RSA/8, Sun 03 Jul 2011 12:10:54 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : GNOME icon theme
Description :
This package contains the default icon theme used by the GNOME desktop.

Name : xorg-x11-drv-fpit Relocations: (not relocatable)
Version : 1.4.0 Vendor: CentOS
Release : 5.el6 Build Date: Sat 23 Feb 2013
02:35:54 PM EST
Install Date: Fri 06 Feb 2015 09:04:50 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-fpit-1.4.0-5.el6.src.rpm
Size : 16910 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:14:01 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 fpit input driver
Description :
X.Org X11 fpit input driver.

Name : libselinux-utils Relocations: (not relocatable)
Version : 2.0.94 Vendor: CentOS
Release : 5.3.el6 Build Date: Fri 22 Jun 2012
03:51:44 AM EDT
Install Date: Fri 06 Feb 2015 09:02:15 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : Development/Libraries Source RPM: libselinux-
2.0.94-5.3.el6.src.rpm
Size : 62593 License: Public Domain
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:19 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.selinuxproject.org>
Summary : SELinux libselinux utilies
Description :
The libselinux-utils package contains the utilities

Name : ipw2200-firmware Relocations: (not relocatable)
Version : 3.1 Vendor: CentOS
Release : 4.el6 Build Date: Fri 20 Aug 2010
10:00:27 PM EDT
Install Date: Fri 06 Feb 2015 09:07:39 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: ipw2200-firmware-
3.1-4.el6.src.rpm

Size : 576425 License: Redistributable,
no modification permitted
Signature : RSA/8, Sun 03 Jul 2011 12:16:16 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://ipw2200.sourceforge.net/firmware.php>
Summary : Firmware for Intel® PRO/Wireless 2200 network adaptors
Description :
This package contains the firmware files required by the ipw2200 driver
for
Linux. Usage of the firmware is subject to the terms and conditions
contained
in /lib/firmware/LICENSE.ipw2200. Please read it carefully.

Name : classpathx-mail Relocations: (not relocatable)
Version : 1.1.1 Vendor: CentOS
Release : 9.4.el6 Build Date: Wed 10 Nov 2010
09:43:20 PM EST
Install Date: Fri 06 Feb 2015 09:03:43 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: classpathx-mail-
1.1.1-9.4.el6.src.rpm
Size : 842081 License: GPLv2+ with
exceptions
Signature : RSA/8, Sun 03 Jul 2011 12:02:24 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/classpathx/>
Summary : GNU JavaMail(tm)
Description :
GNU JavaMail(tm) is a free implementation of the JavaMail API.

Name : xorg-x11-drv-acecad Relocations: (not relocatable)
Version : 1.5.0 Vendor: CentOS
Release : 6.el6 Build Date: Sat 23 Feb 2013
02:20:12 PM EST
Install Date: Fri 06 Feb 2015 09:04:50 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-acecad-1.5.0-6.el6.src.rpm
Size : 18868 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:13:20 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 acecad input driver
Description :
X.Org X11 acecad input driver.

Name : libfontenc Relocations: (not relocatable)
Version : 1.0.5 Vendor: CentOS
Release : 2.el6 Build Date: Tue 17 Aug 2010
03:40:00 AM EDT

Install Date: Fri 06 Feb 2015 09:02:16 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libfontenc-
1.0.5-2.el6.src.rpm
Size : 40605 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:33:41 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libfontenc runtime library
Description :
X.Org X11 libfontenc runtime library

Name : libxcb Relocations: (not relocatable)
Version : 1.8.1 Vendor: CentOS
Release : 1.el6 Build Date: Thu 21 Feb 2013
05:18:56 PM EST

Install Date: Fri 06 Feb 2015 09:07:41 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libxcb-1.8.1-
1.el6.src.rpm
Size : 517860 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:50:56 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://xcb.freedesktop.org/>
Summary : A C binding to the X11 protocol
Description :
The X protocol C-language Binding (XCB) is a replacement for Xlib
featuring a
small footprint, latency hiding, direct access to the protocol, improved
threading support, and extensibility.

Name : gdm-libs Relocations: (not relocatable)
Version : 2.30.4 Vendor: CentOS
Release : 39.el6 Build Date: Thu 21 Feb 2013
08:25:25 PM EST

Install Date: Fri 06 Feb 2015 09:03:47 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Development/Libraries Source RPM: gdm-2.30.4-
39.el6.src.rpm
Size : 78248 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:50 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/gdm>
Summary : GDM plugin libs
Description :
The GDM libs subpackage contains experimental libraries for developing
GDM plugins.

Name : wireless-tools Relocations: (not relocatable)
Version : 29 Vendor: CentOS

Release : 5.1.1.el6 Build Date: Wed 18 Aug 2010
10:30:25 AM EDT
Install Date: Fri 06 Feb 2015 09:04:53 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Base Source RPM: wireless-tools-
29-5.1.1.el6.src.rpm
Size : 211891 License: GPL+
Signature : RSA/8, Sun 03 Jul 2011 01:05:15 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL :
http://www.hpl.hp.com/personal/Jean_Tourrilhes/Linux/Tools.html
Summary : Wireless ethernet configuration tools
Description :
This package contain the Wireless tools, used to manipulate
the Wireless Extensions. The Wireless Extension is an interface
allowing you to set Wireless LAN specific parameters and get the
specific stats for wireless networking equipment.

Name : dmidecode Relocations: (not relocatable)
Version : 2.11 Vendor: CentOS
Release : 2.el6 Build Date: Wed 07 Dec 2011
09:57:49 AM EST
Install Date: Fri 06 Feb 2015 09:02:17 AM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : System Environment/Base Source RPM: dmidecode-2.11-
2.el6.src.rpm
Size : 192620 License: GPLv2+
Signature : RSA/SHA1, Sat 10 Dec 2011 06:00:51 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.nongnu.org/dmidecode/>
Summary : Tool to analyse BIOS DMI data
Description :
dmidecode reports information about x86 & ia64 hardware as described in
the
system BIOS according to the SMBIOS/DMI standard. This information
typically includes system manufacturer, model name, serial number,
BIOS version, asset tag as well as a lot of other details of varying
level of interest and reliability depending on the manufacturer.

This will often include usage status for the CPU sockets, expansion
slots (e.g. AGP, PCI, ISA) and memory module slots, and the list of
I/O ports (e.g. serial, parallel, USB).

Name : perl-Archive-Zip Relocations: (not relocatable)
Version : 1.30 Vendor: CentOS
Release : 2.el6 Build Date: Fri 12 Nov 2010
08:41:32 AM EST
Install Date: Fri 06 Feb 2015 09:09:13 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-Archive-Zip-
1.30-2.el6.src.rpm
Size : 307222 License: GPL+ or Artistic

Signature : RSA/8, Sun 03 Jul 2011 12:36:58 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://search.cpan.org/dist/Archive-Zip/>

Summary : Perl library for accessing Zip archives

Description :

The Archive::Zip module allows a Perl program to create, manipulate, read, and write Zip archive files.

Zip archives can be created, or you can read from existing zip files.

Once created, they can be written to files, streams, or strings.

Members can be added, removed, extracted, replaced, rearranged, and enumerated. They can also be renamed or have their dates, comments, or other attributes queried or modified. Their data can be compressed or uncompressed as needed. Members can be created from members in existing Zip files, or from existing directories, files, or strings.

Name : gnome-media

Relocations: (not relocatable)

Version : 2.29.91

Vendor: CentOS

Release : 6.el6

Build Date: Thu 11 Nov 2010

06:30:23 AM EST

Install Date: Fri 06 Feb 2015 09:03:49 AM EST

Build Host:

c6b3.bsyz.dev.centos.org

Group : Applications/Multimedia

Source RPM: gnome-media-

2.29.91-6.el6.src.rpm

Size : 1207587

License: GPLv2+ and GFDL

Signature : RSA/8, Sun 03 Jul 2011 12:18:10 AM EDT, Key ID

0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.gnome.org>

Summary : GNOME media programs

Description :

This package contains a few media utilities for the GNOME desktop, including a volume control and a configuration utility for audio profiles.

Name : rsyslog

Relocations: (not relocatable)

Version : 5.8.10

Vendor: CentOS

Release : 6.el6

Build Date: Fri 22 Feb 2013

12:07:15 AM EST

Install Date: Fri 06 Feb 2015 09:04:57 AM EST

Build Host:

c6b8.bsyz.dev.centos.org

Group : System Environment/Daemons

Source RPM: rsyslog-5.8.10-

6.el6.src.rpm

Size : 2179064

License: (GPLv3+ and ASL

2.0)

Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:31 PM EST, Key ID

0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.rsyslog.com/>

Summary : Enhanced system logging and kernel message trapping daemons

Description :

Rsyslog is an enhanced, multi-threaded syslog daemon. It supports MySQL, syslog/TCP, RFC 3195, permitted sender lists, filtering on any message part,

and fine grain output format control. It is compatible with stock
sysklogd
and can be used as a drop-in replacement. Rsyslog is simple to set up,
with
advanced features suitable for enterprise-class, encryption-protected
syslog
relay chains.

Name : liboil Relocations: (not relocatable)
Version : 0.3.16 Vendor: CentOS
Release : 4.1.el6 Build Date: Thu 19 Aug 2010
03:46:50 AM EDT
Install Date: Fri 06 Feb 2015 09:02:20 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: liboil-0.3.16-
4.1.el6.src.rpm
Size : 593601 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:37:31 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://liboil.freedesktop.org/>
Summary : Library of Optimized Inner Loops, CPU optimized functions
Description :
Liboil is a library of simple functions that are optimized for various
CPUs.
These functions are generally loops implementing simple algorithms, such
as
converting an array of N integers to floating-point numbers or
multiplying
and summing an array of N numbers. Clearly such functions are candidates
for
significant optimization using various techniques, especially by using
extended instructions provided by modern CPUs (Altivec, MMX, SSE, etc.).

Name : perl-Proc-ProcessTable Relocations: (not relocatable)
Version : 0.45 Vendor: Dag Apt
Repository, <http://dag.wieers.com/apt/>
Release : 1.el6.rf Build Date: Thu 11 Nov 2010
12:32:30 AM EST
Install Date: Fri 06 Feb 2015 09:09:15 AM EST Build Host:
lisse.hasselt.wieers.com
Group : Applications/CPAN Source RPM: perl-Proc-
ProcessTable-0.45-1.el6.rf.src.rpm
Size : 187806 License: Artistic/GPL
Signature : DSA/SHA1, Thu 11 Nov 2010 01:29:46 AM EST, Key ID
a20e52146b8d79e6
Packager : Dag Wieers <dag@wieers.com>
URL : <http://search.cpan.org/dist/Proc-ProcessTable/>
Summary : Perl interface to the UNIX process table
Description :
This module is a first crack at providing a consistent interface to
Unix (and maybe other multitasking OS's) process table information.
The impetus for this came about with my frustration at having to parse
the output of various systems' ps commands to check whether specific

processes were running on different boxes at a larged mixed UNIX site. The output format of ps was different on each OS, and sometimes changed with each new release of an OS. Also, running a ps subprocess from within a perl or shell script and parsing the output was not a very efficient or aesthetic way to do things.

Name : regexp Relocations: (not relocatable)
Version : 1.5 Vendor: CentOS
Release : 4.4.el6 Build Date: Fri 20 Aug 2010
10:53:38 PM EDT
Install Date: Fri 06 Feb 2015 09:03:52 AM EST Build Host:
c6b4.bsyzs.dev.centos.org
Group : Development/Libraries/Java Source RPM: regexp-1.5-
4.4.el6.src.rpm
Size : 253985 License: ASL 2.0
Signature : RSA/8, Sun 03 Jul 2011 01:00:18 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://jakarta.apache.org/regexp/>
Summary : Simple regular expressions API
Description :
Regexp is a 100% Pure Java Regular Expression package that was
graciously donated to the Apache Software Foundation by Jonathan Locke.
He originally wrote this software back in 1996 and it has stood up quite
well to the test of time.
It includes complete Javadoc documentation as well as a simple Applet
for visual debugging and testing suite for compatibility.

Name : yp-tools Relocations: (not relocatable)
Version : 2.9 Vendor: CentOS
Release : 12.el6 Build Date: Wed 07 Dec 2011
02:34:15 PM EST
Install Date: Fri 06 Feb 2015 09:04:59 AM EST Build Host:
c6b4.bsyzs.dev.centos.org
Group : System Environment/Base Source RPM: yp-tools-2.9-
12.el6.src.rpm
Size : 171212 License: GPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 04:44:49 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.linux-nis.org/nis/yp-tools/index.html>
Summary : NIS (or YP) client programs
Description :
The Network Information Service (NIS) is a system which provides
network information (login names, passwords, home directories, group
information) to all of the machines on a network. NIS can enable
users to login on any machine on the network, as long as the machine
has the NIS client programs running and the user's password is
recorded in the NIS passwd database. NIS was formerly known as Sun
Yellow Pages (YP).

This package's NIS implementation is based on FreeBSD's YP and is a
special port for glibc 2.x and libc versions 5.4.21 and later. This
package only provides the NIS client programs. In order to use the

clients, you'll need to already have an NIS server running on your network. An NIS server is provided in the ypserv package.

Install the yp-tools package if you need NIS client programs for machines on your network. You will also need to install the ypbind package on every machine running NIS client programs. If you need an NIS server, you'll need to install the ypserv package on one machine on the network.

```
Name       : perl-Module-Pluggable      Relocations: (not relocatable)
Version    : 3.90                      Vendor: CentOS
Release    : 129.el6                   Build Date: Thu 21 Feb 2013
10:04:33 PM EST
Install Date: Fri 06 Feb 2015 09:02:21 AM EST      Build Host:
c6b7.bsyzs.dev.centos.org
Group      : Development/Libraries        Source RPM: perl-5.10.1-
129.el6.src.rpm
Size       : 31031                      License: GPL+ or Artistic
Signature  : RSA/SHA1, Sat 23 Feb 2013 12:41:54 PM EST, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://www.perl.org/
Summary    : Automatically give your module the ability to have plugins
Description :
Provides a simple but, hopefully, extensible way of having 'plugins' for
your module.
```

```
Name       : perl-perlindex            Relocations: (not relocatable)
Version    : 1.605                     Vendor: (none)
Release    : 1                         Build Date: Thu 15 Jul 2010
09:36:33 AM EDT
Install Date: Fri 06 Feb 2015 09:09:19 AM EST      Build Host: lorax
Group      : Applications/CPAN          Source RPM: perl-perlindex-
1.605-1.src.rpm
Size       : 29214                      License: Artistic/GPL
Signature  : (none)
Packager   : Jason Messmer <Jason.Messmer@xerox.com>
URL        : http://search.cpan.org/dist/perlindex/
Summary    : Index and query perl manual pages
Description :
Index and query perl manual pages.
```

```
Name       : libfprint                 Relocations: (not relocatable)
Version    : 0.1.0                     Vendor: CentOS
Release    : 19.pre2.el6               Build Date: Fri 12 Nov 2010
04:36:44 AM EST
Install Date: Fri 06 Feb 2015 09:03:55 AM EST      Build Host:
c6b1.bsyzs.dev.centos.org
Group      : System Environment/Libraries  Source RPM: libfprint-0.1.0-
19.pre2.el6.src.rpm
Size       : 266950                      License: LGPLv2+
Signature  : RSA/8, Sun 03 Jul 2011 12:33:46 AM EDT, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://www.reactivated.net/fprint/wiki/Main_Page
```


Summary : Tool kit for fingerprint scanner

Description :

libfprint offers support for consumer fingerprint reader devices.

Name : cronie-anacron Relocations: (not relocatable)
Version : 1.4.4 Vendor: CentOS
Release : 7.el6 Build Date: Tue 19 Jul 2011
12:55:56 AM EDT
Install Date: Fri 06 Feb 2015 09:05:01 AM EST Build Host:
c6b5.bsyz.dev.centos.org
Group : System Environment/Base Source RPM: cronie-1.4.4-
7.el6.src.rpm
Size : 44018 License: MIT and BSD and
ISC and GPLv2
Signature : RSA/SHA1, Mon 26 Sep 2011 12:17:22 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/cronie>
Summary : Utility for running regular jobs
Description :
Anacron became part of cronie. Anacron is used only for running regular
jobs.
The default settings execute regular jobs by anacron, however this could
be
overloaded in settings.

Name : perl-ExtUtils-ParseXS Relocations: (not relocatable)
Version : 2.2003.0 Vendor: CentOS
Release : 129.el6 Build Date: Thu 21 Feb 2013
10:04:33 PM EST
Install Date: Fri 06 Feb 2015 09:02:25 AM EST Build Host:
c6b7.bsyz.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
129.el6.src.rpm
Size : 62208 License: GPL+ or Artistic
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:33 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Module and a script for converting Perl XS code into C code
Description :
ExtUtils::ParseXS will compile XS code into C code by embedding the
constructs necessary to let C functions manipulate Perl values and
creates the glue necessary to let Perl access those functions.

Name : bash Relocations: (not relocatable)
Version : 4.1.2 Vendor: CentOS
Release : 15.el6_5.1 Build Date: Wed 24 Sep 2014
10:45:54 AM EDT
Install Date: Fri 06 Feb 2015 09:09:37 AM EST Build Host:
c6b8.bsyz.dev.centos.org
Group : System Environment/Shells Source RPM: bash-4.1.2-
15.el6_5.1.src.rpm
Size : 3139483 License: GPLv3+

Signature : RSA/SHA1, Wed 24 Sep 2014 10:49:58 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/bash>
Summary : The GNU Bourne Again shell
Description :
The GNU Bourne Again shell (Bash) is a shell or command language
interpreter that is compatible with the Bourne shell (sh). Bash
incorporates useful features from the Korn shell (ksh) and the C shell
(csh). Most sh scripts can be run by bash without modification.

Name : libbonoboui Relocations: (not relocatable)
Version : 2.24.2 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
03:54:51 PM EST
Install Date: Fri 06 Feb 2015 09:03:59 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libbonoboui-
2.24.2-3.el6.src.rpm
Size : 1264946 License: GPLv2+ and
LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:32:04 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : Bonobo user interface components
Description :

Bonobo is a component system based on CORBA, used by the GNOME
desktop. libbonoboui contains the user interface related components
that come with Bonobo.

Name : redhat-bookmarks Relocations: (not relocatable)
Version : 6 Vendor: CentOS
Release : 1.el6.centos Build Date: Tue 28 Jun 2011
07:25:55 PM EDT
Install Date: Fri 06 Feb 2015 09:05:03 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Applications/Internet Source RPM: redhat-bookmarks-
6-1.el6.centos.src.rpm
Size : 1144 License: GFDL
Signature : RSA/8, Sun 03 Jul 2011 12:45:01 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.centos.org>
Summary : CentOS Linux bookmarks
Description :
This package contains the default bookmarks for CentOS Linux

Name : perl-Compress-Zlib Relocations: (not relocatable)
Version : 2.020 Vendor: CentOS
Release : 129.el6 Build Date: Thu 21 Feb 2013
10:04:33 PM EST

Install Date: Fri 06 Feb 2015 09:02:25 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
129.el6.src.rpm
Size : 52167 License: GPL+ or Artistic
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:22 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : A module providing Perl interfaces to the zlib compression
library
Description :
The Compress::Zlib module provides a Perl interface to the zlib
compression library. Most of the functionality provided by zlib is
available in Compress::Zlib.

The module can be split into two general areas of functionality,
namely in-memory compression/decompression and read/write access to
gzip files.

Name : pygtksourceview Relocations: (not relocatable)
Version : 2.8.0 Vendor: CentOS
Release : 1.el6 Build Date: Mon 16 Aug 2010
08:34:54 PM EDT
Install Date: Fri 06 Feb 2015 09:11:19 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Development/Languages Source RPM: pygtksourceview-
2.8.0-1.el6.src.rpm
Size : 124746 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:58:16 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/pygtksourceview/>
Summary : Python bindings for gtksourceview
Description :
The pygtksourceview package contains Python bindings for the
gtksourceview
library.

Name : hdparm Relocations: (not relocatable)
Version : 9.16 Vendor: CentOS
Release : 3.4.el6 Build Date: Thu 11 Nov 2010
03:21:59 PM EST
Install Date: Fri 06 Feb 2015 09:03:59 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/System Source RPM: hdparm-9.16-
3.4.el6.src.rpm
Size : 133072 License: BSD and GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:21:36 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceforge.net/projects/hdparm/>
Summary : A utility for displaying and/or setting hard disk
parameters

Description :

Hdparm is a useful system utility for setting (E)IDE hard drive parameters. For example, hdparm can be used to tweak hard drive performance and to spin down hard drives for power conservation.

Name : xorg-x11-drv-nouveau Relocations: (not relocatable)
Version : 1.0.1 Vendor: CentOS
Release : 3.el6 Build Date: Sat 23 Feb 2013
02:54:46 PM EST
Install Date: Fri 06 Feb 2015 09:05:14 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-nouveau-1.0.1-3.el6.src.rpm
Size : 185874 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:15:12 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 nouveau video driver for NVIDIA graphics chipsets
Description :
X.Org X11 nouveau video driver.

Name : perl-XML-Parser Relocations: (not relocatable)
Version : 2.36 Vendor: CentOS
Release : 7.el6 Build Date: Tue 24 Aug 2010
08:08:33 AM EDT
Install Date: Fri 06 Feb 2015 09:02:26 AM EST Build Host:
c6b2.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-XML-Parser-
2.36-7.el6.src.rpm
Size : 652307 License: GPL+ or Artistic
Signature : RSA/8, Sun 03 Jul 2011 12:56:39 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://search.cpan.org/dist/XML-Parser/>
Summary : Perl module for parsing XML files
Description :
This module provides ways to parse XML documents. It is built on top
of XML::Parser::Expat, which is a lower level interface to James
Clark's expat library. Each call to one of the parsing methods creates
a new instance of XML::Parser::Expat which is then used to parse the
document. Expat options may be provided when the XML::Parser object is
created. These options are then passed on to the Expat object on each
parse call. They can also be given as extra arguments to the parse
methods, in which case they override options given at XML::Parser
creation time.

Name : MCRInstaller Relocations: (not relocatable)
Version : 1.0.4 Vendor: (none)
Release : 1 Build Date: Mon 20 May 2013
01:27:28 PM EDT
Install Date: Fri 06 Feb 2015 09:12:01 AM EST Build Host: XPI
Group : Application/Xerox Source RPM: MCRInstaller-
1.0.4-1.src.rpm

Size : 348394915 License: See
v717/MCR_license.txt
Signature : (none)
Packager : Xerox Corporation
Summary : Matlab Install Tool
Description :
Matlab Install tool

Name : ustr Relocations: (not relocatable)
Version : 1.0.4 Vendor: CentOS
Release : 9.1.el6 Build Date: Wed 18 Aug 2010
10:57:46 AM EDT
Install Date: Fri 06 Feb 2015 09:04:01 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ustr-1.0.4-
9.1.el6.src.rpm
Size : 273983 License: MIT or LGPLv2+ or
BSD
Signature : RSA/8, Sun 03 Jul 2011 01:04:38 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.and.org/ustr/>
Summary : String library, very low memory overhead, simple to import
Description :
Micro string library, very low overhead from plain strdup() (Ave. 44%
for
0-20B strings). Very easy to use in existing C code. At it's simplest you
can
just include a single header file into your .c and start using it.
This package also distributes pre-built shared libraries.

Name : firefox Relocations: (not relocatable)
Version : 10.0.12 Vendor: CentOS
Release : 1.el6.centos Build Date: Tue 08 Jan 2013
09:57:20 PM EST
Install Date: Fri 06 Feb 2015 09:05:21 AM EST Build Host:
c6b10.bsys.dev.centos.org
Group : Applications/Internet Source RPM: firefox-10.0.12-
1.el6.centos.src.rpm
Size : 24501805 License: MPLv1.1 or GPLv2+
or LGPLv2+
Signature : RSA/SHA1, Tue 08 Jan 2013 10:12:33 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mozilla.org/projects/firefox/>
Summary : Mozilla Firefox Web browser
Description :
Mozilla Firefox is an open-source web browser, designed for standards
compliance, performance and portability.

Name : xz-lzma-compat Relocations: (not relocatable)
Version : 4.999.9 Vendor: CentOS
Release : 0.3.beta.20091007git.el6 Build Date: Sun 22 Aug 2010
01:12:38 PM EDT

Install Date: Fri 06 Feb 2015 09:02:26 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: xz-4.999.9-
0.3.beta.20091007git.el6.src.rpm
Size : 21154 License: GPLv2+ and
LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:06:49 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://tukaani.org/xz/>
Summary : Older LZMA format compatibility binaries
Description :
The lzma-compat package contains compatibility links for older
commands that deal with the older LZMA format.

Name : im-chooser Relocations: (not relocatable)
Version : 1.3.1 Vendor: CentOS
Release : 3.el6 Build Date: Mon 18 Jul 2011
08:18:38 PM EDT
Install Date: Fri 06 Feb 2015 09:04:01 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Applications/System Source RPM: im-chooser-1.3.1-
3.el6.src.rpm
Size : 340768 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:25 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/im-chooser/>
Summary : Desktop Input Method configuration tool
Description :
im-chooser is a GUI configuration tool to choose the Input Method
to be used or disable Input Method usage on the desktop.

Name : hpijs Relocations: (not relocatable)
Version : 3.12.4 Vendor: CentOS
Release : 4.el6 Build Date: Fri 22 Feb 2013
12:53:55 AM EST
Install Date: Fri 06 Feb 2015 09:05:33 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : Applications/Publishing Source RPM: hplip-3.12.4-
4.el6.src.rpm
Size : 8099153 License: BSD
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:20 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://hplip.sourceforge.net/>
Summary : HP Printer Drivers
Description :
hpijs is a collection of optimized drivers for HP printers.
hpijs supports the DeskJet 350C, 600C, 600C Photo, 630C, Apollo 2000,
Apollo 2100, Apollo 2560, DeskJet 800C, DeskJet 825, DeskJet 900,
PhotoSmart, DeskJet 990C, and PhotoSmart 100 series.

Name : xorg-x11-xauth Relocations: (not relocatable)

Version : 1.0.2 Vendor: CentOS
Release : 7.1.el6 Build Date: Wed 18 Aug 2010
04:53:29 PM EDT
Install Date: Fri 06 Feb 2015 09:02:27 AM EST Build Host:
c6b2.bsys.dev.centos.org
Group : User Interface/X Source RPM: xorg-x11-xauth-
1.0.2-7.1.el6.src.rpm
Size : 63011 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 01:06:36 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 X authority utilities
Description :
xauth is used to edit and display the authorization information
used in connecting to an X server.

Name : glibc Relocations: (not relocatable)
Version : 2.12 Vendor: CentOS
Release : 1.149.el6_6.5 Build Date: Tue 27 Jan 2015
02:38:55 PM EST
Install Date: Tue 10 Feb 2015 04:14:50 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: glibc-2.12-
1.149.el6_6.5.src.rpm
Size : 12959302 License: LGPLv2+ and
LGPLv2+ with exceptions and GPLv2+
Signature : RSA/SHA1, Tue 27 Jan 2015 06:13:38 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sources.redhat.com/glibc/>
Summary : The GNU libc libraries
Description :
The glibc package contains standard libraries which are used by
multiple programs on the system. In order to save disk space and
memory, as well as to make upgrading easier, common system code is
kept in one place and shared between programs. This particular package
contains the most important sets of shared libraries: the standard C
library and the standard math library. Without these two libraries, a
Linux system will not function.

Name : dbus-python Relocations: (not relocatable)
Version : 0.83.0 Vendor: CentOS
Release : 6.1.el6 Build Date: Wed 10 Nov 2010
11:17:00 PM EST
Install Date: Fri 06 Feb 2015 09:04:05 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: dbus-python-
0.83.0-6.1.el6.src.rpm
Size : 807290 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:09:35 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/software/dbus/>

Summary : D-Bus Python Bindings
Description :

D-Bus python bindings for use with python programs.

Name : libXxf86dga Relocations: (not relocatable)
Version : 1.1.3 Vendor: CentOS
Release : 2.el6 Build Date: Thu 21 Feb 2013
02:14:02 PM EST
Install Date: Fri 06 Feb 2015 09:02:28 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXxf86dga-
1.1.3-2.el6.src.rpm
Size : 47593 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:28 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXxf86dga runtime library
Description :
X.Org X11 libXxf86dga runtime library

Name : fontpackages-filesystem Relocations: (not relocatable)
Version : 1.41 Vendor: CentOS
Release : 1.1.el6 Build Date: Thu 11 Nov 2010
02:51:13 AM EST
Install Date: Fri 06 Feb 2015 09:01:40 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Development/System Source RPM: fontpackages-
1.41-1.1.el6.src.rpm
Size : 0 License: Public Domain
Signature : RSA/8, Sun 03 Jul 2011 12:08:54 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedoraproject.org/wiki/fontpackages/>
Summary : Directories used by font packages
Description :
This package contains the basic directory layout used by font packages,
including the correct permissions for the directories.

Name : gnome-power-manager Relocations: (not relocatable)
Version : 2.28.3 Vendor: CentOS
Release : 6.el6_2 Build Date: Tue 22 May 2012
05:27:27 AM EDT
Install Date: Fri 06 Feb 2015 09:05:39 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Applications/System Source RPM: gnome-power-
manager-2.28.3-6.el6_2.src.rpm
Size : 7671789 License: GPLv2+ and GFDL
Signature : RSA/SHA1, Tue 22 May 2012 08:36:24 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://projects.gnome.org/gnome-power-manager/>
Summary : GNOME power management service

Description :

GNOME Power Manager uses the information and facilities provided by HAL displaying icons and handling user callbacks in an interactive GNOME session.

GNOME Power Preferences allows authorised users to set policy and change preferences.

Name : libxml2-python Relocations: (not relocatable)
Version : 2.7.6 Vendor: CentOS
Release : 8.el6_3.4 Build Date: Thu 29 Nov 2012
02:10:07 PM EST
Install Date: Fri 06 Feb 2015 09:04:06 AM EST Build Host:
c6b10.bsyz.dev.centos.org
Group : Development/Libraries Source RPM: libxml2-2.7.6-
8.el6_3.4.src.rpm
Size : 1976700 License: MIT
Signature : RSA/SHA1, Thu 29 Nov 2012 02:25:47 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://xmlsoft.org/>
Summary : Python bindings for the libxml2 library
Description :
The libxml2-python package contains a module that permits applications
written in the Python programming language to use the interface
supplied by the libxml2 library to manipulate XML files.

This library allows to manipulate XML files. It includes support
to read, modify and write XML and HTML files. There is DTDs support
this includes parsing and validation even with complex DTDs, either
at parse time or later once the document has been modified.

Name : grubby Relocations: (not relocatable)
Version : 7.0.15 Vendor: CentOS
Release : 3.el6 Build Date: Fri 22 Jun 2012
03:39:04 AM EDT
Install Date: Fri 06 Feb 2015 09:02:28 AM EST Build Host:
c6b8.bsyz.dev.centos.org
Group : System Environment/Base Source RPM: grubby-7.0.15-
3.el6.src.rpm
Size : 84472 License: GPLv2+
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:46 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://git.fedorahosted.org/git/grubby.git>
Summary : Command line tool for updating bootloader configs
Description :
grubby is a command line tool for updating and displaying information
about
the configuration files for the grub, lilo, elilo (ia64), yaboot
(powerpc)
and zipl (s390) boot loaders. It is primarily designed to be used from
scripts
which install new kernels and need to find information about the current
boot

environment.

```
Name       : liberation-fonts-common      Relocations: (not relocatable)
Version    : 1.05.1.20090721             Vendor: CentOS
Release    : 5.el6                       Build Date: Tue 13 Mar 2012
06:37:49 PM EDT
Install Date: Fri 06 Feb 2015 09:01:40 AM EST   Build Host:
c6b6.bsys.dev.centos.org
Group      : User Interface/X             Source RPM: liberation-fonts-
1.05.1.20090721-5.el6.src.rpm
Size       : 60578                        License: Liberation
Signature  : RSA/SHA1, Tue 13 Mar 2012 07:01:35 PM EDT, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : https://fedorahosted.org/liberation-fonts/
Summary    : Shared common files of Liberation font families
Description :
```

The Liberation Fonts are intended to be replacements for the three most commonly used fonts on Microsoft systems: Times New Roman, Arial, and Courier New.

Shared common files of Liberation font families.

```
Name       : pyorbit                      Relocations: (not relocatable)
Version    : 2.24.0                      Vendor: CentOS
Release    : 5.el6                       Build Date: Fri 20 Aug 2010
10:56:25 PM EDT
Install Date: Fri 06 Feb 2015 09:04:07 AM EST   Build Host:
c6b4.bsys.dev.centos.org
Group      : Development/Languages         Source RPM: pyorbit-2.24.0-
5.el6.src.rpm
Size       : 124785                      License: LGPLv2+
Signature  : RSA/8, Sun 03 Jul 2011 12:58:21 AM EDT, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Summary    : Python bindings for ORBit2.
Description :
pyorbit is an extension module for python that gives you access
to the ORBit2 CORBA ORB.
```

```
Name       : MAKEDEV                      Relocations: (not relocatable)
Version    : 3.24                        Vendor: CentOS
Release    : 6.el6                       Build Date: Wed 10 Nov 2010
04:37:37 PM EST
Install Date: Fri 06 Feb 2015 09:02:29 AM EST   Build Host:
c6b4.bsys.dev.centos.org
Group      : System Environment/Base        Source RPM: MAKEDEV-3.24-
6.el6.src.rpm
Size       : 227290                      License: GPLv2
Signature  : RSA/8, Sun 03 Jul 2011 12:44:39 AM EDT, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
```

URL : <http://www.lanana.org/docs/device-list/>
Summary : A program used for creating device files in /dev
Description :
This package contains the MAKEDEV program, which makes it easier to create and maintain the files in the /dev directory. /dev directory files correspond to a particular device supported by Linux (serial or printer ports, scanners, sound cards, tape drives, CD-ROM drives, hard drives, etc.) and interface with the drivers in the kernel.

You should install the MAKEDEV package because the MAKEDEV utility makes it easy to manage the /dev directory device files.

Name : ca-certificates Relocations: (not relocatable)
Version : 2010.63 Vendor: CentOS
Release : 3.el6_1.5 Build Date: Fri 23 Sep 2011 03:39:46 PM EDT
Install Date: Fri 06 Feb 2015 09:01:42 AM EST Build Host: c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: ca-certificates-2010.63-3.el6_1.5.src.rpm
Size : 1353134 License: Public Domain
Signature : RSA/SHA1, Mon 26 Sep 2011 12:17:03 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mozilla.org/>
Summary : The Mozilla CA root certificate bundle
Description :
This package contains the set of CA certificates chosen by the Mozilla Foundation for use with the Internet PKI.

Name : gnome-python2 Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010 06:32:37 AM EST
Install Date: Fri 06 Feb 2015 09:04:07 AM EST Build Host: c6b5.bsys.dev.centos.org
Group : Development/Languages Source RPM: gnome-python2-2.28.0-3.el6.src.rpm
Size : 158310 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:18:27 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/gnome-python/>
Summary : PyGNOME Python extension module
Description :
The gnome-python package contains the source packages for the Python bindings for GNOME called PyGNOME.

PyGNOME is an extension module for Python that provides access to the base GNOME libraries, so you have access to more widgets, a simple configuration interface, and metadata support.

Name : libcroco Relocations: (not relocatable)

Version : 0.6.2 Vendor: CentOS
Release : 5.el6 Build Date: Sat 21 Aug 2010
12:15:00 AM EDT
Install Date: Fri 06 Feb 2015 09:02:30 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libcroco-0.6.2-
5.el6.src.rpm
Size : 322816 License: LGPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:32:46 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : A CSS2 parsing library
Description :
CSS2 parsing and manipulation library for GNOME

Name : control-center-filesystem Relocations: (not relocatable)
Version : 2.28.1 Vendor: CentOS
Release : 38.el6 Build Date: Thu 21 Feb 2013
05:04:12 PM EST
Install Date: Fri 06 Feb 2015 09:01:42 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Development/Libraries Source RPM: control-center-
2.28.1-38.el6.src.rpm
Size : 0 License: GPLv2+ and GFDL
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:31 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : GNOME Control Center directories
Description :
The GNOME control-center provides a number of extension points
for applications. This package contains directories where applications
can install configuration files that are picked up by the control-center
utilities.

Name : libselinux-python Relocations: (not relocatable)
Version : 2.0.94 Vendor: CentOS
Release : 5.3.el6 Build Date: Fri 22 Jun 2012
03:51:44 AM EDT
Install Date: Fri 06 Feb 2015 09:04:07 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : Development/Libraries Source RPM: libselinux-
2.0.94-5.3.el6.src.rpm
Size : 668698 License: Public Domain
Signature : RSA/SHA1, Sun 24 Jun 2012 06:19:48 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.selinuxproject.org>
Summary : SELinux python bindings for libselinux
Description :
The libselinux-python package contains the python bindings for developing
SELinux applications.

Name : gnome-doc-utils-stylesheets Relocations: (not relocatable)

Version : 0.18.1 Vendor: CentOS
Release : 1.el6 Build Date: Thu 11 Nov 2010
05:46:03 AM EST
Install Date: Fri 06 Feb 2015 09:02:30 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Tools Source RPM: gnome-doc-utils-
0.18.1-1.el6.src.rpm
Size : 1339755 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:10:49 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/>
Summary : XSL stylesheets used by gnome-doc-utils
Description :
The gnome-doc-utils-stylesheets package contains XSL stylesheets which
are used by the tools in gnome-doc-utils and by yelp.

Name : tzdata Relocations: (not relocatable)
Version : 2012j Vendor: CentOS
Release : 1.el6 Build Date: Wed 23 Jan 2013
06:36:31 AM EST
Install Date: Fri 06 Feb 2015 09:01:43 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Base Source RPM: tzdata-2012j-
1.el6.src.rpm
Size : 1883032 License: Public Domain
Signature : RSA/SHA1, Wed 23 Jan 2013 06:52:56 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://www.iana.org/time-zones>
Summary : Timezone data
Description :
This package contains data files with rules for various timezones around
the world.

Name : gnome-python2-gconf Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
06:32:37 AM EST
Install Date: Fri 06 Feb 2015 09:04:08 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Languages Source RPM: gnome-python2-
2.28.0-3.el6.src.rpm
Size : 137914 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:18:32 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/gnome-python/>
Summary : Python bindings for interacting with GConf
Description :
This module contains a wrapper that allows the use of GConf via Python.

Name : m17n-db-punjabi Relocations: (not relocatable)
Version : 1.5.5 Vendor: CentOS

Release : 1.1.el6 Build Date: Thu 19 Aug 2010
02:00:34 AM EDT
Install Date: Fri 06 Feb 2015 09:02:31 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-db-1.5.5-
1.1.el6.src.rpm
Size : 6298 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:29:18 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : m17n-db input maps for Punjabi
Description :
This package contains m17n-db input maps for Punjabi.

Name : dhcp-common Relocations: (not relocatable)
Version : 4.1.1 Vendor: CentOS
Release : 34.P1.el6.centos Build Date: Fri 22 Feb 2013
06:18:54 AM EST
Install Date: Fri 06 Feb 2015 09:01:43 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Base Source RPM: dhcp-4.1.1-
34.P1.el6.centos.src.rpm
Size : 198000 License: ISC
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:30 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://isc.org/products/DHCP/>
Summary : Common files used by ISC dhcp client and server
Description :
DHCP (Dynamic Host Configuration Protocol) is a protocol which allows
individual devices on an IP network to get their own network
configuration information (IP address, subnetmask, broadcast address,
etc.) from a DHCP server. The overall purpose of DHCP is to make it
easier to administer a large network.

This package provides common files used by dhcp and dhclient package.

Name : gnome-python2-applet Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 4.el6 Build Date: Thu 11 Nov 2010
07:11:34 AM EST
Install Date: Fri 06 Feb 2015 09:04:08 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Languages Source RPM: gnome-python2-
desktop-2.28.0-4.el6.src.rpm
Size : 21705 License: LGPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:18:28 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : Python bindings for GNOME Panel applets.
Description :
This module contains a wrapper that allows GNOME Panel applets to be
written in Python.

Name : ml7n-db-oriya Relocations: (not relocatable)
Version : 1.5.5 Vendor: CentOS
Release : 1.1.el6 Build Date: Thu 19 Aug 2010
02:00:34 AM EDT
Install Date: Fri 06 Feb 2015 09:02:31 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ml7n-db-1.5.5-
1.1.el6.src.rpm
Size : 6082 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:29:18 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.ml7n.org/ml7n-lib/index.html>
Summary : ml7n-db input maps for Oriya
Description :
This package contains ml7n-db input maps for Oriya.

Name : vlgothic-fonts-common Relocations: (not relocatable)
Version : 20091202 Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010
10:06:07 AM EST
Install Date: Fri 06 Feb 2015 09:01:44 AM EST Build Host:
c5b2.bsys.dev.centos.org
Group : User Interface/X Source RPM: vlgothic-fonts-
20091202-2.el6.src.rpm
Size : 25527 License: mplus and BSD
Signature : RSA/8, Sun 03 Jul 2011 12:52:33 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://dicey.org/vlgothic>
Summary : Common files for VLGothic Japanese TrueType fonts
Description :

VLGothic provides Japanese TrueType fonts from the Vine Linux project.
Most of the glyphs are taken from the M+ and Sazanami Gothic fonts,
but some have also been improved by the project.

This package consists of files used by other vlgothic-fonts packages.

Name : system-config-keyboard-base Relocations: (not relocatable)
Version : 1.3.1 Vendor: CentOS
Release : 4.el6 Build Date: Fri 22 Jun 2012
03:07:49 AM EDT
Install Date: Fri 06 Feb 2015 09:04:09 AM EST Build Host:
c6b10.bsys.dev.centos.org
Group : System Environment/Base Source RPM: system-config-
keyboard-1.3.1-4.el6.src.rpm
Size : 456765 License: GPLv2+
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:45 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/system-config-keyboard/>
Summary : system-config-keyboard base components

Description :

Base components of system-config-keyboard.

Name : ml7n-db-telugu Relocations: (not relocatable)
Version : 1.5.5 Vendor: CentOS
Release : 1.1.el6 Build Date: Thu 19 Aug 2010
02:00:34 AM EDT
Install Date: Fri 06 Feb 2015 09:02:31 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ml7n-db-1.5.5-
1.1.el6.src.rpm
Size : 6593 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:29:25 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.ml7n.org/ml7n-lib/index.html>
Summary : ml7n-db input maps for Telugu
Description :
This package contains ml7n-db input maps for Telugu.

Name : comps-extras Relocations: (not relocatable)
Version : 17.8 Vendor: CentOS
Release : 1.el6 Build Date: Wed 10 Nov 2010
10:22:44 PM EST
Install Date: Fri 06 Feb 2015 09:01:45 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Applications/System Source RPM: comps-extras-
17.8-1.el6.src.rpm
Size : 66974 License: GPL+ and LGPL+
Signature : RSA/8, Sun 03 Jul 2011 12:02:58 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://git.fedorahosted.org/git/?p=comps-extras.git;a=summary>
Summary : Images for components included in Fedora
Description :
This package contains images for the components included in Fedora.

Name : pygpgme Relocations: (not relocatable)
Version : 0.1 Vendor: CentOS
Release : 18.20090824bZR68.el6 Build Date: Sun 22 Aug 2010
05:28:16 AM EDT
Install Date: Fri 06 Feb 2015 09:04:09 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Development/Languages Source RPM: pygpgme-0.1-
18.20090824bZR68.el6.src.rpm
Size : 251432 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:58:12 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://cheeseshop.python.org/pypi/pygpgme/0.1>
Summary : Python module for working with OpenPGP messages
Description :

PyGPGME is a Python module that lets you sign, verify, encrypt and decrypt files using the OpenPGP format. It is built on top of GNU Privacy Guard and the GPGME library.

Name : m17n-db-tamil Relocations: (not relocatable)
Version : 1.5.5 Vendor: CentOS
Release : 1.1.el6 Build Date: Thu 19 Aug 2010
02:00:34 AM EDT
Install Date: Fri 06 Feb 2015 09:02:31 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-db-1.5.5-
1.1.el6.src.rpm
Size : 20098 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:29:24 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : m17n-db input maps for Tamil
Description :
This package contains m17n-db input maps for Tamil.

Name : ibus Relocations: (not relocatable)
Version : 1.3.4 Vendor: CentOS
Release : 6.el6 Build Date: Wed 07 Dec 2011
12:23:43 PM EST
Install Date: Fri 06 Feb 2015 09:04:10 AM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ibus-1.3.4-
6.el6.src.rpm
Size : 1528502 License: LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:07:47 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/ibus/>
Summary : Intelligent Input Bus for Linux OS
Description :
IBus means Intelligent Input Bus. It is an input framework for Linux OS.

Name : m17n-db-gujarati Relocations: (not relocatable)
Version : 1.5.5 Vendor: CentOS
Release : 1.1.el6 Build Date: Thu 19 Aug 2010
02:00:34 AM EDT
Install Date: Fri 06 Feb 2015 09:02:31 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-db-1.5.5-
1.1.el6.src.rpm
Size : 6692 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:29:10 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : m17n-db input maps for Gujarati

Description :

This package contains ml7n-db input maps for Gujarati.

Name : libcap Relocations: (not relocatable)
Version : 2.16 Vendor: CentOS
Release : 5.5.el6 Build Date: Wed 07 Dec 2011
03:04:01 PM EST
Install Date: Fri 06 Feb 2015 09:01:57 AM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libcap-2.16-
5.5.el6.src.rpm
Size : 64437 License: LGPLv2+ or BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 03:15:52 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://ftp.kernel.org/pub/linux/libs/security/linux-privs/kernel-2.6/>
Summary : Library for getting and setting POSIX.1e capabilities
Description :
libcap is a library for getting and setting POSIX.1e (formerly POSIX 6)
draft 15 capabilities.

Name : python-pycurl Relocations: (not relocatable)
Version : 7.19.0 Vendor: CentOS
Release : 8.el6 Build Date: Sat 25 Jun 2011
04:30:00 AM EDT
Install Date: Fri 06 Feb 2015 09:04:11 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Languages Source RPM: python-pycurl-
7.19.0-8.el6.src.rpm
Size : 236939 License: LGPLv2+ or MIT
Signature : RSA/8, Tue 05 Jul 2011 09:45:29 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://pycurl.sourceforge.net/>
Summary : A Python interface to libcurl
Description :
PycURL is a Python interface to libcurl. PycURL can be used to fetch
objects identified by a URL from a Python program, similar to the
urllib Python module. PycURL is mature, very fast, and supports a lot
of features.

Name : db4-utils Relocations: (not relocatable)
Version : 4.7.25 Vendor: CentOS
Release : 17.el6 Build Date: Wed 04 Apr 2012
09:42:16 AM EDT
Install Date: Fri 06 Feb 2015 09:02:31 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/Databases Source RPM: db4-4.7.25-
17.el6.src.rpm
Size : 415046 License: Sleepycat and BSD
Signature : RSA/SHA1, Wed 04 Apr 2012 09:00:34 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.oracle.com/database/berkeley-db/>
Summary : Command line tools for managing Berkeley DB (version 4) databases

Description :

The Berkeley Database (Berkeley DB) is a programmatic toolkit that provides embedded database support for both traditional and client/server applications. Berkeley DB includes B+tree, Extended Linear Hashing, Fixed and Variable-length record access methods, transactions, locking, logging, shared memory caching, and database recovery. DB supports C, C++, Java and Perl APIs.

Name : libxml2 Relocations: (not relocatable)
Version : 2.7.6 Vendor: CentOS
Release : 8.el6_3.4 Build Date: Thu 29 Nov 2012
02:10:07 PM EST
Install Date: Fri 06 Feb 2015 09:01:57 AM EST Build Host:
c6b10.bsyzs.dev.centos.org
Group : Development/Libraries Source RPM: libxml2-2.7.6-
8.el6_3.4.src.rpm
Size : 1775323 License: MIT
Signature : RSA/SHA1, Thu 29 Nov 2012 02:25:48 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://xmlsoft.org/>
Summary : Library providing XML and HTML support

Description :

This library allows to manipulate XML files. It includes support to read, modify and write XML and HTML files. There is DTDs support this includes parsing and validation even with complex DTDs, either at parse time or later once the document has been modified. The output can be a simple SAX stream or and in-memory DOM like representations. In this case one can use the built-in XPath and XPointer implementation to select subnodes or ranges. A flexible Input/Output mechanism is available, with existing HTTP and FTP modules and combined to an URI library.

Name : PackageKit-gtk-module Relocations: (not relocatable)
Version : 0.5.8 Vendor: CentOS
Release : 21.el6 Build Date: Thu 21 Feb 2013
05:42:20 PM EST
Install Date: Fri 06 Feb 2015 09:04:11 AM EST Build Host:
c6b9.bsyzs.dev.centos.org
Group : Development/Libraries Source RPM: PackageKit-0.5.8-
21.el6.src.rpm
Size : 236507 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:39 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.packagekit.org>
Summary : Install fonts automatically using PackageKit
Description :
The PackageKit GTK+ module allows any Pango application to install fonts from configured repositories using PackageKit.

```

Name           : mtools                      Relocations: (not relocatable)
Version        : 4.0.12                      Vendor: CentOS
Release        : 1.el6                       Build Date: Mon 16 Aug 2010
05:28:54 PM EDT
Install Date: Fri 06 Feb 2015 09:02:31 AM EST    Build Host:
c6b3.bsys.dev.centos.org
Group          : Applications/System           Source RPM: mtools-4.0.12-
1.el6.src.rpm
Size           : 317815                       License: GPLv2+
Signature      : RSA/8, Sun 03 Jul 2011 12:45:59 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://mtools.linux.lu/
Summary        : Programs for accessing MS-DOS disks without mounting the
disks
Description    :
Mtools is a collection of utilities for accessing MS-DOS files.
Mtools allow you to read, write and move around MS-DOS filesystem
files (normally on MS-DOS floppy disks). Mtools supports Windows95
style long file names, OS/2 XDF disks, and 2m disks

```

Mtools should be installed if you need to use MS-DOS disks

```

Name           : popt                      Relocations: (not relocatable)
Version        : 1.13                      Vendor: CentOS
Release        : 7.el6                       Build Date: Sat 21 Aug 2010
01:30:58 AM EDT
Install Date: Fri 06 Feb 2015 09:01:58 AM EST    Build Host:
c6b2.bsys.dev.centos.org
Group          : System Environment/Libraries   Source RPM: popt-1.13-
7.el6.src.rpm
Size           : 83420                       License: MIT
Signature      : RSA/8, Sun 03 Jul 2011 12:57:35 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.rpm5.org/
Summary        : C library for parsing command line parameters
Description    :
Popt is a C library for parsing command line parameters. Popt was
heavily influenced by the getopt() and getopt_long() functions, but
it improves on them by allowing more powerful argument expansion.
Popt can parse arbitrary argv[] style arrays and automatically set
variables based on command line arguments. Popt allows command line
arguments to be aliased via configuration files and includes utility
functions for parsing arbitrary strings into argv[] arrays using
shell-like rules.

```

```

Name           : PackageKit-yum              Relocations: (not relocatable)
Version        : 0.5.8                      Vendor: CentOS
Release        : 21.el6                     Build Date: Thu 21 Feb 2013
05:42:20 PM EST
Install Date: Fri 06 Feb 2015 09:04:12 AM EST    Build Host:
c6b9.bsys.dev.centos.org

```

Group : System Environment/Libraries Source RPM: PackageKit-0.5.8-21.el6.src.rpm
Size : 507322 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:51 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.packagekit.org>
Summary : PackageKit YUM backend
Description :
A backend for PackageKit to enable yum functionality.

Name : make Relocations: (not relocatable)
Version : 3.81 Vendor: CentOS
Release : 20.el6 Build Date: Tue 03 Apr 2012 11:25:06 AM EDT
Install Date: Fri 06 Feb 2015 09:02:32 AM EST Build Host: c6b6.bsys.dev.centos.org
Group : Development/Tools Source RPM: make-3.81-20.el6.src.rpm
Size : 1079569 License: GPLv2+
Signature : RSA/SHA1, Tue 03 Apr 2012 12:01:01 PM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/make/>
Summary : A GNU tool which simplifies the build process for users
Description :
A GNU tool for controlling the generation of executables and other non-source files of a program from the program's source files. Make allows users to build and install packages without any significant knowledge about the details of the build process. The details about how the program should be built are provided for make in the program's makefile.

Name : nspr Relocations: (not relocatable)
Version : 4.9.2 Vendor: CentOS
Release : 1.el6 Build Date: Thu 21 Feb 2013 06:45:30 PM EST
Install Date: Fri 06 Feb 2015 09:01:58 AM EST Build Host: c6b9.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: nspr-4.9.2-1.el6.src.rpm
Size : 273872 License: MPLv2.0
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:44 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mozilla.org/projects/nspr/>
Summary : Netscape Portable Runtime
Description :
NSPR provides platform independence for non-GUI operating system facilities. These facilities include threads, thread synchronization, normal file and network I/O, interval timing and calendar time, basic memory management (malloc and free) and shared library linking.

Name : cracklib-python Relocations: (not relocatable)

Version : 2.8.16 Vendor: CentOS
Release : 4.el6 Build Date: Sat 25 Jun 2011
02:39:10 AM EDT
Install Date: Fri 06 Feb 2015 09:04:13 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: cracklib-2.8.16-
4.el6.src.rpm
Size : 17908 License: LGPLv2+
Signature : RSA/8, Tue 05 Jul 2011 09:37:33 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceforge.net/projects/cracklib/>
Summary : Python bindings for applications which use cracklib
Description :
The cracklib-python package contains a module which permits applications
written in the Python programming language to use cracklib.

Name : ttmkfdird Relocations: (not relocatable)
Version : 3.0.9 Vendor: CentOS
Release : 32.1.el6 Build Date: Wed 18 Aug 2010
05:36:28 PM EDT
Install Date: Fri 06 Feb 2015 09:02:34 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Applications/System Source RPM: ttmkfdird-3.0.9-
32.1.el6.src.rpm
Size : 101747 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:04:20 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : Utility to create fonts.scale files for truetype fonts
Description :
ttmkfdird is a utility used to create fonts.scale files in
TrueType font directories in order to prepare them for use
by the font server.

Name : bzip2-libs Relocations: (not relocatable)
Version : 1.0.5 Vendor: CentOS
Release : 7.el6_0 Build Date: Fri 24 Jun 2011
09:45:55 PM EDT
Install Date: Fri 06 Feb 2015 09:01:59 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: bzip2-1.0.5-
7.el6_0.src.rpm
Size : 67592 License: BSD
Signature : RSA/8, Tue 05 Jul 2011 09:37:18 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.bzip.org/>
Summary : Libraries for applications using bzip2
Description :

Libraries for applications using the bzip2 compression format.

Name : libXpm Relocations: (not relocatable)

Version : 3.5.5 Vendor: CentOS
Release : 3 Build Date: Sun 07 Jan 2007
04:57:41 AM EST
Install Date: Wed 25 Feb 2015 04:31:25 AM EST Build Host:
builder1.centos.org
Group : System Environment/Libraries Source RPM: libXpm-3.5.5-
3.src.rpm
Size : 81106 License: MIT/X11
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:46 PM EDT, Key ID
a8a447dce8562897
URL : http://www.x.org
Summary : X.Org X11 libXpm runtime library
Description :
X.Org X11 libXpm runtime library

Name : libreport-plugin-rhtsupport Relocations: (not relocatable)
Version : 2.0.9 Vendor: CentOS
Release : 15.el6.centos Build Date: Fri 22 Feb 2013
11:25:32 PM EST
Install Date: Fri 06 Feb 2015 09:04:13 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libreport-2.0.9-
15.el6.centos.src.rpm
Size : 49616 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:16 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : libreport's RHTSupport plugin
Description :
Plugin to report bugs into RH support system.

Name : liberation-sans-fonts Relocations: (not relocatable)
Version : 1.05.1.20090721 Vendor: CentOS
Release : 5.el6 Build Date: Tue 13 Mar 2012
06:37:49 PM EDT
Install Date: Fri 06 Feb 2015 09:02:34 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : User Interface/X Source RPM: liberation-fonts-
1.05.1.20090721-5.el6.src.rpm
Size : 578780 License: Liberation
Signature : RSA/SHA1, Tue 13 Mar 2012 07:01:35 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/liberation-fonts/>
Summary : Sans-serif fonts to replace commonly used Microsoft Arial
Description :

The Liberation Fonts are intended to be replacements for the three most
commonly used fonts on Microsoft systems: Times New Roman, Arial, and
Courier
New.

This is Sans-serif TrueType fonts that replaced commonly used Microsoft Arial.

Name : gawk Relocations: (not relocatable)
Version : 3.1.7 Vendor: CentOS
Release : 10.el6 Build Date: Tue 07 Aug 2012
11:03:58 AM EDT
Install Date: Fri 06 Feb 2015 09:01:59 AM EST Build Host:
c6b10.bsys.dev.centos.org
Group : Applications/Text Source RPM: gawk-3.1.7-
10.el6.src.rpm
Size : 2036440 License: GPLv3+
Signature : RSA/SHA1, Tue 07 Aug 2012 01:35:31 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/gawk/gawk.html>
Summary : The GNU version of the awk text processing utility
Description :
The gawk package contains the GNU version of awk, a text processing
utility. Awk interprets a special-purpose programming language to do
quick and easy text pattern matching and reformatting jobs.

Install the gawk package if you need a text processing utility. Gawk is
considered to be a standard Linux tool for processing text.

Name : libreport-plugin-reportuploader Relocations: (not
relocatable)
Version : 2.0.9 Vendor: CentOS
Release : 15.el6.centos Build Date: Fri 22 Feb 2013
11:25:32 PM EST
Install Date: Fri 06 Feb 2015 09:04:13 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libreport-2.0.9-
15.el6.centos.src.rpm
Size : 29216 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:08 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : libreport's reportuploader plugin
Description :
Plugin to report bugs into anonymous FTP site associated with ticketing
system.

Name : ncurses Relocations: (not relocatable)
Version : 5.7 Vendor: CentOS
Release : 3.20090208.el6 Build Date: Wed 18 Aug 2010
11:42:34 AM EDT
Install Date: Fri 06 Feb 2015 09:02:37 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Base Source RPM: ncurses-5.7-
3.20090208.el6.src.rpm
Size : 386379 License: MIT

Signature : RSA/8, Sun 03 Jul 2011 12:46:59 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://invisible-island.net/ncurses/ncurses.html>

Summary : Ncurses support utilities

Description :

The curses library routines are a terminal-independent method of updating character screens with reasonable optimization. The ncurses (new curses) library is a freely distributable replacement for the discontinued 4.4 BSD classic curses library.

This package contains support utilities, including a terminfo compiler tic, a decompiler infocmp, clear, tput, tset, and a termcap conversion tool captinfo.

Name : libSM Relocations: (not relocatable)

Version : 1.2.1 Vendor: CentOS

Release : 2.el6 Build Date: Thu 21 Feb 2013

01:48:34 PM EST

Install Date: Fri 06 Feb 2015 09:02:00 AM EST Build Host:

c6b7.bsyz.dev.centos.org

Group : System Environment/Libraries Source RPM: libSM-1.2.1-

2.el6.src.rpm

Size : 78264 License: MIT

Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:20 PM EST, Key ID

0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.x.org>

Summary : X.Org X11 SM runtime library

Description :

The X.Org X11 SM (Session Management) runtime library.

Name : libgweather Relocations: (not relocatable)

Version : 2.28.0 Vendor: CentOS

Release : 5.el6 Build Date: Tue 13 Mar 2012

06:46:12 PM EDT

Install Date: Fri 06 Feb 2015 09:04:14 AM EST Build Host:

c6b5.bsyz.dev.centos.org

Group : System Environment/Libraries Source RPM: libgweather-

2.28.0-5.el6.src.rpm

Size : 18160111 License: GPLv2+

Signature : RSA/SHA1, Tue 13 Mar 2012 07:02:08 PM EDT, Key ID

0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.gnome.org>

Summary : A library for weather information

Description :

libgweather is a library to access weather information from online services for numerous locations.

Name : gzip Relocations: (not relocatable)

Version : 1.3.12 Vendor: CentOS

Release : 18.el6 Build Date: Thu 11 Nov 2010

05:25:09 PM EST

Install Date: Fri 06 Feb 2015 09:02:38 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/File Source RPM: gzip-1.3.12-
18.el6.src.rpm
Size : 225845 License: GPLv2+ and GFDL
Signature : RSA/8, Sun 03 Jul 2011 12:21:28 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gzip.org/>
Summary : The GNU data compression program
Description :
The gzip package contains the popular GNU gzip data compression
program. Gzipped files have a .gz extension.

Gzip should be installed on your system, because it is a
very commonly used data compression program.

Name : libsepol Relocations: (not relocatable)
Version : 2.0.41 Vendor: CentOS
Release : 4.el6 Build Date: Wed 07 Dec 2011
01:01:09 PM EST
Install Date: Fri 06 Feb 2015 09:02:00 AM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libsepol-2.0.41-
4.el6.src.rpm
Size : 248680 License: LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:24:54 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.selinuxproject.org>
Summary : SELinux binary policy manipulation library
Description :
Security-enhanced Linux is a feature of the Linux® kernel and a number
of utilities with enhanced security functionality designed to add
mandatory access controls to Linux. The Security-enhanced Linux
kernel contains new architectural components originally developed to
improve the security of the Flask operating system. These
architectural components provide general support for the enforcement
of many kinds of mandatory access control policies, including those
based on the concepts of Type Enforcement®, Role-based Access
Control, and Multi-level Security.

libsepol provides an API for the manipulation of SELinux binary policies.
It is used by checkpolicy (the policy compiler) and similar tools, as
well
as by programs like load_policy that need to perform specific
transformations
on binary policies such as customizing policy boolean settings.

Name : libreport-plugin-mailx Relocations: (not relocatable)
Version : 2.0.9 Vendor: CentOS
Release : 15.el6.centos Build Date: Fri 22 Feb 2013
11:25:32 PM EST

Install Date: Fri 06 Feb 2015 09:04:16 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libreport-2.0.9-
15.el6.centos.src.rpm
Size : 32327 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:32 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : libreport's mailx reporter plugin
Description :
The simple reporter plugin which sends a report via mailx to a specified
email address.

Name : pam Relocations: (not relocatable)
Version : 1.1.1 Vendor: CentOS
Release : 13.el6 Build Date: Thu 21 Feb 2013
07:16:07 PM EST
Install Date: Fri 06 Feb 2015 09:02:41 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Base Source RPM: pam-1.1.1-
13.el6.src.rpm
Size : 2409246 License: BSD and GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:58 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.us.kernel.org/pub/linux/libs/pam/index.html>
Summary : An extensible library which provides authentication for
applications
Description :
PAM (Pluggable Authentication Modules) is a system security tool that
allows system administrators to set authentication policy without
having to recompile programs that handle authentication.

Name : atk Relocations: (not relocatable)
Version : 1.28.0 Vendor: CentOS
Release : 2.el6 Build Date: Wed 10 Nov 2010
07:26:49 PM EST
Install Date: Fri 06 Feb 2015 09:02:01 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: atk-1.28.0-
2.el6.src.rpm
Size : 933858 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:02:42 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://developer.gnome.org/projects/gap/>
Summary : Interfaces for accessibility support
Description :
The ATK library provides a set of interfaces for adding accessibility
support to applications and graphical user interface toolkits. By
supporting the ATK interfaces, an application or toolkit can be used
with tools such as screen readers, magnifiers, and alternative input
devices.

Name : gstreamer-plugins-good Relocations: (not relocatable)
Version : 0.10.23 Vendor: CentOS
Release : 1.el6 Build Date: Sun 22 May 2011
05:34:22 PM EDT
Install Date: Fri 06 Feb 2015 09:04:17 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/Multimedia Source RPM: gstreamer-
plugins-good-0.10.23-1.el6.src.rpm
Size : 4445593 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:20:11 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gstreamer.freedesktop.org/>
Summary : GStreamer plug-ins with good code and licensing
Description :
GStreamer is a streaming media framework, based on graphs of filters
which
operate on media data. Applications using this library can do anything
from real-time sound processing to playing videos, and just about
anything
else media-related. Its plugin-based architecture means that new data
types or processing capabilities can be added simply by installing new
plug-ins.

GStreamer Good Plug-ins is a collection of well-supported plug-ins of
good quality and under the LGPL license.

Name : alsa-lib Relocations: (not relocatable)
Version : 1.0.22 Vendor: CentOS
Release : 3.el6 Build Date: Wed 07 Dec 2011
01:22:40 PM EST
Install Date: Fri 06 Feb 2015 09:02:44 AM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: alsa-lib-1.0.22-
3.el6.src.rpm
Size : 1195285 License: LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 02:42:35 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.alsa-project.org/>
Summary : The Advanced Linux Sound Architecture (ALSA) library
Description :
The Advanced Linux Sound Architecture (ALSA) provides audio and MIDI
functionality to the Linux operating system.

This package includes the ALSA runtime libraries to simplify application
programming and provide higher level functionality as well as support for
the older OSS API, providing binary compatibility for most OSS programs.

Name : libgudev1 Relocations: (not relocatable)
Version : 147 Vendor: CentOS
Release : 2.46.el6 Build Date: Fri 22 Feb 2013
12:22:19 AM EST

Install Date: Fri 06 Feb 2015 09:02:01 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : Development/Libraries Source RPM: udev-147-
2.46.el6.src.rpm
Size : 48491 License: LGPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:38 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL :
<http://www.kernel.org/pub/linux/utils/kernel/hotplug/udev.html>
Summary : Libraries for adding libudev support to applications that
use glib
Description :
This package contains the libraries that make it easier to use libudev
functionality from applications that use glib.

Name : libreport-cli Relocations: (not relocatable)
Version : 2.0.9 Vendor: CentOS
Release : 15.el6.centos Build Date: Fri 22 Feb 2013
11:25:32 PM EST
Install Date: Fri 06 Feb 2015 09:04:17 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: libreport-2.0.9-
15.el6.centos.src.rpm
Size : 26359 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:47 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : libreport's command line interface
Description :
This package contains simple command line tool for working
with problem dump reports

Name : redhat-logos Relocations: (not relocatable)
Version : 60.0.14 Vendor: CentOS
Release : 12.el6.centos Build Date: Thu 16 Aug 2012
06:17:12 AM EDT
Install Date: Fri 06 Feb 2015 09:02:48 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Base Source RPM: redhat-logos-
60.0.14-12.el6.centos.src.rpm
Size : 15816517 License: Copyright 1999-
2010 the CentOS Project. All rights reserved.
Signature : RSA/SHA1, Thu 16 Aug 2012 09:08:49 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://centos.org>
Summary : CentOS-related icons and pictures
Description :
The redhat-logos package (the "Package") contains files created by the
CentOS Project to replace the Red Hat "Shadow Man" logo and RPM logo.
The Red Hat "Shadow Man" logo, RPM, and the RPM logo are trademarks or
registered trademarks of Red Hat, Inc.

The Package and CentOS logos (the "Marks") can only be used as outlined in the included COPYING file. Please see that file for information on copying and redistribution of the CentOS Marks.

Name : libusb Relocations: (not relocatable)
Version : 0.1.12 Vendor: CentOS
Release : 23.el6 Build Date: Sun 22 Aug 2010
02:44:27 PM EDT
Install Date: Fri 06 Feb 2015 09:02:02 AM EST Build Host:
c6b6.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: libusb-0.1.12-
23.el6.src.rpm
Size : 54440 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:40:23 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceforge.net/projects/libusb/>
Summary : A library which allows userspace access to USB devices
Description :
This package provides a way for applications to access USB devices.

Name : busybox Relocations: (not relocatable)
Version : 1.15.1 Vendor: CentOS
Release : 15.el6 Build Date: Fri 22 Jun 2012
06:51:34 AM EDT
Install Date: Fri 06 Feb 2015 09:04:18 AM EST Build Host:
c6b7.bsyz.dev.centos.org
Group : System Environment/Shells Source RPM: busybox-1.15.1-
15.el6.src.rpm
Size : 1116012 License: GPLv2
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:45 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.busybox.net>
Summary : Statically linked binary providing simplified versions of
system commands
Description :
Busybox is a single binary which includes versions of a large number
of system commands, including a shell. This package can be very
useful for recovering from certain types of system failures,
particularly those involving broken shared libraries.

Name : libpciaccess Relocations: (not relocatable)
Version : 0.13.1 Vendor: CentOS
Release : 2.el6 Build Date: Thu 21 Feb 2013
01:46:06 PM EST
Install Date: Fri 06 Feb 2015 09:02:49 AM EST Build Host:
c6b9.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: libpciaccess-
0.13.1-2.el6.src.rpm
Size : 37951 License: MIT

Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:38 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gitweb.freedesktop.org/?p=xorg/lib/libpciaccess.git>
Summary : PCI access library
Description :
libpciaccess is a library for portable PCI access routines across
multiple
operating systems.

Name : libblkid Relocations: (not relocatable)
Version : 2.17.2 Vendor: CentOS
Release : 12.9.el6 Build Date: Fri 22 Feb 2013
12:02:21 AM EST
Install Date: Fri 06 Feb 2015 09:02:02 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : Development/Libraries Source RPM: util-linux-ng-
2.17.2-12.9.el6.src.rpm
Size : 136136 License: LGPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:57 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.kernel.org/pub/linux/utils/util-linux-ng>
Summary : Block device ID library
Description :
This is block device identification library, part of util-linux-ng.

Name : iptables Relocations: (not relocatable)
Version : 1.4.7 Vendor: CentOS
Release : 9.el6 Build Date: Thu 21 Feb 2013
08:45:54 PM EST
Install Date: Fri 06 Feb 2015 09:04:19 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Base Source RPM: iptables-1.4.7-
9.el6.src.rpm
Size : 853888 License: GPLv2
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:37 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.netfilter.org/>
Summary : Tools for managing Linux kernel packet filtering
capabilities
Description :
The iptables utility controls the network packet filtering code in the
Linux kernel. If you need to set up firewalls and/or IP masquerading,
you should install this package.

Name : plymouth-scripts Relocations: (not relocatable)
Version : 0.8.3 Vendor: CentOS
Release : 27.el6.centos Build Date: Fri 22 Feb 2013
08:06:20 PM EST
Install Date: Fri 06 Feb 2015 09:02:50 AM EST Build Host:
c6b7.bsys.dev.centos.org

Group : Applications/System Source RPM: plymouth-0.8.3-27.el6.centos.src.rpm
Size : 11006 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:47 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://freedesktop.org/software/plymouth/releases>
Summary : Plymouth related scripts
Description :
This package contains scripts that help integrate Plymouth with the system.

Name : libxcb Relocations: (not relocatable)
Version : 1.8.1 Vendor: CentOS
Release : 1.el6 Build Date: Thu 21 Feb 2013 05:20:55 PM EST
Install Date: Fri 06 Feb 2015 09:02:03 AM EST Build Host: c6b9.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libxcb-1.8.1-1.el6.src.rpm
Size : 527664 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:57 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://xcb.freedesktop.org/>
Summary : A C binding to the X11 protocol
Description :
The X protocol C-language Binding (XCB) is a replacement for Xlib featuring a small footprint, latency hiding, direct access to the protocol, improved threading support, and extensibility.

Name : initscripts Relocations: (not relocatable)
Version : 9.03.38 Vendor: CentOS
Release : 1.el6.centos Build Date: Fri 22 Feb 2013 06:18:53 AM EST
Install Date: Fri 06 Feb 2015 09:04:20 AM EST Build Host: c6b7.bsys.dev.centos.org
Group : System Environment/Base Source RPM: initscripts-9.03.38-1.el6.centos.src.rpm
Size : 5714431 License: GPLv2 and GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:17 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/releases/i/n/initscripts/>
Summary : The inittab file and the /etc/init.d scripts
Description :
The initscripts package contains the basic system scripts used to boot your Red Hat or Fedora system, change runlevels, and shut the system down cleanly. Initscripts also contains the scripts that activate and deactivate most network interfaces.

Name : festival-speechtools-libs Relocations: (not relocatable)
Version : 1.2.96 Vendor: CentOS

Release : 18.el6 Build Date: Thu 11 Nov 2010
02:43:14 AM EST
Install Date: Fri 06 Feb 2015 09:02:51 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: festival-1.96-
18.el6.src.rpm
Size : 3438954 License: MIT and GPL+ and
TCL
Signature : RSA/8, Sun 03 Jul 2011 12:14:13 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.cstr.ed.ac.uk/projects/festival/>
Summary : The Edinburgh Speech Tools libraries
Description :
The Edinburgh Speech Tools libraries, used by the Festival text-to-speech
and speech synthesis system.

Name : libXi Relocations: (not relocatable)
Version : 1.6.1 Vendor: CentOS
Release : 3.el6 Build Date: Thu 21 Feb 2013
09:02:07 PM EST
Install Date: Fri 06 Feb 2015 09:02:03 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXi-1.6.1-
3.el6.src.rpm
Size : 64699 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:01 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXi runtime library
Description :
X.Org X11 libXi runtime library

Name : mesa-dril-drivers Relocations: (not relocatable)
Version : 7.11 Vendor: CentOS
Release : 8.el6 Build Date: Thu 21 Feb 2013
06:02:05 PM EST
Install Date: Fri 06 Feb 2015 09:04:23 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: mesa-dril-
drivers-7.11-8.el6.src.rpm
Size : 14110408 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:47 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mesa3d.org>
Summary : Mesa graphics libraries
Description :
Mesa DRI1 drivers

Name : polkit Relocations: (not relocatable)
Version : 0.96 Vendor: CentOS

Release : 2.el6_0.1 Build Date: Sat 25 Jun 2011
08:49:09 AM EDT
Install Date: Fri 06 Feb 2015 09:02:51 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: polkit-0.96-
2.el6_0.1.src.rpm
Size : 615283 License: LGPLv2+
Signature : RSA/8, Tue 05 Jul 2011 09:44:59 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/wiki/Software/PolicyKit>
Summary : PolicyKit Authorization Framework
Description :
PolicyKit is a toolkit for defining and handling authorizations.
It is used for allowing unprivileged processes to speak to privileged
processes.

Name : libXt Relocations: (not relocatable)
Version : 1.1.3 Vendor: CentOS
Release : 1.el6 Build Date: Thu 21 Feb 2013
02:11:43 PM EST
Install Date: Fri 06 Feb 2015 09:02:03 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXt-1.1.3-
1.el6.src.rpm
Size : 476207 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:27 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXt runtime library
Description :
X.Org X11 libXt runtime library

Name : qt-x11 Relocations: (not relocatable)
Version : 4.6.2 Vendor: CentOS
Release : 25.el6 Build Date: Fri 07 Sep 2012
12:33:27 PM EDT
Install Date: Fri 06 Feb 2015 09:04:27 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: qt-4.6.2-
25.el6.src.rpm
Size : 31244532 License: (LGPLv2 with
exceptions or GPLv3 with exceptions) and ASL 2.0 and BSD and FLT and MIT
Signature : RSA/SHA1, Fri 07 Sep 2012 01:57:27 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.qtsoftware.com/>
Summary : Qt GUI-related libraries
Description :
Qt libraries used for drawing widgets and OpenGL items.

Name : rpcbind Relocations: (not relocatable)
Version : 0.2.0 Vendor: CentOS

Release : 11.el6 Build Date: Thu 21 Feb 2013
08:19:41 PM EST
Install Date: Fri 06 Feb 2015 09:02:52 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: rpcbind-0.2.0-
11.el6.src.rpm
Size : 97655 License: GPL
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:35 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://nfsv4.bullopensource.org>
Summary : Universal Addresses to RPC Program Number Mapper
Description :
The rpcbind utility is a server that converts RPC program numbers into
universal addresses. It must be running on the host to be able to make
RPC calls on a server on that machine.

Name : libvorbis Relocations: (not relocatable)
Version : 1.2.3 Vendor: CentOS
Release : 4.el6_2.1 Build Date: Wed 15 Feb 2012
04:26:28 AM EST
Install Date: Fri 06 Feb 2015 09:02:03 AM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libvorbis-1.2.3-
4.el6_2.1.src.rpm
Size : 2153576 License: BSD
Signature : RSA/SHA1, Wed 15 Feb 2012 04:32:57 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.xiph.org/>
Summary : The Vorbis General Audio Compression Codec.
Description :
Ogg Vorbis is a fully open, non-proprietary, patent- and royalty-free,
general-purpose compressed audio format for audio and music at fixed
and variable bitrates from 16 to 128 kbps/channel.

The libvorbis package contains runtime libraries for use in programs
that support Ogg Vorbis.

Name : device-mapper-libs Relocations: (not relocatable)
Version : 1.02.77 Vendor: CentOS
Release : 9.el6 Build Date: Fri 22 Feb 2013
01:21:40 AM EST
Install Date: Fri 06 Feb 2015 09:04:28 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: lvm2-2.02.98-
9.el6.src.rpm
Size : 234680 License: LGPLv2
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:12 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sources.redhat.com/lvm2>
Summary : Device-mapper shared library
Description :

This package contains the device-mapper shared library, libdevmapper.

Name : ConsoleKit-x11 Relocations: (not relocatable)
Version : 0.4.1 Vendor: CentOS
Release : 3.el6 Build Date: Wed 10 Nov 2010
05:09:29 PM EST
Install Date: Fri 06 Feb 2015 09:02:53 AM EST Build Host:
c5b2.bsys.dev.centos.org
Group : Development/Libraries Source RPM: ConsoleKit-0.4.1-
3.el6.src.rpm
Size : 43984 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:07:56 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/wiki/Software/ConsoleKit>
Summary : X11-requiring add-ons for ConsoleKit
Description :
ConsoleKit contains some tools that require Xlib to be installed,
those are in this separate package so server systems need not install
X. Applications (such as xorg-x11-xinit) and login managers (such as
gdm) that need to register their X sessions with ConsoleKit needs to
have a Requires: for this package.

Name : avahi-libs Relocations: (not relocatable)
Version : 0.6.25 Vendor: CentOS
Release : 12.el6 Build Date: Thu 21 Feb 2013
05:22:11 PM EST
Install Date: Fri 06 Feb 2015 09:02:04 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: avahi-0.6.25-
12.el6.src.rpm
Size : 114824 License: LGPLv2
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:15 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://avahi.org>
Summary : Libraries for avahi run-time use
Description :
The avahi-libs package contains the libraries needed
to run programs that use avahi.

Name : kpartx Relocations: (not relocatable)
Version : 0.4.9 Vendor: CentOS
Release : 64.el6 Build Date: Fri 22 Feb 2013
01:25:47 AM EST
Install Date: Fri 06 Feb 2015 09:04:28 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Base Source RPM: device-mapper-
multipath-0.4.9-64.el6.src.rpm
Size : 33358 License: GPL+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:17 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://christophe.varoqui.free.fr/>

Summary : Partition device manager for device-mapper devices
Description :
kpartx manages partition creation and removal for device-mapper devices.

Name : festival Relocations: (not relocatable)
Version : 1.96 Vendor: CentOS
Release : 18.el6 Build Date: Thu 11 Nov 2010
02:43:14 AM EST
Install Date: Fri 06 Feb 2015 09:02:55 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Applications/Multimedia Source RPM: festival-1.96-
18.el6.src.rpm
Size : 9219750 License: MIT and GPL+ and
TCL
Signature : RSA/8, Sun 03 Jul 2011 12:14:07 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.cstr.ed.ac.uk/projects/festival/>
Summary : Speech synthesis and text-to-speech system
Description :
Festival is a general multi-lingual speech synthesis system developed
at CSTR. It offers a full text to speech system with various APIs, as
well as an environment for development and research of speech synthesis
techniques. It is written in C++ with a Scheme-based command interpreter
for general control.

Name : libgpg-error Relocations: (not relocatable)
Version : 1.7 Vendor: CentOS
Release : 4.el6 Build Date: Wed 07 Dec 2011
12:37:21 PM EST
Install Date: Fri 06 Feb 2015 09:02:04 AM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libgpg-error-
1.7-4.el6.src.rpm
Size : 214321 License: LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:17:43 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.gnupg.org/gcrypt/libgpg-error/>
Summary : Library for error values used by GnuPG components
Description :
This is a library that defines common error values for all GnuPG
components. Among these are GPG, GPGSM, GPGME, GPG-Agent, libgcrypt,
pinentry, SmartCard Daemon and possibly more in the future.

Name : dracut Relocations: (not relocatable)
Version : 004 Vendor: CentOS
Release : 303.el6 Build Date: Fri 22 Feb 2013
12:03:50 AM EST
Install Date: Fri 06 Feb 2015 09:04:29 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Base Source RPM: dracut-004-
303.el6.src.rpm
Size : 245449 License: GPLv2+

Signature : RSA/SHA1, Sat 23 Feb 2013 12:54:40 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://apps.sourceforge.net/trac/dracut/wiki>
Summary : Initramfs generator using udev
Description :
dracut is a new, event-driven initramfs infrastructure based around udev.

Name : qt3 Relocations: (not relocatable)
Version : 3.3.8b Vendor: CentOS
Release : 30.el6 Build Date: Fri 23 Sep 2011
12:44:21 PM EDT
Install Date: Fri 06 Feb 2015 09:02:56 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: qt3-3.3.8b-
30.el6.src.rpm
Size : 11556133 License: QPL or GPLv2 or
GPLv3

Signature : RSA/SHA1, Mon 26 Sep 2011 12:24:08 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.troll.no>
Summary : The shared library for the Qt 3 GUI toolkit
Description :
Qt is a GUI software toolkit which simplifies the task of writing and
maintaining GUI (Graphical User Interface) applications
for the X Window System.

Qt is written in C++ and is fully object-oriented.

This package contains the shared library needed to run Qt 3
applications, as well as the README files for Qt 3.

Name : libXxf86vm Relocations: (not relocatable)
Version : 1.1.2 Vendor: CentOS
Release : 2.el6 Build Date: Thu 21 Feb 2013
02:26:13 PM EST
Install Date: Fri 06 Feb 2015 09:02:05 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXxf86vm-
1.1.2-2.el6.src.rpm
Size : 39551 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:51 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXxf86vm runtime library
Description :
X.Org X11 libXxf86vm runtime library

Name : gucharmap Relocations: (not relocatable)
Version : 2.28.2 Vendor: CentOS
Release : 2.el6 Build Date: Wed 25 Aug 2010
12:39:08 AM EDT

Install Date: Fri 06 Feb 2015 09:04:30 AM EST Build Host:
c6b2.bsys.dev.centos.org
Group : Applications/System Source RPM: gucharmap-2.28.2-
2.el6.src.rpm
Size : 6551976 License: GPLv2+ and GFDL
and MIT
Signature : RSA/8, Sun 03 Jul 2011 12:20:57 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://live.gnome.org/Gucharmap>
Summary : Unicode character picker and font browser
Description :
This program allows you to browse through all the available Unicode
characters and categories for the installed fonts, and to examine their
detailed properties. It is an easy way to find the character you might
only know by its Unicode name or code point.

Name : httpd-tools Relocations: (not relocatable)
Version : 2.2.15 Vendor: CentOS
Release : 26.el6.centos Build Date: Fri 22 Feb 2013
06:21:03 AM EST
Install Date: Fri 06 Feb 2015 09:02:57 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: httpd-2.2.15-
26.el6.centos.src.rpm
Size : 140449 License: ASL 2.0
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:47 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://httpd.apache.org/>
Summary : Tools for use with the Apache HTTP Server
Description :
The httpd-tools package contains tools which can be used with
the Apache HTTP Server.

Name : grep Relocations: (not relocatable)
Version : 2.6.3 Vendor: CentOS
Release : 3.el6 Build Date: Wed 07 Mar 2012
09:00:15 PM EST
Install Date: Fri 06 Feb 2015 09:02:05 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/Text Source RPM: grep-2.6.3-
3.el6.src.rpm
Size : 802765 License: GPLv3+
Signature : RSA/SHA1, Thu 08 Mar 2012 12:16:07 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/grep/>
Summary : Pattern matching utilities
Description :
The GNU versions of commonly used grep utilities. Grep searches through
textual input for lines which contain a match to a specified pattern and
then

prints the matching lines. GNU's grep utilities include grep, egrep and fgrep.

GNU grep is needed by many scripts, so it shall be installed on every system.

```
Name           : yelp                               Relocations: (not relocatable)
Version        : 2.28.1                             Vendor: CentOS
Release       : 13.el6_2                             Build Date: Fri 24 Feb 2012
09:35:08 PM EST
Install Date: Fri 06 Feb 2015 09:04:38 AM EST      Build Host:
c6b18n3.bsys.dev.centos.org
Group         : Applications/System                 Source RPM: yelp-2.28.1-
13.el6_2.src.rpm
Size          : 3735322                             License: GPLv2+
Signature     : RSA/SHA1, Fri 24 Feb 2012 10:20:32 PM EST, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           : http://live.gnome.org/Yelp
Summary       : Help browser for the GNOME desktop
Description   :
Yelp is the help browser for the GNOME desktop. It is designed
to help you browse all the documentation on your system in
one central tool, including traditional man pages, info pages and
documentation written in DocBook.
```

```
Name           : urw-fonts                           Relocations: (not relocatable)
Version        : 2.4                                 Vendor: CentOS
Release       : 10.el6                             Build Date: Sun 22 Aug 2010
12:02:26 PM EDT
Install Date: Fri 06 Feb 2015 09:02:58 AM EST      Build Host:
c6b6.bsys.dev.centos.org
Group         : User Interface/X                     Source RPM: urw-fonts-2.4-
10.el6.src.rpm
Size          : 4389400                             License: GPL+ with
exceptions
Signature     : RSA/8, Sun 03 Jul 2011 12:51:58 AM EDT, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           : http://svn.ghostscript.com/ghostscript/tags/urw-fonts-
1.0.7pre44/
Summary       : Free versions of the 35 standard PostScript fonts
Description   :
Free, good quality versions of the 35 standard PostScript(TM) fonts,
donated under the GPL by URW++ Design and Development GmbH.
```

Install the urw-fonts package if you need free versions of standard PostScript fonts.

```
Name           : lcms-libs                           Relocations: (not relocatable)
Version        : 1.19                               Vendor: CentOS
Release       : 1.el6                             Build Date: Fri 20 Aug 2010
08:15:46 AM EDT
```


Install Date: Fri 06 Feb 2015 09:02:06 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: lcms-1.19-
1.el6.src.rpm
Size : 225550 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:31:24 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.littlecms.com/>
Summary : Library for lcms
Description :
The lcms-libs package contains library for lcms.

Name : openssh-clients Relocations: (not relocatable)
Version : 5.3p1 Vendor: CentOS
Release : 84.1.el6 Build Date: Thu 21 Feb 2013
10:51:49 PM EST
Install Date: Fri 06 Feb 2015 09:04:39 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : Applications/Internet Source RPM: openssh-5.3p1-
84.1.el6.src.rpm
Size : 1049931 License: BSD
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:22 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.openssh.com/portable.html>
Summary : An open source SSH client applications
Description :
OpenSSH is a free version of SSH (Secure SHell), a program for logging
into and executing commands on a remote machine. This package includes
the clients necessary to make encrypted connections to SSH servers.

Name : at Relocations: (not relocatable)
Version : 3.1.10 Vendor: CentOS
Release : 43.el6_2.1 Build Date: Mon 30 Jan 2012
08:56:34 AM EST
Install Date: Fri 06 Feb 2015 09:03:04 AM EST Build Host:
c6b18n1.dev.centos.org
Group : System Environment/Daemons Source RPM: at-3.1.10-
43.el6_2.1.src.rpm
Size : 93940 License: GPLv2+
Signature : RSA/SHA1, Mon 30 Jan 2012 02:12:03 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://ftp.debian.org/debian/pool/main/a/at>
Summary : Job spooling tools
Description :
At and batch read commands from standard input or from a specified
file. At allows you to specify that a command will be run at a
particular time. Batch will execute commands when the system load
levels drop to a particular level. Both commands use user's shell.

You should install the at package if you need a utility for
time-oriented job control. Note: If it is a recurring job that will

need to be repeated at the same time every day/week, etc. you should use crontab instead.

```
Name           : shared-mime-info           Relocations: (not relocatable)
Version        : 0.70                      Vendor: CentOS
Release       : 4.el6                      Build Date: Thu 11 Nov 2010
12:06:52 PM EST
Install Date: Fri 06 Feb 2015 09:02:06 AM EST      Build Host:
c6b6.bsys.dev.centos.org
Group          : System Environment/Base          Source RPM: shared-mime-info-
0.70-4.el6.src.rpm
Size           : 1411492                    License: GPLv2+
Signature      : RSA/8, Sun 03 Jul 2011 01:02:02 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://freedesktop.org/Software/shared-mime-info
Summary        : Shared MIME information database
Description    :
This is the freedesktop.org shared MIME info database.
```

Many programs and desktops use the MIME system to represent the types of files. Frequently, it is necessary to work out the correct MIME type for a file. This is generally done by examining the file's name or contents, and looking up the correct MIME type in a database.

```
Name           : dmraid-events              Relocations: (not relocatable)
Version        : 1.0.0.rc16                 Vendor: CentOS
Release       : 11.el6                      Build Date: Fri 22 Jun 2012
03:58:31 AM EDT
Install Date: Fri 06 Feb 2015 09:04:39 AM EST      Build Host:
c6b8.bsys.dev.centos.org
Group          : System Environment/Base          Source RPM: dmraid-
1.0.0.rc16-11.el6.src.rpm
Size           : 8988                      License: GPLv2+
Signature      : RSA/SHA1, Sun 24 Jun 2012 06:16:26 PM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://people.redhat.com/heinzm/sw/dmraid
Summary        : dmevent_tool (Device-mapper event tool) and DSO
Description    :
Provides a dmeventd DSO and the dmevent_tool to register devices with it
for device monitoring. All active RAID sets should be manually
registered
with dmevent_tool.
```

```
Name           : nss-sysinit                Relocations: (not relocatable)
Version        : 3.14.0.0                   Vendor: CentOS
Release       : 12.el6                      Build Date: Fri 22 Feb 2013
05:55:38 PM EST
Install Date: Fri 06 Feb 2015 09:03:05 AM EST      Build Host:
c6b7.bsys.dev.centos.org
Group          : System Environment/Base          Source RPM: nss-3.14.0.0-
12.el6.src.rpm
Size           : 32822                      License: MPLv2.0
```

Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:22 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mozilla.org/projects/security/pki/nss/>
Summary : System NSS Initialization
Description :
Default Operating System module that manages applications loading
NSS globally on the system. This module loads the system defined
PKCS #11 modules for NSS and chains with other NSS modules to load
any system or user configured modules.

Name : pciutils-libs Relocations: (not relocatable)
Version : 3.1.10 Vendor: CentOS
Release : 2.el6 Build Date: Thu 21 Feb 2013
05:31:11 PM EST
Install Date: Fri 06 Feb 2015 09:02:07 AM EST Build Host:
c6b9.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: pciutils-3.1.10-
2.el6.src.rpm
Size : 48992 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:59 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://atrey.karlin.mff.cuni.cz/~mj/pciutils.shtml>
Summary : Linux PCI library
Description :
This package contains a library for inspecting and setting
devices connected to the PCI bus.

Name : gvfs Relocations: (not relocatable)
Version : 1.4.3 Vendor: CentOS
Release : 15.el6 Build Date: Tue 31 Jul 2012
05:43:31 AM EDT
Install Date: Fri 06 Feb 2015 09:04:40 AM EST Build Host:
c6b7.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: gvfs-1.4.3-
15.el6.src.rpm
Size : 4855097 License: LGPLv2+
Signature : RSA/SHA1, Tue 31 Jul 2012 06:32:07 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gtk.org>
Summary : Backends for the gio framework in GLib
Description :
The gvfs package provides backend implementations for the gio
framework in GLib. It includes ftp, sftp, cifs.

Name : openldap Relocations: (not relocatable)
Version : 2.4.23 Vendor: CentOS
Release : 31.el6 Build Date: Thu 21 Feb 2013
08:53:19 PM EST
Install Date: Fri 06 Feb 2015 09:03:06 AM EST Build Host:
c6b7.bsyz.dev.centos.org

Group : System Environment/Daemons Source RPM: openldap-2.4.23-31.el6.src.rpm
Size : 792868 License: OpenLDAP
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:03 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.openldap.org/>
Summary : LDAP support libraries
Description :
OpenLDAP is an open source suite of LDAP (Lightweight Directory Access Protocol) applications and development tools. LDAP is a set of protocols for accessing directory services (usually phone book style information, but other information is possible) over the Internet, similar to the way DNS (Domain Name System) information is propagated over the Internet. The openldap package contains configuration files, libraries, and documentation for OpenLDAP.

Name : hal-libs Relocations: (not relocatable)
Version : 0.5.14 Vendor: CentOS
Release : 11.el6 Build Date: Tue 19 Jul 2011 02:29:14 PM EDT
Install Date: Fri 06 Feb 2015 09:02:08 AM EST Build Host: c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: hal-0.5.14-11.el6.src.rpm
Size : 108320 License: AFL or GPLv2
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:12 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/Software/hal>
Summary : Libraries for accessing HAL
Description :
Libraries for accessing HAL.

Name : cryptsetup-luks Relocations: (not relocatable)
Version : 1.2.0 Vendor: CentOS
Release : 7.el6 Build Date: Fri 22 Jun 2012 03:35:49 AM EDT
Install Date: Fri 06 Feb 2015 09:04:42 AM EST Build Host: c6b8.bsys.dev.centos.org
Group : Applications/System Source RPM: cryptsetup-luks-1.2.0-7.el6.src.rpm
Size : 302744 License: GPLv2
Signature : RSA/SHA1, Sun 24 Jun 2012 06:17:14 PM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://cryptsetup.googlecode.com/>
Summary : A utility for setting up encrypted filesystems
Description :
This package contains cryptsetup, a utility for setting up encrypted filesystems using Device Mapper and the dm-crypt target.

Name : xmlrpc-c-client Relocations: (not relocatable)

Version : 1.16.24 Vendor: CentOS
Release : 1209.1840.el6 Build Date: Fri 22 Jun 2012
05:25:01 AM EDT
Install Date: Fri 06 Feb 2015 09:03:07 AM EST Build Host:
c6b10.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: xmlrpc-c-
1.16.24-1209.1840.el6.src.rpm
Size : 44336 License: BSD and MIT
Signature : RSA/SHA1, Sun 24 Jun 2012 06:17:15 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://xmlrpc-c.sourceforge.net/>
Summary : C client libraries for xmlrpc-c
Description :
XML-RPC is a quick-and-easy way to make procedure calls over the
Internet. It converts the procedure call into XML document, sends it
to a remote server using HTTP, and gets back the response as XML.

This library provides a modular implementation of XML-RPC for C
clients.

Name : glibmm24 Relocations: (not relocatable)
Version : 2.22.1 Vendor: CentOS
Release : 1.el6 Build Date: Thu 11 Nov 2010
05:16:17 AM EST
Install Date: Fri 06 Feb 2015 09:02:08 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: glibmm24-2.22.1-
1.el6.src.rpm
Size : 1169944 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:17:27 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gtkmm.sourceforge.net/>
Summary : C++ interface for GTK2 (a GUI library for X)
Description :
glibmm provides a C++ interface to the GTK+ GLib low-level core
library. Highlights include typesafe callbacks, widgets extensible via
inheritance and a comprehensive set of widget classes that can be
freely combined to quickly create complex user interfaces.

Name : DeviceKit-power Relocations: (not relocatable)
Version : 014 Vendor: CentOS
Release : 3.el6 Build Date: Fri 23 Sep 2011
03:53:31 PM EDT
Install Date: Fri 06 Feb 2015 09:04:43 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: DeviceKit-power-
014-3.el6.src.rpm
Size : 247179 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:17:34 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://cgit.freedesktop.org/DeviceKit/DeviceKit-power/>

Summary : Power Management Service
Description :
DeviceKit-power provides a daemon, API and command line tools for managing power devices attached to the system.

Name : net-snmp-libs Relocations: (not relocatable)
Version : 5.5 Vendor: CentOS
Release : 44.el6 Build Date: Thu 21 Feb 2013
06:34:52 PM EST
Install Date: Fri 06 Feb 2015 09:03:08 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Development/Libraries Source RPM: net-snmp-5.5-
44.el6.src.rpm
Size : 5692013 License: BSD
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:45 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://net-snmp.sourceforge.net/>
Summary : The NET-SNMP runtime libraries
Description :
The net-snmp-libs package contains the runtime libraries for shared binaries and applications.

Name : libtheora Relocations: (not relocatable)
Version : 1.1.0 Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010
03:56:21 PM EST
Install Date: Fri 06 Feb 2015 09:02:08 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libtheora-1.1.0-
2.el6.src.rpm
Size : 466989 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:39:59 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.theora.org>
Summary : Theora Video Compression Codec
Description :
Theora is Xiph.Org's first publicly released video codec, intended for use within the Ogg's project's Ogg multimedia streaming system. Theora is derived directly from On2's VP3 codec; Currently the two are nearly identical, varying only in encapsulating decoder tables in the bitstream headers, but Theora will make use of this extra freedom in the future to improve over what is possible with VP3.

Name : xorg-x11-drv-evdev Relocations: (not relocatable)
Version : 2.7.3 Vendor: CentOS
Release : 5.el6 Build Date: Sat 23 Feb 2013
02:33:32 PM EST
Install Date: Fri 06 Feb 2015 09:04:43 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-evdev-2.7.3-5.el6.src.rpm

Size : 61974 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:13:53 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 evdev input driver
Description :
X.Org X11 evdev input driver.

Name : deltarpm Relocations: (not relocatable)
Version : 3.5 Vendor: CentOS
Release : 0.5.20090913git.el6 Build Date: Sat 21 Aug 2010
02:40:23 AM EDT
Install Date: Fri 06 Feb 2015 09:03:08 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Base Source RPM: deltarpm-3.5-
0.5.20090913git.el6.src.rpm
Size : 192738 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:09:49 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gitorious.org/deltarpm/deltarpm>
Summary : Create deltas between rpms
Description :
A deltarpm contains the difference between an old
and a new version of a rpm, which makes it possible
to recreate the new rpm from the deltarpm and the old
one. You don't have to have a copy of the old rpm,
deltarpm's can also work with installed rpms.

Name : tar Relocations: (not relocatable)
Version : 1.23 Vendor: CentOS
Release : 11.el6 Build Date: Thu 21 Feb 2013
09:26:10 PM EST
Install Date: Fri 06 Feb 2015 09:02:09 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : Applications/Archiving Source RPM: tar-1.23-
11.el6.src.rpm
Size : 2616001 License: GPLv3+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:39 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/tar/>
Summary : A GNU file archiving program
Description :
The GNU tar program saves many files together in one archive and can
restore individual files (or all of the files) from that archive. Tar
can also be used to add supplemental files to an archive and to update
or list files in the archive. Tar includes multivolume support,
automatic archive compression/decompression, the ability to perform
remote archives, and the ability to perform incremental and full
backups.

If you want to use tar for remote backups, you also need to install

the rmt package.

Name : control-center Relocations: (not relocatable)
Version : 2.28.1 Vendor: CentOS
Release : 38.el6 Build Date: Thu 21 Feb 2013
05:04:12 PM EST
Install Date: Fri 06 Feb 2015 09:04:46 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: control-center-
2.28.1-38.el6.src.rpm
Size : 14253492 License: GPLv2+ and GFDL
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:23 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : Utilities to configure the GNOME desktop
Description :
This package contains configuration utilities for the GNOME desktop,
which
allow to configure accessibility options, desktop fonts, keyboard and
mouse
properties, sound setup, desktop theme and background, user interface
properties, screen resolution, and other settings.

Name : apr-util-ldap Relocations: (not relocatable)
Version : 1.3.9 Vendor: CentOS
Release : 3.el6_0.1 Build Date: Sat 25 Jun 2011
12:38:40 AM EDT
Install Date: Fri 06 Feb 2015 09:03:09 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: apr-util-1.3.9-
3.el6_0.1.src.rpm
Size : 9488 License: ASL 2.0
Signature : RSA/8, Tue 05 Jul 2011 09:37:04 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://apr.apache.org/>
Summary : APR utility library LDAP support
Description :
This package provides the LDAP support for the apr-util.

Name : e2fsprogs-libs Relocations: (not relocatable)
Version : 1.41.12 Vendor: CentOS
Release : 14.el6 Build Date: Thu 21 Feb 2013
06:51:14 PM EST
Install Date: Fri 06 Feb 2015 09:02:09 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Development/Libraries Source RPM: e2fsprogs-
1.41.12-14.el6.src.rpm
Size : 274473 License: GPLv2 and LGPLv2
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:01 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://e2fsprogs.sourceforge.net/>

Summary : Ext2/3/4 filesystem-specific shared libraries
Description :
E2fsprogs-libs contains libe2p and libext2fs, the libraries of the
e2fsprogs package.

These libraries are used to directly access ext2/3/4 filesystems
from userspace.

Name : xorg-x11-drv-xgi Relocations: (not relocatable)
Version : 1.6.0 Vendor: CentOS
Release : 18.20121114git.el6 Build Date: Sat 23 Feb 2013
03:25:30 PM EST
Install Date: Fri 06 Feb 2015 09:04:49 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-xgi-1.6.0-18.20121114git.el6.src.rpm
Size : 270063 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:16:51 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 xgi video driver
Description :
X.Org X11 xgi video driver.

Name : java-1.6.0-openjdk Relocations: (not relocatable)
Version : 1.6.0.0 Vendor: CentOS
Release : 1.50.1.11.5.el6_3 Build Date: Wed 17 Oct 2012
01:21:14 PM EDT
Install Date: Fri 06 Feb 2015 09:03:25 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : Development/Languages Source RPM: java-1.6.0-
openjdk-1.6.0.0-1.50.1.11.5.el6_3.src.rpm
Size : 84765981 License: ASL 1.1, ASL 2.0,
GPL+, GPLv2, GPLv2 with exceptions, LGPL+, LGPLv2, MPLv1.0, MPLv1.1,
Public Domain, W3C
Signature : RSA/SHA1, Wed 17 Oct 2012 03:00:07 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://icedtea.classpath.org/>
Summary : OpenJDK Runtime Environment
Description :
The OpenJDK runtime environment.

Name : pixman Relocations: (not relocatable)
Version : 0.26.2 Vendor: CentOS
Release : 4.el6 Build Date: Thu 21 Feb 2013
02:33:06 PM EST
Install Date: Fri 06 Feb 2015 09:02:11 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: pixman-0.26.2-
4.el6.src.rpm
Size : 557640 License: MIT

Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:13 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://cgit.freedesktop.org/pixman/>
Summary : Pixel manipulation library
Description :
Pixman is a pixel manipulation library for X and cairo.

Name : xorg-x11-drv-v4l Relocations: (not relocatable)
Version : 0.2.0 Vendor: CentOS
Release : 6.el6 Build Date: Sat 23 Feb 2013
03:14:11 PM EST
Install Date: Fri 06 Feb 2015 09:04:49 AM EST Build Host:
c6b8.bsyzs.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-v4l-0.2.0-6.el6.src.rpm
Size : 18017 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:16:26 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 v4l video driver
Description :
X.Org X11 v4l video driver.

Name : libaio Relocations: (not relocatable)
Version : 0.3.107 Vendor: CentOS
Release : 10.el6 Build Date: Sun 22 Aug 2010
05:08:18 PM EDT
Install Date: Fri 06 Feb 2015 09:03:26 AM EST Build Host:
c6b6.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: libaio-0.3.107-
10.el6.src.rpm
Size : 34542 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:31:33 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://git.kernel.org/?p=libs/libaio/libaio.git>
Summary : Linux-native asynchronous I/O access library
Description :
The Linux-native asynchronous I/O facility ("async I/O", or "aio") has a
richer API and capability set than the simple POSIX async I/O facility.
This library, libaio, provides the Linux-native API for async I/O.
The POSIX async I/O facility requires this library in order to provide
kernel-accelerated async I/O capabilities, as do applications which
require the Linux-native async I/O API.

Name : libtool-ltdl Relocations: (not relocatable)
Version : 2.2.6 Vendor: CentOS
Release : 15.5.el6 Build Date: Tue 24 Aug 2010
03:42:49 PM EDT
Install Date: Fri 06 Feb 2015 09:02:11 AM EST Build Host:
c6b2.bsyzs.dev.centos.org

Group : System Environment/Libraries Source RPM: libtool-2.2.6-15.5.el6.src.rpm
Size : 64948 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:40:12 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/libtool/>
Summary : Runtime libraries for GNU Libtool Dynamic Module Loader
Description :
The libtool-ltdl package contains the GNU Libtool Dynamic Module Loader, a library that provides a consistent, portable interface which simplifies the process of using dynamic modules.

These runtime libraries are needed by programs that link directly to the system-installed ltdl libraries; they are not needed by software built using the rest of the GNU Autotools (including GNU Autoconf and GNU Automake).

Name : xorg-x11-drv-sisusb Relocations: (not relocatable)
Version : 0.9.6 Vendor: CentOS
Release : 2.el6 Build Date: Sat 23 Feb 2013 03:09:47 PM EST
Install Date: Fri 06 Feb 2015 09:04:49 AM EST Build Host: c6b7.bsyzs.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-sisusb-0.9.6-2.el6.src.rpm
Size : 75806 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:15:57 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 sisusb video driver
Description :
X.Org X11 sisusb video driver.

Name : fuse-libs Relocations: (not relocatable)
Version : 2.8.3 Vendor: CentOS
Release : 4.el6 Build Date: Wed 07 Dec 2011 07:56:46 PM EST
Install Date: Fri 06 Feb 2015 09:03:26 AM EST Build Host: c6b4.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: fuse-2.8.3-4.el6.src.rpm
Size : 256835 License: LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:00:21 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fuse.sf.net>
Summary : File System in Userspace (FUSE) libraries
Description :
Devel With FUSE it is possible to implement a fully functional filesystem in a

userspace program. This package contains the FUSE libraries.

Name : libmng Relocations: (not relocatable)
Version : 1.0.10 Vendor: CentOS
Release : 4.1.el6 Build Date: Thu 11 Nov 2010
09:05:35 AM EST
Install Date: Fri 06 Feb 2015 09:02:12 AM EST Build Host:
c5b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libmng-1.0.10-
4.1.el6.src.rpm
Size : 544620 License: zlib
Signature : RSA/8, Sun 03 Jul 2011 12:36:47 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.libmng.com/>
Summary : Library for Multiple-image Network Graphics support
Description :
LibMNG is a library for accessing graphics in MNG (Multi-image Network
Graphics) and JNG (JPEG Network Graphics) formats. MNG graphics are
basically animated PNGs. JNG graphics are basically JPEG streams
integrated into a PNG chunk.

Name : xorg-x11-drv-s3virge Relocations: (not relocatable)
Version : 1.10.6 Vendor: CentOS
Release : 2.el6 Build Date: Sat 23 Feb 2013
03:05:34 PM EST
Install Date: Fri 06 Feb 2015 09:04:49 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-s3virge-1.10.6-2.el6.src.rpm
Size : 73973 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:15:40 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 s3virge video driver
Description :
X.Org X11 s3virge video driver.

Name : mingetty Relocations: (not relocatable)
Version : 1.08 Vendor: CentOS
Release : 5.el6 Build Date: Fri 23 Sep 2011
08:54:56 AM EDT
Install Date: Fri 06 Feb 2015 09:03:28 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Base Source RPM: mingetty-1.08-
5.el6.src.rpm
Size : 34586 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:55 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceforge.net/projects/mingetty/>
Summary : A compact getty program for virtual consoles only
Description :

The mingetty program is a lightweight, minimalist getty program for use only on virtual consoles. Mingetty is not suitable for serial lines (you should use the mgetty program in that case).

Name : libXScrnSaver Relocations: (not relocatable)
Version : 1.2.2 Vendor: CentOS
Release : 2.el6 Build Date: Thu 21 Feb 2013
02:24:54 PM EST
Install Date: Fri 06 Feb 2015 09:02:12 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXScrnSaver-
1.2.2-2.el6.src.rpm
Size : 36140 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:39 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXss runtime library
Description :
X.Org X11 libXss runtime library

Name : xorg-x11-drv-penmount Relocations: (not relocatable)
Version : 1.5.0 Vendor: CentOS
Release : 4.el6 Build Date: Sat 23 Feb 2013
02:58:29 PM EST
Install Date: Fri 06 Feb 2015 09:04:50 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-penmount-1.5.0-4.el6.src.rpm
Size : 15945 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:15:24 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 penmount input driver
Description :
X.Org X11 penmount input driver.

Name : pango Relocations: (not relocatable)
Version : 1.28.1 Vendor: CentOS
Release : 7.el6_3 Build Date: Wed 28 Nov 2012
05:00:17 AM EST
Install Date: Fri 06 Feb 2015 09:03:28 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: pango-1.28.1-
7.el6_3.src.rpm
Size : 1039145 License: LGPLv2+
Signature : RSA/SHA1, Wed 28 Nov 2012 05:10:54 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.pango.org>
Summary : System for layout and rendering of internationalized text
Description :
Pango is a library for laying out and rendering of text, with an emphasis

on internationalization. Pango can be used anywhere that text layout is needed, though most of the work on Pango so far has been done in the context of the GTK+ widget toolkit. Pango forms the core of text and font handling for GTK+.

Pango is designed to be modular; the core Pango layout engine can be used with different font backends.

The integration of Pango with Cairo provides a complete solution with high quality text handling and graphics rendering.

```
Name      : xorg-x11-xkb-utils      Relocations: (not relocatable)
Version    : 7.7                    Vendor: CentOS
Release    : 4.el6                  Build Date: Sat 23 Feb 2013
03:32:08 PM EST
Install Date: Fri 06 Feb 2015 09:02:13 AM EST    Build Host:
c6b9.bsys.dev.centos.org
Group      : User Interface/X        Source RPM: xorg-x11-xkb-
utils-7.7-4.el6.src.rpm
Size       : 200383                  License: MIT
Signature  : RSA/SHA1, Sat 23 Feb 2013 04:17:10 PM EST, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://www.x.org
Summary    : X.Org X11 xkb utilities
Description:
X.Org X11 xkb core utilities
```

```
Name      : xorg-x11-drv-mouse      Relocations: (not relocatable)
Version    : 1.8.1                  Vendor: CentOS
Release    : 7.el6                  Build Date: Sat 23 Feb 2013
02:50:32 PM EST
Install Date: Fri 06 Feb 2015 09:04:50 AM EST    Build Host:
c6b8.bsys.dev.centos.org
Group      : User Interface/X Hardware Support  Source RPM: xorg-x11-
drv-mouse-1.8.1-7.el6.src.rpm
Size       : 53385                  License: MIT
Signature  : RSA/SHA1, Sat 23 Feb 2013 04:15:00 PM EST, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://www.x.org
Summary    : Xorg X11 mouse input driver
Description:
X.Org X11 mouse input driver.
```

```
Name      : java_cup                Relocations: (not relocatable)
Version    : 0.10k                  Vendor: CentOS
Release    : 5.el6                  Build Date: Sat 21 Aug 2010
02:13:06 AM EDT
Install Date: Fri 06 Feb 2015 09:03:36 AM EST    Build Host:
c6b5.bsys.dev.centos.org
```

Group : Development/Tools Source RPM: java_cup-0.10k-5.el6.src.rpm
Size : 556580 License: BSD and LGPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:26:12 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.cs.princeton.edu/%7Eappel/modern/java/CUP/>
Summary : Java source interpreter
Description :
java_cup is a LALR Parser Generator for Java

Name : xz Relocations: (not relocatable)
Version : 4.999.9 Vendor: CentOS
Release : 0.3.beta.20091007git.el6 Build Date: Sun 22 Aug 2010 01:12:38 PM EDT
Install Date: Fri 06 Feb 2015 09:02:13 AM EST Build Host: c6b6.bsys.dev.centos.org
Group : Applications/File Source RPM: xz-4.999.9-0.3.beta.20091007git.el6.src.rpm
Size : 487887 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:06:47 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://tukaani.org/xz/>
Summary : LZMA compression utilities
Description :
XZ Utils are an attempt to make LZMA compression easy to use on free (as in freedom) operating systems. This is achieved by providing tools and libraries which are similar to use than the equivalents of the most popular existing compression algorithms.

LZMA is a general purpose compression algorithm designed by Igor Pavlov as part of 7-Zip. It provides high compression ratio while keeping the decompression speed fast.

Name : xorg-x11-drv-keyboard Relocations: (not relocatable)
Version : 1.6.2 Vendor: CentOS
Release : 7.el6 Build Date: Sat 23 Feb 2013 02:45:26 PM EST
Install Date: Fri 06 Feb 2015 09:04:50 AM EST Build Host: c6b9.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-keyboard-1.6.2-7.el6.src.rpm
Size : 25158 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:14:43 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 keyboard input driver
Description :

X.Org X11 keyboard input driver.

Name : libglade2 Relocations: (not relocatable)
Version : 2.6.4 Vendor: CentOS
Release : 3.1.el6 Build Date: Thu 19 Aug 2010
11:34:09 AM EDT
Install Date: Fri 06 Feb 2015 09:03:37 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libglade2-2.6.4-
3.1.el6.src.rpm
Size : 148718 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:34:09 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : The libglade library for loading user interfaces
Description :
Libglade is a small library that allows a program to load its user
interface from an XML description at runtime. Libglade uses the XML
file format used by the GLADE user interface builder GLADE, so
libglade acts as an alternative to GLADE's code generation
approach. Libglade also provides a simple interface for connecting
handlers to the various signals in the interface (on platforms where
the gmodule library works correctly, it is possible to connect all the
handlers with a single function call). Once the interface has been
instantiated, libglade gives no overhead, so other than the short
initial interface loading time, there is no performance tradeoff.

Name : libIDL Relocations: (not relocatable)
Version : 0.8.13 Vendor: CentOS
Release : 2.1.el6 Build Date: Thu 19 Aug 2010
11:17:34 AM EDT
Install Date: Fri 06 Feb 2015 09:02:14 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libIDL-0.8.13-
2.1.el6.src.rpm
Size : 214847 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:35:59 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : Library for parsing IDL (Interface Definition Language)
Description :
libIDL is a library for parsing IDL (Interface Definition Language).
It can be used for both COM-style and CORBA-style IDL.

Name : xorg-x11-drv-glnt Relocations: (not relocatable)
Version : 1.2.8 Vendor: CentOS
Release : 3.el6 Build Date: Sat 23 Feb 2013
02:38:41 PM EST
Install Date: Fri 06 Feb 2015 09:04:50 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-glnt-1.2.8-3.el6.src.rpm
Size : 137940 License: MIT

Signature : RSA/SHA1, Sat 23 Feb 2013 04:14:23 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 glint video driver
Description :
X.Org X11 glint video driver.

Name : libwnck Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 3.el6 Build Date: Tue 19 Jul 2011
12:25:28 AM EDT
Install Date: Fri 06 Feb 2015 09:03:41 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libwnck-2.28.0-
3.el6.src.rpm
Size : 1858284 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:20 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/libwnck/>
Summary : Window Navigator Construction Kit
Description :

libwnck (pronounced "libwink") is used to implement pagers, tasklists, and other such things. It allows applications to monitor information about open windows, workspaces, their names/icons, and so forth.

Name : net-tools Relocations: (not relocatable)
Version : 1.60 Vendor: CentOS
Release : 110.el6_2 Build Date: Thu 10 May 2012
04:17:33 AM EDT
Install Date: Fri 06 Feb 2015 09:02:15 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: net-tools-1.60-
110.el6_2.src.rpm
Size : 778085 License: GPL+
Signature : RSA/SHA1, Thu 10 May 2012 06:02:47 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://net-tools.berlios.de/>
Summary : Basic networking tools
Description :
The net-tools package contains basic networking tools, including ifconfig, netstat, route, and others.
Most of them are obsolete. For replacement check iproute package.

Name : xorg-x11-drv-dummy Relocations: (not relocatable)
Version : 0.3.6 Vendor: CentOS
Release : 2.el6 Build Date: Sat 23 Feb 2013
02:30:59 PM EST
Install Date: Fri 06 Feb 2015 09:04:50 AM EST Build Host:
c6b8.bsys.dev.centos.org

Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-dummy-0.3.6-2.el6.src.rpm
Size : 15856 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:13:45 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 dummy video driver
Description :
X.Org X11 dummy video driver.

Name : xml-commons-apis Relocations: (not relocatable)
Version : 1.3.04 Vendor: CentOS
Release : 3.6.el6 Build Date: Wed 18 Aug 2010 05:16:05 PM EDT
Install Date: Fri 06 Feb 2015 09:03:42 AM EST Build Host: c6b3.bsys.dev.centos.org
Group : Text Processing/Markup/XML Source RPM: xml-commons-apis-1.3.04-3.6.el6.src.rpm
Size : 1672816 License: ASL 2.0 and W3C and Public Domain
Signature : RSA/8, Sun 03 Jul 2011 01:05:51 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://xml.apache.org/commons/>
Summary : APIs for DOM, SAX, and JAXP
Description :
xml-commons-apis is designed to organize and have common packaging for the various externally-defined standard interfaces for XML. This includes the DOM, SAX, and JAXP.

Name : libss Relocations: (not relocatable)
Version : 1.41.12 Vendor: CentOS
Release : 14.el6 Build Date: Thu 21 Feb 2013 06:51:14 PM EST
Install Date: Fri 06 Feb 2015 09:02:15 AM EST Build Host: c6b7.bsys.dev.centos.org
Group : Development/Libraries Source RPM: e2fsprogs-1.41.12-14.el6.src.rpm
Size : 71689 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:56 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://e2fsprogs.sourceforge.net/>
Summary : Command line interface parsing library
Description :
This is libss, a command line interface parsing library, part of e2fsprogs.

This package includes a tool that parses a command table to generate a simple command-line interface parser, the include files needed to compile and use it, and the static libs.

It was originally inspired by the Multics SubSystem library.

Name : xorg-x11-drv-aiptek Relocations: (not relocatable)
Version : 1.4.1 Vendor: CentOS
Release : 4.el6 Build Date: Sat 23 Feb 2013
02:23:27 PM EST
Install Date: Fri 06 Feb 2015 09:04:50 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-aiptek-1.4.1-4.el6.src.rpm
Size : 27529 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:13:26 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 aiptek input driver
Description :
X.Org X11 aiptek input driver.

Name : jakarta-commons-dbcP Relocations: (not relocatable)
Version : 1.2.1 Vendor: CentOS
Release : 13.8.el6 Build Date: Fri 20 Aug 2010
09:54:51 PM EDT
Install Date: Fri 06 Feb 2015 09:03:44 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: jakarta-commons-
dbcP-1.2.1-13.8.el6.src.rpm
Size : 127715 License: ASL 2.0
Signature : RSA/8, Sun 03 Jul 2011 12:16:42 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://jakarta.apache.org/commons/dbcP>
Summary : Jakarta Commons DataBase Pooling Package
Description :
Many Jakarta projects support interaction with a relational
database. Creating a new connection for each user can be time
consuming (often requiring multiple seconds of clock time),
in order to perform a database transaction that might take
milliseconds. Opening a connection per user can be unfeasible
in a publicly-hosted Internet application where the number of
simultaneous users can be very large. Accordingly, developers
often wish to share a "pool" of open connections between all
of the application's current users. The number of users actually
performing a request at any given time is usually a very small
percentage of the total number of active users, and during
request processing is the only time that a database connection
is required. The application itself logs into the DBMS, and
handles any user account issues internally.

Name : hunspell Relocations: (not relocatable)
Version : 1.2.8 Vendor: CentOS
Release : 16.el6 Build Date: Thu 11 Nov 2010
03:17:38 PM EST
Install Date: Fri 06 Feb 2015 09:02:16 AM EST Build Host:
c6b4.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM: hunspell-1.2.8-16.el6.src.rpm
Size : 428940 License: (LGPLv2+ or GPLv2+ or MPLv1.1) and (LGPLv2+ or SISSL)
Signature : RSA/8, Sun 03 Jul 2011 12:22:03 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://hunspell.sourceforge.net/>
Summary : A spell checker and morphological analyzer library
Description :
Hunspell is a spell checker and morphological analyzer library and program designed for languages with rich morphology and complex word compounding or character encoding. Hunspell interfaces: Ispell-like terminal interface using Curses library, Ispell pipe interface, OpenOffice.org UNO module.

Name : gdm Relocations: (not relocatable)
Version : 2.30.4 Vendor: CentOS
Release : 39.el6 Build Date: Thu 21 Feb 2013 08:25:25 PM EST
Install Date: Fri 06 Feb 2015 09:04:53 AM EST Build Host: c6b7.bsdev.centos.org
Group : User Interface/X Source RPM: gdm-2.30.4-39.el6.src.rpm
Size : 4807442 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:35 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/gdm>
Summary : The GNOME Display Manager
Description :
GDM provides the graphical login screen, shown shortly after boot up, log out, and when user-switching.

Name : gnome-keyring-pam Relocations: (not relocatable)
Version : 2.28.2 Vendor: CentOS
Release : 8.el6_3 Build Date: Thu 04 Oct 2012 04:10:21 AM EDT
Install Date: Fri 06 Feb 2015 09:03:47 AM EST Build Host: c6b9.bsdev.centos.org
Group : Development/Libraries Source RPM: gnome-keyring-2.28.2-8.el6_3.src.rpm
Size : 39936 License: LGPLv2+
Signature : RSA/SHA1, Thu 04 Oct 2012 12:07:38 PM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : Pam module for unlocking keyrings
Description :
The gnome-keyring-pam package contains a pam module that can automatically unlock the "login" keyring when the user logs in.

Name : libtar Relocations: (not relocatable)
Version : 1.2.11 Vendor: CentOS
Release : 17.el6 Build Date: Mon 09 Apr 2012
09:27:01 AM EDT
Install Date: Fri 06 Feb 2015 09:02:16 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libtar-1.2.11-
17.el6.src.rpm
Size : 65398 License: MIT
Signature : RSA/SHA1, Mon 09 Apr 2012 09:52:08 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.feep.net/libtar/>
Summary : Tar file manipulation API
Description :
libtar is a C library for manipulating tar archives. It supports both
the strict POSIX tar format and many of the commonly-used GNU
extensions.

Name : crda Relocations: (not relocatable)
Version : 1.1.1_2010.11.22 Vendor: CentOS
Release : 1.el6 Build Date: Tue 19 Jul 2011
01:48:02 PM EDT
Install Date: Fri 06 Feb 2015 09:04:53 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: crda-
1.1.1_2010.11.22-1.el6.src.rpm
Size : 31721 License: ISC
Signature : RSA/SHA1, Mon 26 Sep 2011 12:17:21 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.linuxwireless.org/en/developers/Regulatory/CRDA>
Summary : Regulatory compliance daemon for 802.11 wireless networking
Description :
CRDA acts as the udev helper for communication between the kernel
and userspace for regulatory compliance. It relies on nl80211
for communication. CRDA is intended to be run only through udev
communication from the kernel.

Name : libgxim Relocations: (not relocatable)
Version : 0.3.3 Vendor: CentOS
Release : 3.1.el6 Build Date: Thu 11 Nov 2010
09:01:19 AM EST
Install Date: Fri 06 Feb 2015 09:03:47 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libgxim-0.3.3-
3.1.el6.src.rpm
Size : 412847 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:35:18 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/libgxim/>
Summary : GObject-based XIM protocol library
Description :

libgxim is a X Input Method protocol library that is implemented by GObject.
this library helps you to implement XIM servers or client applications to communicate through XIM protocol without using Xlib API directly, particularly if your application uses GObject-based main loop.

This package contains the shared library.

Name : pth Relocations: (not relocatable)
Version : 2.0.7 Vendor: CentOS
Release : 9.3.el6 Build Date: Thu 11 Nov 2010
02:48:33 PM EST
Install Date: Fri 06 Feb 2015 09:02:16 AM EST Build Host:
c6b6.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: pth-2.0.7-
9.3.el6.src.rpm
Size : 261931 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:57:59 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/pth/>
Summary : The GNU Portable Threads library
Description :
Pth is a very portable POSIX/ANSI-C based library for Unix platforms which provides non-preemptive priority-based scheduling for multiple threads of execution ("multithreading") inside server applications. All threads run in the same address space of the server application, but each thread has it's own individual program-counter, run-time stack, signal mask and errno variable.

Name : sane-backends-libs-gphoto2 Relocations: (not relocatable)
Version : 1.0.21 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
04:59:36 PM EST
Install Date: Fri 06 Feb 2015 09:04:53 AM EST Build Host:
c6b6.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: sane-backends-
1.0.21-3.el6.src.rpm
Size : 41088 License: GPLv2+ and GPLv2+
with exceptions and Public Domain
Signature : RSA/8, Sun 03 Jul 2011 01:01:08 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.sane-project.org>
Summary : SANE libraries for gphoto2
Description :
This package contains the SANE libraries which are needed by applications that want to access digital cameras.

Name : evince-libs Relocations: (not relocatable)
Version : 2.28.2 Vendor: CentOS

Release : 14.el6_0.1 Build Date: Sat 25 Jun 2011
12:18:36 AM EDT
Install Date: Fri 06 Feb 2015 09:03:48 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: evince-2.28.2-
14.el6_0.1.src.rpm
Size : 459503 License: GPLv2+ and GFDL
Signature : RSA/8, Tue 05 Jul 2011 09:38:08 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://projects.gnome.org/evince/>
Summary : Libraries for the evince document viewer
Description :
This package contains shared libraries needed for evince

Name : libpcap Relocations: (not relocatable)
Version : 1.0.0 Vendor: CentOS
Release : 6.20091201git117cb5.el6 Build Date: Thu 11 Nov 2010
02:46:56 PM EST
Install Date: Fri 06 Feb 2015 09:02:19 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: libpcap-1.0.0-
6.20091201git117cb5.el6.src.rpm
Size : 332194 License: BSD with
advertising
Signature : RSA/8, Sun 03 Jul 2011 12:37:49 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.tcpdump.org>
Summary : A system-independent interface for user-level packet
capture
Description :
Libpcap provides a portable framework for low-level network
monitoring. Libpcap can provide network statistics collection,
security monitoring and network debugging. Since almost every system
vendor provides a different interface for packet capture, the libpcap
authors created this system-independent API to ease in porting and to
alleviate the need for several system-dependent packet capture modules
in each application.

Install libpcap if you need to do low-level network traffic monitoring
on your network.

Name : oddjob Relocations: (not relocatable)
Version : 0.30 Vendor: CentOS
Release : 5.el6 Build Date: Sat 25 Jun 2011
07:15:38 AM EDT
Install Date: Fri 06 Feb 2015 09:04:56 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: oddjob-0.30-
5.el6.src.rpm
Size : 141168 License: BSD
Signature : RSA/8, Tue 05 Jul 2011 09:42:01 PM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.fedorahosted.org/oddjob>
Summary : A D-Bus service which runs odd jobs on behalf of client applications
Description :
oddjob is a D-BUS service which performs particular tasks for clients which connect to it and issue requests using the system-wide message bus.

Name : gnome-media-libs Relocations: (not relocatable)
Version : 2.29.91 Vendor: CentOS
Release : 6.el6 Build Date: Thu 11 Nov 2010 06:30:23 AM EST
Install Date: Fri 06 Feb 2015 09:03:49 AM EST Build Host: c6b3.bsyzs.dev.centos.org
Group : Development/Libraries Source RPM: gnome-media-2.29.91-6.el6.src.rpm
Size : 2766593 License: GPLv2+ and GFDL
Signature : RSA/8, Sun 03 Jul 2011 12:18:14 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : Libraries for gnome-media
Description :
This package contains the libraries required for using encoding profiles in GNOME media applications.

Name : cups-libs Relocations: (not relocatable)
Version : 1.4.2 Vendor: CentOS
Release : 48.el6_3.3 Build Date: Tue 20 Nov 2012 07:09:41 PM EST
Install Date: Fri 06 Feb 2015 09:02:20 AM EST Build Host: c6b8.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: cups-1.4.2-48.el6_3.3.src.rpm
Size : 664712 License: LGPLv2
Signature : RSA/SHA1, Wed 21 Nov 2012 08:43:41 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.cups.org/>
Summary : Common Unix Printing System - libraries
Description :
The Common UNIX Printing System provides a portable printing layer for UNIX® operating systems. It has been developed by Easy Software Products to promote a standard printing solution for all UNIX vendors and users. CUPS provides the System V and Berkeley command-line interfaces. The cups-libs package provides libraries used by applications to use CUPS natively, without needing the lp/lpr commands.

Name : ntp Relocations: (not relocatable)
Version : 4.2.4p8 Vendor: CentOS
Release : 3.el6.centos Build Date: Fri 22 Feb 2013 06:23:34 AM EST

Install Date: Fri 06 Feb 2015 09:04:58 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: ntp-4.2.4p8-
3.el6.centos.src.rpm
Size : 1220680 License: (MIT and BSD and
BSD with advertising) and GPLv2
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:13 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.ntp.org>
Summary : The NTP daemon and utilities
Description :
The Network Time Protocol (NTP) is used to synchronize a computer's
time with another reference time source. This package includes ntpd
(a daemon which continuously adjusts system time) and utilities used
to query and configure the ntpd daemon.

Perl scripts ntp-wait and ntptrace are in the ntp-perl package and
the ntpdate program is in the ntpdate package. The documentation is
in the ntp-doc package.

Name : wsdl4j Relocations: (not relocatable)
Version : 1.5.2 Vendor: CentOS
Release : 7.8.el6 Build Date: Sat 21 Aug 2010
12:54:23 AM EDT
Install Date: Fri 06 Feb 2015 09:03:51 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Text Processing/Markup/XML Source RPM: wsdl4j-1.5.2-
7.8.el6.src.rpm
Size : 346853 License: CPL
Signature : RSA/8, Sun 03 Jul 2011 12:53:06 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceforge.net/projects/wsdl4j>
Summary : Web Services Description Language Toolkit for Java
Description :
The Web Services Description Language for Java Toolkit (WSDL4J) allows
the
creation, representation, and manipulation of WSDL documents describing
services. This codebase will eventually serve as a reference
implementation
of the standard created by JSR110.

Name : lm_sensors-libs Relocations: (not relocatable)
Version : 3.1.1 Vendor: CentOS
Release : 17.el6 Build Date: Tue 25 Sep 2012
07:14:17 AM EDT
Install Date: Fri 06 Feb 2015 09:02:20 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: lm_sensors-
3.1.1-17.el6.src.rpm
Size : 66192 License: GPLv2+
Signature : RSA/SHA1, Tue 25 Sep 2012 12:19:03 PM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.lm-sensors.org/>
Summary : Linux hardware monitoring core libraries
Description :
Core libraries for Linux hardware monitoring applications.

Name : firstboot Relocations: (not relocatable)
Version : 1.110.14 Vendor: CentOS
Release : 1.el6 Build Date: Thu 21 Feb 2013
09:01:50 PM EST
Install Date: Fri 06 Feb 2015 09:04:59 AM EST Build Host:
c6b9.bsyz.dev.centos.org
Group : System Environment/Base Source RPM: firstboot-
1.110.14-1.el6.src.rpm
Size : 665865 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:29 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedoraproject.org/wiki/FirstBoot>
Summary : Initial system configuration utility
Description :
The firstboot utility runs after installation. It guides the user
through
a series of steps that allows for easier configuration of the machine.

Name : bcel Relocations: (not relocatable)
Version : 5.2 Vendor: CentOS
Release : 7.2.el6 Build Date: Wed 10 Nov 2010
08:31:34 PM EST
Install Date: Fri 06 Feb 2015 09:03:53 AM EST Build Host:
c6b3.bsyz.dev.centos.org
Group : Development/Libraries/Java Source RPM: bcel-5.2-
7.2.el6.src.rpm
Size : 16256730 License: ASL 2.0
Signature : RSA/8, Sun 03 Jul 2011 12:04:46 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://jakarta.apache.org/bcel/>
Summary : Byte Code Engineering Library
Description :
The Byte Code Engineering Library (formerly known as JavaClass) is
intended to give users a convenient possibility to analyze, create, and
manipulate (binary) Java class files (those ending with .class). Classes
are represented by objects which contain all the symbolic information of
the given class: methods, fields and byte code instructions, in
particular. Such objects can be read from an existing file, be
transformed by a program (e.g. a class loader at run-time) and dumped to
a file again. An even more interesting application is the creation of
classes from scratch at run-time. The Byte Code Engineering Library
(BCEL) may be also useful if you want to learn about the Java Virtual
Machine (JVM) and the format of Java .class files. BCEL is already
being used successfully in several projects such as compilers,
optimizers, obfuscators and analysis tools, the most popular probably
being the Xalan XSLT processor at Apache.

Name : perl-version Relocations: (not relocatable)
Version : 0.77 Vendor: CentOS
Release : 129.el6 Build Date: Thu 21 Feb 2013
10:04:33 PM EST
Install Date: Fri 06 Feb 2015 09:02:21 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
129.el6.src.rpm
Size : 51960 License: GPL+ or Artistic
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:47 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Perl extension for Version Objects
Description :
Perl extension for Version Objects

Name : vte Relocations: (not relocatable)
Version : 0.25.1 Vendor: CentOS
Release : 7.el6 Build Date: Fri 23 Sep 2011
11:31:51 AM EDT
Install Date: Fri 06 Feb 2015 09:04:59 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : User Interface/X Source RPM: vte-0.25.1-
7.el6.src.rpm
Size : 1019734 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:26:12 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : http://bugzilla.gnome.org/enter_bug.cgi?product=vte
Summary : A terminal emulator
Description :
VTE is a terminal emulator widget for use with GTK+ 2.0.

Name : GConf2-gtk Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 6.el6 Build Date: Mon 23 Aug 2010
03:49:14 AM EDT
Install Date: Fri 06 Feb 2015 09:03:55 AM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Base Source RPM: GConf2-2.28.0-
6.el6.src.rpm
Size : 12784 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:15:58 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://projects.gnome.org/gconf/>
Summary : Graphical GConf utilities
Description :
The GConf2-gtk package contains graphical GConf utilities
which require GTK+.

Name : perl-Locale-Maketext-Simple Relocations: (not relocatable)

Version : 0.18 Vendor: CentOS
Release : 129.el6 Build Date: Thu 21 Feb 2013
10:04:33 PM EST
Install Date: Fri 06 Feb 2015 09:02:25 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
129.el6.src.rpm
Size : 13684 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:30 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Simple interface to Locale::Maketext::Lexicon
Description :
This module is a simple wrapper around Locale::Maketext::Lexicon,
designed
to alleviate the need of creating Language Classes for module authors.

Name : crontabs Relocations: (not relocatable)
Version : 1.10 Vendor: CentOS
Release : 33.el6 Build Date: Mon 26 Sep 2011
09:33:08 PM EDT
Install Date: Fri 06 Feb 2015 09:05:01 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Base Source RPM: crontabs-1.10-
33.el6.src.rpm
Size : 2495 License: Public Domain and
GPLv2
Signature : RSA/SHA1, Tue 27 Sep 2011 08:33:55 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : Root crontab files used to schedule the execution of
programs
Description :
The crontabs package contains root crontab files and directories.
You will need to install cron daemon to run the jobs from the crontabs.
The cron daemon such as cronic or fcrond checks the crontab files to
see when particular commands are scheduled to be executed. If commands
are scheduled, it executes them.

Crontabs handles a basic system function, so it should be installed on
your system.

Name : fprintd Relocations: (not relocatable)
Version : 0.1 Vendor: CentOS
Release : 20.git04fd09cfa.el6 Build Date: Fri 22 Jun 2012
04:00:45 AM EDT
Install Date: Fri 06 Feb 2015 09:03:56 AM EST Build Host:
c6b10.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: fprintd-0.1-
20.git04fd09cfa.el6.src.rpm
Size : 107335 License: GPLv2+
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:31 PM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.reactivated.net/fprint/wiki/Fprintd>
Summary : D-Bus service for Fingerprint reader access
Description :
D-Bus service to access fingerprint readers.

Name : perl-devel Relocations: (not relocatable)
Version : 5.10.1 Vendor: CentOS
Release : 129.el6 Build Date: Thu 21 Feb 2013
10:04:33 PM EST
Install Date: Fri 06 Feb 2015 09:02:25 AM EST Build Host:
c6b7.bsyz.dev.centos.org
Group : Development/Languages Source RPM: perl-5.10.1-
129.el6.src.rpm
Size : 1868671 License: GPL+ or Artistic
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:59 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Header files for use in perl development
Description :
This package contains header files and development modules.
Most perl packages will need to install perl-devel to build.

Name : nfs-utils-lib Relocations: (not relocatable)
Version : 1.1.5 Vendor: CentOS
Release : 6.el6 Build Date: Thu 21 Feb 2013
08:53:17 PM EST
Install Date: Fri 06 Feb 2015 09:05:02 AM EST Build Host:
c6b9.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: nfs-utils-lib-
1.1.5-6.el6.src.rpm
Size : 152918 License: BSD
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:58 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.citi.umich.edu/projects/nfsv4/linux/>
Summary : Network File System Support Library
Description :
Support libraries that are needed by the commands and
daemons the nfs-utils rpm.

Name : system-icon-theme Relocations: (not relocatable)
Version : 6.0.0 Vendor: CentOS
Release : 2.el6 Build Date: Tue 24 Aug 2010
08:56:52 PM EDT
Install Date: Fri 06 Feb 2015 09:03:58 AM EST Build Host:
c6b3.bsyz.dev.centos.org
Group : User Interface/Desktops Source RPM: system-icon-
theme-6.0.0-2.el6.src.rpm
Size : 116387 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:48:57 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.redhat.com>
Summary : System icon theme
Description :
This package contains the system icon theme.

Name : perl-Compress-Raw-Zlib Relocations: (not relocatable)
Version : 2.020 Vendor: CentOS
Release : 129.el6 Build Date: Thu 21 Feb 2013
10:04:33 PM EST
Install Date: Fri 06 Feb 2015 09:02:25 AM EST Build Host:
c6b7.bsyz.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
129.el6.src.rpm
Size : 146579 License: GPL+ or Artistic
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:57 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Low-Level Interface to the zlib compression library
Description :
This module provides a Perl interface to the zlib compression library.
It is used by IO::Compress::Zlib.

Name : foomatic-db-filesystem Relocations: (not relocatable)
Version : 4.0 Vendor: CentOS
Release : 7.20091126.el6 Build Date: Thu 11 Nov 2010
02:54:20 AM EST
Install Date: Fri 06 Feb 2015 09:05:03 AM EST Build Host:
c6b1.bsyz.dev.centos.org
Group : System Environment/Base Source RPM: foomatic-db-4.0-
7.20091126.el6.src.rpm
Size : 0 License: Public Domain
Signature : RSA/8, Sun 03 Jul 2011 12:08:56 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.openprinting.org>
Summary : Directory layout for the foomatic package
Description :

Directory layout for the foomatic package.

Name : libgnomeui Relocations: (not relocatable)
Version : 2.24.1 Vendor: CentOS
Release : 4.el6 Build Date: Thu 11 Nov 2010
03:38:03 PM EST
Install Date: Fri 06 Feb 2015 09:03:59 AM EST Build Host:
c6b5.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: libgnomeui-
2.24.1-4.el6.src.rpm
Size : 3207721 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:34:40 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>

Summary : GNOME base GUI library
Description :

GNOME (GNU Network Object Model Environment) is a user-friendly set of GUI applications and desktop tools to be used in conjunction with a window manager for the X Window System. The libgnomeui package includes GUI-related libraries that are needed to run GNOME. (The libgnome package includes the library features that don't use the X Window System.)

Name : perl-IO-Compress-Zlib Relocations: (not relocatable)
Version : 2.020 Vendor: CentOS
Release : 129.el6 Build Date: Thu 21 Feb 2013
10:04:33 PM EST
Install Date: Fri 06 Feb 2015 09:02:25 AM EST Build Host:
c6b7.bsyzs.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
129.el6.src.rpm
Size : 369723 License: GPL+ or Artistic
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:38 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Perl interface to allow reading and writing of gzip and zip
data
Description :
This module provides an "IO::"-style Perl interface to "Compress::Zlib"

Name : NetworkManager Relocations: (not relocatable)
Version : 0.8.1 Vendor: CentOS
Release : 43.el6 Build Date: Fri 22 Feb 2013
01:32:10 AM EST
Install Date: Fri 06 Feb 2015 09:05:03 AM EST Build Host:
c6b9.bsyzs.dev.centos.org
Group : System Environment/Base Source RPM: NetworkManager-
0.8.1-43.el6.src.rpm
Size : 5541853 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:40 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/projects/NetworkManager/>
Summary : Network connection manager and user applications
Description :
NetworkManager is a system network service that manages your network
devices
and connections, attempting to keep active network connectivity when
available.
It manages ethernet, WiFi, mobile broadband (WWAN), and PPPoE devices,
and
provides VPN integration with a variety of different VPN services.

Name : plymouth-plugin-two-step Relocations: (not relocatable)
Version : 0.8.3 Vendor: CentOS

Release : 27.el6.centos Build Date: Fri 22 Feb 2013
08:06:20 PM EST
Install Date: Fri 06 Feb 2015 09:03:59 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Base Source RPM: plymouth-0.8.3-
27.el6.centos.src.rpm
Size : 25472 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:06 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://freedesktop.org/software/plymouth/releases>
Summary : Plymouth "two-step" plugin
Description :
This package contains the "two-step" boot splash plugin for
Plymouth. It features a two phased boot process that starts with
a progressing animation synced to boot time and finishes with a
short, fast one-shot animation.

Name : perl-Package-Constants Relocations: (not relocatable)
Version : 0.02 Vendor: CentOS
Release : 129.el6 Build Date: Thu 21 Feb 2013
10:04:33 PM EST
Install Date: Fri 06 Feb 2015 09:02:25 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
129.el6.src.rpm
Size : 4758 License: GPL+ or Artistic
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:34 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : List all constants declared in a package
Description :
Package::Constants lists all the constants defined in a certain package.
This can be useful for, among others, setting up an autogenerated
@EXPORT/@EXPORT_OK for a Constants.pm file.

Name : fuse Relocations: (not relocatable)
Version : 2.8.3 Vendor: CentOS
Release : 4.el6 Build Date: Wed 07 Dec 2011
07:56:46 PM EST
Install Date: Fri 06 Feb 2015 09:05:14 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Base Source RPM: fuse-2.8.3-
4.el6.src.rpm
Size : 191803 License: GPL+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:00:18 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fuse.sf.net>
Summary : File System in Userspace (FUSE) utilities
Description :
With FUSE it is possible to implement a fully functional filesystem in a
userspace program. This package contains the FUSE userspace tools to

mount a FUSE filesystem.

Name : gpm-libs Relocations: (not relocatable)
Version : 1.20.6 Vendor: CentOS
Release : 12.el6 Build Date: Fri 23 Sep 2011
08:49:21 AM EDT
Install Date: Fri 06 Feb 2015 09:03:59 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: gpm-1.20.6-
12.el6.src.rpm
Size : 23720 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:18:57 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.nico.schottelius.org/software/gpm/>
Summary : Dynamic library for for the gpm
Description :
This package contains the libgpm.so dynamic library which contains
the gpm system calls and library functions.

Name : perl-libwww-perl Relocations: (not relocatable)
Version : 5.833 Vendor: CentOS
Release : 2.el6 Build Date: Thu 19 Aug 2010
07:31:10 PM EDT
Install Date: Fri 06 Feb 2015 09:02:26 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-libwww-perl-
5.833-2.el6.src.rpm
Size : 896924 License: GPL+ or Artistic
Signature : RSA/8, Sun 03 Jul 2011 12:38:09 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://search.cpan.org/dist/libwww-perl/>
Summary : A Perl interface to the World-Wide Web
Description :
The libwww-perl collection is a set of Perl modules which provides a
simple and consistent application programming interface to the
World-Wide Web. The main focus of the library is to provide classes
and functions that allow you to write WWW clients. The library also
contain modules that are of more general use and even classes that
help you implement simple HTTP servers.

Name : xorg-x11-drivers Relocations: (not relocatable)
Version : 7.3 Vendor: CentOS
Release : 13.4.el6 Build Date: Sat 23 Feb 2013
02:19:44 PM EST
Install Date: Fri 06 Feb 2015 09:05:14 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drivers-7.3-13.4.el6.src.rpm
Size : 0 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:13:16 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Summary : X.Org X11 driver installation package

Description :

The purpose of this package is to require all of the individual X.Org driver rpms, to allow the OS installation software to install all drivers all at once, without having to track which individual drivers are present on each architecture. By installing this package, it forces all of the individual driver packages to be installed.

Name : gstreamer-plugins-base Relocations: (not relocatable)
Version : 0.10.29 Vendor: CentOS
Release : 2.el6 Build Date: Tue 20 Nov 2012
07:20:39 PM EST

Install Date: Fri 06 Feb 2015 09:04:00 AM EST Build Host:

c6b8.bsyz.dev.centos.org

Group : Applications/Multimedia Source RPM: gstreamer-
plugins-base-0.10.29-2.el6.src.rpm

Size : 3227733 License: LGPLv2+

Signature : RSA/SHA1, Wed 21 Nov 2012 07:45:40 PM EST, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://gstreamer.freedesktop.org/>

Summary : GStreamer streaming media framework base plug-ins

Description :

GStreamer is a streaming media framework, based on graphs of filters which

operate on media data. Applications using this library can do anything from real-time sound processing to playing videos, and just about anything

else media-related. Its plugin-based architecture means that new data types or processing capabilities can be added simply by installing new plug-ins.

This package contains a set of well-maintained base plug-ins.

Name : perl-Module-Load-Conditional Relocations: (not
relocatable)

Version : 0.30 Vendor: CentOS

Release : 129.el6 Build Date: Thu 21 Feb 2013
10:04:33 PM EST

Install Date: Fri 06 Feb 2015 09:02:26 AM EST Build Host:

c6b7.bsyz.dev.centos.org

Group : Development/Libraries Source RPM: perl-5.10.1-
129.el6.src.rpm

Size : 23690 License: GPL+ or Artistic

Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:16 PM EST, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.perl.org/>

Summary : Looking up module information / loading at runtime

Description :

Module::Load::Conditional provides simple ways to query and possibly load

any of the modules you have installed on your system during runtime.

Name : autofs Relocations: (not relocatable)
Version : 5.0.5 Vendor: CentOS
Release : 73.el6 Build Date: Fri 22 Feb 2013
12:12:33 AM EST
Install Date: Fri 06 Feb 2015 09:05:15 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: autofs-5.0.5-
73.el6.src.rpm
Size : 3170283 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:06 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://wiki.autofs.net/>
Summary : A tool for automatically mounting and unmounting
filesystems
Description :
autofs is a daemon which automatically mounts filesystems when you use
them, and unmounts them later when you are not using them. This can
include network filesystems, CD-ROMs, floppies, and so forth.

Name : libsemanage Relocations: (not relocatable)
Version : 2.0.43 Vendor: CentOS
Release : 4.2.el6 Build Date: Thu 21 Feb 2013
07:21:47 PM EST
Install Date: Fri 06 Feb 2015 09:04:01 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libsemanage-
2.0.43-4.2.el6.src.rpm
Size : 204095 License: LGPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:35 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.selinuxproject.org>
Summary : SELinux binary policy manipulation library
Description :
Security-enhanced Linux is a feature of the Linux® kernel and a number
of utilities with enhanced security functionality designed to add
mandatory access controls to Linux. The Security-enhanced Linux
kernel contains new architectural components originally developed to
improve the security of the Flask operating system. These
architectural components provide general support for the enforcement
of many kinds of mandatory access control policies, including those
based on the concepts of Type Enforcement®, Role-based Access
Control, and Multi-level Security.

libsemanage provides an API for the manipulation of SELinux binary
policies.
It is used by checkpolicy (the policy compiler) and similar tools, as
well
as by programs like load_policy that need to perform specific
transformations
on binary policies such as customizing policy boolean settings.

Name : tomcat6-jsp-2.1-api Relocations: (not relocatable)

Version : 6.0.24 Vendor: CentOS
Release : 49.el6 Build Date: Fri 22 Feb 2013
12:42:25 AM EST
Install Date: Fri 06 Feb 2015 09:02:26 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : Internet/WWW/Dynamic Content Source RPM: tomcat6-6.0.24-
49.el6.src.rpm
Size : 76562 License: ASL 2.0
Signature : RSA/SHA1, Sat 23 Feb 2013 12:53:22 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://tomcat.apache.org/>
Summary : Apache Tomcat JSP API implementation classes
Description :
Apache Tomcat JSP API implementation classes.

Name : foomatic-db-ppds Relocations: (not relocatable)
Version : 4.0 Vendor: CentOS
Release : 7.20091126.el6 Build Date: Thu 11 Nov 2010
02:54:20 AM EST
Install Date: Fri 06 Feb 2015 09:05:31 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: foomatic-db-4.0-
7.20091126.el6.src.rpm
Size : 25032963 License: GPLv2+ and MIT
Signature : RSA/8, Sun 03 Jul 2011 12:08:59 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.openprinting.org>
Summary : PPDs from printer manufacturers
Description :
PPDs from printer manufacturers.

Name : xorg-x11-xinit Relocations: (not relocatable)
Version : 1.0.9 Vendor: CentOS
Release : 13.el6 Build Date: Mon 16 Aug 2010
07:15:59 PM EDT
Install Date: Fri 06 Feb 2015 09:04:01 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : User Interface/X Source RPM: xorg-x11-xinit-
1.0.9-13.el6.src.rpm
Size : 72314 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 01:06:37 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 X Window System xinit startup scripts
Description :
X.Org X11 X Window System xinit startup scripts

Name : libiec61883 Relocations: (not relocatable)
Version : 1.2.0 Vendor: CentOS
Release : 4.el6 Build Date: Sat 21 Aug 2010
12:13:20 AM EDT

Install Date: Fri 06 Feb 2015 09:02:27 AM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libiec61883-
1.2.0-4.el6.src.rpm
Size : 80265 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:36:05 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL :
<http://ieee1394.wiki.kernel.org/index.php/Libraries#libiec61883>
Summary : Streaming library for IEEE1394
Description :

The libiec61883 library provides an higher level API for streaming DV, MPEG-2 and audio over IEEE1394. Based on the libraw1394 isochronous functionality, this library acts as a filter that accepts DV-frames, MPEG-2 frames or audio samples from the application and breaks these down to isochronous packets, which are transmitted using libraw1394.

Name : sysstat Relocations: (not relocatable)
Version : 9.0.4 Vendor: CentOS
Release : 20.el6 Build Date: Fri 22 Jun 2012
06:12:35 AM EDT

Install Date: Fri 06 Feb 2015 09:05:32 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Applications/System Source RPM: sysstat-9.0.4-
20.el6.src.rpm
Size : 826040 License: GPLv2+
Signature : RSA/SHA1, Sun 24 Jun 2012 06:19:23 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://perso.orange.fr/sebastien.godard/>
Summary : The sar and iostat system monitoring commands
Description :

This package provides the sar and iostat commands for Linux. Sar and iostat enable system monitoring of disk, network, and other IO activity.

Name : slang Relocations: (not relocatable)
Version : 2.2.1 Vendor: CentOS
Release : 1.el6 Build Date: Mon 16 Aug 2010
07:46:40 PM EDT

Install Date: Fri 06 Feb 2015 09:04:02 AM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: slang-2.2.1-
1.el6.src.rpm
Size : 1800725 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:02:05 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.jedsoft.org/slang/>
Summary : The shared library for the S-Lang extension language
Description :

S-Lang is an interpreted language and a programming library. The

S-Lang language was designed so that it can be easily embedded into a program to provide the program with a powerful extension language. The S-Lang library, provided in this package, provides the S-Lang extension language. S-Lang's syntax resembles C, which makes it easy to recode S-Lang procedures in C if you need to.

Name : jakarta-commons-discovery Relocations: (not relocatable)
Version : 0.4 Vendor: CentOS
Release : 5.4.el6 Build Date: Thu 11 Nov 2010
08:45:49 AM EST
Install Date: Fri 06 Feb 2015 09:02:27 AM EST Build Host:
c5b2.bsyzs.dev.centos.org
Group : Development/Libraries Source RPM: jakarta-commons-
discovery-0.4-5.4.el6.src.rpm
Size : 88339 License: ASL 2.0
Signature : RSA/8, Sun 03 Jul 2011 12:16:45 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://jakarta.apache.org/commons/discovery/>
Summary : Jakarta Commons Discovery
Description :
The Discovery component is about discovering, or finding, implementations
for
pluggable interfaces. Pluggable interfaces are specified with the intent
that
multiple implementations are, or will be, available to provide the
service
described by the interface. Discovery provides facilities for finding
and
instantiating classes, and for lifecycle management of singleton
(factory)
classes.

Name : system-config-network-tui Relocations: (not relocatable)
Version : 1.6.0.el6.2 Vendor: CentOS
Release : 1.el6 Build Date: Thu 11 Nov 2010
03:19:58 PM EST
Install Date: Fri 06 Feb 2015 09:05:34 AM EST Build Host:
c6b6.bsyzs.dev.centos.org
Group : Applications/System Source RPM: system-config-
network-1.6.0.el6.2-1.el6.src.rpm
Size : 5011751 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:48:50 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedoraproject.org/wiki/SystemConfig/network>
Summary : The Network Administration Tool
Description :
This is the network configuration tool,
supporting Ethernet, Wireless, TokenRing, ADSL, ISDN and PPP.

Name : python Relocations: (not relocatable)
Version : 2.6.6 Vendor: CentOS

Release : 36.el6 Build Date: Thu 21 Feb 2013
07:02:48 PM EST
Install Date: Fri 06 Feb 2015 09:04:05 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : Development/Languages Source RPM: python-2.6.6-
36.el6.src.rpm
Size : 21275023 License: Python
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:18 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.python.org/>
Summary : An interpreted, interactive, object-oriented programming
language
Description :
Python is an interpreted, interactive, object-oriented programming
language often compared to Tcl, Perl, Scheme or Java. Python includes
modules, classes, exceptions, very high level dynamic data types and
dynamic typing. Python supports interfaces to many system calls and
libraries, as well as to various windowing systems (X11, Motif, Tk,
Mac and MFC).

Programmers can write new built-in modules for Python in C or C++.
Python can be used as an extension language for applications that need
a programmable interface. This package contains most of the standard
Python modules, as well as modules for interfacing to the Tix widget
set for Tk and RPM.

Note that documentation for Python is provided in the python-docs
package.

Name : gstreamer Relocations: (not relocatable)
Version : 0.10.29 Vendor: CentOS
Release : 1.el6 Build Date: Thu 11 Nov 2010
03:01:36 PM EST
Install Date: Fri 06 Feb 2015 09:02:27 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Applications/Multimedia Source RPM: gstreamer-
0.10.29-1.el6.src.rpm
Size : 2632102 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:19:57 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gstreamer.freedesktop.org/>
Summary : GStreamer streaming media framework runtime
Description :
GStreamer is a streaming media framework, based on graphs of filters
which
operate on media data. Applications using this library can do anything
from real-time sound processing to playing videos, and just about
anything
else media-related. Its plugin-based architecture means that new data
types or processing capabilities can be added simply by installing new
plugins.

Name : gnome-system-monitor Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 11.el6 Build Date: Fri 22 Jun 2012
01:20:02 AM EDT
Install Date: Fri 06 Feb 2015 09:05:42 AM EST Build Host:
c6b10.bsys.dev.centos.org
Group : Applications/System Source RPM: gnome-system-
monitor-2.28.0-11.el6.src.rpm
Size : 4324816 License: GPLv2+
Signature : RSA/SHA1, Sun 24 Jun 2012 06:16:29 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/>
Summary : Process and resource monitor
Description :
gnome-system-monitor allows to graphically view and manipulate the
running
processes on your system. It also provides an overview of available
resources
such as CPU and memory.

Name : tftp-server Relocations: (not relocatable)
Version : 0.49 Vendor: CentOS
Release : 7.el6 Build Date: Fri 23 Sep 2011
08:33:54 AM EDT
Install Date: Fri 06 Feb 2015 09:05:45 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: tftp-0.49-
7.el6.src.rpm
Size : 58742 License: BSD
Signature : RSA/SHA1, Mon 26 Sep 2011 12:25:52 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.kernel.org/pub/software/network/tftp/>
Summary : The server for the Trivial File Transfer Protocol (TFTP)
Description :
The Trivial File Transfer Protocol (TFTP) is normally used only for
booting diskless workstations. The tftp-server package provides the
server for TFTP, which allows users to transfer files to and from a
remote machine. TFTP provides very little security, and should not be
enabled unless it is expressly needed. The TFTP server is run from
/etc/xinetd.d/tftp, and is disabled by default.

Name : ibus-qt Relocations: (not relocatable)
Version : 1.3.0 Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010
09:55:00 PM EST
Install Date: Fri 06 Feb 2015 09:05:46 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ibus-qt-1.3.0-
2.el6.src.rpm
Size : 468352 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:24:05 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/ibus/>
Summary : Qt IBus library and Qt input method plugin
Description :
Qt IBus library and Qt input method plugin.

Name : iwl100-firmware Relocations: (not relocatable)
Version : 39.31.5.1 Vendor: CentOS
Release : 1.el6 Build Date: Tue 19 Jul 2011
11:54:30 PM EDT
Install Date: Fri 06 Feb 2015 09:05:47 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: iwl100-firmware-
39.31.5.1-1.el6.src.rpm
Size : 344388 License: Redistributable,
no modification permitted
Signature : RSA/SHA1, Mon 26 Sep 2011 12:10:53 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://intellinuxwireless.org/>
Summary : Firmware for Intel(R) Wireless WiFi Link 100 Series
Adapters
Description :
This package contains the firmware required by the iwlagn driver
for Linux to support the iwl100 hardware. Usage of the firmware
is subject to the terms and conditions contained inside the provided
LICENSE file. Please read it carefully.

Name : aic94xx-firmware Relocations: (not relocatable)
Version : 30 Vendor: CentOS
Release : 2.el6 Build Date: Wed 10 Nov 2010
07:00:59 PM EST
Install Date: Fri 06 Feb 2015 09:05:47 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: aic94xx-firmware-
30-2.el6.src.rpm
Size : 30752 License: Redistributable,
no modification permitted
Signature : RSA/8, Sat 02 Jul 2011 11:59:32 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : [http://www.adaptec.com/en-US/speed/scsi/linux/aic94xx-seq-
30-1_tar_gz.htm](http://www.adaptec.com/en-US/speed/scsi/linux/aic94xx-seq-30-1_tar_gz.htm)
Summary : Adaptec SAS 44300, 48300, 58300 Sequencer Firmware for
AIC94xx driver
Description :
Adaptec SAS 44300, 48300, 58300 Sequencer Firmware for Open-Source
AIC94xx
Driver.

Name : vsftpd Relocations: (not relocatable)
Version : 2.2.2 Vendor: CentOS
Release : 11.el6_3.1 Build Date: Tue 19 Feb 2013
02:46:34 AM EST

Install Date: Fri 06 Feb 2015 09:05:47 AM EST Build Host:
c6b10.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: vsftpd-2.2.2-
11.el6_3.1.src.rpm
Size : 339348 License: GPLv2 with
exceptions
Signature : RSA/SHA1, Tue 19 Feb 2013 06:07:00 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://vsftpd.beasts.org/>
Summary : Very Secure Ftp Daemon
Description :
vsftpd is a Very Secure FTP daemon. It was written completely from
scratch.

Name : acpid Relocations: (not relocatable)
Version : 1.0.10 Vendor: CentOS
Release : 2.1.el6 Build Date: Wed 18 Aug 2010
04:39:10 PM EDT
Install Date: Fri 06 Feb 2015 09:05:51 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: acpid-1.0.10-
2.1.el6.src.rpm
Size : 74381 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:01:31 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://acpid.sourceforge.net/>
Summary : ACPI Event Daemon
Description :
acpid is a daemon that dispatches ACPI events to user-space programs.

Name : cpuspeed Relocations: (not relocatable)
Version : 1.5 Vendor: CentOS
Release : 19.el6 Build Date: Thu 21 Feb 2013
09:29:41 PM EST
Install Date: Fri 06 Feb 2015 09:05:51 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Base Source RPM: cpuspeed-1.5-
19.el6.src.rpm
Size : 65514 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:54 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://carlthompson.net/Software/CPUSpeed>
Summary : CPU frequency adjusting daemon
Description :
cpuspeed is a daemon that dynamically changes the speed
of your processor(s) depending upon its current workload
if it is capable (needs Intel Speedstep, AMD PowerNow!,
or similar support).

This package also supports enabling cpu frequency scaling
via in-kernel governors on Intel Centrino and AMD

Athlon64/Opteron platforms.

Name : abrt-desktop Relocations: (not relocatable)
Version : 2.0.8 Vendor: CentOS
Release : 15.el6.centos Build Date: Fri 22 Feb 2013
11:39:47 PM EST
Install Date: Fri 06 Feb 2015 09:05:52 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: abrt-2.0.8-
15.el6.centos.src.rpm
Size : 0 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:37 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : Virtual package to install all necessary packages for usage
from desktop environment
Description :
Virtual package to make easy default installation on desktop
environments.

Name : yum-plugin-security Relocations: (not relocatable)
Version : 1.1.30 Vendor: CentOS
Release : 14.el6 Build Date: Fri 22 Jun 2012
08:23:05 AM EDT
Install Date: Fri 06 Feb 2015 09:05:53 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Base Source RPM: yum-utils-1.1.30-
14.el6.src.rpm
Size : 80575 License: GPLv2+
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:44 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://yum.baseurl.org/download/yum-utils/>
Summary : Yum plugin to enable security filters
Description :
This plugin adds the options --security, --cve, --bz and --advisory flags
to yum and the list-security and info-security commands.
The options make it possible to limit list/upgrade of packages to
specific
security relevant ones. The commands give you the security information.

Name : ibus-sayura Relocations: (not relocatable)
Version : 1.2.99.20100209 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
07:54:36 PM EST
Install Date: Fri 06 Feb 2015 09:05:53 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ibus-sayura-
1.2.99.20100209-3.el6.src.rpm
Size : 34201 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:24:08 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <https://fedorahosted.org/ibus-sayura>
Summary : The Sinhala engine for IBus input platform
Description :
The Sayura engine for IBus platform. It provides Sinhala input method.

Name : ibus-hangul Relocations: (not relocatable)
Version : 1.3.0.20100329 Vendor: CentOS
Release : 4.el6 Build Date: Mon 18 Jul 2011
08:52:42 PM EDT
Install Date: Fri 06 Feb 2015 09:05:54 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ibus-hangul-
1.3.0.20100329-4.el6.src.rpm
Size : 107330 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:21 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/ibus/>
Summary : The Hangul engine for IBus input platform
Description :
The Hangul engine for IBus platform. It provides Korean input method from
libhangul.

Name : grub Relocations: (not relocatable)
Version : 0.97 Vendor: CentOS
Release : 81.el6 Build Date: Thu 21 Feb 2013
10:18:10 PM EST
Install Date: Fri 06 Feb 2015 09:05:56 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Base Source RPM: grub-0.97-
81.el6.src.rpm
Size : 2485241 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:49 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/grub/>
Summary : Grand Unified Boot Loader.
Description :
GRUB (Grand Unified Boot Loader) is an experimental boot loader
capable of booting into most free operating systems - Linux, FreeBSD,
NetBSD, GNU Mach, and others as well as most commercial operating
systems.

Name : ncurses-libs Relocations: (not relocatable)
Version : 5.7 Vendor: CentOS
Release : 3.20090208.el6 Build Date: Wed 18 Aug 2010
11:34:04 AM EDT
Install Date: Wed 25 Feb 2015 04:31:31 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ncurses-5.7-
3.20090208.el6.src.rpm
Size : 706896 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:31:25 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://invisible-island.net/ncurses/ncurses.html>
Summary : Ncurses libraries
Description :
The curses library routines are a terminal-independent method of updating character screens with reasonable optimization. The ncurses (new curses) library is a freely distributable replacement for the discontinued 4.4 BSD classic curses library.

This package contains the ncurses libraries.

Name : ntsysv Relocations: (not relocatable)
Version : 1.3.49.3 Vendor: CentOS
Release : 2.el6 Build Date: Fri 22 Jun 2012
06:09:02 AM EDT
Install Date: Fri 06 Feb 2015 09:05:57 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Base Source RPM: chkconfig-
1.3.49.3-2.el6.src.rpm
Size : 26697 License: GPLv2
Signature : RSA/SHA1, Sun 24 Jun 2012 06:16:19 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : A tool to set the stop/start of system services in a
runlevel
Description :
Ntsysv provides a simple interface for setting which system services are started or stopped in various runlevels (instead of directly manipulating the numerous symbolic links in /etc/rc.d). Unless you specify a runlevel or runlevels on the command line (see the man page), ntsysv configures the current runlevel (5 if you're using X).

Name : plymouth-system-theme Relocations: (not relocatable)
Version : 0.8.3 Vendor: CentOS
Release : 27.el6.centos Build Date: Fri 22 Feb 2013
08:04:44 PM EST
Install Date: Fri 06 Feb 2015 09:05:57 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Base Source RPM: plymouth-0.8.3-
27.el6.centos.src.rpm
Size : 0 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:52:33 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://freedesktop.org/software/plymouth/releases>
Summary : Plymouth default theme
Description :
This metapackage tracks the current distribution default theme.

Name : irqbalance Relocations: (not relocatable)
Version : 1.0.4 Vendor: CentOS
Release : 3.el6 Build Date: Thu 21 Feb 2013
06:55:03 PM EST

Install Date: Fri 06 Feb 2015 09:05:58 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Base Source RPM: irqbalance-1.0.4-
3.el6.src.rpm
Size : 62522 License: GPLv2
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:38 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://irqbalance.org/>
Summary : IRQ balancing daemon
Description :
irqbalance is a daemon that evenly distributes IRQ load across
multiple CPUs for enhanced performance.

Name : dvd+rw-tools Relocations: (not relocatable)
Version : 7.1 Vendor: CentOS
Release : 6.el6 Build Date: Tue 02 Oct 2012
09:19:21 PM EDT
Install Date: Fri 06 Feb 2015 09:06:02 AM EST Build Host:
c6b10.bsys.dev.centos.org
Group : Applications/Multimedia Source RPM: dvd+rw-tools-7.1-
6.el6.src.rpm
Size : 337704 License: GPLv2
Signature : RSA/SHA1, Tue 02 Oct 2012 10:11:36 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fy.chalmers.se/~appro/linux/DVD+RW/>
Summary : Toolchain to master DVD+RW/+R media
Description :
Collection of tools to master DVD+RW/+R media. For further
information see <http://fy.chalmers.se/~appro/linux/DVD+RW/>.

Name : openmotif Relocations: (not relocatable)
Version : 2.3.3 Vendor: CentOS
Release : 5.el6_3 Build Date: Fri 26 Oct 2012
04:46:43 AM EDT
Install Date: Fri 06 Feb 2015 09:06:03 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: openmotif-2.3.3-
5.el6_3.src.rpm
Size : 4092076 License: Open Group Public
License
Signature : RSA/SHA1, Fri 26 Oct 2012 05:46:15 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.motifzone.net/>
Summary : Open Motif runtime libraries and executables
Description :
This is the Open Motif 2.3.3 runtime environment. It includes the
Motif shared libraries, needed to run applications which are dynamically
linked against Motif and the Motif Window Manager "mwm".

Name : tcpdump Relocations: (not relocatable)
Version : 4.0.0 Vendor: CentOS

Release : 3.20090921gitdf3cb4.2.el6 Build Date: Mon 26 Mar 2012
08:56:48 AM EDT
Install Date: Fri 06 Feb 2015 09:06:05 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/Internet Source RPM: tcpdump-4.0.0-
3.20090921gitdf3cb4.2.el6.src.rpm
Size : 832443 License: BSD with
advertising
Signature : RSA/SHA1, Mon 26 Mar 2012 09:32:34 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.tcpdump.org>
Summary : A network traffic monitoring tool
Description :
Tcpdump is a command-line tool for monitoring network traffic.
Tcpdump can capture and display the packet headers on a particular
network interface or on all interfaces. Tcpdump can display all of
the packet headers, or just the ones that match particular criteria.

Install tcpdump if you need a program to monitor network traffic.

Name : pam_krb5 Relocations: (not relocatable)
Version : 2.3.11 Vendor: CentOS
Release : 9.el6 Build Date: Wed 07 Dec 2011
07:47:41 PM EST
Install Date: Fri 06 Feb 2015 09:06:11 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: pam_krb5-2.3.11-
9.el6.src.rpm
Size : 324768 License: BSD or LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:52:33 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : https://fedorahosted.org/pam_krb5/
Summary : A Pluggable Authentication Module for Kerberos 5
Description :
This is pam_krb5, a pluggable authentication module that can be used with
Linux-PAM and Kerberos 5. This module supports password checking, ticket
creation, and optional TGT verification and conversion to Kerberos IV
tickets.
The included pam_krb5afs module also gets AFS tokens if so configured.

Name : psacct Relocations: (not relocatable)
Version : 6.3.2 Vendor: CentOS
Release : 63.el6_3.3 Build Date: Tue 17 Jul 2012
04:02:21 AM EDT
Install Date: Fri 06 Feb 2015 09:06:12 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Applications/System Source RPM: psacct-6.3.2-
63.el6_3.3.src.rpm
Size : 140803 License: GPLv2+ and Public
Domain
Signature : RSA/SHA1, Tue 17 Jul 2012 05:25:44 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : Utilities for monitoring process activities
Description :
The psacct package contains several utilities for monitoring process activities, including ac, lastcomm, accton and sa. The ac command displays statistics about how long users have been logged on. The lastcomm command displays information about previous executed commands. The accton command turns process accounting on or off. The sa command summarizes information about previously executed commands.

Name : perl-XML-DOM Relocations: (not relocatable)
Version : 1.44 Vendor: CentOS
Release : 7.el6 Build Date: Thu 11 Nov 2010
09:41:53 AM EST
Install Date: Fri 06 Feb 2015 09:06:12 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-XML-DOM-
1.44-7.el6.src.rpm
Size : 281157 License: GPL+ or Artistic
Signature : RSA/8, Sun 03 Jul 2011 12:39:37 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://search.cpan.org/dist/XML-DOM/>
Summary : DOM extension to XML::Parser
Description :
This is a Perl extension to XML::Parser. It adds a new 'Style' to XML::Parser, called 'Dom', that allows XML::Parser to build an Object Oriented datastructure with a DOM Level 1 compliant interface. For a description of the DOM (Document Object Model), see <http://www.w3.org/DOM/>

Name : perl-XML-Writer Relocations: (not relocatable)
Version : 0.606 Vendor: CentOS
Release : 6.el6 Build Date: Sun 22 Aug 2010
04:30:05 PM EDT
Install Date: Fri 06 Feb 2015 09:06:13 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-XML-Writer-
0.606-6.el6.src.rpm
Size : 54744 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:56:43 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://search.cpan.org/dist/XML-Writer/>
Summary : A simple Perl module for writing XML documents
Description :
XML::Writer is a simple Perl module for writing XML documents: it takes care of constructing markup and escaping data correctly, and by default, it also performs a significant amount of well-formedness checking on the output, to make certain (for example) that start and end tags match, that there is exactly one document element, and that there are not duplicate attribute names.

Name : xorg-x11-fonts-100dpi Relocations: (not relocatable)
Version : 7.2 Vendor: CentOS
Release : 9.1.el6 Build Date: Thu 11 Nov 2010
09:24:29 AM EST
Install Date: Fri 06 Feb 2015 09:06:26 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : User Interface/X Source RPM: xorg-x11-fonts-
7.2-9.1.el6.src.rpm
Size : 3417965 License: MIT and Lucida
and Public Domain
Signature : RSA/8, Sun 03 Jul 2011 12:54:37 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : A set of 100dpi resolution fonts for the X Window System.
Description :
A set of 100 dpi fonts used by the X window system.

Name : efibootmgr Relocations: (not relocatable)
Version : 0.5.4 Vendor: CentOS
Release : 10.el6 Build Date: Fri 22 Jun 2012
02:29:08 AM EDT
Install Date: Fri 06 Feb 2015 09:06:27 AM EST Build Host:
c6b10.bsys.dev.centos.org
Group : System Environment/Base Source RPM: efibootmgr-0.5.4-
10.el6.src.rpm
Size : 72726 License: GPLv2+
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:56 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://linux.dell.com/efibootmgr/>
Summary : EFI Boot Manager
Description :
efibootmgr displays and allows the user to edit the Intel Extensible
Firmware Interface (EFI) Boot Manager variables. Additional
information about EFI can be found at
<http://developer.intel.com/technology/efi/efi.htm> and <http://uefi.org/>.

Name : udftools Relocations: (not relocatable)
Version : 1.0.0b3 Vendor: CentOS
Release : 12.el6 Build Date: Thu 11 Nov 2010
03:28:20 PM EST
Install Date: Fri 06 Feb 2015 09:06:28 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Applications/Archiving Source RPM: udftools-1.0.0b3-
12.el6.src.rpm
Size : 183714 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:04:23 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceforge.net/projects/linux-udf/>
Summary : Linux UDF Filesystem userspace utilities
Description :
Linux UDF Filesystem userspace utilities.

```

Name       : ml7n-contrib-maithili      Relocations: (not relocatable)
Version    : 1.1.10                     Vendor: CentOS
Release    : 4.el6_1.1                  Build Date: Fri 23 Sep 2011
06:12:49 AM EDT
Install Date: Fri 06 Feb 2015 09:06:28 AM EST      Build Host:
c6b5.bsys.dev.centos.org
Group      : System Environment/Libraries    Source RPM: ml7n-contrib-
1.1.10-4.el6_1.1.src.rpm
Size       : 3486                        License: LGPLv2+
Signature  : RSA/SHA1, Mon 26 Sep 2011 12:21:37 AM EDT, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://www.ml7n.org/ml7n-lib/index.html
Summary    : Contributed input maps for Maithili
Description :
This package provides contributed multilingualization (ml7n) input maps
for Maithili.

```

```

Name       : unzip                      Relocations: (not relocatable)
Version    : 6.0                       Vendor: CentOS
Release    : 1.el6                     Build Date: Thu 11 Nov 2010
10:43:45 AM EST
Install Date: Fri 06 Feb 2015 09:06:28 AM EST      Build Host:
c6b3.bsys.dev.centos.org
Group      : Applications/Archiving        Source RPM: unzip-6.0-
1.el6.src.rpm
Size       : 320358                     License: BSD
Signature  : RSA/8, Sun 03 Jul 2011 01:04:34 AM EDT, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://www.info-zip.org/UnZip.html
Summary    : A utility for unpacking zip files
Description :
The unzip utility is used to list, test, or extract files from a zip
archive. Zip archives are commonly found on MS-DOS systems. The zip
utility, included in the zip package, creates zip archives. Zip and
unzip are both compatible with archives created by PKWARE(R)'s PKZIP
for MS-DOS, but the programs' options and default behaviors do differ
in some respects.

```

Install the unzip package if you need to list, test or extract files from a zip archive.

```

Name       : scl-utils                  Relocations: (not relocatable)
Version    : 20120927                   Vendor: CentOS
Release    : 2.el6                      Build Date: Thu 21 Feb 2013
09:09:37 PM EST
Install Date: Fri 06 Feb 2015 09:06:29 AM EST      Build Host:
c6b7.bsys.dev.centos.org
Group      : Applications/File            Source RPM: scl-utils-
20120927-2.el6.src.rpm
Size       : 14494                       License: GPLv2+

```

Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:41 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://jnovy.fedorapeople.org/scl-utils/>
Summary : Utilities for alternative packaging
Description :
Run-time utility for alternative packaging.

Name : lohit-assamese-fonts Relocations: (not relocatable)
Version : 2.4.3 Vendor: CentOS
Release : 5.el6 Build Date: Fri 23 Sep 2011
09:06:05 AM EDT
Install Date: Fri 06 Feb 2015 09:06:38 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : User Interface/X Source RPM: lohit-assamese-
fonts-2.4.3-5.el6.src.rpm
Size : 170890 License: GPLv2 with
exceptions

Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:25 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/lohit/>
Summary : Free Assamese font
Description :
This package provides a free Assamese truetype/opentype font.

Name : liberation-serif-fonts Relocations: (not relocatable)
Version : 1.05.1.20090721 Vendor: CentOS
Release : 5.el6 Build Date: Tue 13 Mar 2012
06:37:49 PM EDT
Install Date: Fri 06 Feb 2015 09:06:47 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : User Interface/X Source RPM: liberation-fonts-
1.05.1.20090721-5.el6.src.rpm
Size : 595788 License: Liberation

Signature : RSA/SHA1, Tue 13 Mar 2012 07:01:35 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/liberation-fonts/>
Summary : Serif fonts to replace commonly used Microsoft Times New
Roman
Description :

The Liberation Fonts are intended to be replacements for the three most
commonly used fonts on Microsoft systems: Times New Roman, Arial, and
Courier
New.

This is Serif TrueType fonts that replaced commonly used Microsoft Times
New \
Roman.

Name : khmeros-base-fonts Relocations: (not relocatable)
Version : 5.0 Vendor: CentOS

Release : 9.el6 Build Date: Wed 25 Aug 2010
05:18:48 PM EDT
Install Date: Fri 06 Feb 2015 09:06:55 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : User Interface/X Source RPM: khmeros-fonts-
5.0-9.el6.src.rpm
Size : 733014 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:21:18 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.khmeros.info/drupal/?q=en/download/fonts>
Summary : Base KhmerOS font
Description :

The Khmer OS fonts include Khmer and Latin alphabets, and they have equivalent sizes for Khmer and English alphabets, so that when texts mix both it is not necessary to have different point sizes for the text in each language.

They were created by Danh Hong of the Cambodian Open Institute.

Base KhmerOS fonts.

Name : vlgothic-fonts Relocations: (not relocatable)
Version : 20091202 Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010
10:06:07 AM EST
Install Date: Fri 06 Feb 2015 09:07:04 AM EST Build Host:
c5b2.bsys.dev.centos.org
Group : User Interface/X Source RPM: vlgothic-fonts-
20091202-2.el6.src.rpm
Size : 3843798 License: mplus and BSD
Signature : RSA/8, Sun 03 Jul 2011 12:52:33 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://dicey.org/vlgothic>
Summary : Japanese TrueType font
Description :

VLGothic provides Japanese TrueType fonts from the Vine Linux project. Most of the glyphs are taken from the M+ and Sazanami Gothic fonts, but some have also been improved by the project.

This package provides the monospace VLGothic font.

Name : lohit-punjabi-fonts Relocations: (not relocatable)
Version : 2.4.4 Vendor: CentOS
Release : 2.el6 Build Date: Fri 23 Sep 2011
11:36:44 AM EDT
Install Date: Fri 06 Feb 2015 09:07:13 AM EST Build Host:
c6b18n1.dev.centos.org
Group : User Interface/X Source RPM: lohit-punjabi-
fonts-2.4.4-2.el6.src.rpm

Size : 56070 License: GPLv2 with exceptions
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:27 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/lohit/>
Summary : Free Punjabi font
Description :
This package provides a free Punjabi truetype/opentype font.

Name : stix-fonts Relocations: (not relocatable)
Version : 0.9 Vendor: CentOS
Release : 13.1.el6 Build Date: Thu 11 Nov 2010 09:29:29 AM EST
Install Date: Fri 06 Feb 2015 09:07:23 AM EST Build Host: c6b5.bsys.dev.centos.org
Group : User Interface/X Source RPM: stix-fonts-0.9-13.1.el6.src.rpm
Size : 775068 License: STIX
Signature : RSA/8, Sun 03 Jul 2011 12:48:24 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.stixfonts.org/>
Summary : STIX scientific and engineering fonts
Description :

The mission of the Scientific and Technical Information Exchange (STIX) font creation project is the preparation of a comprehensive set of fonts that serve the scientific and engineering community in the process from manuscript creation through final publication, both in electronic and print formats.

This package includes base Unicode fonts containing most glyphs for standard use.

Name : wdaemon Relocations: (not relocatable)
Version : 0.17 Vendor: CentOS
Release : 5.el6 Build Date: Thu 21 Feb 2013 03:45:43 PM EST
Install Date: Fri 06 Feb 2015 09:07:32 AM EST Build Host: c6b9.bsys.dev.centos.org
Group : User Interface/X Source RPM: wdaemon-0.17-5.el6.src.rpm
Size : 95675 License: GPLv3+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:08 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://linuxwacom.sourceforge.net>
Summary : Hotplug helper for Wacom X.org driver
Description :
wdaemon is daemon to provide static input devices for devices that may be %hotplugged at runtime.

```

Name           : traceroute           Relocations: (not relocatable)
Version        : 2.0.14               Vendor: CentOS
Release        : 2.el6                Build Date: Thu 11 Nov 2010
10:30:39 AM EST
Install Date: Fri 06 Feb 2015 09:07:32 AM EST   Build Host:
c6b3.bsys.dev.centos.org
Group          : Applications/Internet   Source RPM: traceroute-
2.0.14-2.el6.src.rpm
Size           : 81494                  License: GPLv2+
Signature      : RSA/8, Sun 03 Jul 2011 01:04:15 AM EDT, Key ID
0946fca2c105b9de
Packager        : CentOS BuildSystem <http://bugs.centos.org>
URL             : http://traceroute.sourceforge.net
Summary         : Traces the route taken by packets over an IPv4/IPv6 network
Description      :
The traceroute utility displays the route used by IP packets on their
way to a specified network (or Internet) host. Traceroute displays
the IP number and host name (if possible) of the machines along the
route taken by the packets. Traceroute is used as a network debugging
tool. If you're having network connectivity problems, traceroute will
show you where the trouble is coming from along the route.

```

Install traceroute if you need a tool for diagnosing network connectivity problems.

```

Name           : rdate                 Relocations: (not relocatable)
Version        : 1.4                   Vendor: CentOS
Release        : 16.el6                Build Date: Thu 11 Nov 2010
02:20:51 PM EST
Install Date: Fri 06 Feb 2015 09:07:32 AM EST   Build Host:
c6b4.bsys.dev.centos.org
Group          : Applications/System     Source RPM: rdate-1.4-
16.el6.src.rpm
Size           : 29675                  License: GPLv2+
Signature      : RSA/8, Sun 03 Jul 2011 01:00:07 AM EDT, Key ID
0946fca2c105b9de
Packager        : CentOS BuildSystem <http://bugs.centos.org>
URL             : ftp://people.redhat.com/sopwith/
Summary         : Tool for getting the date/time from a remote machine
Description      :
The rdate utility retrieves the date and time from another machine on
your network, using the protocol described in RFC 868. If you run
rdate as root, it will set your machine's local time to the time of
the machine that you queried.

```

```

Name           : b43-fwcutter          Relocations: (not relocatable)
Version        : 012                   Vendor: CentOS
Release        : 2.2.el6                Build Date: Wed 10 Nov 2010
07:59:08 PM EST
Install Date: Fri 06 Feb 2015 09:07:33 AM EST   Build Host:
c6b1.bsys.dev.centos.org
Group          : System Environment/Base   Source RPM: b43-fwcutter-012-
2.2.el6.src.rpm

```

Size : 29806 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:04:15 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://bu3sch.de/b43/fwcutter/>
Summary : Firmware extraction tool for Broadcom wireless driver
Description :
This package contains the 'b43-fwcutter' tool which is used to
extract firmware for the Broadcom network devices.

See the README.Fedora file shipped in the package's documentation for
instructions on using this tool.

Name : m17n-db-thai Relocations: (not relocatable)
Version : 1.5.5 Vendor: CentOS
Release : 1.1.el6 Build Date: Thu 19 Aug 2010
02:00:34 AM EDT
Install Date: Fri 06 Feb 2015 09:07:33 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-db-1.5.5-
1.1.el6.src.rpm
Size : 29371 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:29:25 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : m17n-db input maps for Thai
Description :
This package contains m17n-db input maps for Thai.

Name : iwl5000-firmware Relocations: (not relocatable)
Version : 8.83.5.1_1 Vendor: CentOS
Release : 1.el6_1.1 Build Date: Tue 27 Sep 2011
09:50:38 AM EDT
Install Date: Fri 06 Feb 2015 09:07:37 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: iwl5000-firmware-
8.83.5.1_1-1.el6_1.1.src.rpm
Size : 1045904 License: Redistributable,
no modification permitted
Signature : RSA/SHA1, Tue 27 Sep 2011 08:34:05 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://intellinuxwireless.org/>
Summary : Firmware for Intel® PRO/Wireless 5000 A/G/N network
adaptors
Description :
This package contains the firmware required by the iwl5000 driver for
Linux.
Usage of the firmware is subject to the terms and conditions contained
inside the provided LICENSE file. Please read it carefully.

Name : xorg-x11-drv-ati-firmware Relocations: (not relocatable)
Version : 6.99.99 Vendor: CentOS

Release : 1.el6 Build Date: Sat 23 Feb 2013
02:27:11 PM EST
Install Date: Fri 06 Feb 2015 09:07:37 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-ati-6.99.99-1.el6.src.rpm
Size : 464863 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:13:38 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : ATI firmware for R600/700/Evergreen/NI/PALM
Description :
Firmware for ATI R600/R700 IRQs + Evergreen/Northern Islands + Fusion

Name : iwl4965-firmware Relocations: (not relocatable)
Version : 228.61.2.24 Vendor: CentOS
Release : 2.1.el6 Build Date: Wed 18 Aug 2010
12:56:35 PM EDT
Install Date: Fri 06 Feb 2015 09:07:38 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: iwl4965-firmware-
228.61.2.24-2.1.el6.src.rpm
Size : 382618 License: Redistributable,
no modification permitted
Signature : RSA/8, Sun 03 Jul 2011 12:16:29 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://intellinuxwireless.org/>
Summary : Firmware for Intel® PRO/Wireless 4965 A/G/N network
adaptors
Description :
This package contains the firmware required by the iwl4965 driver for
Linux.
Usage of the firmware is subject to the terms and conditions contained
inside the provided LICENSE file. Please read it carefully.

Name : rt73usb-firmware Relocations: (not relocatable)
Version : 1.8 Vendor: CentOS
Release : 7.el6 Build Date: Fri 20 Aug 2010
09:37:13 PM EDT
Install Date: Fri 06 Feb 2015 09:07:38 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: rt73usb-firmware-
1.8-7.el6.src.rpm
Size : 4151 License: Redistributable,
no modification permitted
Signature : RSA/8, Sun 03 Jul 2011 12:45:49 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.ralinktech.com>
Summary : Firmware for Ralink® RT2571W/RT2671 A/B/G network adaptors
Description :

This package contains the firmware required by the rt73usb driver for Linux.
Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE.ralink-firmware.txt file.
Please read it carefully.

Name : rootfiles Relocations: (not relocatable)
Version : 8.1 Vendor: CentOS
Release : 6.1.el6 Build Date: Wed 18 Aug 2010
10:50:16 AM EDT
Install Date: Fri 06 Feb 2015 09:07:39 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Base Source RPM: rootfiles-8.1-
6.1.el6.src.rpm
Size : 599 License: Public Domain
Signature : RSA/8, Sun 03 Jul 2011 12:45:28 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : The basic required files for the root user's directory
Description :
The rootfiles package contains basic required files that are placed
in the root user's account. These files are basically the same
as those in /etc/skel, which are placed in regular
users' home directories.

Name : libuuid Relocations: (not relocatable)
Version : 2.17.2 Vendor: CentOS
Release : 12.9.el6 Build Date: Fri 22 Feb 2013
12:00:18 AM EST
Install Date: Fri 06 Feb 2015 09:07:41 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : Development/Libraries Source RPM: util-linux-ng-
2.17.2-12.9.el6.src.rpm
Size : 15200 License: BSD
Signature : RSA/SHA1, Sat 23 Feb 2013 12:52:06 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.kernel.org/pub/linux/utils/util-linux-ng>
Summary : Universally unique ID library
Description :
This is the universally unique ID library, part of util-linux-ng.

The libuuid library generates and parses 128-bit universally unique
id's (UUID's). A UUID is an identifier that is unique across both
space and time, with respect to the space of all UUIDs. A UUID can
be used for multiple purposes, from tagging objects with an extremely
short lifetime, to reliably identifying very persistent objects
across a network.

See also the "uuid" package, which is a separate implementation.

Name : libX11 Relocations: (not relocatable)
Version : 1.5.0 Vendor: CentOS

Release : 4.el6 Build Date: Thu 21 Feb 2013
02:36:52 PM EST
Install Date: Fri 06 Feb 2015 09:07:41 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libX11-1.5.0-
4.el6.src.rpm
Size : 1279048 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:53:44 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Core X11 protocol client library
Description :
Core X11 protocol client library.

Name : libXinerama Relocations: (not relocatable)
Version : 1.1.2 Vendor: CentOS
Release : 2.el6 Build Date: Thu 21 Feb 2013
01:56:10 PM EST
Install Date: Fri 06 Feb 2015 09:07:42 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXinerama-
1.1.2-2.el6.src.rpm
Size : 31633 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:54:22 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXinerama runtime library
Description :
X.Org X11 libXinerama runtime library

Name : perl-File-NCopy Relocations: (not relocatable)
Version : 0.36 Vendor: Dag Apt
Repository, <http://dag.wieers.com/apt/>
Release : 1.el6.rf Build Date: Wed 10 Nov 2010
11:48:50 PM EST
Install Date: Fri 06 Feb 2015 09:09:13 AM EST Build Host:
lisse.hasselt.wieers.com
Group : Applications/CPAN Source RPM: perl-File-NCopy-
0.36-1.el6.rf.src.rpm
Size : 26947 License: Artistic/GPL
Signature : DSA/SHA1, Thu 11 Nov 2010 01:30:02 AM EST, Key ID
a20e52146b8d79e6
Packager : Dries Verachtert <dries@ulyssis.org>
URL : <http://search.cpan.org/dist/File-NCopy/>
Summary : Copy files
Description :
Easy functions for copying files.

Name : perl-HTML-Template Relocations: (not relocatable)
Version : 2.9 Vendor: Dag Apt
Repository, <http://dag.wieers.com/apt/>

Release : 1.el6.rf Build Date: Wed 10 Nov 2010
11:56:59 PM EST
Install Date: Fri 06 Feb 2015 09:09:15 AM EST Build Host:
lisse.hasselt.wieers.com
Group : Applications/CPAN Source RPM: perl-HTML-
Template-2.9-1.el6.rf.src.rpm
Size : 164807 License: Artistic/GPL
Signature : DSA/SHA1, Thu 11 Nov 2010 01:30:07 AM EST, Key ID
a20e52146b8d79e6
Packager : Dries Verachtert <dries@ulyssis.org>
URL : http://search.cpan.org/dist/HTML-Template/
Summary : HTML Templates for CGI scripts
Description :
With this module, you can use HTML templates in CGI scripts.

Name : perl-Stat-lsMode Relocations: (not relocatable)
Version : 0.50 Vendor: Dag Apt
Repository, http://dag.wieers.com/apt/
Release : 1.2.el6.rf Build Date: Thu 11 Nov 2010
12:36:50 AM EST
Install Date: Fri 06 Feb 2015 09:09:16 AM EST Build Host:
lisse.hasselt.wieers.com
Group : Applications/CPAN Source RPM: perl-Stat-lsMode-
0.50-1.2.el6.rf.src.rpm
Size : 10450 License: Artistic/GPL
Signature : DSA/SHA1, Thu 11 Nov 2010 01:29:29 AM EST, Key ID
a20e52146b8d79e6
Packager : Dries Verachtert <dries@ulyssis.org>
URL : http://search.cpan.org/dist/Stat-lsMode/
Summary : Format file modes like the ls -l command does
Description :
This module is for formatting file modes and permissions the way that
ls -l does.

Name : perl-Text-Autoformat Relocations: (not relocatable)
Version : 1.14.0 Vendor: CentOS
Release : 5.el6 Build Date: Fri 12 Nov 2010
09:02:16 AM EST
Install Date: Fri 06 Feb 2015 09:09:17 AM EST Build Host:
c6b6.bsyzs.dev.centos.org
Group : Development/Libraries Source RPM: perl-Text-
Autoformat-1.14.0-5.el6.src.rpm
Size : 53285 License: GPL+ or Artistic
Signature : RSA/8, Sun 03 Jul 2011 12:39:24 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <http://bugs.centos.org>
URL : http://search.cpan.org/dist/Text-Autoformat/
Summary : Automatic text wrapping and reformatting
Description :
Text::Autoformat provides intelligent formatting of plaintext without the
need for any kind of embedded mark-up. The module recognizes Internet
quoting conventions, a wide range of bulleting and number schemes,
centered

text, and block quotations, and reformats each appropriately. Other options allow the user to adjust inter-word and inter-paragraph spacing, justify text, and impose various capitalization schemes.

The module also supplies a re-entrant, highly configurable replacement for the built-in Perl format() mechanism.

Name : perl-Tk-GBARR Relocations: (not relocatable)
Version : 2.08 Vendor: (none)
Release : 1 Build Date: Thu 15 Jul 2010
08:44:47 AM EDT
Install Date: Fri 06 Feb 2015 09:09:19 AM EST Build Host: lorax
Group : Applications/CPAN Source RPM: perl-Tk-GBARR-
2.08-1.src.rpm
Size : 48283 License: Artistic/GPL
Signature : (none)
Packager : Jason Messmer <Jason.Messmer@xerox.com>
URL : <http://search.cpan.org/dist/Tk-GBARR/>
Summary : A collection of Tk Widgets
Description :
A collection of Tk Widgets.

Name : perl-IO-Stty Relocations: (not relocatable)
Version : .02 Vendor: Dag Apt
Repository, <http://dag.wieers.com/apt/>
Release : 1.2.el6.rf Build Date: Thu 11 Nov 2010
12:00:58 AM EST
Install Date: Fri 06 Feb 2015 09:09:20 AM EST Build Host:
lisse.hasselt.wieers.com
Group : Applications/CPAN Source RPM: perl-IO-Stty-.02-
1.2.el6.rf.src.rpm
Size : 15894 License: Artistic/GPL
Signature : DSA/SHA1, Thu 11 Nov 2010 01:31:07 AM EST, Key ID
a20e52146b8d79e6
Packager : Dries Verachtert <dries@ulyssis.org>
URL : <http://search.cpan.org/dist/IO-Stty/>
Summary : Setting terminal parameters
Description :
The two perl items in this package are an stty shell script and a
module for setting terminal parameters.

Name : flash-plugin Relocations: (not relocatable)
Version : 11.2.202.238 Vendor: Dag Apt
Repository, <http://dag.wieers.com/apt/>
Release : 0.2.el6.rf Build Date: Sat 22 Sep 2012
07:59:28 PM EDT
Install Date: Fri 06 Feb 2015 09:09:39 AM EST Build Host:
lisse.hasselt.wieers.com
Group : Applications/Internet Source RPM: flash-plugin-
11.2.202.238-0.2.el6.rf.src.rpm
Size : 20353580 License: Commercial

Signature : DSA/SHA1, Sat 22 Sep 2012 08:04:53 PM EDT, Key ID
a20e52146b8d79e6
Packager : Dag Wieers <dag@wieers.com>
URL : http://www.macromedia.com/downloads/
Summary : Macromedia Flash Player
Description :
Macromedia Flash Player

By downloading and installing this package you agree to the included
LICENSE.

Name : XRXTPM Relocations: (not relocatable)
Version : 1.0.0.19 Vendor: Xerox Corporation
Release : 1 Build Date: Mon 05 May 2014
02:36:31 PM EDT
Install Date: Fri 06 Feb 2015 09:10:40 AM EST Build Host: chicory
Group : Applications/Xerox Source RPM: XRXTPM-1.0.0.19-
1.src.rpm
Size : 172196 License: Copyright 1996-
2010 Xerox Corporation
Signature : (none)
Packager : sdonnell
Summary : Xerox Print Engine Tools Perl Modules
Description :
Xerox Print Engine Tools Perl Modules for Development and Debugging

Name : vnc Relocations: (not relocatable)
Version : 4.1.2 Vendor: CentOS
Release : 14.el5_6.6 Build Date: Wed 20 Apr 2011
12:13:55 PM EDT
Install Date: Fri 06 Feb 2015 09:11:20 AM EST Build Host:
builder10.centos.org
Group : User Interface/Desktops Source RPM: vnc-4.1.2-
14.el5_6.6.src.rpm
Size : 343724 License: GPL
Signature : DSA/SHA1, Wed 20 Apr 2011 12:27:58 PM EDT, Key ID
a8a447dce8562897
URL : http://www.realvnc.com
Summary : A remote display system.
Description :
Virtual Network Computing (VNC) is a remote display system which
allows you to view a computing 'desktop' environment not only on the
machine where it is running, but from anywhere on the Internet and
from a wide variety of machine architectures. This package contains a
client which will allow you to connect to other desktops running a VNC
server.

Name : librsvg2 Relocations: (not relocatable)
Version : 2.26.0 Vendor: CentOS
Release : 6.el6_5.3 Build Date: Tue 04 Feb 2014
03:50:42 PM EST
Install Date: Fri 06 Feb 2015 09:12:19 AM EST Build Host:
c6b9.bsyz.dev.centos.org

Group : System Environment/Libraries Source RPM: librsvg2-2.26.0-6.el6_5.3.src.rpm
Size : 378472 License: LGPLv2+
Signature : RSA/SHA1, Tue 04 Feb 2014 04:59:30 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : An SVG library based on cairo
Description :
An SVG library based on cairo.

Name : control-center-extra Relocations: (not relocatable)
Version : 2.28.1 Vendor: CentOS
Release : 38.el6 Build Date: Thu 21 Feb 2013 05:04:12 PM EST
Install Date: Fri 06 Feb 2015 09:05:37 AM EST Build Host: c6b7.bsyz.dev.centos.org
Group : User Interface/Desktops Source RPM: control-center-2.28.1-38.el6.src.rpm
Size : 170385 License: GPLv2+ and GFDL
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:02 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : Additional utilities to configure the GNOME desktop
Description :
The control-center-extra package contains additions configuration utilities for the GNOME desktop.

Name : libgcc Relocations: (not relocatable)
Version : 4.4.7 Vendor: CentOS
Release : 3.el6 Build Date: Thu 21 Feb 2013 12:16:26 PM EST
Install Date: Fri 06 Feb 2015 09:01:39 AM EST Build Host: c6b9.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: gcc-4.4.7-3.el6.src.rpm
Size : 117224 License: GPLv3+ and GPLv3+ with exceptions and GPLv2+ with exceptions
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:27 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gcc.gnu.org>
Summary : GCC version 4.4 shared support library
Description :
This package contains GCC shared support library which is needed e.g. for exception handling support.

Name : libXres Relocations: (not relocatable)
Version : 1.0.6 Vendor: CentOS
Release : 2.el6 Build Date: Thu 21 Feb 2013 02:00:31 PM EST
Install Date: Fri 06 Feb 2015 09:02:28 AM EST Build Host: c6b9.bsyz.dev.centos.org

Group : System Environment/Libraries Source RPM: libXres-1.0.6-2.el6.src.rpm
Size : 28689 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:03 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X-Resource extension client library
Description :
X-Resource is an extension that allows a client to query the X server about its usage of various resources.

Name : yum-metadata-parser Relocations: (not relocatable)
Version : 1.1.2 Vendor: CentOS
Release : 16.el6 Build Date: Tue 19 Jul 2011 02:50:44 PM EDT
Install Date: Fri 06 Feb 2015 09:04:06 AM EST Build Host: c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: yum-metadata-parser-1.1.2-16.el6.src.rpm
Size : 58327 License: GPLv2
Signature : RSA/SHA1, Mon 26 Sep 2011 12:26:27 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://linux.duke.edu/projects/yum/>
Summary : A fast metadata parser for yum
Description :
Fast metadata parser for yum implemented in C.

Name : filesystem Relocations: (not relocatable)
Version : 2.4.30 Vendor: CentOS
Release : 3.el6 Build Date: Fri 23 Sep 2011 07:51:34 AM EDT
Install Date: Fri 06 Feb 2015 09:01:40 AM EST Build Host: c6b6.bsys.dev.centos.org
Group : System Environment/Base Source RPM: filesystem-2.4.30-3.el6.src.rpm
Size : 0 License: Public Domain
Signature : RSA/SHA1, Mon 26 Sep 2011 12:18:23 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/filesystem>
Summary : The basic directory layout for a Linux system
Description :
The filesystem package is one of the basic packages that is installed on a Linux system. Filesystem contains the basic directory layout for a Linux operating system, including the correct permissions for the directories.

Name : nss-softokn Relocations: (not relocatable)
Version : 3.12.9 Vendor: CentOS
Release : 11.el6 Build Date: Wed 07 Dec 2011 07:27:01 PM EST

Install Date: Fri 06 Feb 2015 09:02:28 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: nss-softokn-
3.12.9-11.el6.src.rpm
Size : 444772 License: MPLv1.1 or GPLv2+
or LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:45:21 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mozilla.org/projects/security/pki/nss/>
Summary : Network Security Services Softoken Module
Description :
Network Security Services Softoken Cryptographic Module

Name : libuser-python Relocations: (not relocatable)
Version : 0.56.13 Vendor: CentOS
Release : 5.el6 Build Date: Thu 05 Apr 2012
05:13:36 AM EDT
Install Date: Fri 06 Feb 2015 09:04:06 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: libuser-0.56.13-
5.el6.src.rpm
Size : 69464 License: LGPLv2+
Signature : RSA/SHA1, Thu 05 Apr 2012 05:34:35 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/libuser/>
Summary : Python bindings for the libuser library
Description :
The libuser-python package contains the Python bindings for
the libuser library, which provides a Python API for manipulating and
administering user and group accounts.

Name : iso-codes Relocations: (not relocatable)
Version : 3.16 Vendor: CentOS
Release : 2.el6 Build Date: Fri 12 Nov 2010
12:11:40 AM EST
Install Date: Fri 06 Feb 2015 09:01:42 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Base Source RPM: iso-codes-3.16-
2.el6.src.rpm
Size : 11276426 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:16:23 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://alioth.debian.org/projects/pkg-isocodes/>
Summary : ISO code lists and translations
Description :
This package provides the ISO 639 Language code list, the ISO 4217
Currency code list, the ISO 3166 Territory code list, and ISO 3166-2
sub-territory lists, and all their translations in gettext format.

Name : lockdev Relocations: (not relocatable)
Version : 1.0.1 Vendor: CentOS

Release : 18.el6 Build Date: Thu 19 Aug 2010
02:35:50 AM EDT
Install Date: Fri 06 Feb 2015 09:02:29 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: lockdev-1.0.1-
18.el6.src.rpm
Size : 51000 License: LGPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:43:12 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://packages.debian.org/unstable/source/lockdev>
Summary : A library for locking devices
Description :
Lockdev provides a reliable way to put an exclusive lock to devices
using both FSSTND and SVr4 methods.

Name : pygtk2 Relocations: (not relocatable)
Version : 2.16.0 Vendor: CentOS
Release : 3.el6 Build Date: Fri 20 Aug 2010
11:03:41 PM EDT
Install Date: Fri 06 Feb 2015 09:04:07 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Development/Languages Source RPM: pygtk2-2.16.0-
3.el6.src.rpm
Size : 4314034 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:58:13 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.pygtk.org/>
Summary : Python bindings for GTK+
Description :
PyGTK is an extension module for Python that gives you access to the GTK+
widget set. Just about anything you can write in C with GTK+ you can
write
in Python with PyGTK (within reason), but with all the benefits of using
a
high-level scripting language.

Name : libX11-common Relocations: (not relocatable)
Version : 1.5.0 Vendor: CentOS
Release : 4.el6 Build Date: Thu 21 Feb 2013
02:38:37 PM EST
Install Date: Fri 06 Feb 2015 09:01:42 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libX11-1.5.0-
4.el6.src.rpm
Size : 1689403 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:54:10 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Common data for libX11
Description :
libX11 common data

```

Name           : checkpolicy                      Relocations: (not relocatable)
Version        : 2.0.22                          Vendor: CentOS
Release        : 1.el6                          Build Date: Wed 10 Nov 2010
09:31:50 PM EST
Install Date: Fri 06 Feb 2015 09:02:30 AM EST    Build Host:
c6b6.bsys.dev.centos.org
Group          : Development/System              Source RPM: checkpolicy-
2.0.22-1.el6.src.rpm
Size           : 870239                          License: GPLv2
Signature      : RSA/8, Sun 03 Jul 2011 12:06:47 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
Summary        : SELinux policy compiler
Description    :
Security-enhanced Linux is a feature of the Linux® kernel and a number
of utilities with enhanced security functionality designed to add
mandatory access controls to Linux. The Security-enhanced Linux
kernel contains new architectural components originally developed to
improve the security of the Flask operating system. These
architectural components provide general support for the enforcement
of many kinds of mandatory access control policies, including those
based on the concepts of Type Enforcement®, Role-based Access
Control, and Multi-level Security.

```

This package contains checkpolicy, the SELinux policy compiler.
Only required for building policies.

```

Name           : gnome-python2-canvas            Relocations: (not relocatable)
Version        : 2.28.0                          Vendor: CentOS
Release        : 3.el6                          Build Date: Thu 11 Nov 2010
06:32:37 AM EST
Install Date: Fri 06 Feb 2015 09:04:07 AM EST    Build Host:
c6b5.bsys.dev.centos.org
Group          : Development/Languages          Source RPM: gnome-python2-
2.28.0-3.el6.src.rpm
Size           : 74807                          License: LGPLv2+
Signature      : RSA/8, Sun 03 Jul 2011 12:18:29 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://download.gnome.org/sources/gnome-python/
Summary        : Python bindings for the GNOME Canvas
Description    :
This module contains a wrapper that allows use of the GNOME Canvas
in Python.

```

```

Name           : mesa-dri-filesystem             Relocations: (not relocatable)
Version        : 9.0                            Vendor: CentOS
Release        : 0.7.el6                        Build Date: Fri 22 Feb 2013
02:02:15 AM EST
Install Date: Fri 06 Feb 2015 09:01:42 AM EST    Build Host:
c6b7.bsys.dev.centos.org
Group          : User Interface/X Hardware Support Source RPM: mesa-9.0-
0.7.el6.src.rpm

```

Size : 25493 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:06 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mesa3d.org>
Summary : Mesa DRI driver filesystem
Description :
Mesa DRI driver filesystem

Name : tcp_wrappers Relocations: (not relocatable)
Version : 7.6 Vendor: CentOS
Release : 57.el6 Build Date: Wed 07 Dec 2011
12:45:47 PM EST
Install Date: Fri 06 Feb 2015 09:02:31 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: tcp_wrappers-7.6-
57.el6.src.rpm
Size : 149750 License: BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 04:20:05 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.porcupine.org/pub/security/index.html>
Summary : A security tool which acts as a wrapper for TCP daemons
Description :
The tcp_wrappers package provides small daemon programs which can
monitor and filter incoming requests for systat, finger, FTP, telnet,
rlogin, rsh, exec, tftp, talk and other network services.

Install the tcp_wrappers program if you need a security tool for
filtering incoming network services requests.

This version also supports IPv6.

Name : at-spi-python Relocations: (not relocatable)
Version : 1.28.1 Vendor: CentOS
Release : 2.el6.centos Build Date: Fri 02 Dec 2011
04:45:53 AM EST
Install Date: Fri 06 Feb 2015 09:04:08 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: at-spi-1.28.1-
2.el6.centos.src.rpm
Size : 174655 License: LGPLv2+
Signature : RSA/SHA1, Fri 02 Dec 2011 07:47:41 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://developer.gnome.org/projects/gap/>
Summary : Python bindings for at-spi
Description :
This package contains Python bindings allowing to use at-spi in Python
programs.

Name : mailcap Relocations: (not relocatable)
Version : 2.1.31 Vendor: CentOS

Release : 2.el6 Build Date: Fri 23 Sep 2011
11:02:51 AM EDT
Install Date: Fri 06 Feb 2015 09:01:43 AM EST Build Host:
c6b18n1.dev.centos.org
Group : System Environment/Base Source RPM: mailcap-2.1.31-
2.el6.src.rpm
Size : 52877 License: Public Domain and
MIT
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:48 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://git.fedoraproject.org/git/mailcap.git>
Summary : Helper application and MIME type associations for file
types
Description :
The mailcap file is used by the metamail program. Metamail reads the
mailcap file to determine how it should display non-text or multimedia
material. Basically, mailcap associates a particular type of file
with a particular program that a mail agent or other program can call
in order to handle the file. Mailcap should be installed to allow
certain programs to be able to handle non-text files.

Also included in this package is the mime.types file which contains a
list of MIME types and their filename "extension" associations, used
by several applications e.g. to determine MIME types for filenames.

Name : m17n-contrib-punjabi Relocations: (not relocatable)
Version : 1.1.10 Vendor: CentOS
Release : 4.el6_1.1 Build Date: Fri 23 Sep 2011
06:12:49 AM EDT
Install Date: Fri 06 Feb 2015 09:02:31 AM EST Build Host:
c6b5.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-contrib-
1.1.10-4.el6_1.1.src.rpm
Size : 13491 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:41 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : Contributed input maps for Punjabi
Description :
This package provides contributed multilingualization (m17n) input maps
for Punjabi.

Name : gnome-desktop Relocations: (not relocatable)
Version : 2.28.2 Vendor: CentOS
Release : 11.el6.centos Build Date: Wed 10 Oct 2012
07:15:10 AM EDT
Install Date: Fri 06 Feb 2015 09:04:08 AM EST Build Host:
c6b10.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: gnome-desktop-
2.28.2-11.el6.centos.src.rpm
Size : 3162907 License: GPLv2+ and
LGPLv2+

Signature : RSA/SHA1, Wed 10 Oct 2012 07:55:37 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : Shared code among gnome-panel, gnome-session, nautilus, etc
Description :

The gnome-desktop package contains an internal library
(libgnomedesktop) used to implement some portions of the GNOME
desktop, and also some data files and other shared components of the
GNOME user environment.

Name : un-core-fonts-common Relocations: (not relocatable)
Version : 1.0.2 Vendor: CentOS
Release : 0.15.080608.el6 Build Date: Thu 11 Nov 2010
10:53:56 AM EST
Install Date: Fri 06 Feb 2015 09:01:44 AM EST Build Host:
c5b2.bsys.dev.centos.org
Group : User Interface/X Source RPM: un-core-fonts-
1.0.2-0.15.080608.el6.src.rpm
Size : 19115 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:51:46 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://kldp.net/projects/unfonts/>
Summary : Common files of Un Core fonts
Description :

The UN set of Korean TrueType fonts is derived from the HLaTeX Typel
fonts
made by Koaunghi Un in 1998. They were converted to TrueType with
FontForge(PfaEdit) by Won-kyu Park in 2003.
The Un Core set is composed of:

- UnBatang: serif
- UnDinaru: fantasy
- UnDotum: sans-serif
- UnGraphic: sans-serif style
- UnGungseo: cursive, brush-stroke
- UnPilgi: script

This package consists of files used by other un-core-fonts packages.

Name : m17n-contrib-oriya Relocations: (not relocatable)
Version : 1.1.10 Vendor: CentOS
Release : 4.el6_1.1 Build Date: Fri 23 Sep 2011
06:12:49 AM EDT
Install Date: Fri 06 Feb 2015 09:02:31 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-contrib-
1.1.10-4.el6_1.1.src.rpm
Size : 8127 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:40 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : Contributed input maps for Oriya
Description :
This package provides contributed multilingualization (m17n) input maps for Oriya.

Name : authconfig Relocations: (not relocatable)
Version : 6.1.12 Vendor: CentOS
Release : 13.el6 Build Date: Thu 21 Feb 2013
10:08:55 PM EST
Install Date: Fri 06 Feb 2015 09:04:09 AM EST Build Host:
c6b7.bsyzs.dev.centos.org
Group : System Environment/Base Source RPM: authconfig-
6.1.12-13.el6.src.rpm
Size : 1939089 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:32 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/authconfig>
Summary : Command line tool for setting up authentication from
network services
Description :
Authconfig is a command line utility which can configure a workstation
to use shadow (more secure) passwords. Authconfig can also configure a
system to be a client for certain networked user information and
authentication schemes.

Name : libwacom-data Relocations: (not relocatable)
Version : 0.5 Vendor: CentOS
Release : 4.el6 Build Date: Thu 21 Feb 2013
04:56:19 PM EST
Install Date: Fri 06 Feb 2015 09:01:45 AM EST Build Host:
c6b7.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: libwacom-0.5-
4.el6.src.rpm
Size : 36357 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:50:53 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://linuxwacom.sourceforge.net>
Summary : Tablet Information Client Library Library Data Files
Description :
Tablet information client library library data files.

Name : m17n-contrib-telugu Relocations: (not relocatable)
Version : 1.1.10 Vendor: CentOS
Release : 4.el6_1.1 Build Date: Fri 23 Sep 2011
06:12:49 AM EDT
Install Date: Fri 06 Feb 2015 09:02:31 AM EST Build Host:
c6b5.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-contrib-
1.1.10-4.el6_1.1.src.rpm
Size : 27914 License: LGPLv2+

Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:45 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : Contributed input maps for Telugu
Description :
This package provides contributed multilingualization (m17n) input maps
for Telugu.

Name : python-iniparse Relocations: (not relocatable)
Version : 0.3.1 Vendor: CentOS
Release : 2.1.el6 Build Date: Tue 17 Aug 2010
12:49:21 AM EDT
Install Date: Fri 06 Feb 2015 09:04:09 AM EST Build Host:
c6b1.bsdev.centos.org
Group : Development/Libraries Source RPM: python-iniparse-
0.3.1-2.1.el6.src.rpm
Size : 109284 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:42:38 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/iniparse/>
Summary : Python Module for Accessing and Modifying Configuration
Data in INI files
Description :
iniparse is an INI parser for Python which is API compatible
with the standard library's ConfigParser, preserves structure of INI
files (order of sections & options, indentation, comments, and blank
lines are preserved when data is updated), and is more convenient to
use.

Name : nss-softokn-freebl Relocations: (not relocatable)
Version : 3.12.9 Vendor: CentOS
Release : 11.el6 Build Date: Wed 07 Dec 2011
07:27:01 PM EST
Install Date: Fri 06 Feb 2015 09:01:55 AM EST Build Host:
c6b4.bsdev.centos.org
Group : System Environment/Base Source RPM: nss-softokn-
3.12.9-11.el6.src.rpm
Size : 383982 License: MPLv1.1 or GPLv2+
or LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:45:19 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mozilla.org/projects/security/pki/nss/>
Summary : Freebl library for the Network Security Services
Description :
NSS Softoken Cryptographic Module Freebl Library

Install the nss-softokn-freebl package if you need the freebl
library.

Name : m17n-contrib-tamil Relocations: (not relocatable)
Version : 1.1.10 Vendor: CentOS

Release : 4.el6_1.1 Build Date: Fri 23 Sep 2011
06:12:49 AM EDT
Install Date: Fri 06 Feb 2015 09:02:31 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ml7n-contrib-
1.1.10-4.el6_1.1.src.rpm
Size : 54529 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:44 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.ml7n.org/ml7n-lib/index.html>
Summary : Contributed input maps for Tamil
Description :
This package provides contributed multilingualization (ml7n) input maps
for Tamil.

Name : ibus-gtk Relocations: (not relocatable)
Version : 1.3.4 Vendor: CentOS
Release : 6.el6 Build Date: Wed 07 Dec 2011
12:23:43 PM EST
Install Date: Fri 06 Feb 2015 09:04:09 AM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ibus-1.3.4-
6.el6.src.rpm
Size : 24120 License: LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:07:45 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/ibus/>
Summary : IBus im module for gtk2
Description :
This package contains ibus im module for gtk2

Name : libattr Relocations: (not relocatable)
Version : 2.4.44 Vendor: CentOS
Release : 7.el6 Build Date: Fri 23 Sep 2011
02:54:00 PM EDT
Install Date: Fri 06 Feb 2015 09:01:57 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: attr-2.4.44-
7.el6.src.rpm
Size : 18712 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:20:08 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://acl.bestbits.at/>
Summary : Dynamic library for extended attribute support
Description :
This package contains the libattr.so dynamic library which contains
the extended attribute system calls and library functions.

Name : ml7n-contrib-gujarati Relocations: (not relocatable)
Version : 1.1.10 Vendor: CentOS

Release : 4.el6_1.1 Build Date: Fri 23 Sep 2011
06:12:49 AM EDT
Install Date: Fri 06 Feb 2015 09:02:31 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ml7n-contrib-
1.1.10-4.el6_1.1.src.rpm
Size : 9875 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:35 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.ml7n.org/ml7n-lib/index.html>
Summary : Contributed input maps for Gujarati
Description :
This package provides contributed multilingualization (ml7n) input maps
for Gujarati.

Name : python-paramiko Relocations: (not relocatable)
Version : 1.7.5 Vendor: CentOS
Release : 2.1.el6 Build Date: Tue 17 Aug 2010
07:57:25 AM EDT
Install Date: Fri 06 Feb 2015 09:04:10 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Libraries Source RPM: python-paramiko-
1.7.5-2.1.el6.src.rpm
Size : 7998304 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:42:55 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.lag.net/paramiko/>
Summary : A SSH2 protocol library for python
Description :
Paramiko (a combination of the esperanto words for "paranoid" and
"friend") is
a module for python 2.3 or greater that implements the SSH2 protocol for
secure
(encrypted and authenticated) connections to remote machines. Unlike SSL
(aka
TLS), the SSH2 protocol does not require heirarchical certificates signed
by a
powerful central authority. You may know SSH2 as the protocol that
replaced
telnet and rsh for secure access to remote shells, but the protocol also
includes the ability to open arbitrary channels to remote services across
an
encrypted tunnel. (This is how sftp works, for example.)

Name : freetype Relocations: (not relocatable)
Version : 2.3.11 Vendor: CentOS
Release : 6.el6_2.9 Build Date: Tue 10 Apr 2012
05:09:30 PM EDT
Install Date: Fri 06 Feb 2015 09:01:57 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: freetype-2.3.11-
6.el6_2.9.src.rpm

Size : 835435 License: FTL or GPLv2+
Signature : RSA/SHA1, Tue 10 Apr 2012 05:57:16 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freetype.org>
Summary : A free and portable font rendering engine
Description :
The FreeType engine is a free and portable font rendering engine, developed to provide advanced font support for a variety of platforms and environments. FreeType is a library which can open and manages font files as well as efficiently load, hint and render individual glyphs. FreeType is not a font server or a complete text-rendering library.

Name : jasper-libs Relocations: (not relocatable)
Version : 1.900.1 Vendor: CentOS
Release : 15.el6_1.1 Build Date: Sat 17 Dec 2011
12:00:42 PM EST
Install Date: Fri 06 Feb 2015 09:02:31 AM EST Build Host:
c6b18n1.dev.centos.org
Group : System Environment/Libraries Source RPM: jasper-1.900.1-
15.el6_1.1.src.rpm
Size : 337136 License: JasPer
Signature : RSA/SHA1, Sun 18 Dec 2011 06:56:08 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.ece.uvic.ca/~mdadams/jasper/>
Summary : Runtime libraries for jasper
Description :
Runtime libraries for jasper.

Name : yum Relocations: (not relocatable)
Version : 3.2.29 Vendor: CentOS
Release : 40.el6.centos Build Date: Fri 22 Feb 2013
06:26:41 AM EST
Install Date: Fri 06 Feb 2015 09:04:11 AM EST Build Host:
c6b8.bsyzs.dev.centos.org
Group : System Environment/Base Source RPM: yum-3.2.29-
40.el6.centos.src.rpm
Size : 4735341 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:50:22 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://yum.baseurl.org/>
Summary : RPM package installer/updater/manager
Description :
Yum is a utility that can check for and automatically download and install updated RPM packages. Dependencies are obtained and downloaded automatically, prompting the user for permission as necessary.

Name : libICE Relocations: (not relocatable)
Version : 1.0.6 Vendor: CentOS
Release : 1.el6 Build Date: Mon 16 Aug 2010
06:21:28 PM EDT

Install Date: Fri 06 Feb 2015 09:01:58 AM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libICE-1.0.6-
1.el6.src.rpm
Size : 117691 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:35:50 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 ICE runtime library
Description :
The X.Org X11 ICE (Inter-Client Exchange) runtime library.

Name : ed Relocations: (not relocatable)
Version : 1.1 Vendor: CentOS
Release : 3.3.el6 Build Date: Thu 11 Nov 2010
01:28:19 AM EST
Install Date: Fri 06 Feb 2015 09:02:31 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Applications/Text Source RPM: ed-1.1-
3.3.el6.src.rpm
Size : 119832 License: GPLv3+ and GFDL
Signature : RSA/8, Sun 03 Jul 2011 12:12:33 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/ed/>
Summary : The GNU line editor
Description :
Ed is a line-oriented text editor, used to create, display, and modify
text files (both interactively and via shell scripts). For most
purposes, ed has been replaced in normal usage by full-screen editors
(emacs and vi, for example).

Ed was the original UNIX editor, and may be used by some programs. In
general, however, you probably don't need to install it and you probably
won't use it.

Name : PackageKit Relocations: (not relocatable)
Version : 0.5.8 Vendor: CentOS
Release : 21.el6 Build Date: Thu 21 Feb 2013
05:42:20 PM EST
Install Date: Fri 06 Feb 2015 09:04:11 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: PackageKit-
0.5.8-21.el6.src.rpm
Size : 2377602 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:07 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.packagekit.org>
Summary : Package management service
Description :
PackageKit is a D-Bus abstraction layer that allows the session user
to manage packages in a secure way using a cross-distro,

cross-architecture API.

```
Name       : libjpeg-turbo           Relocations: (not relocatable)
Version    : 1.2.1                  Vendor: CentOS
Release    : 1.el6                  Build Date: Thu 21 Feb 2013
05:50:26 PM EST
Install Date: Fri 06 Feb 2015 09:01:58 AM EST    Build Host:
c6b9.bsys.dev.centos.org
Group      : System Environment/Libraries    Source RPM: libjpeg-turbo-
1.2.1-1.el6.src.rpm
Size       : 476782                  License: wxWidgets
Signature  : RSA/SHA1, Sat 23 Feb 2013 12:40:34 PM EST, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://sourceforge.net/projects/libjpeg-turbo
Summary    : A MMX/SSE2 accelerated library for manipulating JPEG image
files
Description :
The libjpeg-turbo package contains a library of functions for
manipulating
JPEG images. It also contains simple client programs for
accessing the libjpeg functions. It contains cjpeg, djpeg, jpegtran,
rdjpgcom and wrjpgcom. Cjpeg compresses an image file into JPEG format.
Djpeg decompresses a JPEG file into a regular image file. Jpegtran
can perform various useful transformations on JPEG files. Rdjpgcom
displays any text comments included in a JPEG file. Wrjpgcom inserts
text comments into a JPEG file.
```

```
Name       : m4                     Relocations: (not relocatable)
Version    : 1.4.13                  Vendor: CentOS
Release    : 5.el6                  Build Date: Thu 11 Nov 2010
12:17:34 PM EST
Install Date: Fri 06 Feb 2015 09:02:32 AM EST    Build Host:
c6b3.bsys.dev.centos.org
Group      : Applications/Text        Source RPM: m4-1.4.13-
5.el6.src.rpm
Size       : 560949                  License: GPLv3+
Signature  : RSA/8, Sun 03 Jul 2011 12:44:33 AM EDT, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://www.gnu.org/software/m4/
Summary    : The GNU macro processor
Description :
A GNU implementation of the traditional UNIX macro processor. M4 is
useful for writing text files which can be logically parsed, and is used
by many programs as part of their build process. M4 has built-in
functions for including files, running shell commands, doing arithmetic,
etc. The autoconf program needs m4 for generating configure scripts, but
not for running configure scripts.
```

Install m4 if you need a macro processor.

```
Name       : pyxf86config           Relocations: (not relocatable)
Version    : 0.3.37                  Vendor: CentOS
```

Release : 7.1.el6 Build Date: Wed 18 Aug 2010
07:11:12 PM EDT
Install Date: Fri 06 Feb 2015 09:04:13 AM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: pyxf86config-
0.3.37-7.1.el6.src.rpm
Size : 160008 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:59:17 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedoraproject.org/wiki/pyxf86config>
Summary : Python wrappers for libxf86config
Description :
Python wrappers for the X server config file library libxf86config.
It is used to read and write X server configuration files.

Name : nss-util Relocations: (not relocatable)
Version : 3.14.0.0 Vendor: CentOS
Release : 2.el6 Build Date: Fri 22 Feb 2013
12:08:21 AM EST
Install Date: Fri 06 Feb 2015 09:01:59 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: nss-util-
3.14.0.0-2.el6.src.rpm
Size : 175288 License: MPLv1.1 or GPLv2+
or LGPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:39 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mozilla.org/projects/security/pki/nss/>
Summary : Network Security Services Utilities Library
Description :
Utilities for Network Security Services and the Softoken module

Name : taglib Relocations: (not relocatable)
Version : 1.6.1 Vendor: CentOS
Release : 1.1.el6 Build Date: Fri 20 Aug 2010
09:26:03 AM EDT
Install Date: Fri 06 Feb 2015 09:02:34 AM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: taglib-1.6.1-
1.1.el6.src.rpm
Size : 620342 License: LGPLv2
Signature : RSA/8, Sun 03 Jul 2011 01:02:54 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://developer.kde.org/~wheeler/taglib.html>
Summary : Audio Meta-Data Library
Description :
TagLib is a library for reading and editing the meta-data of several
popular audio formats. Currently it supports both ID3v1 and ID3v2 for MP3
files, Ogg Vorbis comments and ID3 tags and Vorbis comments in FLAC, MPC,
Speex, WavPack, TrueAudio files, as well as APE Tags.

Name : libproxy-python Relocations: (not relocatable)
Version : 0.3.0 Vendor: CentOS
Release : 3.el6_3 Build Date: Wed 14 Nov 2012
04:08:01 PM EST
Install Date: Fri 06 Feb 2015 09:04:13 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libproxy-0.3.0-
3.el6_3.src.rpm
Size : 8320 License: LGPLv2+
Signature : RSA/SHA1, Wed 14 Nov 2012 08:41:39 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/libproxy/>
Summary : Binding for libproxy and python
Description :
The libproxy-python package contains the python binding for libproxy

Name : expat Relocations: (not relocatable)
Version : 2.0.1 Vendor: CentOS
Release : 11.el6_2 Build Date: Wed 13 Jun 2012
11:01:42 AM EDT
Install Date: Fri 06 Feb 2015 09:01:59 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: expat-2.0.1-
11.el6_2.src.rpm
Size : 198018 License: MIT
Signature : RSA/SHA1, Wed 13 Jun 2012 01:00:07 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.libexpat.org/>
Summary : An XML parser library
Description :
This is expat, the C library for parsing XML, written by James Clark.
Expat
is a stream oriented XML parser. This means that you register handlers
with
the parser prior to starting the parse. These handlers are called when
the
parser discovers the associated structures in the document being parsed.
A
start tag is an example of the kind of structures for which you may
register handlers.

Name : vim-common Relocations: (not relocatable)
Version : 7.2.411 Vendor: CentOS
Release : 1.8.el6 Build Date: Thu 05 Apr 2012
05:18:07 AM EDT
Install Date: Fri 06 Feb 2015 09:02:37 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/Editors Source RPM: vim-7.2.411-
1.8.el6.src.rpm
Size : 17773564 License: Vim and GPLv2+
and BSD and LGPLv2+ and Open Publication

Signature : RSA/SHA1, Thu 05 Apr 2012 05:35:05 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.vim.org/>
Summary : The common files needed by any version of the VIM editor
Description :
VIM (VISual editor iMproved) is an updated and improved version of the
vi editor. Vi was the first real screen-based editor for UNIX, and is
still very popular. VIM improves on vi by adding new features:
multiple windows, multi-level undo, block highlighting and more. The
vim-common package contains files which every VIM binary will need in
order to run.

If you are installing vim-enhanced or vim-X11, you'll also need
to install the vim-common package.

Name : libreport Relocations: (not relocatable)
Version : 2.0.9 Vendor: CentOS
Release : 15.el6.centos Build Date: Fri 22 Feb 2013
11:25:32 PM EST
Install Date: Fri 06 Feb 2015 09:04:13 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libreport-2.0.9-
15.el6.centos.src.rpm
Size : 1164487 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:14 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : Generic library for reporting various problems
Description :
Libraries providing API for reporting different problems in applications
to different bug targets like Bugzilla, ftp, trac, etc...

Name : libuuid Relocations: (not relocatable)
Version : 2.17.2 Vendor: CentOS
Release : 12.9.el6 Build Date: Fri 22 Feb 2013
12:02:21 AM EST
Install Date: Fri 06 Feb 2015 09:02:00 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : Development/Libraries Source RPM: util-linux-ng-
2.17.2-12.9.el6.src.rpm
Size : 16304 License: BSD
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:16 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.kernel.org/pub/linux/utils/util-linux-ng>
Summary : Universally unique ID library
Description :
This is the universally unique ID library, part of util-linux-ng.

The libuuid library generates and parses 128-bit universally unique
id's (UUID's). A UUID is an identifier that is unique across both
space and time, with respect to the space of all UUIDs. A UUID can

be used for multiple purposes, from tagging objects with an extremely short lifetime, to reliably identifying very persistent objects across a network.

See also the "uuid" package, which is a separate implementation.

```
Name           : groff                      Relocations: (not relocatable)
Version        : 1.18.1.4                  Vendor: CentOS
Release       : 21.el6                      Build Date: Thu 11 Nov 2010
05:23:53 PM EST
Install Date: Fri 06 Feb 2015 09:02:38 AM EST    Build Host:
c6b5.bsys.dev.centos.org
Group         : Applications/Publishing        Source RPM: groff-1.18.1.4-
21.el6.src.rpm
Size          : 5318766                      License: GPLv2 and GFDL
Signature     : RSA/8, Sun 03 Jul 2011 12:19:43 AM EDT, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           : http://groff.ffii.org
Summary       : A document formatting system
Description   :
Groff is a document formatting system. Groff takes standard text and
formatting commands as input and produces formatted output. The
created documents can be shown on a display or printed on a printer.
Groff's formatting commands allow you to specify font type and size,
bold type, italic type, the number and size of columns on a page, and
more.
```

Groff can also be used to format man pages. If you are going to use groff with the X Window System, you will also need to install the groff-gxditview package.

```
Name           : libsoup                      Relocations: (not relocatable)
Version        : 2.28.2                      Vendor: CentOS
Release       : 4.el6                        Build Date: Thu 21 Feb 2013
04:17:31 PM EST
Install Date: Fri 06 Feb 2015 09:04:13 AM EST    Build Host:
c6b7.bsys.dev.centos.org
Group         : Development/Libraries         Source RPM: libsoup-2.28.2-
4.el6.src.rpm
Size          : 444157                       License: LGPLv2
Signature     : RSA/SHA1, Sat 23 Feb 2013 12:39:17 PM EST, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           : http://live.gnome.org/LibSoup
Summary       : Soup, an HTTP library implementation
Description   :
Libsoup is an HTTP library implementation in C. It was originally part
of a SOAP (Simple Object Access Protocol) implementation called Soup, but
the SOAP and non-SOAP parts have now been split into separate packages.
```

libsoup uses the Glib main loop and is designed to work well with GTK applications. This enables GNOME applications to access HTTP servers on the network in a completely asynchronous fashion, very similar to

the Gtk+ programming model (a synchronous operation mode is also supported for those who want it).

```
Name           : libudev                      Relocations: (not relocatable)
Version        : 147                          Vendor: CentOS
Release       : 2.46.el6                      Build Date: Fri 22 Feb 2013
12:22:19 AM EST
Install Date: Fri 06 Feb 2015 09:02:00 AM EST    Build Host:
c6b9.bsys.dev.centos.org
Group         : System Environment/Libraries    Source RPM: udev-147-
2.46.el6.src.rpm
Size          : 73171                          License: LGPLv2+
Signature     : RSA/SHA1, Sat 23 Feb 2013 12:42:24 PM EST, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           :
http://www.kernel.org/pub/linux/utils/kernel/hotplug/udev.html
Summary       : Dynamic library to access udev device information
Description   :
This package contains the dynamic library libudev, which provides access
to udev device information, and an interface to search devices in sysfs.
```

```
Name           : cracklib                      Relocations: (not relocatable)
Version        : 2.8.16                       Vendor: CentOS
Release       : 4.el6                         Build Date: Sat 25 Jun 2011
02:39:10 AM EDT
Install Date: Fri 06 Feb 2015 09:02:38 AM EST    Build Host:
c6b6.bsys.dev.centos.org
Group         : System Environment/Libraries    Source RPM: cracklib-2.8.16-
4.el6.src.rpm
Size          : 187265                          License: LGPLv2+
Signature     : RSA/8, Tue 05 Jul 2011 09:37:31 PM EDT, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           : http://sourceforge.net/projects/cracklib/
Summary       : A password-checking library
Description   :
CrackLib tests passwords to determine whether they match certain
security-oriented characteristics, with the purpose of stopping users
from choosing passwords that are easy to guess. CrackLib performs
several tests on passwords: it tries to generate words from a username
and gecoc entry and checks those words against the password; it checks
for simplistic patterns in passwords; and it checks for the password
in a dictionary.
```

CrackLib is actually a library containing a particular C function which is used to check the password, as well as other C functions. CrackLib is not a replacement for a passwd program; it must be used in conjunction with an existing passwd program.

Install the cracklib package if you need a program to check users' passwords to see if they are at least minimally secure. If you install CrackLib, you will also want to install the cracklib-dicts package.

Name : abrt-addon-python Relocations: (not relocatable)
Version : 2.0.8 Vendor: CentOS
Release : 15.el6.centos Build Date: Fri 22 Feb 2013
11:39:47 PM EST
Install Date: Fri 06 Feb 2015 09:04:16 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: abrt-2.0.8-
15.el6.centos.src.rpm
Size : 20616 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:29 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : abrt's addon for catching and analyzing Python exceptions
Description :
This package contains python hook and python analyzer plugin for handling
uncaught exception in python programs.

Name : gamin Relocations: (not relocatable)
Version : 0.1.10 Vendor: CentOS
Release : 9.el6 Build Date: Thu 11 Nov 2010
03:03:58 AM EST
Install Date: Fri 06 Feb 2015 09:02:01 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: gamin-0.1.10-
9.el6.src.rpm
Size : 416440 License: LGPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:15:37 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/~veillard/gamin/>
Summary : Library providing the FAM File Alteration Monitor API
Description :
This C library provides an API and ABI compatible file alteration
monitor mechanism compatible with FAM but not dependent on a system wide
daemon.

Name : fontconfig Relocations: (not relocatable)
Version : 2.8.0 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
02:53:10 AM EST
Install Date: Fri 06 Feb 2015 09:02:41 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: fontconfig-
2.8.0-3.el6.src.rpm
Size : 450629 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:14:58 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fontconfig.org>
Summary : Font configuration and customization library
Description :
Fontconfig is designed to locate fonts within the
system and select them according to requirements specified by

applications.

Name : abrt-gui Relocations: (not relocatable)
Version : 2.0.8 Vendor: CentOS
Release : 15.el6.centos Build Date: Fri 22 Feb 2013
11:39:47 PM EST
Install Date: Fri 06 Feb 2015 09:04:16 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: abrt-2.0.8-
15.el6.centos.src.rpm
Size : 225078 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:00 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : abrt's gui
Description :
GTK+ wizard for convenient bug reporting.

Name : sed Relocations: (not relocatable)
Version : 4.2.1 Vendor: CentOS
Release : 10.el6 Build Date: Fri 22 Jun 2012
09:42:01 AM EDT
Install Date: Fri 06 Feb 2015 09:02:01 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : Applications/Text Source RPM: sed-4.2.1-
10.el6.src.rpm
Size : 542324 License: GPLv2+
Signature : RSA/SHA1, Sun 24 Jun 2012 06:20:22 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sed.sourceforge.net/>
Summary : A GNU stream text editor
Description :
The sed (Stream EDitor) editor is a stream or batch (non-interactive)
editor. Sed takes text as input, performs an operation or set of
operations on the text and outputs the modified text. The operations
that sed performs (substitutions, deletions, insertions, etc.) can be
specified in a script file or from the command line.

Name : jpackage-utils Relocations: (not relocatable)
Version : 1.7.5 Vendor: CentOS
Release : 3.12.el6 Build Date: Thu 11 Nov 2010
11:24:41 AM EST
Install Date: Fri 06 Feb 2015 09:02:44 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Utilities Source RPM: jpackage-utils-
1.7.5-3.12.el6.src.rpm
Size : 168678 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:17:30 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.jpackage.org/>
Summary : JPackage utilities

Description :

Utilities for the JPackage Project <<http://www.jpackage.org/>>.

It contains also the License, man pages, documentation, XSL files of general use with maven2, a header file for spec files, etc. Please See the /usr/share/doc/jpackage-utils-1.7.5/jpackage-utils-README file for more information.

Name : abrt-addon-kerneloops Relocations: (not relocatable)
Version : 2.0.8 Vendor: CentOS
Release : 15.el6.centos Build Date: Fri 22 Feb 2013
11:39:47 PM EST
Install Date: Fri 06 Feb 2015 09:04:17 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: abrt-2.0.8-
15.el6.centos.src.rpm
Size : 25230 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:15 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : abrt's kerneloops addon
Description :
This package contains plugin for collecting kernel crash information.

Name : sqlite Relocations: (not relocatable)
Version : 3.6.20 Vendor: CentOS
Release : 1.el6 Build Date: Tue 17 Aug 2010
08:56:21 AM EDT
Install Date: Fri 06 Feb 2015 09:02:02 AM EST Build Host:
c6b2.bsys.dev.centos.org
Group : Applications/Databases Source RPM: sqlite-3.6.20-
1.el6.src.rpm
Size : 641020 License: Public Domain
Signature : RSA/8, Sun 03 Jul 2011 01:02:22 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.sqlite.org/>
Summary : Library that implements an embeddable SQL database engine
Description :
SQLite is a C library that implements an SQL database engine. A large subset of SQL92 is supported. A complete database is stored in a single disk file. The API is designed for convenience and ease of use. Applications that link against SQLite can enjoy the power and flexibility of an SQL database without the administrative hassles of supporting a separate database server. Version 2 and version 3 binaries are named to permit each to be installed on a single host

Name : libXft Relocations: (not relocatable)
Version : 2.3.1 Vendor: CentOS
Release : 2.el6 Build Date: Thu 21 Feb 2013
01:53:22 PM EST

Install Date: Fri 06 Feb 2015 09:02:48 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXft-2.3.1-
2.el6.src.rpm
Size : 118762 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:35 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXft runtime library
Description : X.Org X11 libXft runtime library

Name : smp_utils Relocations: (not relocatable)
Version : 0.94 Vendor: CentOS
Release : 4.el6 Build Date: Thu 11 Nov 2010
06:00:08 PM EST
Install Date: Fri 06 Feb 2015 09:04:18 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Applications/System Source RPM: smp_utils-0.94-
4.el6.src.rpm
Size : 484471 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 01:02:11 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : http://sg.danny.cz/sg/smp_utils.html
Summary : Utilities for SAS management protocol (SMP)
Description : This is a package of utilities. Each utility sends a Serial Attached
SCSI (SAS) Management Protocol (SMP) request to a SMP target.
If the request fails then the error is decoded. If the request succeeds
then the response is either decoded, printed out in hexadecimal or
output in binary. This package supports multiple interfaces since
SMP passthroughs are not mature. This package supports the linux
2.4 and 2.6 series and should be easy to port to other operating
systems.

Warning: Some of these tools access the internals of your system
and the incorrect usage of them may render your system inoperable.

Name : desktop-file-utils Relocations: (not relocatable)
Version : 0.15 Vendor: CentOS
Release : 9.el6 Build Date: Wed 25 Aug 2010
11:37:06 AM EDT
Install Date: Fri 06 Feb 2015 09:02:02 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Tools Source RPM: desktop-file-
utils-0.15-9.el6.src.rpm
Size : 143573 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:09:50 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/software/desktop-file-utils>
Summary : Utilities for manipulating .desktop files

Description :

.desktop files are used to describe an application for inclusion in GNOME or KDE menus. This package contains desktop-file-validate which checks whether a .desktop file complies with the specification at <http://www.freedesktop.org/standards/>, and desktop-file-install which installs a desktop file to the standard directory, optionally fixing it up in the process.

Name : libarchive Relocations: (not relocatable)
Version : 2.8.3 Vendor: CentOS
Release : 4.el6_2 Build Date: Mon 09 Apr 2012
09:34:41 AM EDT
Install Date: Fri 06 Feb 2015 09:02:50 AM EST Build Host:
c6b5.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: libarchive-
2.8.3-4.el6_2.src.rpm
Size : 307255 License: BSD
Signature : RSA/SHA1, Mon 09 Apr 2012 09:50:51 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/libarchive/>
Summary : A library for handling streaming archive formats
Description :
Libarchive is a programming library that can create and read several
different
streaming archive formats, including most popular tar variants, several
cpio
formats, and both BSD and GNU ar variants. It can also write shar
archives and
read ISO9660 CDRom images and ZIP archives.

Name : polycoreutils Relocations: (not relocatable)
Version : 2.0.83 Vendor: CentOS
Release : 19.30.el6 Build Date: Fri 22 Feb 2013
12:38:59 AM EST
Install Date: Fri 06 Feb 2015 09:04:19 AM EST Build Host:
c6b7.bsyz.dev.centos.org
Group : System Environment/Base Source RPM: polycoreutils-
2.0.83-19.30.el6.src.rpm
Size : 3635718 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:33 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.selinuxproject.org>
Summary : SELinux policy core utilities
Description :
Security-enhanced Linux is a feature of the Linux® kernel and a number
of utilities with enhanced security functionality designed to add
mandatory access controls to Linux. The Security-enhanced Linux
kernel contains new architectural components originally developed to
improve the security of the Flask operating system. These
architectural components provide general support for the enforcement
of many kinds of mandatory access control policies, including those
based on the concepts of Type Enforcement®, Role-based Access

Control, and Multi-level Security.

policycoreutils contains the policy core utilities that are required for basic operation of a SELinux system. These utilities include load_policy to load policies, setfiles to label filesystems, newrole to switch roles, and run_init to run /etc/init.d scripts in the proper context.

```
Name           : libXau                      Relocations: (not relocatable)
Version        : 1.0.6                      Vendor: CentOS
Release        : 4.el6                      Build Date: Thu 21 Feb 2013
01:44:53 PM EST
Install Date: Fri 06 Feb 2015 09:02:03 AM EST    Build Host:
c6b7.bsdev.centos.org
Group          : System Environment/Libraries   Source RPM: libXau-1.0.6-
4.el6.src.rpm
Size           : 40009                      License: MIT
Signature      : RSA/SHA1, Sat 23 Feb 2013 12:40:25 PM EST, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.x.org
Summary        : Sample Authorization Protocol for X
Description    :
This is a very simple mechanism for providing individual access to an X
Window
System display. It uses existing core protocol and library hooks for
specifying
authorization data in the connection setup block to restrict use of the
display
to only those clients that show that they know a server-specific key
called a "magic cookie".
```

```
Name           : libsndfile                  Relocations: (not relocatable)
Version        : 1.0.20                     Vendor: CentOS
Release        : 5.el6                      Build Date: Fri 23 Sep 2011
01:44:39 PM EDT
Install Date: Fri 06 Feb 2015 09:02:50 AM EST    Build Host:
c6b5.bsdev.centos.org
Group          : System Environment/Libraries   Source RPM: libsndfile-
1.0.20-5.el6.src.rpm
Size           : 770762                     License: LGPLv2+ and
GPLv2+ and BSD
Signature      : RSA/SHA1, Mon 26 Sep 2011 12:21:05 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.mega-nerd.com/libsndfile/
Summary        : Library for reading and writing sound files
Description    :
libsndfile is a C library for reading and writing sound files such as
AIFF, AU, WAV, and others through one standard interface. It can
currently read/write 8, 16, 24 and 32-bit PCM files as well as 32 and
64-bit floating point WAV files and a number of compressed formats. It
compiles and runs on *nix, MacOS, and Win32.
```

Name : util-linux-ng Relocations: (not relocatable)
Version : 2.17.2 Vendor: CentOS
Release : 12.9.el6 Build Date: Fri 22 Feb 2013
12:02:21 AM EST
Install Date: Fri 06 Feb 2015 09:04:20 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Base Source RPM: util-linux-ng-
2.17.2-12.9.el6.src.rpm
Size : 5979900 License: GPLv1+ and GPLv2
and GPLv2+ and LGPLv2+ and MIT and BSD with advertising and Public Domain
Signature : RSA/SHA1, Sat 23 Feb 2013 12:37:58 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.kernel.org/pub/linux/utils/util-linux-ng>
Summary : A collection of basic system utilities
Description :
The util-linux-ng package contains a large variety of low-level system
utilities that are necessary for a Linux system to function. Among
others, Util-linux contains the fdisk configuration tool and the login
program.

Name : libXrender Relocations: (not relocatable)
Version : 0.9.7 Vendor: CentOS
Release : 2.el6 Build Date: Thu 21 Feb 2013
02:10:28 PM EST
Install Date: Fri 06 Feb 2015 09:02:03 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXrender-
0.9.7-2.el6.src.rpm
Size : 59878 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:37:58 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXrender runtime library
Description :
X.Org X11 libXrender runtime library

Name : libssh2 Relocations: (not relocatable)
Version : 1.4.2 Vendor: CentOS
Release : 1.el6 Build Date: Thu 21 Feb 2013
04:50:52 PM EST
Install Date: Fri 06 Feb 2015 09:02:51 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libssh2-1.4.2-
1.el6.src.rpm
Size : 324941 License: BSD
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:16 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.libssh2.org/>
Summary : A library implementing the SSH2 protocol
Description :
libssh2 is a library implementing the SSH2 protocol as defined by

Internet Drafts: SECSH-TRANS(22), SECSH-USERAUTH(25),
SECSH-CONNECTION(23), SECSH-ARCH(20), SECSH-FILEXFER(06)*,
SECSH-DHGEX(04), and SECSH-NUMBERS(10).

Name : mesa-libGL Relocations: (not relocatable)
Version : 9.0 Vendor: CentOS
Release : 0.7.el6 Build Date: Fri 22 Feb 2013
02:02:15 AM EST
Install Date: Fri 06 Feb 2015 09:04:22 AM EST Build Host:
c6b7.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: mesa-9.0-
0.7.el6.src.rpm
Size : 532864 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:10 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mesa3d.org>
Summary : Mesa libGL runtime libraries and DRI drivers
Description :
Mesa libGL runtime library.

Name : libXfixes Relocations: (not relocatable)
Version : 5.0 Vendor: CentOS
Release : 3.el6 Build Date: Thu 21 Feb 2013
02:21:20 PM EST
Install Date: Fri 06 Feb 2015 09:02:03 AM EST Build Host:
c6b7.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: libXfixes-5.0-
3.el6.src.rpm
Size : 44159 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:15 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X Fixes library
Description :
X Fixes library.

Name : ConsoleKit Relocations: (not relocatable)
Version : 0.4.1 Vendor: CentOS
Release : 3.el6 Build Date: Wed 10 Nov 2010
05:09:29 PM EST
Install Date: Fri 06 Feb 2015 09:02:51 AM EST Build Host:
c5b2.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: ConsoleKit-
0.4.1-3.el6.src.rpm
Size : 268885 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:07:52 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/wiki/Software/ConsoleKit>
Summary : System daemon for tracking users, sessions and seats
Description :
ConsoleKit is a system daemon for tracking what users are logged

into the system and how they interact with the computer (e.g. which keyboard and mouse they use).

It provides asynchronous notification via the system message bus.

```
Name           : mesa-libGLU                      Relocations: (not relocatable)
Version        : 9.0                               Vendor: CentOS
Release       : 0.7.el6                           Build Date: Fri 22 Feb 2013
02:02:15 AM EST
Install Date: Fri 06 Feb 2015 09:04:24 AM EST      Build Host:
c6b7.bsys.dev.centos.org
Group         : System Environment/Libraries      Source RPM: mesa-9.0-
0.7.el6.src.rpm
Size          : 522976                             License: MIT
Signature     : RSA/SHA1, Sat 23 Feb 2013 12:41:22 PM EST, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           : http://www.mesa3d.org
Summary       : Mesa libGLU runtime library
Description   :
Mesa libGLU runtime library
```

```
Name           : libXv                      Relocations: (not relocatable)
Version        : 1.0.7                     Vendor: CentOS
Release       : 2.el6                     Build Date: Thu 21 Feb 2013
02:04:07 PM EST
Install Date: Fri 06 Feb 2015 09:02:03 AM EST      Build Host:
c6b9.bsys.dev.centos.org
Group         : System Environment/Libraries      Source RPM: libXv-1.0.7-
2.el6.src.rpm
Size          : 45371                       License: MIT
Signature     : RSA/SHA1, Sat 23 Feb 2013 12:38:58 PM EST, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           : http://www.x.org
Summary       : X.Org X11 libXv runtime library
Description   :
X.Org X11 libXv runtime library
```

```
Name           : xdg-utils                      Relocations: (not relocatable)
Version        : 1.0.2                     Vendor: CentOS
Release       : 17.20091016cvs.el6         Build Date: Fri 23 Sep 2011
02:36:52 PM EDT
Install Date: Fri 06 Feb 2015 09:02:52 AM EST      Build Host:
c6b5.bsys.dev.centos.org
Group         : System Environment/Base          Source RPM: xdg-utils-1.0.2-
17.20091016cvs.el6.src.rpm
Size          : 212283                      License: MIT
Signature     : RSA/SHA1, Mon 26 Sep 2011 12:26:14 AM EDT, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           : http://portland.freedesktop.org/
Summary       : Basic desktop integration functions
Description   :
```

The xdg-utils package is a set of simple scripts that provide basic desktop integration functions for any Free Desktop, such as Linux. They are intended to provide a set of defacto standards.

This means that:

- * Third party software developers can rely on these xdg-utils for all of their simple integration needs.
- * Developers of desktop environments can make sure that their environments are well supported
- * Distribution vendors can provide custom versions of these utilities

The following scripts are provided at this time:

- * xdg-desktop-menu Install desktop menu items
- * xdg-desktop-icon Install icons to the desktop
- * xdg-icon-resource Install icon resources
- * xdg-mime Query information about file type handling and install descriptions for new file types
- * xdg-open Open a file or URL in the user's preferred application
- * xdg-email Send mail using the user's preferred e-mail composer
- * xdg-screensaver Control the screensaver

Name : plymouth Relocations: (not relocatable)
Version : 0.8.3 Vendor: CentOS
Release : 27.el6.centos Build Date: Fri 22 Feb 2013
08:06:20 PM EST
Install Date: Fri 06 Feb 2015 09:04:28 AM EST Build Host:
c6b7.bsyz.dev.centos.org
Group : System Environment/Base Source RPM: plymouth-0.8.3-
27.el6.centos.src.rpm
Size : 193924 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:09 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://freedesktop.org/software/plymouth/releases>
Summary : Graphical Boot Animation and Logger
Description :
Plymouth provides an attractive graphical boot animation in place of the text messages that normally get shown. Text messages are instead redirected to a log file for viewing after boot.

Name : which Relocations: (not relocatable)
Version : 2.19 Vendor: CentOS
Release : 6.el6 Build Date: Fri 23 Sep 2011
06:47:56 AM EDT
Install Date: Fri 06 Feb 2015 09:02:04 AM EST Build Host:
c6b18n1.dev.centos.org
Group : Applications/System Source RPM: which-2.19-
6.el6.src.rpm
Size : 73004 License: GPLv3
Signature : RSA/SHA1, Mon 26 Sep 2011 12:26:13 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.xs4all.nl/~carlo17/which/>
Summary : Displays where a particular program in your path is located
Description :
The which command shows the full pathname of a specified program, if the specified program is in your PATH.

Name : poppler-utils Relocations: (not relocatable)
Version : 0.12.4 Vendor: CentOS
Release : 3.el6_0.1 Build Date: Fri 24 Jun 2011 09:17:31 PM EDT
Install Date: Fri 06 Feb 2015 09:02:53 AM EST Build Host: c6b6.bsyz.dev.centos.org
Group : Applications/Text Source RPM: poppler-0.12.4-3.el6_0.1.src.rpm
Size : 193170 License: GPLv2
Signature : RSA/8, Tue 05 Jul 2011 09:45:04 PM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://poppler.freedesktop.org/>
Summary : Command line utilities for converting PDF files
Description :
Poppler, a PDF rendering library, is a fork of the xpdf PDF viewer developed by Derek Noonburg of Glyph and Cog, LLC.

This utils package installs a number of command line tools for converting PDF files to a number of other formats.

Name : openssh Relocations: (not relocatable)
Version : 5.3p1 Vendor: CentOS
Release : 84.1.el6 Build Date: Thu 21 Feb 2013 10:51:49 PM EST
Install Date: Fri 06 Feb 2015 09:04:28 AM EST Build Host: c6b9.bsyz.dev.centos.org
Group : Applications/Internet Source RPM: openssh-5.3p1-84.1.el6.src.rpm
Size : 675617 License: BSD
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:27 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.openssh.com/portable.html>
Summary : An open source implementation of SSH protocol versions 1 and 2
Description :
SSH (Secure SHell) is a program for logging into and executing commands on a remote machine. SSH is intended to replace rlogin and rsh, and to provide secure encrypted communications between two untrusted hosts over an insecure network. X11 connections and arbitrary TCP/IP ports can also be forwarded over the secure channel.

OpenSSH is OpenBSD's version of the last free version of SSH, bringing it up to date in terms of security and features.

This package includes the core files necessary for both the OpenSSH client and server. To make this package useful, you should also

install openssh-clients, openssh-server, or both.

Name : libexif Relocations: (not relocatable)
Version : 0.6.21 Vendor: CentOS
Release : 5.el6_3 Build Date: Tue 11 Sep 2012
02:27:08 PM EDT
Install Date: Fri 06 Feb 2015 09:02:04 AM EST Build Host:
c6b10.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libexif-0.6.21-
5.el6_3.src.rpm
Size : 1949111 License: LGPLv2+
Signature : RSA/SHA1, Tue 11 Sep 2012 03:11:41 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://libexif.sourceforge.net/>
Summary : Library for extracting extra information from image files
Description :
Most digital cameras produce EXIF files, which are JPEG files with
extra tags that contain information about the image. The EXIF library
allows you to parse an EXIF file and read the data from those tags.

Name : gnome-speech Relocations: (not relocatable)
Version : 0.4.25 Vendor: CentOS
Release : 3.1.el6 Build Date: Thu 11 Nov 2010
06:55:49 AM EST
Install Date: Fri 06 Feb 2015 09:02:55 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Desktop/Accessibility Source RPM: gnome-speech-
0.4.25-3.1.el6.src.rpm
Size : 137994 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:18:44 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/>
Summary : GNOME Text to Speech
Description :
The GNOME Speech library provides a simple general API for
producing text-to-speech output.

Name : kbd Relocations: (not relocatable)
Version : 1.15 Vendor: CentOS
Release : 11.el6 Build Date: Thu 11 Nov 2010
03:45:43 PM EST
Install Date: Fri 06 Feb 2015 09:04:29 AM EST Build Host:
c5b2.bsys.dev.centos.org
Group : System Environment/Base Source RPM: kbd-1.15-
11.el6.src.rpm
Size : 991792 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:27:01 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://ftp.altlinux.org/pub/people/legion/kbd>
Summary : Tools for configuring the console (keyboard, virtual
terminals, etc.)

Description :

The kbd package contains tools for managing a Linux system's console's behavior, including the keyboard, the screen fonts, the virtual terminals and font files.

Name : libXdamage Relocations: (not relocatable)
Version : 1.1.3 Vendor: CentOS
Release : 4.el6 Build Date: Thu 21 Feb 2013
02:03:18 PM EST
Install Date: Fri 06 Feb 2015 09:02:05 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXdamage-
1.1.3-4.el6.src.rpm
Size : 24896 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:50 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X Damage extension library
Description :
X.Org X11 libXdamage runtime library.

Name : pciutils Relocations: (not relocatable)
Version : 3.1.10 Vendor: CentOS
Release : 2.el6 Build Date: Thu 21 Feb 2013
05:31:11 PM EST
Install Date: Fri 06 Feb 2015 09:02:56 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : Applications/System Source RPM: pciutils-3.1.10-
2.el6.src.rpm
Size : 183931 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:10 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://atrey.karlin.mff.cuni.cz/~mj/pciutils.shtml>
Summary : PCI bus related utilities
Description :
The pciutils package contains various utilities for inspecting and setting devices connected to the PCI bus. The utilities provided require kernel version 2.1.82 or newer (which support the /proc/bus/pci interface).

Name : rarian-compat Relocations: (not relocatable)
Version : 0.8.1 Vendor: CentOS
Release : 5.1.el6 Build Date: Wed 18 Aug 2010
07:01:23 PM EDT
Install Date: Fri 06 Feb 2015 09:04:30 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Base Source RPM: rarian-0.8.1-
5.1.el6.src.rpm
Size : 246289 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:00:04 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://rarian.freedesktop.org/>
Summary : Extra files for compatibility with scrollkeeper
Description :
This package contains files needed to maintain backward-compatibility
with
scrollkeeper.

Name : pcre Relocations: (not relocatable)
Version : 7.8 Vendor: CentOS
Release : 6.el6 Build Date: Fri 07 Sep 2012
07:03:41 AM EDT
Install Date: Fri 06 Feb 2015 09:02:05 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: pcre-7.8-
6.el6.src.rpm
Size : 526268 License: BSD
Signature : RSA/SHA1, Fri 07 Sep 2012 09:12:35 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.pcre.org/>
Summary : Perl-compatible regular expression library
Description :
Perl-compatible regular expression library.
PCRE has its own native API, but a set of "wrapper" functions that are
based on
the POSIX API are also supplied in the library libpcreposix. Note that
this
just provides a POSIX calling interface to PCRE: the regular expressions
themselves still follow Perl syntax and semantics. The header file
for the POSIX-style functions is called pcreposix.h.

Name : mysql-libs Relocations: (not relocatable)
Version : 5.1.66 Vendor: CentOS
Release : 2.el6_3 Build Date: Fri 07 Dec 2012
11:00:55 AM EST
Install Date: Fri 06 Feb 2015 09:02:57 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : Applications/Databases Source RPM: mysql-5.1.66-
2.el6_3.src.rpm
Size : 4242971 License: GPLv2 with
exceptions
Signature : RSA/SHA1, Fri 07 Dec 2012 11:23:11 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mysql.com>
Summary : The shared libraries required for MySQL clients
Description :
The mysql-libs package provides the essential shared libraries for any
MySQL client program or interface. You will need to install this package
to use any other MySQL package or any clients that need to connect to a
MySQL server.

Name : gnome-user-docs Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS

Release : 4.el6 Build Date: Thu 11 Nov 2010
07:52:35 AM EST
Install Date: Fri 06 Feb 2015 09:04:37 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Documentation Source RPM: gnome-user-docs-
2.28.0-4.el6.src.rpm
Size : 34066892 License: GFDL
Signature : RSA/8, Sun 03 Jul 2011 12:11:38 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : GNOME User Documentation
Description :
This package contains end user documentation for the GNOME desktop
environment.

Name : jakarta-commons-logging Relocations: (not relocatable)
Version : 1.0.4 Vendor: CentOS
Release : 10.el6 Build Date: Sun 22 Aug 2010
04:55:43 AM EDT
Install Date: Fri 06 Feb 2015 09:02:06 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Development/Libraries Source RPM: jakarta-commons-
logging-1.0.4-10.el6.src.rpm
Size : 89412 License: ASL 2.0
Signature : RSA/8, Sun 03 Jul 2011 12:16:52 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://jakarta.apache.org/commons/logging/>
Summary : Jakarta Commons Logging Package
Description :
The commons-logging package provides a simple, component oriented
interface (org.apache.commons.logging.Log) together with wrappers for
logging systems. The user can choose at runtime which system they want
to use. In addition, a small number of basic implementations are
provided to allow users to use the package standalone.
commons-logging was heavily influenced by Avalon's Logkit and Log4J. The
commons-logging abstraction is meant to minimize the differences between
the two, and to allow a developer to not tie himself to a particular
logging implementation.

Name : ghostscript-fonts Relocations: (not relocatable)
Version : 5.50 Vendor: CentOS
Release : 23.1.el6 Build Date: Thu 11 Nov 2010
03:57:31 AM EST
Install Date: Fri 06 Feb 2015 09:03:00 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Applications/Publishing Source RPM: ghostscript-
fonts-5.50-23.1.el6.src.rpm
Size : 1507709 License: GPLv2+ and
Hershey and MIT and OFL and Public Domain
Signature : RSA/8, Sun 03 Jul 2011 12:09:59 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.gnu.org/software/ghostscript/>
Summary : Fonts for the Ghostscript PostScript interpreter
Description :
Ghostscript-fonts contains a set of fonts that Ghostscript, a PostScript interpreter, uses to render text. These fonts are in addition to the fonts shared by Ghostscript and the X Window System.

Name : dracut-kernel Relocations: (not relocatable)
Version : 004 Vendor: CentOS
Release : 303.el6 Build Date: Fri 22 Feb 2013
12:03:50 AM EST
Install Date: Fri 06 Feb 2015 09:04:38 AM EST Build Host:
c6b7.bsyz.dev.centos.org
Group : System Environment/Base Source RPM: dracut-004-303.el6.src.rpm
Size : 202 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:52:10 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://apps.sourceforge.net/trac/dracut/wiki>
Summary : Metapackage to build generic initramfs with dracut with only kernel modules
Description :
This package requires everything which is needed to build a initramfs with all kernel modules and firmware files needed by dracut modules.

Name : libgssglue Relocations: (not relocatable)
Version : 0.1 Vendor: CentOS
Release : 11.el6 Build Date: Tue 19 Jul 2011
04:22:03 AM EDT
Install Date: Fri 06 Feb 2015 09:02:06 AM EST Build Host:
c6b5.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: libgssglue-0.1-11.el6.src.rpm
Size : 41157 License: GPL+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:20:38 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.citi.umich.edu/projects/nfsv4/linux/>
Summary : Generic Security Services Application Programming Interface Library
Description :
This library exports a gssapi interface, but doesn't implement any gssapi mechanisms itself; instead it calls gssapi routines in other libraries, depending on the mechanism.

Name : cvs Relocations: (not relocatable)
Version : 1.11.23 Vendor: CentOS
Release : 15.el6 Build Date: Fri 21 Sep 2012
10:20:53 AM EDT
Install Date: Fri 06 Feb 2015 09:03:05 AM EST Build Host:
c6b8.bsyz.dev.centos.org

Group : Development/Tools Source RPM: cvs-1.11.23-15.el6.src.rpm
Size : 1590551 License: GPL+ and GPLv2+ and LGPL+
Signature : RSA/SHA1, Fri 21 Sep 2012 11:27:42 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.cvshome.org/>
Summary : A version control system
Description :
CVS (Concurrent Versions System) is a version control system that can record the history of your files (usually, but not always, source code). CVS only stores the differences between versions, instead of every version of every file you have ever created. CVS also keeps a log of who, when, and why changes occurred.

CVS is very helpful for managing releases and controlling the concurrent editing of source files among multiple authors. Instead of providing version control for a collection of files in a single directory, CVS provides version control for a hierarchical collection of directories consisting of revision controlled files. These directories and files can then be combined together to form a software release.

Name : dmraid Relocations: (not relocatable)
Version : 1.0.0.rc16 Vendor: CentOS
Release : 11.el6 Build Date: Fri 22 Jun 2012 03:58:31 AM EDT
Install Date: Fri 06 Feb 2015 09:04:39 AM EST Build Host: c6b8.bsys.dev.centos.org
Group : System Environment/Base Source RPM: dmraid-1.0.0.rc16-11.el6.src.rpm
Size : 338535 License: GPLv2+
Signature : RSA/SHA1, Sun 24 Jun 2012 06:17:21 PM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://people.redhat.com/heinzm/sw/dmraid>
Summary : dmraid (Device-mapper RAID tool and library)
Description :
DMRAID supports RAID device discovery, RAID set activation, creation, removal, rebuild and display of properties for ATARAID/DDF1 metadata on Linux >= 2.4 using device-mapper.

Name : libidn Relocations: (not relocatable)
Version : 1.18 Vendor: CentOS
Release : 2.el6 Build Date: Mon 23 Aug 2010 08:51:25 PM EDT
Install Date: Fri 06 Feb 2015 09:02:07 AM EST Build Host: c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libidn-1.18-2.el6.src.rpm
Size : 567612 License: LGPLv2+ and GPLv3+ and GFDL

Signature : RSA/8, Sun 03 Jul 2011 12:36:02 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/libidn/>
Summary : Internationalized Domain
Name support library
Description :
GNU Libidn is an implementation of the Stringprep, Punycode and
IDNA specifications defined by the IETF Internationalized Domain

Names (IDN) working group, used for internationalized domain
names.

Name : mailx Relocations: (not relocatable)
Version : 12.4 Vendor: CentOS
Release : 6.el6 Build Date: Sun 22 Aug 2010
09:40:18 AM EDT
Install Date: Fri 06 Feb 2015 09:03:05 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Applications/Internet Source RPM: mailx-12.4-
6.el6.src.rpm
Size : 462852 License: BSD with
advertising and MPLv1.1
Signature : RSA/8, Sun 03 Jul 2011 12:44:36 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://heirloom.sourceforge.net/mailx.html>
Summary : Enhanced implementation of the mailx command
Description :
Mailx is an enhanced mail command, which provides the functionality
of the POSIX mailx command, as well as SysV mail and Berkeley Mail
(from which it is derived).

Additionally to the POSIX features, mailx can work with Maildir/ e-mail
storage format (as well as mailboxes), supports IMAP, POP3 and SMTP
protocols (including over SSL) to operate with remote hosts, handles mime
types and different charsets. There are a lot of other useful features,
see mailx(1).

And as its ancient analogues, mailx can be used as a mail script
language,
both for sending and receiving mail.

Besides the "mailx" command, this package provides "mail" and "Mail"
(which should be compatible with its predecessors from the mailx-8.x
source),
as well as "nail" (the initial name of this project).

Name : gnome-disk-utility-libs Relocations: (not relocatable)
Version : 2.30.1 Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010
05:42:24 AM EST
Install Date: Fri 06 Feb 2015 09:04:40 AM EST Build Host:
c6b5.bsys.dev.centos.org

Group : Development/Libraries Source RPM: gnome-disk-utility-2.30.1-2.el6.src.rpm
Size : 6398590 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:17:53 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://git.gnome.org/cgit/gnome-disk-utility>
Summary : Shared libraries used by Palimpsest
Description :
This package contains libraries that are used by the Palimpsest disk management application. The libraries in this package do not contain UI-related code.

Name : ibus-libs Relocations: (not relocatable)
Version : 1.3.4 Vendor: CentOS
Release : 6.el6 Build Date: Wed 07 Dec 2011 12:23:43 PM EST
Install Date: Fri 06 Feb 2015 09:02:08 AM EST Build Host: c6b18n3.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: ibus-1.3.4-6.el6.src.rpm
Size : 271936 License: LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:07:50 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/ibus/>
Summary : IBus libraries
Description :
This package contains the libraries for IBus

Name : GConf2 Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 6.el6 Build Date: Mon 23 Aug 2010 03:49:14 AM EDT
Install Date: Fri 06 Feb 2015 09:03:06 AM EST Build Host: c6b2.bsyzs.dev.centos.org
Group : System Environment/Base Source RPM: GConf2-2.28.0-6.el6.src.rpm
Size : 6076946 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:15:56 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://projects.gnome.org/gconf/>
Summary : A process-transparent configuration system
Description :
GConf is a process-transparent configuration database API used to store user preferences. It has pluggable backends and features to support workgroup administration.

Name : cryptsetup-luks-libs Relocations: (not relocatable)
Version : 1.2.0 Vendor: CentOS
Release : 7.el6 Build Date: Fri 22 Jun 2012 03:35:49 AM EDT

Install Date: Fri 06 Feb 2015 09:04:42 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: cryptsetup-luks-
1.2.0-7.el6.src.rpm
Size : 94442 License: GPLv2
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:57 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://cryptsetup.googlecode.com/>
Summary : Cryptsetup shared library
Description :
This package contains the cryptsetup shared library, libcryptsetup.

Name : libtirpc Relocations: (not relocatable)
Version : 0.2.1 Vendor: CentOS
Release : 5.el6 Build Date: Wed 07 Dec 2011
02:32:04 PM EST
Install Date: Fri 06 Feb 2015 09:02:08 AM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libtirpc-0.2.1-
5.el6.src.rpm
Size : 172487 License: SISSL and BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 03:25:16 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://nfsv4.bullopenSource.org/>
Summary : Transport Independent RPC Library
Description :
This package contains SunLib's implementation of transport-independent
RPC (TI-RPC) documentation. This library forms a piece of the base of
Open Network Computing (ONC), and is derived directly from the
Solaris 2.3 source.

TI-RPC is an enhanced version of TS-RPC that requires the UNIX System V
Transport Layer Interface (TLI) or an equivalent X/Open Transport
Interface
(XTI). TI-RPC is on-the-wire compatible with the TS-RPC, which is
supported
by almost 70 vendors on all major operating systems. TS-RPC source code
(RPCSRC 4.0) remains available from several internet sites.

Name : curl Relocations: (not relocatable)
Version : 7.19.7 Vendor: CentOS
Release : 35.el6 Build Date: Fri 22 Feb 2013
01:06:45 AM EST
Install Date: Fri 06 Feb 2015 09:03:07 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : Applications/Internet Source RPM: curl-7.19.7-
35.el6.src.rpm
Size : 355395 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:40 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://curl.haxx.se/>

Summary : A utility for getting files from remote servers (FTP, HTTP, and others)

Description :

cURL is a tool for getting files from HTTP, FTP, FILE, LDAP, LDAPS, DICT, TELNET and TFTP servers, using any of the supported protocols. cURL is designed to work without user interaction or any kind of interactivity. cURL offers many useful capabilities, like proxy support, user authentication, FTP upload, HTTP post, and file transfer resume.

Name : hal Relocations: (not relocatable)
Version : 0.5.14 Vendor: CentOS
Release : 11.el6 Build Date: Tue 19 Jul 2011
02:29:14 PM EDT
Install Date: Fri 06 Feb 2015 09:04:43 AM EST Build Host:
c6b6.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: hal-0.5.14-
11.el6.src.rpm
Size : 1288767 License: AFL or GPLv2
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:11 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/Software/hal>
Summary : Hardware Abstraction Layer
Description :
HAL is a daemon for collecting and maintaining information from several sources about the hardware on the system.

Name : libXcomposite Relocations: (not relocatable)
Version : 0.4.3 Vendor: CentOS
Release : 4.el6 Build Date: Thu 21 Feb 2013
01:56:08 PM EST
Install Date: Fri 06 Feb 2015 09:02:08 AM EST Build Host:
c6b7.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: libXcomposite-
0.4.3-4.el6.src.rpm
Size : 31878 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:25 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X Composite Extension library
Description :
X Composite Extension library

Name : libuser Relocations: (not relocatable)
Version : 0.56.13 Vendor: CentOS
Release : 5.el6 Build Date: Thu 05 Apr 2012
05:13:36 AM EDT
Install Date: Fri 06 Feb 2015 09:03:08 AM EST Build Host:
c6b5.bsyz.dev.centos.org
Group : System Environment/Base Source RPM: libuser-0.56.13-
5.el6.src.rpm
Size : 1879447 License: LGPLv2+

Signature : RSA/SHA1, Thu 05 Apr 2012 05:34:35 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/libuser/>
Summary : A user and group account administration library
Description :
The libuser library implements a standardized interface for manipulating
and administering user and group accounts. The library uses pluggable
back-ends to interface to its data sources.

Sample applications modeled after those included with the shadow password
suite are included.

Name : xorg-x11-drv-vesa Relocations: (not relocatable)
Version : 2.3.2 Vendor: CentOS
Release : 4.el6 Build Date: Sat 23 Feb 2013
03:17:30 PM EST
Install Date: Fri 06 Feb 2015 09:04:43 AM EST Build Host:
c6b7.bsyz.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-vesa-2.3.2-4.el6.src.rpm
Size : 26328 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:16:29 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 vesa video driver
Description :
X.Org X11 vesa video driver.

Name : libutempter Relocations: (not relocatable)
Version : 1.1.5 Vendor: CentOS
Release : 4.1.el6 Build Date: Wed 18 Aug 2010
12:14:02 PM EDT
Install Date: Fri 06 Feb 2015 09:02:09 AM EST Build Host:
c6b3.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: libutempter-
1.1.5-4.1.el6.src.rpm
Size : 40785 License: LGPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:40:33 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.altlinux.org/pub/people/ldv/utempter>
Summary : A privileged helper for utmp/wtmp updates
Description :
This library provides interface for terminal emulators such as
screen and xterm to record user sessions to utmp and wtmp files.

Name : gnupg2 Relocations: (not relocatable)
Version : 2.0.14 Vendor: CentOS
Release : 4.el6 Build Date: Thu 11 Nov 2010
07:50:42 AM EST
Install Date: Fri 06 Feb 2015 09:03:09 AM EST Build Host:
c6b5.bsyz.dev.centos.org

Group : Applications/System Source RPM: gnupg2-2.0.14-4.el6.src.rpm
Size : 6088924 License: GPLv3+
Signature : RSA/8, Sun 03 Jul 2011 12:19:05 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnupg.org/>
Summary : Utility for secure communication and data storage
Description :
GnuPG is GNU's tool for secure communication and data storage. It can be used to encrypt data and to create digital signatures. It includes an advanced key management facility and is compliant with the proposed OpenPGP Internet standard as described in RFC2440 and the S/MIME standard as described by several RFCs.

GnuPG 2.0 is a newer version of GnuPG with additional support for S/MIME. It has a different design philosophy that splits functionality up into several modules. The S/MIME and smartcard functionality is provided by the gnupg2-smime package.

Name : gnome-settings-daemon Relocations: (not relocatable)
Version : 2.28.2 Vendor: CentOS
Release : 30.el6 Build Date: Thu 21 Feb 2013 11:17:51 PM EST
Install Date: Fri 06 Feb 2015 09:04:44 AM EST Build Host: c6b7.bsyz.dev.centos.org
Group : System Environment/Daemons Source RPM: gnome-settings-daemon-2.28.2-30.el6.src.rpm
Size : 3069493 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:57 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/gnome-settings-daemon>
Summary : The daemon sharing settings from GNOME to GTK+/KDE applications
Description :
A daemon to share settings from GNOME to other applications. It also handles global keybindings, as well as a number of desktop-wide settings.

Name : bzip2 Relocations: (not relocatable)
Version : 1.0.5 Vendor: CentOS
Release : 7.el6_0 Build Date: Fri 24 Jun 2011 09:45:55 PM EDT
Install Date: Fri 06 Feb 2015 09:02:09 AM EST Build Host: c6b4.bsyz.dev.centos.org
Group : Applications/File Source RPM: bzip2-1.0.5-7.el6_0.src.rpm
Size : 79087 License: BSD
Signature : RSA/8, Tue 05 Jul 2011 09:37:17 PM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.bzip.org/>
Summary : A file compression utility

Description :

Bzip2 is a freely available, patent-free, high quality data compressor. Bzip2 compresses files to within 10 to 15 percent of the capabilities of the best techniques available. However, bzip2 has the added benefit of being approximately two times faster at compression and six times faster at decompression than those techniques. Bzip2 is not the fastest compression utility, but it does strike a balance between speed and compression capability.

Install bzip2 if you need a compression utility.

Name : jline Relocations: (not relocatable)
Version : 0.9.94 Vendor: CentOS
Release : 0.8.el6 Build Date: Sat 21 Aug 2010
09:50:25 PM EDT
Install Date: Fri 06 Feb 2015 09:03:09 AM EST Build Host:
c6b1.bsyz.dev.centos.org
Group : Development/Libraries Source RPM: jline-0.9.94-
0.8.el6.src.rpm
Size : 86235 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:17:27 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://jline.sf.net/>
Summary : Java library for reading and editing user input in console
applications

Description :

JLine is a java library for reading and editing user input in console applications. It features tab-completion, command history, password masking, customizable keybindings, and pass-through handlers to use to chain to other console applications.

Name : gnome-panel Relocations: (not relocatable)
Version : 2.30.2 Vendor: CentOS
Release : 14.el6 Build Date: Tue 19 Jul 2011
12:37:01 AM EDT
Install Date: Fri 06 Feb 2015 09:04:48 AM EST Build Host:
c6b5.bsyz.dev.centos.org
Group : User Interface/Desktops Source RPM: gnome-panel-
2.30.2-14.el6.src.rpm
Size : 10968670 License: GPLv2+ and
LGPLv2+ and GFDL
Signature : RSA/SHA1, Mon 26 Sep 2011 12:18:52 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : GNOME panel

Description :

The GNOME panel provides the window list, workspace switcher, menus, and other features for the GNOME desktop.

Name : gmp Relocations: (not relocatable)
Version : 4.3.1 Vendor: CentOS

Release : 7.el6_2.2 Build Date: Wed 07 Mar 2012
02:48:51 PM EST
Install Date: Fri 06 Feb 2015 09:02:11 AM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: gmp-4.3.1-
7.el6_2.2.src.rpm
Size : 657883 License: LGPLv2+ and
GPLv3+ and LGPLv3+
Signature : RSA/SHA1, Wed 07 Mar 2012 03:12:46 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gmplib.org/>
Summary : A GNU arbitrary precision library
Description :
The gmp package contains GNU MP, a library for arbitrary precision
arithmetic, signed integers operations, rational numbers and floating
point numbers. GNU MP is designed for speed, for both small and very
large operands. GNU MP is fast because it uses fullwords as the basic
arithmetic type, it uses fast algorithms, it carefully optimizes
assembly code for many CPUs' most common inner loops, and it generally
emphasizes speed over simplicity/elegance in its operations.

Install the gmp package if you need a fast arbitrary precision
library.

Name : pax Relocations: (not relocatable)
Version : 3.4 Vendor: CentOS
Release : 10.1.el6 Build Date: Thu 19 Aug 2010
12:47:37 AM EDT
Install Date: Fri 06 Feb 2015 09:03:26 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Applications/Archiving Source RPM: pax-3.4-
10.1.el6.src.rpm
Size : 137868 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:54:09 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.suse.com/pub/people/kukuk/pax/>
Summary : POSIX File System Archiver
Description :
'pax' is the POSIX standard archive tool. It supports the two most
common forms of standard Unix archive (backup) files - CPIO and TAR.

Name : xorg-x11-drv-vmmouse Relocations: (not relocatable)
Version : 12.9.0 Vendor: CentOS
Release : 10.el6 Build Date: Sat 23 Feb 2013
03:18:06 PM EST
Install Date: Fri 06 Feb 2015 09:04:49 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-vmmouse-12.9.0-10.el6.src.rpm
Size : 23211 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:16:33 PM EST, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 vmmouse input driver
Description :
X.Org X11 vmmouse input driver.

Name : libraw1394 Relocations: (not relocatable)
Version : 2.0.4 Vendor: CentOS
Release : 1.el6 Build Date: Mon 16 Aug 2010
09:03:52 PM EDT
Install Date: Fri 06 Feb 2015 09:02:11 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libraw1394-
2.0.4-1.el6.src.rpm
Size : 123381 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:38:19 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.dennedy.org/libraw1394/>
Summary : Library providing low-level IEEE-1394 access
Description :
The libraw1394 library provides direct access to the IEEE-1394 bus
through
the Linux 1394 subsystem's raw1394 user space interface. Support for both
the classic ieee1394 and new firewire linux driver stacks is included,
with
run-time detection of the active stack. Fedora comes with the firewire
stack
by default.

Name : dosfstools Relocations: (not relocatable)
Version : 3.0.9 Vendor: CentOS
Release : 4.el6 Build Date: Wed 07 Dec 2011
09:55:10 AM EST
Install Date: Fri 06 Feb 2015 09:03:26 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Applications/System Source RPM: dosfstools-3.0.9-
4.el6.src.rpm
Size : 201513 License: GPLv3+
Signature : RSA/SHA1, Thu 08 Dec 2011 02:55:25 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.daniel-baumann.ch/software/dosfstools/>
Summary : Utilities for making and checking MS-DOS FAT filesystems on
Linux
Description :
The dosfstools package includes the mkdosfs and dosfsck utilities,
which respectively make and check MS-DOS FAT filesystems on hard
drives or on floppies.

Name : xorg-x11-drv-synaptics Relocations: (not relocatable)
Version : 1.6.2 Vendor: CentOS
Release : 11.el6 Build Date: Sat 23 Feb 2013
03:10:25 PM EST

Install Date: Fri 06 Feb 2015 09:04:49 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-synaptics-1.6.2-11.el6.src.rpm
Size : 120377 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:16:01 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 Synaptics touchpad input driver
Description :
This is the Synaptics touchpad driver for the X.Org X server. The
following
touchpad models are supported:
* Synaptics
* appletouch (Post February 2005 and October 2005 Apple Aluminium
Powerbooks)
* Elantech (EeePC)
* bcm5974 (Macbook Air (Jan 2008), Macbook Pro Penryn (Feb 2008), iPhone
(2007), iPod Touch (2008))

Note that support for appletouch, elantech and bcm5974 requires the
respective
kernel module.

A touchpad by default operates in compatibility mode by emulating a
standard
mouse. However, by using a dedicated driver, more advanced features of
the
touchpad become available.

Features:

- * Movement with adjustable, non-linear acceleration and speed.
- * Button events through short touching of the touchpad ("tapping").
- * Double-Button events through double short touching of the touchpad.
- * Dragging through short touching and holding down the finger on the
touchpad.
- * Middle and right button events on the upper and lower corner of the
touchpad.
- * Vertical scrolling (button four and five events) through moving the
finger on the right side of the touchpad.
- * The up/down button sends button four/five events.
- * Horizontal scrolling (button six and seven events) through moving
the
finger on the lower side of the touchpad.
- * The multi-buttons send button four/five events, and six/seven
events for
horizontal scrolling.
- * Adjustable finger detection.
Multifinger taps: two finger for middle button and three finger for
right button events. (Needs hardware support. Not all models
implement
this feature.)

* Run-time configuration using shared memory. This means you can change parameter settings without restarting the X server.

Name : plymouth-graphics-libs Relocations: (not relocatable)
Version : 0.8.3 Vendor: CentOS
Release : 27.el6.centos Build Date: Fri 22 Feb 2013
08:06:20 PM EST
Install Date: Fri 06 Feb 2015 09:02:12 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Development/Libraries Source RPM: plymouth-0.8.3-
27.el6.centos.src.rpm
Size : 32648 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:24 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://freedesktop.org/software/plymouth/releases>
Summary : Plymouth graphics libraries
Description :
This package contains the libply-splash-graphics library
used by graphical Plymouth splashes.

Name : libchewing Relocations: (not relocatable)
Version : 0.3.2 Vendor: CentOS
Release : 27.el6 Build Date: Sun 22 Aug 2010
07:20:47 PM EDT
Install Date: Fri 06 Feb 2015 09:03:27 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libchewing-
0.3.2-27.el6.src.rpm
Size : 5025892 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:32:31 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://chewing.csie.net/>
Summary : Intelligent phonetic input method library for Traditional
Chinese
Description :
libchewing is an intelligent phonetic input method library for Chinese.

It provides the core algorithm and logic that can be used by various input methods. The Chewing input method is a smart bopomofo phonetics input method that is useful for inputting Mandarin Chinese.

Name : xorg-x11-drv-savage Relocations: (not relocatable)
Version : 2.3.6 Vendor: CentOS
Release : 2.el6 Build Date: Sat 23 Feb 2013
03:05:53 PM EST
Install Date: Fri 06 Feb 2015 09:04:49 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-savage-2.3.6-2.el6.src.rpm
Size : 144853 License: MIT

Signature : RSA/SHA1, Sat 23 Feb 2013 04:15:43 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 savage video driver
Description :
X.Org X11 savage video driver.

Name : libXvMC Relocations: (not relocatable)
Version : 1.0.7 Vendor: CentOS
Release : 2.el6 Build Date: Thu 21 Feb 2013
02:29:47 PM EST
Install Date: Fri 06 Feb 2015 09:02:12 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXvMC-1.0.7-
2.el6.src.rpm
Size : 51794 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:47 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXvMC runtime library
Description :
X.Org X11 libXvMC runtime library

Name : numactl Relocations: (not relocatable)
Version : 2.0.7 Vendor: CentOS
Release : 6.el6 Build Date: Thu 21 Feb 2013
07:42:49 PM EST
Install Date: Fri 06 Feb 2015 09:03:28 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Base Source RPM: numactl-2.0.7-
6.el6.src.rpm
Size : 163054 License: LGPLv2/GPLv2
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:15 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://oss.sgi.com/www/projects/libnuma/download>
Summary : Library for tuning for Non Uniform Memory Access machines
Description :
Simple NUMA policy support. It consists of a numactl program to run
other programs with a specific NUMA policy and a libnuma to do
allocations with NUMA policy in applications.

Name : xorg-x11-drv-qxl Relocations: (not relocatable)
Version : 0.1.0 Vendor: CentOS
Release : 4.el6 Build Date: Sat 23 Feb 2013
03:01:56 PM EST
Install Date: Fri 06 Feb 2015 09:04:50 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-qxl-0.1.0-4.el6.src.rpm
Size : 162977 License: MIT

Signature : RSA/SHA1, Sat 23 Feb 2013 04:15:28 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 qxl video driver
Description :
X.Org X11 qxl video driver.

Name : libxklavier Relocations: (not relocatable)
Version : 4.0 Vendor: CentOS
Release : 9.el6 Build Date: Fri 22 Jun 2012
04:18:27 AM EDT
Install Date: Fri 06 Feb 2015 09:02:13 AM EST Build Host:
c6b8.bsyz.dev.centos.org
Group : Development/Libraries Source RPM: libxklavier-4.0-
9.el6.src.rpm
Size : 142605 License: LGPLv2+
Signature : RSA/SHA1, Sun 24 Jun 2012 06:19:46 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gswitchit.sourceforge.net/>
Summary : High-level API for X Keyboard Extension
Description :
libxklavier is a library providing a high-level API for the X Keyboard
Extension (XKB). This library is intended to support XFree86 and other
commercial X servers. It is useful for creating XKB-related software
(layout indicators etc).

Name : gtk2 Relocations: (not relocatable)
Version : 2.18.9 Vendor: CentOS
Release : 12.el6 Build Date: Thu 21 Feb 2013
11:43:14 PM EST
Install Date: Fri 06 Feb 2015 09:03:30 AM EST Build Host:
c6b8.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: gtk2-2.18.9-
12.el6.src.rpm
Size : 12984204 License: LGPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:12 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gtk.org>
Summary : The GIMP ToolKit (GTK+), a library for creating GUIs for X
Description :
GTK+ is a multi-platform toolkit for creating graphical user
interfaces. Offering a complete set of widgets, GTK+ is suitable for
projects ranging from small one-off tools to complete application
suites.

Name : xorg-x11-drv-mutouch Relocations: (not relocatable)
Version : 1.3.0 Vendor: CentOS
Release : 4.el6 Build Date: Sat 23 Feb 2013
02:53:20 PM EST
Install Date: Fri 06 Feb 2015 09:04:50 AM EST Build Host:
c6b7.bsyz.dev.centos.org

Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-mutouch-1.3.0-4.el6.src.rpm
Size : 20158 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:15:04 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 mutouch input driver
Description :
X.Org X11 mutouch input driver.

Name : flac Relocations: (not relocatable)
Version : 1.2.1 Vendor: CentOS
Release : 6.1.el6 Build Date: Thu 11 Nov 2010 02:54:50 AM EST
Install Date: Fri 06 Feb 2015 09:02:13 AM EST Build Host: c6b3.bsys.dev.centos.org
Group : Applications/Multimedia Source RPM: flac-1.2.1-6.1.el6.src.rpm
Size : 722670 License: BSD and GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:14:53 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://flac.sourceforge.net/>
Summary : An encoder/decoder for the Free Lossless Audio Codec
Description :
FLAC stands for Free Lossless Audio Codec. Grossly oversimplified, FLAC is similar to Ogg Vorbis, but lossless. The FLAC project consists of the stream format, reference encoders and decoders in library form, flac, a command-line program to encode and decode FLAC files, metaflac, a command-line metadata editor for FLAC files and input plugins for various music players.

Name : sinjdoc Relocations: (not relocatable)
Version : 0.5 Vendor: CentOS
Release : 9.1.el6 Build Date: Wed 18 Aug 2010 06:03:52 PM EDT
Install Date: Fri 06 Feb 2015 09:03:36 AM EST Build Host: c6b2.bsys.dev.centos.org
Group : Development/Tools Source RPM: sinjdoc-0.5-9.1.el6.src.rpm
Size : 2444702 License: GPL+
Signature : RSA/8, Sun 03 Jul 2011 01:02:03 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://cscott.net/Projects/GJ/sinjdoc-latest/>
Summary : Documentation generator for Java source code
Description :
This package contains Sinjdoc a tool for generating Javadoc-style documentation from Java source code

Name : xorg-x11-drv-mach64 Relocations: (not relocatable)
Version : 6.9.3 Vendor: CentOS

Release : 4.el6 Build Date: Sat 23 Feb 2013
02:46:27 PM EST
Install Date: Fri 06 Feb 2015 09:04:50 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-mach64-6.9.3-4.el6.src.rpm
Size : 133761 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:14:47 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 mach64 video driver
Description :
X.Org X11 mach64 video driver.

Name : libgtop2 Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
05:50:23 PM EST
Install Date: Fri 06 Feb 2015 09:02:14 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libgtop2-2.28.0-
3.el6.src.rpm
Size : 362541 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:35:04 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/libgtop/2.28>
Summary : libgtop library (version 2)
Description :
libgtop is a library for portably obtaining information about processes,
such as their PID, memory usage, etc.

Name : libgnomecanvas Relocations: (not relocatable)
Version : 2.26.0 Vendor: CentOS
Release : 4.el6 Build Date: Thu 11 Nov 2010
03:38:39 PM EST
Install Date: Fri 06 Feb 2015 09:03:37 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libgnomecanvas-
2.26.0-4.el6.src.rpm
Size : 926463 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:34:18 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/>
Summary : GnomeCanvas widget
Description :
The canvas widget allows you to create custom displays using stock items
such as circles, lines, text, and so on. It was originally a port of the
Tk canvas widget but has evolved quite a bit over time.

Name : xorg-x11-drv-hyperpen Relocations: (not relocatable)
Version : 1.4.1 Vendor: CentOS

Release : 4.el6 Build Date: Sat 23 Feb 2013
02:39:37 PM EST
Install Date: Fri 06 Feb 2015 09:04:50 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-hyperpen-1.4.1-4.el6.src.rpm
Size : 18320 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:14:27 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 hyperpen input driver
Description :
X.Org X11 hyperpen input driver.

Name : vim-minimal Relocations: (not relocatable)
Version : 7.2.411 Vendor: CentOS
Release : 1.8.el6 Build Date: Thu 05 Apr 2012
05:18:07 AM EDT
Install Date: Fri 06 Feb 2015 09:02:14 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/Editors Source RPM: vim-7.2.411-
1.8.el6.src.rpm
Size : 766050 License: Vim and GPLv2+
and BSD and LGPLv2+ and Open Publication
Signature : RSA/SHA1, Thu 05 Apr 2012 05:35:05 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.vim.org/>
Summary : A minimal version of the VIM editor
Description :
VIM (VISual editor iMproved) is an updated and improved version of the
vi editor. Vi was the first real screen-based editor for UNIX, and is
still very popular. VIM improves on vi by adding new features:
multiple windows, multi-level undo, block highlighting and more. The
vim-minimal package includes a minimal version of VIM, which is
installed into /bin/vi for use when only the root partition is
present. NOTE: The online help is only available when the vim-common
package is installed.

Name : libgnomekbd Relocations: (not relocatable)
Version : 2.28.2 Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010
10:50:26 AM EST
Install Date: Fri 06 Feb 2015 09:03:41 AM EST Build Host:
c5b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libgnomekbd-
2.28.2-2.el6.src.rpm
Size : 537707 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:34:28 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gswitchit.sourceforge.net>
Summary : A keyboard configuration library

Description :

The libgnomekbd package contains a GNOME library which manages keyboard configuration and offers various widgets related to keyboard configuration.

Name : xorg-x11-drv-elographics Relocations: (not relocatable)
Version : 1.4.1 Vendor: CentOS
Release : 2.el6 Build Date: Sat 23 Feb 2013
02:32:07 PM EST
Install Date: Fri 06 Feb 2015 09:04:50 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-elographics-1.4.1-2.el6.src.rpm
Size : 18284 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:13:49 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 elographics input driver
Description :
X.Org X11 elographics input driver.

Name : acl Relocations: (not relocatable)
Version : 2.2.49 Vendor: CentOS
Release : 6.el6 Build Date: Wed 07 Dec 2011
11:53:55 AM EST
Install Date: Fri 06 Feb 2015 09:02:15 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Base Source RPM: acl-2.2.49-
6.el6.src.rpm
Size : 193226 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 02:42:13 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://acl.bestbits.at/>
Summary : Access control list utilities
Description :
This package contains the getfacl and setfacl utilities needed for
manipulating access control lists.

Name : log4j Relocations: (not relocatable)
Version : 1.2.14 Vendor: CentOS
Release : 6.4.el6 Build Date: Thu 11 Nov 2010
09:17:47 AM EST
Install Date: Fri 06 Feb 2015 09:03:43 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System/Logging Source RPM: log4j-1.2.14-
6.4.el6.src.rpm
Size : 2071216 License: ASL 2.0
Signature : RSA/8, Sun 03 Jul 2011 12:43:17 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://logging.apache.org/log4j>
Summary : Java logging package

Description :

Log4j is a tool to help the programmer output log statements to a variety of output targets.

Name : xorg-x11-drv-apm Relocations: (not relocatable)
Version : 1.2.5 Vendor: CentOS
Release : 5.el6 Build Date: Sat 23 Feb 2013
02:24:00 PM EST
Install Date: Fri 06 Feb 2015 09:04:50 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-apm-1.2.5-5.el6.src.rpm
Size : 38415 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:13:30 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 apm video driver
Description :
X.Org X11 apm video driver.

Name : tomcat6-servlet-2.5-api Relocations: (not relocatable)
Version : 6.0.24 Vendor: CentOS
Release : 49.el6 Build Date: Fri 22 Feb 2013
12:42:25 AM EST
Install Date: Fri 06 Feb 2015 09:02:15 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : Internet/WWW/Dynamic Content Source RPM: tomcat6-6.0.24-
49.el6.src.rpm
Size : 87959 License: ASL 2.0
Signature : RSA/SHA1, Sat 23 Feb 2013 12:51:49 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://tomcat.apache.org/>
Summary : Apache Tomcat Servlet API implementation classes
Description :
Apache Tomcat Servlet API implementation classes.

Name : notification-daemon Relocations: (not relocatable)
Version : 0.5.0 Vendor: CentOS
Release : 1.el6 Build Date: Thu 11 Nov 2010
05:47:23 PM EST
Install Date: Fri 06 Feb 2015 09:03:44 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: notification-
daemon-0.5.0-1.el6.src.rpm
Size : 186642 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:47:38 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://live.gnome.org/NotificationDaemon>
Summary : Desktop Notification Daemon
Description :

notification-daemon is the server implementation of the freedesktop.org desktop notification specification. Notifications can be used to inform the user about an event or display some form of information without getting in the user's way.

Name : plymouth-gdm-hooks Relocations: (not relocatable)
Version : 0.8.3 Vendor: CentOS
Release : 27.el6.centos Build Date: Fri 22 Feb 2013
08:06:20 PM EST
Install Date: Fri 06 Feb 2015 09:04:50 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Applications/System Source RPM: plymouth-0.8.3-
27.el6.centos.src.rpm
Size : 171 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:34 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://freedesktop.org/software/plymouth/releases>
Summary : Plymouth GDM integration
Description :
This package contains support files for integrating Plymouth with GDM

Namely, it adds hooks to show boot messages at the login screen in the event start-up services fail.

Name : xorg-x11-font-utils Relocations: (not relocatable)
Version : 7.2 Vendor: CentOS
Release : 11.el6 Build Date: Wed 07 Dec 2011
10:04:33 AM EST
Install Date: Fri 06 Feb 2015 09:02:16 AM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : User Interface/X Source RPM: xorg-x11-font-
utils-7.2-11.el6.src.rpm
Size : 300562 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:42:58 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 font utilities
Description :
X.Org X11 font utilities required for font installation, conversion,
and generation.

Name : polkit-gnome Relocations: (not relocatable)
Version : 0.96 Vendor: CentOS
Release : 3.el6 Build Date: Wed 25 Aug 2010
11:50:13 AM EDT
Install Date: Fri 06 Feb 2015 09:03:47 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Applications/System Source RPM: polkit-gnome-
0.96-3.el6.src.rpm
Size : 384963 License: LGPLv2+

Signature : RSA/8, Sun 03 Jul 2011 12:57:27 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/wiki/Software/PolicyKit>
Summary : PolicyKit integration for the GNOME desktop
Description :
polkit-gnome provides an authentication agent for PolicyKit
that matches the look and feel of the GNOME desktop.

Name : setuptool Relocations: (not relocatable)
Version : 1.19.9 Vendor: CentOS
Release : 3.el6 Build Date: Wed 25 Aug 2010
04:01:08 PM EDT
Install Date: Fri 06 Feb 2015 09:04:53 AM EST Build Host:
c6b2.bsyz.dev.centos.org
Group : Applications/System Source RPM: setuptool-1.19.9-
3.el6.src.rpm
Size : 141644 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:01:59 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://git.fedorahosted.org/git/?p=setuptool.git>
Summary : A text mode system configuration tool
Description :
Setuptool is a user-friendly text mode menu utility which allows you
to access all of the text mode configuration programs included in the
operating system distribution.

Name : libical Relocations: (not relocatable)
Version : 0.43 Vendor: CentOS
Release : 6.el6 Build Date: Wed 27 Feb 2013
06:27:59 PM EST
Install Date: Fri 06 Feb 2015 09:02:16 AM EST Build Host:
c6b7.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: libical-0.43-
6.el6.src.rpm
Size : 619139 License: LGPLv2 or MPLv1.1
Signature : RSA/SHA1, Wed 27 Feb 2013 07:21:13 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://freeassociation.sourceforge.net/>
Summary : Reference implementation of the iCalendar data type and
serialization format
Description :
Reference implementation of the iCalendar data type and serialization
format
used in dozens of calendaring and scheduling products.

Name : imsettings-libs Relocations: (not relocatable)
Version : 0.108.0 Vendor: CentOS
Release : 3.6.el6 Build Date: Fri 22 Jun 2012
01:58:31 AM EDT
Install Date: Fri 06 Feb 2015 09:03:48 AM EST Build Host:
c6b10.bsyz.dev.centos.org

Group : Development/Libraries Source RPM: imsettings-0.108.0-3.6.el6.src.rpm
Size : 320451 License: LGPLv2+
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:39 PM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/imsettings/>
Summary : Libraries for imsettings
Description :
IMSettings is a framework that delivers Input Method settings and applies the changes so they take effect immediately without any need to restart applications or the desktop.

This package contains the shared library for imsettings.

Name : hplip-common Relocations: (not relocatable)
Version : 3.12.4 Vendor: CentOS
Release : 4.el6 Build Date: Fri 22 Feb 2013 12:53:55 AM EST
Install Date: Fri 06 Feb 2015 09:04:53 AM EST Build Host: c6b9.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: hplip-3.12.4-4.el6.src.rpm
Size : 913858 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:59 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://hplip.sourceforge.net/>
Summary : Files needed by the HPLIP printer and scanner drivers
Description :
Files needed by the HPLIP printer and scanner drivers.

Name : sg3_utils-libs Relocations: (not relocatable)
Version : 1.28 Vendor: CentOS
Release : 4.el6 Build Date: Fri 23 Sep 2011 03:00:33 PM EDT
Install Date: Fri 06 Feb 2015 09:02:19 AM EST Build Host: c6b5.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: sg3_utils-1.28-4.el6.src.rpm
Size : 156912 License: GPLv2+ and BSD
Signature : RSA/SHA1, Mon 26 Sep 2011 12:25:23 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : http://sg.danny.cz/sg/sg3_utils.html
Summary : Shared library for sg3_utils
Description :
This package contains the shared library for sg3_utils.

Name : xml-commons-resolver Relocations: (not relocatable)
Version : 1.1 Vendor: CentOS
Release : 4.18.el6 Build Date: Sat 21 Aug 2010 01:20:17 AM EDT

Install Date: Fri 06 Feb 2015 09:03:48 AM EST Build Host:
c6b2.bsys.dev.centos.org
Group : Development/Libraries Source RPM: xml-commons-
resolver-1.1-4.18.el6.src.rpm
Size : 425519 License: ASL 1.1
Signature : RSA/8, Sun 03 Jul 2011 01:05:52 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://xml.apache.org/commons/>
Summary : Resolver subproject of xml-commons
Description :
Resolver subproject of xml-commons.

Name : hplip-libs Relocations: (not relocatable)
Version : 3.12.4 Vendor: CentOS
Release : 4.el6 Build Date: Fri 22 Feb 2013
12:53:55 AM EST
Install Date: Fri 06 Feb 2015 09:04:56 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: hplip-3.12.4-
4.el6.src.rpm
Size : 342768 License: GPLv2+ and MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:01 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://hplip.sourceforge.net/>
Summary : HPLIP libraries
Description :
Libraries needed by HPLIP.

Name : gnutls Relocations: (not relocatable)
Version : 2.8.5 Vendor: CentOS
Release : 10.el6 Build Date: Thu 21 Feb 2013
08:38:28 PM EST
Install Date: Fri 06 Feb 2015 09:02:20 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: gnutls-2.8.5-
10.el6.src.rpm
Size : 1027458 License: GPLv3+ and
LGPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:31 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnutls.org/>
Summary : A TLS protocol implementation
Description :
GnuTLS is a project that aims to develop a library which provides a
secure
layer, over a reliable transport layer. Currently the GnuTLS library
implements
the proposed standards by the IETF's TLS working group.

Name : iok Relocations: (not relocatable)
Version : 1.3.13 Vendor: CentOS

Release : 3.el6 Build Date: Mon 13 Aug 2012
10:24:50 AM EDT
Install Date: Fri 06 Feb 2015 09:03:49 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Applications/System Source RPM: iok-1.3.13-
3.el6.src.rpm
Size : 362418 License: GPLv2+
Signature : RSA/SHA1, Mon 13 Aug 2012 02:34:03 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://iok.sourceforge.net>
Summary : Indic Onscreen Virtual Keyboard
Description :
iok is Indic Onscreen Keyboard. It provides virtual Keyboard
functionality.
It currently works with Inscript and xkb keymaps for Indian languages.
iok
can even try to parse non-inscript keymaps and show them in iok.

Name : ntpdate Relocations: (not relocatable)
Version : 4.2.4p8 Vendor: CentOS
Release : 3.el6.centos Build Date: Fri 22 Feb 2013
06:23:34 AM EST
Install Date: Fri 06 Feb 2015 09:04:57 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : Applications/System Source RPM: ntp-4.2.4p8-
3.el6.centos.src.rpm
Size : 75761 License: (MIT and BSD and
BSD with advertising) and GPLv2
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:01 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.ntp.org>
Summary : Utility to set the date and time via NTP
Description :
ntpdate is a program for retrieving the date and time from
NTP servers.

Name : libtdb Relocations: (not relocatable)
Version : 1.2.10 Vendor: CentOS
Release : 1.el6 Build Date: Thu 21 Feb 2013
02:43:24 PM EST
Install Date: Fri 06 Feb 2015 09:02:20 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: libtdb-1.2.10-
1.el6.src.rpm
Size : 69432 License: LGPLv3+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:51 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://tdb.samba.org/>
Summary : The tdb library
Description :
A library that implements a trivial database.

Name : jakarta-commons-httpclient Relocations: (not relocatable)
 Version : 3.1 Vendor: CentOS
 Release : 0.6.el6 Build Date: Thu 11 Nov 2010
 08:46:50 AM EST
 Install Date: Fri 06 Feb 2015 09:03:51 AM EST Build Host:
 c6b5.bsys.dev.centos.org
 Group : Development/Libraries/Java Source RPM: jakarta-commons-
 httpclient-3.1-0.6.el6.src.rpm
 Size : 1832491 License: ASL 2.0
 Signature : RSA/8, Sun 03 Jul 2011 12:25:37 AM EDT, Key ID
 0946fca2c105b9de
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>
 URL : <http://jakarta.apache.org/commons/httpclient/>
 Summary : Jakarta Commons HTTPClient implements the client side of
 HTTP standards
 Description :
 The Hyper-Text Transfer Protocol (HTTP) is perhaps the most significant
 protocol used on the Internet today. Web services, network-enabled
 appliances and the growth of network computing continue to expand the
 role of the HTTP protocol beyond user-driven web browsers, and increase
 the number of applications that may require HTTP support.
 Although the java.net package provides basic support for accessing
 resources via HTTP, it doesn't provide the full flexibility or
 functionality needed by many applications. The Jakarta Commons HTTP
 Client component seeks to fill this void by providing an efficient,
 up-to-date, and feature-rich package implementing the client side of the
 most recent HTTP standards and recommendations.
 Designed for extension while providing robust support for the base HTTP
 protocol, the HTTP Client component may be of interest to anyone
 building HTTP-aware client applications such as web browsers, web
 service clients, or systems that leverage or extend the HTTP protocol
 for distributed communication.

Name : system-config-keyboard Relocations: (not relocatable)
 Version : 1.3.1 Vendor: CentOS
 Release : 4.el6 Build Date: Fri 22 Jun 2012
 03:07:49 AM EDT
 Install Date: Fri 06 Feb 2015 09:04:58 AM EST Build Host:
 c6b10.bsys.dev.centos.org
 Group : System Environment/Base Source RPM: system-config-
 keyboard-1.3.1-4.el6.src.rpm
 Size : 46679 License: GPLv2+
 Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:14 PM EDT, Key ID
 0946fca2c105b9de
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>
 URL : <https://fedorahosted.org/system-config-keyboard/>
 Summary : A graphical interface for modifying the keyboard
 Description :
 system-config-keyboard is a graphical user interface that allows
 the user to change the default keyboard of the system.

Name : perl-libs Relocations: (not relocatable)
 Version : 5.10.1 Vendor: CentOS

Release : 129.el6 Build Date: Thu 21 Feb 2013
10:04:33 PM EST
Install Date: Fri 06 Feb 2015 09:02:21 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Development/Languages Source RPM: perl-5.10.1-
129.el6.src.rpm
Size : 1485896 License: GPL+ or Artistic
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:54 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : The libraries for the perl runtime
Description :
The libraries for the perl runtime

Name : mx4j Relocations: (not relocatable)
Version : 3.0.1 Vendor: CentOS
Release : 9.13.el6 Build Date: Sat 21 Aug 2010
12:46:57 PM EDT
Install Date: Fri 06 Feb 2015 09:03:54 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: mx4j-3.0.1-
9.13.el6.src.rpm
Size : 1777643 License: ASL 1.1
Signature : RSA/8, Sun 03 Jul 2011 12:30:44 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://mx4j.sourceforge.net/>
Summary : Open source implementation of JMX Java API
Description :
OpenJMX is an open source implementation of the
Java(TM) Management Extensions (JMX).

Name : dnsmasq Relocations: (not relocatable)
Version : 2.48 Vendor: CentOS
Release : 13.el6 Build Date: Thu 21 Feb 2013
11:40:04 PM EST
Install Date: Fri 06 Feb 2015 09:04:59 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: dnsmasq-2.48-
13.el6.src.rpm
Size : 300404 License: GPLv2 or GPLv3
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:27 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.thekelleys.org.uk/dnsmasq/>
Summary : A lightweight DHCP/caching DNS server
Description :
Dnsmasq is lightweight, easy to configure DNS forwarder and DHCP server.
It is designed to provide DNS and, optionally, DHCP, to a small network.
It can serve the names of local machines which are not in the global
DNS. The DHCP server integrates with the DNS server and allows machines
with DHCP-allocated addresses to appear in the DNS with names configured
either in each host or in a central configuration file. Dnsmasq supports

static and dynamic DHCP leases and BOOTP for network booting of diskless machines.

Name : perl Relocations: (not relocatable)
Version : 5.10.1 Vendor: CentOS
Release : 129.el6 Build Date: Thu 21 Feb 2013
10:04:33 PM EST
Install Date: Fri 06 Feb 2015 09:02:25 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Development/Languages Source RPM: perl-5.10.1-
129.el6.src.rpm
Size : 35281079 License: (GPL+ or
Artistic) and (GPLv2+ or Artistic) and Copyright Only and MIT and Public
Domain and UCD
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:08 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Practical Extraction and Report Language
Description :
Perl is a high-level programming language with roots in C, sed, awk
and shell scripting. Perl is good at handling processes and files,
and is especially good at handling text. Perl's hallmarks are
practicality and efficiency. While it is used to do a lot of
different things, Perl's most common applications are system
administration utilities and web programming. A large proportion of
the CGI scripts on the web are written in Perl. You need the perl
package installed on your system so that your system can handle Perl
scripts.

Install this package if you want to program in Perl or enable your
system to handle Perl scripts.

Name : kasumi Relocations: (not relocatable)
Version : 2.5 Vendor: CentOS
Release : 1.1.el6 Build Date: Thu 11 Nov 2010
08:57:44 AM EST
Install Date: Fri 06 Feb 2015 09:03:55 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Applications/Text Source RPM: kasumi-2.5-
1.1.el6.src.rpm
Size : 183183 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:27:01 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://kasumi.sourceforge.jp/>
Summary : An anthy dictionary management tool.
Description :
Kasumi is a dictionary management tool for Anthy.

Name : postfix Relocations: (not relocatable)
Version : 2.6.6 Vendor: CentOS
Release : 2.2.el6_1 Build Date: Sat 03 Dec 2011
12:01:00 AM EST

Install Date: Fri 06 Feb 2015 09:05:01 AM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: postfix-2.6.6-
2.2.el6_1.src.rpm
Size : 10144904 License: IBM
Signature : RSA/SHA1, Wed 07 Dec 2011 01:15:02 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.postfix.org>
Summary : Postfix Mail Transport Agent
Description :
Postfix is a Mail Transport Agent (MTA), supporting LDAP, SMTP AUTH
(SASL),
TLS

Name : perl-Test-Harness Relocations: (not relocatable)
Version : 3.17 Vendor: CentOS
Release : 129.el6 Build Date: Thu 21 Feb 2013
10:04:33 PM EST
Install Date: Fri 06 Feb 2015 09:02:25 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Development/Languages Source RPM: perl-5.10.1-
129.el6.src.rpm
Size : 408794 License: GPL+ or Artistic
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:48 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Run Perl standard test scripts with statistics
Description :
Run Perl standard test scripts with statistics.
Use TAP::Parser, Test::Harness package was whole rewritten.

Name : fprintd-pam Relocations: (not relocatable)
Version : 0.1 Vendor: CentOS
Release : 20.git04fd09cfa.el6 Build Date: Fri 22 Jun 2012
04:00:45 AM EDT
Install Date: Fri 06 Feb 2015 09:03:56 AM EST Build Host:
c6b10.bsys.dev.centos.org
Group : System Environment/Base Source RPM: fprintd-0.1-
20.git04fd09cfa.el6.src.rpm
Size : 17439 License: GPLv2+
Signature : RSA/SHA1, Sun 24 Jun 2012 06:19:25 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.reactivated.net/fprint/wiki/Fprintd>
Summary : PAM module for fingerprint authentication
Description :
PAM module that uses the fprintd D-Bus service for fingerprint
authentication.

Name : redhat-lsb-core Relocations: (not relocatable)
Version : 4.0 Vendor: CentOS

Release : 7.el6.centos Build Date: Fri 22 Feb 2013
06:24:28 AM EST
Install Date: Fri 06 Feb 2015 09:05:02 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Base Source RPM: redhat-lsb-4.0-
7.el6.centos.src.rpm
Size : 22825 License: GPL
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:49 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.linuxfoundation.org/collaborate/workgroups/lsb>
Summary : LSB base libraries support for CentOS
Description :
The Linux Standard Base (LSB) Core Libraries Specifications define
components
that are required to be present on an LSB conforming system.

Name : perl-IO-Compress-Base Relocations: (not relocatable)
Version : 2.020 Vendor: CentOS
Release : 129.el6 Build Date: Thu 21 Feb 2013
10:04:33 PM EST
Install Date: Fri 06 Feb 2015 09:02:25 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
129.el6.src.rpm
Size : 137469 License: GPL+ or Artistic
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:56 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Base Class for IO::Compress modules
Description :
This module is the base class for all IO::Compress and IO::Uncompress
modules. This module is not intended for direct use in application
code. Its sole purpose is to to be sub-classed by IO::Compress
modules.

Name : system-gnome-theme Relocations: (not relocatable)
Version : 60.0.2 Vendor: CentOS
Release : 1.el6 Build Date: Thu 11 Nov 2010
08:42:44 PM EST
Install Date: Fri 06 Feb 2015 09:03:58 AM EST Build Host:
c5b2.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: system-gnome-
theme-60.0.2-1.el6.src.rpm
Size : 18401 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:48:57 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.redhat.com>
Summary : System GNOME theme
Description :
This package contains the system GNOME meta theme.

Name : system-config-firewall-base Relocations: (not relocatable)
Version : 1.2.27 Vendor: CentOS
Release : 5.el6 Build Date: Fri 23 Sep 2011
01:04:13 PM EDT
Install Date: Fri 06 Feb 2015 09:05:03 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: system-config-
firewall-1.2.27-5.el6.src.rpm
Size : 2364002 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:25:38 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/system-config-firewall>
Summary : system-config-firewall base components and command line
tool
Description :
Base components of system-config-firewall with lokkit, the command line
tool
for basic firewall setup.

Name : libieee1284 Relocations: (not relocatable)
Version : 0.2.11 Vendor: CentOS
Release : 9.el6 Build Date: Thu 11 Nov 2010
03:34:53 PM EST
Install Date: Fri 06 Feb 2015 09:02:25 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libieee1284-
0.2.11-9.el6.src.rpm
Size : 75477 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:36:07 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://cyberelk.net/tim/libieee1284/>
Summary : A library for interfacing IEEE 1284-compatible devices
Description :
The libieee1284 library is for communicating with parallel port devices.

Name : gnome-panel-libs Relocations: (not relocatable)
Version : 2.30.2 Vendor: CentOS
Release : 14.el6 Build Date: Tue 19 Jul 2011
12:37:01 AM EDT
Install Date: Fri 06 Feb 2015 09:03:59 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: gnome-panel-
2.30.2-14.el6.src.rpm
Size : 63064 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:18:54 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : Libraries for Panel Applets
Description :
This package contains the libpanel-applet library that
is needed by Panel Applets.

Name : mobile-broadband-provider-info Relocations: (not relocatable)
Version : 1.20100122 Vendor: CentOS
Release : 1.el6 Build Date: Sat 21 Aug 2010 03:34:49 PM EDT
Install Date: Fri 06 Feb 2015 09:05:03 AM EST Build Host: c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: mobile-broadband-provider-info-1.20100122-1.el6.src.rpm
Size : 141009 License: Public Domain
Signature : RSA/8, Sun 03 Jul 2011 12:30:21 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://live.gnome.org/NetworkManager/MobileBroadband/ServiceProviders>
Summary : Mobile broadband provider database
Description :
The mobile-broadband-provider-info package contains listings of mobile broadband (3G) providers and associated network and plan information.

Name : perl-Test-Simple Relocations: (not relocatable)
Version : 0.92 Vendor: CentOS
Release : 129.el6 Build Date: Thu 21 Feb 2013 10:04:33 PM EST
Install Date: Fri 06 Feb 2015 09:02:25 AM EST Build Host: c6b7.bsys.dev.centos.org
Group : Development/Languages Source RPM: perl-5.10.1-129.el6.src.rpm
Size : 188830 License: GPL+ or Artistic
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:40 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Basic utilities for writing tests
Description :
Basic utilities for writing tests.

Name : plymouth-theme-rings Relocations: (not relocatable)
Version : 0.8.3 Vendor: CentOS
Release : 27.el6.centos Build Date: Fri 22 Feb 2013 08:04:44 PM EST
Install Date: Fri 06 Feb 2015 09:03:59 AM EST Build Host: c6b7.bsys.dev.centos.org
Group : System Environment/Base Source RPM: plymouth-0.8.3-27.el6.centos.src.rpm
Size : 4245 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:52:28 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://freedesktop.org/software/plymouth/releases>
Summary : Plymouth "Rings" plugin
Description :
This package contains the "rings" boot splash theme for

Plymouth. It features a large header, and slick spinner concentric with a circular progress indicator.

Name : kernel Relocations: (not relocatable)
Version : 2.6.32 Vendor: CentOS
Release : 358.18.1.el6 Build Date: Wed 28 Aug 2013
02:28:07 PM EDT
Install Date: Fri 06 Feb 2015 09:05:14 AM EST Build Host:
c6b10.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: kernel-2.6.32-
358.18.1.el6.src.rpm
Size : 121423079 License: GPLv2
Signature : RSA/SHA1, Wed 28 Aug 2013 03:02:55 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.kernel.org/>
Summary : The Linux kernel
Description :
The kernel package contains the Linux kernel (vmlinuz), the core of any Linux operating system. The kernel handles the basic functions of the operating system: memory allocation, process allocation, device input and output, etc.

Name : perl-HTML-Parser Relocations: (not relocatable)
Version : 3.64 Vendor: CentOS
Release : 2.el6 Build Date: Thu 19 Aug 2010
07:50:17 PM EDT
Install Date: Fri 06 Feb 2015 09:02:26 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-HTML-Parser-
3.64-2.el6.src.rpm
Size : 226598 License: GPL+ or Artistic
Signature : RSA/8, Sun 03 Jul 2011 12:55:33 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://search.cpan.org/dist/HTML-Parser/>
Summary : Perl module for parsing HTML
Description :
The HTML-Parser module for perl to parse and extract information from HTML documents, including the HTML::Entities, HTML::HeadParser, HTML::LinkExtor, HTML::PullParser, and HTML::TokeParser modules.

Name : libdaemon Relocations: (not relocatable)
Version : 0.14 Vendor: CentOS
Release : 1.el6 Build Date: Mon 16 Aug 2010
09:23:20 PM EDT
Install Date: Fri 06 Feb 2015 09:03:59 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libdaemon-0.14-
1.el6.src.rpm
Size : 58693 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:32:54 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://0pointer.de/lennart/projects/libdaemon/>
Summary : Library for writing UNIX daemons
Description :
libdaemon is a lightweight C library which eases the writing of UNIX daemons.

It consists of the following parts:

- * A wrapper around fork() which does the correct daemonization procedure of a process
- * A wrapper around syslog() for simpler and compatible log output to Syslog or STDERR
- * An API for writing PID files
- * An API for serializing UNIX signals into a pipe for usage with select() or poll()
- * An API for running subprocesses with STDOUT and STDERR redirected to syslog.

Name : xorg-x11-drv-ati Relocations: (not relocatable)
Version : 6.99.99 Vendor: CentOS
Release : 1.el6 Build Date: Sat 23 Feb 2013
02:28:22 PM EST
Install Date: Fri 06 Feb 2015 09:05:14 AM EST Build Host:
c6b7.bsyzs.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-ati-6.99.99-1.el6.src.rpm
Size : 465575 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:13:38 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 ati video driver
Description :
X.Org X11 ati video driver.

Name : perl-Module-Load Relocations: (not relocatable)
Version : 0.16 Vendor: CentOS
Release : 129.el6 Build Date: Thu 21 Feb 2013
10:04:33 PM EST
Install Date: Fri 06 Feb 2015 09:02:26 AM EST Build Host:
c6b7.bsyzs.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-129.el6.src.rpm
Size : 7492 License: GPL+ or Artistic
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:48 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Runtime require of both modules and files
Description :
Module::Load eliminates the need to know whether you are trying to require either a file or a module.

Name : wavpack Relocations: (not relocatable)
Version : 4.60 Vendor: CentOS

Release : 1.1.el6 Build Date: Wed 18 Aug 2010
10:34:01 AM EDT
Install Date: Fri 06 Feb 2015 09:04:00 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Applications/Multimedia Source RPM: wavpack-4.60-
1.1.el6.src.rpm
Size : 276798 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 01:05:09 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.wavpack.com/>
Summary : A completely open audiocodec
Description :
WavPack is a completely open audio compression format providing lossless,
high-quality lossy, and a unique hybrid compression mode. Although the
technology is loosely based on previous versions of WavPack, the new
version 4 format has been designed from the ground up to offer
unparalleled
performance and functionality.

Name : pcmciautils Relocations: (not relocatable)
Version : 015 Vendor: CentOS
Release : 4.2.el6 Build Date: Thu 11 Nov 2010
05:19:56 PM EST
Install Date: Fri 06 Feb 2015 09:05:15 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: pcmciautils-015-
4.2.el6.src.rpm
Size : 105885 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:54:15 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL :
<http://www.kernel.org/pub/linux/utils/kernel/pcmcia/pcmcia.html>
Summary : PCMCIA utilities and initialization programs
Description :
The pcmciautils package contains utilities for initializing and
debugging PCMCIA and Cardbus sockets.

Name : libshout Relocations: (not relocatable)
Version : 2.2.2 Vendor: CentOS
Release : 5.1.el6 Build Date: Thu 19 Aug 2010
06:28:17 PM EDT
Install Date: Fri 06 Feb 2015 09:02:26 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libshout-2.2.2-
5.1.el6.src.rpm
Size : 96239 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:38:58 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.icecast.org/>
Summary : Icecast source streaming library
Description :

libshout is a library for communicating with and sending data to an icecast server. It handles the socket connection, the timing of the data, and prevents most bad data from getting to the icecast server.

Name : libmcpp Relocations: (not relocatable)
Version : 2.7.2 Vendor: CentOS
Release : 4.1.el6 Build Date: Wed 18 Aug 2010
11:52:52 AM EDT
Install Date: Fri 06 Feb 2015 09:04:01 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Languages Source RPM: mcpp-2.7.2-
4.1.el6.src.rpm
Size : 138264 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:36:40 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://mcpp.sourceforge.net/>
Summary : Alternative C/C++ preprocessor (library build)
Description :
This package provides a library build of mcpp.

Name : cjkuni-uming-fonts Relocations: (not relocatable)
Version : 0.2.20080216.1 Vendor: CentOS
Release : 35.el6 Build Date: Fri 23 Sep 2011
06:55:38 AM EDT
Install Date: Fri 06 Feb 2015 09:05:24 AM EST Build Host:
c6b18n1.dev.centos.org
Group : User Interface/X Source RPM: cjkuni-fonts-
0.2.20080216.1-35.el6.src.rpm
Size : 21551622 License: Arphic
Signature : RSA/SHA1, Mon 26 Sep 2011 12:17:08 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/wiki/Software/CJKUnifonts>
Summary : Chinese Unicode TrueType font in Ming face
Description :

CJK Unifonts are Unicode TrueType fonts derived from original fonts made available by Arphic Technology under "Arphic Public License" and extended by the CJK Unifonts project.

CJK Unifonts in Ming face.

Name : libavc1394 Relocations: (not relocatable)
Version : 0.5.3 Vendor: CentOS
Release : 9.1.el6 Build Date: Thu 11 Nov 2010
08:54:29 AM EST
Install Date: Fri 06 Feb 2015 09:02:26 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libavc1394-
0.5.3-9.1.el6.src.rpm
Size : 104860 License: GPLv2+ and
LGPLv2+

Signature : RSA/8, Sun 03 Jul 2011 12:31:53 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceforge.net/projects/libavc1394/>
Summary : Audio/Video Control library for IEEE-1394 devices
Description :
The libavc1394 library allows utilities to control IEEE-1394 devices
using the AV/C specification. Audio/Video Control allows applications
to control devices like the tape on a VCR or camcorder.

Name : xdg-user-dirs Relocations: (not relocatable)
Version : 0.12 Vendor: CentOS
Release : 4.el6 Build Date: Thu 11 Nov 2010
10:47:17 PM EST
Install Date: Fri 06 Feb 2015 09:04:01 AM EST Build Host:
c6b1.bsyz.dev.centos.org
Group : User Interface/Desktops Source RPM: xdg-user-dirs-
0.12-4.el6.src.rpm
Size : 149451 License: GPLv2+ and MIT
Signature : RSA/8, Sun 03 Jul 2011 01:05:37 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://freedesktop.org/wiki/Software/xdg-user-dirs>
Summary : Handles user special directories
Description :
Contains xdg-user-dirs-update that updates folders in a users
home directory based on the defaults configured by the administrator.

Name : redhat-lsb-graphics Relocations: (not relocatable)
Version : 4.0 Vendor: CentOS
Release : 7.el6.centos Build Date: Fri 22 Feb 2013
06:24:28 AM EST
Install Date: Fri 06 Feb 2015 09:05:31 AM EST Build Host:
c6b9.bsyz.dev.centos.org
Group : System Environment/Base Source RPM: redhat-lsb-4.0-
7.el6.centos.src.rpm
Size : 0 License: GPL
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:36 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.linuxfoundation.org/collaborate/workgroups/lsb>
Summary : LSB graphics libraries support for CentOS
Description :
The Linux Standard Base (LSB) Graphics Specifications define components
that are required to be present on an LSB conforming system.

Name : keyutils Relocations: (not relocatable)
Version : 1.4 Vendor: CentOS
Release : 4.el6 Build Date: Fri 22 Jun 2012
02:20:38 AM EDT
Install Date: Fri 06 Feb 2015 09:02:27 AM EST Build Host:
c6b10.bsyz.dev.centos.org
Group : System Environment/Base Source RPM: keyutils-1.4-
4.el6.src.rpm

Size : 70677 License: GPLv2+ and LGPLv2+
Signature : RSA/SHA1, Sun 24 Jun 2012 06:19:57 PM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://people.redhat.com/~dhowells/keyutils/>
Summary : Linux Key Management Utilities
Description :
Utilities to control the kernel key management facility and to provide a mechanism by which the kernel call back to user space to get a key instantiated.

Name : newt Relocations: (not relocatable)
Version : 0.52.11 Vendor: CentOS
Release : 3.el6 Build Date: Fri 23 Sep 2011 12:24:28 PM EDT
Install Date: Fri 06 Feb 2015 09:04:02 AM EST Build Host: c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: newt-0.52.11-3.el6.src.rpm
Size : 174037 License: LGPLv2
Signature : RSA/SHA1, Mon 26 Sep 2011 12:22:13 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/newt/>
Summary : A library for text mode user interfaces
Description :
Newt is a programming library for color text mode, widget based user interfaces. Newt can be used to add stacked windows, entry widgets, checkboxes, radio buttons, labels, plain text fields, scrollbars, etc., to text mode user interfaces. This package also contains the shared library needed by programs built with newt, as well as a /usr/bin/dialog replacement called whiptail. Newt is based on the slang library.

Name : oddjob-mkhomedir Relocations: (not relocatable)
Version : 0.30 Vendor: CentOS
Release : 5.el6 Build Date: Sat 25 Jun 2011 07:15:38 AM EDT
Install Date: Fri 06 Feb 2015 09:05:34 AM EST Build Host: c6b5.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: oddjob-0.30-5.el6.src.rpm
Size : 52617 License: BSD
Signature : RSA/8, Tue 05 Jul 2011 09:42:02 PM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.fedorahosted.org/oddjob>
Summary : An oddjob helper which creates and populates home directories
Description :
This package contains the oddjob helper which can be used by the pam_oddjob_mkhomedir module to create a home directory for a user at login-time.

```

Name           : gstreamer-tools           Relocations: (not relocatable)
Version        : 0.10.29                   Vendor: CentOS
Release        : 1.el6                     Build Date: Thu 11 Nov 2010
03:01:36 PM EST
Install Date: Fri 06 Feb 2015 09:02:27 AM EST   Build Host:
c6b1.bsys.dev.centos.org
Group          : Applications/Multimedia       Source RPM: gstreamer-
0.10.29-1.el6.src.rpm
Size           : 69024                      License: LGPLv2+
Signature      : RSA/8, Sun 03 Jul 2011 12:20:15 AM EDT, Key ID
0946fca2c105b9de
Packager        : CentOS BuildSystem <http://bugs.centos.org>
URL             : http://gstreamer.freedesktop.org/
Summary         : common tools and files for GStreamer streaming media
framework
Description      :
GStreamer is a streaming media framework, based on graphs of filters
which
operate on media data. Applications using this library can do anything
from real-time sound processing to playing videos, and just about
anything
else media-related. Its plugin-based architecture means that new data
types or processing capabilities can be added simply by installing new
plugins.

```

This package contains wrapper scripts for the command-line tools that work with different major/minor versions of GStreamer.

```

Name           : gnome-menus               Relocations: (not relocatable)
Version        : 2.28.0                   Vendor: CentOS
Release        : 4.el6                     Build Date: Thu 11 Nov 2010
06:09:41 AM EST
Install Date: Fri 06 Feb 2015 09:04:05 AM EST   Build Host:
c6b5.bsys.dev.centos.org
Group          : System Environment/Libraries   Source RPM: gnome-menus-
2.28.0-4.el6.src.rpm
Size           : 750973                     License: LGPLv2+
Signature      : RSA/8, Sun 03 Jul 2011 12:18:15 AM EDT, Key ID
0946fca2c105b9de
Packager        : CentOS BuildSystem <http://bugs.centos.org>
URL             : http://www.gnome.org/
Summary         : A menu system for the GNOME project
Description      :
gnome-menus is an implementation of the draft "Desktop
Menu Specification" from freedesktop.org. This package
also contains the GNOME menu layout configuration files,
.directory files and assorted menu related utility programs,
Python bindings, and a simple menu editor.

```

```

Name           : gnome-applets             Relocations: (not relocatable)
Version        : 2.28.0                   Vendor: CentOS

```

Release : 7.el6.centos Build Date: Sun 25 Sep 2011
05:51:50 PM EDT
Install Date: Fri 06 Feb 2015 09:05:37 AM EST Build Host:
c6b18n1.dev.centos.org
Group : User Interface/Desktops Source RPM: gnome-applets-
2.28.0-7.el6.centos.src.rpm
Size : 15712605 License: GPLv2+ and GFDL
Signature : RSA/SHA1, Mon 26 Sep 2011 12:18:51 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/>
Summary : Small applications for the GNOME panel
Description :
The gnome-applets package contains small applications which generally
run in the background and display their output to the GNOME panel.
It includes a clock, a character palette, load monitors, little toys,
and more.

Name : gnome-packagekit Relocations: (not relocatable)
Version : 2.28.3 Vendor: CentOS
Release : 7.el6 Build Date: Thu 21 Feb 2013
02:41:04 PM EST
Install Date: Fri 06 Feb 2015 09:05:40 AM EST Build Host:
c6b9.bsyz.dev.centos.org
Group : Applications/System Source RPM: gnome-packagekit-
2.28.3-7.el6.src.rpm
Size : 8250365 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:53 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.packagekit.org>
Summary : Session applications to manage packages
Description :
gnome-packagekit provides session applications for the PackageKit API.
There are several utilities designed for installing, updating and
removing packages on your system.

Name : eog Relocations: (not relocatable)
Version : 2.28.2 Vendor: CentOS
Release : 4.el6 Build Date: Thu 11 Nov 2010
01:52:31 AM EST
Install Date: Fri 06 Feb 2015 09:05:43 AM EST Build Host:
c6b5.bsyz.dev.centos.org
Group : User Interface/Desktops Source RPM: eog-2.28.2-
4.el6.src.rpm
Size : 5326487 License: GPLv2+ and GFDL
Signature : RSA/8, Sun 03 Jul 2011 12:13:13 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://projects.gnome.org/eog/>
Summary : Eye of GNOME image viewer
Description :
The Eye of GNOME image viewer (eog) is the official image viewer for the
GNOME desktop. It can view single image files in a variety of formats, as

well as large image collections.

eog is extensible through a plugin system.

Name : kexec-tools Relocations: (not relocatable)
Version : 2.0.0 Vendor: CentOS
Release : 258.el6 Build Date: Fri 22 Feb 2013
12:46:44 AM EST
Install Date: Fri 06 Feb 2015 09:05:45 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : Applications/System Source RPM: kexec-tools-
2.0.0-258.el6.src.rpm
Size : 789114 License: GPLv2
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:05 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : The kexec/kdump userspace component.
Description :
kexec-tools provides /sbin/kexec binary that facilitates a new
kernel to boot using the kernel's kexec feature either on a
normal or a panic reboot. This package contains the /sbin/kexec
binary and ancillary utilities that together form the userspace
component of the kernel's kexec feature.

Name : glx-utils Relocations: (not relocatable)
Version : 9.0 Vendor: CentOS
Release : 0.7.el6 Build Date: Fri 22 Feb 2013
02:02:15 AM EST
Install Date: Fri 06 Feb 2015 09:05:46 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Development/Libraries Source RPM: mesa-9.0-
0.7.el6.src.rpm
Size : 51510 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:22 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mesa3d.org>
Summary : GLX utilities
Description :
The glx-utils package provides the glxinfo and glxgears utilities.

Name : iwl6050-firmware Relocations: (not relocatable)
Version : 41.28.5.1 Vendor: CentOS
Release : 2.el6 Build Date: Mon 18 Jul 2011
09:03:35 PM EDT
Install Date: Fri 06 Feb 2015 09:05:47 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: iwl6050-firmware-
41.28.5.1-2.el6.src.rpm
Size : 940307 License: Redistributable,
no modification permitted
Signature : RSA/SHA1, Mon 26 Sep 2011 12:10:54 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://intellinuxwireless.org/>
Summary : Firmware for Intel(R) Wireless WiFi Link 6050 Series
Adapters
Description :
This package contains the firmware required by the iwlagn driver for Linux to support the iwl6050 hardware. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : iwl6000-firmware Relocations: (not relocatable)
Version : 9.221.4.1 Vendor: CentOS
Release : 1.el6 Build Date: Wed 20 Jul 2011 08:24:35 AM EDT
Install Date: Fri 06 Feb 2015 09:05:47 AM EST Build Host: c6b6.bsyz.dev.centos.org
Group : System Environment/Kernel Source RPM: iwl6000-firmware-9.221.4.1-1.el6.src.rpm
Size : 461443 License: Redistributable, no modification permitted
Signature : RSA/SHA1, Mon 26 Sep 2011 12:10:53 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://intellinuxwireless.org/>
Summary : Firmware for Intel(R) Wireless WiFi Link 6000 Series AGN Adapter
Description :
This package contains the firmware required by the iwlagn driver for Linux to support the iwl6000 hardware. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : dhcp Relocations: (not relocatable)
Version : 4.1.1 Vendor: CentOS
Release : 34.P1.el6.centos Build Date: Fri 22 Feb 2013 06:18:54 AM EST
Install Date: Fri 06 Feb 2015 09:05:49 AM EST Build Host: c6b8.bsyz.dev.centos.org
Group : System Environment/Daemons Source RPM: dhcp-4.1.1-34.P1.el6.centos.src.rpm
Size : 1965935 License: ISC
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:22 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://isc.org/products/DHCP/>
Summary : Dynamic host configuration protocol software
Description :
DHCP (Dynamic Host Configuration Protocol) is a protocol which allows individual devices on an IP network to get their own network configuration information (IP address, subnetmask, broadcast address, etc.) from a DHCP server. The overall purpose of DHCP is to make it easier to administer a large network. The dhcp package includes the ISC DHCP service and relay agent.

To use DHCP on your network, install a DHCP service (or relay agent),

and on clients run a DHCP client daemon. The dhcp package provides the ISC DHCP service and relay agent.

```
Name           : rng-tools                      Relocations: (not relocatable)
Version        : 2                               Vendor: CentOS
Release       : 13.el6_2                         Build Date: Sat 17 Dec 2011
11:45:47 AM EST
Install Date: Fri 06 Feb 2015 09:05:51 AM EST      Build Host:
c6b5.bsys.dev.centos.org
Group         : System Environment/Base           Source RPM: rng-tools-2-
13.el6_2.src.rpm
Size          : 55349                             License: GPLv2+
Signature     : RSA/SHA1, Sun 18 Dec 2011 07:13:56 PM EST, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           : http://sourceforge.net/projects/gkernel/
Summary       : Random number generator related utilities
Description   :
Hardware random number generation tools.
```

```
Name           : smartmontools                  Relocations: (not relocatable)
Version        : 5.43                           Vendor: CentOS
Release       : 1.el6                             Build Date: Thu 21 Feb 2013
05:26:22 PM EST
Install Date: Fri 06 Feb 2015 09:05:51 AM EST      Build Host:
c6b7.bsys.dev.centos.org
Group         : System Environment/Base           Source RPM: smartmontools-
5.43-1.el6.src.rpm
Size          : 1482949                           License: GPLv2+
Signature     : RSA/SHA1, Sat 23 Feb 2013 12:39:37 PM EST, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           : http://smartmontools.sourceforge.net/
Summary       : Tools for monitoring SMART capable hard disks
Description   :
The smartmontools package contains two utility programs (smartctl
and smartd) to control and monitor storage systems using the Self-
Monitoring, Analysis and Reporting Technology System (SMART) built
into most modern ATA and SCSI hard disks. In many cases, these
utilities will provide advanced warning of disk degradation and
failure.
```

```
Name           : abrt-cli                       Relocations: (not relocatable)
Version        : 2.0.8                           Vendor: CentOS
Release       : 15.el6.centos                     Build Date: Fri 22 Feb 2013
11:39:47 PM EST
Install Date: Fri 06 Feb 2015 09:05:52 AM EST      Build Host:
c6b8.bsys.dev.centos.org
Group         : Applications/System               Source RPM: abrt-2.0.8-
15.el6.centos.src.rpm
Size          : 0                                 License: GPLv2+
Signature     : RSA/SHA1, Sat 23 Feb 2013 12:37:54 PM EST, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
```

URL : <https://fedorahosted.org/abrt/>
Summary : Virtual package to install all necessary packages for usage from command line environment
Description :
Virtual package to make easy default installation on non-graphical environments.

Name : yum-utils Relocations: (not relocatable)
Version : 1.1.30 Vendor: CentOS
Release : 14.el6 Build Date: Fri 22 Jun 2012 08:23:05 AM EDT
Install Date: Fri 06 Feb 2015 09:05:53 AM EST Build Host: c6b8.bsys.dev.centos.org
Group : Development/Tools Source RPM: yum-utils-1.1.30-14.el6.src.rpm
Size : 308503 License: GPLv2+
Signature : RSA/SHA1, Sun 24 Jun 2012 06:19:08 PM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://yum.baseurl.org/download/yum-utils/>
Summary : Utilities based around the yum package manager
Description :
yum-utils is a collection of utilities and examples for the yum package manager. It includes utilities by different authors that make yum easier and more powerful to use. These tools include: debuginfo-install, find-repos-of-install, needs-restarting, package-cleanup, repoclosure, repodiff, repo-graph, repomanage, repoquery, repo-rss, reposync, repotrack, show-installed, show-changed-rco, verifytree, yumdownloader, yum-builddep, yum-complete-transaction, yum-config-manager, yum-debug-dump, yum-debug-restore and yum-groups-manager.

Name : ibus-pinyin Relocations: (not relocatable)
Version : 1.3.8 Vendor: CentOS
Release : 1.el6 Build Date: Thu 11 Nov 2010 12:03:38 PM EST
Install Date: Fri 06 Feb 2015 09:05:54 AM EST Build Host: c5b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ibus-pinyin-1.3.8-1.el6.src.rpm
Size : 4775050 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:24:01 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/ibus>
Summary : The Chinese Pinyin and Bopomofo engines for IBus input platform
Description :
The Chinese Pinyin and Bopomofo input methods for IBus platform.

Name : ibus-rawcode Relocations: (not relocatable)
Version : 1.3.0.20100421 Vendor: CentOS

Release : 2.el6 Build Date: Thu 11 Nov 2010
02:29:33 PM EST
Install Date: Fri 06 Feb 2015 09:05:55 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ibus-rawcode-
1.3.0.20100421-2.el6.src.rpm
Size : 36344 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:24:07 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/ibus-rawcode/>
Summary : The Rawcode engine for IBus input platform
Description :
The Rawcode engine for IBus platform.

Name : blktrace Relocations: (not relocatable)
Version : 1.0.1 Vendor: CentOS
Release : 6.el6 Build Date: Wed 07 Dec 2011
03:27:41 PM EST
Install Date: Fri 06 Feb 2015 09:05:57 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/System Source RPM: blktrace-1.0.1-
6.el6.src.rpm
Size : 1041979 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 02:46:38 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://brick.kernel.dk/snaps>
Summary : Utilities for performing block layer IO tracing in the
linux kernel
Description :
blktrace is a block layer IO tracing mechanism which provides detailed
information about request queue operations to user space. This package
includes both blktrace, a utility which gathers event traces from the
kernel;
and blkparse, a utility which formats trace data collected by blktrace.

You should install the blktrace package if you need to gather detailed
information about IO patterns.

Name : libXmu Relocations: (not relocatable)
Version : 1.0.5 Vendor: CentOS
Release : 1.el6 Build Date: Mon 16 Aug 2010
05:56:09 PM EDT
Install Date: Wed 25 Feb 2015 04:31:30 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXmu-1.0.5-
1.el6.src.rpm
Size : 125502 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:27:44 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXmu/libXmuu runtime libraries

Description :
X.Org X11 libXmu/libXmu runtime libraries

Name : xdg-user-dirs-gtk Relocations: (not relocatable)
Version : 0.8 Vendor: CentOS
Release : 7.el6 Build Date: Tue 24 Aug 2010
04:24:01 PM EDT
Install Date: Fri 06 Feb 2015 09:05:57 AM EST Build Host:
c6b2.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: xdg-user-dirs-
gtk-0.8-7.el6.src.rpm
Size : 137561 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:05:37 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://freedesktop.org/wiki/Software/xdg-user-dirs>
Summary : Gnome integration of special directories
Description :
Contains some integration of xdg-user-dirs with the gnome
desktop, including creating default bookmarks and detecting
locale changes.

Name : gtk2-imodule-xim Relocations: (not relocatable)
Version : 2.18.9 Vendor: CentOS
Release : 12.el6 Build Date: Thu 21 Feb 2013
11:43:14 PM EST
Install Date: Fri 06 Feb 2015 09:05:57 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: gtk2-2.18.9-
12.el6.src.rpm
Size : 30416 License: LGPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:30 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gtk.org>
Summary : XIM support for GTK+
Description :
The gtk2-imodule-xim package contains XIM support for GTK+.

Name : java-1.6.0-openjdk-devel Relocations: (not relocatable)
Version : 1.6.0.0 Vendor: CentOS
Release : 1.50.1.11.5.el6_3 Build Date: Wed 17 Oct 2012
01:21:14 PM EDT
Install Date: Fri 06 Feb 2015 09:06:01 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : Development/Tools Source RPM: java-1.6.0-
openjdk-1.6.0.0-1.50.1.11.5.el6_3.src.rpm
Size : 35109079 License: ASL 1.1, ASL 2.0,
GPL+, GPLv2, GPLv2 with exceptions, LGPL+, LGPLv2, MPLv1.0, MPLv1.1,
Public Domain, W3C
Signature : RSA/SHA1, Wed 17 Oct 2012 03:00:08 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://icedtea.classpath.org/>

Summary : OpenJDK Development Environment
Description :
The OpenJDK development tools.

Name : bind-utils Relocations: (not relocatable)
Version : 9.8.2 Vendor: CentOS
Release : 0.17.rc1.el6 Build Date: Thu 21 Feb 2013
10:10:36 PM EST
Install Date: Fri 06 Feb 2015 09:06:02 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : Applications/System Source RPM: bind-9.8.2-
0.17.rc1.el6.src.rpm
Size : 448479 License: ISC
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:15 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.isc.org/products/BIND/>
Summary : Utilities for querying DNS name servers
Description :
Bind-utils contains a collection of utilities for querying DNS (Domain

Name System) name servers to find out information about Internet
hosts. These tools will provide you with the IP addresses for given
host names, as well as other information about registered domains and
network addresses.

You should install bind-utils if you need to get information from DNS
name
servers.

Name : usbutils Relocations: (not relocatable)
Version : 003 Vendor: CentOS
Release : 4.el6 Build Date: Wed 07 Dec 2011
03:45:22 PM EST
Install Date: Fri 06 Feb 2015 09:06:03 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Applications/System Source RPM: usbutils-003-
4.el6.src.rpm
Size : 179745 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 04:26:44 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.linux-usb.org/>
Summary : Linux USB utilities
Description :
This package contains utilities for inspecting devices connected to a
USB bus.

Name : xorg-x11-fonts-misc Relocations: (not relocatable)
Version : 7.2 Vendor: CentOS
Release : 9.1.el6 Build Date: Thu 11 Nov 2010
09:24:29 AM EST
Install Date: Fri 06 Feb 2015 09:06:06 AM EST Build Host:
c6b4.bsys.dev.centos.org

Group : User Interface/X Source RPM: xorg-x11-fonts-7.2-9.1.el6.src.rpm
Size : 7134279 License: MIT and Lucida and Public Domain
Signature : RSA/8, Sun 03 Jul 2011 12:54:47 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : misc bitmap fonts for the X Window System
Description :
This package contains misc bitmap Chinese, Japanese, Korean, Indic, and Arabic fonts for use with X Window System.

Name : pam_passwdqc Relocations: (not relocatable)
Version : 1.0.5 Vendor: CentOS
Release : 6.el6 Build Date: Tue 24 Aug 2010 08:55:02 AM EDT
Install Date: Fri 06 Feb 2015 09:06:11 AM EST Build Host: c6b2.bsyz.dev.centos.org
Group : System Environment/Base Source RPM: pam_passwdqc-1.0.5-6.el6.src.rpm
Size : 64029 License: BSD and Copyright only
Signature : RSA/8, Sun 03 Jul 2011 12:53:48 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.openwall.com/passwdqc/>
Summary : Pluggable password quality-control module
Description :
pam_passwdqc is a simple password strength checking module for PAM-aware password changing programs, such as passwd(1). In addition to checking regular passwords, it offers support for passphrases and can provide randomly generated passwords. All features are optional and can be (re-)configured without rebuilding.

Name : tcsh Relocations: (not relocatable)
Version : 6.17 Vendor: CentOS
Release : 24.el6 Build Date: Thu 21 Feb 2013 11:19:26 PM EST
Install Date: Fri 06 Feb 2015 09:06:12 AM EST Build Host: c6b9.bsyz.dev.centos.org
Group : System Environment/Shells Source RPM: tcsh-6.17-24.el6.src.rpm
Size : 1196177 License: BSD
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:34 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.tcsh.org/>
Summary : An enhanced version of csh, the C shell
Description :
Tcsh is an enhanced but completely compatible version of csh, the C shell. Tcsh is a command language interpreter which can be used both as an interactive login shell and as a shell script command processor.

Tcsh includes a command line editor, programmable word completion, spelling correction, a history mechanism, job control and a C language like syntax.

Name : perl-Bit-Vector Relocations: (not relocatable)
Version : 7.1 Vendor: CentOS
Release : 2.el6 Build Date: Fri 20 Aug 2010
07:50:37 PM EDT
Install Date: Fri 06 Feb 2015 09:06:12 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-Bit-Vector-
7.1-2.el6.src.rpm
Size : 514999 License: (GPLv2+ or
Artistic) and LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:54:34 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://search.cpan.org/dist/Bit-Vector/>
Summary : Efficient bit vector, set of integers and "big int" math
library
Description :
Bit::Vector is an efficient C library which allows you to handle bit
vectors, sets (of integers), "big integer arithmetic" and boolean
matrices, all of arbitrary sizes.

The library is efficient (in terms of algorithmical complexity) and
therefore fast (in terms of execution speed) for instance through the
widespread use of divide-and-conquer algorithms.

Name : valgrind Relocations: (not relocatable)
Version : 3.8.1 Vendor: CentOS
Release : 3.2.el6 Build Date: Thu 21 Feb 2013
08:15:16 PM EST
Install Date: Fri 06 Feb 2015 09:06:24 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : Development/Debuggers Source RPM: valgrind-3.8.1-
3.2.el6.src.rpm
Size : 181992782 License: GPLv2
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:55 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.valgrind.org/>
Summary : Tool for finding memory management bugs in programs
Description :
Valgrind is a tool to help you find memory-management problems in your
programs. When a program is run under Valgrind's supervision, all
reads and writes of memory are checked, and calls to
malloc/new/free/delete are intercepted. As a result, Valgrind can
detect a lot of problems that are otherwise very hard to
find/diagnose.

Name : xorg-x11-fonts-ISO8859-1-100dpi Relocations: (not
relocatable)
Version : 7.2 Vendor: CentOS

Release : 9.1.el6 Build Date: Thu 11 Nov 2010
09:24:29 AM EST
Install Date: Fri 06 Feb 2015 09:06:26 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : User Interface/X Source RPM: xorg-x11-fonts-
7.2-9.1.el6.src.rpm
Size : 1070826 License: MIT and Lucida
and Public Domain
Signature : RSA/8, Sun 03 Jul 2011 12:54:40 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : A set of 100dpi ISO-8859-1 fonts for X.
Description :
Contains a set of 100dpi fonts for ISO-8859-1.

Name : mlocate Relocations: (not relocatable)
Version : 0.22.2 Vendor: CentOS
Release : 4.el6 Build Date: Wed 10 Oct 2012
05:06:25 AM EDT
Install Date: Fri 06 Feb 2015 09:06:27 AM EST Build Host:
c6b10.bsys.dev.centos.org
Group : Applications/System Source RPM: mlocate-0.22.2-
4.el6.src.rpm
Size : 285873 License: GPLv2
Signature : RSA/SHA1, Wed 10 Oct 2012 07:56:46 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/mlocate/>
Summary : An utility for finding files by name
Description :
mlocate is a locate/updatedb implementation. It keeps a database of
all existing files and allows you to lookup files by name.

The 'm' stands for "merging": updatedb reuses the existing database to
avoid
rereading most of the file system, which makes updatedb faster and does
not
trash the system caches as much as traditional locate implementations.

Name : ftp Relocations: (not relocatable)
Version : 0.17 Vendor: CentOS
Release : 53.el6 Build Date: Fri 09 Nov 2012
07:46:44 AM EST
Install Date: Fri 06 Feb 2015 09:06:28 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : Applications/Internet Source RPM: ftp-0.17-
53.el6.src.rpm
Size : 97005 License: BSD with
advertising
Signature : RSA/SHA1, Fri 09 Nov 2012 10:37:40 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.uk.linux.org/pub/linux/Networking/netkit>

Summary : The standard UNIX FTP (File Transfer Protocol) client
Description :
The ftp package provides the standard UNIX command-line FTP (File Transfer Protocol) client. FTP is a widely used protocol for transferring files over the Internet and for archiving files.

If your system is on a network, you should install ftp in order to do file transfers.

Name : ml7n-contrib-marathi Relocations: (not relocatable)
Version : 1.1.10 Vendor: CentOS
Release : 4.el6_1.1 Build Date: Fri 23 Sep 2011
06:12:49 AM EDT
Install Date: Fri 06 Feb 2015 09:06:28 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ml7n-contrib-
1.1.10-4.el6_1.1.src.rpm
Size : 14253 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:38 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.ml7n.org/ml7n-lib/index.html>
Summary : Contributed input maps for Marathi
Description :
This package provides contributed multilingualization (ml7n) input maps for Marathi.

Name : nano Relocations: (not relocatable)
Version : 2.0.9 Vendor: CentOS
Release : 7.el6 Build Date: Fri 12 Nov 2010
02:18:36 AM EST
Install Date: Fri 06 Feb 2015 09:06:28 AM EST Build Host:
c5b2.bsys.dev.centos.org
Group : Applications/Editors Source RPM: nano-2.0.9-
7.el6.src.rpm
Size : 1588347 License: GPLv3+
Signature : RSA/8, Sun 03 Jul 2011 12:46:50 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.nano-editor.org>
Summary : A small text editor
Description :
GNU nano is a small and friendly text editor.

Name : jomolhari-fonts Relocations: (not relocatable)
Version : 0.003 Vendor: CentOS
Release : 8.1.el6 Build Date: Thu 19 Aug 2010
05:28:48 AM EDT
Install Date: Fri 06 Feb 2015 09:06:29 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : User Interface/X Source RPM: jomolhari-fonts-
0.003-8.1.el6.src.rpm
Size : 2293163 License: OFL

Signature : RSA/8, Sun 03 Jul 2011 12:17:29 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://chris.fynn.googlepages.com/jomolhari>
Summary : Jomolhari a Bhutanese style font for Tibetan and Dzongkha
Description :
Jomolhari is an TrueType OpenType Bhutanese style font for Dzongkha and
Tibetan text. It is based on Bhutanese manuscript examples, supports the
Unicode and the Chinese encoding for Tibetan.
The font supports the standard combinations used in most texts.

Name : lohit-bengali-fonts Relocations: (not relocatable)
Version : 2.4.3 Vendor: CentOS
Release : 6.el6 Build Date: Fri 23 Sep 2011
09:15:08 AM EDT
Install Date: Fri 06 Feb 2015 09:06:40 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : User Interface/X Source RPM: lohit-bengali-
fonts-2.4.3-6.el6.src.rpm
Size : 170948 License: GPLv2
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:25 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/lohit/>
Summary : Free Bengali font
Description :
This package provides a free Bengali truetype/opentype font.

Name : thai-scalable-waree-fonts Relocations: (not relocatable)
Version : 0.4.12 Vendor: CentOS
Release : 2.1.el6 Build Date: Thu 11 Nov 2010
09:33:51 AM EST
Install Date: Fri 06 Feb 2015 09:06:49 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : User Interface/X Source RPM: thai-scalable-
fonts-0.4.12-2.1.el6.src.rpm
Size : 342320 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:50:48 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://linux.thai.net/projects/thaifonts-scalable>
Summary : Thai Waree fonts
Description :

thaifonts-scalable provides a collection of free scalable Thai fonts.

This package provides the Waree family of Thai fonts.

Name : paktype-tehreer-fonts Relocations: (not relocatable)
Version : 2.0 Vendor: CentOS
Release : 8.el6 Build Date: Tue 24 Aug 2010
08:33:49 PM EDT
Install Date: Fri 06 Feb 2015 09:06:57 AM EST Build Host:
c6b2.bsys.dev.centos.org

Group : User Interface/X Source RPM: paktype-fonts-2.0-8.el6.src.rpm
Size : 305011 License: GPLv2 with exceptions
Signature : RSA/8, Sun 03 Jul 2011 12:36:23 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://sourceforge.net/projects/paktype/>
Summary : Tehreer Fonts for Arabic from PakType
Description :
The paktype-tehreer-fonts package contains fonts for the display of\ Arabic from the PakType by Lateef Sagar.

Name : lohit-gujarati-fonts Relocations: (not relocatable)
Version : 2.4.4 Vendor: CentOS
Release : 4.el6 Build Date: Fri 23 Sep 2011 11:28:07 AM EDT
Install Date: Fri 06 Feb 2015 09:07:07 AM EST Build Host: c6b18n1.dev.centos.org
Group : User Interface/X Source RPM: lohit-gujarati-fonts-2.4.4-4.el6.src.rpm
Size : 109904 License: GPLv2 with exceptions
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:25 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/lohit/>
Summary : Free Gujarati font
Description :
This package provides a free Gujarati truetype/opentype font.

Name : dejavu-sans-fonts Relocations: (not relocatable)
Version : 2.30 Vendor: CentOS
Release : 2.el6 Build Date: Wed 10 Nov 2010 11:23:58 PM EST
Install Date: Fri 06 Feb 2015 09:07:16 AM EST Build Host: c6b4.bsyzs.dev.centos.org
Group : User Interface/X Source RPM: dejavu-fonts-2.30-2.el6.src.rpm
Size : 4636295 License: Bitstream Vera and Public Domain
Signature : RSA/8, Sun 03 Jul 2011 12:04:23 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://dejavu-fonts.org/>
Summary : Variable-width sans-serif font faces
Description :

The DejaVu font set is based on the "Bitstream Vera" fonts, release 1.10. Its purpose is to provide a wider range of characters, while maintaining the original style, using an open collaborative development process.

This package consists of the DejaVu sans-serif variable-width font faces, in their unabridged version.

Name : lohit-telugu-fonts Relocations: (not relocatable)
Version : 2.4.5 Vendor: CentOS
Release : 6.el6 Build Date: Wed 29 Aug 2012
02:01:19 AM EDT
Install Date: Fri 06 Feb 2015 09:07:25 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : User Interface/X Source RPM: lohit-telugu-
fonts-2.4.5-6.el6.src.rpm
Size : 206381 License: GPLv2 with
exceptions
Signature : RSA/SHA1, Wed 29 Aug 2012 08:05:58 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/lohit/>
Summary : Free Telugu font
Description :
This package provides a free Telugu truetype/opentype font.

Name : telnet Relocations: (not relocatable)
Version : 0.17 Vendor: CentOS
Release : 47.el6_3.1 Build Date: Wed 26 Sep 2012
04:39:23 AM EDT
Install Date: Fri 06 Feb 2015 09:07:32 AM EST Build Host:
c6b10.bsys.dev.centos.org
Group : Applications/Internet Source RPM: telnet-0.17-
47.el6_3.1.src.rpm
Size : 112016 License: BSD
Signature : RSA/SHA1, Wed 26 Sep 2012 09:16:04 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : The client program for the Telnet remote login protocol
Description :
Telnet is a popular protocol for logging into remote systems over the
Internet. The package provides a command line Telnet client

Name : setserial Relocations: (not relocatable)
Version : 2.17 Vendor: CentOS
Release : 25.el6 Build Date: Sun 22 Aug 2010
07:06:32 PM EDT
Install Date: Fri 06 Feb 2015 09:07:32 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/System Source RPM: setserial-2.17-
25.el6.src.rpm
Size : 31075 License: GPL+
Signature : RSA/8, Sun 03 Jul 2011 01:01:58 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://setserial.sourceforge.net/>
Summary : A utility for configuring serial ports
Description :

Setserial is a basic system utility for displaying or setting serial port information. Setserial can reveal and allow you to alter the I/O port and IRQ that a particular serial device is using, and more.

Name : bridge-utils Relocations: (not relocatable)
Version : 1.2 Vendor: CentOS
Release : 10.el6 Build Date: Thu 21 Feb 2013
04:43:02 PM EST
Install Date: Fri 06 Feb 2015 09:07:33 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Base Source RPM: bridge-utils-1.2-
10.el6.src.rpm
Size : 58535 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:20 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://bridge.sourceforge.net/>
Summary : Utilities for configuring the linux ethernet bridge
Description :
This package contains utilities for configuring the linux ethernet bridge. The linux ethernet bridge can be used for connecting multiple ethernet devices together. The connecting is fully transparent: hosts connected to one ethernet device see hosts connected to the other ethernet devices directly.

Install bridge-utils if you want to use the linux ethernet bridge.

Name : latrace Relocations: (not relocatable)
Version : 0.5.9 Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010
12:47:45 PM EST
Install Date: Fri 06 Feb 2015 09:07:33 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Development/Debuggers Source RPM: latrace-0.5.9-
2.el6.src.rpm
Size : 357434 License: GPLv3+
Signature : RSA/8, Sun 03 Jul 2011 12:31:20 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://people.redhat.com/jolsa/latrace>
Summary : LD_AUDIT feature frontend for glibc 2.4+
Description :
allows you to trace library calls and get their statistics in a manner similar to the strace utility (syscall tracing)

Name : man-pages Relocations: (not relocatable)
Version : 3.22 Vendor: CentOS
Release : 20.el6 Build Date: Thu 21 Feb 2013
07:32:58 PM EST
Install Date: Fri 06 Feb 2015 09:07:36 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Documentation Source RPM: man-pages-3.22-
20.el6.src.rpm

Size : 4559426 License: GPLv2+ and GPL+
and BSD and MIT and Copyright only and IEEE
Signature : RSA/SHA1, Sat 23 Feb 2013 12:54:21 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.kernel.org/pub/linux/docs/manpages/>
Summary : Man (manual) pages from the Linux Documentation Project
Description :
A large collection of man pages (documentation) from the Linux
Documentation Project (LDP).

Name : ql2100-firmware Relocations: (not relocatable)
Version : 1.19.38 Vendor: CentOS
Release : 3.1.el6 Build Date: Wed 18 Aug 2010
11:03:16 AM EDT
Install Date: Fri 06 Feb 2015 09:07:37 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: ql2100-firmware-
1.19.38-3.1.el6.src.rpm
Size : 78639 License: Redistributable,
no modification permitted
Signature : RSA/8, Sun 03 Jul 2011 12:43:59 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.qlogic.com/outgoing/linux/firmware/>
Summary : Firmware for qlogic 2100 devices
Description :
Firmware for qlogic 2100 devices.

Name : ql2500-firmware Relocations: (not relocatable)
Version : 5.08.00 Vendor: CentOS
Release : 1.el6 Build Date: Thu 21 Feb 2013
06:08:53 PM EST
Install Date: Fri 06 Feb 2015 09:07:37 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: ql2500-firmware-
5.08.00-1.el6.src.rpm
Size : 261907 License: Redistributable,
no modification permitted
Signature : RSA/SHA1, Sat 23 Feb 2013 12:53:48 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.qlogic.com/outgoing/linux/firmware/>
Summary : Firmware for qlogic 2500 devices
Description :
Firmware for qlogic 2500 devices.

Name : rt61pci-firmware Relocations: (not relocatable)
Version : 1.2 Vendor: CentOS
Release : 7.el6 Build Date: Fri 20 Aug 2010
09:38:30 PM EDT
Install Date: Fri 06 Feb 2015 09:07:38 AM EST Build Host:
c6b5.bsys.dev.centos.org

Group : System Environment/Kernel Source RPM: rt61pci-firmware-1.2-7.el6.src.rpm
Size : 26679 License: Redistributable,
no modification permitted
Signature : RSA/8, Sun 03 Jul 2011 12:45:49 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.ralinktech.com>
Summary : Firmware for Ralink® RT2561/RT2661 A/B/G network adaptors
Description :
This package contains the firmware required by the rt61pci driver for
Linux.
Usage of the firmware is subject to the terms and conditions contained
inside the provided LICENSE.ralink-firmware.txt file.
Please read it carefully.

Name : ipw2100-firmware Relocations: (not relocatable)
Version : 1.3 Vendor: CentOS
Release : 11.el6 Build Date: Fri 20 Aug 2010
10:01:16 PM EDT
Install Date: Fri 06 Feb 2015 09:07:38 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: ipw2100-firmware-1.3-11.el6.src.rpm
Size : 618666 License: Redistributable,
no modification permitted
Signature : RSA/8, Sun 03 Jul 2011 12:16:15 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://ipw2100.sourceforge.net/firmware.php>
Summary : Firmware for Intel® PRO/Wireless 2100 network adaptors
Description :
This package contains the firmware files required by the ipw2100 driver
for
Linux. Usage of the firmware is subject to the terms and conditions
contained
in /lib/firmware/LICENSE.ipw2100. Please read it carefully.

Name : nss-softokn-freebl Relocations: (not relocatable)
Version : 3.12.9 Vendor: CentOS
Release : 11.el6 Build Date: Wed 07 Dec 2011
07:24:02 PM EST
Install Date: Fri 06 Feb 2015 09:07:39 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Base Source RPM: nss-softokn-3.12.9-11.el6.src.rpm
Size : 301154 License: MPLv1.1 or GPLv2+
or LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:45:09 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mozilla.org/projects/security/pki/nss/>
Summary : Freebl library for the Network Security Services
Description :

NSS Softoken Cryptographic Module Freebl Library

Install the nss-softoken-freebl package if you need the freebl library.

```
Name           : libSM                      Relocations: (not relocatable)
Version        : 1.2.1                      Vendor: CentOS
Release       : 2.el6                       Build Date: Thu 21 Feb 2013
01:47:43 PM EST
Install Date: Fri 06 Feb 2015 09:07:41 AM EST      Build Host:
c6b7.bsys.dev.centos.org
Group          : System Environment/Libraries    Source RPM: libSM-1.2.1-
2.el6.src.rpm
Size           : 75712                       License: MIT
Signature      : RSA/SHA1, Sat 23 Feb 2013 12:55:07 PM EST, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.x.org
Summary        : X.Org X11 SM runtime library
Description    :
The X.Org X11 SM (Session Management) runtime library.
```

```
Name           : libXext                    Relocations: (not relocatable)
Version        : 1.3.1                      Vendor: CentOS
Release       : 2.el6                       Build Date: Thu 21 Feb 2013
02:27:48 PM EST
Install Date: Fri 06 Feb 2015 09:07:41 AM EST      Build Host:
c6b7.bsys.dev.centos.org
Group          : System Environment/Libraries    Source RPM: libXext-1.3.1-
2.el6.src.rpm
Size           : 83900                       License: MIT
Signature      : RSA/SHA1, Sat 23 Feb 2013 12:50:53 PM EST, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.x.org
Summary        : X.Org X11 libXext runtime library
Description    :
X.Org X11 libXext runtime library
```

```
Name           : libXt                      Relocations: (not relocatable)
Version        : 1.1.3                      Vendor: CentOS
Release       : 1.el6                       Build Date: Thu 21 Feb 2013
02:10:48 PM EST
Install Date: Fri 06 Feb 2015 09:07:42 AM EST      Build Host:
c6b9.bsys.dev.centos.org
Group          : System Environment/Libraries    Source RPM: libXt-1.1.3-
1.el6.src.rpm
Size           : 436503                      License: MIT
Signature      : RSA/SHA1, Sat 23 Feb 2013 12:52:23 PM EST, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.x.org
Summary        : X.Org X11 libXt runtime library
Description    :
```

X.Org X11 libXt runtime library

Name : perl-File-NFSLock Relocations: (not relocatable)
Version : 1.20 Vendor: Dag Apt
Repository, <http://dag.wieers.com/apt/>
Release : 1.el6.rf Build Date: Wed 10 Nov 2010
11:48:54 PM EST
Install Date: Fri 06 Feb 2015 09:09:14 AM EST Build Host:
lisse.hasselt.wieers.com
Group : Applications/CPAN Source RPM: perl-File-
NFSLock-1.20-1.el6.rf.src.rpm
Size : 38837 License: Artistic
Signature : DSA/SHA1, Thu 11 Nov 2010 01:29:16 AM EST, Key ID
a20e52146b8d79e6
Packager : Dag Wieers <dag@wieers.com>
URL : <http://search.cpan.org/dist/File-NFSLock/>
Summary : Perl module to do NFS (or not) locking
Description :
File-NFSLock is a Perl module to do NFS (or not) locking.

Name : perl-Net-Netmask Relocations: (not relocatable)
Version : 1.9015 Vendor: Fedora Project
Release : 8.el6 Build Date: Fri 15 Jul 2011
05:52:06 AM EDT
Install Date: Fri 06 Feb 2015 09:09:15 AM EST Build Host: x86-
07.phx2.fedoraproject.org
Group : Development/Libraries Source RPM: perl-Net-Netmask-
1.9015-8.el6.src.rpm
Size : 56682 License: Copyright only
Signature : RSA/8, Fri 15 Jul 2011 04:45:01 PM EDT, Key ID
3b49df2a0608b895
Packager : Fedora Project
URL : <http://search.cpan.org/dist/Net-Netmask/>
Summary : Perl module for manipulation and lookup of IP network
blocks
Description :
Net::Netmask parses and understands IPv4 CIDR blocks. It's built with
an object-oriented interface. Nearly all functions are methods that
operate on a Net::Netmask object.

Name : perl-XML-Simple Relocations: (not relocatable)
Version : 2.18 Vendor: CentOS
Release : 6.el6 Build Date: Fri 12 Nov 2010
08:29:42 AM EST
Install Date: Fri 06 Feb 2015 09:09:16 AM EST Build Host:
c6b4.bsyz.dev.centos.org
Group : Development/Libraries Source RPM: perl-XML-Simple-
2.18-6.el6.src.rpm
Size : 158675 License: GPL+ or Artistic
Signature : RSA/8, Sun 03 Jul 2011 12:39:44 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://search.cpan.org/dist/XML-Simple/>
Summary : Easy API to maintain XML in Perl

Description :

The XML::Simple module provides a simple API layer on top of an underlying XML parsing module (either XML::Parser or one of the SAX2 parser modules).

Name : perl-Template-Toolkit Relocations: (not relocatable)
Version : 2.22 Vendor: Dag Apt
Repository, <http://dag.wieers.com/apt/>
Release : 1.el6.rfx Build Date: Wed 17 Nov 2010
12:58:20 PM EST
Install Date: Fri 06 Feb 2015 09:09:17 AM EST Build Host:
lisse.hasselt.wieers.com
Group : Applications/CPAN Source RPM: perl-Template-
Toolkit-2.22-1.el6.rfx.src.rpm
Size : 1669991 License: Artistic/GPL
Signature : DSA/SHA1, Wed 17 Nov 2010 05:51:57 PM EST, Key ID
a20e52146b8d79e6
Packager : Dries Verachtert <dries@ulyssis.org>
URL : <http://search.cpan.org/dist/Template-Toolkit/>
Summary : Comprehensive template processing system
Description :
The Template Toolkit is a collection of modules which implement a fast, flexible, powerful and extensible template processing system. It was originally designed and remains primarily useful for generating dynamic web content, but it can be used equally well for processing any other kind of text based documents: HTML, XML, POD, PostScript, LaTeX, and so on.

Name : perl-Tk-HistEntry Relocations: (not relocatable)
Version : 0.43 Vendor: (none)
Release : 1 Build Date: Thu 15 Jul 2010
08:45:55 AM EDT
Install Date: Fri 06 Feb 2015 09:09:19 AM EST Build Host: lorax
Group : Applications/CPAN Source RPM: perl-Tk-
HistEntry-0.43-1.src.rpm
Size : 21447 License: Artistic/GPL
Signature : (none)
Packager : Jason Messmer <Jason.Messmer@xerox.com>
URL : <http://search.cpan.org/dist/Tk-HistEntry/>
Summary : Entry widget with history capability
Description :
Entry widget with history capability.

Name : perl-IO-Tty Relocations: (not relocatable)
Version : 1.08 Vendor: Dag Apt
Repository, <http://dag.wieers.com/apt/>
Release : 2.el6.rfx Build Date: Sat 30 Jul 2011
01:59:43 PM EDT
Install Date: Fri 06 Feb 2015 09:09:21 AM EST Build Host:
lisse.hasselt.wieers.com
Group : Applications/CPAN Source RPM: perl-IO-Tty-1.08-
2.el6.rfx.src.rpm
Size : 126309 License: Artistic

Signature : DSA/SHA1, Sat 30 Jul 2011 04:46:08 PM EDT, Key ID
a20e52146b8d79e6
Packager : Dries Verachtert <dries@ulyssis.org>
URL : <http://search.cpan.org/dist/IO-Tty/>
Summary : Interface to pseudo Tty
Description :
IO::Tty and IO::Pty provide an interface to pseudo ttys.

Name : fuse-ntfs-3g Relocations: (not relocatable)
Version : 2010.10.2 Vendor: Dag Apt
Repository, <http://dag.wieers.com/apt/>
Release : 1.el6.rf Build Date: Thu 11 Nov 2010
04:35:35 PM EST
Install Date: Fri 06 Feb 2015 09:09:41 AM EST Build Host:
lisse.hasselt.wieers.com
Group : System Environment/Kernel Source RPM: fuse-ntfs-3g-
2010.10.2-1.el6.rf.src.rpm
Size : 1655169 License: GPL
Signature : DSA/SHA1, Thu 11 Nov 2010 10:50:00 PM EST, Key ID
a20e52146b8d79e6
Packager : Dag Wieers <dag@wieers.com>
URL : <http://www.ntfs-3g.org/>
Summary : Linux NTFS userspace driver
Description :
The ntfs-3g driver is an open source, GPL licensed, third generation
Linux NTFS
driver. It provides full read-write access to NTFS, excluding access to
encrypted files, writing compressed files, changing file ownership,
access
right.

Technically it's based on and a major improvement to the third generation
Linux
NTFS driver, ntfsmount. The improvements include functionality, quality
and
performance enhancements.

ntfs-3g features are being merged to ntfsmount. In the meanwhile, ntfs-3g
is
currently the only free, as in either speech or beer, NTFS driver for
Linux
that supports unlimited file creation and deletion.

Name : XRXTTOOLS Relocations: (not relocatable)
Version : 1.0.0.19 Vendor: Xerox Corporation
Release : 1 Build Date: Mon 05 May 2014
02:36:54 PM EDT
Install Date: Fri 06 Feb 2015 09:10:40 AM EST Build Host: chicory
Group : Applications/Xerox Source RPM: XRXTTOOLS-
1.0.0.19-1.src.rpm
Size : 334992 License: Copyright 1996-
2010 Xerox Corporation
Signature : (none)
Packager : sdonnell

Summary : Xerox Print Engine Tools
Description :
Xerox Print Engine Tools for Development and Debugging

Name : nedit Relocations: (not relocatable)
Version : 5.5 Vendor: Fedora Project
<<http://bugzilla.redhat.com/bugzilla>>
Release : 16.el5 Build Date: Tue 22 Jan 2008
08:15:15 AM EST
Install Date: Fri 06 Feb 2015 09:11:20 AM EST Build Host:
xenbuilder2.fedora.redhat.com
Group : Applications/Editors Source RPM: nedit-5.5-
16.el5.src.rpm
Size : 1614890 License: GPLv2
Signature : DSA/SHA1, Wed 23 Jan 2008 06:47:32 PM EST, Key ID
119cc036217521f6
Packager : Fedora Project <<http://bugzilla.redhat.com/bugzilla>>
URL : <http://nedit.org>
Summary : A GUI text editor for systems with X
Description :
NEdit is a GUI text editor for the X Window System. NEdit is
very easy to use, especially if you are familiar with the
Macintosh(TM) or Microsoft(TM) Windows(TM) style of interface.

Name : xerces-c Relocations: (not relocatable)
Version : 3.1.1 Vendor: Xerox Corp.
Release : 2 Build Date: Fri 03 May 2013
11:03:01 AM EDT
Install Date: Fri 06 Feb 2015 09:19:38 AM EST Build Host:
oslabXE2.na.xerox.net
Group : Development/Libraries Source RPM: xerces-c-3.1.1-
2.src.rpm
Size : 16232544 License: Apache
Signature : (none)
Packager : Joel Lissade <joel.lissade@usa.xerox.com>
URL : <http://xml.apache.org/xerces-c/>
Summary : Validating XML Parser
Description :
Xerces-C is a validating XML parser written in a portable subset of
C++. Xerces-C makes it easy to give your application the ability to
read and write XML data. A shared library is provided for parsing,
generating, manipulating, and validating XML documents. Xerces-C is
faithful to the XML 1.0 recommendation and associated standards (DOM
1.0, DOM 2.0. SAX 1.0, SAX 2.0,
Namespaces).

Name : setup Relocations: (not relocatable)
Version : 2.8.14 Vendor: CentOS
Release : 20.el6 Build Date: Mon 15 Oct 2012
05:15:31 AM EDT
Install Date: Fri 06 Feb 2015 09:01:40 AM EST Build Host:
c6b7.bsyzs.dev.centos.org
Group : System Environment/Base Source RPM: setup-2.8.14-
20.el6.src.rpm

Size : 665890 License: Public Domain
Signature : RSA/SHA1, Mon 15 Oct 2012 12:30:05 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/setup/>
Summary : A set of system configuration and setup files
Description :
The setup package contains a set of important system configuration and
setup files, such as passwd, group, and profile.

Name : evince Relocations: (not relocatable)
Version : 2.28.2 Vendor: CentOS
Release : 14.el6_0.1 Build Date: Sat 25 Jun 2011
12:18:36 AM EDT
Install Date: Fri 06 Feb 2015 09:05:41 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/Publishing Source RPM: evince-2.28.2-
14.el6_0.1.src.rpm
Size : 3766126 License: GPLv2+ and GFDL
Signature : RSA/8, Tue 05 Jul 2011 09:38:06 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://projects.gnome.org/evince/>
Summary : Document viewer
Description :
Evince is simple multi-page document viewer. It can display and print
Portable Document Format (PDF), PostScript (PS) and Encapsulated
PostScript
(EPS) files. When supported by the document format, evince allows
searching
for text, copying text to the clipboard, hypertext navigation,
table-of-contents bookmarks and editing of forms.

Support for other document formats such as DVI can be added by installing
additional backends.

Name : ModemManager Relocations: (not relocatable)
Version : 0.4.0 Vendor: CentOS
Release : 3.git20100628.el6 Build Date: Wed 10 Nov 2010
06:38:04 PM EST
Install Date: Fri 06 Feb 2015 09:02:28 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Base Source RPM: ModemManager-
0.4.0-3.git20100628.el6.src.rpm
Size : 603939 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:45:39 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/projects/NetworkManager/>
Summary : Mobile broadband modem management service
Description :
The ModemManager service provides a consistent API to operate many
different
modems, including mobile broadband (3G) devices.

Name : pygobject2 Relocations: (not relocatable)
Version : 2.20.0 Vendor: CentOS
Release : 5.el6 Build Date: Thu 11 Nov 2010
03:41:10 PM EST
Install Date: Fri 06 Feb 2015 09:04:07 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Languages Source RPM: pygobject2-
2.20.0-5.el6.src.rpm
Size : 676356 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:58:11 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.pygtk.org/>
Summary : Python bindings for GObject
Description :
The pygobject2 package provides a convenient wrapper for the GObject
library
for use in Python programs.

Name : jakarta-commons-collections Relocations: (not relocatable)
Version : 3.2.1 Vendor: CentOS
Release : 3.4.el6 Build Date: Sun 22 Aug 2010
08:12:26 AM EDT
Install Date: Fri 06 Feb 2015 09:01:42 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries/Java Source RPM: jakarta-commons-
collections-3.2.1-3.4.el6.src.rpm
Size : 609360 License: ASL 2.0
Signature : RSA/8, Sun 03 Jul 2011 12:16:36 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://jakarta.apache.org/commons/collections/>
Summary : Provides new interfaces, implementations and utilities for
Java Collections
Description :
The introduction of the Collections API by Sun in JDK 1.2 has been a
boon to quick and effective Java programming. Ready access to powerful
data structures has accelerated development by reducing the need for
custom container classes around each core object. Most Java2 APIs are
significantly easier to use because of the Collections API.
However, there are certain holes left unfilled by Sun's
implementations, and the Jakarta-Commons Collections Component strives
to fulfill them. Among the features of this package are:
- special-purpose implementations of Lists and Maps for fast access
- adapter classes from Javal-style containers (arrays, enumerations) to
Java2-style collections.
- methods to test or create typical set-theory properties of collections
such as union, intersection, and closure.

Name : openssh-server Relocations: (not relocatable)
Version : 5.3p1 Vendor: CentOS
Release : 84.1.el6 Build Date: Thu 21 Feb 2013
10:51:49 PM EST

Install Date: Fri 06 Feb 2015 09:05:46 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: openssh-5.3p1-
84.1.el6.src.rpm
Size : 667631 License: BSD
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:05 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.openssh.com/portable.html>
Summary : An open source SSH server daemon
Description :
OpenSSH is a free version of SSH (Secure SHell), a program for logging
into and executing commands on a remote machine. This package contains
the secure shell daemon (sshd). The sshd daemon allows SSH clients to
securely connect to your SSH server.

Name : patch Relocations: (not relocatable)
Version : 2.6 Vendor: CentOS
Release : 6.el6 Build Date: Fri 12 Nov 2010
02:57:36 AM EST
Install Date: Fri 06 Feb 2015 09:02:30 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Development/Tools Source RPM: patch-2.6-
6.el6.src.rpm
Size : 175662 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:54:08 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/patch/patch.html>
Summary : Utility for modifying/upgrading files
Description :
The patch program applies diff files to originals. The diff command
is used to compare an original to a changed file. Diff lists the
changes made to the file. A person who has the original file can then
use the patch command with the diff file to add the changes to their
original file (patching the file).

Patch should be installed because it is a common way of upgrading
applications.

Name : gnome-python2-desktop Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 4.el6 Build Date: Thu 11 Nov 2010
07:11:34 AM EST
Install Date: Fri 06 Feb 2015 09:04:08 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Languages Source RPM: gnome-python2-
desktop-2.28.0-4.el6.src.rpm
Size : 330508 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:18:30 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : The sources for additional PyGNOME Python extension modules
Description :

The gnome-python-desktop package contains the source packages for additional Python bindings for GNOME. It should be used together with gnome-python.

Name : tzdata-java Relocations: (not relocatable)
Version : 2012j Vendor: CentOS
Release : 1.el6 Build Date: Wed 23 Jan 2013
06:36:31 AM EST
Install Date: Fri 06 Feb 2015 09:01:43 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Base Source RPM: tzdata-2012j-
1.el6.src.rpm
Size : 278069 License: Public Domain
Signature : RSA/SHA1, Wed 23 Jan 2013 06:52:56 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://www.iana.org/time-zones>
Summary : Timezone data for Java
Description :
This package contains timezone information for use by Java runtimes.

Name : b43-openfwf Relocations: (not relocatable)
Version : 5.2 Vendor: CentOS
Release : 4.el6 Build Date: Wed 10 Nov 2010
08:00:52 PM EST
Install Date: Fri 06 Feb 2015 09:05:47 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: b43-openfwf-5.2-
4.el6.src.rpm
Size : 31549 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:00:38 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.ing.unibs.it/openfwf/>
Summary : Open firmware for some Broadcom 43xx series WLAN chips
Description :
Open firmware for some Broadcom 43xx series WLAN chips.
Currently supported models are 4306, 4311(rev1), 4318 and 4320.

Name : m17n-db-assamese Relocations: (not relocatable)
Version : 1.5.5 Vendor: CentOS
Release : 1.1.el6 Build Date: Thu 19 Aug 2010
02:00:34 AM EDT
Install Date: Fri 06 Feb 2015 09:02:31 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-db-1.5.5-
1.1.el6.src.rpm
Size : 6079 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:29:00 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : m17n-db input maps for Assamese
Description :

This package contains ml7n-db input maps for Assamese.

Name : gnome-python2-libegg Relocations: (not relocatable)
Version : 2.25.3 Vendor: CentOS
Release : 20.el6 Build Date: Thu 11 Nov 2010
06:53:06 AM EST
Install Date: Fri 06 Feb 2015 09:04:09 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Development/Languages Source RPM: gnome-python2-
extras-2.25.3-20.el6.src.rpm
Size : 134978 License: GPLv2+ and
LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:18:35 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.pygtk.org/>
Summary : Python bindings for recent files and tray icons
Description :
This module contains a wrapper that allows the use of recent files and
tray
icons via Python.

Name : poppler-data Relocations: (not relocatable)
Version : 0.4.0 Vendor: CentOS
Release : 1.el6 Build Date: Sat 21 Aug 2010
09:02:58 AM EDT
Install Date: Fri 06 Feb 2015 09:01:45 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Development/Libraries Source RPM: poppler-data-
0.4.0-1.el6.src.rpm
Size : 11987205 License: BSD and GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:40:58 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://poppler.freedesktop.org/>
Summary : Encoding files
Description :
This package consists of encoding files for poppler. When installed,
the encoding files enables poppler to correctly render CJK and Cyrillic
properly.

Name : httpd Relocations: (not relocatable)
Version : 2.2.15 Vendor: CentOS
Release : 26.el6.centos Build Date: Fri 22 Feb 2013
06:21:03 AM EST
Install Date: Fri 06 Feb 2015 09:05:50 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: httpd-2.2.15-
26.el6.centos.src.rpm
Size : 3076415 License: ASL 2.0
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:08 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://httpd.apache.org/>

Summary : Apache HTTP Server
Description :
The Apache HTTP Server is a powerful, efficient, and extensible web server.

Name : m17n-db-hindi Relocations: (not relocatable)
Version : 1.5.5 Vendor: CentOS
Release : 1.1.el6 Build Date: Thu 19 Aug 2010
02:00:34 AM EDT
Install Date: Fri 06 Feb 2015 09:02:31 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-db-1.5.5-
1.1.el6.src.rpm
Size : 12908 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:29:11 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : m17n-db input maps for Hindi
Description :
This package contains m17n-db input maps for Hindi.

Name : notify-python Relocations: (not relocatable)
Version : 0.1.1 Vendor: CentOS
Release : 10.el6 Build Date: Sun 22 Aug 2010
05:04:04 PM EDT
Install Date: Fri 06 Feb 2015 09:04:09 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Languages Source RPM: notify-python-
0.1.1-10.el6.src.rpm
Size : 61829 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:47:39 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : Python bindings for libnotify
Description :
Python bindings for libnotify

Name : virt-what Relocations: (not relocatable)
Version : 1.11 Vendor: CentOS
Release : 1.2.el6 Build Date: Thu 21 Feb 2013
08:04:28 PM EST
Install Date: Fri 06 Feb 2015 09:05:52 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Applications/Emulators Source RPM: virt-what-1.11-
1.2.el6.src.rpm
Size : 37231 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:24 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://people.redhat.com/~rjones/virt-what/>
Summary : Detect if we are running in a virtual machine
Description :
virt-what is a shell script which can be used to detect if the program

is running in a virtual machine.

The program prints out a list of "facts" about the virtual machine, derived from heuristics. One fact is printed per line.

If nothing is printed and the script exits with code 0 (no error), then it can mean either that the program is running on bare-metal or the program is running inside a type of virtual machine which we don't know about or cannot detect.

Current types of virtualization detected:

- hyperv Microsoft Hyper-V
- kvm Linux Kernel Virtual Machine (KVM)
- openvz OpenVZ or Virtuozzo
- powervm_lx86 IBM PowerVM Lx86 Linux/x86 emulator
- qemu QEMU (unaccelerated)
- uml User-Mode Linux (UML)
- virtage Hitachi Virtualization Manager (HVM) Virtage LPAR
- virtualbox VirtualBox
- virtualpc Microsoft VirtualPC
- vmware VMware
- xen Xen
- xen-dom0 Xen dom0 (privileged domain)
- xen-domU Xen domU (paravirtualized guest domain)
- xen-hvm Xen guest fully virtualized (HVM)

Name : m17n-db-sinhala Relocations: (not relocatable)
Version : 1.5.5 Vendor: CentOS
Release : 1.1.el6 Build Date: Thu 19 Aug 2010
02:00:34 AM EDT
Install Date: Fri 06 Feb 2015 09:02:31 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-db-1.5.5-
1.1.el6.src.rpm
Size : 14255 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:29:21 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : m17n-db input maps for Sinhala
Description :
This package contains m17n-db input maps for Sinhala.

Name : yum-plugin-fastestmirror Relocations: (not relocatable)
Version : 1.1.30 Vendor: CentOS
Release : 14.el6 Build Date: Fri 22 Jun 2012
08:23:05 AM EDT
Install Date: Fri 06 Feb 2015 09:04:11 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Base Source RPM: yum-utils-1.1.30-
14.el6.src.rpm
Size : 53959 License: GPLv2+

Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:56 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://yum.baseurl.org/download/yum-utils/>
Summary : Yum plugin which chooses fastest repository from a
mirrorlist
Description :
This plugin sorts each repository's mirrorlist by connection speed
prior to downloading packages.

Name : info Relocations: (not relocatable)
Version : 4.13a Vendor: CentOS
Release : 8.el6 Build Date: Fri 20 Aug 2010
01:30:28 AM EDT
Install Date: Fri 06 Feb 2015 09:01:58 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Base Source RPM: texinfo-4.13a-
8.el6.src.rpm
Size : 329482 License: GPLv3+
Signature : RSA/8, Sun 03 Jul 2011 12:24:38 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/texinfo/>
Summary : A stand-alone TTY-based reader for GNU texinfo
documentation
Description :
The GNU project uses the texinfo file format for much of its
documentation. The info package provides a standalone TTY-based
browser program for viewing texinfo files.

Name : cas Relocations: (not relocatable)
Version : 0.15 Vendor: CentOS
Release : 1.el6.1 Build Date: Wed 10 Nov 2010
09:25:01 PM EST
Install Date: Fri 06 Feb 2015 09:05:53 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Development/Libraries Source RPM: cas-0.15-
1.el6.1.src.rpm
Size : 393817 License: GPLv3+
Signature : RSA/8, Sun 03 Jul 2011 12:01:57 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/cas>
Summary : Tool to analyze and configure core file environment
Description :
CAS provides a user the ability to configure an environment for core
analysis
quickly. All the hassles of matching kernel versions and machine
architecture
types to core dumps are automatically detected and processed.

Name : time Relocations: (not relocatable)
Version : 1.7 Vendor: CentOS

Release : 37.1.el6 Build Date: Wed 18 Aug 2010
05:41:03 PM EDT
Install Date: Fri 06 Feb 2015 09:02:32 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Applications/System Source RPM: time-1.7-
37.1.el6.src.rpm
Size : 39759 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:03:55 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/time/>
Summary : A GNU utility for monitoring a program's use of system
resources
Description :
The GNU time utility runs another program, collects information about
the resources used by that program while it is running, and displays
the results.

Name : gettext Relocations: (not relocatable)
Version : 0.17 Vendor: CentOS
Release : 16.el6 Build Date: Thu 11 Nov 2010
04:06:25 AM EST
Install Date: Fri 06 Feb 2015 09:04:12 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Tools Source RPM: gettext-0.17-
16.el6.src.rpm
Size : 6371313 License: GPLv3 and LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:16:26 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/gettext/>
Summary : GNU libraries and utilities for producing multi-lingual
messages
Description :
The GNU gettext package provides a set of tools and documentation for
producing multi-lingual messages in programs. Tools include a set of
conventions about how programs should be written to support message
catalogs, a directory and file naming organization for the message
catalogs, a runtime library which supports the retrieval of translated
messages, and stand-alone programs for handling the translatable and
the already translated strings. Gettext provides an easy to use
library and tools for creating, using, and modifying natural language
catalogs and is a powerful and simple method for internationalizing
programs.

Name : audit-libs Relocations: (not relocatable)
Version : 2.2 Vendor: CentOS
Release : 2.el6 Build Date: Fri 22 Jun 2012
05:43:24 AM EDT
Install Date: Fri 06 Feb 2015 09:01:59 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : Development/Libraries Source RPM: audit-2.2-
2.el6.src.rpm
Size : 173762 License: LGPLv2+

Signature : RSA/SHA1, Sun 24 Jun 2012 06:19:55 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://people.redhat.com/sgrubb/audit/>
Summary : Dynamic library for libaudit
Description :
The audit-libs package contains the dynamic libraries needed for
applications to use the audit framework.

Name : ibus-anthy Relocations: (not relocatable)
Version : 1.2.1 Vendor: CentOS
Release : 3.el6 Build Date: Fri 23 Sep 2011
12:07:33 PM EDT
Install Date: Fri 06 Feb 2015 09:05:55 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ibus-anthy-
1.2.1-3.el6.src.rpm
Size : 629626 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:19 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/ibus/>
Summary : The Anthy engine for IBus input platform
Description :
The Anthy engine for IBus platform. It provides Japanese input method
from
libanthy.

Name : libnih Relocations: (not relocatable)
Version : 1.0.1 Vendor: CentOS
Release : 7.el6 Build Date: Wed 07 Dec 2011
12:40:52 PM EST
Install Date: Fri 06 Feb 2015 09:02:34 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libnih-1.0.1-
7.el6.src.rpm
Size : 486830 License: GPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 03:21:23 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://launchpad.net/libnih>
Summary : Lightweight application development library
Description :
libnih is a small library for C application development containing
functions
that, despite its name, are not implemented elsewhere in the standard
library
set.

libnih is roughly equivalent to other C libraries such as glib, except
that its
focus is on a small size and intended for applications that sit very low
in the
software stack, especially outside of /usr.

Name : zlib-devel Relocations: (not relocatable)
Version : 1.2.3 Vendor: CentOS
Release : 29.el6 Build Date: Thu 21 Feb 2013
06:01:21 PM EST
Install Date: Wed 25 Feb 2015 04:31:29 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : Development/Libraries Source RPM: zlib-1.2.3-
29.el6.src.rpm
Size : 117494 License: zlib and Boost
Signature : RSA/SHA1, Sat 23 Feb 2013 12:53:47 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gzip.org/zlib/>
Summary : Header files and libraries for Zlib development
Description :
The zlib-devel package contains the header files and libraries needed
to develop programs that use the zlib compression and decompression
library.

Name : libreport-compat Relocations: (not relocatable)
Version : 2.0.9 Vendor: CentOS
Release : 15.el6.centos Build Date: Fri 22 Feb 2013
11:25:32 PM EST
Install Date: Fri 06 Feb 2015 09:04:13 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libreport-2.0.9-
15.el6.centos.src.rpm
Size : 7626 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:29 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : libreport's compat layer for obsoleted 'report' package
Description :
Provides 'report' command-line tool.

Name : tcp_wrappers-libs Relocations: (not relocatable)
Version : 7.6 Vendor: CentOS
Release : 57.el6 Build Date: Wed 07 Dec 2011
12:45:47 PM EST
Install Date: Fri 06 Feb 2015 09:02:00 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: tcp_wrappers-
7.6-57.el6.src.rpm
Size : 131475 License: BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 04:20:08 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.porcupine.org/pub/security/index.html>
Summary : Libraries for tcp_wrappers
Description :
tcp_wrappers-libs contains the libraries of the tcp_wrappers package.

Name : totem-mozplugin Relocations: (not relocatable)
Version : 2.28.6 Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010
09:26:49 PM EST
Install Date: Fri 06 Feb 2015 09:05:57 AM EST Build Host:
c5b2.bsys.dev.centos.org
Group : Applications/Internet Source RPM: totem-2.28.6-
2.el6.src.rpm
Size : 586776 License: GPLv2+ with
exceptions
Signature : RSA/8, Sun 03 Jul 2011 01:04:10 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://projects.gnome.org/totem/>
Summary : Mozilla plugin for Totem
Description :
Totem is simple movie player for the GNOME desktop.
The mozilla plugin for Totem allows it to be embedded into a web browser.

Name : less Relocations: (not relocatable)
Version : 436 Vendor: CentOS
Release : 10.el6 Build Date: Wed 07 Dec 2011
04:21:45 PM EST
Install Date: Fri 06 Feb 2015 09:02:38 AM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : Applications/Text Source RPM: less-436-
10.el6.src.rpm
Size : 200427 License: GPLv3+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:15:08 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.greenwoodsoftware.com/less/>
Summary : A text file browser similar to more, but better
Description :
The less utility is a text file browser that resembles more, but has
more capabilities. Less allows you to move backwards in the file as
well as forwards. Since less doesn't have to read the entire input file
before it starts, less starts up more quickly than text editors (for
example, vi).

You should install less because it is a basic utility for viewing text
files, and you'll use it frequently.

Name : abrt-addon-ccpp Relocations: (not relocatable)
Version : 2.0.8 Vendor: CentOS
Release : 15.el6.centos Build Date: Fri 22 Feb 2013
11:39:47 PM EST
Install Date: Fri 06 Feb 2015 09:04:16 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: abrt-2.0.8-
15.el6.centos.src.rpm
Size : 191151 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:19 PM EST, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : abrt's C/C++ addon
Description :
This package contains hook for C/C++ crashed programs and abrt's C/C++ analyzer plugin.

Name : glib2 Relocations: (not relocatable)
Version : 2.22.5 Vendor: CentOS
Release : 7.el6 Build Date: Fri 22 Jun 2012
02:17:20 AM EDT
Install Date: Fri 06 Feb 2015 09:02:01 AM EST Build Host:
c6b10.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: glib2-2.22.5-
7.el6.src.rpm
Size : 5190068 License: LGPLv2+
Signature : RSA/SHA1, Sun 24 Jun 2012 06:16:52 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gtk.org>
Summary : A library of handy utility functions
Description :
GLib is the low-level core library that forms the basis
for projects such as GTK+ and GNOME. It provides data structure
handling for C, portability wrappers, and interfaces for such runtime
functionality as an event loop, threads, dynamic loading, and an
object system.

This package provides version 2 of GLib.

Name : man-pages-overrides Relocations: (not relocatable)
Version : 6.4.1 Vendor: CentOS
Release : 1.el6 Build Date: Thu 21 Feb 2013
10:33:53 PM EST
Install Date: Fri 06 Feb 2015 09:06:01 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : Documentation Source RPM: man-pages-
overrides-6.4.1-1.el6.src.rpm
Size : 601390 License: GPLv2
Signature : RSA/SHA1, Sat 23 Feb 2013 12:50:36 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : Complementary and updated manual pages
Description :
A collection of manual ("man") pages to complement other packages or
update
those contained therein. Always have the latest version of this package
installed.

Name : cairo Relocations: (not relocatable)
Version : 1.8.8 Vendor: CentOS
Release : 3.1.el6 Build Date: Wed 10 Nov 2010
09:23:08 PM EST

Install Date: Fri 06 Feb 2015 09:02:43 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: cairo-1.8.8-
3.1.el6.src.rpm
Size : 797873 License: LGPLv2 or MPLv1.1
Signature : RSA/8, Sun 03 Jul 2011 12:06:29 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://cairographics.org>
Summary : A 2D graphics library
Description :
Cairo is a 2D graphics library designed to provide high-quality display
and print output. Currently supported output targets include the X Window
System, OpenGL (via glitz), in-memory image buffers, and image files
(PDF,
PostScript, and SVG).

Cairo is designed to produce consistent output on all output media while
taking advantage of display hardware acceleration when available (e.g.
through the X Render Extension or OpenGL).

Name : libreport-plugin-kerneloops Relocations: (not relocatable)
Version : 2.0.9 Vendor: CentOS
Release : 15.el6.centos Build Date: Fri 22 Feb 2013
11:25:32 PM EST
Install Date: Fri 06 Feb 2015 09:04:17 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libreport-2.0.9-
15.el6.centos.src.rpm
Size : 18427 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:55 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : libreport's kerneloops reporter plugin
Description :
This package contains plugin which sends kernel crash information to
specified
server, usually to kerneloops.org.

Name : readline Relocations: (not relocatable)
Version : 6.0 Vendor: CentOS
Release : 4.el6 Build Date: Fri 22 Jun 2012
02:54:32 AM EDT
Install Date: Fri 06 Feb 2015 09:02:02 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: readline-6.0-
4.el6.src.rpm
Size : 433957 License: GPLv3+
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:23 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://cnswww.cns.cwru.edu/php/chet/readline/rltop.html>
Summary : A library for editing typed command lines

Description :

The Readline library provides a set of functions that allow users to edit command lines. Both Emacs and vi editing modes are available. The Readline library includes additional functions for maintaining a list of previously-entered command lines for recalling or editing those lines, and for performing csh-like history expansion on previous commands.

Name : alsa-utils Relocations: (not relocatable)
Version : 1.0.22 Vendor: CentOS
Release : 5.el6 Build Date: Thu 21 Feb 2013
04:40:08 PM EST
Install Date: Fri 06 Feb 2015 09:06:03 AM EST Build Host:
c6b7.bsyzs.dev.centos.org
Group : Applications/Multimedia Source RPM: alsa-utils-
1.0.22-5.el6.src.rpm
Size : 3372617 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:51 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.alsa-project.org/>
Summary : Advanced Linux Sound Architecture (ALSA) utilities
Description :
This package contains command line utilities for the Advanced Linux Sound
Architecture (ALSA).

Name : qt Relocations: (not relocatable)
Version : 4.6.2 Vendor: CentOS
Release : 25.el6 Build Date: Fri 07 Sep 2012
12:33:27 PM EDT
Install Date: Fri 06 Feb 2015 09:02:49 AM EST Build Host:
c6b8.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: qt-4.6.2-
25.el6.src.rpm
Size : 15277280 License: (LGPLv2 with
exceptions or GPLv3 with exceptions) and ASL 2.0 and BSD and FLT and MIT
Signature : RSA/SHA1, Fri 07 Sep 2012 01:57:26 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.qtsoftware.com/>
Summary : Qt toolkit
Description :
Qt is a software toolkit for developing applications.

This package contains base tools, like string, xml, and network
handling.

Name : centos-release Relocations: (not relocatable)
Version : 6 Vendor: CentOS
Release : 4.el6.centos.10 Build Date: Mon 25 Feb 2013
03:57:43 AM EST
Install Date: Fri 06 Feb 2015 09:04:19 AM EST Build Host:
c6b8.bsyzs.dev.centos.org

Group : System Environment/Base Source RPM: centos-release-6-4.el6.centos.10.src.rpm
Size : 32670 License: GPLv2
Signature : RSA/SHA1, Fri 01 Mar 2013 09:01:26 AM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : CentOS release file
Description :
CentOS release files

Name : libtiff Relocations: (not relocatable)
Version : 3.9.4 Vendor: CentOS
Release : 9.el6_3 Build Date: Tue 18 Dec 2012 04:21:50 PM EST
Install Date: Fri 06 Feb 2015 09:02:03 AM EST Build Host: c6b9.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libtiff-3.9.4-9.el6_3.src.rpm
Size : 961971 License: libtiff
Signature : RSA/SHA1, Wed 19 Dec 2012 05:07:11 AM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.remotesensing.org/libtiff/>
Summary : Library of functions for manipulating TIFF format image files
Description :
The libtiff package contains a library of functions for manipulating TIFF (Tagged Image File Format) image format files. TIFF is a widely used file format for bitmapped images. TIFF files usually end in the .tif extension and they are often quite large.

The libtiff package should be installed if you need to manipulate TIFF format image files.

Name : ksh Relocations: (not relocatable)
Version : 20100621 Vendor: CentOS
Release : 19.el6 Build Date: Thu 21 Feb 2013 09:07:49 PM EST
Install Date: Fri 06 Feb 2015 09:06:11 AM EST Build Host: c6b8.bsys.dev.centos.org
Group : System Environment/Shells Source RPM: ksh-20100621-19.el6.src.rpm
Size : 1548708 License: CPL
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:30 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.kornshell.com/>
Summary : The Original ATT Korn Shell
Description :
KSH-93 is the most recent version of the KornShell by David Korn of AT&T Bell Laboratories.
KornShell is a shell programming language, which is upward compatible with "sh" (the Bourne Shell).

Name : pulseaudio-libs Relocations: (not relocatable)
Version : 0.9.21 Vendor: CentOS
Release : 14.el6_3 Build Date: Thu 12 Jul 2012
01:11:51 AM EDT
Install Date: Fri 06 Feb 2015 09:02:50 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: pulseaudio-
0.9.21-14.el6_3.src.rpm
Size : 2699924 License: LGPLv2+
Signature : RSA/SHA1, Thu 12 Jul 2012 07:53:15 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://pulseaudio.org/>
Summary : Libraries for PulseAudio clients
Description :
This package contains the runtime libraries for any application that
wishes
to interface with a PulseAudio sound server.

Name : libdrm Relocations: (not relocatable)
Version : 2.4.39 Vendor: CentOS
Release : 1.el6 Build Date: Thu 21 Feb 2013
04:02:20 PM EST
Install Date: Fri 06 Feb 2015 09:04:22 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libdrm-2.4.39-
1.el6.src.rpm
Size : 261675 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:13 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://dri.sourceforge.net>
Summary : Direct Rendering Manager runtime library
Description :
Direct Rendering Manager runtime library

Name : libXrandr Relocations: (not relocatable)
Version : 1.4.0 Vendor: CentOS
Release : 1.el6 Build Date: Fri 22 Feb 2013
02:03:10 PM EST
Install Date: Fri 06 Feb 2015 09:02:03 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXrandr-1.4.0-
1.el6.src.rpm
Size : 80967 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:54 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXrandr runtime library
Description :
X.Org X11 libXrandr runtime library

Name : perl-Archive-Tar Relocations: (not relocatable)

Version : 1.58 Vendor: CentOS
Release : 129.el6 Build Date: Thu 21 Feb 2013
10:04:33 PM EST
Install Date: Fri 06 Feb 2015 09:06:12 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
129.el6.src.rpm
Size : 115631 License: GPL+ or Artistic
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:34 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : A module for Perl manipulation of .tar files
Description :
Archive::Tar provides an object oriented mechanism for handling tar
files. It provides class methods for quick and easy files handling
while also allowing for the creation of tar file objects for custom
manipulation. If you have the IO::Zlib module installed, Archive::Tar
will also support compressed or gzipped tar files.

Name : sound-theme-freedesktop Relocations: (not relocatable)
Version : 0.7 Vendor: CentOS
Release : 3.el6 Build Date: Sun 22 Aug 2010
05:18:33 AM EDT
Install Date: Fri 06 Feb 2015 09:02:51 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: sound-theme-
freedesktop-0.7-3.el6.src.rpm
Size : 483308 License: GPLv2+ and
LGPLv2+ and CC-BY-SA and CC-BY
Signature : RSA/8, Sun 03 Jul 2011 12:48:07 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/wiki/Specifications/sound-theme-spec>
Summary : freedesktop.org sound theme
Description :
The default freedesktop.org sound theme following the XDG theming
specification. (<http://0pointer.de/public/sound-theme-spec.html>).

Name : usermode-gtk Relocations: (not relocatable)
Version : 1.102 Vendor: CentOS
Release : 3.el6 Build Date: Sun 22 Aug 2010
03:00:06 PM EDT
Install Date: Fri 06 Feb 2015 09:04:28 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/System Source RPM: usermode-1.102-
3.el6.src.rpm
Size : 208099 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:04:37 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/usermode/>
Summary : Graphical tools for certain user account management tasks

Description :

The usermode-gtk package contains several graphical tools for users: userinfo, usermount and userpasswd. Userinfo allows users to change their finger information. Usermount lets users mount, unmount, and format filesystems. Userpasswd allows users to change their passwords.

Install the usermode-gtk package if you would like to provide users with graphical tools for certain account management tasks.

Name : cyrus-sasl-lib Relocations: (not relocatable)
Version : 2.1.23 Vendor: CentOS
Release : 13.el6_3.1 Build Date: Tue 27 Nov 2012
06:49:36 AM EST
Install Date: Fri 06 Feb 2015 09:02:04 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: cyrus-sasl-
2.1.23-13.el6_3.1.src.rpm
Size : 357710 License: BSD
Signature : RSA/SHA1, Tue 27 Nov 2012 07:18:57 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://asg.web.cmu.edu/sasl/sasl-library.html>
Summary : Shared libraries needed by applications which use Cyrus
SASL

Description :

The cyrus-sasl-lib package contains shared libraries which are needed by applications which use the Cyrus SASL library.

Name : hunspell-en Relocations: (not relocatable)
Version : 0.20090216 Vendor: CentOS
Release : 7.1.el6 Build Date: Thu 19 Aug 2010
06:47:01 AM EDT
Install Date: Fri 06 Feb 2015 09:06:27 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Applications/Text Source RPM: hunspell-en-
0.20090216-7.1.el6.src.rpm
Size : 1652534 License: LGPLv2+ and BSD
Signature : RSA/8, Sun 03 Jul 2011 12:13:47 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://wordlist.sourceforge.net/>
Summary : English hunspell dictionaries
Description :
English (US, UK, etc.) hunspell dictionaries

Name : festival-lib Relocations: (not relocatable)
Version : 1.96 Vendor: CentOS
Release : 18.el6 Build Date: Thu 11 Nov 2010
02:43:14 AM EST
Install Date: Fri 06 Feb 2015 09:02:53 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: festival-1.96-
18.el6.src.rpm

Size : 1100862 License: MIT and GPL+ and
TCL
Signature : RSA/8, Sun 03 Jul 2011 12:14:10 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.cstr.ed.ac.uk/projects/festival/>
Summary : Library for the Festival speech synthesis system
Description :
The shared library used by the Festival text-to-speech and speech
synthesis
system.

Name : cups Relocations: (not relocatable)
Version : 1.4.2 Vendor: CentOS
Release : 48.el6_3.3 Build Date: Tue 20 Nov 2012
07:09:41 PM EST
Install Date: Fri 06 Feb 2015 09:04:29 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: cups-1.4.2-
48.el6_3.3.src.rpm
Size : 11213646 License: GPLv2
Signature : RSA/SHA1, Wed 21 Nov 2012 08:43:42 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.cups.org/>
Summary : Common Unix Printing System
Description :
The Common UNIX Printing System provides a portable printing layer for
UNIX® operating systems. It has been developed by Easy Software Products
to promote a standard printing solution for all UNIX vendors and users.
CUPS provides the System V and Berkeley command-line interfaces.

Name : libXmu Relocations: (not relocatable)
Version : 1.1.1 Vendor: CentOS
Release : 2.el6 Build Date: Thu 21 Feb 2013
02:15:34 PM EST
Install Date: Fri 06 Feb 2015 09:02:05 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXmu-1.1.1-
2.el6.src.rpm
Size : 157664 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:30 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXmu/libXmuu runtime libraries
Description :
X.Org X11 libXmu/libXmuu runtime libraries

Name : ltrace Relocations: (not relocatable)
Version : 0.5 Vendor: CentOS
Release : 23.45svn.el6 Build Date: Fri 22 Jun 2012
07:24:45 AM EDT

Install Date: Fri 06 Feb 2015 09:06:28 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Development/Debuggers Source RPM: ltrace-0.5-
23.45svn.el6.src.rpm
Size : 151765 License: GPLv2+
Signature : RSA/SHA1, Sun 24 Jun 2012 06:20:15 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://ltrace.alieth.debian.org/>
Summary : Tracks runtime library calls from dynamically linked
executables

Description :

Ltrace is a debugging program which runs a specified command until the command exits. While the command is executing, ltrace intercepts and records both the dynamic library calls called by the executed process and the signals received by the executed process. Ltrace can also intercept and print system calls executed by the process.

You should install ltrace if you need a sysadmin tool for tracking the execution of processes.

Name : wpa_supplicant Relocations: (not relocatable)
Version : 0.7.3 Vendor: CentOS
Release : 4.el6_3 Build Date: Mon 04 Feb 2013
07:50:58 AM EST

Install Date: Fri 06 Feb 2015 09:02:56 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Base Source RPM: wpa_supplicant-
0.7.3-4.el6_3.src.rpm
Size : 960335 License: BSD
Signature : RSA/SHA1, Mon 04 Feb 2013 08:06:40 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : http://w1.fi/wpa_supplicant/
Summary : WPA/WPA2/IEEE 802.1X Supplicant

Description :

wpa_supplicant is a WPA Supplicant for Linux, BSD and Windows with support for WPA and WPA2 (IEEE 802.11i / RSN). Supplicant is the IEEE 802.1X/WPA component that is used in the client stations. It implements key negotiation with a WPA Authenticator and it controls the roaming and IEEE 802.11 authentication/association of the wlan driver.

Name : metacity Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 23.el6 Build Date: Fri 22 Jun 2012
09:46:24 AM EDT
Install Date: Fri 06 Feb 2015 09:04:33 AM EST Build Host:
c6b10.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: metacity-2.28.0-
23.el6.src.rpm
Size : 7835698 License: GPLv2+

Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:01 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/metacity/>
Summary : Unobtrusive window manager
Description :
Metacity is a window manager that integrates nicely with the GNOME
desktop.
It strives to be quiet, small, stable, get on with its job, and stay out
of
your attention.

Name : file-libs Relocations: (not relocatable)
Version : 5.04 Vendor: CentOS
Release : 15.el6 Build Date: Thu 04 Oct 2012
10:51:20 AM EDT
Install Date: Fri 06 Feb 2015 09:02:05 AM EST Build Host:
c6b7.bsyz.dev.centos.org
Group : Applications/File Source RPM: file-5.04-
15.el6.src.rpm
Size : 2508853 License: BSD
Signature : RSA/SHA1, Thu 04 Oct 2012 12:14:32 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.darwinsys.com/file/>
Summary : Libraries for applications using libmagic
Description :

Libraries for applications using libmagic.

Name : attr Relocations: (not relocatable)
Version : 2.4.44 Vendor: CentOS
Release : 7.el6 Build Date: Fri 23 Sep 2011
02:54:00 PM EDT
Install Date: Fri 06 Feb 2015 09:06:29 AM EST Build Host:
c6b5.bsyz.dev.centos.org
Group : System Environment/Base Source RPM: attr-2.4.44-
7.el6.src.rpm
Size : 142313 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:16:12 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://acl.bestbits.at/>
Summary : Utilities for managing filesystem extended attributes
Description :
A set of tools for manipulating extended attributes on filesystem
objects, in particular getfattr(1) and setfattr(1).
An attr(1) command is also provided which is largely compatible
with the SGI IRIX tool of the same name.

Name : ghostscript Relocations: (not relocatable)
Version : 8.15.2 Vendor: CentOS
Release : 9.12.el5_5 Build Date: Thu 30 Sep 2010
07:07:38 PM EDT

Install Date: Fri 06 Feb 2015 09:03:04 AM EST Build Host:
builder10.centos.org
Group : Applications/Publishing Source RPM: ghostscript-
8.15.2-9.12.el5_5.src.rpm
Size : 19585060 License: GPL
Signature : DSA/SHA1, Wed 03 Nov 2010 02:03:54 PM EDT, Key ID
b36ebb982d22a9f4
URL : <http://www.cups.org/esp/>
Summary : A PostScript(TM) interpreter and renderer.
Description :
Ghostscript is a set of software that provides a PostScript(TM)
interpreter, a set of C procedures (the Ghostscript library, which
implements the graphics capabilities in the PostScript language) and
an interpreter for Portable Document Format (PDF) files. Ghostscript
translates PostScript code into many common, bitmapped formats, like
those understood by your printer or screen. Ghostscript is normally
used to display PostScript files and to print PostScript files to
non-PostScript printers.

If you need to display PostScript files or print them to
non-PostScript printers, you should install ghostscript. If you
install ghostscript, you also need to install the ghostscript-fonts
package.

Name : device-mapper-event Relocations: (not relocatable)
Version : 1.02.77 Vendor: CentOS
Release : 9.el6 Build Date: Fri 22 Feb 2013
01:21:40 AM EST
Install Date: Fri 06 Feb 2015 09:04:39 AM EST Build Host:
c6b8.bsyz.dev.centos.org
Group : System Environment/Base Source RPM: lvm2-2.02.98-
9.el6.src.rpm
Size : 33283 License: GPLv2
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:19 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sources.redhat.com/lvm2>
Summary : Device-mapper event daemon
Description :
This package contains the dmeventd daemon for monitoring the state
of device-mapper devices.

Name : cpio Relocations: (not relocatable)
Version : 2.10 Vendor: CentOS
Release : 11.el6_3 Build Date: Tue 30 Oct 2012
11:43:39 AM EDT
Install Date: Fri 06 Feb 2015 09:02:07 AM EST Build Host:
c6b7.bsyz.dev.centos.org
Group : Applications/Archiving Source RPM: cpio-2.10-
11.el6_3.src.rpm
Size : 650369 License: GPLv3+
Signature : RSA/SHA1, Tue 30 Oct 2012 01:07:29 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.gnu.org/software/cpio/>
Summary : A GNU archiving program
Description :
GNU cpio copies files into or out of a cpio or tar archive. Archives are files which contain a collection of other files plus information about them, such as their file name, owner, timestamps, and access permissions. The archive can be another file on the disk, a magnetic tape, or a pipe. GNU cpio supports the following archive formats: binary, old ASCII, new ASCII, crc, HPUX binary, HPUX old ASCII, old tar and POSIX.1 tar. By default, cpio creates binary format archives, so that they are compatible with older cpio programs. When it is extracting files from archives, cpio automatically recognizes which kind of archive it is reading and can read archives created on machines with a different byte-order.

Install cpio if you need a program to manage file archives.

Name : lklug-fonts Relocations: (not relocatable)
Version : 0.6 Vendor: CentOS
Release : 4.20090803cvs.el6 Build Date: Tue 24 Aug 2010 02:51:19 PM EDT
Install Date: Fri 06 Feb 2015 09:06:42 AM EST Build Host: c6b3.bsys.dev.centos.org
Group : User Interface/X Source RPM: lklug-fonts-0.6-4.20090803cvs.el6.src.rpm
Size : 327891 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:28:05 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sinhala.sourceforge.net/>
Summary : Fonts for Sinhala language
Description :
The lklug-fonts package contains fonts for the display of Sinhala. The original font for TeX/LaTeX is developed by Yannis Haralambous and are in GPL. OTF tables are added by Anuradha Ratnaweera and Harshani Devadithya.

Name : NetworkManager-glib Relocations: (not relocatable)
Version : 0.8.1 Vendor: CentOS
Release : 43.el6 Build Date: Fri 22 Feb 2013 01:32:10 AM EST
Install Date: Fri 06 Feb 2015 09:03:05 AM EST Build Host: c6b9.bsys.dev.centos.org
Group : Development/Libraries Source RPM: NetworkManager-0.8.1-43.el6.src.rpm
Size : 560512 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:47 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/projects/NetworkManager/>
Summary : Libraries for adding NetworkManager support to applications that use glib.

Description :

This package contains the libraries that make it easier to use some NetworkManager functionality from applications that use glib.

Name : nautilus Relocations: (not relocatable)
Version : 2.28.4 Vendor: CentOS
Release : 19.el6 Build Date: Fri 22 Jun 2012
04:07:58 AM EDT
Install Date: Fri 06 Feb 2015 09:04:42 AM EST Build Host:
c6b10.bsyz.dev.centos.org
Group : User Interface/Desktops Source RPM: nautilus-2.28.4-
19.el6.src.rpm
Size : 17623887 License: GPLv2+
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:31 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://projects.gnome.org/nautilus/>
Summary : File manager for GNOME
Description :
Nautilus is the file manager and graphical shell for the GNOME desktop
that makes it easy to manage your files and the rest of your system.
It allows to browse directories on local and remote filesystems, preview
files and launch applications associated with them.
It is also responsible for handling the icons on the GNOME desktop.

Name : plymouth-core-libs Relocations: (not relocatable)
Version : 0.8.3 Vendor: CentOS
Release : 27.el6.centos Build Date: Fri 22 Feb 2013
08:06:20 PM EST
Install Date: Fri 06 Feb 2015 09:02:08 AM EST Build Host:
c6b7.bsyz.dev.centos.org
Group : Development/Libraries Source RPM: plymouth-0.8.3-
27.el6.centos.src.rpm
Size : 177752 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:46 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://freedesktop.org/software/plymouth/releases>
Summary : Plymouth libraries
Description :
This package contains the libply and libply-splash-core libraries
used by Plymouth.

Name : liberation-mono-fonts Relocations: (not relocatable)
Version : 1.05.1.20090721 Vendor: CentOS
Release : 5.el6 Build Date: Tue 13 Mar 2012
06:37:49 PM EDT
Install Date: Fri 06 Feb 2015 09:06:59 AM EST Build Host:
c6b6.bsyz.dev.centos.org
Group : User Interface/X Source RPM: liberation-fonts-
1.05.1.20090721-5.el6.src.rpm
Size : 464440 License: Liberation

Signature : RSA/SHA1, Tue 13 Mar 2012 07:01:35 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/liberation-fonts/>
Summary : Monospace fonts to replace commonly used Microsoft Courier
New
Description :

The Liberation Fonts are intended to be replacements for the three most commonly used fonts on Microsoft systems: Times New Roman, Arial, and Courier New.

This is Monospace TrueType fonts that replaced commonly used Microsoft Courier \ New.

Name : rpm-libs Relocations: (not relocatable)
Version : 4.8.0 Vendor: CentOS
Release : 32.el6 Build Date: Thu 21 Feb 2013
09:13:55 PM EST
Install Date: Fri 06 Feb 2015 09:03:07 AM EST Build Host:
c6b8.bsyz.dev.centos.org
Group : Development/Libraries Source RPM: rpm-4.8.0-
32.el6.src.rpm
Size : 772856 License: GPLv2+ and
LGPLv2+ with exceptions
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:08 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.rpm.org/>
Summary : Libraries for manipulating RPM packages
Description :
This package contains the RPM shared libraries.

Name : xorg-x11-drv-void Relocations: (not relocatable)
Version : 1.4.0 Vendor: CentOS
Release : 3.el6 Build Date: Sat 23 Feb 2013
03:21:18 PM EST
Install Date: Fri 06 Feb 2015 09:04:43 AM EST Build Host:
c6b7.bsyz.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-void-1.4.0-3.el6.src.rpm
Size : 10830 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:16:39 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 void input driver
Description :
X.Org X11 void input driver.

Name : lua Relocations: (not relocatable)
Version : 5.1.4 Vendor: CentOS

Release : 4.1.el6 Build Date: Thu 19 Aug 2010
02:15:47 AM EDT
Install Date: Fri 06 Feb 2015 09:02:08 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Languages Source RPM: lua-5.1.4-
4.1.el6.src.rpm
Size : 617799 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:43:34 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.lua.org/>
Summary : Powerful light-weight programming language
Description :
Lua is a powerful light-weight programming language designed for
extending applications. Lua is also frequently used as a
general-purpose, stand-alone language. Lua is free software.
Lua combines simple procedural syntax with powerful data description
constructs based on associative arrays and extensible semantics. Lua
is dynamically typed, interpreted from bytecodes, and has automatic
memory management with garbage collection, making it ideal for
configuration, scripting, and rapid prototyping.

Name : un-core-dotum-fonts Relocations: (not relocatable)
Version : 1.0.2 Vendor: CentOS
Release : 0.15.080608.el6 Build Date: Thu 11 Nov 2010
10:53:56 AM EST
Install Date: Fri 06 Feb 2015 09:07:19 AM EST Build Host:
c5b2.bsys.dev.centos.org
Group : User Interface/X Source RPM: un-core-fonts-
1.0.2-0.15.080608.el6.src.rpm
Size : 7750439 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:51:45 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://kldp.net/projects/unfonts/>
Summary : Un Core fonts - UnDotum
Description :

The UN set of Korean TrueType fonts is derived from the HLaTeX Type1
fonts
made by Koaunghi Un in 1998. They were converted to TrueType with
FontForge(PfaEdit) by Won-kyu Park in 2003.
The Un Core set is composed of:

- UnBatang: serif
- UnDinaru: fantasy
- UnDotum: sans-serif
- UnGraphic: sans-serif style
- UnGungseo: cursive, brush-stroke
- UnPilgi: script

This package includes UnDotum, a sans-serif font.

Name : gpgme Relocations: (not relocatable)

Version : 1.1.8 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
07:58:38 AM EST
Install Date: Fri 06 Feb 2015 09:03:09 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Applications/System Source RPM: gpgme-1.1.8-
3.el6.src.rpm
Size : 729658 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:19:20 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : http://www.gnupg.org/related_software/gpgme/
Summary : GnuPG Made Easy - high level crypto API
Description :
GnuPG Made Easy (GPGME) is a library designed to make access to GnuPG
easier for applications. It provides a high-level crypto API for
encryption, decryption, signing, signature verification and key
management.

Name : gnome-session-xsession Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 18.el6 Build Date: Wed 07 Dec 2011
12:54:27 PM EST
Install Date: Fri 06 Feb 2015 09:04:47 AM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : User Interface/Desktop Source RPM: gnome-session-
2.28.0-18.el6.src.rpm
Size : 6041 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:05:34 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : gnome-session desktop file
Description :
Desktop file to add GNOME to display manager session menu.

Name : diffutils Relocations: (not relocatable)
Version : 2.8.1 Vendor: CentOS
Release : 28.el6 Build Date: Wed 10 Nov 2010
11:29:05 PM EST
Install Date: Fri 06 Feb 2015 09:02:10 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Applications/Text Source RPM: diffutils-2.8.1-
28.el6.src.rpm
Size : 588813 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:10:10 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/diffutils/diffutils.html>
Summary : A GNU collection of diff utilities
Description :
Diffutils includes four utilities: diff, cmp, diff3 and sdiff. Diff
compares two files and shows the differences, line by line. The cmp
command shows the offset and line numbers where two files differ, or

cmp can show the characters that differ between the two files. The diff3 command shows the differences between three files. Diff3 can be used when two people have made independent changes to a common original; diff3 can produce a merged file that contains both sets of changes and warnings about conflicts. The sdiff command can be used to merge two files interactively.

Install diffutils if you need to compare text files.

```
Name           : mtr                               Relocations: (not relocatable)
Version        : 0.75                               Vendor: CentOS
Release        : 5.el6                               Build Date: Mon 16 Aug 2010
05:38:10 PM EDT
Install Date: Fri 06 Feb 2015 09:07:32 AM EST       Build Host:
c6b1.bsys.dev.centos.org
Group          : Applications/Internet              Source RPM: mtr-0.75-
5.el6.src.rpm
Size           : 98413                               License: GPLv2+
Signature      : RSA/8, Sun 03 Jul 2011 12:46:00 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.BitWizard.nl/mtr
Summary        : A network diagnostic tool
Description    :
Mtr is a network diagnostic tool that combines ping and traceroute
into one program. Mtr provides two interfaces: an ncurses interface,
useful for using Mtr from a telnet session; and a GTK+ interface for X
(provided in the mtr-gtk package).
```

```
Name           : sgpio                               Relocations: (not relocatable)
Version        : 1.2.0.10                           Vendor: CentOS
Release        : 5.el6                               Build Date: Sun 22 Aug 2010
01:59:21 PM EDT
Install Date: Fri 06 Feb 2015 09:03:26 AM EST       Build Host:
c6b6.bsys.dev.centos.org
Group          : System Environment/Base              Source RPM: sgpio-1.2.0.10-
5.el6.src.rpm
Size           : 34278                               License: GPLv2+
Signature      : RSA/8, Sun 03 Jul 2011 01:02:01 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://sources.redhat.com/lvm2/wiki/DMRAID_Eventing
Summary        : SGPIO captive backplane tool
Description    :
Intel SGPIO enclosure management utility
```

```
Name           : xorg-x11-drv-tdfx                   Relocations: (not relocatable)
Version        : 1.4.5                               Vendor: CentOS
Release        : 2.el6                               Build Date: Sat 23 Feb 2013
03:13:40 PM EST
Install Date: Fri 06 Feb 2015 09:04:49 AM EST       Build Host:
c6b7.bsys.dev.centos.org
Group          : User Interface/X Hardware Support   Source RPM: xorg-x11-
drv-tdfx-1.4.5-2.el6.src.rpm
```

Size : 63787 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:16:19 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 tdfx video driver
Description :
X.Org X11 tdfx video driver.

Name : crash Relocations: (not relocatable)
Version : 6.1.0 Vendor: CentOS
Release : 1.el6 Build Date: Thu 21 Feb 2013
05:51:59 PM EST
Install Date: Fri 06 Feb 2015 09:02:12 AM EST Build Host:
c6b7.bsyz.dev.centos.org
Group : Development/Debuggers Source RPM: crash-6.1.0-
1.el6.src.rpm
Size : 6603926 License: GPLv3
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:30 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://people.redhat.com/anderson>
Summary : Kernel crash and live system analysis utility
Description :
The core analysis suite is a self-contained tool that can be used to
investigate either live systems, kernel core dumps created from the
netdump, diskdump and kdump packages from Red Hat Linux, the mcore kernel
patch
offered by Mission Critical Linux, or the LKCD kernel patch.

Name : eject Relocations: (not relocatable)
Version : 2.1.5 Vendor: CentOS
Release : 17.el6 Build Date: Thu 11 Nov 2010
01:32:26 AM EST
Install Date: Fri 06 Feb 2015 09:07:33 AM EST Build Host:
c6b5.bsyz.dev.centos.org
Group : System Environment/Base Source RPM: eject-2.1.5-
17.el6.src.rpm
Size : 137173 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:12:41 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.pobox.com/~tranter>
Summary : A program that ejects removable media using software
control
Description :
The eject program allows the user to eject removable media (typically
CD-ROMs, floppy disks or Iomega Jaz or Zip disks) using software
control. Eject can also control some multi-disk CD changers and even
some devices' auto-eject features.

Install eject if you'd like to eject removable media using software
control.

Name : libhangul Relocations: (not relocatable)
Version : 0.0.10 Vendor: CentOS
Release : 1.el6 Build Date: Tue 24 Aug 2010
09:08:43 PM EDT
Install Date: Fri 06 Feb 2015 09:03:27 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libhangul-
0.0.10-1.el6.src.rpm
Size : 6597276 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:35:21 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://kldp.net/projects/hangul/>
Summary : Hangul input library
Description :
libhangul provides common features for Hangul input method programs.

Name : xorg-x11-drv-r128 Relocations: (not relocatable)
Version : 6.9.1 Vendor: CentOS
Release : 1.el6 Build Date: Sat 23 Feb 2013
03:01:42 PM EST
Install Date: Fri 06 Feb 2015 09:04:50 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-r128-6.9.1-1.el6.src.rpm
Size : 115364 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:15:31 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 r128 video driver
Description :
X.Org X11 r128 video driver.

Name : libxkbfile Relocations: (not relocatable)
Version : 1.0.6 Vendor: CentOS
Release : 1.1.el6 Build Date: Mon 16 Aug 2010
06:01:23 PM EDT
Install Date: Fri 06 Feb 2015 09:02:13 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libxkbfile-
1.0.6-1.1.el6.src.rpm
Size : 164979 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:42:06 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libxkbfile runtime library
Description :
X.Org X11 libxkbfile runtime library

Name : words Relocations: (not relocatable)
Version : 3.0 Vendor: CentOS

Release : 17.el6 Build Date: Fri 20 Aug 2010
09:35:18 PM EDT
Install Date: Fri 06 Feb 2015 09:07:37 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: words-3.0-
17.el6.src.rpm
Size : 4959484 License: Public Domain
Signature : RSA/8, Sun 03 Jul 2011 12:53:00 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : http://en.wikipedia.org/wiki/Moby_Project
Summary : A dictionary of English words for the /usr/share/dict
directory
Description :
The words file is a dictionary of English words for the
/usr/share/dict directory. Some programs use this database of
words to check spelling. Password checkers use it to look for bad
passwords.

Name : libgcj Relocations: (not relocatable)
Version : 4.4.7 Vendor: CentOS
Release : 3.el6 Build Date: Thu 21 Feb 2013
12:16:26 PM EST
Install Date: Fri 06 Feb 2015 09:03:35 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: gcc-4.4.7-
3.el6.src.rpm
Size : 64997109 License: GPLv3+ and GPLv3+
with exceptions and GPLv2+ with exceptions
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:37 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gcc.gnu.org>
Summary : Java runtime library for gcc
Description :
The Java(tm) runtime library. You will need this package to run your Java
programs compiled using the Java compiler from GNU Compiler Collection
(gcj).

Name : xorg-x11-drv-mga Relocations: (not relocatable)
Version : 1.6.1 Vendor: CentOS
Release : 7.el6 Build Date: Sat 23 Feb 2013
02:49:40 PM EST
Install Date: Fri 06 Feb 2015 09:04:50 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-mga-1.6.1-7.el6.src.rpm
Size : 155388 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:14:50 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 mga video driver
Description :

X.Org X11 mga video driver.

Name : libwacom Relocations: (not relocatable)
Version : 0.5 Vendor: CentOS
Release : 4.el6 Build Date: Thu 21 Feb 2013
04:56:19 PM EST
Install Date: Fri 06 Feb 2015 09:02:14 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libwacom-0.5-
4.el6.src.rpm
Size : 46897 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:48 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://linuxwacom.sourceforge.net>
Summary : Tablet Information Client Library
Description :
libwacom is a library that provides information about Wacom tablets and
tools. This information can then be used by drivers or applications to
tweak
the UI or general settings to match the physical tablet.

Name : atmel-firmware Relocations: (not relocatable)
Version : 1.3 Vendor: CentOS
Release : 7.el6 Build Date: Wed 10 Nov 2010
07:28:12 PM EST
Install Date: Fri 06 Feb 2015 09:07:38 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: atmel-firmware-
1.3-7.el6.src.rpm
Size : 728154 License: Redistributable,
no modification permitted
Signature : RSA/8, Sun 03 Jul 2011 12:00:05 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://at76c503a.berlios.de/>
Summary : Firmware for Atmel at76c50x wireless network chips
Description :
The drivers for Atmel at76c50x wireless network chips in the Linux 2.6.x
kernel
but do not include the firmware.
This firmware needs to be loaded by the host on most cards using these
chips.

Name : unique Relocations: (not relocatable)
Version : 1.1.4 Vendor: CentOS
Release : 2.el6 Build Date: Tue 24 Aug 2010
04:11:15 PM EDT
Install Date: Fri 06 Feb 2015 09:03:37 AM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: unique-1.1.4-
2.el6.src.rpm
Size : 157328 License: LGPLv2+

Signature : RSA/8, Sun 03 Jul 2011 01:04:30 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/~ebassi/source/>
Summary : Single instance support for applications
Description :
Unique is a library for writing single instance applications, that is
applications that are run once and every further call to the same binary
either exits immediately or sends a command to the running instance.

Name : xorg-x11-drv-fbdev Relocations: (not relocatable)
Version : 0.4.3 Vendor: CentOS
Release : 2.el6 Build Date: Sat 23 Feb 2013
02:34:44 PM EST
Install Date: Fri 06 Feb 2015 09:04:50 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-fbdev-0.4.3-2.el6.src.rpm
Size : 22294 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:13:57 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 fbdev video driver
Description :
X.Org X11 fbdev video driver.

Name : exempi Relocations: (not relocatable)
Version : 2.1.0 Vendor: CentOS
Release : 5.el6 Build Date: Thu 11 Nov 2010
02:24:31 AM EST
Install Date: Fri 06 Feb 2015 09:02:15 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: exempi-2.1.0-
5.el6.src.rpm
Size : 988256 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:13:45 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://libopenraw.freedesktop.org/wiki/Exempi>
Summary : Library for easy parsing of XMP metadata
Description :
Exempi provides a library for easy parsing of XMP metadata. It is a port
of
Adobe XMP SDK to work on UNIX and to be build with GNU automake.
It includes XMPCore and XMPFiles.

Name : ql23xx-firmware Relocations: (not relocatable)
Version : 3.03.27 Vendor: CentOS
Release : 3.1.el6 Build Date: Wed 18 Aug 2010
10:59:16 AM EDT
Install Date: Fri 06 Feb 2015 09:07:39 AM EST Build Host:
c6b3.bsys.dev.centos.org

Group : System Environment/Kernel Source RPM: ql23xx-firmware-3.03.27-3.1.el6.src.rpm
Size : 262821 License: Redistributable,
no modification permitted
Signature : RSA/8, Sun 03 Jul 2011 12:44:00 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.qlogic.com/outgoing/linux/firmware/>
Summary : Firmware for qlogic 23xx devices
Description :
Firmware for qlogic 2300 and 2322 devices.

Name : classpathx-jaf Relocations: (not relocatable)
Version : 1.0 Vendor: CentOS
Release : 15.4.el6 Build Date: Wed 10 Nov 2010
09:40:45 PM EST
Install Date: Fri 06 Feb 2015 09:03:43 AM EST Build Host:
c6b4.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: classpathx-jaf-1.0-15.4.el6.src.rpm
Size : 245293 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:06:59 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/classpathx/>
Summary : GNU JavaBeans(tm) Activation Framework
Description :
JAF provides a means to type data and locate components suitable for performing various kinds of action on it. It extends the UNIX standard mime.types and mailcap mechanisms for Java.

Name : plymouth-utils Relocations: (not relocatable)
Version : 0.8.3 Vendor: CentOS
Release : 27.el6.centos Build Date: Fri 22 Feb 2013
08:06:20 PM EST
Install Date: Fri 06 Feb 2015 09:04:50 AM EST Build Host:
c6b7.bsyz.dev.centos.org
Group : Applications/System Source RPM: plymouth-0.8.3-27.el6.centos.src.rpm
Size : 15816 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:06 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://freedesktop.org/software/plymouth/releases>
Summary : Plymouth related utilities
Description :
This package contains utilities that integrate with Plymouth including a boot log viewing application.

Name : libXfont Relocations: (not relocatable)
Version : 1.4.5 Vendor: CentOS
Release : 2.el6 Build Date: Thu 21 Feb 2013
02:17:49 PM EST

Install Date: Fri 06 Feb 2015 09:02:16 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXfont-1.4.5-
2.el6.src.rpm
Size : 301603 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:30 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXfont runtime library
Description :
X.Org X11 libXfont runtime library

Name : libXau Relocations: (not relocatable)
Version : 1.0.6 Vendor: CentOS
Release : 4.el6 Build Date: Thu 21 Feb 2013
01:44:09 PM EST
Install Date: Fri 06 Feb 2015 09:07:41 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXau-1.0.6-
4.el6.src.rpm
Size : 37669 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:52:00 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Sample Authorization Protocol for X
Description :
This is a very simple mechanism for providing individual access to an X
Window
System display. It uses existing core protocol and library hooks for
specifying
authorization data in the connection setup block to restrict use of the
display
to only those clients that show that they know a server-specific key
called a "magic cookie".

Name : poppler-glib Relocations: (not relocatable)
Version : 0.12.4 Vendor: CentOS
Release : 3.el6_0.1 Build Date: Fri 24 Jun 2011
09:17:31 PM EDT
Install Date: Fri 06 Feb 2015 09:03:47 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: poppler-0.12.4-
3.el6_0.1.src.rpm
Size : 209832 License: GPLv2
Signature : RSA/8, Tue 05 Jul 2011 09:45:02 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://poppler.freedesktop.org/>
Summary : Glib wrapper for poppler
Description :
Glib wrapper for poppler.

Name : python-iwlib Relocations: (not relocatable)
Version : 0.1 Vendor: CentOS
Release : 1.2.el6 Build Date: Sat 21 Aug 2010
10:03:39 AM EDT
Install Date: Fri 06 Feb 2015 09:04:53 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: python-iwlib-
0.1-1.2.el6.src.rpm
Size : 27300 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:58:40 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://git.fedorahosted.org/git/python-iwlib.git>
Summary : Wireless settings python bindings
Description :
Python bindings for the iwlib kernel interface,
that provides functions to examine the wireless network devices
installed on the system.

Name : anthy Relocations: (not relocatable)
Version : 9100h Vendor: CentOS
Release : 10.1.el6 Build Date: Wed 10 Nov 2010
07:14:33 PM EST
Install Date: Fri 06 Feb 2015 09:02:19 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: anthy-9100h-
10.1.el6.src.rpm
Size : 25800356 License: LGPLv2+ and GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:02:12 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceforge.jp/projects/anthy/>
Summary : Japanese character set input library
Description :
Anthy provides the library to input Japanese on the applications, such as
X applications and emacs. and the user dictionaries and the users
information
which is used for the conversion, is stored into their own home
directory.
So Anthy is secure than other conversion server.

Name : perl-AppConfig Relocations: (not relocatable)
Version : 1.66 Vendor: CentOS
Release : 6.el6 Build Date: Fri 12 Nov 2010
08:11:34 AM EST
Install Date: Fri 06 Feb 2015 09:09:13 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-AppConfig-
1.66-6.el6.src.rpm
Size : 227866 License: GPL+ or Artistic
Signature : RSA/8, Sun 03 Jul 2011 12:36:56 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://search.cpan.org/dist/AppConfig/>

Summary : Perl module for reading configuration files
Description :
AppConfig has a powerful but easy to use module for parsing configuration files. It also has a simple and efficient module for parsing command line arguments. For fully-featured command line parsing, a module is provided for interfacing AppConfig to Johan Vromans' extensive Getopt::Long module. Johan will continue to develop the functionality of this package and its features will automatically become available through AppConfig.

Name : gnome-mag Relocations: (not relocatable)
Version : 0.15.9 Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010
06:07:04 AM EST
Install Date: Fri 06 Feb 2015 09:03:49 AM EST Build Host:
c6b5.bsyz.dev.centos.org
Group : Desktop/Accessibility Source RPM: gnome-mag-0.15.9-
2.el6.src.rpm
Size : 732600 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:18:08 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/>
Summary : Screen magnifier for GNOME
Description :
This package includes a screen magnifier, which allows you to zoom in on portions of the desktop. The magnifier is provided as a service for use by other applicaitons and assistive technologies.

Name : dhclient Relocations: (not relocatable)
Version : 4.1.1 Vendor: CentOS
Release : 34.P1.el6.centos Build Date: Fri 22 Feb 2013
06:18:54 AM EST
Install Date: Fri 06 Feb 2015 09:04:57 AM EST Build Host:
c6b8.bsyz.dev.centos.org
Group : System Environment/Base Source RPM: dhcp-4.1.1-
34.P1.el6.centos.src.rpm
Size : 625041 License: ISC
Signature : RSA/SHA1, Sat 23 Feb 2013 12:37:58 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://isc.org/products/DHCP/>
Summary : Provides the dhclient ISC DHCP client daemon and dhclient-script
Description :
DHCP (Dynamic Host Configuration Protocol) is a protocol which allows individual devices on an IP network to get their own network configuration information (IP address, subnetmask, broadcast address, etc.) from a DHCP server. The overall purpose of DHCP is to make it easier to administer a large network.

To use DHCP on your network, install a DHCP service (or relay agent), and on clients run a DHCP client daemon. The dhclient package provides the ISC DHCP client daemon.

Name : speex Relocations: (not relocatable)
Version : 1.2 Vendor: CentOS
Release : 0.12.rc1.1.el6 Build Date: Wed 18 Aug 2010
10:46:37 AM EDT
Install Date: Fri 06 Feb 2015 09:02:20 AM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: speex-1.2-
0.12.rc1.1.el6.src.rpm
Size : 186732 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 01:02:18 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.speex.org/>
Summary : A voice compression format (codec)
Description :
Speex is a patent-free compression format designed especially for
speech. It is specialized for voice communications at low bit-rates in
the 2-45 kbps range. Possible applications include Voice over IP
(VoIP), Internet audio streaming, audio books, and archiving of speech
data (e.g. voice mail).

Name : perl-Pod-POM Relocations: (not relocatable)
Version : 0.25 Vendor: CentOS
Release : 2.el6 Build Date: Fri 12 Nov 2010
08:22:38 AM EST
Install Date: Fri 06 Feb 2015 09:09:15 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-Pod-POM-
0.25-2.el6.src.rpm
Size : 155772 License: GPL+ or Artistic
Signature : RSA/8, Sun 03 Jul 2011 12:38:46 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://search.cpan.org/dist/Pod-POM/>
Summary : Object-oriented interface to Perl POD documents
Description :
This module implements a parser to convert Pod documents into a simple
object model form known hereafter as the Pod Object Model. The object
model is generated as a hierarchical tree of nodes, each of which
represents a different element of the original document. The tree can
be walked manually and the nodes examined, printed or otherwise
manipulated. In addition, Pod::POM supports and provides view objects
which can automatically traverse the tree, or section thereof, and
generate an output representation in one form or another.

Name : axis Relocations: (not relocatable)
Version : 1.2.1 Vendor: CentOS
Release : 7.2.el6 Build Date: Wed 10 Nov 2010
08:03:43 PM EST
Install Date: Fri 06 Feb 2015 09:03:52 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: axis-1.2.1-
7.2.el6.src.rpm

Size : 1695171 License: ASL 2.0
Signature : RSA/8, Sun 03 Jul 2011 12:00:37 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://ws.apache.org/axis/>
Summary : A SOAP implementation in Java
Description :
Apache AXIS is an implementation of the SOAP ("Simple Object Access
Protocol")
submission to W3C.

From the draft W3C specification:

SOAP is a lightweight protocol for exchange of information in a
decentralized,
distributed environment. It is an XML based protocol that consists of
three
parts: an envelope that defines a framework for describing what is in a
message
and how to process it, a set of encoding rules for expressing instances
of
application-defined datatypes, and a convention for representing remote
procedure calls and responses.

This project is a follow-on to the Apache SOAP project.

Name : ypbind Relocations: (not relocatable)
Version : 1.20.4 Vendor: CentOS
Release : 30.el6 Build Date: Thu 21 Feb 2013
06:23:19 PM EST
Install Date: Fri 06 Feb 2015 09:04:59 AM EST Build Host:
c6b7.bsyzs.dev.centos.org
Group : System Environment/Daemons Source RPM: ypbind-1.20.4-
30.el6.src.rpm
Size : 93545 License: GPLv2
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:57 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.linux-nis.org/nis/ypbind-mt/index.html>
Summary : The NIS daemon which binds NIS clients to an NIS domain
Description :
The Network Information Service (NIS) is a system that provides
network information (login names, passwords, home directories, group
information) to all of the machines on a network. NIS can allow users
to log in on any machine on the network, as long as the machine has
the NIS client programs running and the user's password is recorded in
the NIS passwd database. NIS was formerly known as Sun Yellow Pages
(YP).

This package provides the ypbind daemon. The ypbind daemon binds NIS
clients to an NIS domain. Ypbind must be running on any machines
running NIS client programs.

Install the ypbind package on any machines running NIS client programs

(included in the yp-tools package). If you need an NIS server, you also need to install the ypserv package to a machine on your network.

Name : perl-Pod-Simple Relocations: (not relocatable)
Version : 3.13 Vendor: CentOS
Release : 129.el6 Build Date: Thu 21 Feb 2013
10:04:33 PM EST
Install Date: Fri 06 Feb 2015 09:02:21 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
129.el6.src.rpm
Size : 476759 License: GPL+ or Artistic
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:08 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Framework for parsing POD documentation
Description :
Pod::Simple is a Perl library for parsing text in the Pod ("plain old
documentation") markup language that is typically used for writing
documentation for Perl and for Perl modules.

Name : perl-Tk Relocations: (not relocatable)
Version : 804.028 Vendor: ATrpms.net
Release : 11.el6 Build Date: Sat 22 Jan 2011
07:37:27 AM EST
Install Date: Fri 06 Feb 2015 09:09:18 AM EST Build Host:
flocki.atrpms.net
Group : Development/Libraries Source RPM: perl-Tk-804.028-
11.el6.src.rpm
Size : 6724064 License: GPL+ or Artistic
Signature : DSA/SHA1, Sat 22 Jan 2011 07:37:33 AM EST, Key ID
508ce5e666534c2b
Packager : ATrpms <<http://ATrpms.net/>>
URL : <http://search.cpan.org/dist/Tk/>
Summary : Perl Graphical User Interface ToolKit
Description :
This a re-port of a perl interface to Tk8.4.
C code is derived from Tcl/Tk8.4.5.
It also includes all the C code parts of Tix8.1.4 from SourceForge.
The perl code corresponding to Tix's Tcl code is not fully implemented.

Perl API is essentially the same as Tk800 series Tk800.025 but has not
been verified as compliant. There ARE differences see pod/804delta.pod.

Name : totem-pl-parser Relocations: (not relocatable)
Version : 2.28.3 Vendor: CentOS
Release : 1.el6 Build Date: Thu 11 Nov 2010
12:17:38 PM EST
Install Date: Fri 06 Feb 2015 09:03:55 AM EST Build Host:
c5b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: totem-pl-parser-
2.28.3-1.el6.src.rpm
Size : 790734 License: LGPLv2+

Signature : RSA/8, Sun 03 Jul 2011 01:04:11 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/projects/totem/>
Summary : Totem Playlist Parser library
Description :
A library to parse and save playlists, as used in music and movie
players.

Name : cronie Relocations: (not relocatable)
Version : 1.4.4 Vendor: CentOS
Release : 7.el6 Build Date: Tue 19 Jul 2011
12:55:56 AM EDT
Install Date: Fri 06 Feb 2015 09:05:01 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: cronie-1.4.4-
7.el6.src.rpm
Size : 169834 License: MIT and BSD and
ISC and GPLv2
Signature : RSA/SHA1, Mon 26 Sep 2011 12:17:22 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/cronie>
Summary : Cron daemon for executing programs at set times
Description :
Cronie contains the standard UNIX daemon crond that runs specified
programs at
scheduled times and related tools. It is a fork of the original vixie-
cron and
has security and configuration enhancements like the ability to use pam
and
SELinux.

Name : perl-URI Relocations: (not relocatable)
Version : 1.40 Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010
09:39:33 AM EST
Install Date: Fri 06 Feb 2015 09:02:25 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-URI-1.40-
2.el6.src.rpm
Size : 256097 License: GPL+ or Artistic
Signature : RSA/8, Sun 03 Jul 2011 12:39:35 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://search.cpan.org/dist/URI/>
Summary : A Perl module implementing URI parsing and manipulation
Description :
This module implements the URI class. Objects of this class represent
"Uniform Resource Identifier references" as specified in RFC 2396 (and
updated by RFC 2732).

Name : perl-Expect Relocations: (not relocatable)

Version : 1.21 Vendor: Dag Apt
Repository, <http://dag.wieers.com/apt/>
Release : 1.el6.rf Build Date: Wed 10 Nov 2010
11:46:57 PM EST
Install Date: Fri 06 Feb 2015 09:09:21 AM EST Build Host:
lisse.hasselt.wieers.com
Group : Applications/CPAN Source RPM: perl-Expect-1.21-
1.el6.rf.src.rpm
Size : 169206 License: Artistic/GPL
Signature : DSA/SHA1, Thu 11 Nov 2010 01:31:48 AM EST, Key ID
a20e52146b8d79e6
Packager : Dries Verachtert <dries@ulyssis.org>
URL : <http://search.cpan.org/dist/Expect/>
Summary : Expect for perl
Description :
This module contains a version of expect written in perl.

Name : libgnome Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 11.el6 Build Date: Thu 11 Nov 2010
08:04:22 PM EST
Install Date: Fri 06 Feb 2015 09:03:58 AM EST Build Host:
c5b2.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: libgnome-2.28.0-
11.el6.src.rpm
Size : 2860946 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:34:17 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : GNOME base library
Description :

GNOME (GNU Network Object Model Environment) is a user-friendly set of GUI applications and desktop tools to be used in conjunction with a window manager for the X Window System. The libgnome package includes non-GUI-related libraries that are needed to run GNOME. The libgnomeui package contains X11-dependent GNOME library features.

Name : cjkuni-fonts-common Relocations: (not relocatable)
Version : 0.2.20080216.1 Vendor: CentOS
Release : 35.el6 Build Date: Fri 23 Sep 2011
06:55:38 AM EDT
Install Date: Fri 06 Feb 2015 09:05:03 AM EST Build Host:
c6b18n1.dev.centos.org
Group : User Interface/X Source RPM: cjkuni-fonts-
0.2.20080216.1-35.el6.src.rpm
Size : 0 License: Arphic
Signature : RSA/SHA1, Mon 26 Sep 2011 12:17:06 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/wiki/Software/CJKUnifonts>
Summary : Common package of CJK Unifonts
Description :

CJK Unifonts are Unicode TrueType fonts derived from original fonts made available by Arphic Technology under "Arphic Public License" and extended by the CJK Unifonts project.

Common package of CJK Unifonts.

Name : perl-IO-Zlib Relocations: (not relocatable)
Version : 1.09 Vendor: CentOS
Release : 129.el6 Build Date: Thu 21 Feb 2013
10:04:33 PM EST
Install Date: Fri 06 Feb 2015 09:02:25 AM EST Build Host:
c6b7.bsyz.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
129.el6.src.rpm
Size : 19686 License: GPL+ or Artistic
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:40 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Perl IO:: style interface to Compress::Zlib
Description :
This modules provides an IO:: style interface to the Compress::Zlib
package. The main advantage is that you can use an IO::Zlib object in
much the same way as an IO::File object so you can have common code
that doesn't know which sort of file it is using.

Name : libgtksourceview-2_0-0 Relocations: (not relocatable)
Version : 2.10.5 Vendor: openSUSE
Release : 4.1 Build Date: Sat 19 Feb 2011
06:31:25 AM EST
Install Date: Fri 06 Feb 2015 09:11:18 AM EST Build Host: build34
Group : System/GUI/GNOME Source RPM: gtksourceview-
2.10.5-4.1.src.rpm
Size : 1454613 License: GPLv2+
Signature : RSA/8, Sat 19 Feb 2011 06:31:45 AM EST, Key ID
b88b2fd43dbdc284
Packager : <http://bugs.opensuse.org>
URL : <http://www.gnome.org/>
Summary : GTK+ Source Editing Widget
Description :
GtkSourceView is a text widget that extends GtkTextView, the standard
GTK+ text widget.

It improves GtkTextView by implementing syntax highlighting and other
features typical of a source editor.

Name : paps-libs Relocations: (not relocatable)
Version : 0.6.8 Vendor: CentOS
Release : 13.el6.2 Build Date: Sat 25 Jun 2011
04:26:48 AM EDT
Install Date: Fri 06 Feb 2015 09:03:59 AM EST Build Host:
c6b5.bsyz.dev.centos.org

Group : Development/Libraries Source RPM: paps-0.6.8-13.el6.2.src.rpm
Size : 38964 License: LGPLv2+
Signature : RSA/8, Tue 05 Jul 2011 09:44:34 PM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://paps.sourceforge.net/>
Summary : Libraries for paps
Description :
paps is a PostScript converter from plain text file using Pango.

This package contains the library for paps.

Name : xorg-x11-drv-intel Relocations: (not relocatable)
Version : 2.20.2 Vendor: CentOS
Release : 2.el6 Build Date: Sat 23 Feb 2013 02:45:46 PM EST
Install Date: Fri 06 Feb 2015 09:05:14 AM EST Build Host: c6b7.bsyzs.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-intel-2.20.2-2.el6.src.rpm
Size : 1591262 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:14:38 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 Intel video driver
Description :
X.Org X11 Intel video driver.

Name : perl-XML-RegExp Relocations: (not relocatable)
Version : 0.03 Vendor: CentOS
Release : 7.el6 Build Date: Thu 11 Nov 2010 09:36:26 AM EST
Install Date: Fri 06 Feb 2015 09:02:26 AM EST Build Host: c6b5.bsyzs.dev.centos.org
Group : Development/Libraries Source RPM: perl-XML-RegExp-0.03-7.el6.src.rpm
Size : 9368 License: GPL+ or Artistic
Signature : RSA/8, Sun 03 Jul 2011 12:39:42 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://search.cpan.org/dist/XML-RegExp/>
Summary : Regular expressions for XML tokens
Description :
This package contains an utility module containing regular expressions for the following XML tokens: BaseChar, Ideographic, Letter, Digit, Extender, CombiningChar, NameChar, EntityRef, CharRef, Reference, Name, NmToken, and AttValue.

Name : libdv Relocations: (not relocatable)
Version : 1.0.0 Vendor: CentOS

Release : 8.1.el6 Build Date: Tue 17 Aug 2010
03:58:41 AM EDT
Install Date: Fri 06 Feb 2015 09:04:01 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libdv-1.0.0-
8.1.el6.src.rpm
Size : 182449 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:33:16 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://libdv.sourceforge.net/>
Summary : Software decoder for DV format video
Description :
The Quasar DV codec (libdv) is a software codec for DV video, the
encoding format used by most digital camcorders, typically those that
support the IEEE 1394 (a.k.a. FireWire or i.Link) interface. libdv was
developed according to the official standards for DV video: IEC 61834
and SMPTE 314M.

Name : NetworkManager-gnome Relocations: (not relocatable)
Version : 0.8.1 Vendor: CentOS
Release : 43.el6 Build Date: Fri 22 Feb 2013
01:32:10 AM EST
Install Date: Fri 06 Feb 2015 09:05:21 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : Applications/Internet Source RPM: NetworkManager-
0.8.1-43.el6.src.rpm
Size : 1695877 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:25 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/projects/NetworkManager/>
Summary : GNOME applications for use with NetworkManager
Description :
This package contains GNOME utilities and applications for use with
NetworkManager, including a panel applet for wireless networks.

Name : xorg-x11-server-common Relocations: (not relocatable)
Version : 1.13.0 Vendor: CentOS
Release : 11.el6.centos Build Date: Fri 22 Feb 2013
06:32:57 AM EST
Install Date: Fri 06 Feb 2015 09:02:26 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : User Interface/X Source RPM: xorg-x11-server-
1.13.0-11.el6.centos.src.rpm
Size : 134425 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:12 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg server common files
Description :
Common files shared among all X servers.

```

Name           : imsettings                      Relocations: (not relocatable)
Version        : 0.108.0                        Vendor: CentOS
Release        : 3.6.el6                        Build Date: Fri 22 Jun 2012
01:58:31 AM EDT
Install Date: Fri 06 Feb 2015 09:04:01 AM EST    Build Host:
c6b10.bsys.dev.centos.org
Group          : Applications/System              Source RPM: imsettings-
0.108.0-3.6.el6.src.rpm
Size           : 832407                          License: LGPLv2+
Signature      : RSA/SHA1, Sun 24 Jun 2012 06:18:08 PM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://code.google.com/p/imsettings/
Summary        : Delivery framework for general Input Method configuration
Description    :
IMSettings is a framework that delivers Input Method
settings and applies the changes so they take effect
immediately without any need to restart applications
or the desktop.

```

This package contains the core Dbus services and some utilities.

```

Name           : gnome-terminal                  Relocations: (not relocatable)
Version        : 2.31.3                        Vendor: CentOS
Release        : 8.el6                         Build Date: Wed 26 Sep 2012
04:42:38 AM EDT
Install Date: Fri 06 Feb 2015 09:05:34 AM EST    Build Host:
c6b7.bsys.dev.centos.org
Group          : User Interface/Desktops          Source RPM: gnome-terminal-
2.31.3-8.el6.src.rpm
Size           : 7773318                        License: GPLv2+ and GFDL
Signature      : RSA/SHA1, Wed 26 Sep 2012 09:14:37 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.gnome.org/
Summary        : Terminal emulator for GNOME
Description    :
gnome-terminal is a terminal emulator for GNOME. It supports translucent
backgrounds, opening multiple terminals in a single window (tabs) and
clickable URLs.

```

```

Name           : iw                             Relocations: (not relocatable)
Version        : 0.9.17                        Vendor: CentOS
Release        : 4.el6                         Build Date: Sun 22 Aug 2010
05:07:08 PM EDT
Install Date: Fri 06 Feb 2015 09:02:27 AM EST    Build Host:
c6b6.bsys.dev.centos.org
Group          : System Environment/Base          Source RPM: iw-0.9.17-
4.el6.src.rpm
Size           : 75619                          License: ISC
Signature      : RSA/8, Sun 03 Jul 2011 12:25:17 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.linuxwireless.org/en/users/Documentation/iw

```

Summary : A nl80211 based wireless configuration tool
Description :
iw is a new nl80211 based CLI configuration utility for wireless devices.
Currently you can only use this utility to configure devices which
use a mac80211 driver as these are the new drivers being written -
only because most new wireless devices being sold are now SoftMAC.

Name : glibc Relocations: (not relocatable)
Version : 2.12 Vendor: CentOS
Release : 1.149.el6_6.5 Build Date: Tue 27 Jan 2015
02:12:01 PM EST
Install Date: Tue 10 Feb 2015 04:14:46 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: glibc-2.12-
1.149.el6_6.5.src.rpm
Size : 13791510 License: LGPLv2+ and
LGPLv2+ with exceptions and GPLv2+
Signature : RSA/SHA1, Tue 27 Jan 2015 06:13:36 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sources.redhat.com/glibc/>
Summary : The GNU libc libraries
Description :
The glibc package contains standard libraries which are used by
multiple programs on the system. In order to save disk space and
memory, as well as to make upgrading easier, common system code is
kept in one place and shared between programs. This particular package
contains the most important sets of shared libraries: the standard C
library and the standard math library. Without these two libraries, a
Linux system will not function.

Name : rpm-python Relocations: (not relocatable)
Version : 4.8.0 Vendor: CentOS
Release : 32.el6 Build Date: Thu 21 Feb 2013
09:13:55 PM EST
Install Date: Fri 06 Feb 2015 09:04:05 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : Development/Libraries Source RPM: rpm-4.8.0-
32.el6.src.rpm
Size : 120906 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:23 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.rpm.org/>
Summary : Python bindings for apps which will manipulate RPM packages
Description :
The rpm-python package contains a module that permits applications
written in the Python programming language to use the interface
supplied by RPM Package Manager libraries.

This package should be installed if you want to develop Python
programs that will manipulate RPM packages and databases.

Name : wacomexpresskeys Relocations: (not relocatable)

Version : 0.4.2 Vendor: CentOS
Release : 3.el6 Build Date: Tue 17 Aug 2010
12:10:21 AM EDT
Install Date: Fri 06 Feb 2015 09:05:38 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Base Source RPM: wacomexpresskeys-
0.4.2-3.el6.src.rpm
Size : 152792 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:05:08 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://expresskeys.ruivo.org/>
Summary : Wacom ExpressKeys and Touch Strips configuration utility
Description :
Configuration utility to bind Wacom tablet's ExpressKeys and Touch Strips
to
generate other input events.

Name : libXaw Relocations: (not relocatable)
Version : 1.0.11 Vendor: CentOS
Release : 2.el6 Build Date: Thu 21 Feb 2013
01:52:36 PM EST
Install Date: Fri 06 Feb 2015 09:02:28 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXaw-1.0.11-
2.el6.src.rpm
Size : 479081 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:30 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X Athena Widget Set
Description :
Xaw is a widget set based on the X Toolkit Intrinsics (Xt) Library.

Name : sos Relocations: (not relocatable)
Version : 2.2 Vendor: CentOS
Release : 38.el6.centos Build Date: Fri 22 Feb 2013
11:23:31 PM EST
Install Date: Fri 06 Feb 2015 09:04:06 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : Applications/System Source RPM: sos-2.2-
38.el6.centos.src.rpm
Size : 735149 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:54:59 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/sos>
Summary : A set of tools to gather troubleshooting information from a
system
Description :
Sos is a set of tools that gathers information about system
hardware and configuration. The information can then be used for
diagnostic purposes and debugging. Sos is commonly used to help

support technicians and developers.

Name : xkeyboard-config Relocations: (not relocatable)
Version : 2.6 Vendor: CentOS
Release : 6.el6 Build Date: Thu 21 Feb 2013
08:57:49 PM EST
Install Date: Fri 06 Feb 2015 09:01:41 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : User Interface/X Source RPM: xkeyboard-config-
2.6-6.el6.src.rpm
Size : 4965855 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:50:59 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/wiki/Software/XKeyboardConfig>
Summary : X Keyboard Extension configuration data
Description :
This package contains configuration data used by the X Keyboard Extension (XKB), which allows selection of keyboard layouts when using a graphical interface.

Name : rsh-server Relocations: (not relocatable)
Version : 0.17 Vendor: CentOS
Release : 60.el6 Build Date: Sun 22 Aug 2010
07:17:39 AM EDT
Install Date: Fri 06 Feb 2015 09:05:45 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: rsh-0.17-
60.el6.src.rpm
Size : 65500 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 01:00:36 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.uk.linux.org/pub/linux/Networking/netkit>
Summary : Servers for remote access commands (rsh, rlogin, rcp)
Description :
The rsh-server package contains a set of programs which allow users to run commands on remote machines, login to other machines and copy files between machines (rsh, rlogin and rcp). All three of these commands use rhosts style authentication. This package contains the servers needed for all of these services. It also contains a server for rexec, an alternate method of executing remote commands. All of these servers are run by xinetd and configured using /etc/xinet.d/ and PAM.

The rsh-server package should be installed to enable remote access from other machines

Name : eggdbus Relocations: (not relocatable)
Version : 0.6 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
01:35:51 AM EST
Install Date: Fri 06 Feb 2015 09:02:30 AM EST Build Host:
c6b4.bsys.dev.centos.org

Group : Development/Libraries Source RPM: eggdbus-0.6-3.el6.src.rpm
Size : 321013 License: LGPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:12:39 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://cgit.freedesktop.org/~david/eggdbus>
Summary : Experimental D-Bus bindings for GObject
Description :
Experimental D-Bus bindings for GObject.

Name : gnome-python2-bonobo Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010 06:32:37 AM EST
Install Date: Fri 06 Feb 2015 09:04:07 AM EST Build Host: c6b5.bsys.dev.centos.org
Group : Development/Languages Source RPM: gnome-python2-2.28.0-3.el6.src.rpm
Size : 371311 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:18:28 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/gnome-python/>
Summary : Python bindings for interacting with Bonobo
Description :
This module contains a wrapper that allows the creation of bonobo components and the embedding of bonobo components in Python.

Name : basesystem Relocations: (not relocatable)
Version : 10.0 Vendor: CentOS
Release : 4.el6 Build Date: Wed 10 Nov 2010 08:12:57 PM EST
Install Date: Fri 06 Feb 2015 09:01:42 AM EST Build Host: c5b2.bsys.dev.centos.org
Group : System Environment/Base Source RPM: basesystem-10.0-4.el6.src.rpm
Size : 0 License: Public Domain
Signature : RSA/8, Sun 03 Jul 2011 12:00:48 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : The skeleton package which defines a simple Red Hat Enterprise Linux system
Description :
Basesystem defines the components of a basic Red Hat Enterprise Linux system (for example, the package installation order to use during bootstrapping). Basesystem should be in every installation of a system, and it should never be removed.

Name : iwl5150-firmware Relocations: (not relocatable)
Version : 8.24.2.2 Vendor: CentOS
Release : 1.el6 Build Date: Sun 22 Aug 2010 02:27:00 AM EDT

Install Date: Fri 06 Feb 2015 09:05:47 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: iwl5150-firmware-
8.24.2.2-1.el6.src.rpm
Size : 344430 License: Redistributable,
no modification permitted
Signature : RSA/8, Sun 03 Jul 2011 12:16:30 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://intellinuxwireless.org/>
Summary : Firmware for Intel® Wireless 5150 A/G/N network adaptors
Description :
This package contains the firmware required by the iwlagn driver
for Linux to support the iwl5150 hardware. Usage of the firmware
is subject to the terms and conditions contained inside the provided
LICENSE file. Please read it carefully.

Name : m17n-contrib-bengali Relocations: (not relocatable)
Version : 1.1.10 Vendor: CentOS
Release : 4.el6_1.1 Build Date: Fri 23 Sep 2011
06:12:49 AM EDT

Install Date: Fri 06 Feb 2015 09:02:31 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-contrib-
1.1.10-4.el6_1.1.src.rpm
Size : 9220 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:32 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : Contributed input maps for Bengali
Description :
This package provides contributed multilingualization (m17n) input maps
for Bengali.

Name : gnome-python2-gnomevfs Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
06:32:37 AM EST

Install Date: Fri 06 Feb 2015 09:04:08 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Languages Source RPM: gnome-python2-
2.28.0-3.el6.src.rpm
Size : 336197 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:18:33 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/gnome-python/>
Summary : Python bindings for interacting with gnome-vfs
Description :
This module contains a wrapper that allows the use of gnome-vfs via
python.

Name : khmeros-fonts-common Relocations: (not relocatable)

Version : 5.0 Vendor: CentOS
Release : 9.el6 Build Date: Wed 25 Aug 2010
05:18:48 PM EDT
Install Date: Fri 06 Feb 2015 09:01:43 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : User Interface/X Source RPM: khmeros-fonts-
5.0-9.el6.src.rpm
Size : 0 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:21:20 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.khmeros.info/drupal/?q=en/download/fonts>
Summary : Common files of khmeros-fonts
Description :

The Khmer OS fonts include Khmer and Latin alphabets, and they have equivalent sizes for Khmer and English alphabets, so that when texts mix both it is not necessary to have different point sizes for the text in each language.

They were created by Danh Hong of the Cambodian Open Institute.

This package consists of files used by other khmeros-fonts packages.

Name : biosdevname Relocations: (not relocatable)
Version : 0.4.1 Vendor: CentOS
Release : 3.el6 Build Date: Thu 21 Feb 2013
09:31:13 PM EST
Install Date: Fri 06 Feb 2015 09:05:47 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Base Source RPM: biosdevname-
0.4.1-3.el6.src.rpm
Size : 53688 License: GPLv2
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:48 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://linux.dell.com/files/biosdevname>
Summary : Udev helper for naming devices per BIOS names
Description :
biosdevname in its simplest form takes a kernel device name as an argument, and returns the BIOS-given name it "should" be. This is necessary on systems where the BIOS name for a given device (e.g. the label on the chassis is "Gb1") doesn't map directly and obviously to the kernel name (e.g. eth0).

Name : m17n-contrib-kannada Relocations: (not relocatable)
Version : 1.1.10 Vendor: CentOS
Release : 4.el6_1.1 Build Date: Fri 23 Sep 2011
06:12:49 AM EDT
Install Date: Fri 06 Feb 2015 09:02:31 AM EST Build Host:
c6b5.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM: ml7n-contrib-1.1.10-4.el6_1.1.src.rpm
Size : 9535 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:36 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.ml7n.org/ml7n-lib/index.html>
Summary : Contributed input maps for Kannada
Description :
This package provides contributed multilingualization (ml7n) input maps for Kannada.

Name : python-deltarpm Relocations: (not relocatable)
Version : 3.5 Vendor: CentOS
Release : 0.5.20090913git.el6 Build Date: Sat 21 Aug 2010 02:40:23 AM EDT
Install Date: Fri 06 Feb 2015 09:04:09 AM EST Build Host: c6b1.bsys.dev.centos.org
Group : System Environment/Base Source RPM: deltarpm-3.5-0.5.20090913git.el6.src.rpm
Size : 42138 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:58:32 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gitorious.org/deltarpm/deltarpm>
Summary : Python bindings for deltarpm
Description :
This package contains python bindings for deltarpm.

Name : ncurses-base Relocations: (not relocatable)
Version : 5.7 Vendor: CentOS
Release : 3.20090208.el6 Build Date: Wed 18 Aug 2010 11:42:34 AM EDT
Install Date: Fri 06 Feb 2015 09:01:45 AM EST Build Host: c6b3.bsys.dev.centos.org
Group : System Environment/Base Source RPM: ncurses-5.7-3.20090208.el6.src.rpm
Size : 193090 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:47:00 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://invisible-island.net/ncurses/ncurses.html>
Summary : Descriptions of common terminals
Description :
This package contains descriptions of common terminals. Other terminal descriptions are included in the ncurses-term package.

Name : microcode_ctl Relocations: (not relocatable)
Version : 1.17 Vendor: CentOS
Release : 14.el6 Build Date: Thu 21 Feb 2013 08:11:17 PM EST
Install Date: Fri 06 Feb 2015 09:05:51 AM EST Build Host: c6b7.bsys.dev.centos.org

Group : System Environment/Base Source RPM: microcode_ctl-1.17-14.el6.src.rpm
Size : 1532791 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:31 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.urbanmyth.org/microcode/>
Summary : Tool to update x86/x86-64 CPU microcode.
Description :
microcode_ctl - updates the microcode on Intel x86/x86-64 CPU's

Name : ml7n-contrib-malayalam Relocations: (not relocatable)
Version : 1.1.10 Vendor: CentOS
Release : 4.el6_1.1 Build Date: Fri 23 Sep 2011 06:12:49 AM EDT
Install Date: Fri 06 Feb 2015 09:02:31 AM EST Build Host: c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ml7n-contrib-1.1.10-4.el6_1.1.src.rpm
Size : 64575 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:38 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.ml7n.org/ml7n-lib/index.html>
Summary : Contributed input maps for Malayalam
Description :
This package provides contributed multilingualization (ml7n) input maps for Malayalam.

Name : ibus-table Relocations: (not relocatable)
Version : 1.2.0.20100111 Vendor: CentOS
Release : 4.el6 Build Date: Sun 22 Aug 2010 06:05:42 AM EDT
Install Date: Fri 06 Feb 2015 09:04:10 AM EST Build Host: c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ibus-table-1.2.0.20100111-4.el6.src.rpm
Size : 593230 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:15:37 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/ibus/>
Summary : Table engine for IBus
Description :
The package contains Table engine for IBus.

Name : zlib Relocations: (not relocatable)
Version : 1.2.3 Vendor: CentOS
Release : 29.el6 Build Date: Thu 21 Feb 2013 06:02:17 PM EST
Install Date: Fri 06 Feb 2015 09:01:57 AM EST Build Host: c6b9.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: zlib-1.2.3-29.el6.src.rpm

Size : 152305 License: zlib and Boost
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:52 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gzip.org/zlib/>
Summary : The zlib compression and decompression library
Description :
Zlib is a general-purpose, patent-free, lossless data compression
library which is used by many different programs.

Name : createrepo Relocations: (not relocatable)
Version : 0.9.9 Vendor: CentOS
Release : 17.el6 Build Date: Thu 21 Feb 2013
09:17:26 PM EST
Install Date: Fri 06 Feb 2015 09:05:53 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Base Source RPM: createrepo-0.9.9-
17.el6.src.rpm
Size : 295368 License: GPLv2
Signature : RSA/SHA1, Sat 23 Feb 2013 12:50:29 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://createrepo.baseurl.org/>
Summary : Creates a common metadata repository
Description :
This utility will generate a common metadata repository from a directory
of
rpm packages.

Name : tomcat6-el-2.1-api Relocations: (not relocatable)
Version : 6.0.24 Vendor: CentOS
Release : 49.el6 Build Date: Fri 22 Feb 2013
12:42:25 AM EST
Install Date: Fri 06 Feb 2015 09:02:31 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : Development/Libraries/Java Source RPM: tomcat6-6.0.24-
49.el6.src.rpm
Size : 32107 License: ASL 2.0
Signature : RSA/SHA1, Sat 23 Feb 2013 12:54:36 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://tomcat.apache.org/>
Summary : Expression Language v1.0 API
Description :
Expression Language 1.0.

Name : PackageKit-glib Relocations: (not relocatable)
Version : 0.5.8 Vendor: CentOS
Release : 21.el6 Build Date: Thu 21 Feb 2013
05:42:20 PM EST
Install Date: Fri 06 Feb 2015 09:04:11 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : Development/Libraries Source RPM: PackageKit-0.5.8-
21.el6.src.rpm

Size : 751467 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:32 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.packagekit.org>
Summary : GLib libraries for accessing PackageKit
Description :
GLib libraries for accessing PackageKit.

Name : chkconfig Relocations: (not relocatable)
Version : 1.3.49.3 Vendor: CentOS
Release : 2.el6 Build Date: Fri 22 Jun 2012
06:09:02 AM EDT
Install Date: Fri 06 Feb 2015 09:01:58 AM EST Build Host:
c6b7.bsyzs.dev.centos.org
Group : System Environment/Base Source RPM: chkconfig-
1.3.49.3-2.el6.src.rpm
Size : 670132 License: GPLv2
Signature : RSA/SHA1, Sun 24 Jun 2012 06:16:55 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : A system tool for maintaining the /etc/rc*.d hierarchy
Description :
Chkconfig is a basic system utility. It updates and queries runlevel
information for system services. Chkconfig manipulates the numerous
symbolic links in /etc/rc.d, to relieve system administrators of some
of the drudgery of manually editing the symbolic links.

Name : ibus-chewing Relocations: (not relocatable)
Version : 1.3.5.20100714 Vendor: CentOS
Release : 4.el6 Build Date: Mon 18 Jul 2011
08:27:20 PM EDT
Install Date: Fri 06 Feb 2015 09:05:54 AM EST Build Host:
c6b5.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: ibus-chewing-
1.3.5.20100714-4.el6.src.rpm
Size : 149702 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:20 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/ibus/>
Summary : The Chewing engine for IBus input platform
Description :
IBus-chewing is an IBus front-end of Chewing, an intelligent Chinese
input
method for Zhuyin (BoPoMoFo) users.
It supports various Zhuyin keyboard layout, such as standard (DaChen),
IBM, Gin-Yeah, Eten, Eten 26, Hsu, Dvorak, Dvorak-Hsu, and DaChen26.

Chewing also support toned Hanyu pinyin input.

Name : libicu Relocations: (not relocatable)
Version : 4.2.1 Vendor: CentOS

Release : 9.1.el6_2 Build Date: Sat 17 Dec 2011
12:07:49 PM EST
Install Date: Fri 06 Feb 2015 09:02:34 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: icu-4.2.1-
9.1.el6_2.src.rpm
Size : 19496136 License: MIT and UCD and
Public Domain

Signature : RSA/SHA1, Sun 18 Dec 2011 06:46:04 PM EST, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.icu-project.org/>

Summary : International Components for Unicode - libraries

Description :

The International Components for Unicode (ICU) libraries provide robust and full-featured Unicode services on a wide variety of platforms. ICU supports the most current version of the Unicode standard, and they provide support for supplementary Unicode characters (needed for GB 18030 repertoire support).

As computing environments become more heterogeneous, software portability becomes more important. ICU lets you produce the same results across all the various platforms you support, without sacrificing performance. It offers great flexibility to extend and customize the supplied services.

Name : libproxy-bin Relocations: (not relocatable)
Version : 0.3.0 Vendor: CentOS
Release : 3.el6_3 Build Date: Wed 14 Nov 2012
04:08:01 PM EST

Install Date: Fri 06 Feb 2015 09:04:13 AM EST Build Host:
c6b8.bsys.dev.centos.org

Group : Applications/System Source RPM: libproxy-0.3.0-
3.el6_3.src.rpm

Size : 6800 License: LGPLv2+

Signature : RSA/SHA1, Wed 14 Nov 2012 08:41:37 PM EST, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://code.google.com/p/libproxy/>

Summary : Binary to test libproxy

Description :

The libproxy-bin package contains the proxy binary for libproxy

Name : libacl Relocations: (not relocatable)
Version : 2.2.49 Vendor: CentOS
Release : 6.el6 Build Date: Wed 07 Dec 2011
11:53:55 AM EST

Install Date: Fri 06 Feb 2015 09:01:59 AM EST Build Host:
c6b6.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM: acl-2.2.49-
6.el6.src.rpm

Size : 31280 License: LGPLv2+

Signature : RSA/SHA1, Thu 08 Dec 2011 02:42:15 PM EST, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://acl.bestbits.at/>
Summary : Dynamic library for access control list support
Description :
This package contains the libacl.so dynamic library which contains the POSIX 1003.1e draft standard 17 functions for manipulating access control lists.

Name : vim-enhanced Relocations: (not relocatable)
Version : 7.2.411 Vendor: CentOS
Release : 1.8.el6 Build Date: Thu 05 Apr 2012
05:18:07 AM EDT
Install Date: Fri 06 Feb 2015 09:05:57 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/Editors Source RPM: vim-7.2.411-
1.8.el6.src.rpm
Size : 1932662 License: Vim and GPLv2+
and BSD and LGPLv2+ and Open Publication
Signature : RSA/SHA1, Thu 05 Apr 2012 05:35:05 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.vim.org/>
Summary : A version of the VIM editor which includes recent
enhancements
Description :
VIM (VISual editor iMproved) is an updated and improved version of the
vi editor. Vi was the first real screen-based editor for UNIX, and is
still very popular. VIM improves on vi by adding new features:
multiple windows, multi-level undo, block highlighting and more. The
vim-enhanced package contains a version of VIM with extra, recently
introduced features like Python and Perl interpreters.

Install the vim-enhanced package if you'd like to use a version of the
VIM editor which includes recently added enhancements like
interpreters for the Python and Perl scripting languages. You'll also
need to install the vim-common package.

Name : cdparanoia-libs Relocations: (not relocatable)
Version : 10.2 Vendor: CentOS
Release : 5.1.el6 Build Date: Wed 10 Nov 2010
09:25:55 PM EST
Install Date: Fri 06 Feb 2015 09:02:37 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Libraries Source RPM: cdparanoia-10.2-
5.1.el6.src.rpm
Size : 135344 License: LGPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:06:39 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.xiph.org/paranoia/index.html>
Summary : Libraries for libcdca_paranoia (Paranoia III).
Description :
The cdparanoia-libs package contains the dynamic libraries needed for
applications which read CD Digital Audio disks.

Name : abrt-libs Relocations: (not relocatable)
Version : 2.0.8 Vendor: CentOS
Release : 15.el6.centos Build Date: Fri 22 Feb 2013
11:39:47 PM EST
Install Date: Fri 06 Feb 2015 09:04:13 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: abrt-2.0.8-
15.el6.centos.src.rpm
Size : 21368 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:05 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : Libraries for abrt
Description :
Libraries for abrt.

Name : pkgconfig Relocations: (not relocatable)
Version : 0.23 Vendor: CentOS
Release : 9.1.el6 Build Date: Wed 18 Aug 2010
11:30:32 PM EDT
Install Date: Fri 06 Feb 2015 09:02:00 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Development/Tools Source RPM: pkgconfig-0.23-
9.1.el6.src.rpm
Size : 140091 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:57:05 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://pkgconfig.freedesktop.org>
Summary : A tool for determining compilation options
Description :
The pkgconfig tool determines compilation options. For each required
library, it reads the configuration file and outputs the necessary
compiler and linker flags.

Name : gutenprint Relocations: (not relocatable)
Version : 5.2.5 Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010
07:11:42 PM EST
Install Date: Fri 06 Feb 2015 09:05:58 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Base Source RPM: gutenprint-5.2.5-
2.el6.src.rpm
Size : 15681669 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:21:11 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gimp-print.sourceforge.net/>
Summary : Printer Drivers Package
Description :
Gutenprint is a package of high quality printer drivers for Linux, BSD,
Solaris, IRIX, and other UNIX-alike operating systems.
Gutenprint was formerly called Gimp-Print.

Name : coreutils Relocations: (not relocatable)
Version : 8.4 Vendor: CentOS
Release : 19.el6_4.2 Build Date: Thu 23 May 2013
07:03:21 AM EDT
Install Date: Fri 06 Feb 2015 09:02:41 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Base Source RPM: coreutils-8.4-
19.el6_4.2.src.rpm
Size : 12847259 License: GPLv3+
Signature : RSA/SHA1, Thu 23 May 2013 09:50:47 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/coreutils/>
Summary : A set of basic GNU tools commonly used in shell scripts
Description :
These are the GNU core utilities. This package is the combination of
the old GNU fileutils, sh-utils, and textutils packages.

Name : libreport-plugin-logger Relocations: (not relocatable)
Version : 2.0.9 Vendor: CentOS
Release : 15.el6.centos Build Date: Fri 22 Feb 2013
11:25:32 PM EST
Install Date: Fri 06 Feb 2015 09:04:16 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libreport-2.0.9-
15.el6.centos.src.rpm
Size : 23253 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:53 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : libreport's logger reporter plugin
Description :
The simple reporter plugin which writes a report to a specified file.

Name : dbus-glib Relocations: (not relocatable)
Version : 0.86 Vendor: CentOS
Release : 5.el6 Build Date: Wed 10 Nov 2010
11:22:35 PM EST
Install Date: Fri 06 Feb 2015 09:02:01 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: dbus-glib-0.86-
5.el6.src.rpm
Size : 579827 License: AFL and GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:09:33 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/software/dbus/>
Summary : GLib bindings for D-Bus
Description :

D-Bus add-on library to integrate the standard D-Bus library with
the GLib thread abstraction and main loop.

```

Name           : xterm                               Relocations: (not relocatable)
Version        : 253                                 Vendor: CentOS
Release        : 1.el6                               Build Date: Fri 20 Aug 2010
01:07:24 AM EDT
Install Date: Fri 06 Feb 2015 09:06:02 AM EST      Build Host:
c6b2.bsys.dev.centos.org
Group          : User Interface/X                   Source RPM: xterm-253-
1.el6.src.rpm
Size           : 953116                               License: MIT
Signature      : RSA/8, Sun 03 Jul 2011 01:06:43 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://dickey.his.com/xterm
Summary        : Terminal emulator for the X Window System
Description    :
The xterm program is a terminal emulator for the X Window System. It
provides DEC VT102 and Tektronix 4014 compatible terminals for
programs that can't use the window system directly.

```

```

Name           : hwdata                               Relocations: (not relocatable)
Version        : 0.233                               Vendor: CentOS
Release        : 7.9.el6                             Build Date: Thu 21 Feb 2013
05:27:07 PM EST
Install Date: Fri 06 Feb 2015 09:02:45 AM EST      Build Host:
c6b9.bsys.dev.centos.org
Group          : System Environment/Base              Source RPM: hwdata-0.233-
7.9.el6.src.rpm
Size           : 4414810                             License: GPLv2+
Signature      : RSA/SHA1, Sat 23 Feb 2013 12:54:09 PM EST, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://git.fedorahosted.org/git/hwdata.git
Summary        : Hardware identification and configuration data
Description    :
hwdata contains various hardware identification and configuration data,
such as the pci.ids database and MonitorsDb databases.

```

```

Name           : libreport-newt                       Relocations: (not relocatable)
Version        : 2.0.9                               Vendor: CentOS
Release        : 15.el6.centos                       Build Date: Fri 22 Feb 2013
11:25:32 PM EST
Install Date: Fri 06 Feb 2015 09:04:17 AM EST      Build Host:
c6b7.bsys.dev.centos.org
Group          : User Interface/Desktops             Source RPM: libreport-2.0.9-
15.el6.centos.src.rpm
Size           : 15416                               License: GPLv2+
Signature      : RSA/SHA1, Sat 23 Feb 2013 12:37:58 PM EST, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : https://fedorahosted.org/abrt/
Summary        : libreport's newt interface
Description    :
This package contains a simple newt application for reporting

```

bugs

Name : xz-libs Relocations: (not relocatable)
Version : 4.999.9 Vendor: CentOS
Release : 0.3.beta.20091007git.el6 Build Date: Sun 22 Aug 2010
01:12:38 PM EDT
Install Date: Fri 06 Feb 2015 09:02:02 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: xz-4.999.9-
0.3.beta.20091007git.el6.src.rpm
Size : 214490 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:06:49 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://tukaani.org/xz/>
Summary : Libraries for decoding LZMA compression
Description :
Libraries for decoding files compressed with LZMA or XZ utils.

Name : krb5-workstation Relocations: (not relocatable)
Version : 1.10.3 Vendor: CentOS
Release : 10.el6 Build Date: Thu 21 Feb 2013
11:29:16 PM EST
Install Date: Fri 06 Feb 2015 09:06:11 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Base Source RPM: krb5-1.10.3-
10.el6.src.rpm
Size : 1099931 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:20 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://web.mit.edu/kerberos/www/>
Summary : Kerberos 5 programs for use on workstations
Description :
Kerberos is a network authentication system. The krb5-workstation
package contains the basic Kerberos programs (kinit, klist, kdestroy,
kpasswd). If your network uses Kerberos, this package should be
installed on every workstation.

Name : logrotate Relocations: (not relocatable)
Version : 3.7.8 Vendor: CentOS
Release : 16.el6 Build Date: Wed 15 Aug 2012
12:26:39 PM EDT
Install Date: Fri 06 Feb 2015 09:02:50 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Base Source RPM: logrotate-3.7.8-
16.el6.src.rpm
Size : 84725 License: GPL+
Signature : RSA/SHA1, Wed 15 Aug 2012 03:19:04 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/logrotate/>
Summary : Rotates, compresses, removes and mails system log files
Description :

The logrotate utility is designed to simplify the administration of log files on a system which generates a lot of log files. Logrotate allows for the automatic rotation compression, removal and mailing of log files. Logrotate can be set to handle a log file daily, weekly, monthly or when the log file gets to a certain size. Normally, logrotate runs as a daily cron job.

Install the logrotate package if you need a utility to deal with the log files on your system.

```
Name           : iproute                      Relocations: (not relocatable)
Version        : 2.6.32                      Vendor: CentOS
Release       : 23.el6                      Build Date: Thu 21 Feb 2013
08:01:00 PM EST
Install Date: Fri 06 Feb 2015 09:04:19 AM EST    Build Host:
c6b7.bsys.dev.centos.org
Group         : Applications/System           Source RPM: iproute-2.6.32-
23.el6.src.rpm
Size          : 886109                      License: GPLv2+ and Public
Domain
Signature     : RSA/SHA1, Sat 23 Feb 2013 12:40:28 PM EST, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           : http://linux-net.osdl.org/index.php/Iproute2
Summary       : Advanced IP routing and network device configuration tools
Description   :
The iproute package contains networking utilities (ip and rtmon, for
example) which are designed to use the advanced networking
capabilities of the Linux 2.4.x and 2.6.x kernel.
```

```
Name           : libX11                      Relocations: (not relocatable)
Version        : 1.5.0                      Vendor: CentOS
Release       : 4.el6                      Build Date: Thu 21 Feb 2013
02:38:37 PM EST
Install Date: Fri 06 Feb 2015 09:02:03 AM EST    Build Host:
c6b7.bsys.dev.centos.org
Group         : System Environment/Libraries   Source RPM: libX11-1.5.0-
4.el6.src.rpm
Size          : 1301960                    License: MIT
Signature     : RSA/SHA1, Sat 23 Feb 2013 12:41:45 PM EST, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           : http://www.x.org
Summary       : Core X11 protocol client library
Description   :
Core X11 protocol client library.
```

```
Name           : perl-Archive-Extract        Relocations: (not relocatable)
Version        : 0.38                      Vendor: CentOS
Release       : 129.el6                   Build Date: Thu 21 Feb 2013
10:04:33 PM EST
Install Date: Fri 06 Feb 2015 09:06:12 AM EST    Build Host:
c6b7.bsys.dev.centos.org
```

Group : Development/Libraries Source RPM: perl-5.10.1-129.el6.src.rpm
Size : 53748 License: GPL+ or Artistic
Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:33 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Generic archive extracting mechanism
Description :
Archive::Extract is a generic archive extraction mechanism.

Name : ConsoleKit-libs Relocations: (not relocatable)
Version : 0.4.1 Vendor: CentOS
Release : 3.el6 Build Date: Wed 10 Nov 2010 05:09:29 PM EST
Install Date: Fri 06 Feb 2015 09:02:51 AM EST Build Host: c6b2.bsyz.dev.centos.org
Group : Development/Libraries Source RPM: ConsoleKit-0.4.1-3.el6.src.rpm
Size : 22125 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:07:55 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/wiki/Software/ConsoleKit>
Summary : ConsoleKit libraries
Description :
This package contains libraries and a PAM module for interacting with ConsoleKit.

Name : mesa-dri-drivers Relocations: (not relocatable)
Version : 9.0 Vendor: CentOS
Release : 0.7.el6 Build Date: Fri 22 Feb 2013 02:02:15 AM EST
Install Date: Fri 06 Feb 2015 09:04:24 AM EST Build Host: c6b7.bsyz.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: mesa-9.0-0.7.el6.src.rpm
Size : 15145043 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:40 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mesa3d.org>
Summary : Mesa-based DRI drivers
Description :
Mesa-based DRI drivers.

Name : libXinerama Relocations: (not relocatable)
Version : 1.1.2 Vendor: CentOS
Release : 2.el6 Build Date: Thu 21 Feb 2013 01:56:57 PM EST
Install Date: Fri 06 Feb 2015 09:02:03 AM EST Build Host: c6b9.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: libXinerama-1.1.2-2.el6.src.rpm

Size : 33161 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:45 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXinerama runtime library
Description :
X.Org X11 libXinerama runtime library

Name : ledmon Relocations: (not relocatable)
Version : 0.74 Vendor: CentOS
Release : 1.el6 Build Date: Thu 21 Feb 2013
08:07:55 PM EST

Install Date: Fri 06 Feb 2015 09:06:24 AM EST Build Host:
c6b7.bsyz.dev.centos.org
Group : Applications/System Source RPM: ledmon-0.74-
1.el6.src.rpm

Size : 128507 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:01 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceforge.net/projects/ledmon/>
Summary : Enclosure LED Utilities
Description :

The ledmon and ledctl are user space applications design to control LED associated with each slot in an enclosure or a drive bay. There are two types of system: 2-LED system (Activity LED, Status LED) and 3-LED system (Activity LED, Locate LED, Fail LED). User must have root privileges to use this application.

Name : docbook-dtds Relocations: (not relocatable)
Version : 1.0 Vendor: CentOS
Release : 51.el6 Build Date: Wed 10 Nov 2010
11:31:28 PM EST

Install Date: Fri 06 Feb 2015 09:02:53 AM EST Build Host:
c6b5.bsyz.dev.centos.org
Group : Applications/Text Source RPM: docbook-dtds-1.0-
51.el6.src.rpm

Size : 4571574 License: Copyright only
Signature : RSA/8, Sun 03 Jul 2011 12:04:48 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.oasis-open.org/docbook/>
Summary : SGML and XML document type definitions for DocBook
Description :

The DocBook Document Type Definition (DTD) describes the syntax of technical documentation texts (articles, books and manual pages). This syntax is XML-compliant and is developed by the OASIS consortium. This package contains SGML and XML versions of the DocBook DTD.

Name : device-mapper Relocations: (not relocatable)
Version : 1.02.77 Vendor: CentOS
Release : 9.el6 Build Date: Fri 22 Feb 2013
01:21:40 AM EST

Install Date: Fri 06 Feb 2015 09:04:28 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Base Source RPM: lvm2-2.02.98-
9.el6.src.rpm
Size : 173919 License: GPLv2
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:49 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sources.redhat.com/dm>
Summary : Device mapper utility
Description :
This package contains the supporting userspace utility, dmsetup,
for the kernel device-mapper.

Name : libnl Relocations: (not relocatable)
Version : 1.1 Vendor: CentOS
Release : 14.el6 Build Date: Tue 19 Jul 2011
02:32:51 PM EDT
Install Date: Fri 06 Feb 2015 09:02:04 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: libnl-1.1-
14.el6.src.rpm
Size : 361990 License: LGPLv2
Signature : RSA/SHA1, Mon 26 Sep 2011 12:20:47 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.infradead.org/~tgr/libnl/>
Summary : Convenience library for kernel netlink sockets
Description :
This package contains a convenience library to simplify
using the Linux kernel's netlink sockets interface for
network manipulation

Name : xvattr Relocations: (not relocatable)
Version : 1.3 Vendor: CentOS
Release : 18.el6 Build Date: Sun 22 Aug 2010
04:52:57 PM EDT
Install Date: Fri 06 Feb 2015 09:06:27 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : User Interface/X Source RPM: xvattr-1.3-
18.el6.src.rpm
Size : 31245 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:06:47 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.dtek.chalmers.se/groups/dvd/>
Summary : Utility for getting and setting Xv attributes
Description :
This program is used for getting and setting Xv attributes such as
XV_BRIGHTNESS, XV_CONTRAST, XV_SATURATION, XV_HUE, XV_COLORKEY, etc.

Name : qt-sqlite Relocations: (not relocatable)
Version : 4.6.2 Vendor: CentOS

Release : 25.el6 Build Date: Fri 07 Sep 2012
12:33:27 PM EDT
Install Date: Fri 06 Feb 2015 09:02:55 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: qt-4.6.2-
25.el6.src.rpm
Size : 49800 License: (LGPLv2 with
exceptions or GPLv3 with exceptions) and ASL 2.0 and BSD and FLT and MIT
Signature : RSA/SHA1, Fri 07 Sep 2012 01:57:28 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.qtsoftware.com/>
Summary : SQLite driver for Qt's SQL classes
Description :
SQLite driver for Qt's SQL classes.

Name : xinetd Relocations: (not relocatable)
Version : 2.3.14 Vendor: CentOS
Release : 38.el6 Build Date: Thu 21 Feb 2013
10:03:37 PM EST
Install Date: Fri 06 Feb 2015 09:04:30 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: xinetd-2.3.14-
38.el6.src.rpm
Size : 265405 License: xinetd
Signature : RSA/SHA1, Sat 23 Feb 2013 12:42:03 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.xinetd.org>
Summary : A secure replacement for inetd
Description :
Xinetd is a secure replacement for inetd, the Internet services
daemon. Xinetd provides access control for all services based on the
address of the remote host and/or on time of access and can prevent
denial-of-access attacks. Xinetd provides extensive logging, has no
limit on the number of server arguments, and lets you bind specific
services to specific IP addresses on your host machine. Each service
has its own specific configuration file for Xinetd; the files are
located in the /etc/xinetd.d directory.

Name : redhat-menus Relocations: (not relocatable)
Version : 14.0.0 Vendor: CentOS
Release : 3.el6 Build Date: Wed 25 Aug 2010
03:25:30 AM EDT
Install Date: Fri 06 Feb 2015 09:02:05 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: redhat-menus-
14.0.0-3.el6.src.rpm
Size : 776276 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:45:07 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.redhat.com>
Summary : Configuration and data files for the desktop menus

Description :

This package contains the XML files that describe the menu layout for GNOME and KDE, and the .desktop files that define the names and icons of "subdirectories" in the menus.

Name : rsync Relocations: (not relocatable)
Version : 3.0.6 Vendor: CentOS
Release : 9.el6 Build Date: Wed 11 Apr 2012
09:08:49 AM EDT
Install Date: Fri 06 Feb 2015 09:06:28 AM EST Build Host:
c6b5.bsyz.dev.centos.org
Group : Applications/Internet Source RPM: rsync-3.0.6-
9.el6.src.rpm
Size : 698710 License: GPLv3+
Signature : RSA/SHA1, Wed 11 Apr 2012 09:37:36 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://rsync.samba.org/>
Summary : A program for synchronizing files over a network
Description :
Rsync uses a reliable algorithm to bring remote and host files into
sync very quickly. Rsync is fast because it just sends the differences
in the files over the network instead of sending the complete
files. Rsync is often used as a very powerful mirroring process or
just as a more capable replacement for the rcp command. A technical
report which describes the rsync algorithm is included in this
package.

Name : fipscheck Relocations: (not relocatable)
Version : 1.2.0 Vendor: CentOS
Release : 7.el6 Build Date: Wed 07 Dec 2011
02:13:53 PM EST
Install Date: Fri 06 Feb 2015 09:02:57 AM EST Build Host:
c6b18n3.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: fipscheck-1.2.0-
7.el6.src.rpm
Size : 28163 License: BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 02:58:48 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/fipscheck/>
Summary : A library for integrity verification of FIPS validated
modules
Description :
FIPSCheck is a library for integrity verification of FIPS validated
modules. The package also provides helper binaries for creation and
verification of the HMAC-SHA256 checksum files.

Name : system-config-users Relocations: (not relocatable)
Version : 1.2.106 Vendor: CentOS
Release : 7.el6 Build Date: Thu 18 Oct 2012
08:18:44 AM EDT

Install Date: Fri 06 Feb 2015 09:04:38 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : Applications/System Source RPM: system-config-
users-1.2.106-7.el6.src.rpm
Size : 1796437 License: GPLv2+
Signature : RSA/SHA1, Thu 18 Oct 2012 09:49:07 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/system-config-users>
Summary : A graphical interface for administering users and groups
Description :
system-config-users is a graphical utility for administrating
users and groups. It depends on the libuser library.

Name : keyutils-libs Relocations: (not relocatable)
Version : 1.4 Vendor: CentOS
Release : 4.el6 Build Date: Fri 22 Jun 2012
02:20:38 AM EDT
Install Date: Fri 06 Feb 2015 09:02:06 AM EST Build Host:
c6b10.bsys.dev.centos.org
Group : System Environment/Base Source RPM: keyutils-1.4-
4.el6.src.rpm
Size : 36624 License: GPLv2+ and
LGPLv2+
Signature : RSA/SHA1, Sun 24 Jun 2012 06:18:51 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://people.redhat.com/~dhowells/keyutils/>
Summary : Key utilities library
Description :
This package provides a wrapper library for the key management facility
system
calls.

Name : dejavu-serif-fonts Relocations: (not relocatable)
Version : 2.30 Vendor: CentOS
Release : 2.el6 Build Date: Wed 10 Nov 2010
11:23:58 PM EST
Install Date: Fri 06 Feb 2015 09:06:36 AM EST Build Host:
c6b4.bsys.dev.centos.org
Group : User Interface/X Source RPM: dejavu-fonts-
2.30-2.el6.src.rpm
Size : 2406691 License: Bitstream Vera
and Public Domain
Signature : RSA/8, Sun 03 Jul 2011 12:04:24 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://dejavu-fonts.org/>
Summary : Variable-width serif font faces
Description :

The DejaVu font set is based on the "Bitstream Vera" fonts, release 1.10.
Its
purpose is to provide a wider range of characters, while maintaining the

original style, using an open collaborative development process.

This package consists of the DejaVu serif variable-width font faces, in their unabridged version.

```
Name           : nss                               Relocations: (not relocatable)
Version        : 3.14.0.0                           Vendor: CentOS
Release        : 12.el6                             Build Date: Fri 22 Feb 2013
05:55:38 PM EST
Install Date: Fri 06 Feb 2015 09:03:05 AM EST      Build Host:
c6b7.bsys.dev.centos.org
Group          : System Environment/Libraries      Source RPM: nss-3.14.0.0-
12.el6.src.rpm
Size           : 2534032                             License: MPLv2.0
Signature      : RSA/SHA1, Sat 23 Feb 2013 12:40:06 PM EST, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.mozilla.org/projects/security/pki/nss/
Summary        : Network Security Services
Description    :
Network Security Services (NSS) is a set of libraries designed to
support cross-platform development of security-enabled client and
server applications. Applications built with NSS can support SSL v2
and v3, TLS, PKCS #5, PKCS #7, PKCS #11, PKCS #12, S/MIME, X.509
v3 certificates, and other security standards.
```

```
Name           : parted                             Relocations: (not relocatable)
Version        : 2.1                               Vendor: CentOS
Release        : 19.el6                             Build Date: Thu 21 Feb 2013
06:11:35 PM EST
Install Date: Fri 06 Feb 2015 09:04:39 AM EST      Build Host:
c6b7.bsys.dev.centos.org
Group          : Applications/System                Source RPM: parted-2.1-
19.el6.src.rpm
Size           : 2264791                             License: GPLv3+
Signature      : RSA/SHA1, Sat 23 Feb 2013 12:39:41 PM EST, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.gnu.org/software/parted
Summary        : The GNU disk partition manipulation program
Description    :
The GNU Parted program allows you to create, destroy, resize, move,
and copy hard disk partitions. Parted can be used for creating space
for new operating systems, reorganizing disk usage, and copying data
to new hard disks.
```

```
Name           : libcap-ng                           Relocations: (not relocatable)
Version        : 0.6.4                               Vendor: CentOS
Release        : 3.el6_0.1                           Build Date: Fri 24 Jun 2011
11:49:32 PM EDT
Install Date: Fri 06 Feb 2015 09:02:07 AM EST      Build Host:
c6b5.bsys.dev.centos.org
```

Group : System Environment/Libraries Source RPM: libcap-ng-0.6.4-3.el6_0.1.src.rpm
Size : 45214 License: LGPLv2+
Signature : RSA/8, Tue 05 Jul 2011 09:40:43 PM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://people.redhat.com/sgrubb/libcap-ng>
Summary : An alternate posix capabilities library
Description :
Libcap-ng is a library that makes using posix capabilities easier

Name : lohit-kannada-fonts Relocations: (not relocatable)
Version : 2.4.5 Vendor: CentOS
Release : 6.el6 Build Date: Fri 22 Jun 2012 01:56:46 AM EDT
Install Date: Fri 06 Feb 2015 09:06:53 AM EST Build Host: c6b8.bsys.dev.centos.org
Group : User Interface/X Source RPM: lohit-kannada-fonts-2.4.5-6.el6.src.rpm
Size : 229278 License: GPLv2 with exceptions
Signature : RSA/SHA1, Sun 24 Jun 2012 06:17:03 PM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/lohit/>
Summary : Free Kannada font
Description :
This package provides a free Kannada truetype/opentype font.

Name : gnome-vfs2 Relocations: (not relocatable)
Version : 2.24.2 Vendor: CentOS
Release : 6.el6 Build Date: Thu 11 Nov 2010 07:50:13 AM EST
Install Date: Fri 06 Feb 2015 09:03:07 AM EST Build Host: c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: gnome-vfs2-2.24.2-6.el6.src.rpm
Size : 3583277 License: LGPLv2+ and GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:18:58 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/>
Summary : The GNOME virtual file-system libraries
Description :
GNOME VFS is the GNOME virtual file system. It is the foundation of the Nautilus file manager. It provides a modular architecture and ships with several modules that implement support for file systems, http, ftp, and others. It provides a URI-based API, backend supporting asynchronous file operations, a MIME type manipulation library, and other features.

Name : pm-utils Relocations: (not relocatable)
Version : 1.2.5 Vendor: CentOS

Release : 10.el6 Build Date: Wed 18 Jul 2012
05:04:08 AM EDT
Install Date: Fri 06 Feb 2015 09:04:42 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Base Source RPM: pm-utils-1.2.5-
10.el6.src.rpm
Size : 260295 License: GPLv2
Signature : RSA/SHA1, Wed 18 Jul 2012 07:06:43 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://pm-utils.freedesktop.org>
Summary : Power management utilities and scripts
Description :
The pm-utils package contains utilities and scripts useful for tasks
related
to power management.

Name : avahi-glib Relocations: (not relocatable)
Version : 0.6.25 Vendor: CentOS
Release : 12.el6 Build Date: Thu 21 Feb 2013
05:22:11 PM EST
Install Date: Fri 06 Feb 2015 09:02:08 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Base Source RPM: avahi-0.6.25-
12.el6.src.rpm
Size : 11040 License: LGPLv2
Signature : RSA/SHA1, Sat 23 Feb 2013 12:37:52 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://avahi.org>
Summary : Glib libraries for avahi
Description :
Libraries for easy use of avahi from glib applications.

Name : sil-padauk-fonts Relocations: (not relocatable)
Version : 2.6.1 Vendor: CentOS
Release : 1.el6 Build Date: Sun 22 Aug 2010
09:35:07 AM EDT
Install Date: Fri 06 Feb 2015 09:07:11 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : User Interface/X Source RPM: sil-padauk-fonts-
2.6.1-1.el6.src.rpm
Size : 829447 License: OFL
Signature : RSA/8, Sun 03 Jul 2011 12:47:50 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://scripts.sil.org/Padauk>
Summary : A font for Burmese and the Myanmar script
Description :
Padauk is a Myanmar font covering all currently used characters
in the Myanmar block. The font aims to cover all minority language needs.
At the moment, these do not extend to stylistic variation needs.
The font is a smart font using a Graphite description.

```

Name           : man                               Relocations: (not relocatable)
Version        : 1.6f                             Vendor: CentOS
Release        : 32.el6                           Build Date: Thu 21 Feb 2013
09:13:10 PM EST
Install Date: Fri 06 Feb 2015 09:03:08 AM EST      Build Host:
c6b9.bsys.dev.centos.org
Group          : System Environment/Base           Source RPM: man-1.6f-
32.el6.src.rpm
Size           : 398388                           License: GPLv2
Signature      : RSA/SHA1, Sat 23 Feb 2013 12:39:26 PM EST, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://primates.ximian.com/~flucifredi/man/
Summary        : A set of documentation tools: man, apropos and whatis
Description    :
The man package includes three tools for finding information and/or
documentation about your Linux system: man, apropos, and whatis. The
man system formats and displays on-line manual pages about commands or
functions on your system. Apropos searches the whatis database
(containing short descriptions of system commands) for a string.
Whatism searches its own database for a complete word.

```

The man package should be installed on your system because it is the primary way to find documentation on a Linux system.

```

Name           : xorg-x11-server-Xorg             Relocations: (not relocatable)
Version        : 1.13.0                           Vendor: CentOS
Release        : 11.el6.centos                     Build Date: Fri 22 Feb 2013
06:32:57 AM EST
Install Date: Fri 06 Feb 2015 09:04:44 AM EST      Build Host:
c6b7.bsys.dev.centos.org
Group          : User Interface/X                  Source RPM: xorg-x11-server-
1.13.0-11.el6.centos.src.rpm
Size           : 3455036                           License: MIT
Signature      : RSA/SHA1, Sat 23 Feb 2013 12:40:03 PM EST, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.x.org
Summary        : Xorg X server
Description    :
X.org X11 is an open source implementation of the X Window System. It
provides the basic low level functionality which full fledged
graphical user interfaces (GUIs) such as GNOME and KDE are designed
upon.

```

```

Name           : apr                               Relocations: (not relocatable)
Version        : 1.3.9                             Vendor: CentOS
Release        : 5.el6_2                           Build Date: Thu 14 Jun 2012
06:53:03 AM EDT
Install Date: Fri 06 Feb 2015 09:02:09 AM EST      Build Host:
c6b5.bsys.dev.centos.org
Group          : System Environment/Libraries       Source RPM: apr-1.3.9-
5.el6_2.src.rpm
Size           : 303205                             License: ASL 2.0

```


Signature : RSA/SHA1, Thu 14 Jun 2012 08:27:12 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://apr.apache.org/>

Summary : Apache Portable Runtime library

Description :

The mission of the Apache Portable Runtime (APR) is to provide a free library of C data structures and routines, forming a system portability layer to as many operating systems as possible, including Unices, MS Win32, BeOS and OS/2.

Name : lohit-oriya-fonts

Relocations: (not relocatable)

Version : 2.4.3

Vendor: CentOS

Release : 6.el6

Build Date: Fri 23 Sep 2011

11:11:14 AM EDT

Install Date: Fri 06 Feb 2015 09:07:30 AM EST

Build Host:

c6b18n1.dev.centos.org

Group : User Interface/X
fonts-2.4.3-6.el6.src.rpm

Source RPM: lohit-oriya-

Size : 128757

License: GPLv2 with

exceptions

Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:27 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <https://fedorahosted.org/lohit/>

Summary : Free Oriya Font

Description :

This package provides a free Oriya truetype/opentype font.

Name : java-1.7.0-openjdk

Relocations: (not relocatable)

Version : 1.7.0.9

Vendor: CentOS

Release : 2.3.4.1.el6_3

Build Date: Wed 16 Jan 2013

02:15:21 PM EST

Install Date: Fri 06 Feb 2015 09:03:18 AM EST

Build Host:

c6b10.bsdev.centos.org

Group : Development/Languages
openjdk-1.7.0.9-2.3.4.1.el6_3.src.rpm

Source RPM: java-1.7.0-

Size : 93371759

License: ASL 1.1 and ASL

2.0 and GPLv2 and GPLv2 with exceptions and LGPLv2 and LGPLv2 and
MPLv1.0 and MPLv1.1 and Public Domain and W3C

Signature : RSA/SHA1, Wed 16 Jan 2013 03:38:33 PM EST, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://openjdk.java.net/>

Summary : OpenJDK Runtime Environment

Description :

The OpenJDK runtime environment.

Name : xorg-x11-drv-vooodoo

Relocations: (not relocatable)

Version : 1.2.5

Vendor: CentOS

Release : 3.el6

Build Date: Sat 23 Feb 2013

03:21:54 PM EST

Install Date: Fri 06 Feb 2015 09:04:49 AM EST

Build Host:

c6b9.bsdev.centos.org

Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-vooodoo-1.2.5-3.el6.src.rpm
Size : 23812 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:16:43 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 voodoo video driver
Description :
X.Org X11 voodoo video driver.

Name : sysvinit-tools Relocations: (not relocatable)
Version : 2.87 Vendor: CentOS
Release : 4.dsfe.el6 Build Date: Tue 19 Jul 2011
03:26:23 AM EDT
Install Date: Fri 06 Feb 2015 09:02:11 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: sysvinit-2.87-
4.dsfe.el6.src.rpm
Size : 112743 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:25:50 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://alioth.debian.org/projects/pkg-sysvinit/>
Summary : Tools used for process and utmp management.
Description :
The sysvinit-tools package contains various tools used for process
management.

Name : rfkill Relocations: (not relocatable)
Version : 0.3 Vendor: CentOS
Release : 4.el6 Build Date: Sun 22 Aug 2010
05:07:42 PM EDT
Install Date: Fri 06 Feb 2015 09:07:32 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Base Source RPM: rfkill-0.3-
4.el6.src.rpm
Size : 10728 License: ISC
Signature : RSA/8, Sun 03 Jul 2011 01:00:22 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.linuxwireless.org/en/users/Documentation/rfkill>
Summary : A tool for enabling and disabling wireless devices
Description :
rfkill is a simple tool for accessing the Linux rfkill device interface,
which is used to enable and disable wireless networking devices,
typically
WLAN, Bluetooth and mobile broadband.

Name : hesiod Relocations: (not relocatable)
Version : 3.1.0 Vendor: CentOS
Release : 19.el6 Build Date: Sun 22 Aug 2010
05:01:01 PM EDT

Install Date: Fri 06 Feb 2015 09:03:26 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: hesiod-3.1.0-
19.el6.src.rpm
Size : 22171 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:21:39 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : Shared libraries for querying the Hesiod naming service
Description :
Hesiod is a system which uses existing DNS functionality to provide
access
to databases of information that changes infrequently. It is often used
to
distribute information kept in the /etc/passwd, /etc/group, and
/etc/printcap
files, among others.

Name : xorg-x11-drv-sis Relocations: (not relocatable)
Version : 0.10.7 Vendor: CentOS
Release : 2.el6 Build Date: Sat 23 Feb 2013
03:09:57 PM EST

Install Date: Fri 06 Feb 2015 09:04:49 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-sis-0.10.7-2.el6.src.rpm
Size : 556201 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:15:50 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 sis video driver
Description :
X.Org X11 sis video driver.

Name : file Relocations: (not relocatable)
Version : 5.04 Vendor: CentOS
Release : 15.el6 Build Date: Thu 04 Oct 2012
10:51:20 AM EDT

Install Date: Fri 06 Feb 2015 09:02:12 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : Applications/File Source RPM: file-5.04-
15.el6.src.rpm
Size : 56567 License: BSD
Signature : RSA/SHA1, Thu 04 Oct 2012 12:14:32 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.darwinsys.com/file/>
Summary : A utility for determining file types
Description :
The file command is used to identify a particular file according to the
type of data contained by the file. File can identify many different
file types, including ELF binaries, system libraries, RPM packages, and
different graphics formats.

Name : crash-trace-command Relocations: (not relocatable)
Version : 1.0 Vendor: Fujitsu Limited
Release : 4.el6 Build Date: Fri 22 Jun 2012
02:24:02 AM EDT
Install Date: Fri 06 Feb 2015 09:07:33 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : Development/Debuggers Source RPM: crash-trace-
command-1.0-4.el6.src.rpm
Size : 61959 License: GPLv2
Signature : RSA/SHA1, Sun 24 Jun 2012 06:16:10 PM EDT, Key ID
0946fca2c105b9de
Packager : Lai Jiangshan <laijs@cn.fujitsu.com>
URL : http://people.redhat.com/anderson/extensions/trace.c
Summary : trace extension module for the crash utility
Description :
Command for reading ftrace data from a dumpfile.

Name : libthai Relocations: (not relocatable)
Version : 0.1.12 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
01:44:08 PM EST
Install Date: Fri 06 Feb 2015 09:03:28 AM EST Build Host:
c5b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libthai-0.1.12-
3.el6.src.rpm
Size : 694712 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:39:57 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <http://bugs.centos.org>
URL : http://linux.thai.net
Summary : Thai language support routines
Description :
LibThai is a set of Thai language support routines aimed to ease
developers' tasks to incorporate Thai language support in their
applications.
It includes important Thai-specific functions e.g. word breaking, input
and
output methods as well as basic character and string supports.

Name : xorg-x11-drv-openchrome Relocations: (not relocatable)
Version : 0.3.0 Vendor: CentOS
Release : 3.20120806git.el6 Build Date: Sat 23 Feb 2013
02:57:50 PM EST
Install Date: Fri 06 Feb 2015 09:04:50 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-openchrome-0.3.0-3.20120806git.el6.src.rpm
Size : 471502 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:15:20 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <http://bugs.centos.org>
URL : http://www.openchrome.org
Summary : Xorg X11 openchrome video driver

Description :
X.Org X11 openchrome video driver.

Name : xcb-util Relocations: (not relocatable)
Version : 0.3.6 Vendor: CentOS
Release : 1.el6 Build Date: Tue 17 Aug 2010
06:52:27 AM EDT
Install Date: Fri 06 Feb 2015 09:02:13 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: xcb-util-0.3.6-
1.el6.src.rpm
Size : 110213 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 01:05:34 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://xcb.freedesktop.org>
Summary : Convenience libraries sitting on top of libxcb
Description :
The xcb-util module provides a number of libraries which sit on top of
libxcb, the core X protocol library, and some of the extension
libraries. These experimental libraries provide convenience functions
and interfaces which make the raw X protocol more usable. Some of the
libraries also provide client-side code which is not strictly part of
the X protocol but which have traditionally been provided by Xlib.

Name : libertas-usb8388-firmware Relocations: (not relocatable)
Version : 5.110.22.p23 Vendor: CentOS
Release : 3.1.el6 Build Date: Wed 18 Aug 2010
12:36:03 PM EDT
Install Date: Fri 06 Feb 2015 09:07:37 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: libertas-usb8388-
firmware-5.110.22.p23-3.1.el6.src.rpm
Size : 129601 License: Redistributable,
no modification permitted
Signature : RSA/8, Sun 03 Jul 2011 12:23:02 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.marvell.com/>
Summary : Firmware for Marvell Libertas USB 8388 Network Adapter
Description :
Firmware for Marvell Libertas USB 8388 Network Adapter

Name : libcanberra-gtk2 Relocations: (not relocatable)
Version : 0.22 Vendor: CentOS
Release : 1.el6.centos Build Date: Fri 02 Dec 2011
04:56:08 AM EST
Install Date: Fri 06 Feb 2015 09:03:37 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libcanberra-
0.22-1.el6.centos.src.rpm
Size : 53912 License: LGPLv2+
Signature : RSA/SHA1, Fri 02 Dec 2011 07:46:07 PM EST, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://git.0pointer.de/?p=libcanberra.git;a=summary>
Summary : Gtk+ Bindings for libcanberra
Description :
Gtk+ bindings for libcanberra

Name : xorg-x11-drv-i740 Relocations: (not relocatable)
Version : 1.3.4 Vendor: CentOS
Release : 5.el6 Build Date: Sat 23 Feb 2013
02:42:31 PM EST
Install Date: Fri 06 Feb 2015 09:04:50 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-i740-1.3.4-5.el6.src.rpm
Size : 47385 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:14:33 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 i740 video driver
Description :
X.Org X11 i740 video driver.

Name : ORBit2 Relocations: (not relocatable)
Version : 2.14.17 Vendor: CentOS
Release : 3.2.el6_3 Build Date: Tue 13 Nov 2012
07:17:18 AM EST
Install Date: Fri 06 Feb 2015 09:02:14 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: ORBit2-2.14.17-
3.2.el6_3.src.rpm
Size : 594234 License: LGPLv2+ and
GPLv2+
Signature : RSA/SHA1, Tue 13 Nov 2012 10:25:33 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/projects/ORBit2>
Summary : A high-performance CORBA Object Request Broker
Description :
ORBit is a high-performance CORBA (Common Object Request Broker
Architecture) ORB (object request broker). It allows programs to
send requests and receive replies from other programs, regardless
of the locations of the two programs. CORBA is an architecture that
enables communication between program objects, regardless of the
programming language they're written in or the operating system they
run on.

You will need to install this package and ORBit-devel if you want to
write programs that use CORBA technology.

Name : ql2200-firmware Relocations: (not relocatable)
Version : 2.02.08 Vendor: CentOS
Release : 3.1.el6 Build Date: Wed 18 Aug 2010
11:01:18 AM EDT

Install Date: Fri 06 Feb 2015 09:07:38 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: ql2200-firmware-
2.02.08-3.1.el6.src.rpm
Size : 86403 License: Redistributable,
no modification permitted
Signature : RSA/8, Sun 03 Jul 2011 12:43:59 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.qlogic.com/outgoing/linux/firmware/>
Summary : Firmware for qlogic 2200 devices
Description :
Firmware for qlogic 2200 devices.

Name : jakarta-commons-pool Relocations: (not relocatable)
Version : 1.3 Vendor: CentOS
Release : 12.7.el6 Build Date: Sat 21 Aug 2010
12:18:54 AM EDT

Install Date: Fri 06 Feb 2015 09:03:42 AM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries/Java Source RPM: jakarta-commons-
pool-1.3-12.7.el6.src.rpm
Size : 377228 License: ASL 2.0
Signature : RSA/8, Sun 03 Jul 2011 12:25:46 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://jakarta.apache.org/commons/pool/>
Summary : Jakarta Commons Pool Package
Description :
The goal of Pool package is to create and maintain an object
(instance) pooling package to be distributed under the ASF license.
The package should support a variety of pool implementations, but
encourage support of an interface that makes these implementations
interchangeable.

Name : xorg-x11-drv-cirrus Relocations: (not relocatable)
Version : 1.5.1 Vendor: CentOS
Release : 2.el6 Build Date: Sat 23 Feb 2013
02:29:26 PM EST

Install Date: Fri 06 Feb 2015 09:04:50 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-cirrus-1.5.1-2.el6.src.rpm
Size : 76278 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 04:13:42 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 cirrus video driver
Description :
X.Org X11 cirrus video driver.

Name : e2fsprogs Relocations: (not relocatable)
Version : 1.41.12 Vendor: CentOS

Release : 14.el6 Build Date: Thu 21 Feb 2013
06:51:14 PM EST
Install Date: Fri 06 Feb 2015 09:02:15 AM EST Build Host:
c6b7.bsys.dev.centos.org
Group : System Environment/Base Source RPM: e2fsprogs-
1.41.12-14.el6.src.rpm
Size : 2016016 License: GPLv2
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:10 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://e2fsprogs.sourceforge.net/>
Summary : Utilities for managing ext2, ext3, and ext4 filesystems
Description :
The e2fsprogs package contains a number of utilities for creating,
checking, modifying, and correcting any inconsistencies in second,
third and fourth extended (ext2/ext3/ext4) filesystems. E2fsprogs
contains e2fsck (used to repair filesystem inconsistencies after an
unclean shutdown), mke2fs (used to initialize a partition to contain
an empty ext2 filesystem), debugfs (used to examine the internal
structure of a filesystem, to manually repair a corrupted
filesystem, or to create test cases for e2fsck), tune2fs (used to
modify filesystem parameters), and most of the other core ext2fs
filesystem utilities.

You should install the e2fsprogs package if you need to manage the
performance of an ext2, ext3, or ext4 filesystem.

Name : libICE Relocations: (not relocatable)
Version : 1.0.6 Vendor: CentOS
Release : 1.el6 Build Date: Mon 16 Aug 2010
06:20:02 PM EDT
Install Date: Fri 06 Feb 2015 09:07:41 AM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libICE-1.0.6-
1.el6.src.rpm
Size : 114135 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:24:20 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 ICE runtime library
Description :
The X.Org X11 ICE (Inter-Client Exchange) runtime library.

Name : xulrunner Relocations: (not relocatable)
Version : 10.0.12 Vendor: CentOS
Release : 1.el6.centos Build Date: Tue 08 Jan 2013
09:21:15 PM EST
Install Date: Fri 06 Feb 2015 09:03:47 AM EST Build Host:
c6b8.bsys.dev.centos.org
Group : Applications/Internet Source RPM: xulrunner-
10.0.12-1.el6.centos.src.rpm
Size : 29750753 License: MPLv1.1 or GPLv2+
or LGPLv2+

Signature : RSA/SHA1, Tue 08 Jan 2013 10:09:44 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://developer.mozilla.org/En/XULRunner>
Summary : XUL Runtime for Gecko Applications
Description :
XULRunner is a Mozilla runtime package that can be used to bootstrap
XUL+XPCOM
applications that are as rich as Firefox and Thunderbird. It provides
mechanisms
for installing, upgrading, and uninstalling these applications. XULRunner
also
provides libxul, a solution which allows the embedding of Mozilla
technologies
in other projects and products.

Name : pulseaudio-gdm-hooks Relocations: (not relocatable)
Version : 0.9.21 Vendor: CentOS
Release : 14.el6_3 Build Date: Thu 12 Jul 2012
01:11:51 AM EDT
Install Date: Fri 06 Feb 2015 09:04:53 AM EST Build Host:
c6b7.bsyzs.dev.centos.org
Group : Applications/Multimedia Source RPM: pulseaudio-
0.9.21-14.el6_3.src.rpm
Size : 385 License: LGPLv2+
Signature : RSA/SHA1, Thu 12 Jul 2012 07:53:15 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://pulseaudio.org/>
Summary : PulseAudio GDM integration
Description :
This package contains GDM integration hooks for the PulseAudio sound
server.

Name : libedit Relocations: (not relocatable)
Version : 2.11 Vendor: CentOS
Release : 4.20080712cvs.1.el6 Build Date: Thu 19 Aug 2010
04:42:00 AM EDT
Install Date: Fri 06 Feb 2015 09:02:16 AM EST Build Host:
c6b3.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: libedit-2.11-
4.20080712cvs.1.el6.src.rpm
Size : 185648 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:33:24 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.thrysoee.dk/editline/>
Summary : The NetBSD Editline library
Description :
Libedit is an autotool- and libtoolized port of the NetBSD Editline
library.
It provides generic line editing, history, and tokenization functions,
similar
to those found in GNU Readline.

Name : libXtst Relocations: (not relocatable)
Version : 1.2.1 Vendor: CentOS
Release : 2.el6 Build Date: Thu 21 Feb 2013
02:18:26 PM EST
Install Date: Fri 06 Feb 2015 09:07:41 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXtst-1.2.1-
2.el6.src.rpm
Size : 56344 License: MIT
Signature : RSA/SHA1, Sat 23 Feb 2013 12:51:19 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXtst runtime library
Description :
X.Org X11 libXtst runtime library

Name : gtkmm24 Relocations: (not relocatable)
Version : 2.18.2 Vendor: CentOS
Release : 1.el6 Build Date: Fri 20 Aug 2010
02:45:11 AM EDT
Install Date: Fri 06 Feb 2015 09:03:48 AM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: gtkmm24-2.18.2-
1.el6.src.rpm
Size : 5573311 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:20:41 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gtkmm.sourceforge.net/>
Summary : C++ interface for GTK2 (a GUI library for X)
Description :
gtkmm provides a C++ interface to the GTK+ GUI library. gtkmm2 wraps GTK+
2.
Highlights include typesafe callbacks, widgets extensible via inheritance
and a comprehensive set of widget classes that can be freely combined to
quickly create complex user interfaces.

Name : sane-backends Relocations: (not relocatable)
Version : 1.0.21 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
04:59:36 PM EST
Install Date: Fri 06 Feb 2015 09:04:54 AM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: sane-backends-
1.0.21-3.el6.src.rpm
Size : 4629301 License: GPLv2+ and GPLv2+
with exceptions and Public Domain
Signature : RSA/8, Sun 03 Jul 2011 01:01:05 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.sane-project.org>
Summary : Scanner access software

Description :

Scanner Access Now Easy (SANE) is a universal scanner interface. The SANE application programming interface (API) provides standardized access to any raster image scanner hardware (flatbed scanner, hand-held scanner, video and still cameras, frame-grabbers, etc.).

Name : libusb1 Relocations: (not relocatable)
Version : 1.0.9 Vendor: CentOS
Release : 0.6.rc1.el6 Build Date: Thu 21 Feb 2013
03:44:52 PM EST
Install Date: Fri 06 Feb 2015 09:02:20 AM EST Build Host:
c6b7.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: libusb1-1.0.9-
0.6.rc1.el6.src.rpm
Size : 206072 License: LGPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:40:04 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://libusb.wiki.sourceforge.net/Libusb1.0>
Summary : A library which allows userspace access to USB devices
Description :
This package provides a way for applications to access USB devices. Note
that
this library is not compatible with the original libusb-0.1 series.

Name : perl-Filesys-DiskFree Relocations: (not relocatable)
Version : 0.06 Vendor: Dag Apt
Repository, <http://dag.wieers.com/apt/>
Release : 1.2.el6.rf Build Date: Wed 10 Nov 2010
11:50:05 PM EST
Install Date: Fri 06 Feb 2015 09:09:14 AM EST Build Host:
lisse.hasselt.wieers.com
Group : Applications/CPAN Source RPM: perl-Filesys-
DiskFree-0.06-1.2.el6.rf.src.rpm
Size : 16297 License: Artistic/GPL
Signature : DSA/SHA1, Thu 11 Nov 2010 01:29:39 AM EST, Key ID
a20e52146b8d79e6
Packager : Dries Verachtert <dries@ulyssis.org>
URL : <http://search.cpan.org/dist/Filesys-DiskFree/>
Summary : Perform the Unix command df in a portable fashion
Description :
Filesys::DiskFree does about what the unix command df(1) does, listing
the mounted disks, and the amount of free space used and available.

Name : ecj Relocations: (not relocatable)
Version : 3.4.2 Vendor: CentOS
Release : 6.el6 Build Date: Wed 10 Nov 2010
11:56:49 PM EST
Install Date: Fri 06 Feb 2015 09:03:51 AM EST Build Host:
c6b4.bsyzs.dev.centos.org
Group : Development/Languages Source RPM: ecj-3.4.2-
6.el6.src.rpm
Size : 7695823 License: EPL

Signature : RSA/8, Sun 03 Jul 2011 12:10:52 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.eclipse.org>
Summary : Eclipse Compiler for Java
Description :
ECJ is the Java bytecode compiler of the Eclipse Platform. It is also
known as
the JDT Core batch compiler.

Name : system-config-date Relocations: (not relocatable)
Version : 1.9.60 Vendor: CentOS
Release : 1.el6.centos Build Date: Mon 28 Nov 2011
08:06:05 PM EST
Install Date: Fri 06 Feb 2015 09:04:58 AM EST Build Host:
c6b6.bsyz.dev.centos.org
Group : System Environment/Base Source RPM: system-config-
date-1.9.60-1.el6.centos.src.rpm
Size : 3724437 License: GPLv2+
Signature : RSA/SHA1, Mon 28 Nov 2011 08:42:24 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/system-config-date>
Summary : A graphical interface for modifying system date and time
Description :
system-config-date is a graphical interface for changing the system date
and
time, configuring the system time zone, and setting up the NTP daemon to
synchronize the time of the system with an NTP time server.

Name : gdbm Relocations: (not relocatable)
Version : 1.8.0 Vendor: CentOS
Release : 36.el6 Build Date: Thu 11 Nov 2010
03:21:31 AM EST
Install Date: Fri 06 Feb 2015 09:02:20 AM EST Build Host:
c6b1.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: gdbm-1.8.0-
36.el6.src.rpm
Size : 48586 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:16:05 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/gdbm/>
Summary : A GNU set of database routines which use extensible hashing
Description :
Gdbm is a GNU database indexing library, including routines which use
extensible hashing. Gdbm works in a similar way to standard UNIX dbm
routines. Gdbm is useful for developers who write C applications and
need access to a simple and efficient database or who are building C
applications which will use such a database.

If you're a C developer and your programs need access to simple
database routines, you should install gdbm. You'll also need to
install gdbm-devel.

```

Name       : perl-Text-Reform           Relocations: (not relocatable)
Version    : 1.20                      Vendor: Dag Apt
Repository, http://dag.wieers.com/apt/
Release    : 1.el6.rfx                  Build Date: Wed 17 Nov 2010
01:19:54 PM EST
Install Date: Fri 06 Feb 2015 09:09:17 AM EST    Build Host:
lisse.hasselt.wieers.com
Group      : Applications/CPAN           Source RPM: perl-Text-Reform-
1.20-1.el6.rfx.src.rpm
Size       : 77765                      License: Artistic/GPL
Signature  : DSA/SHA1, Wed 17 Nov 2010 05:52:03 PM EST, Key ID
a20e52146b8d79e6
Packager   : Dries Verachtert <dries@ulyssis.org>
URL        : http://search.cpan.org/dist/Text-Reform/
Summary    : Manual text wrapping and reformatting
Description:
The module supplies a re-entrant, highly configurable replacement
for the built-in Perl format() mechanism.

```

This package contains the following Perl module:

Text::Reform

```

Name       : gnome-bluetooth-libs       Relocations: (not relocatable)
Version    : 2.28.6                    Vendor: CentOS
Release    : 8.el6                     Build Date: Thu 11 Nov 2010
05:32:41 AM EST
Install Date: Fri 06 Feb 2015 09:03:55 AM EST    Build Host:
c6b1.bsyz.dev.centos.org
Group      : System Environment/Libraries   Source RPM: gnome-bluetooth-
2.28.6-8.el6.src.rpm
Size       : 168688                    License: LGPLv2+
Signature  : RSA/8, Sun 03 Jul 2011 12:17:45 AM EDT, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://live.gnome.org/GnomeBluetooth
Summary    : GTK+ Bluetooth device selection widgets
Description:
This package contains libraries needed for applications that
want to display a Bluetooth device selection widget.

```

```

Name       : net-snmp                   Relocations: (not relocatable)
Version    : 5.5                       Vendor: CentOS
Release    : 44.el6                    Build Date: Thu 21 Feb 2013
06:34:52 PM EST
Install Date: Fri 06 Feb 2015 09:04:59 AM EST    Build Host:
c6b7.bsyz.dev.centos.org
Group      : System Environment/Daemons       Source RPM: net-snmp-5.5-
44.el6.src.rpm
Size       : 835722                    License: BSD
Signature  : RSA/SHA1, Sat 23 Feb 2013 12:41:55 PM EST, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>

```

URL : <http://net-snmp.sourceforge.net/>
Summary : A collection of SNMP protocol tools and libraries
Description :
SNMP (Simple Network Management Protocol) is a protocol used for network management. The NET-SNMP project includes various SNMP tools: an extensible agent, an SNMP library, tools for requesting or setting information from SNMP agents, tools for generating and handling SNMP traps and a version of the netstat command which uses SNMP. This package contains the snmpd and snmptrapd daemons, documentation, etc.

You will probably also want to install the net-snmp-utils package, which contains NET-SNMP utilities.

Name : perl-Params-Check Relocations: (not relocatable)
Version : 0.26 Vendor: CentOS
Release : 129.el6 Build Date: Thu 21 Feb 2013
10:04:33 PM EST
Install Date: Fri 06 Feb 2015 09:02:25 AM EST Build Host:
c6b7.bsyz.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
129.el6.src.rpm
Size : 25639 License: GPL+ or Artistic
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:43 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Generic input parsing/checking mechanism
Description :
Params::Check is a generic input parsing/checking mechanism.

Name : perl-Tk-Pod Relocations: (not relocatable)
Version : 0.9939 Vendor: (none)
Release : 1 Build Date: Thu 15 Jul 2010
08:59:16 AM EDT
Install Date: Fri 06 Feb 2015 09:09:20 AM EST Build Host: lorax
Group : Applications/CPAN Source RPM: perl-Tk-Pod-
0.9939-1.src.rpm
Size : 204585 License: Artistic/GPL
Signature : (none)
Packager : Jason Messmer <Jason.Messmer@xerox.com>
URL : <http://search.cpan.org/dist/Tk-Pod/>
Summary : Pod browser widget
Description :
Pod browser widget.

Name : gnome-themes Relocations: (not relocatable)
Version : 2.28.1 Vendor: CentOS
Release : 6.el6 Build Date: Thu 11 Nov 2010
07:22:28 AM EST
Install Date: Fri 06 Feb 2015 09:03:58 AM EST Build Host:
c6b1.bsyz.dev.centos.org
Group : User Interface/Desktops Source RPM: gnome-themes-
2.28.1-6.el6.src.rpm
Size : 13215383 License: LGPLv2 and GPLv2

Signature : RSA/8, Sun 03 Jul 2011 12:11:36 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/gnome-themes/>
Summary : Themes for GNOME
Description :
The gnome-themes package contains a collection of desktop themes for
GNOME.
These themes can change the appearance of application widgets, icons,
window
borders, cursors, etc.

Name : nfs-utils Relocations: (not relocatable)
Version : 1.2.3 Vendor: CentOS
Release : 36.el6 Build Date: Thu 21 Feb 2013
11:56:08 PM EST
Install Date: Fri 06 Feb 2015 09:05:03 AM EST Build Host:
c6b9.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: nfs-utils-1.2.3-
36.el6.src.rpm
Size : 1000309 License: MIT and GPLv2 and
GPLv2+ and BSD
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:10 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceforge.net/projects/nfs>
Summary : NFS utilities and supporting clients and daemons for the
kernel NFS server
Description :
The nfs-utils package provides a daemon for the kernel NFS server and
related tools, which provides a much higher level of performance than the
traditional Linux NFS server used by most users.

This package also contains the showmount program. Showmount queries the
mount daemon on a remote host for information about the NFS (Network File
System) server on the remote host. For example, showmount can display
the
clients which are mounted on that host.

This package also contains the mount.nfs and umount.nfs program.

Name : libasyncls Relocations: (not relocatable)
Version : 0.8 Vendor: CentOS
Release : 1.1.el6 Build Date: Wed 18 Aug 2010
12:43:49 PM EDT
Install Date: Fri 06 Feb 2015 09:02:25 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libasyncls-0.8-
1.1.el6.src.rpm
Size : 52778 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:31:45 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://0pointer.de/lennart/projects/libasyncls/>

Summary : Asynchronous

Name Service Library

Description :

A small and lightweight library that implements easy to use asynchronous wrappers around the libc NSS functions getaddrinfo(), res_query() and related.

Name : wodim Relocations: (not relocatable)
Version : 1.1.9 Vendor: CentOS
Release : 12.el6 Build Date: Mon 12 Nov 2012
06:44:52 AM EST

Install Date: Fri 06 Feb 2015 09:09:47 AM EST Build Host:
c6b8.bsys.dev.centos.org

Group : Applications/Archiving Source RPM: cdrkit-1.1.9-
12.el6.src.rpm

Size : 1253887 License: GPLv2

Signature : RSA/SHA1, Mon 12 Nov 2012 09:34:30 AM EST, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://cdrkit.org/>

Summary : A command line CD/DVD recording program

Description :

Wodim is an application for creating audio and data CDs. Wodim works with many different brands of CD recorders, fully supports multi-sessions and provides human-readable error messages.

Name : plymouth-plugin-label Relocations: (not relocatable)
Version : 0.8.3 Vendor: CentOS
Release : 27.el6.centos Build Date: Fri 22 Feb 2013
08:06:20 PM EST

Install Date: Fri 06 Feb 2015 09:03:59 AM EST Build Host:
c6b7.bsys.dev.centos.org

Group : System Environment/Base Source RPM: plymouth-0.8.3-
27.el6.centos.src.rpm

Size : 9328 License: GPLv2+

Signature : RSA/SHA1, Sat 23 Feb 2013 12:38:43 PM EST, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://freedesktop.org/software/plymouth/releases>

Summary : Plymouth label plugin

Description :

This package contains the label control plugin for Plymouth. It provides the ability to render text on graphical boot splashes using pango and cairo.

Name : centos-indexhtml Relocations: (not relocatable)
Version : 6 Vendor: CentOS
Release : 1.el6.centos Build Date: Tue 28 Jun 2011
07:55:27 PM EDT

Install Date: Fri 06 Feb 2015 09:05:04 AM EST Build Host:
c6b5.bsys.dev.centos.org

Group : Documentation Source RPM: centos-indexhtml-
6-1.el6.centos.src.rpm

Size : 70748 License: Distributable

Signature : RSA/8, Sun 03 Jul 2011 12:02:08 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : Browser default start page for CentOS
Description :
The indexhtml package contains the welcome page shown by your Web
browser,
which you'll see after you've successfully installed CentOS Linux

Name : perl-Carp-Clan Relocations: (not relocatable)
Version : 6.03 Vendor: CentOS
Release : 2.el6 Build Date: Fri 20 Aug 2010
07:44:43 PM EDT
Install Date: Fri 06 Feb 2015 09:02:25 AM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-Carp-Clan-
6.03-2.el6.src.rpm
Size : 47415 License: GPL+ or Artistic
Signature : RSA/8, Sun 03 Jul 2011 12:37:03 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://search.cpan.org/dist/Carp-Clan/>
Summary : Perl module to print improved warning messages
Description :
This module reports errors from the perspective of the caller of a
"clan" of modules, similar to "Carp.pm" itself. But instead of giving
it a number of levels to skip on the calling stack, you give it a
pattern to characterize the package names of the "clan" of modules
which shall never be blamed for any error.

Name : libvisual Relocations: (not relocatable)
Version : 0.4.0 Vendor: CentOS
Release : 9.1.el6 Build Date: Thu 19 Aug 2010
03:17:01 AM EDT
Install Date: Fri 06 Feb 2015 09:04:00 AM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Applications/Multimedia Source RPM: libvisual-0.4.0-
9.1.el6.src.rpm
Size : 414568 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:40:51 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://libvisual.sf.net>
Summary : Abstraction library for audio visualisation plugins
Description :
Libvisual is an abstraction library that comes between applications and
audio visualisation plugins.

Often when it comes to audio visualisation plugins or programs that
create
visuals they do depend on a player or something else, basically there is
no
general framework that enable application developers to easy access cool
audio visualisation plugins. Libvisual wants to change this by providing

an interface towards plugins and applications, through this easy to use interface applications can easily access plugins and since the drawing is done by the application it also enables the developer to draw the visual anywhere he wants.

Name : gvfs-fuse Relocations: (not relocatable)
Version : 1.4.3 Vendor: CentOS
Release : 15.el6 Build Date: Tue 31 Jul 2012
05:43:31 AM EDT
Install Date: Fri 06 Feb 2015 09:05:14 AM EST Build Host:
c6b7.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: gvfs-1.4.3-
15.el6.src.rpm
Size : 32728 License: LGPLv2+
Signature : RSA/SHA1, Tue 31 Jul 2012 06:32:06 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gtk.org>
Summary : FUSE support for gvfs
Description :
This package provides support for applications not using gio
to access the gvfs filesystems.

Name : perl-IPC-Cmd Relocations: (not relocatable)
Version : 0.56 Vendor: CentOS
Release : 129.el6 Build Date: Thu 21 Feb 2013
10:04:33 PM EST
Install Date: Fri 06 Feb 2015 09:02:26 AM EST Build Host:
c6b7.bsyz.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
129.el6.src.rpm
Size : 58676 License: GPL+ or Artistic
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:43 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Finding and running system commands made easy
Description :
IPC::Cmd allows you to run commands, interactively if desired, in a
platform independent way, but have them still work.

Name : xpi-xeroxutils Relocations: (not relocatable)
Version : 1.2 Vendor: Xerox Corp.
Release : 0 Build Date: Wed 21 Jan 2015
12:36:29 AM EST
Install Date: Fri 06 Feb 2015 09:19:43 AM EST Build Host: chicory
Group : Applications/System Source RPM: xpi-xeroxutils-
1.2-0.src.rpm
Size : 1178741 License: Xerox
Signature : (none)
Packager : Joel Lissade <joel.lissade@usa.xerox.com>
Summary : XPI linux Xerox binary utilities
Description :
Xerox X86 binary utilities that provides the capability to perform

NameLookup

calls, determining boardtype and board configuration. These utilities is required by modules that are linked with the MCT Runtime.

```
Name       : xorg-x11-server-utils      Relocations: (not relocatable)
Version    : 7.5                        Vendor: CentOS
Release    : 13.el6                     Build Date: Sat 23 Feb 2013
03:27:41 PM EST
Install Date: Fri 06 Feb 2015 09:04:01 AM EST      Build Host:
c6b8.bsys.dev.centos.org
Group      : User Interface/X            Source RPM: xorg-x11-server-
utils-7.5-13.el6.src.rpm
Size       : 367451                      License: MIT
Signature  : RSA/SHA1, Sat 23 Feb 2013 04:16:59 PM EST, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://www.x.org
Summary    : X.Org X11 X server utilities
Description:
A collection of utilities used to tweak and query the runtime
configuration
of the X server.
```

```
Name       : system-config-firewall-tui  Relocations: (not relocatable)
Version    : 1.2.27                     Vendor: CentOS
Release    : 5.el6                       Build Date: Fri 23 Sep 2011
01:04:13 PM EDT
Install Date: Fri 06 Feb 2015 09:05:31 AM EST      Build Host:
c6b5.bsys.dev.centos.org
Group      : System Environment/Base        Source RPM: system-config-
firewall-1.2.27-5.el6.src.rpm
Size       : 60799                       License: GPLv2+
Signature  : RSA/SHA1, Mon 26 Sep 2011 12:25:39 AM EDT, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://fedorahosted.org/system-config-firewall
Summary    : A text interface for basic firewall setup
Description:
system-config-firewall-tui is a text user interface for basic firewall
setup.
```

```
Name       : elfutils                    Relocations: (not relocatable)
Version    : 0.152                       Vendor: CentOS
Release    : 1.el6                       Build Date: Tue 19 Jul 2011
11:14:19 AM EDT
Install Date: Fri 06 Feb 2015 09:02:27 AM EST      Build Host:
c6b6.bsys.dev.centos.org
Group      : Development/Tools            Source RPM: elfutils-0.152-
1.el6.src.rpm
Size       : 556527                       License: GPLv2 with
exceptions
Signature  : RSA/SHA1, Mon 26 Sep 2011 12:17:59 AM EDT, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
```

URL : <https://fedorahosted.org/elfutils/>
Summary : A collection of utilities and DSOs to handle compiled objects
Description :
Elfutils is a collection of utilities, including ld (a linker), nm (for listing symbols from object files), size (for listing the section sizes of an object or archive file), strip (for discarding symbols), readelf (to see the raw ELF file structures), and elflint (to check for well-formed ELF files).

Name : python-libs Relocations: (not relocatable)
Version : 2.6.6 Vendor: CentOS
Release : 36.el6 Build Date: Thu 21 Feb 2013
07:02:48 PM EST
Install Date: Fri 06 Feb 2015 09:04:02 AM EST Build Host:
c6b9.bsyz.dev.centos.org
Group : Applications/System Source RPM: python-2.6.6-36.el6.src.rpm
Size : 1739012 License: Python
Signature : RSA/SHA1, Sat 23 Feb 2013 12:39:45 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.python.org/>
Summary : The libraries for python runtime
Description :
The python interpreter can be embedded into applications wanting to use python as an embedded scripting language. The python-libs package provides the libraries needed for this.

Name : gdm-user-switch-applet Relocations: (not relocatable)
Version : 2.30.4 Vendor: CentOS
Release : 39.el6 Build Date: Thu 21 Feb 2013
08:25:25 PM EST
Install Date: Fri 06 Feb 2015 09:05:34 AM EST Build Host:
c6b7.bsyz.dev.centos.org
Group : User Interface/Desktops Source RPM: gdm-2.30.4-39.el6.src.rpm
Size : 122438 License: GPLv2+
Signature : RSA/SHA1, Sat 23 Feb 2013 12:41:29 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/gdm>
Summary : GDM User Switcher Panel Applet
Description :
The GDM user switcher applet provides a mechanism for changing among multiple simultaneous logged in users.

Name : libXp Relocations: (not relocatable)
Version : 1.0.0 Vendor: CentOS
Release : 15.1.el6 Build Date: Thu 19 Aug 2010
02:53:33 AM EDT
Install Date: Fri 06 Feb 2015 09:02:27 AM EST Build Host:
c6b3.bsyz.dev.centos.org

Group : System Environment/Libraries Source RPM: libXp-1.0.0-
15.1.el6.src.rpm
Size : 39653 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:42:20 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXp runtime library
Description :
X.Org X11 libXp runtime library