

Recommended Materials List for DocuColor 2060/2045

Review Date: 1/29/2002

Last review 9/4/2001

Important Note:

Media recommendations made in this publication are based on qualification tests conducted using standard test images with moderate to heavy image area coverage. Test machines are maintained within specifications defined by user documentation.

\* Testing Environment temperature range of 60-75 deg. F, Relative Humidity range 20-50%.

Reliabilty is based on your operating environment and application mix.

Machine reliability specifications may be affected by high usage of heavy weight and specialty stocks. In addition, variances in machine reliability may occur due to extended use of some media types.

© 2000 Xerox Corporation. All rights reserved.

Xerox® , The Document Company®, the stylized X®, and all Xerox product names and product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

For media questions please call our paper and media Hotline: 1-888-979-9307  
For the most recent Recommended Materials Lists access our [www.Xerox.com](http://www.Xerox.com) and do a search on DocuColor 2060, the downloadable files are attached to the product description page.

XEROX RECOMMENDED MATERIALS LIST- DOCUCOLOR 2045/2060

			Standard Cut Sizes				Basis	Grammage	Docucolor 2000 Series Trays/ Weight Selection and Best Practices for Operation															
			8.5X11 216x279 mm	8.5X14 216x356 mm	Short Grain 17x11 432x279 mm	Short Grain 18x12 457x305 mm	Weight of 500 sheets of the paper specific to trade type	Weight of the paper in grams per square meter	Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		High Capacity Stacker Compatible?			
Weight Range Specification ----->								64-80 gsm		81-105 gsm		106-135 gsm		136-150 gsm		151-220 gsm		221- 280 gsm						
Instructions for Printing one (Simplex) or two (Duplex) sides ----->								Simplex		Duplex		Simplex		Duplex		Simplex		Duplex		Simplex		Duplex		
Business Papers (Bond, xerographic, and laser grades)			Decurler Setting paper type					Xerographic/ Bond																
Xerox Digital Color Xpressions +, 24 LB 8.5 x 11, 3-Hole Drilled (SEF)**			A	3R11380				24	90			OK All Trays	OK All Trays									Yes		
				3R11381	Load SEF with holes towards the back of the machine.			24	90			OK Trays 1, 2 +3	OK Trays 1, 2 +3								Top Tray Only			
				3R11382				24	90			OK All Trays	OK All Trays								Yes			
						3R11383			24	90			OK All Trays	OK All Trays							Yes			
Xerox Digital Color Xpressions 94, 24 LB *** 8.5 x 11, 3-Hole Drilled (SEF)**			A	3R5464				24	90			OK All Trays	OK All Trays									Yes		
				3R5467(SEF)**	Load SEF with holes towards the back of the machine.			24	90			OK Trays 1, 2 +3	OK Trays 1, 2 +3								Top Tray Only			
				3R5466				24	90			OK All Trays	OK All Trays								Yes			
						3R5465 (LG)*			24	90			OK All Trays	OK All Trays							Yes			
Xerox Digital Color Allure, 24 LB *			A	3R11120				24	90			OK Trays 1, 2 +3	OK Trays 1, 2 +3									Yes		
						3R11121			24	90			OK Trays 1, 2 +3	OK Trays 1, 2 +3							Yes			
Xerox Digital Color Xpressions +, 28 LB			A	3R11385				28	105			OK All Trays	OK All Trays									Yes		
						3R11386			28	105			OK All Trays	OK All Trays							Yes			
Xerox Digital Color Xpressions 94, 28 LB ***			A	3R5468				28	105			OK All Trays	OK All Trays									Yes		
						3R5469			28	105			OK All Trays	OK All Trays							Yes			
Xerox Digital Color Xpressions 98, 28 LB  20% PCW			B	3R5529				28	105			OK All Trays	OK All Trays									Yes		
						3R5530			28	105			OK All Trays	OK All Trays							Yes			
Xerox Digital Color Allure, 28 LB ***			A	3R11122			3R5531	28	105			OK All Trays	OK All Trays									Yes		
						3R11123			28	105			OK Trays 1, 2 +3	OK Trays 1, 2 +3							Yes			
Xerox Digital Color Xpressions +, 32 LB			A	3R11387				32	120					OK All Trays	OK All Trays							Yes		
						3R11388			32	120					OK All Trays	OK All Trays					Yes			
							3R11389	32	120					OK All Trays	OK All Trays						Yes			
Xerox Digital Color Xpressions 94, 32 LB ***			A	3R5470				32	120					OK All Trays	OK All Trays							Yes		
						3R5471			32	120					OK All Trays	OK All Trays					Yes			
						3R5472			32	120					OK All Trays	OK All Trays					Yes			
Uncoated Cover Stocks			Decurler Setting paper type					Cover Weight																
Xerox Digital Color Xpressions +, 60 LB			A	3R11390				60	163								OK All Trays	OK All Trays			Yes			
						3R11391			60	163								OK All Trays	OK All Trays		Yes			
						3R11384			60	163								OK All Trays	OK All Trays		Yes			
Xerox Digital Color Xpressions 98, 60 LB Cover  20% PCW			A	3R6385				60	163								OK All Trays	OK All Trays			Yes			
						3R6386			60	163								OK All Trays	OK All Trays		Yes			
						3R6387			60	163								OK All Trays	OK All Trays		Yes			
Xerox Digital Color Allure, 60 LB Cover ***			A	3R11124				60	163								OK Trays 1, 2 +3	OK Trays 1, 2 +3			Yes			
						3R11125			60	163								OK Trays 1, 2 +3	OK Trays 1, 2 +3		Yes			
Xerox Digital Color Xpressions 98, 65 LB Cover  20% PCW			A	3R5533				65	176								OK All Trays	OK All Trays			Yes			
						3R5534			65	176								OK All Trays	OK All Trays		Yes			
							3R5535	65	176									OK All Trays	OK All Trays		Yes			
Xerox Digital Color Xpressions 98, 80 LB Cover  20% PCW			A	3R5537				80	216								OK Trays 1, 2 +3	OK Trays 1, 2 +3			Yes			
						3R5538			80	216								OK Trays 1, 2 +3	OK Trays 1, 2 +3		Yes			
							3R5539	80	216									OK Trays 1, 2 +3	OK Trays 1, 2 +3		Yes			
Xerox Digital Color Xpressions 98, 100 LB Cover  20% PCW			A	3R11160				100	270										Tray 3 Only	Manual Duplex	Yes			
						3R11161			100	270										Tray 3 Only	Manual Duplex	Yes		
						3R11162			100	270											Tray 3 Only	Manual Duplex	Yes	
Coated Text or Book Stock C2S			Decurler Setting paper type					Text Weight																
Xerox Digital Color Gloss 80# Text			A	3R11330				80	120					Tray 3 & 4 Only	Tray 3 & 4 Only						Yes			
						3R11331			80	120					Tray 3 & 4 Only	Tray 3 & 4 Only					Yes			
							3R11332	80	120					Tray 3 & 4 Only	Tray 3 & 4 Only					Yes				
Xerox Digital Color Gloss 100# Text			A	3R11336				100	140							Tray 3 & 4 Only	Tray 3 & 4 Only				Yes			
						3R11337			100	140							Tray 3 & 4 Only	Tray 3 & 4 Only			Yes			
							3R11338	100	140							Tray 3 & 4 Only	Tray 3 & 4 Only				Yes			
Xerox Digital Color Silk 80# Text			A	3R11354				80	120					Tray 3 & 4 Only	Tray 3 & 4 Only						Yes			
						3R11355			80	120					Tray 3 & 4 Only	Tray 3 & 4 Only					Yes			
							3R11356	80	120					Tray 3 & 4 Only	Tray 3 & 4 Only						Yes			
Xerox Digital Color Silk 100# Text			A	3R11360				100	140							Tray 3 & 4 Only	Tray 3 & 4 Only				Yes			
						3R11361			100	140							Tray 3 & 4 Only	Tray 3 & 4 Only			Yes			
							3R11362	100	140							Tray 3 & 4 Only	Tray 3 & 4 Only				Yes			

\* Sheet is cut in grain-long direction  
\*\* SEF- Short Edge Feeding is Recommended  
\*\*\* Product lines will be discontinued effective Feb. 1, but will be available until inventory is depleted

For media questions please call our paper and media Hotline: 1-888-979-9307  
For the most recent Recommended Materials Lists access our [www.Xerox.com](http://www.Xerox.com) and do a search on DocuColor 2060, the downloadable files are attached to the product description page.

		Standard Cut Sizes				Basis Weight (lb)	Grammage Weight (gsm)	Docucolor 2000 Series Trays/ Weight Selection and Best Practices for Operation													
		8.5X11 216x279 mm	8.5X14 216x356 mm	Short Grain 17x11 432x279 mm	Short Grain 18x12 457x305 mm	Weight of 500 sheets of the paper specific to trade type	Weight of the paper in grams per square meter	Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		High Capacity Stacker Compatible?	
Weight Range Specification ----->								64-80 gsm		81-105 gsm		106-135 gsm		136-150 gsm		151-220 gsm		221- 280 gsm			
Instructions for Printing one (Simplex) or two (Duplex) sides ----->								Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex		
Coated Cover Stock C2S		Decurler Setting paper type						Cover Weight													
Xerox Digital Color Gloss 80# Cover		A	3R11333				80	210									Tray 3 & 4 Only	Tray 3 & 4 Only		Yes	
						3R11334		80	210								Tray 3 & 4 Only	Tray 3 & 4 Only		Yes	
							3R11335	80	210								Tray 3 & 4 Only	Tray 3 & 4 Only		Yes	
Xerox Digital Color Gloss 100# Cover		A	3R11339				100	280											Tray 3 Only	Manual Duplex	Yes
						3R11340		100	280									Tray 3 Only	Manual Duplex	Yes	
							3R11341	100	280									Tray 3 Only	Manual Duplex	Yes	
Xerox Digital Color Silk 80# Cover		A	3R11357				80	210									Tray 3 & 4 Only	Tray 3 & 4 Only		Yes	
						3R11358		80	210								Tray 3 & 4 Only	Tray 3 & 4 Only		Yes	
							3R11359	80	210								Tray 3 & 4 Only	Tray 3 & 4 Only		Yes	
Xerox Digital Color Silk 100# Cover		A	3R11363				100	280											Tray 3 Only	Manual Duplex	Yes
						3R11364		100	280									Tray 3 Only	Manual Duplex	Yes	
							3R11365	100	280									Tray 3 Only	Manual Duplex	Yes	
Super Gloss Coated Cover Stock C1S		Decurler Setting paper type						No weight equiv. Trade unit is caliper													
Xerox Digital Color 8 pt SuperGloss Cover C1S		A	3R6290				8 pt	160									Tray 3 & 4 Only	Tray 3 & 4 Only		Yes	
						3R6291		8 pt	160								Tray 3 & 4 Only	Tray 3 & 4 Only		Yes	
							3R6292	8 pt	160								Tray 3 & 4 Only	Tray 3 & 4 Only		Yes	
Xerox Digital Color 10 pt SuperGloss Cover C1S		A	3R6293				10 pt	210									Tray 3 & 4 Only	Tray 3 & 4 Only		Yes	
						3R6294		10 pt	210								Tray 3 & 4 Only	Tray 3 & 4 Only		Yes	
							3R6295	10 pt	210								Tray 3 & 4 Only	Tray 3 & 4 Only		Yes	
Xerox Digital Color 12 pt SuperGloss Cover C1S		A	3R6350				12 pt	250											Tray 3 Only	Manual Duplex	Yes
						3R6351		12 pt	250									Tray 3 Only	Manual Duplex	Yes	
							3R6352	12 pt	250									Tray 3 Only	Manual Duplex	Yes	
Xerox Digital Color Coated Cover 8 pt, <b>Only Available in Canada</b> Cover C1S		A	3R13031				8 pt	180									Tray 3 Only	Tray 3 Only		Yes	
						3R13032		8 pt	180								Tray 3 Only	Tray 3 Only		Yes	
							3R13033	8 pt	180								Tray 3 Only	Tray 3 Only		Yes	
Xerox Digital Color Coated Cover 10 pt, <b>Only Available in Canada</b> Cover C1S		A	3R13034				10 pt	200									Tray 3 Only	Tray 3 Only		Yes	
						3R13035		10 pt	200								Tray 3 Only	Tray 3 Only		Yes	
							3R13036	10 pt	200								Tray 3 Only	Tray 3 Only		Yes	
Transparencies		Decurler Setting paper type						Transparencies													
Xerox Digital Color Transparencies		Default		3R5765		Load with stripe down		OHP		NA											
Xerox High Speed Paper Backed Transparencies		A		3R5764		Image Quality will vary with productivity. 3R5765 is recommended for best results.		NA		NA								Tray 3 Only			
Specialties		Decurler Setting paper type						Various Categories		Approximately											
Xerox Digital Color SuperGloss Greeting Cards, 8 pt Cover C1S   Folds to 8.5"x5.5"		A	3R6337	Second side image quality is not as good as that obtainable on side one			8 pt		160								Tray 3 Only		Tray 3 Only		Yes
Xerox Digital Color SuperGloss Greeting Cards, 10 pt Cover C1S   Folds to 8.5"x5.5"		A	3R6340	Second side image quality is not as good as that obtainable on side one			10 pt		210								Tray 3 Only		Tray 3 Only		Yes
Xerox Digital Color SuperGloss Trifold Brochures, 8 pt Cover C1S		A	3R6348	Second side image quality is not as good as that obtainable on side one			8 pt		160								Tray 3 Only		Tray 3 Only		Yes
Xerox Window Decals, Clear		B	3R6339				NA		NA								Tray 3 Only				
Xerox Window Decals, Opaque		B	3R12059				NA		NA		Tray 3 Only										
Xerox DocuPac Folders (9.5 x 11.7")		A	3R4885 (9.5x11.7")				NA		160								Tray 3 Only				
Xerox High Gloss Coated Presentation Folders (9x11")		A	3R5570				8 pt		160								Tray 3 Only				
Xerox Docupac Laser Folders		A	3R5105				NA		160								Tray 3 Only				
Xerox DocuCard ID Card (1-UP)*** (50 sheet stacks maximum)		A	3R6336				NA		165								Tray 3 Only				
Xerox Digital Color Crisp Cut Business Cards (10 UP)		A	3R12193				NA		250										Tray 3 Only	Manual Duplex	Top Tray
Xerox DuraPaper 8.5 x 11, 3-Hole Drilled (SEF)**		A	3R12064				10 pt		200										Tray 3 Only	Manual Duplex	Yes
			A	3R12065		Load SEF with holes towards the back of the machine			10 pt		200								Tray 3 Only	Manual Duplex	Top Tray
							3R12063		10 pt		200								Tray 3 Only	Manual Duplex	Yes
Xerox Digital Color Glossy Tabs- Single straight collated		A	3R6254 (SEF)		Load tabs SEF with tab towards the back of the machine			8 pt		160						Tray 3 Only (SEF)					
Xerox Digital Color Glossy Tabs- Single reverse collated		A	3R11269 (SEF)		Load tabs SEF with tab towards the back of the machine			8 pt		160						Tray 3 Only (SEF)					
Xerox Digital Metallic Cover, Silver		A	3R12311		Color reproduction will be affected.			8 pt		213								Tray 3 Only	Manual Duplex	Yes	
Xerox Digital Metallic Cover, Gold		A	3R12312		Color reproduction will be affected			8 pt		213								Tray 3 Only	Manual Duplex	Yes	

\* OHP Refers to Overhead projector




\*\*SEF- Short Edge Feeding Recommended

\*\*\* Maximum of 50 sheet stacks in tray 3

For media questions please call our paper and media Hotline: 1-888-979-9307

For the most recent Recommended Materials Lists access our [www.Xerox.com](http://www.Xerox.com) and do a search on DocuColor 2060, the downloadable files are attached to the product description page.

XEROX RECOMMENDED MATERIALS LIST- DOCUCOLOR 2045/2060

		Standard Cut Sizes				Basis	Grammage	Docucolor 2000 Series Trays/ Weight Selection and Best Practices for Operation												
		8.5X11 216x279 mm	8.5X14 216x356 mm	17x11 432x279 mm	18x12 457x305 mm	Weight of 500 sheets of the paper specific to trade type	Weight of the paper in grams per square meter	Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		High Capacity Stacker Compatible?
Weight Range Specification ----->								64-80 gsm		81-105 gsm		106-135 gsm		136-150 gsm		151-220 gsm		221- 280 gsm		
Instructions for Printing one (Simplex) or two (Duplex) sides ----->								Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	
Tinted and textured stocks Offset/ Text weights			Decurler Setting paper type	When printing solid colors or photographs, the inherent properties of these stocks may affect image quality. Please ensure output meets your requirements.	Xerographic/ Bond															
Xerox Digital Color Parchment White, 24 LB.	30% PCW	A		3R11244			24	90			OK Trays 1, 2 and 3	OK Trays 1, 2 and 3								Yes
Xerox Digital Color Parchment Gold, 24 LB.	30% PCW	A		3R11245		3R11248	24	90			OK Trays 1, 2 and 3	OK Trays 1, 2 and 3								Yes
Xerox Digital Color Parchment Orchid, 24 LB.	30% PCW	A		3R11246		3R11249	24	90			OK Trays 1, 2 and 3	OK Trays 1, 2 and 3								Yes
Xerox Digital Color Parchment Pewter, 24 LB.	30% PCW	A		3R11247		3R11250	24	90			OK Trays 1, 2 and 3	OK Trays 1, 2 and 3								Yes
Xerox Digital Color Graphics Cream White, 28/ 70 LB.	30% PCW	A		3R11164		3R11168	28	105			OK Trays 1, 2 and 3	OK Trays 1, 2 and 3								Yes
Xerox Digital Color Graphics Warm White, 28/ 70 LB.	30% PCW	A		3R11165		3R11172	28	105			OK Trays 1, 2 and 3	OK Trays 1, 2 and 3								Yes
Xerox Digital Color Graphics White Fiber, 28/ 70 LB.	30% PCW	A		3R11166		3R11170	28	105			OK Trays 1, 2 and 3	OK Trays 1, 2 and 3								Yes
Xerox Digital Color Graphics Cream Fiber, 28/ 70 LB.	30 % PCW	A		3R11167		3R11171	28	105			OK Trays 1, 2 and 3	OK Trays 1, 2 and 3								Yes
						3R11175	28	105			OK Trays 1, 2 and 3	OK Trays 1, 2 and 3								Yes
Tinted and textured stocks Cover weights			Decurler Setting paper type	When printing solid colors or photographs, the inherent properties of these stocks may affect image quality. Please ensure output meets your requirements.	Cover Weight															
Xerox Digital Color Parchment White, 65 LB. Cover	30% PCW	A		3R11252		3R11256	65	176								OK Trays 1, 2 and 3	OK Trays 1, 2 and 3			Yes
Xerox Digital Color Parchment Gold, 65 LB. Cover	30% PCW	A		3R11253		3R11257	65	176								OK Trays 1, 2 and 3	OK Trays 1, 2 and 3			Yes
Xerox Digital Color Parchment Orchid, 65 LB. Cover	30% PCW	A		3R11254		3R11258	65	176								OK Trays 1, 2 and 3	OK Trays 1, 2 and 3			Yes
Xerox Digital Color Parchment Pewter, 65 LB. Cover	30 % PCW	A		3R11255		3R11259	65	176								OK Trays 1, 2 and 3	OK Trays 1, 2 and 3			Yes
Xerox Digital Color Graphics Cream White, 80 LB. Cover	30% PCW	A		3R11176			80	216								OK Trays 1, 2 and 3	OK Trays 1, 2 and 3			Yes
Xerox Digital Color Graphics Warm White, 80 LB. Cover	30% PCW	A		3R11177			80	216								OK Trays 1, 2 and 3	OK Trays 1, 2 and 3			Yes
Xerox Digital Color Graphics White Fiber, 80 LB. Cover	30% PCW	A		3R11178			80	216								OK Trays 1, 2 and 3	OK Trays 1, 2 and 3			Yes
Xerox Digital Color Graphics Cream Fiber, 80 LB. Cover	30% PCW	A		3R11179			80	216								OK Trays 1, 2 and 3	OK Trays 1, 2 and 3			Yes
						3R11187	80	216								OK Trays 1, 2 and 3	OK Trays 1, 2 and 3			Yes
Label Stock			Decurler Setting paper type				Label Stocks	Approximately												
Xerox Brightwhite labels		A		3R12177			NA	190								Tray 3 Only				Top Tray Only
1 UP 8.5 x 11	20% PCW	A		3R12179			NA	190								Tray 3 Only				Top Tray Only
30 UP 8.5 x 11	20% PCW	A																		
Xerox Digital Color Xpressions Gloss Coated Labels		C		3R5770			NA	190								Tray 3 Only				Top Tray Only
1 UP 8.5 x 11		C		3R5771			NA	190								Tray 3 Only				Top Tray Only
4 UP 8.5 x 11		C		3R6324			NA	190								Tray 3 Only				Top Tray Only
10 UP 8.5 x 11		C		3R6325			NA	190								Tray 3 Only				Top Tray Only
30 UP 8.5 x 11		C		3R6323			NA	190								Tray 3 Only				Top Tray Only
Diskette 8.5 x 11		C		3R6320			NA	190								Tray 3 Only				Top Tray Only
VCR 8.5 x 11		C		3R6322			NA	190								Tray 3 Only				Top Tray Only
CD-ROM 8.5 x 11		C																		
Xerox Digital Color Xpressions Matte Coated Labels		C		3R5772			NA	190								Tray 3 Only				Top Tray Only
1 UP 8.5 x 11	10% PCW	C		3R5773			NA	190								Tray 3 Only				Top Tray Only
4 UP 8.5 x 11	10% PCW	C		3R6332			NA	190								Tray 3 Only				Top Tray Only
10 UP 8.5 x 11	10% PCW	C		3R6333			NA	190								Tray 3 Only				Top Tray Only
30 UP 8.5 x 11	10% PCW	C		3R6331			NA	190								Tray 3 Only				Top Tray Only
Diskette 8.5 x 11	10% PCW	C		3R6328			NA	190								Tray 3 Only				Top Tray Only
VCR 8.5 x 11	10% PCW	C																		
CD-ROM 8.5 x 11	10% PCW	C		3R6330			NA	190								Tray 3 Only				Top Tray Only

NON-XEROX COMPATIBLE MATERIALS - DOCUCOLOR 2045/2060

						Standard Cut Sizes				Basis Weight (lb)	Grammage Weight (gsm)	Docucolor 2000 Series Trays/ Weight Selection and Best Practices for Operation													
						8.5X11 216x279 mm	8.5X14 216x356 mm	17x11 432x279 mm	18x12 457x305 mm	Weight of 500 sheets of the paper specific to trade type	Weight of the paper in grams per square meter	Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		High Capacity Stacker Compatible?	
Weight Range Specification ----->												64-80 gsm		81-105 gsm		106-135 gsm		136-150 gsm		151-220 gsm		221- 280 gsm			
Instructions for Printing one (Simplex) or two (Duplex) sides ----->												Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex		
Business Papers (Bond, xerographic, and laser grades)		Decurler Setting paper type					Cover Weight																		
Hammermill Color Copy Photowhite		A	X				28	105			OK All Trays	OK All Trays											Yes		
Georgia Pacific Microprint Laser 1000		A	X			X	24	90			OK All Trays	OK All Trays											Yes		
						X	24	90			OK All Trays	OK All Trays										Yes			
Weyerhaeuser First Choice 24 LB		C	X				24	90			OK Trays 1, 2 +3	OK Trays 1, 2 +3											Yes		
						X	24	90			OK Trays 1, 2 +3	OK Trays 1, 2 +3											Yes		
Weyerhaeuser First Choice 32 LB		C	X				32	120					OK Trays 1, 2 +3	OK Trays 1, 2 +3									Yes		
						X	32	120					OK Trays 1, 2 +3	OK Trays 1, 2 +3									Yes		
Uncoated Cover Stocks		Decurler Setting paper type					Cover Weight																		
Hammermill Color Copy Photowhite- Cover		A	X				60	163												OK Trays 1, 2 +3	OK Trays 1, 2 +3			Yes	
						X	60	163												OK Trays 1, 2 +3	OK Trays 1, 2 +3			Yes	
Coated Text or Book Stock C2S		Decurler Setting paper type					Text Weight																		
Consolidated Futura		A	X				70	105			Tray 3 Only	Tray 3 Only											Yes		
Consolidated Frostbrite Matte		B	X				70	105			Tray 3 Only	Tray 3 Only											Yes		
SAPPI Lustrogloss		A	X				80	120					Tray 3 Only	Tray 3 Only									Yes		
Coated Cover Stock C2S		Decurler Setting paper type					Cover Weight																		
SAPPI Lustrogloss		A	X				100	270														Tray 3 Only	Manual Duplex	Yes	
Super Gloss Coated Cover Stock C1S		Decurler Setting paper type	Load coated side up in tray 3.				No weight equiv. Trade unit is caliper																		
Carolina C1S Cover		A					10 pt	210										Tray 3 Only					Yes		

Additional applications are being tested today.  
Please consult your Operator Manual and Materials Usage Guide for more information regarding paper performance.

**Warranty disclaimer**  
Xerox makes no guarantees or warranties, either expressed or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer.  
When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure that their expectations are met.  
The quality of Xerox supplies is consistent from ream to ream and is backed by a 100% guarantee. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best-- Xerox Supplies.  
1999 Xerox Corporation. All rights reserved.  
Xerox, The Document Company, the stylized X, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

For media questions please call our paper and media Hotline: 1-888-979-9307  
For the most recent Recommended Materials Lists access our [www.Xerox.com](http://www.Xerox.com) and do a search on DocuColor 2060, the downloadable files are attached to the product description page.