


Release Notes



Contents

DesignPro Tools 4.00.05/Transformation Suite 9.00.05/PageMiner 5.00.05	4
New Feature	4
Operating System Compatibility	4
DesignPro Tools Professional 4.00.05	4
New Feature	4
Manager	
Fixes	4
Form Editor	
Font Editor	4
Vitesse	5
Parsers	5
Converters	6
DesignPro Tools Professional 4.00.04	6
New Features	6
Form Editor	6
Print Driver Pro	6
Fixes	6
Form Editor	6
DesignPro Manager	7
PrintDriver Pro	7
Graphics Editor	7
DesignPro Tools Applications	7
Parsers	7
Converters	8
Utilities	8
DesignPro Tools Professional 4.00.03	8
New Features	8
Install	8
Form Editor	8
Converters	9
Fixes	9
Form Editor – Stand-alone Package	9
Form Editor	9
Resource Map	9
Converters	10
Parsers (Metacode)	10
Install	10

Transformation Suite 9.00.03	
New Features	10
Fixes	10
Parser (Metacode)	10
PageMiner 5.00.03	11
Fixes	11
Parsers (Metacode)	11
DesignPro Tools Professional 4.00.02	11
New Features	11
Visual PPFA	11
Fixes	11
Network	11
Form Editor	11
Font Editor	11
Visual PPFA	
Transformation Suite 9.00.02	12
Parsers (PCL)	12
DesignPro Tools Professional 4.00.01	12
Fixes	12
Form Editor	12
Visual PPFA	
DesignPro Manager	
Elixir PrintDriver	
Converters	
PageMiner 5.00.01	13
Fixes	13
PageMiner/Elixir Viewer	

DesignPro Tools Professional 4.00.05 Transformation Suite 9.00.05 PageMiner 5.00.05 RELEASE NOTES

July 11, 2014

These release notes describe changes to the above products and contain descriptions of features not in our documentation. All updates are cumulative; changes made in previous updates are included in this release. This release must be applied on top of the base release 4.00, and will update each of the above products if installed.

DesignPro Tools 4.00.05/Transformation Suite 9.00.05/PageMiner 5.00.05

New Feature

Operating System Compatibility

Microsoft® Windows 8.1 64-bit Compatibility

DesignPro Tools, Transformation Suite and PageMiner are compatible with Microsoft[®] Windows 8.1 64-bit operating system.

DesignPro Tools Professional 4.00.05

New Feature

Manager

Resource Packaging Support for FormDef Resources.

A FormDef can be dragged and dropped from **Details** window into the **Resource Package** tab of the **Manage** window. All of the resources associated with the FormDef list correctly, and a ZIP file package can be saved.

Fixes

Form Editor

Line Objects Copied Successfully

The Copy tool for Line objects works correctly.

Font Editor

Correct Toolset Selection

Based on the information available in the license file, the corresponding toolset (AFP/Xerox) selects automatically.

Vitesse

Correct Version of ELMI32.dll Installs for Vitesse

In case of DesignPro Tools for Xerox, the correct version of **ELMI32.dll** installs for Vitesse. Hence, the error message *"License Key not found"* no longer displays.

Parsers

AFPDS

Duplicate Barcode Objects Handled Correctly


Barcode object name duplication no longer occurs, and hence, the error message "Resource already exists" no longer displays.

GDF/ElixirForm

ELX Files Correctly Imported into DesignPro Tools

ELX files from Elixir Application Suite containing tags with both Field Length and Field Gen defined can be imported into DesignPro Tools Form Editor by either ignoring Field Length or Field Gen.

By default, Field Length is ignored. If you need DesignPro Tools to ignore **Field Gen**, then check the **Ignore Field Gen** option under the **Tags** category. In this case, the Field Length is not ignored when importing ELX files into DesignPro Tools.



Converters

AFPDS

Outline Font Mappings Apply Correctly -

During conversion from OGL to OVE, the outline font mappings apply correctly.

Barcode Color Value Set Correctly

During SRC PageDef conversion to AFP PageDef, the color value triplet (X'4E) for the barcode object is set only if **Color Support** option is checked in the **PageDef** category on the **AFPDS** converter properties dialog.

Metacode

Relative Offsets Set Correctly

The metacode output no longer contains any relative offsets of zero dots.

DesignPro Tools Professional 4.00.04

New Features

Form Editor

QR Code Barcode Type Supported

QR Code (Quick Response Code) barcode type is supported.



Print Driver Pro

DAT Files Generate on Conversion to EFR

PrintDriver generates DAT files during conversion to ElixirDoc (EFR) when the **Document Type: Form** option is selected.

Fixes

Form Editor

Move and Copy Features Work Correctly

While copying and moving a text object using the **Select** toolbar, the actual text within the object being copied shows.

Line Thickness Displays in DOT Units

When both **Always Use DOT Units for Line Thickness** and **Show Values in Fractional Units** are checked, the line thickness displays in DOT units, and the increment and decrement feature works fine.

Note: These two options are available in the Options dialog, Application node, Ruler category.

DesignPro Manager

Deleted Files and Folders No Longer Display

The deleted files and folders no longer display in the **Resources** window when using Microsoft[®] Windows[®] 7. Previously, the deleted files or folders would disappear from the view only after the refresh operation.

PrintDriver Pro

Elixir Resources Placed Over Network Mapped Drive Accessed Correctly

The files convert properly even if the Elixir resources folder is placed over a network mapped drive during installation on Microsoft[®] Windows[®] 7.

Graphics Editor

Image Changes Saved

All transformation operations applied on an image are saved using available on the **Standard** toolbar.

DesignPro Tools Applications

Compressed and Uncompressed Images Handled Correctly

The DesignPro Tools applications correctly identify both compressed and uncompressed black and white AFP Page Segment (S1*.SEG) format image files. Hence, the images load correctly.

Parsers

AFPDS

CCP Comparison Case 'Take Action Without Comparison' Handled Correctly

AFP PageDef Objects (P1*, P1*.obj) utilizing CCP with a single repeating group and comparison case "**Take Action Without Comparison**" are handled correctly.

Metacode

Files Containing Multiple Fonts Convert Successfully

The Microsoft® Word® files containing single line text objects with multiple fonts applied convert successfully.

Special Characters Parse Correctly

The width of special characters is handled properly during parsing, and hence, the output file generates correctly.

ElixirGDF

Tag Dimensions Preserved

The checkbox **Ignore Tag Dimension** is added under **Tags** category of the GDF/ElixirForm dialog. When unchecked, the tag dimensions and justification settings are preserved when the file is opened in DesignPro Form Editor.

LCDS

Files Containing Duplicate LineFont Entries Convert Successfully

Metacode files containing duplicate linefont entries are handled properly, hence, the correct fonts apply on the text objects.

Converters

AFPDS

Highlight Colors Apply Correctly

The highlight color selected from the **Color** category of the **AFPDS** output format dialog is applied to all objects in an AFP Overlay Object (OVE; OVL; O1*).

PPFA

Out of Range FIELD LENGTH Handled Correctly

The out of range **FIELD LENGTH** value 65535 is handled correctly in VPPFA while converting an AFP PageDef object into a VPPFA project file.

PDF

Compatible with Adobe® Reader® for Android™

The PDFs generated are compatible with Adobe® Reader® for Android™.

Utilities

DPTCLCU.EXE

Network License Works Properly

The network licensing works fine with DPTCLCU.EXE in command line mode, and hence, the missing license error message no longer displays.

DesignPro Tools Professional 4.00.03

New Features

Install

Silent Mode Installation Supported

Silent mode installation support is available in this patch and all subsequent patch releases will support silent mode installation. To install DesignPro Tools patch in silent mode, double-click on the **SilentInstall.bat** file available in silent mode installation package.


Note: A system reboot is required after performing silent mode installation.

Form Editor

Deleting Objects on Mouse Hover

An additional method to delete objects on mouse hovering is available:

- 1. Hover the mouse pointer over an object in the design area. The object highlights as shown in the image.
- 2. Press < Delete > to remove the object.



OCA Color Model Support Added

The color palette is enhanced and OCA color model is available for selection in the **Color Selector** dialog. **Note:** The OCA colors can be saved to OGL output format.

Converters

AFPDS

Image Resolution Retained

The **Resolution Same as Source** option is added to the **Images** category. When checked, the image resolution is maintained after conversion.

FRM

Conversion to FNT Optimized

The **Optimize Font Size** option is added under the **Font** category to optimize the Elixir font format conversion to Xerox font format by removing the extra white spaces.

PPFA

Paper Settings Retained

The checkboxes **XMSize** and **YMSize** are added under **Printer Specific** in the **FormDef c**ategory. When checked, the paper settings specified in Visual PPFA, **Tools** menu, **Options** dialog, **Paper and Printer Settings** options are used.

Fixes

Form Editor – Stand-alone Package

Millimeters (mm) Available as a Ruler Unit

The **Millimeters (mm)** unit of measurement is available in the **Options** dialog, **Ruler** category, **Units** dropdown list.

Form Editor

Coded Font Characters Display Properly

The Elixir Coded Font characters display properly in the Soft Keyboard dialog.

Resource Map

Associating T1000850 Code Page with Elixir Fonts

The **T1000850** code page can be associated with all Elixir fonts by entering _**Default** in the **Font Name** entry box of the **Linked CodePage** dialog.

Converters

Elixir GDF

KMP Option Enabled for Elixir Coded Font

The **KMP** file selection drop-down list is enabled for Elixir Coded Font.

FRM

Position and Dimension Settings Preserved

The position and dimension settings for small line objects preserve after saving.

Parsers (Metacode)

Objects with No Associated Tags Convert Properly

The files containing objects with no associated tags are handled properly during conversion to PDF format. Hence, the output displays correctly.

Install

Patch Installation Runs Smoothly

During patch installation, the message **Please get Spooler service stopped first** displays whenever Print Spooler service and its dependent service are encountered. In this case, stop the Print Spooler service and the dependent service manually, and then reinstall the patch.

Transformation Suite 9.00.03

New Features

Image Masking and Trimming Support Added

Image masking and trimming support added to the following:

- AFP Parser
- PDF and PS Converters
- Elixir Viewer

Fixes

Parser (Metacode)

Inline Images Parse Correctly

Multiple Inline images of the same name parse correctly.

PageMiner 5.00.03

Fixes

Parsers (Metacode)

Multiple Fonts Handled Correctly

Multiple fonts in a single record are handled correctly. Hence, the text lines up properly in the output.

Files with Tags Convert Properly

Files containing tags convert properly to PDF format.

DesignPro Tools Professional 4.00.02

New Features

Visual PPFA

QR Barcodes

QR Barcode support added.

Fixes

Network

Network Licensing Optimized

DesignPro Tools applications along with the resources (fonts, forms, images) open without any delay when DesignPro Tools Client and License Server are not on same LAN.

Form Editor

Correct Message Displays on Saving

Correct message 'Image "ABC" Linking as IMG.' displays when a form is saved as a Xerox Form Object (FRM) with **Export Images** option selected.

Note: Export Images option is available in Xerox LPS Resource Writer Resources dialog under Images category.

Font Editor

Font Parses Correctly

Font Editor generates a warning message and continues with parsing if FNM field value exceeds its limit.

Visual PPFA

Colors Preserved

Colors applied on fields and records are preserved and display properly for AFP PageDef Object (P1*.obj).

Changes to an OVE Saved

Changes made to an AFP Overlay Object (OVE;01*) are preserved when a FormDef is saved as an Elixir FormDef (EFD) in Visual PPFA.

Memory Release Optimized

Visual PPFA is optimized to release memory properly when currently opened PageDefs/FormDefs are closed and hence, files save properly.

Note: Previously memory was not released correctly when PageDefs/FormDefs were closed without closing Visual PPFA. The workaround was to close Visual PPFA before opening the next PageDef/FormDef.

Transformation Suite 9.00.02

Parsers (PCL)

12T Command Supported

Support for 12T command is added and hence, Helvetica Condensed font is parsed properly and text is positioned correctly during conversion of PCL file.

DesignPro Tools Professional 4.00.01 May 15, 2012

Fixes

Form Editor

Moving Multiple Objects

When a set of objects is moved multiple times consecutively using the <Arrow> key, the moves are considered as a single action and this action is logged only once. Hence, the error message "Error during logging undo/redo action. Not enough storage is available to complete this operation." no longer displays.

Note: To move objects slightly in one direction, press <Arrow> key; to move objects ten times as far, press <Ctrl> + <Arrow > keys.

Visual PPFA

Revision Date Updates Properly

Revision date/time stamp updates whenever a PageDef/FormDef resource is saved in Visual PPFA. However, Revision date/time stamp does not change when a resource is converted via DesignPro Manager as there is no modification to the resource.

DesignPro Manager

Tile to Font Works Correctly

Tile to Font works correctly for all glyph width values i.e. aligned (multiple of 8) or unaligned.

Elixir PrintDriver

Files Convert over a Mapped Network Drive

Files convert successfully over a mapped network drive.

Microsoft® Word® 2010 Documents Convert Properly

Microsoft® Word® 2010 documents convert to ELX format successfully on Windows 7.

Converters

OGL

Output Generates Correctly

In a customer specific environment, OGL output generates without extra spaces and text justification applies correctly.

PPFA

Outline Fonts Created Successfully

For Outline fonts, Ratio and Height values are written properly and correct naming convention is followed. In addition, Field/Records render in the design accordingly.

PageMiner 5.00.01

Fixes

PageMiner/Elixir Viewer

AFP to PDF Conversion

AFP files convert to PDF format smoothly. AFP files open in Elixir Viewer and PageMiner correctly.