



EFI Fiery Mixed Media: Creating & Printing Individual Tab Sets

The following reference guide supports the Xerox DocuColor 700 Printer with EFI Fiery EX700 Print Server



© 1998-2010 Xerox Corporation. All rights reserved. Xerox® and the sphere of connectivity design, DocuColor®, DocuSP®, FreeFlow® trademarks of Xerox Corporation in the US and/or other countries. EFI® and Fiery® are trademarks of Electronics for Imaging, Inc. Product status, build status, and/or specifications are subject to change without notice. Changes are periodically made to this document. Changes, technical inaccuracies, and typographic errors will be corrected in subsequent editions.

Document Version: 1.0 (January, 2010).

Table of Contents

Preface			iii
Gene	ral Purpose and Audienc	e	
Requ	ired Materials		iii

1. Loading Tab Stock in Bypass Tray 5	1
2. Programming Bypass Paper Tray 5	2
3. Mixed Media: Creating Tab Pages	3
4. Mixed Media: Printing Tab Pages	4


Preface

General Purpose and Audience

The EFI Fiery Mixed Media programming guide provides operators with the steps necessary to create and print individual tab document sets on the Xerox DocuColor 700.

Required Materials

• Blank Single Straight Collated Tabs



<Tab Media Example>

[This page left intentionally blank]

Loading Tab Stock in Bypass Tray 5

 Insert the largest flat edge of the tab stock into bypass Tray 5. The tab ear cutouts will face left.



Always use complete tab bank / sets in the paper tray. The following procedure may only be used on a DocuColor 700 Digital Color Press with a Light Production Finisher. All other Xerox finishers will yield unexpected results.



Programming Bypass Paper Tray 5

2. Select: Change Settings. to lightly touch the edges of the paper. Tray 5 Cancel Confirm Select Confirm if paper size and type are correct Tab Stock 106-128 asm Change Settings 3. Select: 8.5 x 11. 4. Select: Save. Adjust the Tray 5 Paper Guide to lightly touch the edges of the paper. 1. Tray 5 - Paper Size Cancel Save -8.5 x 11"D Standard Size 85 x 11" Custom Size 8.5 x 14" 11 x 17"02 12 x 18" 🖙 5.5 × 85" D 8 x 10"D 5×70 4×6"0 13 x 19" -

Programming Bypass Paper Tray 5

ray 5	Cancel Save
tems	Current Settings
1. Paper Size	85×11"D
Paper Type & Paper Weight	Tab Stock/106-128 gsm
3. Adjust Paper Curl	Default Value
4. Alignment Adjustment	Use at KSC
5 Adjust Fold Position	Default Value

. Select: Tab Stock.	7. Select: Paper Weig	ght.	8. Select: Save.
Adjust the Tray 5 Paper C lide to lightly touch the edges of the	paper.		
2. Tray 5 - Paper Typ	e & Paper Weight	Canc. I	Save
Paper Type			Paper Weight
Uncoated			106-128 gsm
Uncoated Reload			129-150 gsm
Coated			151-176 gsm
Coated Reload			177-220 gsm
Hole Punched			221-256 gsm
Recycled			257-300 gsm
Transparency			
Labels			
Tab Stock			
Transfer Paper			

Programming Bypass Paper Tray 5


Î	ay 5		Cancel	Save
ter	ms	Current Settings		
1,	Paper Size	85 x 11°D		
2	Paper Type & Paper Weight	Tab Stock/106-128 gsm		
3	Adjust Paper Curl	Default Value		
4	Alignment Adjustment	Use at KSC		
5	Adjust Fold Position	Default Value		



3

WARNING


The following procedure creates printed tab bank sets only! For all other tab printing procedures please contact your Systems Administrator or an authorized Xerox representative for assistance.



🖬 Document - WordPad		
File Edit View Insert Format Help		
New Open Save	Ctrl+N Ctrl+O Ctrl+S	
Save As Print Print Preview Page Setup	E	· · · · · 5 · · · · · · · · · · · · · ·
1 Z:\Danny\\tab creation 1 2 job1 3 PotomacConferenceoftheSeventhDayAdventistChurchesandSchools[4 LaunchV1.0DC8000APCEDSYSv1.0	[1]	
Exit		

🍓 Print	? 🔀
General	
Select Printer	
18	. Select: hold.
Add Printer Adobe PDF hold	
Status: Ready Drin Location:	nt to 19. Select: 1.
Comment:	
Page Range ⊙ All Number	of <u>c</u> opies: 1
O Selection O Current Page	
○ Pages: 1-65535 20. Select: Pri	nt.
Enter either a single page number or a s page range. For example, 5-12	
Print	Cancel Apply

🚖 Comma	nd WorkStation 4			
	Actions Server Window Help			
spoolin	ig 📃 spooled/held 📃 waiting to process 📃 process	sing 📃 processed/ł	neld 🔄 waiting	to print 📃 printing
			0 0	<u>}</u>
Print	Hold Process and Hold Delete	Archive Pri	_⊐Ny L eview Prop	-=== perties
Z 4		1101110		
Activ	e Jobs WKSC-EX700			
Job St 💚	🛆 Job Title			
Held	Document 2	 Right click on 	the Word P	ad Document.
Held	🗋 DC700 - working - Adv or Professional Finisher - Fi			
leld	DocuColor 700 Digital Color Press supply re-order info.pdf		201	8 AM xrxusr
feld	🗋 Microsoft Word - Generic Account Info Template.doc	22 Calentel		AM US803468
Held	RTOUCH3 TEMPLATE_1.pdf	22. Select: I	Properties.	PM xrxusr
Held	EdHomeLINQ_SS_Final_112409.pdf.dbp			🤳 PM 🛛 Administrator
Held	🕒 CologneBooklet_LTR.pdf	F int and Hold	Ctrl+Shift+P	5 PM Administrator
Held	CologneBooklet_coverEN.dbp			PM Administrator
Held	🕒 CologneTabSampl_EN.pdf	Properties		5 AM Administrator
Held	**LB_CologneTabSampl_LTRwComposewCovers.pdf	Preview	Ctrl+Shift+V	6 AM xrxusr
Held	**LB_CologneTabSampl_LTRwComposewCovers.pdf	Compose		PM xrxusr
Held	Office Products Catalog.pdf	Preflight		4 PM Administrator
Held	TB-Ferrari-F.pdf	Archive		4 AM Administrator
Held	BrewNess for DC700.pdf			0 AM Administrator
Held	A NewNess for DC700.pdf	Impose		PM Administrator
Held	Bank Tab Template.pdf	Schedule Printing	•	PM xrxusr
Held	**DO NOT DELETE** ZFold_LTR.pdf	Quick Doc Merge		2 PM Administrator
		2	-	




Joh P	ropertie												
-	Document							v (5)	e F				
	_			-	-		-				27.9	Select: Media.	
Basic	Job Info	Media	Layout	Color	Image	LE. Finishing	VDP	EE Summary					
Media	1												Reset
- *Í	none Sele Paper 1 Tray 2 Paper 1 8.5x1 Cust	2 5ize: 1 (Letter om Media age(s):		Each Cl	V Napter A	s A Separa	1000000	Media Type: Use Machine Si Tray Alignme	nt				
Shov	i: 🗹 All	🗹 Cove	ers 🔽 P	age Rar	iges 🔽	Blank Pag	jes 🔽]Tabs					
De	scription			Duple	ex	Single I	Page Fo	ld Tab Shift	Media Type	Media Weight	Paper Source	Paper Size	Paper cat
	fine Cover		lew Page	Range.	Ne	w Insert.		no	ne defined	Delete	28. Sel	ect: New Tab.	
▶ Jot) View: M	edia											
P	revie <u>w</u>										Print		Cancel

locast Tab	29. Select: Number of tab bo Example - 3 bank/cut	anks / cuts used in Bypass Paper Tray t, 5 bank/cut, etc	/ 5.
	First Tab Indent: 0.500 (0.00) Millimeter 1 Media Type: Tab K Out Unused Tabs: Finisher Top Tra Paper Size: Letter-Cover (9x11	Inch Media Weight: 106-128 Paper Source: Trav. 5 (5) Y Y A 31. Select: Finishe	er Top Tray.
Total number of tal Number of tabs to inse Apply the same tex Page Tab T	ert: 1 🗘 Insert	32. Select: Paper Size - Letter-Cover	(9x11) LEF.
		<u>к</u>	<u>Cancel</u>

3

Mixed Media: Creating Tab Pages



Insert Tab				
			Presets:	<
Tab Properties				
Number of tabs in a set: 5 🛟 (cuts, 1-	15)			
Media Type: Tab Output Tray To Kick Out Unused Tabs: Finis	meter	~	Tab Order: Firs Media Weight: 106-128 Paper Source: Tray 5 (By Paper catalog: none de Selec	/pass) 💌
Total number of tabs: 5 39. Change all tab page numbers	to 1. Text Attribute			
Page Tab Text	Font Size Text Rotation Text Alignment Font Size Text Rotation Text Alignment Size Text Rotation Text Alignment Font	Courier - 12		ABCD ABCD <th< td=""></th<>
			<u>o</u> k	

Insert Tab	×
	Presets:
Tab Properties	
Number of tabs in a set: 5 🔷 (cuts, 1-15)	
First Tab Indent: 0.500 📚 (0.000-9.583) Millimeter 💿 Inch Media Type: Tab 💌 Output Tray To Kick Out Unused Tabs: Finisher Top Tray 👻 Paper Size: Letter-Cover (9x11) LEF 😪	Tab Order: First To Last Media Weight: 106-128 gsm Paper Source: Tray 5 (Bypass) Paper catalog: none defined 40. Select: Text Attributes.
Total number of tabs: 5 Number of tabs to insert: 1 🗢 Insert V Apply the same text attributes for all tabs	 40. Select: Text Attributes. Font Size Text Rotation Text Alignment
Page Tab Text Text Attributes 1 ✓ Font Court ✓ Before ✓ Text Rotation Break 1 ✓ Text Alignment Image: Text Alignment 1 ✓ Court Court	ABCD 123456
Before Text Ror. 41. T	ype text for each tab page in the set.
1 Font Cour ✓ Before Size 12 Text Rotation Text Alignment 1 Font Cour	ABCD 123456
	<u>OK</u> <u>Cancel</u>

Insert Tab			×		
		Presets:	<		
Tab Properties					
Number of tabs in a set: 5 🛟 (cuts, 1-	15)				
Media Type: Tab Output Tray To Kick Out Unused Tabs: Finis) (0.000-9.583) meter O Inch wher Top Tray	Media Weight: 106-128 gsm Paper Source: Tray 5 (Bypass)			
Total number of tabs: 5 Number of tabs to insert: 1 CINSERT					
Page Tab Text	Text Attributes				
1 Chapter 1 Before Image: Chapter 2 Before Image: Chapter 3 Before Image: Chapter 3	FontCourierSize12*Text Rotation**FontCourier*Size12*Text Rotation**FontCourier*Size12*Text Alignment**Size12*FontCourier*Size12*FontCourier*Size12*Text Rotation**Text Rotation**Text Alignment**	42. Select: Ok.	ן ה		
1 Chapter 4	Font Courier -		N		

Mixed Media: Printing Tab Pages



Job Properties						
Job: Document	✓ < >	Presets:	~]			
Basic Job Info Media Layout Color Image Finishing VI	P Summary					
Media			Reset			
Paper stations more defined more defined more defined more defined more defined more defined more defined more source more sou						
Show: VAll V Covers V Page Ranges V Blank Pages						
Description Duplex Single Page Fold Tab Shift		Paper catalog Cover Pag First Tab I Tab Or				
Tab before I n/a n/a n/a Tab before I n/a n/a n/a	Use Mitchin Any Tray 5 (bypass) Letter-Cover (9x11) LEF Use Machin Any Tray 5 (bypass) Letter-Cover (9x11) LEF Use Machin Any Tray 5 (bypass) Letter-Cover (9x11) LEF Use Machin Any Tray 5 (bypass) Letter-Cover (9x11) LEF Use Machin Any Tray 5 (bypass) Letter-Cover (9x11) LEF Use Machin Any Tray 5 (bypass) Letter-Cover (9x11) LEF	none defined n/a 0.5 Inch First To none defined n/a 0.5 Inch First To	Last Finisher Top Tray Last Finisher Top Tray Last Finisher Top Tray			
Define Cover New Page Range New Insert	New Tab Edit Delete					
▶ Job View: Media						
Preview		Brint	QK <u>C</u> ancel			

Job: Document 43. Select: Finishing icon. 43. Select: Finishing icon.	l.
Finishing 44. Select: Page Order - Forwar	rd
Page Order: Face-Down Printing: Image: Order: Face-Down Printing: Image: Order: Face Up Image: Face Down Image: Order: Image: Trim	
Book Pressing: Off Fasten Mode: Trim Adjustment: 0.000 (-0. Millimeter (-1) 45. Select: Face Down Printing – Face Down	n
Off Collate: Stapler Mode: Output Tray: Off Output Tray: Finisher Stacker Tray 46. Select: Finisher Stacker Tray	ay.
Off Punch Position: Hole Punching: 47. Select: Hole Punch options (if applicable)	5
✓ Image Shift ✓ Image Shift ✓ Image Shift ✓ Align front and back images ✓ Align front and back images ✓ Units: ✓ mm ✓ Inches ✓ points	
Front Back Job View: Finishing Preview Print OK Can	

