

Name : systemd-python  
Version : 219  
Release : 57.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:55 AM EST  
Group : Unspecified  
Size : 202298  
License : LGPLv2+  
Signature : RSA/SHA256, Wed 25 Apr 2018 07:48:29 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : systemd-219-57.el7.src.rpm  
Build Date : Wed 11 Apr 2018 03:37:32 AM EDT  
Build Host : x86-01.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/systemd>  
Summary : Python 2 bindings for systemd  
Description :  
This package contains bindings which allow Python 2 programs to use systemd APIs

Name : libXaw  
Version : 1.0.13  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:37 AM EST  
Group : System Environment/Libraries  
Size : 498789  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:09:13 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXaw-1.0.13-4.el7.src.rpm  
Build Date : Wed 02 Aug 2017 12:36:01 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X Athena Widget Set  
Description :  
Xaw is a widget set based on the X Toolkit Intrinsics (Xt) Library.

Name : abrt-tui  
Version : 2.1.11  
Release : 48.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:59 AM EST  
Group : User Interface/Desktops  
Size : 28999  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 10:55:02 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : abrt-2.1.11-48.el7.centos.src.rpm

Build Date : Wed 09 Aug 2017 10:17:54 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : abrt's command line interface  
Description :  
This package contains a simple command line client for processing abrt reports in command line environment.

Name : libsss\_certmap  
Version : 1.15.2  
Release : 50.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:41 AM EST  
Group : Development/Libraries  
Size : 110641  
License : LGPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:54:46 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sssd-1.15.2-50.el7.src.rpm  
Build Date : Mon 07 Aug 2017 05:38:50 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://pagure.io/SSSD/sssdl>  
Summary : SSSD Certificate Mapping Library  
Description :  
Library to map certificates to users based on rules

Name : madan-fonts  
Version : 2.000  
Release : 11.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:49 AM EST  
Group : User Interface/X  
Size : 251512  
License : GPL+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:37:00 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : madan-fonts-2.000-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:10:50 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://madanpuraskar.org/>  
Summary : Font for Nepali language  
Description :  
This package provides the Madan font for Nepali made by the Madan Puraskar Pustakalaya project.

Name : control-center-filesystem  
Epoch : 1  
Version : 3.22.2  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:34 AM EST  
Group : Unspecified  
Size : 0  
License : GPLv2+ and GFDL  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:25:26 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : control-center-3.22.2-5.el7.src.rpm  
Build Date : Tue 08 Aug 2017 06:03:54 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org>  
Summary : GNOME Control Center directories  
Description :  
The GNOME control-center provides a number of extension points for applications. This package contains directories where applications can install configuration files that are picked up by the control-center utilities.

Name : libqmi  
Version : 1.16.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:57 AM EST  
Group : Development/Libraries  
Size : 3790607  
License : LGPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 01:58:03 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : libqmi-1.16.0-1.el7.src.rpm  
Build Date : Thu 17 Nov 2016 04:46:43 PM EST  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://freedesktop.org/software/libqmi>  
Summary : Support library to use the Qualcomm MSM Interface (QMI) protocol  
Description :  
This package contains the libraries that make it easier to use QMI functionality from applications that use glib.

Name : less  
Version : 458  
Release : 9.el7  
Architecture: x86\_64

Install Date: Mon 03 Dec 2018 08:51:39 AM EST  
Group : Applications/Text  
Size : 215376  
License : GPLv3+  
Signature : RSA/SHA256, Thu 30 Jul 2015 07:52:46 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : less-458-9.el7.src.rpm  
Build Date : Thu 30 Jul 2015 07:50:42 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.greenwoodsoftware.com/less/>  
Summary : A text file browser similar to more, but better  
Description :  
The less utility is a text file browser that resembles more, but has more capabilities. Less allows you to move backwards in the file as well as forwards. Since less doesn't have to read the entire input file before it starts, less starts up more quickly than text editors (for example, vi).

You should install less because it is a basic utility for viewing text files, and you'll use it frequently.

Name : rpm  
Version : 4.11.3  
Release : 25.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:43 AM EST  
Group : System Environment/Base  
Size : 2621855  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:41:33 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : rpm-4.11.3-25.el7.src.rpm  
Build Date : Wed 02 Aug 2017 11:48:19 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.rpm.org/>  
Summary : The RPM package management system  
Description :  
The RPM Package Manager (RPM) is a powerful command line driven package management system capable of installing, uninstalling, verifying, querying, and updating software packages. Each software package consists of an archive of files along with information about the package like its version, a description, etc.

Name : jomolhari-fonts  
Version : 0.003  
Release : 17.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:57:01 AM EST

Group : User Interface/X  
Size : 2294896  
License : OFL  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:16:49 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : jomolhari-fonts-0.003-17.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:56:21 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : Jomolhari a Bhutanese style font for Tibetan and Dzongkha  
Description :  
Jomolhari is an TrueType OpenType Bhutanese style font for Dzongkha and  
Tibetan text. It is based on Bhutanese manuscript examples, supports the  
Unicode and the Chinese encoding for Tibetan.  
The font supports the standard combinations used in most texts.

Name : libX11-common  
Version : 1.6.5  
Release : 1.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:35 AM EST  
Group : System Environment/Libraries  
Size : 1335662  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:08:55 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libX11-1.6.5-1.el7.src.rpm  
Build Date : Thu 03 Aug 2017 06:49:44 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Common data for libX11  
Description :  
libX11 common data

Name : usermode  
Version : 1.111  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:58 AM EST  
Group : Applications/System  
Size : 838723  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:39:05 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : usermode-1.111-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:54:18 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <https://fedorahosted.org/usermode/>  
Summary : Tools for certain user account management tasks  
Description :  
The usermode package contains the userhelper program, which can be used to allow configured programs to be run with superuser privileges by ordinary users.

Name : perl-Pod-Usage  
Version : 1.63  
Release : 3.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:40 AM EST  
Group : Development/Libraries  
Size : 44671  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:22:48 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Pod-Usage-1.63-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:56:19 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Pod-Usage/>  
Summary : Print a usage message from embedded POD documentation  
Description :  
pod2usage will print a usage message for the invoking script (using its embedded POD documentation) and then exit the script with the desired exit status. The usage message printed may have any one of three levels of "verboseness": If the verbose level is 0, then only a synopsis is printed.  
If the verbose level is 1, then the synopsis is printed along with a description (if present) of the command line options and arguments. If the verbose level is 2, then the entire manual page is printed.

Name : fprintd  
Version : 0.5.0  
Release : 4.0.el7\_0  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:01 AM EST  
Group : System Environment/Daemons  
Size : 310872  
License : GPLv2+  
Signature : RSA/SHA256, Sat 05 Jul 2014 11:22:21 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : fprintd-0.5.0-4.0.el7\_0.src.rpm  
Build Date : Tue 24 Jun 2014 07:15:32 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL : <http://www.freedesktop.org/wiki/Software/fprint/fprintd>  
Summary : D-Bus service for Fingerprint reader access  
Description :  
D-Bus service to access fingerprint readers.

Name : python-deltarpm  
Version : 3.6  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:45 AM EST  
Group : System Environment/Base  
Size : 47234  
License : BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:38:43 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : deltarpm-3.6-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:59:43 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gitorious.org/deltarpm/deltarpm>  
Summary : Python bindings for deltarpm  
Description :  
This package contains python bindings for deltarpm.

Name : iwl105-firmware  
Version : 18.168.6.1  
Release : 56.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:57:13 AM EST  
Group : System Environment/Kernel  
Size : 799837  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:48:53 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20170606-56.gitc990aae.el7.src.rpm  
Build Date : Sat 05 Aug 2017 02:03:09 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel(R) Centrino Wireless-N 105 Series  
Adapters  
Description :  
This package contains the firmware required by the iwlagn driver  
for Linux to support the iwl105 hardware. Usage of the firmware  
is subject to the terms and conditions contained inside the provided  
LICENSE file. Please read it carefully.

Name : grub2-pc-modules  
Epoch : 1

Version : 2.02  
Release : 0.64.el7.centos  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:37 AM EST  
Group : System Environment/Base  
Size : 2310196  
License : GPLv3+  
Signature : RSA/SHA256, Tue 22 Aug 2017 01:18:48 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : grub2-2.02-0.64.el7.centos.src.rpm  
Build Date : Thu 17 Aug 2017 02:01:13 PM EDT  
Build Host : kbuilder.dev.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/grub/>  
Summary : Modules used to build custom grub images  
Description :

The GRand Unified Bootloader (GRUB) is a highly configurable and customizable bootloader with modular architecture. It supports a rich variety of kernel formats, file systems, computer architectures and hardware devices.

This subpackage provides support for rebuilding your own grub.efi.

Name : NetworkManager-team  
Epoch : 1  
Version : 1.10.2  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:59 AM EST  
Group : System Environment/Base  
Size : 54552  
License : GPLv2+  
Signature : RSA/SHA256, Wed 25 Apr 2018 07:29:39 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : NetworkManager-1.10.2-13.el7.src.rpm  
Build Date : Thu 12 Apr 2018 03:44:26 PM EDT  
Build Host : x86-01.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/NetworkManager/>  
Summary : Team device plugin for NetworkManager  
Description :  
This package contains NetworkManager support for team devices.

Name : perl-Exporter  
Version : 5.68  
Release : 3.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:41 AM EST  
Group : Development/Libraries



Size : 56612  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:17:36 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Exporter-5.68-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:09:10 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Exporter/>  
Summary : Implements default import method for modules  
Description :  
The Exporter module implements an import method which allows a module to export functions and variables to its users'  
Name spaces. Many modules use Exporter rather than implementing their own import method because Exporter provides a highly flexible interface, with an implementation optimized for the common case.

Name : emacs-filesystem  
Epoch : 1  
Version : 24.3  
Release : 19.el7\_3  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:55:03 AM EST  
Group : Applications/Editors  
Size : 0  
License : GPLv3+  
Signature : RSA/SHA256, Fri 03 Mar 2017 06:24:09 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : emacs-24.3-19.el7\_3.src.rpm  
Build Date : Fri 03 Mar 2017 02:40:33 AM EST  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/emacs/>  
Summary : Emacs filesystem layout  
Description :  
This package provides some directories which are required by other packages that add functionality to Emacs.

Name : gpm-libs  
Version : 1.20.7  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:45 AM EST  
Group : System Environment/Libraries  
Size : 27736  
License : GPLv2 and GPLv2+ with exceptions and GPLv3+ and Verbatim and Copyright only

Signature : RSA/SHA256, Thu 03 Jul 2014 09:44:28 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gpm-1.20.7-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:13:25 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.nico.schottelius.org/software/gpm/>  
Summary : Dynamic library for for the gpm  
Description :  
This package contains the libgpm.so dynamic library which contains  
the gpm system calls and library functions.

Name : iwl6000g2b-firmware  
Version : 17.168.5.2  
Release : 56.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:57:15 AM EST  
Group : System Environment/Kernel  
Size : 1249829  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:49:39 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20170606-56.gitc990aae.el7.src.rpm  
Build Date : Sat 05 Aug 2017 02:03:09 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel(R) Wireless WiFi Link 6030 Series  
Adapters  
Description :  
This package contains the firmware required by the iwlagn driver  
for Linux. Usage of the firmware is subject to the terms and conditions  
contained inside the provided LICENSE file. Please read it carefully.

Name : appstream-data  
Version : 7  
Release : 20170301.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:39 AM EST  
Group : Unspecified  
Size : 7236099  
License : CC0 and CC-BY and CC-BY-SA and GFDL  
Signature : RSA/SHA256, Thu 10 Aug 2017 10:57:30 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : appstream-data-7-20170301.el7.src.rpm  
Build Date : Wed 02 Aug 2017 12:34:21 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://people.redhat.com/rhughes/metadata/>  
Summary : Cached AppStream metadata  
Description :  
This package provides the distribution specific AppStream metadata required for the GNOME and KDE software centers.

Name : libreport-rhel-anaconda-bugzilla  
Version : 2.1.11  
Release : 38.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:01 AM EST  
Group : Applications/File  
Size : 5369  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:49:32 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libreport-2.1.11-38.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 07:43:26 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : Default configuration for reporting anaconda bugs to Red Hat Bugzilla  
Description :  
Default configuration for reporting Anaconda problems to Red Hat Bugzilla used to easily configure the reporting process for Red Hat systems. Just install this package and you're done.

Name : perl-PathTools  
Version : 3.40  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:41 AM EST  
Group : Development/Libraries  
Size : 174131  
License : (GPL+ or Artistic) and BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:22:03 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-PathTools-3.40-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:11:16 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/PathTools/>  
Summary : PathTools Perl module (Cwd, File::Spec)  
Description :  
This is the combined distribution for the File::Spec and Cwd modules.

Name : gnome-shell  
Version : 3.22.3  
Release : 17.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:07 AM EST  
Group : User Interface/Desktops  
Size : 10177962  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:21:06 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnome-shell-3.22.3-17.el7.src.rpm  
Build Date : Wed 09 Aug 2017 02:02:58 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/GnomeShell>  
Summary : Window management and application launching for GNOME  
Description :  
GNOME Shell provides core user interface functions for the GNOME 3  
desktop,  
like switching to windows and launching applications. GNOME Shell takes  
advantage of the capabilities of modern graphics hardware and introduces  
innovative user interface concepts to provide a visually attractive and  
easy to use experience.

Name : webrtc-audio-processing  
Version : 0.3  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:48 AM EST  
Group : Unspecified  
Size : 748058  
License : BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:19:53 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : webrtc-audio-processing-0.3-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 02:58:23 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/software/pulseaudio/webrtc-audio-processing/>  
Summary : Library for echo cancellation  
Description :  
webrtc-audio-processing is a library derived from Google WebRTC project  
that  
provides echo cancellation functionality. This library is used by for  
example  
PulseAudio to provide echo cancellation.

Name : iwl6050-firmware

Version : 41.28.5.1  
Release : 56.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:57:19 AM EST  
Group : System Environment/Kernel  
Size : 1043629  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:49:44 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20170606-56.gitc990aae.el7.src.rpm  
Build Date : Sat 05 Aug 2017 02:03:09 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel(R) Wireless WiFi Link 6050 Series  
Adapters  
Description :  
This package contains the firmware required by the iwlagn driver  
for Linux. Usage of the firmware is subject to the terms and conditions  
contained inside the provided LICENSE file. Please read it carefully.

Name : kbd-legacy  
Version : 1.15.5  
Release : 13.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:40 AM EST  
Group : System Environment/Base  
Size : 503608  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:56:44 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : kbd-1.15.5-13.el7.src.rpm  
Build Date : Wed 02 Aug 2017 09:09:13 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://ftp.altlinux.org/pub/people/legion/kbd>  
Summary : Legacy data for kbd package  
Description :  
The kbd-legacy package contains original keymaps for kbd package.  
Please note that kbd-legacy is not helpful without kbd.

Name : libpeas-loader-python  
Version : 1.20.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:01 AM EST  
Group : Unspecified  
Size : 32600  
License : LGPLv2+

Signature : RSA/SHA256, Thu 10 Aug 2017 01:25:23 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : libpeas-1.20.0-1.el7.src.rpm

Build Date : Wed 02 Aug 2017 10:09:21 AM EDT

Build Host : clbm.rdu2.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <https://wiki.gnome.org/Projects/Libpeas>

Summary : Python 2 loader for libpeas

Description :

This package contains the Python 2 loader that is needed to run Python 2 plugins that use libpeas.

Name : perl-Image-Base

Version : 1.07

Release : 23.el7

Architecture: noarch

Install Date: Mon 03 Dec 2018 08:51:44 AM EST

Group : Development/Libraries

Size : 19301

License : LGPLv2+

Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:10 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : perl-Image-Base-1.07-23.el7.src.rpm

Build Date : Mon 09 Jun 2014 05:05:12 PM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://search.cpan.org/dist/Image-Base/>

Summary : Base class for loading, manipulating and saving images in Perl

Description :

Base class for loading, manipulating and saving images in Perl.

Name : gnome-shell-extension-alternate-tab

Version : 3.22.2

Release : 10.el7

Architecture: noarch

Install Date: Mon 03 Dec 2018 08:55:08 AM EST

Group : User Interface/Desktops

Size : 10162

License : GPLv2+

Signature : RSA/SHA256, Thu 10 Aug 2017 12:21:18 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : gnome-shell-extensions-3.22.2-10.el7.src.rpm

Build Date : Mon 07 Aug 2017 10:13:52 AM EDT

Build Host : clbm.rdu2.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://wiki.gnome.org/Projects/GnomeShell/Extensions>

Summary : Classic Alt+Tab behavior for GNOME Shell

Description :

This GNOME Shell extension changes Alt+Tab to be window-based instead of app-based.

Name : pth  
Version : 2.0.7  
Release : 23.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:49 AM EST  
Group : System Environment/Libraries  
Size : 267851  
License : LGPLv2+  
Signature : RSA/SHA256, Wed 25 Nov 2015 10:32:05 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : pth-2.0.7-23.el7.src.rpm  
Build Date : Fri 20 Nov 2015 03:11:52 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/pth/>  
Summary : The GNU Portable Threads library  
Description :

Pth is a very portable POSIX/ANSI-C based library for Unix platforms which provides non-preemptive priority-based scheduling for multiple threads of execution ("multithreading") inside server applications. All threads run in the same address space of the server application, but each thread has it's own individual program-counter, run-time stack, signal mask and errno variable.

Name : libXau  
Version : 1.0.8  
Release : 2.1.el7  
Architecture: i686  
Install Date: Mon 03 Dec 2018 08:57:21 AM EST  
Group : System Environment/Libraries  
Size : 50641  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:29:00 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXau-1.0.8-2.1.el7.src.rpm  
Build Date : Tue 10 Jun 2014 10:28:57 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Sample Authorization Protocol for X  
Description :  
This is a very simple mechanism for providing individual access to an X Window System display. It uses existing core protocol and library hooks for specifying

authorization data in the connection setup block to restrict use of the display to only those clients that show that they know a server-specific key called a "magic cookie".

Name : quota-nls  
Epoch : 1  
Version : 4.01  
Release : 14.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:47 AM EST  
Group : System Environment/Base  
Size : 315960  
License : BSD and LGPLv2+ and GPLv2 and GPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 04:32:27 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : quota-4.01-14.el7.src.rpm  
Build Date : Sat 05 Nov 2016 11:39:41 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/linuxquota/>  
Summary : Gettext catalogs for disk quota tools  
Description :  
Disk quota tools messages translated into different natural languages.

Name : librdmacm  
Version : 13  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:03 AM EST  
Group : Unspecified  
Size : 124461  
License : GPLv2 or BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:29:37 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : rdma-core-13-7.el7.src.rpm  
Build Date : Fri 04 Aug 2017 06:22:07 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/linux-rdma/rdma-core>  
Summary : Userspace RDMA Connection Manager  
Description :  
librdmacm provides a userspace RDMA Communication Managment API.

Name : perl-Digest-MD5  
Version : 2.52  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:45 AM EST  
Group : Development/Libraries



Size : 55715  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:17:12 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Digest-MD5-2.52-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:45:46 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Digest-MD5/>  
Summary : Perl interface to the MD5 algorithm  
Description :  
The Digest::MD5 module allows you to use the RSA Data Security Inc. MD5 Message Digest algorithm from within Perl programs. The algorithm takes as input a message of arbitrary length and produces as output a 128-bit "fingerprint" or "message digest" of the input.

Name : gnome-classic-session  
Version : 3.22.2  
Release : 10.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:55:09 AM EST  
Group : User Interface/Desktops  
Size : 201030  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:15:33 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-shell-extensions-3.22.2-10.el7.src.rpm  
Build Date : Mon 07 Aug 2017 10:13:52 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://wiki.gnome.org/Projects/GnomeShell/Extensions>  
Summary : GNOME "classic" mode session  
Description :  
This package contains the required components for the GNOME Shell "classic" mode, which aims to provide a GNOME 2-like user interface.

Name : yum-utils  
Version : 1.1.31  
Release : 42.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:50 AM EST  
Group : Development/Tools  
Size : 337353  
License : GPLv2+  
Signature : RSA/SHA256, Fri 11 Aug 2017 06:48:16 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : yum-utils-1.1.31-42.el7.src.rpm  
Build Date : Fri 11 Aug 2017 06:23:19 AM EDT

Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://yum.baseurl.org/download/yum-utils/>  
Summary : Utilities based around the yum package manager  
Description :  
yum-utils is a collection of utilities and examples for the yum package manager. It includes utilities by different authors that make yum easier and more powerful to use. These tools include: debuginfo-install, find-repos-of-install, needs-restarting, package-cleanup, repoclosure, repodiff, repo-graph, repomanage, repoquery, repo-rss, reposync, repotrack, show-installed, show-changed-rco, verifytree, yumdownloader, yum-builddep, yum-complete-transaction, yum-config-manager, yum-debug-dump, yum-debug-restore and yum-groups-manager.

Name : MCRInstaller  
Version : 1.0.4  
Release : 1  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 09:03:37 AM EST  
Group : Application/Xerox  
Size : 348394915  
License : See v717/MCR\_license.txt  
Signature : (none)  
Source RPM : MCRInstaller-1.0.4-1.src.rpm  
Build Date : Mon 20 May 2013 01:27:28 PM EDT  
Build Host : XPI  
Relocations : (not relocatable)  
Packager : Xerox Corporation  
Summary : Matlab Install Tool  
Description :  
Matlab Install tool

Name : libsepol  
Version : 2.5  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:54 AM EST  
Group : System Environment/Libraries  
Size : 661232  
License : LGPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 02:10:26 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : libsepol-2.5-6.el7.src.rpm  
Build Date : Sat 05 Nov 2016 08:55:42 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/SELinuxProject/selinux/wiki>  
Summary : SELinux binary policy manipulation library

Description :

Security-enhanced Linux is a feature of the Linux® kernel and a number of utilities with enhanced security functionality designed to add mandatory access controls to Linux. The Security-enhanced Linux kernel contains new architectural components originally developed to improve the security of the Flask operating system. These architectural components provide general support for the enforcement of many kinds of mandatory access control policies, including those based on the concepts of Type Enforcement®, Role-based Access Control, and Multi-level Security.

libsepol provides an API for the manipulation of SELinux binary policies. It is used by checkpolicy (the policy compiler) and similar tools, as well as by programs like load\_policy that need to perform specific transformations on binary policies such as customizing policy boolean settings.

Name : cyrus-sasl  
Version : 2.1.26  
Release : 21.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:04 AM EST  
Group : System Environment/Libraries  
Size : 144500  
License : BSD with advertising  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:31:31 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : cyrus-sasl-2.1.26-21.el7.src.rpm  
Build Date : Wed 02 Aug 2017 03:14:38 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://asg.web.cmu.edu/sasl/sasl-library.html>  
Summary : The Cyrus SASL library  
Description :  
The cyrus-sasl package contains the Cyrus implementation of SASL. SASL is the Simple Authentication and Security Layer, a method for adding authentication support to connection-based protocols.

Name : perl-Class-Data-Inheritable  
Version : 0.08  
Release : 14.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:45 AM EST  
Group : Development/Libraries  
Size : 7362  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:15:19 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Class-Data-Inheritable-0.08-14.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:15:14 PM EDT  
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Class-Data-Inheritable/>  
Summary : Inheritable, overridable class data  
Description :  
Class::Data::Inheritable is for creating accessor/mutators to class data. That is, if you want to store something about your class as a whole (instead of about a single object). This data is then inherited by your sub-classes and can be overridden.

Name : gvfs-fuse  
Version : 1.30.4  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:10 AM EST  
Group : Unspecified  
Size : 43560  
License : GPLv3 and LGPLv2+ and BSD and MPLv2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:37:18 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gvfs-1.30.4-3.el7.src.rpm  
Build Date : Wed 09 Aug 2017 02:39:06 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/gvfs>  
Summary : FUSE support for gvfs  
Description :  
This package provides support for applications not using gio to access the gvfs filesystems.

Name : libsysfs  
Version : 2.1.0  
Release : 16.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:53 AM EST  
Group : System Environment/Libraries  
Size : 149365  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:20:01 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sysfsutils-2.1.0-16.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:06:19 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/linux-diag/>  
Summary : Shared library for interfacing with sysfs  
Description :  
Library used in handling linux kernel sysfs mounts and their various files.

Name : nspr  
Version : 4.13.1  
Release : 1.0.el7\_3  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:56 AM EST  
Group : System Environment/Libraries  
Size : 287576  
License : MPLv2.0  
Signature : RSA/SHA256, Wed 08 Mar 2017 04:42:06 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : nspr-4.13.1-1.0.el7\_3.src.rpm  
Build Date : Wed 08 Mar 2017 01:01:39 PM EST  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mozilla.org/projects/nspr/>  
Summary : Netscape Portable Runtime  
Description :  
NSPR provides platform independence for non-GUI operating system facilities. These facilities include threads, thread synchronization, normal file and network I/O, interval timing and calendar time, basic memory management (malloc and free) and shared library linking.

Name : sssd-krb5  
Version : 1.15.2  
Release : 50.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:08 AM EST  
Group : Applications/System  
Size : 82435  
License : GPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:57:12 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sssd-1.15.2-50.el7.src.rpm  
Build Date : Mon 07 Aug 2017 05:38:50 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://pagure.io/SSSD/sssds>  
Summary : The Kerberos authentication back end for the SSSD  
Description :  
Provides the Kerberos back end that the SSSD can utilize authenticate against a Kerberos server.

Name : perl-Business-ISBN  
Version : 2.06  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:46 AM EST  
Group : Development/Libraries  
Size : 39822

License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:15:06 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Business-ISBN-2.06-2.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:24:55 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Business-ISBN/>  
Summary : Perl module to work with International Standard Book  
Numbers  
Description :  
This modules handles International Standard Book Numbers, including  
ISBN-10 and ISBN-13.

Name : firefox  
Version : 52.2.0  
Release : 2.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:30 AM EST  
Group : Applications/Internet  
Size : 156535258  
License : MPLv1.1 or GPLv2+ or LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:54:24 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : firefox-52.2.0-2.el7.centos.src.rpm  
Build Date : Mon 07 Aug 2017 09:14:17 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mozilla.org/projects/firefox/>  
Summary : Mozilla Firefox Web browser  
Description :  
Mozilla Firefox is an open-source web browser, designed for standards  
compliance, performance and portability.

Name : mtdev  
Version : 1.1.5  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:54 AM EST  
Group : System Environment/Libraries  
Size : 25789  
License : MIT  
Signature : RSA/SHA256, Wed 25 Nov 2015 10:19:15 AM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : mtdev-1.1.5-5.el7.src.rpm  
Build Date : Fri 20 Nov 2015 02:40:34 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL : <http://bitmath.org/code/mtdev/>  
Summary : Multitouch Protocol Translation Library  
Description :  
mtdev is a stand-alone library which transforms all variants of kernel MT events to the slotted type B protocol. The events put into mtdev may be from any MT device, specifically type A without contact tracking, type A with contact tracking, or type B with contact tracking.

Name : libpng  
Epoch : 2  
Version : 1.5.13  
Release : 7.el7\_2  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:57 AM EST  
Group : System Environment/Libraries  
Size : 616101  
License : zlib  
Signature : RSA/SHA256, Wed 09 Dec 2015 12:02:06 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : libpng-1.5.13-7.el7\_2.src.rpm  
Build Date : Wed 09 Dec 2015 11:31:20 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libpng.org/pub/png/>  
Summary : A library of functions for manipulating PNG image format files  
Description :  
The libpng package contains a library of functions for creating and manipulating PNG (Portable Network Graphics) image format files. PNG is a bit-mapped graphics format similar to the GIF format. PNG was created to replace the GIF format, since GIF uses a patented data compression algorithm.

Libpng should be installed if you need to manipulate PNG format image files.

Name : xorg-x11-drv-wacom  
Version : 0.34.2  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:09 AM EST  
Group : User Interface/X Hardware Support  
Size : 1022696  
License : GPLv2+  
Signature : RSA/SHA256, Fri 11 Aug 2017 03:31:31 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xorg-x11-drv-wacom-0.34.2-2.el7.src.rpm  
Build Date : Fri 11 Aug 2017 02:23:46 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Xorg X11 wacom input driver  
Description :  
X.Org X11 wacom input driver for Wacom tablets.

Name : perl-HTTP-Message  
Version : 6.06  
Release : 6.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:46 AM EST  
Group : Development/Libraries  
Size : 162045  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:04 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-HTTP-Message-6.06-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:31:47 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/HTTP-Message/>  
Summary : HTTP style message  
Description :  
The HTTP-Message distribution contains classes useful for representing  
the  
messages passed in HTTP style communication. These are classes  
representing  
requests, responses and the headers contained within them.

Name : vinagre  
Version : 3.22.0  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:32 AM EST  
Group : Applications/System  
Size : 3963521  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:16:14 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : vinagre-3.22.0-8.el7.src.rpm  
Build Date : Sun 06 Aug 2017 03:48:45 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Apps/Vinagre>  
Summary : VNC client for GNOME  
Description :  
Vinagre is a VNC client for the GNOME desktop.

With Vinagre you can have several connections open simultaneously,  
bookmark



your servers thanks to the Favorites support, store the passwords in the GNOME keyring, and browse the network to look for VNC servers.

Apart from the VNC protocol, vinagre supports Spice and RDP.

```
Name       : compat-glibc
Epoch     : 1
Version    : 2.12
Release    : 4.el7.centos
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:52:56 AM EST
Group      : Development/Libraries
Size       : 7063202
License    : LGPLv2+ and LGPLv2+ with exceptions and GPLv2+
Signature  : RSA/SHA256, Thu 03 Jul 2014 09:00:31 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : compat-glibc-2.12-4.el7.centos.src.rpm
Build Date : Fri 27 Jun 2014 06:58:28 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://sources.redhat.com/glibc/
Summary    : Compatibility C library
Description :
This package contains stub shared libraries and static libraries
from CentOS Linux 6.
```

To compile and link against these compatibility libraries, use

```
gcc -fgnu89-inline \
    -I /usr/lib/x86_64-redhat-linux6E/include \
    -B /usr/lib/x86_64-redhat-linux6E/lib64/
```

```
Name       : libgpg-error
Version    : 1.12
Release    : 3.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:50:59 AM EST
Group      : System Environment/Libraries
Size       : 350865
License    : LGPLv2+
Signature  : RSA/SHA256, Thu 03 Jul 2014 10:49:22 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libgpg-error-1.12-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:46:48 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : ftp://ftp.gnupg.org/gcrypt/libgpg-error/
Summary    : Library for error values used by GnuPG components
Description :
This is a library that defines common error values for all GnuPG
components. Among these are GPG, GPGSM, GPGME, GPG-Agent, libgcrypt,
```

pinentry, SmartCard Daemon and possibly more in the future.

Name : xorg-x11-drv-fbdev  
Version : 0.4.3  
Release : 25.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:10 AM EST  
Group : User Interface/X Hardware Support  
Size : 25718  
License : MIT  
Signature : RSA/SHA256, Fri 11 Aug 2017 03:29:01 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xorg-x11-drv-fbdev-0.4.3-25.el7.src.rpm  
Build Date : Fri 11 Aug 2017 12:57:16 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Xorg X11 fbdev video driver  
Description :  
X.Org X11 fbdev video driver.

Name : xorg-x11-server-common  
Version : 1.19.3  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:47 AM EST  
Group : User Interface/X  
Size : 130223  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:25:28 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xorg-x11-server-1.19.3-11.el7.src.rpm  
Build Date : Sat 05 Aug 2017 02:21:15 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Xorg server common files  
Description :  
Common files shared among all X servers.

Name : gucharmap  
Version : 3.18.2  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:35 AM EST  
Group : Unspecified  
Size : 3100664  
License : GPLv3+ and GFDL and MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:34:41 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : gucharmap-3.18.2-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 08:20:41 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Apps/Gucharmap>  
Summary : Unicode character picker and font browser  
Description :  
This program allows you to browse through all the available Unicode characters and categories for the installed fonts, and to examine their detailed properties. It is an easy way to find the character you might only know by its Unicode Name or code point.

Name : libutempter  
Version : 1.1.6  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:59 AM EST  
Group : System Environment/Libraries  
Size : 49749  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:23:25 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libutempter-1.1.6-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:03:46 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <ftp://ftp.altlinux.org/pub/people/ldv/utempter>  
Summary : A privileged helper for utmp/wtmp updates  
Description :  
This library provides interface for terminal emulators such as screen and xterm to record user sessions to utmp and wtmp files.

Name : cyrus-sasl-lib  
Version : 2.1.26  
Release : 21.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:00 AM EST  
Group : System Environment/Libraries  
Size : 396919  
License : BSD with advertising  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:32:11 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : cyrus-sasl-2.1.26-21.el7.src.rpm  
Build Date : Wed 02 Aug 2017 03:14:38 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://asg.web.cmu.edu/sasl/sasl-library.html>

Summary : Shared libraries needed by applications which use Cyrus SASL  
Description :  
The cyrus-sasl-lib package contains shared libraries which are needed by applications which use the Cyrus SASL library.

Name : glx-utils  
Version : 8.2.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:12 AM EST  
Group : Development/Libraries  
Size : 117838  
License : MIT  
Signature : RSA/SHA256, Sun 20 Nov 2016 12:55:24 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : mesa-demos-8.2.0-3.el7.src.rpm  
Build Date : Sat 05 Nov 2016 01:07:23 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mesa3d.org>  
Summary : GLX utilities  
Description :  
The glx-utils package provides the glxinfo and glxgears utilities.

Name : libusbmuxd  
Version : 1.0.10  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:48 AM EST  
Group : System Environment/Libraries  
Size : 60296  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:00:45 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libusbmuxd-1.0.10-5.el7.src.rpm  
Build Date : Sun 06 Aug 2017 02:12:49 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libimobiledevice.org/>  
Summary : Client library USB multiplex daemon for Apple's iOS devices  
Description :  
libusbmuxd is the client library used for communicating with Apple's iPod Touch, iPhone, iPad and Apple TV devices. It allows multiple services on the device to be accessed simultaneously.

Name : eog  
Version : 3.20.5

Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:38 AM EST  
Group : Unspecified  
Size : 9620659  
License : GPLv2+ and GFDL  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:44:20 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : eog-3.20.5-2.el7.src.rpm  
Build Date : Sun 06 Aug 2017 05:15:12 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Apps/EyeOfGnome>  
Summary : Eye of GNOME image viewer  
Description :  
The Eye of GNOME image viewer (eog) is the official image viewer for the GNOME desktop. It can view single image files in a variety of formats, as well as large image collections.

eog is extensible through a plugin system.

Name : libpath\_utils  
Version : 0.2.1  
Release : 27.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:00 AM EST  
Group : Development/Libraries  
Size : 58334  
License : LGPLv3+  
Signature : RSA/SHA256, Sun 20 Nov 2016 01:54:03 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : ding-libs-0.6.0-27.el7.src.rpm  
Build Date : Sat 05 Nov 2016 04:05:57 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/sss/>  
Summary : Filesystem Path Utilities  
Description :  
Utility functions to manipulate filesystem path  
Names

Name : libattr  
Version : 2.4.46  
Release : 12.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:01 AM EST  
Group : System Environment/Libraries  
Size : 19888  
License : LGPLv2+

Signature : RSA/SHA256, Thu 03 Jul 2014 10:36:33 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : attr-2.4.46-12.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:33:37 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://acl.bestbits.at/>  
Summary : Dynamic library for extended attribute support  
Description :  
This package contains the libattr.so dynamic library which contains  
the extended attribute system calls and library functions.

Name : setroubleshoot-server  
Version : 3.2.28  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:14 AM EST  
Group : Applications/System  
Size : 1380512  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:53:02 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : setroubleshoot-3.2.28-3.el7.src.rpm  
Build Date : Sun 06 Aug 2017 10:47:47 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://pagure.io/setroubleshoot>  
Summary : SELinux troubleshoot server  
Description :  
Provides tools to help diagnose SELinux problems. When AVC messages  
are generated an alert can be generated that will give information  
about the problem and help track its resolution. Alerts can be configured  
to user preference. The same tools can be run on existing log files.

Name : libdmx  
Version : 1.1.3  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:49 AM EST  
Group : System Environment/Libraries  
Size : 20858  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:43:01 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libdmx-1.1.3-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:00:37 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL : <http://www.x.org>  
Summary : X.Org X11 DMX runtime library  
Description :  
The X.Org X11 DMX (Distributed Multihead X) runtime library.

Name : xdg-user-dirs-gtk  
Version : 0.10  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:40 AM EST  
Group : User Interface/Desktops  
Size : 193797  
License : GPL+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:45:51 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xdg-user-dirs-gtk-0.10-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:43:16 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://freedesktop.org/wiki/Software/xdg-user-dirs>  
Summary : Gnome integration of special directories  
Description :  
Contains some integration of xdg-user-dirs with the gnome  
desktop, including creating default bookmarks and detecting  
locale changes.

Name : gdk-pixbuf2  
Version : 2.36.5  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:02 AM EST  
Group : Unspecified  
Size : 2893184  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:02:36 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gdk-pixbuf2-2.36.5-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 05:27:14 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gtk.org>  
Summary : An image loading library  
Description :  
gdk-pixbuf is an image loading library that can be extended by loadable  
modules for new image formats. It is used by toolkits such as GTK+ or  
clutter.

Name : pixman  
Version : 0.34.0  
Release : 1.el7

Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:03 AM EST  
Group : System Environment/Libraries  
Size : 698744  
License : MIT  
Signature : RSA/SHA256, Sun 20 Nov 2016 03:05:36 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : pixman-0.34.0-1.el7.src.rpm  
Build Date : Sat 05 Nov 2016 12:55:53 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cgit.freedesktop.org/pixman/>  
Summary : Pixel manipulation library  
Description :  
Pixman is a pixel manipulation library for X and cairo.

Name : pulseaudio  
Version : 10.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:15 AM EST  
Group : Unspecified  
Size : 3367292  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:16:22 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : pulseaudio-10.0-3.el7.src.rpm  
Build Date : Sun 06 Aug 2017 01:39:40 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/PulseAudio>  
Summary : Improved Linux Sound Server  
Description :  
PulseAudio is a sound server for Linux and other Unix like operating systems. It is intended to be an improved drop-in replacement for the Enlightened Sound Daemon (ESOUND).

Name : bc  
Version : 1.06.95  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:50 AM EST  
Group : Applications/Engineering  
Size : 219830  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:47:28 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : bc-1.06.95-13.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:51:54 PM EDT  
Build Host : worker1.bsys.centos.org



Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/bc/>  
Summary : GNU's bc (a numeric processing language) and dc (a calculator)  
Description :  
The bc package includes bc and dc. Bc is an arbitrary precision numeric processing arithmetic language. Dc is an interactive arbitrary precision stack based calculator, which can be used as a text mode calculator.

Install the bc package if you need its number handling capabilities or if you would like to use its text mode calculator.

Name : alsa-plugins-pulseaudio  
Version : 1.1.1  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:41 AM EST  
Group : System Environment/Libraries  
Size : 106380  
License : LGPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 12:06:32 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : alsa-plugins-1.1.1-1.el7.src.rpm  
Build Date : Sat 05 Nov 2016 02:33:06 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.alsa-project.org/>  
Summary : Alsa to PulseAudio backend  
Description :  
This plugin allows any program that uses the ALSA API to access a PulseAudio sound daemon. In other words, native ALSA applications can play and record sound across a network. There are two plugins in the suite, one for PCM and one for mixer control.

Name : poppler  
Version : 0.26.5  
Release : 16.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:05 AM EST  
Group : Development/Libraries  
Size : 2709213  
License : (GPLv2 or GPLv3) and GPLv2+ and LGPLv2+ and MIT  
Signature : RSA/SHA256, Sun 20 Nov 2016 03:09:02 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : poppler-0.26.5-16.el7.src.rpm  
Build Date : Sat 05 Nov 2016 11:36:53 AM EDT

Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://poppler.freedesktop.org/>  
Summary : PDF rendering library  
Description :  
Poppler, a PDF rendering library, is a fork of the xpdf PDF viewer developed by Derek Noonburg of Glyph and Cog, LLC.

Name : libbasicobjects  
Version : 0.1.1  
Release : 27.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:04 AM EST  
Group : Development/Libraries  
Size : 53942  
License : GPLv3+  
Signature : RSA/SHA256, Sun 20 Nov 2016 01:35:12 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : ding-libs-0.6.0-27.el7.src.rpm  
Build Date : Sat 05 Nov 2016 04:05:57 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/sssd/>  
Summary : Basic object types for C  
Description :  
Basic object types

Name : alsa-utils  
Version : 1.1.3  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:18 AM EST  
Group : Applications/Multimedia  
Size : 2046977  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 10:56:50 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : alsa-utils-1.1.3-2.el7.src.rpm  
Build Date : Thu 03 Aug 2017 03:08:12 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.alsa-project.org/>  
Summary : Advanced Linux Sound Architecture (ALSA) utilities  
Description :  
This package contains command line utilities for the Advanced Linux Sound Architecture (ALSA).

Name : ttmkfdir

Version : 3.0.9  
Release : 42.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:52 AM EST  
Group : Applications/System  
Size : 105418  
License : LGPLv2+  
Signature : RSA/SHA256, Wed 25 Nov 2015 11:01:37 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : ttmkfdirdir-3.0.9-42.el7.src.rpm  
Build Date : Fri 20 Nov 2015 03:46:01 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : Utility to create fonts.scale files for truetype fonts  
Description :  
ttmkfdirdir is a utility used to create fonts.scale files in TrueType font directories in order to prepare them for use by the font server.

Name : targetcli  
Version : 2.1.fb46  
Release : 1.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:55:42 AM EST  
Group : System Environment/Libraries  
Size : 229342  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:03:38 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : targetcli-2.1.fb46-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 02:45:55 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/targetcli-fb/>  
Summary : An administration shell for storage targets  
Description :  
An administration shell for configuring iSCSI, FCoE, and other SCSI targets, using the TCM/LIO kernel target subsystem. FCoE users will also need to install and use fcoe-utils.

Name : apache-commons-collections  
Version : 3.2.1  
Release : 22.el7\_2  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:53:10 AM EST  
Group : Development/Libraries  
Size : 611020  
License : ASL 2.0  
Signature : RSA/SHA256, Tue 01 Dec 2015 05:03:27 PM EST, Key ID 24c6a8a7f4a80eb5

Source RPM : apache-commons-collections-3.2.1-22.el7\_2.src.rpm  
Build Date : Mon 30 Nov 2015 08:56:00 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://commons.apache.org/collections/>  
Summary : Provides new interfaces, implementations and utilities for Java Collections  
Description :  
The introduction of the Collections API by Sun in JDK 1.2 has been a boon to quick and effective Java programming. Ready access to powerful data structures has accelerated development by reducing the need for custom container classes around each core object. Most Java2 APIs are significantly easier to use because of the Collections API. However, there are certain holes left unfilled by Sun's implementations, and the Jakarta-Commons Collections Component strives to fulfill them. Among the features of this package are:  
- special-purpose implementations of Lists and Maps for fast access  
- adapter classes from Java1-style containers (arrays, enumerations) to Java2-style collections.  
- methods to test or create typical set-theory properties of collections such as union, intersection, and closure.

Name : libXrender  
Version : 0.9.10  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:05 AM EST  
Group : System Environment/Libraries  
Size : 46979  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:12:58 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXrender-0.9.10-1.el7.src.rpm  
Build Date : Tue 01 Aug 2017 11:48:30 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXrender runtime library  
Description :  
X.Org X11 libXrender runtime library

Name : hplip-libs  
Version : 3.15.9  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:19 AM EST  
Group : System Environment/Libraries  
Size : 395264  
License : GPLv2+ and MIT

Signature : RSA/SHA256, Thu 10 Aug 2017 12:40:23 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : hplip-3.15.9-3.el7.src.rpm  
Build Date : Tue 01 Aug 2017 08:33:28 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://hplip.sourceforge.net/>  
Summary : HPLIP libraries  
Description :  
Libraries needed by HPLIP.

Name : krb5-libs  
Version : 1.15.1  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:54 AM EST  
Group : System Environment/Libraries  
Size : 1988838  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:58:34 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : krb5-1.15.1-8.el7.src.rpm  
Build Date : Thu 03 Aug 2017 07:40:57 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://web.mit.edu/kerberos/www/>  
Summary : The non-admin shared libraries used by Kerberos 5  
Description :  
Kerberos is a network authentication system. The krb5-libs package  
contains the shared libraries needed by Kerberos 5. If you are using  
Kerberos, you need to install this package.

Name : glusterfs-fuse  
Version : 3.8.4  
Release : 18.4.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:44 AM EST  
Group : Applications/File  
Size : 341344  
License : GPLv2 or LGPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:14:09 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : glusterfs-3.8.4-18.4.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 01:55:29 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gluster.org/docs/index.php/GlusterFS>  
Summary : Fuse client

Description :

GlusterFS is a distributed file-system capable of scaling to several petabytes. It aggregates various storage bricks over Infiniband RDMA or TCP/IP interconnect into one large parallel network file system. GlusterFS is one of the most sophisticated file systems in terms of features and extensibility. It borrows a powerful concept called Translators from GNU Hurd kernel. Much of the code in GlusterFS is in user space and easily manageable.

This package provides support to FUSE based clients and includes the glusterfs(d) binary.

Name : tomcat-lib  
Epoch : 0  
Version : 7.0.76  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:53:13 AM EST  
Group : Development/Libraries  
Size : 4446210  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:07:04 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : tomcat-7.0.76-2.el7.src.rpm  
Build Date : Mon 07 Aug 2017 12:33:29 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://tomcat.apache.org/>  
Summary : Libraries needed to run the Tomcat Web container  
Description :  
Libraries needed to run the Tomcat Web container.

Name : libdhash  
Version : 0.4.3  
Release : 27.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:06 AM EST  
Group : Development/Libraries  
Size : 58342  
License : LGPLv3+  
Signature : RSA/SHA256, Sun 20 Nov 2016 01:37:51 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : ding-libs-0.6.0-27.el7.src.rpm  
Build Date : Sat 05 Nov 2016 04:05:57 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/sssd/>  
Summary : Dynamic hash table  
Description :

A hash table which will dynamically resize to achieve optimal storage & access time properties

Name : upower  
Version : 0.99.4  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:22 AM EST  
Group : System Environment/Libraries  
Size : 518290  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:12:41 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : upower-0.99.4-2.el7.src.rpm  
Build Date : Tue 08 Aug 2017 08:23:34 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://upower.freedesktop.org/>  
Summary : Power Management Service  
Description :  
UPower (formerly DeviceKit-power) provides a daemon, API and command line tools for managing power devices attached to the system.

Name : libmount  
Version : 2.23.2  
Release : 43.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:57 AM EST  
Group : Development/Libraries  
Size : 269765  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:21:02 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : util-linux-2.23.2-43.el7.src.rpm  
Build Date : Fri 04 Aug 2017 07:19:01 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://en.wikipedia.org/wiki/Util-linux>  
Summary : Device mounting library  
Description :  
This is the device mounting library, part of util-linux.

Name : avahi  
Version : 0.6.31  
Release : 17.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:46 AM EST  
Group : Unspecified  
Size : 1031819

License : LGPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 12:11:54 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : avahi-0.6.31-17.el7.src.rpm  
Build Date : Sat 05 Nov 2016 06:18:48 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://avahi.org>  
Summary : Local network service discovery  
Description :  
Avahi is a system which facilitates service discovery on  
a local network -- this means that you can plug your laptop or  
computer into a network and instantly be able to view other people who  
you can chat with, find printers to print to or find files being  
shared. This kind of technology is already found in MacOS X (branded  
'Rendezvous', 'Bonjour' and sometimes 'ZeroConf') and is very  
convenient.

Name : avalon-framework  
Epoch : 0  
Version : 4.3  
Release : 10.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:53:15 AM EST  
Group : Development/Libraries  
Size : 108319  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:45:48 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : avalon-framework-4.3-10.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:33:27 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://avalon.apache.org/framework/>  
Summary : Java components interfaces  
Description :  
The Avalon framework consists of interfaces that define relationships  
between commonly used application components, best-of-practice pattern  
enforcements, and several lightweight convenience implementations of the  
generic components.  
What that means is that we define the central interface Component. We  
also define the relationship (contract) a component has with peers,  
ancestors and children.

Name : cpio  
Version : 2.11  
Release : 24.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:07 AM EST  
Group : Applications/Archiving



Size : 684462  
License : GPLv3+  
Signature : RSA/SHA256, Wed 25 Nov 2015 09:22:37 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : cpio-2.11-24.el7.src.rpm  
Build Date : Fri 20 Nov 2015 12:26:45 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/cpio/>  
Summary : A GNU archiving program  
Description :  
GNU cpio copies files into or out of a cpio or tar archive. Archives are files which contain a collection of other files plus information about them, such as their file Name, owner, timestamps, and access permissions. The archive can be another file on the disk, a magnetic tape, or a pipe. GNU cpio supports the following archive formats: binary, old ASCII, new ASCII, crc, HPUX binary, HPUX old ASCII, old tar and POSIX.1 tar. By default, cpio creates binary format archives, so that they are compatible with older cpio programs. When it is extracting files from archives, cpio automatically recognizes which kind of archive it is reading and can read archives created on machines with a different byte-order.

Install cpio if you need a program to manage file archives.

Name : libvirt-daemon-driver-storage-rbd  
Version : 3.2.0  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:22 AM EST  
Group : Development/Libraries  
Size : 31848  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:04:30 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libvirt-3.2.0-14.el7.src.rpm  
Build Date : Sat 05 Aug 2017 01:16:28 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvirt.org/>  
Summary : Storage driver plugin for rbd  
Description :  
The storage driver backend adding implementation of the storage APIs for rbd volumes using the ceph protocol.

Name : gsettings-desktop-schemas

Version : 3.22.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:00 AM EST  
Group : Unspecified  
Size : 3782087  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:27:09 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gsettings-desktop-schemas-3.22.0-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 01:25:06 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://bugzilla.gnome.org/enter\\_bug.cgi?product=gsettings-](http://bugzilla.gnome.org/enter_bug.cgi?product=gsettings-desktop-schemas)  
desktop-schemas  
Summary : A collection of GSettings schemas  
Description :  
gsettings-desktop-schemas contains a collection of GSettings schemas for  
settings shared by various components of a desktop.

Name : portreserve  
Version : 0.0.5  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:47 AM EST  
Group : System Environment/Daemons  
Size : 39221  
License : GPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 03:10:13 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : portreserve-0.0.5-11.el7.src.rpm  
Build Date : Sat 05 Nov 2016 04:42:47 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cyberelk.net/tim/portreserve/>  
Summary : TCP port reservation utility  
Description :  
The portreserve program aims to help services with well-known ports that  
lie in the portmap range. It prevents portmap from a real service's port  
by occupying it itself, until the real service tells it to release the  
port (generally in the init script).

Name : libusbx  
Version : 1.0.20  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:19 AM EST  
Group : System Environment/Libraries  
Size : 138061  
License : LGPLv2+

Signature : RSA/SHA256, Sun 20 Nov 2016 02:16:15 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libusb-1.0.20-1.el7.src.rpm  
Build Date : Sat 05 Nov 2016 02:36:50 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libusb.info/>  
Summary : Library for accessing USB devices  
Description :  
This package provides a way for applications to access USB devices.

Libusb is a fork of the original libusb, which is a fully API and ABI compatible drop in for the libusb-1.0.9 release. The libusb fork was started by most of the libusb-1.0 developers, after the original libusb project did not produce a new release for over 18 months.

Note that this library is not compatible with the original libusb-0.1 series,  
if you need libusb-0.1 compatibility install the libusb package.

Name : diffutils  
Version : 3.3  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:10 AM EST  
Group : Applications/Text  
Size : 1065157  
License : GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:08:26 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : diffutils-3.3-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:07:21 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/diffutils/diffutils.html>  
Summary : A GNU collection of diff utilities  
Description :  
Diffutils includes four utilities: diff, cmp, diff3 and sdiff. Diff compares two files and shows the differences, line by line. The cmp command shows the offset and line numbers where two files differ, or cmp can show the characters that differ between the two files. The diff3 command shows the differences between three files. Diff3 can be used when two people have made independent changes to a common original; diff3 can produce a merged file that contains both sets of changes and warnings about conflicts. The sdiff command can be used to merge two files interactively.

Install diffutils if you need to compare text files.

Name : glib-networking

Version : 2.50.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:22 AM EST  
Group : Unspecified  
Size : 450936  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:13:30 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : glib-networking-2.50.0-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 12:49:56 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org>  
Summary : Networking support for GLib  
Description :  
This package contains modules that extend the networking support in GIO. In particular, it contains libproxy- and GSettings-based GProxyResolver implementations and a gnutls-based GTlsConnection implementation.

Name : atkmm  
Version : 2.24.2  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:02 AM EST  
Group : System Environment/Libraries  
Size : 351618  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 10:58:04 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : atkmm-2.24.2-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 11:15:31 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gtkmm.org/>  
Summary : C++ interface for the ATK library  
Description :  
atkmm provides a C++ interface for the ATK library. Highlights include typesafe callbacks, widgets extensible via inheritance and a comprehensive set of widget classes that can be freely combined to quickly create complex user interfaces.

Name : at  
Version : 3.1.13  
Release : 22.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:49 AM EST  
Group : System Environment/Daemons  
Size : 97524

License : GPLv3+ and GPLv2+ and ISC and MIT and Public Domain  
Signature : RSA/SHA256, Sun 20 Nov 2016 12:07:58 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : at-3.1.13-22.el7.src.rpm  
Build Date : Sat 05 Nov 2016 02:16:27 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://ftp.debian.org/debian/pool/main/a/at>  
Summary : Job spooling tools  
Description :  
At and batch read commands from standard input or from a specified  
file. At allows you to specify that a command will be run at a  
particular time. Batch will execute commands when the system load  
levels drop to a particular level. Both commands use user's shell.

You should install the at package if you need a utility for  
time-oriented job control. Note: If it is a recurring job that will  
need to be repeated at the same time every day/week, etc. you should  
use crontab instead.

Name : avahi-libs  
Version : 0.6.31  
Release : 17.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:21 AM EST  
Group : Unspecified  
Size : 123816  
License : LGPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 12:13:21 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : avahi-0.6.31-17.el7.src.rpm  
Build Date : Sat 05 Nov 2016 06:18:48 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://avahi.org>  
Summary : Libraries for avahi run-time use  
Description :  
The avahi-libs package contains the libraries needed  
to run programs that use avahi.

Name : libaio  
Version : 0.3.109  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:11 AM EST  
Group : System Environment/Libraries  
Size : 39182  
License : LGPLv2+  
Signature : RSA/SHA256, Wed 25 Nov 2015 09:50:55 AM EST, Key ID  
24c6a8a7f4a80eb5

Source RPM : libaio-0.3.109-13.el7.src.rpm  
Build Date : Fri 20 Nov 2015 01:37:04 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : Linux-native asynchronous I/O access library  
Description :  
The Linux-native asynchronous I/O facility ("async I/O", or "aio") has a richer API and capability set than the simple POSIX async I/O facility. This library, libaio, provides the Linux-native API for async I/O. The POSIX async I/O facility requires this library in order to provide kernel-accelerated async I/O capabilities, as do applications which require the Linux-native async I/O API.

Name : nautilus-extensions  
Version : 3.22.3  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:25 AM EST  
Group : Unspecified  
Size : 78602  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:27:43 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : nautilus-3.22.3-3.el7.src.rpm  
Build Date : Tue 08 Aug 2017 09:42:10 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Apps/Nautilus>  
Summary : Nautilus extensions library  
Description :  
This package provides the libraries used by nautilus extensions.

Name : centos-logos  
Version : 70.0.6  
Release : 3.el7.centos  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:07 AM EST  
Group : System Environment/Base  
Size : 22548401  
License : Copyright © 2014 The CentOS Project. All rights reserved.  
Signature : RSA/SHA256, Wed 30 Sep 2015 04:10:39 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : centos-logos-70.0.6-3.el7.centos.src.rpm  
Build Date : Wed 30 Sep 2015 03:58:32 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.centos.org>  
Summary : CentOS-related icons and pictures

Description :

The redhat-logos package (the "Package") contains files created by the CentOS Project to replace the Red Hat "Shadow Man" logo and RPM logo. The Red Hat "Shadow Man" logo, RPM, and the RPM logo are trademarks or registered trademarks of Red Hat, Inc.

The Package and CentOS logos (the "Marks") can only be used as outlined in the included COPYING file. Please see that file for information on copying and redistribution of the CentOS Marks.

Name : ksh  
Version : 20120801  
Release : 34.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:51 AM EST  
Group : System Environment/Shells  
Size : 3285627  
License : EPL  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:59:19 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ksh-20120801-34.el7.src.rpm  
Build Date : Wed 02 Aug 2017 04:31:07 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.kornshell.com/>  
Summary : The Original ATT Korn Shell  
Description :  
KSH-93 is the most recent version of the KornShell by David Korn of AT&T Bell Laboratories.  
KornShell is a shell programming language, which is upward compatible with "sh" (the Bourne Shell).

Name : telepathy-glib  
Version : 0.24.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:22 AM EST  
Group : System Environment/Libraries  
Size : 2771021  
License : LGPLv2+  
Signature : RSA/SHA256, Wed 25 Nov 2015 10:43:39 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : telepathy-glib-0.24.0-1.el7.src.rpm  
Build Date : Fri 20 Nov 2015 03:30:42 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://telepathy.freedesktop.org/wiki/FrontPage>  
Summary : GLib bindings for Telepathy  
Description :  
Telepathy-glib is the glib bindings for the telepathy unified framework

for all forms of real time conversations, including instant messaging, IRC, voice calls and video calls.

Name : libv4l  
Version : 0.9.5  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:17 AM EST  
Group : System Environment/Libraries  
Size : 573633  
License : LGPLv2+ and GPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:23:41 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : v4l-utils-0.9.5-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:01:20 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://hansdegoede.livejournal.com/3636.html>  
Summary : Collection of video4linux support libraries  
Description :  
libv4l is a collection of libraries which adds a thin abstraction layer on top of video4linux2 devices. The purpose of this (thin) layer is to make it easy for application writers to support a wide variety of devices without having to write separate code for different devices in the same class.  
libv4l consists of 3 different libraries: libv4lconvert, libv4l1 and libv4l2.  
  
libv4lconvert offers functions to convert from any (known) pixel-format to V4l2\_PIX\_FMT\_BGR24 or V4l2\_PIX\_FMT\_YUV420.  
  
libv4l1 offers the (deprecated) v4l1 API on top of v4l2 devices, independent of the drivers for those devices supporting v4l1 compatibility (which many v4l2 drivers do not).  
  
libv4l2 offers the v4l2 API on top of v4l2 devices, while adding for the application transparent libv4lconvert conversion where necessary.

Name : zenity  
Version : 3.22.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:26 AM EST  
Group : Unspecified  
Size : 2850125  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:28:07 PM EDT, Key ID 24c6a8a7f4a80eb5



Source RPM : zenity-3.22.0-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 02:40:55 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/Zenity>  
Summary : Display dialog boxes from shell scripts  
Description :  
Zenity lets you display Gtk+ dialog boxes from the command line and through shell scripts. It is similar to gdialog, but is intended to be saner. It comes from the same family as dialog, Xdialog, and cdialog.

Name : python-six  
Version : 1.9.0  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:12 AM EST  
Group : Development/Languages  
Size : 99000  
License : MIT  
Signature : RSA/SHA256, Wed 25 Nov 2015 10:34:36 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-six-1.9.0-2.el7.src.rpm  
Build Date : Thu 19 Nov 2015 09:55:47 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://pypi.python.org/pypi/six/>  
Summary : Python 2 and 3 compatibility utilities  
Description :  
python-six provides simple utilities for wrapping over differences between Python 2 and Python 3.

This is the Python 2 build of the module.

Name : icedtea-web  
Version : 1.6.2  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:54 AM EST  
Group : Applications/Internet  
Size : 2237932  
License : LGPLv2+ and GPLv2 with exceptions  
Signature : RSA/SHA256, Sun 20 Nov 2016 01:16:37 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : icedtea-web-1.6.2-4.el7.src.rpm  
Build Date : Sat 05 Nov 2016 06:56:29 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://icedtea.classpath.org/wiki/IcedTea-Web>  
Summary : Additional Java components for OpenJDK - Java browser plugin and Web Start implementation  
Description :  
The IcedTea-Web project provides a Java web browser plugin, an implementation of Java Web Start (originally based on the Netx project) and a settings tool to manage deployment settings for the aforementioned plugin and Web Start implementations.

Name : cryptsetup-libs  
Version : 1.7.4  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:25 AM EST  
Group : System Environment/Libraries  
Size : 969900  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:28:30 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : cryptsetup-1.7.4-3.el7.src.rpm  
Build Date : Thu 03 Aug 2017 05:46:17 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://gitlab.com/cryptsetup/cryptsetup>  
Summary : Cryptsetup shared library  
Description :  
This package contains the cryptsetup shared library, libcryptsetup.

Name : libpcap  
Epoch : 14  
Version : 1.5.3  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:18 AM EST  
Group : Development/Libraries  
Size : 324838  
License : BSD with advertising  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:24:43 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libpcap-1.5.3-9.el7.src.rpm  
Build Date : Fri 04 Aug 2017 07:23:51 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.tcpdump.org>  
Summary : A system-independent interface for user-level packet capture

Description :

Libpcap provides a portable framework for low-level network monitoring. Libpcap can provide network statistics collection, security monitoring and network debugging. Since almost every system vendor provides a different interface for packet capture, the libpcap authors created this system-independent API to ease in porting and to alleviate the need for several system-dependent packet capture modules in each application.

Install libpcap if you need to do low-level network traffic monitoring on your network.

Name : libnm-gtk  
Version : 1.8.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:29 AM EST  
Group : Development/Libraries  
Size : 291096  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:23:40 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : network-manager-applet-1.8.0-3.el7.src.rpm  
Build Date : Sun 06 Aug 2017 11:57:46 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/NetworkManager/>  
Summary : Private libraries for NetworkManager GUI support  
Description :  
This package contains private libraries to be used only by nm-applet, nm-connection editor, and the GNOME Control Center.

Name : libgtop2  
Version : 2.34.2  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:14 AM EST  
Group : Unspecified  
Size : 447173  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:13:35 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libgtop2-2.34.2-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 10:18:09 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://download.gnome.org/sources/libgtop>  
Summary : LibGTop library (version 2)  
Description :  
LibGTop is a library for portably obtaining information about processes,

such as their PID, memory usage, etc.

Name : iprutils  
Version : 2.4.14.1  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:00 AM EST  
Group : System Environment/Base  
Size : 955829  
License : CPL  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:46:24 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : iprutils-2.4.14.1-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 01:17:34 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/iprdd/>  
Summary : Utilities for the IBM Power Linux RAID adapters  
Description :  
Provides a suite of utilities to manage and configure SCSI devices supported by the ipr SCSI storage device driver.

Name : systemd-sysv  
Version : 219  
Release : 57.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:28 AM EST  
Group : Unspecified  
Size : 3979  
License : LGPLv2+  
Signature : RSA/SHA256, Wed 25 Apr 2018 07:48:32 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : systemd-219-57.el7.src.rpm  
Build Date : Wed 11 Apr 2018 03:37:32 AM EDT  
Build Host : x86-01.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/systemd>  
Summary : SysV tools for systemd  
Description :  
SysV compatibility tools for systemd

Name : fuse  
Version : 2.9.2  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:19 AM EST  
Group : System Environment/Base  
Size : 222930  
License : GPL+

Signature : RSA/SHA256, Thu 10 Aug 2017 11:59:18 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : fuse-2.9.2-8.el7.src.rpm  
Build Date : Thu 03 Aug 2017 07:49:48 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fuse.sf.net>  
Summary : File System in Userspace (FUSE) utilities  
Description :  
With FUSE it is possible to implement a fully functional filesystem in a  
userspace program. This package contains the FUSE userspace tools to  
mount a FUSE filesystem.

Name : gnome-settings-daemon  
Version : 3.22.2  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:38 AM EST  
Group : Unspecified  
Size : 5789881  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:20:48 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnome-settings-daemon-3.22.2-5.el7.src.rpm  
Build Date : Tue 08 Aug 2017 11:44:58 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://download.gnome.org/sources/gnome-settings-daemon>  
Summary : The daemon sharing settings from GNOME to GTK+/KDE  
applications  
Description :  
A daemon to share settings from GNOME to other applications. It also  
handles global keybindings, as well as a number of desktop-wide settings.

Name : pyliblzma  
Version : 0.5.3  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:16 AM EST  
Group : Unspecified  
Size : 190112  
License : LGPLv3+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:37:13 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : pyliblzma-0.5.3-11.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:20:49 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL : <https://launchpad.net/pyliblzma>  
Summary : Python bindings for lzma  
Description :  
PylibLZMA provides a python interface for the liblzma library to read and write data that has been compressed or can be decompressed by Lasse Collin's lzma utils.

Name : adcli  
Version : 0.8.1  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:02 AM EST  
Group : Unspecified  
Size : 307459  
License : LGPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 12:05:14 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : adcli-0.8.1-3.el7.src.rpm  
Build Date : Sat 05 Nov 2016 09:51:04 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cgit.freedesktop.org/realmd/adcli>  
Summary : Active Directory enrollment  
Description :  
adcli is a library and tool for joining an Active Directory domain using standard LDAP and Kerberos calls.

Name : libpciaccess  
Version : 0.13.4  
Release : 3.el7\_3  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:30 AM EST  
Group : System Environment/Libraries  
Size : 45649  
License : MIT  
Signature : RSA/SHA256, Wed 18 Jan 2017 07:51:59 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : libpciaccess-0.13.4-3.el7\_3.src.rpm  
Build Date : Tue 17 Jan 2017 06:25:33 PM EST  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gitweb.freedesktop.org/?p=xorg/lib/libpciaccess.git>  
Summary : PCI access library  
Description :  
libpciaccess is a library for portable PCI access routines across multiple operating systems.

Name : mesa-libglapi  
Version : 17.0.1

Release : 6.20170307.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:20 AM EST  
Group : System Environment/Libraries  
Size : 195616  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:21:24 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : mesa-17.0.1-6.20170307.el7.src.rpm  
Build Date : Fri 04 Aug 2017 12:27:35 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mesa3d.org>  
Summary : Mesa shared glapi  
Description :  
Mesa shared glapi

Name : spice-gtk3  
Version : 0.33  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:41 AM EST  
Group : Development/Libraries  
Size : 178987  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:54:42 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : spice-gtk-0.33-6.el7.src.rpm  
Build Date : Fri 04 Aug 2017 11:22:02 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://www.spice-space.org/>  
Summary : A GTK3 widget for SPICE clients  
Description :  
spice-client-glib-3.0 is a SPICE client library for Gtk3.

Name : libevent  
Version : 2.0.21  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:18 AM EST  
Group : System Environment/Libraries  
Size : 742760  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:45:22 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libevent-2.0.21-4.el7.src.rpm  
Build Date : Fri 13 Jun 2014 06:39:17 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/levent/>  
Summary : Abstract asynchronous event notification library  
Description :  
The libevent API provides a mechanism to execute a callback function when a specific event occurs on a file descriptor or after a timeout has been reached. libevent is meant to replace the asynchronous event loop found in event driven network servers. An application just needs to call `event_dispatch()` and can then add or remove events dynamically without having to change the event loop.

Name : gnome-icon-theme-symbolic  
Version : 3.12.0  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:04 AM EST  
Group : User Interface/Desktops  
Size : 1955736  
License : CC-BY-SA  
Signature : RSA/SHA256, Wed 25 Nov 2015 09:35:44 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-icon-theme-symbolic-3.12.0-2.el7.src.rpm  
Build Date : Fri 20 Nov 2015 01:01:25 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : Symbolic GNOME icons  
Description :  
This package contains symbolic icons for use by the GNOME desktop.

Name : gtk2  
Version : 2.24.31  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:33 AM EST  
Group : System Environment/Libraries  
Size : 13494501  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:30:46 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gtk2-2.24.31-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 01:53:12 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gtk.org>  
Summary : The GIMP ToolKit (GTK+), a library for creating GUIs for X  
Description :  
GTK+ is a multi-platform toolkit for creating graphical user interfaces. Offering a complete set of widgets, GTK+ is suitable for projects ranging from small one-off tools to complete application



suites.

Name : libical  
Version : 1.0.1  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:22 AM EST  
Group : System Environment/Libraries  
Size : 614104  
License : LGPLv2 or MPLv1.1  
Signature : RSA/SHA256, Wed 25 Nov 2015 09:58:02 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : libical-1.0.1-1.el7.src.rpm  
Build Date : Fri 20 Nov 2015 01:48:53 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://freeassociation.sourceforge.net/>  
Summary : Reference implementation of the iCalendar data type and serialization format  
Description :  
Reference implementation of the iCalendar data type and serialization format  
used in dozens of calendaring and scheduling products.

Name : brasero  
Version : 3.12.1  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:43 AM EST  
Group : Applications/Multimedia  
Size : 11381496  
License : GPLv3+  
Signature : RSA/SHA256, Wed 25 Nov 2015 09:18:18 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : brasero-3.12.1-2.el7.src.rpm  
Build Date : Sat 21 Nov 2015 10:35:39 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/brasero/>  
Summary : Gnome CD/DVD burning application  
Description :  
Simple and easy to use CD/DVD burning application for the Gnome desktop.

Name : gettext  
Version : 0.19.8.1  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:19 AM EST  
Group : Development/Tools

Size : 5029340  
License : GPLv3+ and LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:07:43 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gettext-0.19.8.1-2.el7.src.rpm  
Build Date : Wed 02 Aug 2017 10:28:14 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/gettext/>  
Summary : GNU libraries and utilities for producing multi-lingual  
messages

Description :

The GNU gettext package provides a set of tools and documentation for producing multi-lingual messages in programs. Tools include a set of conventions about how programs should be written to support message catalogs, a directory and file naming organization for the message catalogs, a runtime library which supports the retrieval of translated messages, and stand-alone programs for handling the translatable and the already translated strings. Gettext provides an easy to use library and tools for creating, using, and modifying natural language catalogs and is a powerful and simple method for internationalizing programs.

Name : openssl098e  
Version : 0.9.8e  
Release : 29.el7.centos.3  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:07 AM EST  
Group : System Environment/Libraries  
Size : 2404555  
License : OpenSSL  
Signature : RSA/SHA256, Wed 09 Mar 2016 12:34:53 AM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : openssl098e-0.9.8e-29.el7.centos.3.src.rpm  
Build Date : Wed 09 Mar 2016 12:04:08 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.openssl.org/>  
Summary : A compatibility version of a general cryptography and TLS  
library

Description :

The OpenSSL toolkit provides support for secure communications between machines. OpenSSL includes a certificate management tool and shared libraries which provide various cryptographic algorithms and protocols. This version of OpenSSL package is provided for compatibility with the previous CentOS Linux release.

Name : samba-common  
Epoch : 0  
Version : 4.6.2

Release : 8.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:53:35 AM EST  
Group : Unspecified  
Size : 127318  
License : GPLv3+ and LGPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:47:51 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : samba-4.6.2-8.el7.src.rpm  
Build Date : Mon 07 Aug 2017 10:01:27 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.samba.org/>  
Summary : Files used by both Samba servers and clients  
Description :  
samba-common provides files necessary for both the server and client packages of Samba.

Name : libdaemon  
Version : 0.14  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:24 AM EST  
Group : System Environment/Libraries  
Size : 62045  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:41:19 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libdaemon-0.14-7.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:26:48 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://0pointer.de/lennart/projects/libdaemon/>  
Summary : Library for writing UNIX daemons  
Description :  
libdaemon is a lightweight C library which eases the writing of UNIX daemons.  
It consists of the following parts:  
\* A wrapper around fork() which does the correct daemonization procedure of a process  
\* A wrapper around syslog() for simpler and compatible log output to Syslog or STDERR  
\* An API for writing PID files  
\* An API for serializing UNIX signals into a pipe for usage with select() or poll()  
\* An API for running subprocesses with STDOUT and STDERR redirected to syslog.

Name : clutter-gst2  
Version : 2.0.18

Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:46 AM EST  
Group : Unspecified  
Size : 199530  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:20:06 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : clutter-gst2-2.0.18-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 02:47:46 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.clutter-project.org>  
Summary : GStreamer integration for Clutter  
Description :  
Clutter is an open source software library for creating fast, visually rich and animated graphical user interfaces.

Clutter GStreamer enables the use of GStreamer with Clutter.

Name : compat-libcolord1  
Version : 1.0.4  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:20 AM EST  
Group : Unspecified  
Size : 319676  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Wed 25 Nov 2015 09:21:11 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : compat-colord10-1.0.4-1.el7.src.rpm  
Build Date : Fri 20 Nov 2015 06:15:36 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/software/colord/>  
Summary : Compat package with colord 1.0 libraries  
Description :  
Compatibility package with colord 1.0 libraries.

Name : perl-XML-Writer-String  
Version : 0.1  
Release : 14.1  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:08 AM EST  
Group : Development/Libraries/Perl  
Size : 6975  
License : Artistic-1.0 or GPL-1.0+  
Signature : DSA/SHA1, Fri 02 Nov 2012 01:02:44 AM EDT, Key ID dcca98dddcef338c  
Source RPM : perl-XML-Writer-String-0.1-14.1.src.rpm

Build Date : Fri 02 Nov 2012 01:02:38 AM EDT  
Build Host : build21  
Relocations : (not relocatable)  
Vendor : obs://build.opensuse.org/devel:languages:perl  
URL : http://search.cpan.org/perldoc?XML::Writer::String  
Summary : Capture output from XML::Writer  
Description :  
This module implements a bare-bones class specifically for the purpose of capturing data from the XML::Writer module. XML::Writer expects an IO::Handle object and writes XML data to the specified object (or STDOUT) via its print() method. This module simulates such an object for the specific purpose of providing the required print() method.

It is recommended that \$writer->end() is called prior to calling \$s->value() to check for well-formedness.

Author:

-----

Simon Oliver <simon.oliver@umist.ac.uk>

Name : pyparted  
Epoch : 1  
Version : 3.9  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:37 AM EST  
Group : System Environment/Libraries  
Size : 691721  
License : GPLv2+  
Signature : RSA/SHA256, Wed 25 Nov 2015 10:32:51 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : pyparted-3.9-13.el7.src.rpm  
Build Date : Fri 20 Nov 2015 02:39:56 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <http://bugs.centos.org>  
Vendor : CentOS  
URL : http://fedorahosted.org/pyparted  
Summary : Python module for GNU parted  
Description :  
Python module for the parted library. It is used for manipulating partition tables.

Name : xmlsec1  
Version : 1.2.20  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:26 AM EST  
Group : System Environment/Libraries  
Size : 568422  
License : MIT

Signature : RSA/SHA256, Sat 14 Mar 2015 04:40:19 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xmlsec1-1.2.20-5.el7.src.rpm  
Build Date : Fri 06 Mar 2015 01:05:45 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.aleksey.com/xmlsec/>  
Summary : Library providing support for "XML Signature" and "XML  
Encryption" standards  
Description :  
XML Security Library is a C library based on LibXML2 and OpenSSL.  
The library was created with a goal to support major XML security  
standards "XML Digital Signature" and "XML Encryption".

Name : metacity  
Version : 2.34.13  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:47 AM EST  
Group : User Interface/Desktops  
Size : 6160548  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:47:27 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : metacity-2.34.13-7.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:43:00 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://download.gnome.org/sources/metacity/>  
Summary : Unobtrusive window manager  
Description :  
Metacity is a window manager that integrates nicely with the GNOME  
desktop.  
It strives to be quiet, small, stable, get on with its job, and stay out  
of  
your attention.

Name : python-chardet  
Version : 2.2.1  
Release : 1.el7\_1  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:22 AM EST  
Group : Development/Languages  
Size : 1156541  
License : LGPLv2  
Signature : RSA/SHA256, Wed 22 Jul 2015 04:25:06 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : python-chardet-2.2.1-1.el7\_1.src.rpm  
Build Date : Wed 22 Jul 2015 04:04:40 PM EDT  
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://chardet.feedparser.org>  
Summary : Character encoding auto-detection in Python  
Description :  
Character encoding auto-detection in Python. As  
smart as your browser. Open source.

Name : efibootmgr  
Version : 15  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:09 AM EST  
Group : System Environment/Base  
Size : 67344  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:42:21 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : efibootmgr-15-2.el7.src.rpm  
Build Date : Thu 03 Aug 2017 11:45:45 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://github.com/rhinstaller/efibootmgr/>  
Summary : EFI Boot Manager  
Description :  
efibootmgr displays and allows the user to edit the Intel Extensible  
Firmware Interface (EFI) Boot Manager variables. Additional  
information about EFI can be found at  
<http://developer.intel.com/technology/efi/efi.htm> and <http://uefi.org/>.

Name : iputils  
Version : 20160308  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:38 AM EST  
Group : System Environment/Daemons  
Size : 343497  
License : BSD and GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:47:33 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : iputils-20160308-10.el7.src.rpm  
Build Date : Fri 04 Aug 2017 04:01:04 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/iputils/iputils>  
Summary : Network monitoring tools including ping  
Description :  
The iputils package contains basic utilities for monitoring a network,  
including ping. The ping command sends a series of ICMP protocol

ECHO\_REQUEST packets to a specified network host to discover whether the target machine is alive and receiving network traffic.

Name : attr  
Version : 2.4.46  
Release : 12.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:27 AM EST  
Group : System Environment/Base  
Size : 172722  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:41:57 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : attr-2.4.46-12.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:33:37 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://acl.bestbits.at/>  
Summary : Utilities for managing filesystem extended attributes  
Description :  
A set of tools for manipulating extended attributes on filesystem objects, in particular getfattr(1) and setfattr(1).  
An attr(1) command is also provided which is largely compatible with the SGI IRIX tool of the same  
Name.

Name : vino  
Version : 3.22.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:50 AM EST  
Group : Unspecified  
Size : 2121956  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:16:23 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : vino-3.22.0-3.el7.src.rpm  
Build Date : Sun 06 Aug 2017 10:39:59 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/Vino>  
Summary : A remote desktop system for GNOME  
Description :  
Vino is a VNC server for GNOME. It allows remote users to connect to a running GNOME session using VNC.

Name : tomcat-el-2.2-api  
Epoch : 0  
Version : 7.0.76  
Release : 2.el7



Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:23 AM EST  
Group : Development/Libraries  
Size : 115478  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:06:43 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : tomcat-7.0.76-2.el7.src.rpm  
Build Date : Mon 07 Aug 2017 12:33:29 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://tomcat.apache.org/>  
Summary : Expression Language v2.2 API  
Description :  
Expression Language 2.2.

Name : compat-libtiff3  
Version : 3.9.4  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:10 AM EST  
Group : System Environment/Libraries  
Size : 430816  
License : libtiff  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:00:59 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : compat-libtiff3-3.9.4-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:17:40 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.remotesensing.org/libtiff/>  
Summary : Compatibility package for libtiff 3  
Description :  
The libtiff3 package provides libtiff 3, an older version of libtiff library for manipulating TIFF (Tagged Image File Format) image format files. This version should be used only if you are unable to use the current version of libtiff.

Name : usbredir  
Version : 0.7.1  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:47 AM EST  
Group : System Environment/Libraries  
Size : 108359  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:13:34 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : usbredir-0.7.1-2.el7.src.rpm  
Build Date : Tue 01 Aug 2017 07:58:45 PM EDT

Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://www.spice-space.org>  
Summary : USB network redirection protocol libraries  
Description :  
The usbredir libraries allow USB devices to be used on remote and/or virtual hosts over TCP. The following libraries are provided:

usbredirparser:

A library containing the parser for the usbredir protocol

usbredirhost:

A library implementing the USB host side of a usbredir connection. All that an application wishing to implement a USB host needs to do is:

- \* Provide a libusb device handle for the device
- \* Provide write and read callbacks for the actual transport of usbredir data
- \* Monitor for usbredir and libusb read/write events and call their handlers

Name : jasper-libs  
Version : 1.900.1  
Release : 31.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:29 AM EST  
Group : System Environment/Libraries  
Size : 350682  
License : JasPer  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:50:46 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : jasper-1.900.1-31.el7.src.rpm  
Build Date : Fri 04 Aug 2017 06:37:04 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.ece.uvic.ca/~frodo/jasper/>  
Summary : Runtime libraries for jasper  
Description :  
Runtime libraries for jasper.

Name : neon  
Version : 0.30.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:52 AM EST  
Group : System Environment/Libraries  
Size : 567772  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:54:44 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : neon-0.30.0-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:43:33 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.webdav.org/neon/>  
Summary : An HTTP and WebDAV client library  
Description :  
neon is an HTTP and WebDAV client library, with a C interface;  
providing a high-level interface to HTTP and WebDAV methods along  
with a low-level interface for HTTP request handling. neon  
supports persistent connections, proxy servers, basic, digest and  
Kerberos authentication, and has complete SSL support.

Name : python-kmod  
Version : 0.9  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:24 AM EST  
Group : Development/Libraries  
Size : 179890  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:39:36 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : python-kmod-0.9-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:38:53 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/agrover/python-kmod/>  
Summary : Python module to work with kernel modules  
Description :  
Python module to allow listing, loading, and unloading  
Linux kernel modules, using libkmod.

Name : traceroute  
Epoch : 3  
Version : 2.0.22  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:12 AM EST  
Group : Applications/Internet  
Size : 93925  
License : GPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 03:54:56 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : traceroute-2.0.22-2.el7.src.rpm  
Build Date : Sat 05 Nov 2016 11:27:17 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL : <http://traceroute.sourceforge.net>  
Summary : Traces the route taken by packets over an IPv4/IPv6 network  
Description :  
The traceroute utility displays the route used by IP packets on their way to a specified network (or Internet) host. Traceroute displays the IP number and host Name (if possible) of the machines along the route taken by the packets. Traceroute is used as a network debugging tool. If you're having network connectivity problems, traceroute will show you where the trouble is coming from along the route.

Install traceroute if you need a tool for diagnosing network connectivity problems.

Name : libstoragemgmt-python  
Version : 1.4.0  
Release : 3.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:53:48 AM EST  
Group : System Environment/Libraries  
Size : 817477  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:57:16 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libstoragemgmt-1.4.0-3.el7.src.rpm  
Build Date : Thu 03 Aug 2017 12:41:23 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/libstorage/libstoragemgmt>  
Summary : Python client libraries and plug-in support for libstoragemgmt  
Description :  
The libstoragemgmt-python package contains python client libraries as well as python framework support and open source plug-ins written in python.

Name : libconfig  
Version : 1.4.9  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:31 AM EST  
Group : System Environment/Libraries  
Size : 195179  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:40:30 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libconfig-1.4.9-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:18:13 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL : <http://www.hyperrealm.com/libconfig/>  
Summary : C/C++ configuration file library  
Description :  
Libconfig is a simple library for manipulating structured configuration files. This file format is more compact and more readable than XML. And unlike XML, it is type-aware, so it is not necessary to do string parsing in application code.

Name : libvirt-daemon-config-network  
Version : 3.2.0  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:54 AM EST  
Group : Development/Libraries  
Size : 228  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:02:27 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libvirt-3.2.0-14.el7.src.rpm  
Build Date : Sat 05 Aug 2017 01:16:28 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvirt.org/>  
Summary : Default configuration files for the libvirtd daemon  
Description :  
Default configuration files for setting up NAT based networking

Name : python-configshell  
Epoch : 1  
Version : 1.1.fb23  
Release : 3.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:25 AM EST  
Group : System Environment/Libraries  
Size : 504784  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:19:56 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-configshell-1.1.fb23-3.el7.src.rpm  
Build Date : Fri 04 Aug 2017 06:26:02 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/targetcli-fb/>  
Summary : A framework to implement simple but nice CLIs  
Description :  
A framework to implement simple but nice configuration-oriented command-line interfaces.

Name : setserial  
Version : 2.17

Release : 33.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:13 AM EST  
Group : Applications/System  
Size : 31579  
License : GPL+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:59:11 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : setserial-2.17-33.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:58:44 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://setserial.sourceforge.net/>  
Summary : A utility for configuring serial ports  
Description :  
Setserial is a basic system utility for displaying or setting serial  
port information. Setserial can reveal and allow you to alter the I/O  
port and IRQ that a particular serial device is using, and more.

Name : gstreamer-plugins-base  
Version : 0.10.36  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:49 AM EST  
Group : Applications/Multimedia  
Size : 4374739  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:48:19 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gstreamer-plugins-base-0.10.36-10.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:16:27 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gstreamer.freedesktop.org/>  
Summary : GStreamer streaming media framework base plug-ins  
Description :  
GStreamer is a streaming media framework, based on graphs of filters  
which  
operate on media data. Applications using this library can do anything  
from real-time sound processing to playing videos, and just about  
anything  
else media-related. Its plugin-based architecture means that new data  
types or processing capabilities can be added simply by installing new  
plug-ins.

This package contains a set of well-maintained base plug-ins.

Name : sysvinit-tools  
Version : 2.88  
Release : 14.dsfe.el7

Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:34 AM EST  
Group : System Environment/Base  
Size : 109118  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:09:36 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sysvinit-2.88-14.dsfc.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:16:44 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://savannah.nongnu.org/projects/sysvinit/>  
Summary : Tools used for process and utmp management.  
Description :  
The sysvinit-tools package contains various tools used for process  
management.

Name : anaconda-tui  
Version : 21.48.22.121  
Release : 1.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:55 AM EST  
Group : Applications/System  
Size : 445803  
License : GPLv2+ and MIT  
Signature : RSA/SHA256, Mon 04 Sep 2017 11:56:36 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : anaconda-21.48.22.121-1.el7.centos.src.rpm  
Build Date : Mon 04 Sep 2017 11:37:24 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedoraproject.org/wiki/Anaconda>  
Summary : Textual user interface for the Anaconda installer  
Description :  
This package contains textual user interface for the Anaconda installer.

Name : perl-Net-HTTP  
Version : 6.06  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:26 AM EST  
Group : Development/Libraries  
Size : 52165  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:21:17 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Net-HTTP-6.06-2.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:55:15 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Net-HTTP/>  
Summary : Low-level HTTP connection (client)  
Description :  
The Net::HTTP class is a low-level HTTP client. An instance of the Net::HTTP class represents a connection to an HTTP server. The HTTP protocol is described in RFC 2616. The Net::HTTP class supports HTTP/1.0 and HTTP/1.1.

Name : stix-fonts  
Version : 1.1.0  
Release : 5.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:22 AM EST  
Group : User Interface/X  
Size : 1892532  
License : OFL  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:05:45 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : stix-fonts-1.1.0-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:27:25 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.stixfonts.org/>  
Summary : Scientific and engineering fonts  
Description :

The mission of the Scientific and Technical Information Exchange (STIX) font creation project is the preparation of a comprehensive set of fonts that serve the scientific and engineering community in the process from manuscript creation through final publication, both in electronic and print formats.

This package includes base Unicode fonts containing most glyphs for standard use in the usual four styles.

Name : NetworkManager  
Epoch : 1  
Version : 1.10.2  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:52 AM EST  
Group : System Environment/Base  
Size : 5234794  
License : GPLv2+  
Signature : RSA/SHA256, Wed 25 Apr 2018 07:29:19 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : NetworkManager-1.10.2-13.el7.src.rpm  
Build Date : Thu 12 Apr 2018 03:44:26 PM EDT



Build Host : x86-01.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/NetworkManager/>  
Summary : Network connection manager and user applications  
Description :  
NetworkManager is a system service that manages network interfaces and connections based on user or automatic configuration. It supports Ethernet, Bridge, Bond, VLAN, Team, InfiniBand, Wi-Fi, mobile broadband (WWAN), PPPoE and other devices, and supports a variety of different VPN services.

Name : libvisual  
Version : 0.4.0  
Release : 16.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:35 AM EST  
Group : Applications/Multimedia  
Size : 419592  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:26:02 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libvisual-0.4.0-16.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:37:15 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvisual.sf.net>  
Summary : Abstraction library for audio visualisation plugins  
Description :  
Libvisual is an abstraction library that comes between applications and audio visualisation plugins.

Often when it comes to audio visualisation plugins or programs that create visuals they do depend on a player or something else, basically there is no general framework that enable application developers to easy access cool audio visualisation plugins. Libvisual wants to change this by providing an interface towards plugins and applications, through this easy to use interface applications can easily access plugins and since the drawing is done by the application it also enables the developer to draw the visual anywhere he wants.

Name : evince  
Version : 3.22.1  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:58 AM EST  
Group : Unspecified  
Size : 10168910  
License : GPLv2+ and GPLv3+ and LGPLv2+ and MIT and Afdump

Signature : RSA/SHA256, Thu 10 Aug 2017 11:44:46 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : evince-3.22.1-5.el7.src.rpm  
Build Date : Sun 06 Aug 2017 11:28:52 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Apps/Evince>  
Summary : Document viewer  
Description :  
Evince is simple multi-page document viewer. It can display and print  
Portable Document Format (PDF), PostScript (PS) and Encapsulated  
PostScript  
(EPS) files. When supported by the document format, evince allows  
searching  
for text, copying text to the clipboard, hypertext navigation,  
table-of-contents bookmarks and editing of forms.

Support for other document formats such as DVI and DJVU can be added by  
installing additional backends.

Name : httpd-tools  
Version : 2.4.6  
Release : 67.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:27 AM EST  
Group : System Environment/Daemons  
Size : 172252  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:40:54 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : httpd-2.4.6-67.el7.centos.src.rpm  
Build Date : Thu 03 Aug 2017 11:21:07 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://httpd.apache.org/>  
Summary : Tools for use with the Apache HTTP Server  
Description :  
The httpd-tools package contains tools which can be used with  
the Apache HTTP Server.

Name : cjkuni-uming-fonts  
Version : 0.2.20080216.1  
Release : 53.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:35 AM EST  
Group : User Interface/X  
Size : 21094325  
License : Arphic  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:58:04 PM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : cjkuni-uming-fonts-0.2.20080216.1-53.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:42:30 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/CJKUnifonts>  
Summary : Chinese Unicode TrueType font in Ming face  
Description :

CJK Unifonts are Unicode TrueType fonts derived from original fonts made available by Arphic Technology under "Arphic Public License" and extended by the CJK Unifonts project.

CJK Unifonts in Ming face.

Name : os-prober  
Version : 1.58  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:54 AM EST  
Group : System Environment/Base  
Size : 97946  
License : GPLv2+ and GPL+  
Signature : RSA/SHA256, Sun 20 Nov 2016 02:50:19 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : os-prober-1.58-9.el7.src.rpm  
Build Date : Sat 05 Nov 2016 11:30:02 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://kitenet.net/~joey/code/os-prober/>  
Summary : Probes disks on the system for installed operating systems  
Description :  
This package detects other OSes available on a system and outputs the results in a generic machine-readable format. Support for new OSes and Linux distributions can be added easily.

Name : iproute  
Version : 3.10.0  
Release : 87.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:37 AM EST  
Group : Applications/System  
Size : 1505751  
License : GPLv2+ and Public Domain  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:45:58 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : iproute-3.10.0-87.el7.src.rpm  
Build Date : Fri 04 Aug 2017 06:11:33 PM EDT  
Build Host : clbm.rdu2.centos.org

Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://kernel.org/pub/linux/utils/net/iproute2/>  
Summary : Advanced IP routing and network device configuration tools  
Description :  
The iproute package contains networking utilities (ip and rtmon, for example) which are designed to use the advanced networking capabilities of the Linux 2.4.x and 2.6.x kernel.

Name : wodim  
Version : 1.1.11  
Release : 23.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:40 AM EST  
Group : Applications/Archiving  
Size : 899865  
License : GPLv2  
Signature : RSA/SHA256, Wed 25 Nov 2015 11:03:58 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : cdrkit-1.1.11-23.el7.src.rpm  
Build Date : Fri 20 Nov 2015 12:08:38 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cdrkit.org/>  
Summary : A command line CD/DVD recording program  
Description :  
Wodim is an application for creating audio and data CDs. Wodim works with many different brands of CD recorders, fully supports multi-sessions and provides human-readable error messages.

Name : centos-release  
Version : 7  
Release : 4.1708.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:34 AM EST  
Group : System Environment/Base  
Size : 37949  
License : GPLv2  
Signature : RSA/SHA256, Wed 30 Aug 2017 12:04:53 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : centos-release-7-4.1708.el7.centos.src.rpm  
Build Date : Wed 30 Aug 2017 11:53:09 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : CentOS Linux release file  
Description :  
CentOS Linux release files

Name : lohit-malayalam-fonts  
Version : 2.5.3  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:46 AM EST  
Group : User Interface/X  
Size : 86092  
License : OFL  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:10 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : lohit-malayalam-fonts-2.5.3-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:33:26 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/lohit/>  
Summary : Free Malayalam font  
Description :  
This package provides a free Malayalam truetype/opentype font.

Name : sane-backends  
Version : 1.0.24  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:56 AM EST  
Group : System Environment/Libraries  
Size : 2032215  
License : GPLv2+ and GPLv2+ with exceptions and Public Domain  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:54:17 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sane-backends-1.0.24-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:16:16 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.sane-project.org>  
Summary : Scanner access software  
Description :  
Scanner Access Now Easy (SANE) is a universal scanner interface. The SANE application programming interface (API) provides standardized access to any raster image scanner hardware (flatbed scanner, hand-held scanner, video and still cameras, frame-grabbers, etc.).

Name : abrt-cli  
Version : 2.1.11  
Release : 48.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:59 AM EST  
Group : Applications/System  
Size : 0  
License : GPLv2+

Signature : RSA/SHA256, Thu 10 Aug 2017 10:53:28 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : abrt-2.1.11-48.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 10:17:54 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : Virtual package to make easy default installation on non-  
graphical environments  
Description :  
Virtual package to install all necessary packages for usage from command  
line  
environment.

Name : libverto-tevent  
Version : 0.2.5  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:38 AM EST  
Group : Unspecified  
Size : 11520  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:24:09 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libverto-0.2.5-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:44:21 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/libverto/>  
Summary : tevent module for libverto  
Description :  
Module for libverto which provides integration with tevent.

This package provides libverto-module-base since it supports io, timeout  
and signal.

Name : libcacard  
Epoch : 40  
Version : 2.5.2  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:42 AM EST  
Group : Development/Libraries  
Size : 49800  
License : GPLv2+ and LGPLv2+ and BSD  
Signature : RSA/SHA256, Sun 20 Nov 2016 01:35:44 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libcacard-2.5.2-2.el7.src.rpm  
Build Date : Sat 05 Nov 2016 11:49:08 AM EDT  
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.spice-space.org/page/Libcacard>  
Summary : Common Access Card (CAC) Emulation  
Description :  
Common Access Card (CAC) emulation library.

Name : gnu-free-fonts-common  
Version : 20120503  
Release : 8.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:35 AM EST  
Group : User Interface/X  
Size : 502617  
License : GPLv3+ with exceptions  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:40:54 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnu-free-fonts-20120503-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:49:15 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/freefont/>  
Summary : Common files for freefont (documentation...)  
Description :

Gnu FreeFont is a free family of scalable outline fonts, suitable for general use on computers and for desktop publishing. It is Unicode-encoded for compatibility with all modern operating systems.

Besides a full set of characters for writing systems based on the Latin alphabet, FreeFont contains large selection of characters from other writing systems some of which are hard to find elsewhere.

FreeFont also contains a large set of symbol characters, both technical and decorative. We are especially pleased with the Mathematical Operators range, with which most of the glyphs used in LaTeX can be displayed.

This package consists of files used by other gnu-free-fonts packages.

Name : ucs-miscfixed-fonts  
Version : 0.3  
Release : 11.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:57 AM EST  
Group : User Interface/X  
Size : 7079547  
License : Public Domain

Signature : RSA/SHA256, Fri 04 Jul 2014 01:37:30 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : ucs-miscfixed-fonts-0.3-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:30:46 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.cl.cam.ac.uk/~mgk25/ucs-fonts.html>  
Summary : Selected set of bitmap fonts  
Description :  
The usc-fixed-fonts package provides bitmap fonts for  
locations such as terminals.

Name : python-slip-dbus  
Version : 0.4.0  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:53:57 AM EST  
Group : System Environment/Libraries  
Size : 76437  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:41:57 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : python-slip-0.4.0-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:57:01 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/python-slip>  
Summary : Convenience functions for dbus services  
Description :  
The Simple Library for Python packages contain miscellaneous code for  
convenience, extension and workaround purposes.

This package provides `slip.dbus.service.Object`, which is a  
`dbus.service.Object`  
derivative that ends itself after a certain time without being used  
and/or if  
there are no clients anymore on the message bus, as well as convenience  
functions and decorators for integrating a dbus service with PolicyKit.

Name : perl-Pod-Escapes  
Epoch : 1  
Version : 1.04  
Release : 292.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:39 AM EST  
Group : Development/Libraries  
Size : 21091  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:08:16 PM EDT, Key ID  
24c6a8a7f4a80eb5



Source RPM : perl-5.16.3-292.el7.src.rpm  
Build Date : Wed 02 Aug 2017 01:49:04 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.perl.org/>  
Summary : Perl module for resolving POD escape sequences  
Description :  
This module provides things that are useful in decoding Pod E<...>  
sequences.  
Presumably, it should be used only by Pod parsers and/or formatters.

Name : libuser  
Version : 0.60  
Release : 7.el7\_1  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:44 AM EST  
Group : System Environment/Base  
Size : 1954088  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 24 Jul 2015 07:18:14 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libuser-0.60-7.el7\_1.src.rpm  
Build Date : Fri 24 Jul 2015 07:15:11 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/libuser/>  
Summary : A user and group account administration library  
Description :  
The libuser library implements a standardized interface for manipulating  
and administering user and group accounts. The library uses pluggable  
back-ends to interface to its data sources.

Sample applications modeled after those included with the shadow password  
suite are included.

Name : mailcap  
Version : 2.1.41  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:36 AM EST  
Group : System Environment/Base  
Size : 63360  
License : Public Domain and MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:37:02 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : mailcap-2.1.41-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:57:23 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://git.fedorahosted.org/git/mailcap.git>  
Summary : Helper application and MIME type associations for file types  
Description :  
The mailcap file is used by the metamail program. Metamail reads the mailcap file to determine how it should display non-text or multimedia material. Basically, mailcap associates a particular type of file with a particular program that a mail agent or other program can call in order to handle the file. Mailcap should be installed to allow certain programs to be able to handle non-text files.

Also included in this package is the mime.types file which contains a list of MIME types and their file Name "extension" associations, used by several applications e.g. to determine MIME types for file Names.

Name : gnu-free-sans-fonts  
Version : 20120503  
Release : 8.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:57:08 AM EST  
Group : User Interface/X  
Size : 3086187  
License : GPLv3+ with exceptions  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:40:59 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnu-free-fonts-20120503-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:49:15 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/freefont/>  
Summary : GNU FreeFont Sans-Serif Font  
Description :

Gnu FreeFont is a free family of scalable outline fonts, suitable for general use on computers and for desktop publishing. It is Unicode-encoded for compatibility with all modern operating systems.

Besides a full set of characters for writing systems based on the Latin alphabet, FreeFont contains large selection of characters from other writing systems some of which are hard to find elsewhere.

FreeFont also contains a large set of symbol characters, both technical and decorative. We are especially pleased with the Mathematical Operators range, with which most of the glyphs used in LaTeX can be displayed.

This package contains the GNU FreeFont sans-serif font.

Name : colord  
Version : 1.3.4  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:59 AM EST  
Group : Unspecified  
Size : 2135508  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:23:29 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : colord-1.3.4-1.el7.src.rpm  
Build Date : Sun 06 Aug 2017 01:01:53 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/software/colord/>  
Summary : Color daemon  
Description :  
colord is a low level system activated daemon that maps color devices to color profiles in the system context.

Name : libatasmart  
Version : 0.19  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:02 AM EST  
Group : System Environment/Libraries  
Size : 108259  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:36:14 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libatasmart-0.19-6.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:47:52 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.0pointer.de/?p=libatasmart.git;a=summary>  
Summary : ATA S.M.A.R.T. Disk Health Monitoring Library  
Description :  
A small and lightweight parser library for ATA S.M.A.R.T. hard disk health monitoring.

Name : perl-threads-shared  
Version : 1.43  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:40 AM EST  
Group : Development/Libraries  
Size : 73972  
License : GPL+ or Artistic

Signature : RSA/SHA256, Fri 04 Jul 2014 12:25:27 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-threads-shared-1.43-6.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:07:27 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/threads-shared/>  
Summary : Perl extension for sharing data structures between threads  
Description :  
By default, variables are private to each thread, and each newly created thread gets a private copy of each existing variable. This module allows you to share variables across different threads (and pseudo-forks on Win32). It is used together with the threads module.

Name : color-filesystem  
Version : 1  
Release : 13.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:45 AM EST  
Group : System Environment/Base  
Size : 151  
License : Public Domain  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:59:51 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : color-filesystem-1-13.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:01:10 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : Color filesystem layout  
Description :  
This package provides some directories that are required/used to store color.

Name : thai-scalable-fonts-common  
Version : 0.5.0  
Release : 7.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:37 AM EST  
Group : User Interface/X  
Size : 13727  
License : GPLv2+ and Bitstream Vera  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:32:57 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : thai-scalable-fonts-0.5.0-7.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:03:19 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://linux.thai.net/projects/thaifonts-scalable>

Summary : Common files of thai-scalable-fonts  
Description :

fonts-tlwg provides a collection of free scalable Thai fonts.

This package consists of files used by other thai-scalable-fonts packages.

Name : iwl1000-firmware  
Epoch : 1  
Version : 39.31.5.1  
Release : 56.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:57:14 AM EST  
Group : System Environment/Kernel  
Size : 782733  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:48:44 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20170606-56.gitc990aae.el7.src.rpm  
Build Date : Sat 05 Aug 2017 02:03:09 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel® PRO/Wireless 1000 B/G/N network adaptors  
Description :  
This package contains the firmware required by the iwlagn driver for Linux to support the iwl1000 hardware. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : icedax  
Version : 1.1.11  
Release : 23.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:00 AM EST  
Group : Applications/Multimedia  
Size : 288173  
License : GPLv2  
Signature : RSA/SHA256, Wed 25 Nov 2015 09:42:18 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : cdrkit-1.1.11-23.el7.src.rpm  
Build Date : Fri 20 Nov 2015 12:08:38 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cdrkit.org/>  
Summary : A utility for sampling/copying .wav files from digital audio CDs

Description :

Icedax is a sampling utility for CD-ROM drives that are capable of providing a CD's audio data in digital form to your host. Audio data read from the CD can be saved as .wav or .sun format sound files. Recording formats include stereo/mono, 8/12/16 bits and different rates. Icedax can also be used as a CD player.

Name : xdg-utils  
Version : 1.1.0  
Release : 0.17.20120809git.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:55:04 AM EST  
Group : System Environment/Base  
Size : 277142  
License : MIT  
Signature : RSA/SHA256, Sun 20 Nov 2016 04:00:34 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : xdg-utils-1.1.0-0.17.20120809git.el7.src.rpm  
Build Date : Sat 05 Nov 2016 11:45:32 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://portland.freedesktop.org/>  
Summary : Basic desktop integration functions

Description :

The xdg-utils package is a set of simple scripts that provide basic desktop integration functions for any Free Desktop, such as Linux. They are intended to provide a set of defacto standards.

This means that:

- \* Third party software developers can rely on these xdg-utils for all of their simple integration needs.
- \* Developers of desktop environments can make sure that their environments are well supported
- \* Distribution vendors can provide custom versions of these utilities

The following scripts are provided at this time:

- \* xdg-desktop-icon        Install icons to the desktop
- \* xdg-desktop-menu       Install desktop menu items
- \* xdg-email              Send mail using the user's preferred e-mail composer
- \* xdg-icon-resource      Install icon resources
- \* xdg-mime                Query information about file type handling and install descriptions for new file types
- \* xdg-open                Open a file or URL in the user's preferred application
- \* xdg-screensaver        Control the screensaver
- \* xdg-settings            Get various settings from the desktop environment

Name : perl-Carp  
Version : 1.26  
Release : 244.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:41 AM EST

Group : Development/Libraries  
Size : 28276  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:15:11 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Carp-1.26-244.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:12:39 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Carp/>  
Summary : Alternative warn and die for modules  
Description :  
The Carp routines are useful in your own modules because they act like  
die() or warn(), but with a message which is more likely to be useful to  
a  
user of your module. In the case of cluck, confess, and longmess that  
context is a summary of every call in the call-stack. For a shorter  
message  
you can use carp or croak which report the error as being from where your  
module was called. There is no guarantee that that is where the error  
was,  
but it is a good educated guess.

Name : harfbuzz-icu  
Version : 1.3.2  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:46 AM EST  
Group : Unspecified  
Size : 11312  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:39:18 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : harfbuzz-1.3.2-1.el7.src.rpm  
Build Date : Tue 01 Aug 2017 11:22:01 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://freedesktop.org/wiki/Software/HarfBuzz>  
Summary : Harfbuzz ICU support library  
Description :  
This package contains Harfbuzz ICU support library.

Name : vim-filesystem  
Epoch : 2  
Version : 7.4.160  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:39 AM EST  
Group : Applications/Editors  
Size : 0

License : Vim  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:15:47 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : vim-7.4.160-2.el7.src.rpm  
Build Date : Tue 01 Aug 2017 08:46:12 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.vim.org/>  
Summary : VIM filesystem layout  
Description :  
This package provides some directories which are required by other  
packages that add vim files, p.e. additional syntax files or filetypes.

Name : man-pages  
Version : 3.53  
Release : 5.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:57:18 AM EST  
Group : Documentation  
Size : 4779631  
License : GPLv2+ and GPLv2+ and BSD and MIT and Copyright only and IEEE  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:37:25 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : man-pages-3.53-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:50:33 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.kernel.org/doc/man-pages/>  
Summary : Man (manual) pages from the Linux Documentation Project  
Description :  
A large collection of man pages (documentation) from the Linux  
Documentation Project (LDP).

Name : NetworkManager-wifi  
Epoch : 1  
Version : 1.10.2  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:01 AM EST  
Group : System Environment/Base  
Size : 156024  
License : GPLv2+  
Signature : RSA/SHA256, Wed 25 Apr 2018 07:29:41 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : NetworkManager-1.10.2-13.el7.src.rpm  
Build Date : Thu 12 Apr 2018 03:44:26 PM EDT  
Build Host : x86-01.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS



URL : <http://www.gnome.org/projects/NetworkManager/>  
Summary : Wifi plugin for NetworkManager  
Description :  
This package contains NetworkManager support for Wifi and OLPC devices.

Name : gnome-shell-extension-common  
Version : 3.22.2  
Release : 10.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:55:07 AM EST  
Group : User Interface/Desktops  
Size : 569072  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:21:30 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-shell-extensions-3.22.2-10.el7.src.rpm  
Build Date : Mon 07 Aug 2017 10:13:52 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://wiki.gnome.org/Projects/GnomeShell/Extensions>  
Summary : Files common to GNOME Shell Extensions  
Description :  
GNOME Shell Extensions is a collection of extensions providing additional and optional functionality to GNOME Shell.

This package provides common data files shared by various extensions.

Name : perl-Compress-Raw-Zlib  
Epoch : 1  
Version : 2.061  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:44 AM EST  
Group : Development/Libraries  
Size : 139803  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:15:33 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Compress-Raw-Zlib-2.061-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:12:08 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Compress-Raw-Zlib/>  
Summary : Low-level interface to the zlib compression library  
Description :  
The Compress::Raw::Zlib module provides a Perl interface to the zlib compression library, which is used by IO::Compress::Zlib.

Name : libmpcdec

Version : 1.2.6  
Release : 12.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:48 AM EST  
Group : System Environment/Libraries  
Size : 60510  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:59:45 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libmpcdec-1.2.6-12.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:37:52 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.musepack.net/>  
Summary : Musepack audio decoding library  
Description :  
Musepack is an audio compression format with a strong emphasis on high  
quality.  
It's not lossless, but it is designed for transparency, so that you won't  
be  
able to hear differences between the original wave file and the much  
smaller  
MPC file.  
It is based on the MPEG-1 Layer-2 / MP2 algorithms, but has rapidly  
developed  
and vastly improved and is now at an advanced stage in which it contains  
heavily optimized and patentless code.

Name : tigervnc-license  
Version : 1.8.0  
Release : 1.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:41 AM EST  
Group : User Interface/X  
Size : 18000  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:05:07 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : tigervnc-1.8.0-1.el7.src.rpm  
Build Date : Sun 06 Aug 2017 09:32:46 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.tigervnc.com>  
Summary : License of TigerVNC suite  
Description :  
This package contains license of the TigerVNC suite

Name : words  
Version : 3.0  
Release : 22.el7

Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:57:20 AM EST  
Group : System Environment/Libraries  
Size : 4959465  
License : Public Domain  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:43:56 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : words-3.0-22.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:21:28 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://en.wikipedia.org/wiki/Moby\\_Project](http://en.wikipedia.org/wiki/Moby_Project)  
Summary : A dictionary of English words for the /usr/share/dict directory  
Description :  
The words file is a dictionary of English words for the /usr/share/dict directory. Some programs use this database of words to check spelling. Password checkers use it to look for bad passwords.

Name : python-pyblock  
Version : 0.53  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:02 AM EST  
Group : System Environment/Libraries  
Size : 211441  
License : GPLv2 or GPLv3  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:41:25 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-pyblock-0.53-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:51:00 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedoraproject.org/wiki/Anaconda>  
Summary : Python modules for dealing with block devices  
Description :  
The pyblock contains Python modules for dealing with block devices.

Name : ipxe-roms-qemu  
Version : 20170123  
Release : 1.git4e85b27.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:55:08 AM EST  
Group : Development/Tools  
Size : 1591514  
License : GPLv2 and BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:48:03 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ipxe-20170123-1.git4e85b27.el7.src.rpm

Build Date : Wed 02 Aug 2017 07:45:38 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://ipxe.org/>  
Summary : Network boot loader roms supported by QEMU, .rom format  
Description :  
iPXE is an open source network bootloader. It provides a direct replacement for proprietary PXE ROMs, with many extra features such as DNS, HTTP, iSCSI, etc.

This package contains the iPXE ROMs for devices emulated by QEMU, in .rom format.

Name : perl-Image-Xbm  
Version : 1.08  
Release : 21.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:44 AM EST  
Group : Development/Libraries  
Size : 34801  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:13 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Image-Xbm-1.08-21.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:29:23 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Image-Xbm/>  
Summary : Load, create, manipulate and save xbm image files in Perl  
Description :  
This class module provides basic load, manipulate and save functionality for the xbm file format. It inherits from Image::Base which provides additional manipulation functionality.

Name : pygpgme  
Version : 0.3  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:50 AM EST  
Group : Development/Languages  
Size : 197501  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:36:27 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pygpgme-0.3-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:30:47 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cheeseshop.python.org/pypi/pygpgme>  
Summary : Python module for working with OpenPGP messages  
Description :  
PyGPGME is a Python module that lets you sign, verify, encrypt and decrypt files using the OpenPGP format. It is built on top of GNU Privacy Guard and the GPGME library.

Name : bash  
Version : 4.2.46  
Release : 28.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:48 AM EST  
Group : System Environment/Shells  
Size : 3663637  
License : GPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:03:40 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : bash-4.2.46-28.el7.src.rpm  
Build Date : Wed 02 Aug 2017 05:13:21 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/bash>  
Summary : The GNU Bourne Again shell  
Description :  
The GNU Bourne Again shell (Bash) is a shell or command language interpreter that is compatible with the Bourne shell (sh). Bash incorporates useful features from the Korn shell (ksh) and the C shell (csh). Most sh scripts can be run by bash without modification.

Name : libXtst  
Version : 1.2.3  
Release : 1.el7  
Architecture: i686  
Install Date: Mon 03 Dec 2018 08:57:22 AM EST  
Group : System Environment/Libraries  
Size : 29054  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:13:27 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXtst-1.2.3-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 12:43:22 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXtst runtime library  
Description :

## X.Org X11 libXtst runtime library

Name : hypervfcopyd  
Version : 0  
Release : 0.30.20161211git.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:03 AM EST  
Group : System Environment/Daemons  
Size : 11617  
License : GPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:42:31 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : hyperv-daemons-0-0.30.20161211git.el7.src.rpm  
Build Date : Tue 01 Aug 2017 08:49:52 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.kernel.org>  
Summary : HyperV FCOPY daemon  
Description :  
Hypervfcopyd is an implementation of file copy service functionality for Linux Guest running on HyperV. The daemon enables host to copy a file (over VMBUS) into the Linux Guest. The daemon first registers with the kernel driver. After this is done it waits for instructions from Windows Host.

Name : system-config-printer  
Version : 1.4.1  
Release : 19.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:10 AM EST  
Group : System Environment/Base  
Size : 1337897  
License : GPLv2+  
Signature : RSA/SHA256, Mon 03 Nov 2014 09:07:46 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : system-config-printer-1.4.1-19.el7.src.rpm  
Build Date : Mon 03 Nov 2014 08:49:36 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cyberelk.net/tim/software/system-config-printer/>  
Summary : A printer administration tool  
Description :  
system-config-printer is a graphical user interface that allows the user to configure a CUPS print server.

Name : perl-HTML-Tagset  
Version : 3.20  
Release : 15.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:45 AM EST

Group : Development/Libraries  
Size : 19784  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:18:54 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-HTML-Tagset-3.20-15.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:40:50 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/HTML-Tagset/>  
Summary : HTML::Tagset - data tables useful in parsing HTML  
Description :  
This module contains several data tables useful in various kinds of HTML parsing operations, such as tag and entity Names.

Name : ncompress  
Version : 4.2.4.4  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:52 AM EST  
Group : Applications/File  
Size : 36101  
License : Public Domain  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:54:10 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ncompress-4.2.4.4-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:40:16 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://ncompress.sourceforge.net/>  
Summary : Fast compression and decompression utilities  
Description :  
The ncompress package contains the compress and uncompress file compression and decompression utilities, which are compatible with the original UNIX compress utility (.Z file extensions). These utilities can't handle gzipped (.gz file extensions) files, but gzip can handle compressed files.

Install ncompress if you need compression/decompression utilities which are compatible with the original UNIX compress utility.

Name : info  
Version : 5.1  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:55 AM EST  
Group : System Environment/Base  
Size : 494499  
License : GPLv3+

Signature : RSA/SHA256, Thu 03 Jul 2014 10:07:00 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : texinfo-5.1-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:22:04 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/texinfo/>  
Summary : A stand-alone TTY-based reader for GNU texinfo  
documentation  
Description :  
The GNU project uses the texinfo file format for much of its  
documentation. The info package provides a standalone TTY-based  
browser program for viewing texinfo files.

Name : pinentry-qt4  
Version : 0.8.1  
Release : 17.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:08 AM EST  
Group : Applications/System  
Size : 158312  
License : GPLv2 or GPLv3  
Signature : RSA/SHA256, Sun 20 Nov 2016 03:05:28 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : pinentry-0.8.1-17.el7.src.rpm  
Build Date : Sat 05 Nov 2016 11:49:27 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnupg.org/aegypten/>  
Summary : Passphrase/PIN entry dialog based on Qt4  
Description :  
Pinentry is a collection of simple PIN or passphrase entry dialogs which  
utilize the Assuan protocol as described by the aegypten project; see  
<http://www.gnupg.org/aegypten/> for details.  
This package contains the Qt4 GUI based version of the PIN entry dialog.  
Support for Qt4 is new, and a bit experimental.

Name : gvfs-goa  
Version : 1.30.4  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:10 AM EST  
Group : Unspecified  
Size : 165394  
License : GPLv3 and LGPLv2+ and BSD and MPLv2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:37:25 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gvfs-1.30.4-3.el7.src.rpm  
Build Date : Wed 09 Aug 2017 02:39:06 AM EDT  
Build Host : clbm.rdu2.centos.org



Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/gvfs>  
Summary : GOA support for gvfs  
Description :  
This package provides seamless integration with gnome-online-accounts file services.

Name : perl-TermReadKey  
Version : 2.30  
Release : 20.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:46 AM EST  
Group : Development/Libraries  
Size : 59999  
License : (Copyright only) and (Artistic or GPL+)  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:23:54 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-TermReadKey-2.30-20.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:29:32 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/~jstowe/TermReadKey/>  
Summary : A perl module for simple terminal control  
Description :  
Term::ReadKey is a compiled perl module dedicated to providing simple control over terminal driver modes (cbreak, raw, cooked, etc.) support for non-blocking reads, if the architecture allows, and some generalized handy functions for working with terminals. One of the main goals is to have the functions as portable as possible, so you can just plug in "use Term::ReadKey" on any architecture and have a good likelihood of it working.

Name : lsscsi  
Version : 0.27  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:53 AM EST  
Group : Applications/System  
Size : 90475  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:15:48 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : lsscsi-0.27-6.el7.src.rpm  
Build Date : Wed 02 Aug 2017 10:11:06 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sg.danny.cz/scsi/lsscsi.html>  
Summary : List SCSI devices (or hosts) and associated information

Description :

Uses information provided by the sysfs pseudo file system in Linux kernel 2.6 series to list SCSI devices or all SCSI hosts. Includes a "classic" option to mimic the output of "cat /proc/scsi/scsi" that has been widely used prior to the lk 2.6 series.

Author:

-----

Doug Gilbert <dgilbert(at)interlog(dot)com>

Name : nss-util  
Version : 3.28.4  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:56 AM EST  
Group : System Environment/Libraries  
Size : 186216  
License : MPLv2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:34:30 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : nss-util-3.28.4-3.el7.src.rpm  
Build Date : Fri 04 Aug 2017 01:42:59 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mozilla.org/projects/security/pki/nss/>  
Summary : Network Security Services Utilities Library  
Description :  
Utilities for Network Security Services and the Softoken module

Name : xorg-x11-drv-evdev  
Version : 2.10.5  
Release : 2.1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:09 AM EST  
Group : User Interface/X Hardware Support  
Size : 72091  
License : MIT  
Signature : RSA/SHA256, Fri 11 Aug 2017 03:28:46 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xorg-x11-drv-evdev-2.10.5-2.1.el7.src.rpm  
Build Date : Fri 11 Aug 2017 12:51:28 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Xorg X11 evdev input driver  
Description :  
X.Org X11 evdev input driver.

Name : wvdial  
Version : 1.61

Release : 9.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:32 AM EST  
Group : System Environment/Daemons  
Size : 270384  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:44:31 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : wvdial-1.61-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:01:51 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://alumnit.ca/wiki/?WvDial>  
Summary : A heuristic autodialer for PPP connections  
Description :  
WvDial automatically locates and configures modems and can log into almost any ISP's server without special configuration. You need to input the user Name, password, and phone number, and then WvDial will negotiate the PPP connection using any mechanism needed.

Name : perl-IO-Tty  
Version : 1.10  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:46 AM EST  
Group : Development/Libraries  
Size : 77614  
License : (GPL+ or Artistic) and BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:37 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-IO-Tty-1.10-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:10:28 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/IO-Tty/>  
Summary : Perl interface to pseudo tty's  
Description :  
IO::Tty and IO::Pty provide an interface to pseudo tty's.

Name : netcf-libs  
Version : 0.2.8  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:55 AM EST  
Group : System Environment/Libraries  
Size : 206176  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:28:37 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : netcf-0.2.8-4.el7.src.rpm  
Build Date : Thu 03 Aug 2017 11:39:32 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/netcf/>  
Summary : Libraries for netcf  
Description :  
The libraries for netcf.

Name : grep  
Version : 2.20  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:58 AM EST  
Group : Applications/Text  
Size : 1195131  
License : GPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:26:26 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : grep-2.20-3.el7.src.rpm  
Build Date : Thu 03 Aug 2017 02:58:44 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/grep/>  
Summary : Pattern matching utilities  
Description :  
The GNU versions of commonly used grep utilities. Grep searches through  
textual input for lines which contain a match to a specified pattern and  
then  
prints the matching lines. GNU's grep utilities include grep, egrep and  
fgrep.

GNU grep is needed by many scripts, so it shall be installed on every  
system.

Name : xorg-x11-drv-vmmouse  
Version : 13.1.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:09 AM EST  
Group : User Interface/X Hardware Support  
Size : 33910  
License : MIT  
Signature : RSA/SHA256, Fri 11 Aug 2017 03:31:07 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xorg-x11-drv-vmmouse-13.1.0-1.el7.src.rpm  
Build Date : Fri 11 Aug 2017 02:05:44 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Xorg X11 vmmouse input driver  
Description :  
X.Org X11 vmmouse input driver.

Name : selinux-policy-targeted  
Version : 3.13.1  
Release : 166.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:55:34 AM EST  
Group : System Environment/Base  
Size : 19266789  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:52:01 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : selinux-policy-3.13.1-166.el7.src.rpm  
Build Date : Sat 05 Aug 2017 02:53:33 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://oss.tresys.com/repos/refpolicy/>  
Summary : SELinux targeted base policy  
Description :  
SELinux Reference policy targeted base module.

Name : perl-File-Listing  
Version : 6.04  
Release : 7.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:46 AM EST  
Group : Development/Libraries  
Size : 17187  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:18:05 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-File-Listing-6.04-7.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:32:14 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/File-Listing/>  
Summary : Parse directory listing  
Description :  
This module exports a single function called `parse_dir()`, which can be  
used  
to parse directory listings.

Name : java-1.8.0-openjdk-headless  
Epoch : 1  
Version : 1.8.0.161  
Release : 2.b14.el7

Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:58 AM EST  
Group : Development/Languages  
Size : 108410614  
License : ASL 1.1 and ASL 2.0 and GPL+ and GPLv2 and GPLv2 with exceptions and LGPL+ and LGPLv2 and MPLv1.0 and MPLv1.1 and Public Domain and W3C  
Signature : RSA/SHA256, Wed 25 Apr 2018 07:07:18 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : java-1.8.0-openjdk-1.8.0.161-2.b14.el7.src.rpm  
Build Date : Wed 11 Apr 2018 02:23:44 AM EDT  
Build Host : x86-01.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://openjdk.java.net/>  
Summary : OpenJDK Runtime Environment  
Description :  
The OpenJDK runtime environment without audio and video support.

Name : libSM  
Version : 1.2.2  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:59 AM EST  
Group : System Environment/Libraries  
Size : 81546  
License : MIT  
Signature : RSA/SHA256, Wed 25 Nov 2015 10:08:11 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : libSM-1.2.2-2.el7.src.rpm  
Build Date : Fri 20 Nov 2015 02:04:35 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 SM runtime library  
Description :  
The X.Org X11 SM (Session Management) runtime library.

Name : gnome-themes-standard  
Version : 3.22.2  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:12 AM EST  
Group : Unspecified  
Size : 4480002  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:23:19 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-themes-standard-3.22.2-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 10:57:53 PM EDT  
Build Host : clbm.rdu2.centos.org

Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.gnome.org/browse/gnome-themes-standard>  
Summary : Standard themes for GNOME applications  
Description :  
The gnome-themes-standard package contains the standard theme for the GNOME desktop, which provides default appearance for cursors, desktop background, window borders and GTK+ applications.

Name : compat-cheese314  
Version : 3.14.2  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:36 AM EST  
Group : Unspecified  
Size : 151588  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:24:02 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : compat-cheese314-3.14.2-1.el7.src.rpm  
Build Date : Sun 06 Aug 2017 10:22:09 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Apps/Cheese>  
Summary : Compat package with cheese 3.14 libraries  
Description :  
Compatibility package with cheese 3.14 librarires.

Name : device-mapper-persistent-data  
Version : 0.7.0  
Release : 0.1.rc6.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:47 AM EST  
Group : System Environment/Base  
Size : 1290887  
License : GPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:36:03 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : device-mapper-persistent-data-0.7.0-0.1.rc6.el7.src.rpm  
Build Date : Thu 03 Aug 2017 03:37:35 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/jthornber/thin-provisioning-tools>  
Summary : Device-mapper Persistent Data Tools  
Description :  
thin-provisioning-tools contains check,dump,restore,repair,rmap and metadata\_size tools to manage device-mapper thin provisioning

target metadata devices; cache check,dump,metadata\_size,restore and repair tools to manage device-mapper cache metadata devices are included and era check, dump, restore and invalidate to manage snapshot eras

Name : sbc  
Version : 1.0  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:00 AM EST  
Group : Unspecified  
Size : 220820  
License : GPLv2 and LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:55:17 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sbc-1.0-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:11:41 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.bluez.org>  
Summary : Sub Band Codec used by bluetooth A2DP  
Description :  
SBC (Sub Band Codec) is a low-complexity audio codec used in the Advanced Audio Distribution Profile (A2DP) bluetooth standard but can be used standalone. It uses 4 or 8 subbands, an adaptive bit allocation algorithm in combination with an adaptive block PCM quantizers.

Name : augeas-libs  
Version : 1.4.0  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:01 AM EST  
Group : System Environment/Libraries  
Size : 1122171  
License : LGPLv2+  
Signature : RSA/SHA256, Wed 25 Nov 2015 09:12:23 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : augeas-1.4.0-2.el7.src.rpm  
Build Date : Thu 19 Nov 2015 11:56:05 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://augeas.net/>  
Summary : Libraries for augeas  
Description :  
The libraries for augeas.

Name : libosinfo



Version : 1.0.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:13 AM EST  
Group : Development/Libraries  
Size : 755008  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:24:19 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libosinfo-1.0.0-1.el7.src.rpm  
Build Date : Mon 07 Aug 2017 01:59:46 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libosinfo.org/>  
Summary : A library for managing OS information for virtualization  
Description :  
libosinfo is a library that allows virtualization provisioning tools to  
determine the optimal device settings for a hypervisor/operating system  
combination.

Name : NetworkManager-libreswan-gnome  
Version : 1.2.4  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:38 AM EST  
Group : System Environment/Base  
Size : 88935  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:31:39 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : NetworkManager-libreswan-1.2.4-2.el7.src.rpm  
Build Date : Fri 04 Aug 2017 05:32:44 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/NetworkManager/>  
Summary : NetworkManager VPN plugin for libreswan - GNOME files  
Description :  
This package contains software for integrating VPN capabilities with  
the libreswan server with NetworkManager (GNOME files).

Name : copy-jdk-configs  
Version : 2.2  
Release : 3.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:49 AM EST  
Group : Unspecified  
Size : 13253  
License : BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:25:47 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : copy-jdk-configs-2.2-3.el7.src.rpm  
Build Date : Fri 04 Aug 2017 09:16:49 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [https://pagure.io/copy\\_jdk\\_configs](https://pagure.io/copy_jdk_configs)  
Summary : JDKs configuration files copier  
Description :  
Utility script to transfer JDKs configuration files between updates or  
for  
archiving. With script to fix incorrectly created rpmnew files

Name : libasyncns  
Version : 0.8  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:01 AM EST  
Group : System Environment/Libraries  
Size : 56746  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:36:07 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libasyncns-0.8-7.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:28:15 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://0pointer.de/lennart/projects/libasyncns/>  
Summary : Asynchronous  
Name Service Library  
Description :  
A small and lightweight library that implements easy to use asynchronous  
wrappers around the libc NSS functions getaddrinfo(), res\_query() and  
related.

Name : libvorbis  
Epoch : 1  
Version : 1.3.3  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:02 AM EST  
Group : System Environment/Libraries  
Size : 3171606  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:26:26 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libvorbis-1.3.3-8.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:38:02 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL : <http://www.xiph.org/>  
Summary : The Vorbis General Audio Compression Codec  
Description :  
Ogg Vorbis is a fully open, non-proprietary, patent- and royalty-free, general-purpose compressed audio format for audio and music at fixed and variable bitrates.

The libvorbis package contains runtime libraries for use in programs that support Ogg Vorbis.

Name : gsound  
Version : 1.0.2  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:14 AM EST  
Group : Unspecified  
Size : 74096  
License : LGPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:27:24 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gsound-1.0.2-2.el7.src.rpm  
Build Date : Sun 06 Aug 2017 12:00:55 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/GSound>  
Summary : Small GObject library for playing system sounds  
Description :  
GSound is a small library for playing system sounds.  
It's designed to be used via GObject Introspection,  
and is a thin wrapper around the libcanberra C library

Name : firewall-config  
Version : 0.4.4.4  
Release : 6.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:55:41 AM EST  
Group : Unspecified  
Size : 1158110  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:54:38 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : firewallld-0.4.4.4-6.el7.src.rpm  
Build Date : Fri 04 Aug 2017 05:14:47 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.firewalld.org>  
Summary : Firewall configuration application  
Description :  
The firewall configuration application provides an configuration interface for

firewalld.

Name : libdwarf  
Version : 20130207  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:50 AM EST  
Group : Development/Libraries  
Size : 291679  
License : LGPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:00:52 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libdwarf-20130207-4.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:19:18 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://reality.sgiweb.org/davea/dwarf.html>  
Summary : Library to access the DWARF Debugging file format  
Description :  
Library to access the DWARF debugging file format which supports source level debugging of a number of procedural languages, such as C, C++, and Fortran. Please see <http://www.dwarfstd.org> for DWARF specification.

Name : libgsf  
Version : 1.14.26  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:02 AM EST  
Group : System Environment/Libraries  
Size : 553321  
License : LGPLv2  
Signature : RSA/SHA256, Wed 25 Nov 2015 09:56:19 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : libgsf-1.14.26-7.el7.src.rpm  
Build Date : Fri 20 Nov 2015 08:07:50 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/libgsf/>  
Summary : GNOME Structured File library  
Description :  
A library for reading and writing structured files (e.g. MS OLE and Zip)

Name : gawk  
Version : 4.0.2  
Release : 4.el7\_3.1  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:03 AM EST  
Group : Applications/Text  
Size : 2435978

License : GPLv3+ and GPL and LGPLv3+ and LGPL and BSD  
Signature : RSA/SHA256, Thu 29 Jun 2017 08:40:38 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gawk-4.0.2-4.el7\_3.1.src.rpm  
Build Date : Wed 28 Jun 2017 05:52:50 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/gawk/gawk.html>  
Summary : The GNU version of the awk text processing utility  
Description :  
The gawk package contains the GNU version of awk, a text processing utility. Awk interprets a special-purpose programming language to do quick and easy text pattern matching and reformatting jobs.

Install the gawk package if you need a text processing utility. Gawk is considered to be a standard Linux tool for processing text.

Name : open-vm-tools  
Version : 10.1.5  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:17 AM EST  
Group : Applications/System  
Size : 2166116  
License : GPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:42:12 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : open-vm-tools-10.1.5-3.el7.src.rpm  
Build Date : Mon 07 Aug 2017 02:15:38 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/vmware/open-vm-tools>  
Summary : Open Virtual Machine Tools for virtual machines hosted on VMware  
Description :  
The open-vm-tools project is an open source implementation of VMware Tools. It is a suite of open source virtualization utilities and drivers to improve the functionality, user experience and administration of VMware virtual machines.  
This package contains only the core user-space programs and libraries of open-vm-tools.

Name : paps  
Version : 0.6.8  
Release : 28.el7.1  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:42 AM EST  
Group : Applications/Publishing

Size : 60031  
License : LGPLv2+  
Signature : RSA/SHA256, Mon 22 Jun 2015 08:33:12 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : paps-0.6.8-28.el7.1.src.rpm  
Build Date : Mon 22 Jun 2015 08:25:45 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://paps.sourceforge.net/>  
Summary : Plain Text to PostScript converter  
Description :  
paps is a PostScript converter from plain text file using Pango.

Name : isomd5sum  
Epoch : 1  
Version : 1.0.10  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:51 AM EST  
Group : Applications/System  
Size : 54711  
License : GPLv2+  
Signature : RSA/SHA256, Wed 25 Nov 2015 09:44:17 AM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : isomd5sum-1.0.10-5.el7.src.rpm  
Build Date : Fri 20 Nov 2015 01:26:12 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.fedorahosted.org/git/?p=isomd5sum.git;a=summary>  
Summary : Utilities for working with md5sum implanted in ISO images  
Description :  
The isomd5sum package contains utilities for implanting and verifying  
an md5sum implanted into an ISO9660 image.

Name : urw-fonts  
Version : 2.4  
Release : 16.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:53:07 AM EST  
Group : User Interface/X  
Size : 4389400  
License : GPL+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:38:39 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : urw-fonts-2.4-16.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:22:42 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL : <http://svn.ghostscript.com/ghostscript/tags/urw-fonts-1.0.7pre44/>  
Summary : Free versions of the 35 standard PostScript fonts.  
Description :  
Free, good quality versions of the 35 standard PostScript(TM) fonts,  
donated under the GPL by URW++ Design and Development GmbH.

Install the urw-fonts package if you need free versions of standard PostScript fonts.

Name : libX11  
Version : 1.6.5  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:05 AM EST  
Group : System Environment/Libraries  
Size : 1325720  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:08:51 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libX11-1.6.5-1.el7.src.rpm  
Build Date : Thu 03 Aug 2017 06:49:44 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Core X11 protocol client library  
Description :  
Core X11 protocol client library.

Name : libreswan  
Version : 3.20  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:19 AM EST  
Group : System Environment/Daemons  
Size : 5111501  
License : GPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:50:05 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libreswan-3.20-3.el7.src.rpm  
Build Date : Fri 04 Aug 2017 07:19:00 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://libreswan.org/>  
Summary : IPsec implementation with IKEv1 and IKEv2 keying protocols  
Description :  
Libreswan is a free implementation of IPsec & IKE for Linux. IPsec is the Internet Protocol Security and uses strong cryptography to provide both authentication and encryption services. These services allow you to build secure tunnels through untrusted networks. Everything passing

through the untrusted net is encrypted by the ipsec gateway machine and decrypted by the gateway at the other end of the tunnel. The resulting tunnel is a virtual private network or VPN.

This package contains the daemons and userland tools for setting up Libreswan. It supports the NETKEY/XFRM IPsec kernel stack that exists in the default Linux kernel.

Libreswan also supports IKEv2 (RFC-7296) and Secure Labeling

Libreswan is based on Openswan-2.6.38 which in turn is based on FreeS/WAN-2.04

Name : setuptool  
Version : 1.19.11  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:42 AM EST  
Group : Applications/System  
Size : 149266  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:59:15 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : setuptool-1.19.11-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:49:28 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.fedorahosted.org/git/?p=setuptool.git>  
Summary : A text mode system configuration tool  
Description :  
Setuptool is a user-friendly text mode menu utility which allows you to access all of the text mode configuration programs included in the operating system distribution.

Name : ncurses  
Version : 5.9  
Release : 13.20130511.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:53 AM EST  
Group : System Environment/Base  
Size : 439274  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:54:12 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ncurses-5.9-13.20130511.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:03:19 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://invisible-island.net/ncurses/ncurses.html>  
Summary : Ncurses support utilities



Description :

The curses library routines are a terminal-independent method of updating character screens with reasonable optimization. The ncurses (new curses) library is a freely distributable replacement for the discontinued 4.4 BSD classic curses library.

This package contains support utilities, including a terminfo compiler tic, a decompiler infocmp, clear, tput, tset, and a termcap conversion tool captinfo.

Name : xalan-j2  
Epoch : 0  
Version : 2.7.1  
Release : 23.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:53:11 AM EST  
Group : Development/Libraries  
Size : 2134737  
License : ASL 2.0 and W3C  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:44:43 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xalan-j2-2.7.1-23.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:15:41 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://xalan.apache.org/>  
Summary : Java XSLT processor

Description :

Xalan is an XSLT processor for transforming XML documents into HTML, text, or other XML document types. It implements the W3C Recommendations for XSL Transformations (XSLT) and the XML Path Language (XPath). It can be used from the command line, in an applet or a servlet, or as a module in other program.

Name : libXtst  
Version : 1.2.3  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:05 AM EST  
Group : System Environment/Libraries  
Size : 29938  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:13:31 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXtst-1.2.3-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 12:45:24 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXtst runtime library

Description :  
X.Org X11 libXtst runtime library

Name : libvirt-daemon-driver-storage-core  
Version : 3.2.0  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:21 AM EST  
Group : Development/Libraries  
Size : 617984  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:03:48 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libvirt-3.2.0-14.el7.src.rpm  
Build Date : Sat 05 Aug 2017 01:16:28 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvirt.org/>  
Summary : Storage driver plugin including base backends for the libvirtd daemon  
Description :  
The storage driver plugin for the libvirtd daemon, providing an implementation of the storage APIs using files, local disks, LVM, SCSI, iSCSI, and multipath storage.

Name : gstreamer-plugins-bad-free  
Version : 0.10.23  
Release : 23.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:44 AM EST  
Group : Applications/Multimedia  
Size : 4622416  
License : LGPLv2+ and LGPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:30:06 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gstreamer-plugins-bad-free-0.10.23-23.el7.src.rpm  
Build Date : Tue 08 Aug 2017 01:10:02 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gstreamer.freedesktop.org/>  
Summary : GStreamer streaming media framework "bad" plug-ins  
Description :  
GStreamer is a streaming media framework, based on graphs of elements which operate on media data.

This package contains plug-ins that aren't tested well enough, or the code is not of good enough quality.

Name : libblkid  
Version : 2.23.2  
Release : 43.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:57 AM EST  
Group : Development/Libraries  
Size : 261685  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:01:44 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : util-linux-2.23.2-43.el7.src.rpm  
Build Date : Fri 04 Aug 2017 07:19:01 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://en.wikipedia.org/wiki/Util-linux>  
Summary : Block device ID library  
Description :  
This is block device identification library, part of util-linux.

Name : rhino  
Version : 1.7R5  
Release : 1.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:53:14 AM EST  
Group : Development/Libraries  
Size : 1102901  
License : MPLv2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:40:08 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : rhino-1.7R5-1.el7.src.rpm  
Build Date : Tue 01 Aug 2017 09:22:23 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mozilla.org/rhino/>  
Summary : JavaScript for Java  
Description :  
Rhino is an open-source implementation of JavaScript written entirely in Java. It is typically embedded into Java applications to provide scripting to end users.

Name : lua  
Version : 5.1.4  
Release : 15.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:06 AM EST  
Group : Development/Languages  
Size : 640319  
License : MIT  
Signature : RSA/SHA256, Sun 20 Nov 2016 02:22:39 PM EST, Key ID 24c6a8a7f4a80eb5

Source RPM : lua-5.1.4-15.el7.src.rpm  
Build Date : Sat 05 Nov 2016 10:47:35 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.lua.org/>  
Summary : Powerful light-weight programming language  
Description :  
Lua is a powerful light-weight programming language designed for extending applications. Lua is also frequently used as a general-purpose, stand-alone language. Lua is free software. Lua combines simple procedural syntax with powerful data description constructs based on associative arrays and extensible semantics. Lua is dynamically typed, interpreted from bytecodes, and has automatic memory management with garbage collection, making it ideal for configuration, scripting, and rapid prototyping.

Name : libvirt-daemon-driver-storage-gluster  
Version : 3.2.0  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:22 AM EST  
Group : Development/Libraries  
Size : 23784  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:04:01 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libvirt-3.2.0-14.el7.src.rpm  
Build Date : Sat 05 Aug 2017 01:16:28 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvirt.org/>  
Summary : Storage driver plugin for gluster  
Description :  
The storage driver backend adding implementation of the storage APIs for gluster volumes using libgfapi.

Name : cifs-utils  
Version : 6.2  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:46 AM EST  
Group : System Environment/Daemons  
Size : 178836  
License : GPLv3  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:18:12 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : cifs-utils-6.2-10.el7.src.rpm  
Build Date : Thu 03 Aug 2017 12:58:33 PM EDT  
Build Host : clbm.rdu2.centos.org

Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://linux-cifs.samba.org/cifs-utils/>  
Summary : Utilities for mounting and managing CIFS mounts  
Description :  
The SMB/CIFS protocol is a standard file sharing protocol widely deployed on Microsoft Windows machines. This package contains tools for mounting shares on Linux using the SMB/CIFS protocol. The tools in this package work in conjunction with support in the kernel to allow one to mount a SMB/CIFS share onto a client and use it as if it were a standard Linux file system.

Name : libsecret  
Version : 0.18.5  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:59 AM EST  
Group : Unspecified  
Size : 493459  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:51:00 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libsecret-0.18.5-2.el7.src.rpm  
Build Date : Thu 03 Aug 2017 01:13:09 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/Libsecret>  
Summary : Library for storing and retrieving passwords and other secrets  
Description :  
libsecret is a library for storing and retrieving passwords and other secrets.  
It communicates with the "Secret Service" using DBus. gnome-keyring and KSecretService are both implementations of a Secret Service.

Name : liberation-mono-fonts  
Epoch : 1  
Version : 1.07.2  
Release : 15.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:53:17 AM EST  
Group : User Interface/X  
Size : 457602  
License : Liberation  
Signature : RSA/SHA256, Mon 27 Jul 2015 07:04:42 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : liberation-fonts-1.07.2-15.el7.src.rpm  
Build Date : Mon 27 Jul 2015 06:58:27 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://fedorahosted.org/liberation-fonts/>  
Summary : Monospace fonts to replace commonly used Microsoft Courier  
New  
Description :

The Liberation Fonts are intended to be replacements for the three most commonly used fonts on Microsoft systems: Times New Roman, Arial, and Courier New.

This is Monospace TrueType fonts that replaced commonly used Microsoft Courier \ New.

Name : libsss\_idmap  
Version : 1.15.2  
Release : 50.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:09 AM EST  
Group : Development/Libraries  
Size : 70758  
License : LGPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:55:03 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sssd-1.15.2-50.el7.src.rpm  
Build Date : Mon 07 Aug 2017 05:38:50 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://pagure.io/SSSD/sss/>  
Summary : FreeIPA Idmap library  
Description :  
Utility library to convert SIDs to Unix uids and gids

Name : libvirt-daemon-driver-secret  
Version : 3.2.0  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:22 AM EST  
Group : Development/Libraries  
Size : 90624  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:03:31 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libvirt-3.2.0-14.el7.src.rpm  
Build Date : Sat 05 Aug 2017 01:16:28 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvirt.org/>  
Summary : Secret driver plugin for the libvirtd daemon

Description :

The secret driver plugin for the libvirtd daemon, providing an implementation of the secret key APIs.

Name : psacct  
Version : 6.6.1  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:48 AM EST  
Group : Applications/System  
Size : 203433  
License : GPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:16:05 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : psacct-6.6.1-13.el7.src.rpm  
Build Date : Thu 03 Aug 2017 05:00:54 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/acct/>  
Summary : Utilities for monitoring process activities  
Description :

The psacct package contains several utilities for monitoring process activities, including ac, lastcomm, accton and sa. The ac command displays statistics about how long users have been logged on. The lastcomm command displays information about previous executed commands. The accton command turns process accounting on or off. The sa command summarizes information about previously executed commands.

Name : glibmm24  
Version : 2.50.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:01 AM EST  
Group : Unspecified  
Size : 2536911  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:13:07 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : glibmm24-2.50.0-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 11:10:57 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gtkmm.org/>  
Summary : C++ interface for the GLib library  
Description :  
glibmm is the official C++ interface for the popular cross-platform library GLib. It provides non-UI API that is not available in standard C++ and makes it possible for gtkmm to wrap GObject-based APIs.

Name : libreport-python  
Version : 2.1.11  
Release : 38.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:20 AM EST  
Group : System Environment/Libraries  
Size : 96813  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:49:17 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libreport-2.1.11-38.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 07:43:26 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : Python bindings for report-libs  
Description :  
Python bindings for report-libs.

Name : gmp  
Epoch : 1  
Version : 6.0.0  
Release : 15.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:11 AM EST  
Group : System Environment/Libraries  
Size : 657046  
License : LGPLv3+ or GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:14:25 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gmp-6.0.0-15.el7.src.rpm  
Build Date : Wed 02 Aug 2017 09:13:15 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gmplib.org/>  
Summary : A GNU arbitrary precision library  
Description :  
The gmp package contains GNU MP, a library for arbitrary precision arithmetic, signed integers operations, rational numbers and floating point numbers. GNU MP is designed for speed, for both small and very large operands. GNU MP is fast because it uses fullwords as the basic arithmetic type, it uses fast algorithms, it carefully optimizes assembly code for many CPUs' most common inner loops, and it generally emphasizes speed over simplicity/elegance in its operations.

Install the gmp package if you need a fast arbitrary precision library.

Name : gcr  
Version : 3.20.0



Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:24 AM EST  
Group : Development/Libraries  
Size : 2555190  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:01:54 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gcr-3.20.0-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 04:33:40 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/CryptoGlue>  
Summary : A library for bits of crypto UI and parsing  
Description :  
gcr is a library for displaying certificates, and crypto UI, accessing  
key stores. It also provides a viewer for crypto files on the GNOME  
desktop.

gck is a library for accessing PKCS#11 modules like smart cards.

Name : tftp-server  
Version : 5.2  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:50 AM EST  
Group : System Environment/Daemons  
Size : 65605  
License : BSD  
Signature : RSA/SHA256, Sun 20 Nov 2016 03:53:09 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : tftp-5.2-13.el7.src.rpm  
Build Date : Sat 05 Nov 2016 11:21:50 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.kernel.org/pub/software/network/tftp/>  
Summary : The server for the Trivial File Transfer Protocol (TFTP)  
Description :  
The Trivial File Transfer Protocol (TFTP) is normally used only for  
booting diskless workstations. The tftp-server package provides the  
server for TFTP, which allows users to transfer files to and from a  
remote machine. TFTP provides very little security, and should not be  
enabled unless it is expressly needed.

Name : libcroco  
Version : 0.6.11  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:03 AM EST  
Group : System Environment/Libraries

Size : 320686  
License : LGPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:03:39 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libcroco-0.6.11-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 03:51:07 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : A CSS2 parsing library  
Description :  
CSS2 parsing and manipulation library for GNOME

Name : abrt-libs  
Version : 2.1.11  
Release : 48.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:22 AM EST  
Group : System Environment/Libraries  
Size : 57720  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 10:54:33 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : abrt-2.1.11-48.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 10:17:54 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : Libraries for abrt  
Description :  
Libraries for abrt.

Name : tar  
Epoch : 2  
Version : 1.26  
Release : 32.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:16 AM EST  
Group : Applications/Archiving  
Size : 2838080  
License : GPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:03:34 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : tar-1.26-32.el7.src.rpm  
Build Date : Wed 02 Aug 2017 12:30:44 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/tar/>  
Summary : A GNU file archiving program

Description :

The GNU tar program saves many files together in one archive and can restore individual files (or all of the files) from that archive. Tar can also be used to add supplemental files to an archive and to update or list files in the archive. Tar includes multivolume support, automatic archive compression/decompression, the ability to perform remote archives, and the ability to perform incremental and full backups.

If you want to use tar for remote backups, you also need to install the rmt package on the remote box.

Name : caribou-gtk2-module  
Version : 0.4.21  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:26 AM EST  
Group : Unspecified  
Size : 37096  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:16:47 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : caribou-0.4.21-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 10:03:34 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/Caribou>  
Summary : Gtk2 module for caribou  
Description :  
This package contains caribou module for gtk2 applications.

Name : smartmontools  
Epoch : 1  
Version : 6.2  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:52 AM EST  
Group : System Environment/Base  
Size : 1625448  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:54:02 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : smartmontools-6.2-8.el7.src.rpm  
Build Date : Thu 03 Aug 2017 03:23:01 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://smartmontools.sourceforge.net/>  
Summary : Tools for monitoring SMART capable hard disks  
Description :  
The smartmontools package contains two utility programs (smartctl

and smartd) to control and monitor storage systems using the Self-Monitoring, Analysis and Reporting Technology System (SMART) built into most modern ATA and SCSI hard disks. In many cases, these utilities will provide advanced warning of disk degradation and failure.

Name : libudisks2  
Version : 2.1.2  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:12 AM EST  
Group : System Environment/Libraries  
Size : 537276  
License : LGPLv2+  
Signature : RSA/SHA256, Wed 25 Nov 2015 10:10:42 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : udisks2-2.1.2-6.el7.src.rpm  
Build Date : Fri 20 Nov 2015 09:11:03 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/udisks>  
Summary : Dynamic library to access the udisks daemon  
Description :  
This package contains the dynamic library libudisks2, which provides access to the udisks daemon. This package is for the udisks 2.x series.

Name : libmbim  
Version : 1.14.0  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:24 AM EST  
Group : Unspecified  
Size : 489203  
License : LGPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 01:48:08 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : libmbim-1.14.0-2.el7.src.rpm  
Build Date : Sat 05 Nov 2016 07:20:31 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://freedesktop.org/software/libmbim>  
Summary : Support library for the Mobile Broadband Interface Model protocol  
Description :  
This package contains the libraries that make it easier to use MBIM functionality from applications that use glib.

Name : libfontenc  
Version : 1.1.3

Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:17 AM EST  
Group : System Environment/Libraries  
Size : 55701  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:08:20 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libfontenc-1.1.3-3.el7.src.rpm  
Build Date : Wed 02 Aug 2017 12:10:39 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libfontenc runtime library  
Description :  
X.Org X11 libfontenc runtime library

Name : libnma  
Version : 1.8.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:29 AM EST  
Group : Development/Libraries  
Size : 318284  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:23:24 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : network-manager-applet-1.8.0-3.el7.src.rpm  
Build Date : Sun 06 Aug 2017 11:57:46 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/NetworkManager/>  
Summary : Private libraries for NetworkManager GUI support  
Description :  
This package contains private libraries to be used only by nm-applet,  
nm-connection editor, and the GNOME Control Center.

Name : motif  
Version : 2.3.4  
Release : 8.1.el7\_3  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:57 AM EST  
Group : System Environment/Libraries  
Size : 4173427  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 03 Mar 2017 06:44:17 AM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : motif-2.3.4-8.1.el7\_3.src.rpm  
Build Date : Fri 03 Mar 2017 02:50:56 AM EST  
Build Host : clbm.rdu2.centos.org

Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.motifzone.net/>  
Summary : Run-time libraries and programs  
Description :  
This is the Motif 2.3.4 run-time environment. It includes the Motif shared libraries, needed to run applications which are dynamically linked against Motif and the Motif Window Manager mwm.

Name : libpwquality  
Version : 1.2.3  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:14 AM EST  
Group : System Environment/Base  
Size : 332381  
License : BSD or GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:07:27 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libpwquality-1.2.3-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:44:56 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libpwquality.fedorahosted.org/>  
Summary : A library for password generation and password quality checking  
Description :  
This is a library for password quality checks and generation of random passwords that pass the checks.  
This library uses the cracklib and cracklib dictionaries to perform some of the checks.

Name : systemd  
Version : 219  
Release : 57.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:27 AM EST  
Group : Unspecified  
Size : 24389374  
License : LGPLv2+ and MIT and GPLv2+  
Signature : RSA/SHA256, Wed 25 Apr 2018 07:48:21 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : systemd-219-57.el7.src.rpm  
Build Date : Wed 11 Apr 2018 03:37:32 AM EDT  
Build Host : x86-01.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/systemd>  
Summary : A System and Service Manager  
Description :

systemd is a system and service manager for Linux, compatible with SysV and LSB init scripts. systemd provides aggressive parallelization capabilities, uses socket and D-Bus activation for starting services, offers on-demand starting of daemons, keeps track of processes using Linux cgroups, supports snapshotting and restoring of the system state, maintains mount and automount points and implements an elaborate transactional dependency-based service control logic. It can work as a drop-in replacement for sysvinit.

```
Name       : libmnl
Version    : 1.0.3
Release    : 7.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:51:18 AM EST
Group      : System Environment/Libraries
Size       : 51847
License    : LGPLv2+
Signature  : RSA/SHA256, Thu 03 Jul 2014 10:59:14 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libmnl-1.0.3-7.el7.src.rpm
Build Date : Tue 17 Jun 2014 11:49:02 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://netfilter.org/projects/libmnl
Summary    : A minimalistic Netlink library
Description :
libmnl is a minimalistic user-space library oriented to Netlink
developers.
There are a lot of common tasks in parsing, validating, constructing of
both
the Netlink header and TLVs that are repetitive and easy to get wrong.
This library aims to provide simple helpers that allows you to re-use
code and
to avoid re-inventing the wheel.
```

```
Name       : webkitgtk4-plugin-process-gtk2
Version    : 2.14.7
Release    : 2.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:54:37 AM EST
Group      : Unspecified
Size       : 35361288
License    : LGPLv2
Signature  : RSA/SHA256, Thu 10 Aug 2017 04:19:42 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : webkitgtk4-2.14.7-2.el7.src.rpm
Build Date : Tue 08 Aug 2017 04:10:02 PM EDT
Build Host : clbm.rdu2.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.webkitgtk.org
```

Summary : GTK+ 2 based NPAPI plugins support for webkitgtk4  
Description :  
Support for the GTK+ 2 based NPAPI plugins (such as Adobe Flash) for webkitgtk4.

Name : vim-enhanced  
Epoch : 2  
Version : 7.4.160  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:01 AM EST  
Group : Applications/Editors  
Size : 2292098  
License : Vim  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:15:38 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : vim-7.4.160-2.el7.src.rpm  
Build Date : Tue 01 Aug 2017 08:46:12 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.vim.org/>  
Summary : A version of the VIM editor which includes recent enhancements  
Description :

VIM (VISual editor iMproved) is an updated and improved version of the vi editor. Vi was the first real screen-based editor for UNIX, and is still very popular. VIM improves on vi by adding new features: multiple windows, multi-level undo, block highlighting and more. The vim-enhanced package contains a version of VIM with extra, recently introduced features like Python and Perl interpreters.

Install the vim-enhanced package if you'd like to use a version of the VIM editor which includes recently added enhancements like interpreters for the Python and Perl scripting languages. You'll also need to install the vim-common package.

Name : python-augeas  
Version : 0.5.0  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:16 AM EST  
Group : Development/Languages  
Size : 72850  
License : LGPLv2+  
Signature : RSA/SHA256, Wed 25 Nov 2015 10:33:02 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-augeas-0.5.0-2.el7.src.rpm  
Build Date : Thu 19 Nov 2015 10:15:50 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS



URL : <http://augeas.net/>  
Summary : Python bindings to augeas  
Description :  
python-augeas is a set of Python bindings around augeas.

Name : dconf  
Version : 0.26.0  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:29 AM EST  
Group : System Environment/Base  
Size : 332905  
License : LGPLv2+ and GPLv2+ and GPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:33:35 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : dconf-0.26.0-2.el7.src.rpm  
Build Date : Wed 02 Aug 2017 04:20:12 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/dconf>  
Summary : A configuration system  
Description :  
dconf is a low-level configuration system. Its main purpose is to provide  
a  
backend to the GSettings API in GLib.

Name : exempi  
Version : 2.2.0  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:20 AM EST  
Group : System Environment/Libraries  
Size : 1204560  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:15:34 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : exempi-2.2.0-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:56:34 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libopenraw.freedesktop.org/wiki/Exempi>  
Summary : Library for easy parsing of XMP metadata  
Description :  
Exempi provides a library for easy parsing of XMP metadata. It is a port  
of  
Adobe XMP SDK to work on UNIX and to be build with GNU automake.  
It includes XMPCore and XMPFiles.

Name : cheese-libs  
Epoch : 2

Version : 3.22.1  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:40 AM EST  
Group : Unspecified  
Size : 2572204  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:17:31 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : cheese-3.22.1-1.el7.src.rpm  
Build Date : Mon 07 Aug 2017 11:56:15 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Apps/Cheese>  
Summary : Webcam display and capture widgets  
Description :  
This package contains libraries needed for applications that  
want to display a webcam in their interface.

Name : perl-Template-Toolkit  
Version : 2.24  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:03 AM EST  
Group : Development/Libraries  
Size : 6473147  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:23:51 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Template-Toolkit-2.24-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:39:36 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.template-toolkit.org/>  
Summary : Template processing system  
Description :  
The Template Toolkit is a collection of modules which implement a  
fast, flexible, powerful and extensible template processing system.  
It was originally designed and remains primarily useful for generating  
dynamic web content, but it can be used equally well for processing  
any other kind of text based documents: HTML, XML, POD, PostScript,  
LaTeX, and so on.

Name : bind-libs-lite  
Epoch : 32  
Version : 9.9.4  
Release : 50.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:17 AM EST  
Group : Applications/System

Size : 1815672  
License : ISC  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:04:48 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : bind-9.9.4-50.el7.src.rpm  
Build Date : Fri 04 Aug 2017 04:13:28 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.isc.org/products/BIND/>  
Summary : Libraries for working with the DNS protocol  
Description :  
Contains lite version of BIND suite libraries which are used by various  
programs to work with DNS protocol.

Name : mesa-libEGL  
Version : 17.0.1  
Release : 6.20170307.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:31 AM EST  
Group : System Environment/Libraries  
Size : 189856  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:20:45 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : mesa-17.0.1-6.20170307.el7.src.rpm  
Build Date : Fri 04 Aug 2017 12:27:35 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mesa3d.org>  
Summary : Mesa libEGL runtime libraries  
Description :  
Mesa libEGL runtime libraries

Name : GeoIP  
Version : 1.5.0  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:21 AM EST  
Group : Development/Libraries  
Size : 2905020  
License : LGPLv2+ and GPLv2+ and CC-BY-SA  
Signature : RSA/SHA256, Sun 20 Nov 2016 12:49:19 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : GeoIP-1.5.0-11.el7.src.rpm  
Build Date : Sat 05 Nov 2016 04:29:17 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.maxmind.com/app/c>

Summary : Library for country/city/organization to IP address or host  
Name mapping  
Description :  
GeoIP is a C library that enables the user to find the country that any  
IP  
address or host  
Name originates from. It uses a file based database that is  
accurate as of June 2007 and can optionally be updated on a weekly  
basis by installing the GeoIP-update package. This database simply  
contains IP  
blocks as keys, and countries as values. This database should be more  
complete  
and accurate than using reverse DNS lookups.

This package includes GeoLite data created by MaxMind, available from  
<http://www.maxmind.com/>

Name : colord-gtk  
Version : 0.1.25  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:41 AM EST  
Group : Unspecified  
Size : 41920  
License : LGPLv2+  
Signature : RSA/SHA256, Wed 25 Nov 2015 09:20:34 AM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : colord-gtk-0.1.25-4.el7.src.rpm  
Build Date : Fri 20 Nov 2015 06:15:40 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/software/colord/>  
Summary : GTK support library for colord  
Description :  
colord-gtk is a support library for colord and provides additional  
functionality that requires GTK+.

Name : xorg-x11-fonts-ISO8859-1-100dpi  
Version : 7.5  
Release : 9.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:06 AM EST  
Group : User Interface/X  
Size : 1070824  
License : MIT and Lucida and Public Domain  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:49:35 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xorg-x11-fonts-7.5-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:59:37 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://www.x.org>  
Summary : A set of 100dpi ISO-8859-1 fonts for X.  
Description :  
Contains a set of 100dpi fonts for ISO-8859-1.

Name : xdg-user-dirs  
Version : 0.15  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:19 AM EST  
Group : User Interface/Desktops  
Size : 166900  
License : GPLv2+ and MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:45:50 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xdg-user-dirs-0.15-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:53:39 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://freedesktop.org/wiki/Software/xdg-user-dirs>  
Summary : Handles user special directories  
Description :  
Contains xdg-user-dirs-update that updates folders in a users homedirectory based on the defaults configured by the administrator.

Name : cogl  
Version : 1.22.2  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:34 AM EST  
Group : Unspecified  
Size : 1516687  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:23:00 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : cogl-1.22.2-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 03:33:51 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.clutter-project.org/>  
Summary : A library for using 3D graphics hardware to draw pretty pictures  
Description :  
Cogl is a small open source library for using 3D graphics hardware to draw pretty pictures. The API departs from the flat state machine style of OpenGL and is designed to make it easy to write orthogonal components that can render without stepping on each others toes.

As well aiming for a nice API, we think having a single library as opposed to an API specification like OpenGL has a few advantages too; like being able to paper over the inconsistencies/bugs of different OpenGL implementations in a centralized place, not to mention the myriad of OpenGL extensions. It also means we are in a better position to provide utility APIs that help software developers since they only need to be implemented once and there is no risk of inconsistency between implementations.

Having other backends, besides OpenGL, such as drm, Gallium or D3D are options we are interested in for the future.

```
Name       : libdvdread
Version    : 5.0.3
Release    : 3.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:51:23 AM EST
Group      : System Environment/Libraries
Size       : 148169
License    : GPLv2+
Signature  : RSA/SHA256, Sun 20 Nov 2016 01:38:40 PM EST, Key ID
24c6a8a7f4a80eb5
Source RPM : libdvdread-5.0.3-3.el7.src.rpm
Build Date : Sat 05 Nov 2016 02:00:52 PM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://dvdnav.mplayerhq.hu/
Summary     : A library for reading DVD video discs based on Ogle code
Description :
libdvdread provides a simple foundation for reading DVD video disks.
It provides the functionality that is required to access many DVDs.
```

```
Name       : grilo
Version    : 0.3.3
Release    : 1.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:54:45 AM EST
Group      : Unspecified
Size       : 732539
License    : LGPLv2+
Signature  : RSA/SHA256, Thu 10 Aug 2017 12:26:34 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : grilo-0.3.3-1.el7.src.rpm
Build Date : Sat 05 Aug 2017 10:30:42 PM EDT
Build Host  : clbm.rdu2.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : https://wiki.gnome.org/Projects/Grilo
Summary     : Content discovery framework
```

Description :

Grilo is a framework that provides access to different sources of multimedia content, using a pluggable system.

This package contains the core library and elements.

Name : xorg-x11-utils  
Version : 7.5  
Release : 22.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:08 AM EST  
Group : User Interface/X  
Size : 275845  
License : MIT  
Signature : RSA/SHA256, Fri 11 Aug 2017 03:32:03 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xorg-x11-utils-7.5-22.el7.src.rpm  
Build Date : Fri 11 Aug 2017 02:51:25 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 X client utilities  
Description :  
A collection of client utilities which can be used to query the X server for various information.

Name : osinfo-db-tools  
Version : 1.1.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:20 AM EST  
Group : Unspecified  
Size : 196685  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:44:14 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : osinfo-db-tools-1.1.0-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 05:17:54 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libosinfo.org/>  
Summary : Tools for managing the osinfo database  
Description :  
This package provides tools for managing the osinfo database of information about operating systems for use with virtualization

Name : sssd-common  
Version : 1.15.2  
Release : 50.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:36 AM EST

Group : Applications/System  
Size : 4315262  
License : GPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:56:29 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sssd-1.15.2-50.el7.src.rpm  
Build Date : Mon 07 Aug 2017 05:38:50 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://pagure.io/SSSD/sss/>  
Summary : Common files for the SSSD  
Description :  
Common files for the SSSD. The common package includes all the files needed  
to run a particular back end, however, the back ends are packaged in separate  
subpackages such as sssd-ldap.

Name : ca-certificates  
Version : 2017.2.14  
Release : 71.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:24 AM EST  
Group : System Environment/Base  
Size : 1241960  
License : Public Domain  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:15:13 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ca-certificates-2017.2.14-71.el7.src.rpm  
Build Date : Sun 06 Aug 2017 08:23:05 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mozilla.org/>  
Summary : The Mozilla CA root certificate bundle  
Description :  
This package contains the set of CA certificates chosen by the Mozilla Foundation for use with the Internet PKI.

Name : gnome-packagekit-common  
Version : 3.22.1  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:47 AM EST  
Group : Applications/System  
Size : 6628964  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:19:51 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-packagekit-3.22.1-2.el7.src.rpm  
Build Date : Sun 06 Aug 2017 02:04:39 PM EDT



Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.packagekit.org>  
Summary : Common files required for gnome-packagekit  
Description :  
Files shared by all subpackages of gnome-packagekit

Name : enscript  
Version : 1.6.6  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:08 AM EST  
Group : Applications/Publishing  
Size : 1862941  
License : GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:13:42 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : enscript-1.6.6-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:10:03 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/enscript>  
Summary : A plain ASCII to PostScript converter  
Description :  
GNU enscript is a free replacement for Adobe's Enscript  
program. Enscript converts ASCII files to PostScript(TM) and spools  
generated PostScript output to the specified printer or saves it to a  
file. Enscript can be extended to handle different output media and  
includes many options for customizing printouts

Name : grubby  
Version : 8.28  
Release : 23.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:22 AM EST  
Group : System Environment/Base  
Size : 127346  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:27:00 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : grubby-8.28-23.el7.src.rpm  
Build Date : Thu 03 Aug 2017 01:17:33 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.fedorahosted.org/git/grubby.git>  
Summary : Command line tool for updating bootloader configs  
Description :

grubby is a command line tool for updating and displaying information about the configuration files for the grub, lilo, elilo (ia64), yaboot (powerpc) and zipl (s390) boot loaders. It is primarily designed to be used from scripts which install new kernels and need to find information about the current boot environment.

Name : accountsservice  
Version : 0.6.45  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:37 AM EST  
Group : System Environment/Daemons  
Size : 321354  
License : GPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 10:55:10 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : accountsservice-0.6.45-2.el7.src.rpm  
Build Date : Fri 04 Aug 2017 01:48:49 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<http://www.fedoraproject.org/wiki/Features/UserAccountDialog>  
Summary : D-Bus interfaces for querying and manipulating user account information  
Description :  
The accountsservice project provides a set of D-Bus interfaces for querying and manipulating user account information and an implementation of these interfaces, based on the useradd, usermod and userdel commands.

Name : libXpm  
Version : 3.5.12  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:26 AM EST  
Group : System Environment/Libraries  
Size : 116599  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:12:28 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXpm-3.5.12-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 12:14:55 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXpm runtime library  
Description :

## X.Org X11 libXpm runtime library

Name : keybinder3  
Version : 0.3.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:48 AM EST  
Group : Development/Libraries  
Size : 24055  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:30:45 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : keybinder3-0.3.0-1.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:59:09 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/engla/keybinder/tree/keybinder-3.0>  
Summary : A library for registering global keyboard shortcuts  
Description :  
Keybinder is a library for registering global keyboard shortcuts.  
Keybinder works with GTK-based applications using the X Window System.

The library contains:

- A C library, libkeybinder
- GObject-Introspection bindings

Name : nfs4-acl-tools  
Version : 0.3.3  
Release : 15.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:10 AM EST  
Group : Applications/System  
Size : 111945  
License : BSD  
Signature : RSA/SHA256, Sun 20 Nov 2016 02:38:26 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : nfs4-acl-tools-0.3.3-15.el7.src.rpm  
Build Date : Sat 05 Nov 2016 12:32:04 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.citi.umich.edu/projects/nfsv4/linux/>  
Summary : The nfs4 ACL tools  
Description :  
This package contains commandline and GUI ACL utilities for the Linux NFSv4 client.

Name : tomcat-servlet-3.0-api  
Epoch : 0  
Version : 7.0.76  
Release : 2.el7

Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:23 AM EST  
Group : Development/Libraries  
Size : 257804  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:07:09 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : tomcat-7.0.76-2.el7.src.rpm  
Build Date : Mon 07 Aug 2017 12:33:29 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://tomcat.apache.org/>  
Summary : Apache Tomcat Servlet API implementation classes  
Description :  
Apache Tomcat Servlet API implementation classes.

Name : cronie-anacron  
Version : 1.4.11  
Release : 17.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:47 AM EST  
Group : System Environment/Base  
Size : 41611  
License : MIT and BSD and ISC and GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:27:59 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : cronie-1.4.11-17.el7.src.rpm  
Build Date : Thu 03 Aug 2017 11:33:54 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/cronie>  
Summary : Utility for running regular jobs  
Description :  
Anacron is part of cronie that is used for running jobs with regular  
periodicity which do not have exact time of day of execution.

The default settings of anacron execute the daily, weekly, and monthly  
jobs, but anacron allows setting arbitrary periodicity of jobs.

Using anacron allows running the periodic jobs even if the system is  
often  
powered off and it also allows randomizing the time of the job execution  
for better utilization of resources shared among multiple systems.

Name : libiscsi  
Version : 1.9.0  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:27 AM EST  
Group : System Environment/Libraries

Size : 159962  
License : LGPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 01:45:53 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libiscsi-1.9.0-7.el7.src.rpm  
Build Date : Sat 05 Nov 2016 02:20:45 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/sahlberg/libiscsi>  
Summary : iSCSI client library  
Description :  
libiscsi is a library for attaching to iSCSI resources across  
a network.

Name : avahi-ui-gtk3  
Version : 0.6.31  
Release : 17.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:51 AM EST  
Group : Unspecified  
Size : 54000  
License : LGPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 12:14:20 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : avahi-0.6.31-17.el7.src.rpm  
Build Date : Sat 05 Nov 2016 06:18:48 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://avahi.org>  
Summary : Gtk user interface library for Avahi (Gtk+ 3 version)  
Description :  
This library contains a Gtk 3.x widget for browsing services.

Name : time  
Version : 1.7  
Release : 45.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:11 AM EST  
Group : Applications/System  
Size : 47926  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:33:47 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : time-1.7-45.el7.src.rpm  
Build Date : Thu 12 Jun 2014 09:29:00 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/time/>

Summary : A GNU utility for monitoring a program's use of system resources

Description :

The GNU time utility runs another program, collects information about the resources used by that program while it is running, and displays the results.

Name : fros  
Version : 1.0  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:24 AM EST  
Group : Applications/System  
Size : 44161  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:25:15 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : fros-1.0-2.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:30:39 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/mozeq/fros>  
Summary : Universal screencasting frontend with pluggable support for various backends  
Description :  
Universal screencasting frontend with pluggable support for various backends.  
The goal is to provide an unified access to as many screencasting backends as possible while still keeping the same user interface so the user experience while across various desktops and screencasting programs is seamless.

Name : dhcp-libs  
Epoch : 12  
Version : 4.2.5  
Release : 58.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:47 AM EST  
Group : System Environment/Base  
Size : 149088  
License : ISC  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:36:51 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : dhcp-4.2.5-58.el7.centos.src.rpm  
Build Date : Fri 04 Aug 2017 02:07:15 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://isc.org/products/DHCP/>  
Summary : Shared libraries used by ISC dhcp client and server

Description :

This package contains shared libraries used by ISC dhcp client and server

Name : mtools  
Version : 4.0.18  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:30 AM EST  
Group : Applications/System  
Size : 332721  
License : GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:51:23 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : mtools-4.0.18-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:54:12 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://mtools.linux.lu/>  
Summary : Programs for accessing MS-DOS disks without mounting the  
disks

Description :

Mtools is a collection of utilities for accessing MS-DOS files.  
Mtools allow you to read, write and move around MS-DOS filesystem  
files (normally on MS-DOS floppy disks). Mtools supports Windows95  
style long file  
Names, OS/2 XDF disks, and 2m disks

Mtools should be installed if you need to use MS-DOS disks

Name : alsa-tools-firmware  
Version : 1.1.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:53 AM EST  
Group : Applications/System  
Size : 86387  
License : GPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 12:07:19 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : alsa-tools-1.1.0-1.el7.src.rpm  
Build Date : Sat 05 Nov 2016 02:34:05 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.alsa-project.org/>  
Summary : ALSA tools for uploading firmware to some soundcards  
Description :  
This package contains tools for flashing firmware into certain sound  
cards.  
The following tools are available:

- \* hdsploder - for RME Hammerfall DSP cards
- \* mixartloader - for Digigram miXart soundcards
- \* vxloader - for Digigram VX soundcards
- \* usx2yloader - second phase firmware loader for Tascam USX2Y USB soundcards

Name : strace  
Version : 4.12  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:12 AM EST  
Group : Development/Debuggers  
Size : 1827509  
License : BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:58:28 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : strace-4.12-4.el7.src.rpm  
Build Date : Fri 04 Aug 2017 01:38:59 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/strace/>  
Summary : Tracks and displays system calls associated with a running process  
Description :  
The strace program intercepts and records the system calls called and received by a running process. Strace can print a record of each system call, its arguments and its return value. Strace is useful for diagnosing problems and debugging, as well as for instructional purposes.

Install strace if you need a tool to track the system calls made and received by a process.

Name : python-setuptools  
Version : 0.9.8  
Release : 7.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:24 AM EST  
Group : Applications/System  
Size : 2040815  
License : Python or ZPLv2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:23:40 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-setuptools-0.9.8-7.el7.src.rpm  
Build Date : Wed 02 Aug 2017 06:18:29 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://pypi.python.org/pypi/setuptools>  
Summary : Easily build and distribute Python packages  
Description :



Setuptools is a collection of enhancements to the Python distutils that allow you to more easily build and distribute Python packages, especially ones that have dependencies on other packages.

This package contains the runtime components of setuptools, necessary to execute the software that requires pkg\_resources.py.

This package contains the distribute fork of setuptools.

Name : libibverbs  
Version : 13  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:48 AM EST  
Group : Unspecified  
Size : 535175  
License : GPLv2 or BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:17:08 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : rdma-core-13-7.el7.src.rpm  
Build Date : Fri 04 Aug 2017 06:22:07 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/linux-rdma/rdma-core>  
Summary : A library and drivers for direct userspace use of RDMA (InfiniBand/iWARP/RoCE) hardware  
Description :  
libibverbs is a library that allows userspace processes to use RDMA "verbs" as described in the InfiniBand Architecture Specification and the RDMA Protocol Verbs Specification. This includes direct hardware access from userspace to InfiniBand/iWARP adapters (kernel bypass) for fast path operations.

Device-specific plug-in ibverbs userspace drivers are included:

- libcxgb3: Chelsio T3 iWARP HCA
- libcxgb4: Chelsio T4 iWARP HCA
- libhfi1: Intel Omni-Path HFI
- libi40iw: Intel Ethernet Connection X722 RDMA
- libipathverbs: QLogic InfiniPath HCA
- libmlx4: Mellanox ConnectX-3 InfiniBand HCA
- libmlx5: Mellanox Connect-IB/X-4+ InfiniBand HCA
- libmthca: Mellanox InfiniBand HCA
- libnes: NetEffect RNIC
- libocrdma: Emulex OneConnect RDMA/RoCE Device
- librx: A software implementation of the RoCE protocol

Name : efivar-libs  
Version : 31  
Release : 4.el7

Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:33 AM EST  
Group : Unspecified  
Size : 194840  
License : LGPLv2.1  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:42:32 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : efivar-31-4.el7.src.rpm  
Build Date : Thu 03 Aug 2017 11:41:37 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/rhinstaller/efivar>  
Summary : Library to manage UEFI variables  
Description :  
Library to allow for the simple manipulation of UEFI variables.

Name : device-mapper-multipath  
Version : 0.4.9  
Release : 111.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:54 AM EST  
Group : System Environment/Base  
Size : 192030  
License : GPL+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:35:31 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : device-mapper-multipath-0.4.9-111.el7.src.rpm  
Build Date : Fri 04 Aug 2017 01:53:23 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://christophe.varoqui.free.fr/>  
Summary : Tools to manage multipath devices using device-mapper  
Description :  
device-mapper-multipath provides tools to manage multipath devices by  
instructing the device-mapper multipath kernel module what to do.  
The tools are :  
\* multipath - Scan the system for multipath devices and assemble them.  
\* multipathd - Detects when paths fail and execs multipath to update  
things.

Name : dejavu-sans-fonts  
Version : 2.33  
Release : 6.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:15 AM EST  
Group : User Interface/X  
Size : 5395167  
License : Bitstream Vera and Public Domain  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:07:01 PM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : dejavu-fonts-2.33-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:34:30 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://dejavu-fonts.org/>  
Summary : Variable-width sans-serif font faces  
Description :

The DejaVu font set is based on the "Bitstream Vera" fonts, release 1.10. Its purpose is to provide a wider range of characters, while maintaining the original style, using an open collaborative development process.

This package consists of the DejaVu sans-serif variable-width font faces, in their unabridged version.

Name : bind-utils  
Epoch : 32  
Version : 9.9.4  
Release : 50.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:25 AM EST  
Group : Applications/System  
Size : 445193  
License : ISC  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:06:00 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : bind-9.9.4-50.el7.src.rpm  
Build Date : Fri 04 Aug 2017 04:13:28 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.isc.org/products/BIND/>  
Summary : Utilities for querying DNS  
Name servers  
Description :  
Bind-utils contains a collection of utilities for querying DNS (Domain

Name System)  
Name servers to find out information about Internet hosts. These tools will provide you with the IP addresses for given host Names, as well as other information about registered domains and network addresses.

You should install bind-utils if you need to get information from DNS  
Name servers.

Name : python-gobject

Version : 3.22.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:50 AM EST  
Group : Unspecified  
Size : 15584  
License : LGPLv2+ and MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:20:55 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : pygobject3-3.22.0-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 03:59:36 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/PyGObject>  
Summary : Python 2 bindings for GObject Introspection  
Description :  
The python-gobject package provides a convenient wrapper for the GObject  
library and and other libraries that are compatible with GObject  
Introspection,  
for use in Python 2 programs.

Name : host  
Name  
Version : 3.13  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:34 AM EST  
Group : System Environment/Base  
Size : 19449  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:54:35 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : host  
Name-3.13-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:48:44 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://packages.qa.debian.org/h/host>  
Name.html  
Summary : Utility to set/show the host  
Name or domain  
Name  
Description :  
This package provides commands which can be used to display the system's  
DNS  
Name, and to display or set its host  
Name or NIS domain  
Name.

Name : selinux-policy

Version : 3.13.1  
Release : 166.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:54:56 AM EST  
Group : System Environment/Base  
Size : 5707  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:51:30 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : selinux-policy-3.13.1-166.el7.src.rpm  
Build Date : Sat 05 Aug 2017 02:53:33 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://oss.tresys.com/repos/refpolicy/>  
Summary : SELinux policy configuration  
Description :  
SELinux Reference Policy - modular.  
Based off of reference policy: Checked out revision 2.20091117

Name : lohit-assamese-fonts  
Version : 2.5.3  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:27 AM EST  
Group : User Interface/X  
Size : 156057  
License : OFL  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:00 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : lohit-assamese-fonts-2.5.3-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:02:36 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/lohit/>  
Summary : Free Assamese font  
Description :  
This package provides a free Assamese truetype/opentype font.

Name : perl-Image-Info  
Version : 1.33  
Release : 3.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:27 AM EST  
Group : Development/Libraries  
Size : 159128  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:11 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Image-Info-1.33-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:22:24 PM EDT

Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Image-Info/>  
Summary : Image meta information extraction module for Perl  
Description :  
This Perl extension allows you to extract meta information from various types of image files.

Name : bluez  
Version : 5.44  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:53 AM EST  
Group : Applications/System  
Size : 4930059  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:07:49 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : bluez-5.44-2.el7.src.rpm  
Build Date : Thu 03 Aug 2017 03:56:55 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.bluez.org/>  
Summary : Bluetooth utilities  
Description :  
Utilities for use in Bluetooth applications:

- hcitool
- hciattach
- hciconfig
- bluetoothd
- l2ping
- rfcomm
- sdptool
- bccmd
- bluetoothctl
- btmon
- hcidump
- l2test
- rctest
- gatttool
- start scripts (Red Hat)
- pcmcia configuration files

The BLUETOOTH trademarks are owned by Bluetooth SIG, Inc., U.S.A.

Name : libevdev  
Version : 1.5.6  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:36 AM EST

Group : System Environment/Libraries  
Size : 107254  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:07:25 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libevdev-1.5.6-1.el7.src.rpm  
Build Date : Tue 01 Aug 2017 08:11:07 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/libevdev>  
Summary : Kernel Evdev Device Wrapper Library  
Description :  
libevdev is a library to wrap kernel evdev devices and provide a proper  
API  
to interact with those devices.

Name : abrt-python  
Version : 2.1.11  
Release : 48.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:59 AM EST  
Group : System Environment/Libraries  
Size : 57763  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 10:54:41 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : abrt-2.1.11-48.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 10:17:54 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : ABRT Python API  
Description :  
High-level API for querying, creating and manipulating  
problems handled by ABRT in Python.

Name : dejavu-sans-mono-fonts  
Version : 2.33  
Release : 6.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:40 AM EST  
Group : User Interface/X  
Size : 1127679  
License : Bitstream Vera and Public Domain  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:07:04 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : dejavu-fonts-2.33-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:34:30 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://dejavu-fonts.org/>  
Summary : Monospace sans-serif font faces  
Description :

The DejaVu font set is based on the "Bitstream Vera" fonts, release 1.10. Its purpose is to provide a wider range of characters, while maintaining the original style, using an open collaborative development process.

This package consists of the DejaVu sans-serif monospace font faces, in their unabridged version.

Name : linux-firmware  
Version : 20180220  
Release : 62.git6d51311.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:40 AM EST  
Group : System Environment/Kernel  
Size : 177359870  
License : GPL+ and GPLv2+ and MIT and Redistributable, no modification permitted  
Signature : RSA/SHA256, Wed 25 Apr 2018 07:25:36 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20180220-62.git6d51311.el7.src.rpm  
Build Date : Wed 11 Apr 2018 03:37:36 AM EDT  
Build Host : x86-01.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware files used by the Linux kernel  
Description :  
Kernel-firmware includes firmware files required for some devices to operate.

Name : libamplerate  
Version : 0.1.8  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:37 AM EST  
Group : System Environment/Libraries  
Size : 1653101  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:15:50 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libamplerate-0.1.8-6.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:59:27 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>



Vendor : CentOS  
URL : <http://www.mega-nerd.com/SRC/>  
Summary : Sample rate conversion library for audio data  
Description :  
Secret Rabbit Code is a sample rate converter for audio. It is capable of arbitrary and time varying conversions. It can downsample by a factor of 12 and upsample by the same factor. The ratio of input and output sample rates can be a real number. The conversion ratio can also vary with time for speeding up and slowing down effects.

Name : grub2-common  
Epoch : 1  
Version : 2.02  
Release : 0.64.el7.centos  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:34 AM EST  
Group : System Environment/Base  
Size : 3915370  
License : GPLv3+  
Signature : RSA/SHA256, Tue 22 Aug 2017 01:18:03 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : grub2-2.02-0.64.el7.centos.src.rpm  
Build Date : Thu 17 Aug 2017 02:01:13 PM EDT  
Build Host : kbuilder.dev.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/grub/>  
Summary : grub2 common layout  
Description :  
This package provides some directories which are required by various grub2 subpackages.

Name : lockdev  
Version : 1.0.4  
Release : 0.13.20111007git.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:55 AM EST  
Group : System Environment/Libraries  
Size : 54799  
License : LGPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:34:32 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : lockdev-1.0.4-0.13.20111007git.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:36:58 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://alioth.debian.org/projects/lockdev/>  
Summary : A library for locking devices  
Description :  
Lockdev provides a reliable way to put an exclusive lock to devices

using both FSSTND and SVr4 methods.

Name : nss-pem  
Version : 1.0.3  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:41 AM EST  
Group : Unspecified  
Size : 201219  
License : MPLv1.1  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:33:25 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : nss-pem-1.0.3-4.el7.src.rpm  
Build Date : Thu 03 Aug 2017 06:15:57 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/kdudka/nss-pem>  
Summary : PEM file reader for Network Security Services (NSS)  
Description :  
PEM file reader for Network Security Services (NSS), implemented as a PKCS#11 module.

Name : cdparanoia  
Version : 10.2  
Release : 17.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:38 AM EST  
Group : Applications/Multimedia  
Size : 127427  
License : GPLv2 and LGPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:56:13 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : cdparanoia-10.2-17.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:14:59 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.xiph.org/paranoia/index.html>  
Summary : Compact Disc Digital Audio (CDDA) extraction tool (or ripper)  
Description :  
Cdparanoia (Paranoia III) reads digital audio directly from a CD, then writes the data to a file or pipe in WAV, AIFF or raw 16 bit linear PCM format. Cdparanoia doesn't contain any extra features (like the ones included in the cdda2wav sampling utility). Instead, cdparanoia's strength lies in its ability to handle a variety of hardware, including inexpensive drives prone to misalignment, frame jitter and loss of streaming during atomic reads. Cdparanoia is also good at reading and repairing data from

damaged CDs.

Name : liberation-fonts-common  
Epoch : 1  
Version : 1.07.2  
Release : 15.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:34 AM EST  
Group : User Interface/X  
Size : 75627  
License : Liberation  
Signature : RSA/SHA256, Mon 27 Jul 2015 07:04:40 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : liberation-fonts-1.07.2-15.el7.src.rpm  
Build Date : Mon 27 Jul 2015 06:58:27 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/liberation-fonts/>  
Summary : Shared common files of Liberation font families  
Description :

The Liberation Fonts are intended to be replacements for the three most commonly used fonts on Microsoft systems: Times New Roman, Arial, and Courier New.

Shared common files of Liberation font families.

Name : librbd1  
Epoch : 1  
Version : 0.94.5  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:42 AM EST  
Group : System Environment/Libraries  
Size : 5789858  
License : LGPL-2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:29:21 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : ceph-common-0.94.5-2.el7.src.rpm  
Build Date : Mon 07 Aug 2017 11:13:44 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://ceph.com/>  
Summary : RADOS block device client library  
Description :  
RBD is a block device striped across multiple distributed objects in RADOS, a reliable, autonomic distributed object storage cluster developed as part of the Ceph distributed storage system. This is a shared library allowing applications to manage these block devices.

Name : fftw-libs-double  
Version : 3.3.3  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:39 AM EST  
Group : Development/Libraries  
Size : 2487345  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:19:53 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : fftw-3.3.3-8.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:55:07 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.fftw.org>  
Summary : FFTW library, double precision  
Description :  
This package contains the FFTW library compiled in double precision.

Name : dejavu-fonts-common  
Version : 2.33  
Release : 6.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:34 AM EST  
Group : User Interface/X  
Size : 130455  
License : Bitstream Vera and Public Domain  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:06:50 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : dejavu-fonts-2.33-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:34:30 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://dejavu-fonts.org/>  
Summary : Common files for the DejaVu font set  
Description :

The DejaVu font set is based on the "Bitstream Vera" fonts, release 1.10.  
Its  
purpose is to provide a wider range of characters, while maintaining the  
original style, using an open collaborative development process.

This package consists of files used by other DejaVu packages.

Name : curl  
Version : 7.29.0  
Release : 42.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:43 AM EST

Group : Applications/Internet  
Size : 540028  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:30:51 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : curl-7.29.0-42.el7.src.rpm  
Build Date : Thu 03 Aug 2017 06:21:40 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://curl.haxx.se/>  
Summary : A utility for getting files from remote servers (FTP, HTTP,  
and others)  
Description :  
curl is a command line tool for transferring data with URL syntax,  
supporting  
FTP, FTPS, HTTP, HTTPS, SCP, SFTP, TFTP, TELNET, DICT, LDAP, LDAPS, FILE,  
IMAP,  
SMTP, POP3 and RTSP. curl supports SSL certificates, HTTP POST, HTTP  
PUT, FTP  
uploading, HTTP form based upload, proxies, cookies, user+password  
authentication (Basic, Digest, NTLM, Negotiate, kerberos...), file  
transfer  
resume, proxy tunneling and a busload of other useful tricks.

Name : perl-HTTP-Tiny  
Version : 0.033  
Release : 3.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:39 AM EST  
Group : Development/Libraries  
Size : 97210  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:08 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-HTTP-Tiny-0.033-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:53:37 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/HTTP-Tiny/>  
Summary : Small, simple, correct HTTP/1.1 client  
Description :  
This is a very simple HTTP/1.1 client, designed for doing simple GET  
requests  
without the overhead of a large framework like LWP::UserAgent.

It is more correct and more complete than HTTP::Lite. It supports proxies  
(currently only non-authenticating ones) and redirection. It also  
correctly  
resumes after EINTR.

Name : tzdata  
Version : 2017b  
Release : 1.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:35 AM EST  
Group : System Environment/Base  
Size : 1789861  
License : Public Domain  
Signature : RSA/SHA256, Tue 28 Mar 2017 11:40:49 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : tzdata-2017b-1.el7.src.rpm  
Build Date : Mon 27 Mar 2017 12:34:21 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://www.iana.org/time-zones>  
Summary : Timezone data  
Description :  
This package contains data files with rules for various timezones around the world.

Name : xmlrpc-c-client  
Version : 1.32.5  
Release : 1905.svn2451.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:44 AM EST  
Group : System Environment/Libraries  
Size : 53400  
License : BSD and MIT and GPL+ and Public Domain  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:47:33 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xmlrpc-c-1.32.5-1905.svn2451.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:03:43 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://xmlrpc-c.sourceforge.net/>  
Summary : C client libraries for xmlrpc-c  
Description :  
XML-RPC is a quick-and-easy way to make procedure calls over the Internet. It converts the procedure call into XML document, sends it to a remote server using HTTP, and gets back the response as XML.

This library provides a modular implementation of XML-RPC for C clients.

Name : perl-Text-ParseWords  
Version : 3.29  
Release : 4.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:39 AM EST  
Group : Development/Libraries

Size : 16431  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:25:15 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Text-ParseWords-3.29-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:14:46 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Text-ParseWords/>  
Summary : Parse text into an array of tokens or array of arrays  
Description :  
The nested\_quotewords() and quotewords() functions accept a delimiter  
(which  
can be a regular expression) and a list of lines and then breaks those  
lines  
up into a list of words ignoring delimiters that appear inside quotes.  
quotewords() returns all of the tokens in a single long list, while  
nested\_quotewords() returns a list of token lists corresponding to the  
elements of @lines. parse\_line() does tokenizing on a single string. The  
quotewords() functions simply call &parse\_line(), so if you're only  
splitting  
one line you can call parse\_line() directly and save a function call.

Name : mobile-broadband-provider-info  
Version : 1.20170310  
Release : 1.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:36 AM EST  
Group : System Environment/Base  
Size : 341451  
License : Public Domain  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:23:12 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : mobile-broadband-provider-info-1.20170310-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 10:07:51 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<http://live.gnome.org/NetworkManager/MobileBroadband/ServiceProviders>  
Summary : Mobile broadband provider database  
Description :  
The mobile-broadband-provider-info package contains listings of mobile  
broadband (3G) providers and associated network and plan information.

Name : liboauth  
Version : 0.9.7  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:44 AM EST  
Group : System Environment/Libraries

Size : 41903  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:03:10 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : liboauth-0.9.7-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:24:36 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://liboauth.sourceforge.net/>  
Summary : OAuth library functions  
Description :  
liboauth is a collection of POSIX-c functions implementing the OAuth Core RFC 5849 standard. liboauth provides functions to escape and encode parameters according to OAuth specification and offers high-level functionality to sign requests or verify OAuth signatures as well as perform HTTP requests.

Name : perl-macros  
Epoch : 4  
Version : 5.16.3  
Release : 292.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:40 AM EST  
Group : Development/Languages  
Size : 5134  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:07:13 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-5.16.3-292.el7.src.rpm  
Build Date : Wed 02 Aug 2017 01:49:04 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.perl.org/>  
Summary : Macros for rpmbuild  
Description :  
Macros for rpmbuild are needed during build of srpm in koji. This sub-package must be installed into buildroot, so it will be needed by perl. Perl is needed because of git.

Name : langtable-data  
Version : 0.0.31  
Release : 3.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:36 AM EST  
Group : Development/Tools  
Size : 624382  
License : GPLv3+ and MIT  
Signature : RSA/SHA256, Wed 25 Nov 2015 09:49:44 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : langtable-0.0.31-3.el7.src.rpm



Build Date : Fri 20 Nov 2015 01:33:27 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/mike-fabian/langtable>  
Summary : Data files for langtable  
Description :  
This package contains the data files for langtable.

Name : passwd  
Version : 0.79  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:45 AM EST  
Group : System Environment/Base  
Size : 429874  
License : BSD or GPL+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:12:50 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : passwd-0.79-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:27:56 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/passwd>  
Summary : An utility for setting or changing passwords using PAM  
Description :  
This package contains a system utility (passwd) which sets  
or changes passwords, using PAM (Pluggable Authentication  
Modules) library.

Name : perl-Scalar-List-Utils  
Version : 1.27  
Release : 248.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:41 AM EST  
Group : Development/Libraries  
Size : 67994  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:23:05 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Scalar-List-Utils-1.27-248.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:57:00 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Scalar-List-Utils/>  
Summary : A selection of general-utility scalar and list subroutines  
Description :  
This package contains a selection of subroutines that people have  
expressed

would be nice to have in the perl core, but the usage would not really be high enough to warrant the use of a keyword, and the size so small such that being individual extensions would be wasteful.

Name : nhn-nanum-fonts-common  
Version : 3.020  
Release : 9.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:37 AM EST  
Group : User Interface/X  
Size : 15175  
License : OFL  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:57:18 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : nhn-nanum-fonts-3.020-9.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:48:21 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://hangeul.naver.com/share.nhn>  
Summary : Common files of nhn-nanum-fonts  
Description :

Nanum fonts are collection of commonly-used Myeongjo and Gothic Korean font families, designed by Sandoll Communication and Fontrix. The publisher is NHN Corporation.

This package consists of files used by other nhn-nanum-fonts packages.

Name : pykickstart  
Version : 1.99.66.12  
Release : 1.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:45 AM EST  
Group : System Environment/Libraries  
Size : 1630003  
License : GPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:18:06 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pykickstart-1.99.66.12-1.el7.src.rpm  
Build Date : Thu 03 Aug 2017 02:00:20 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedoraproject.org/wiki/pykickstart>  
Summary : A python library for manipulating kickstart files  
Description :  
The pykickstart package is a python library for manipulating kickstart files.

Name : perl-Time-Local  
Version : 1.2300

Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:41 AM EST  
Group : Development/Libraries  
Size : 44062  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:25:36 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Time-Local-1.2300-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:31:30 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Time-Local/>  
Summary : Efficiently compute time from local and GMT time  
Description :  
This module provides functions that are the inverse of built-in perl  
functions  
localtime() and gmtime(). They accept a date as a six-element array, and  
return the corresponding time(2) value in seconds since the system epoch  
(Midnight, January 1, 1970 GMT on Unix, for example). This value can be  
positive or negative, though POSIX only requires support for positive  
values,  
so dates before the system's epoch may not work on all operating systems.

Name : centos-indexhtml  
Version : 7  
Release : 9.el7.centos  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:37 AM EST  
Group : Documentation  
Size : 92560  
License : Distributable  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:56:40 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : centos-indexhtml-7-9.el7.centos.src.rpm  
Build Date : Sun 29 Jun 2014 08:39:51 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : Browser default start page for CentOS  
Description :  
The indexhtml package contains the welcome page shown by your Web  
browser,  
which you'll see after you've successfully installed CentOS Linux

Name : harfbuzz  
Version : 1.3.2  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:46 AM EST  
Group : Unspecified

Size : 460886  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:39:02 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : harfbuzz-1.3.2-1.el7.src.rpm  
Build Date : Tue 01 Aug 2017 11:22:01 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://freedesktop.org/wiki/Software/HarfBuzz>  
Summary : Text shaping library  
Description :  
HarfBuzz is an implementation of the OpenType Layout engine.

Name : perl-File-Temp  
Version : 0.23.01  
Release : 3.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:41 AM EST  
Group : Development/Libraries  
Size : 158781  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:18:15 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-File-Temp-0.23.01-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:03:09 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/File-Temp/>  
Summary : Return  
Name and handle of a temporary file safely  
Description :  
File::Temp can be used to create and open temporary files in a safe way.  
There is both a function interface and an object-oriented interface. The  
File::Temp constructor or the tempfile() function can be used to return  
the

Name and the open file handle of a temporary file. The tempdir() function  
can be used to create a temporary directory.

Name : seavgabios-bin  
Version : 1.10.2  
Release : 3.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:39 AM EST  
Group : Applications/Emulators  
Size : 227840  
License : LGPLv3  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:51:26 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : seabios-1.10.2-3.el7.src.rpm

Build Date : Fri 04 Aug 2017 01:09:20 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.coreboot.org/SeaBIOS>  
Summary : Seavgabios for x86  
Description :  
SeaVGABIOS is an open-source VGABIOS implementation.

Name : boost-date-time  
Version : 1.53.0  
Release : 27.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:46 AM EST  
Group : System Environment/Libraries  
Size : 139706  
License : Boost and MIT and Python  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:09:08 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : boost-1.53.0-27.el7.src.rpm  
Build Date : Wed 02 Aug 2017 08:43:35 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.boost.org>  
Summary : Run-Time component of boost date-time library  
Description :

Run-Time support for Boost Date Time, set of date-time libraries based on generic programming concepts.

Name : perl-Getopt-Long  
Version : 2.40  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:42 AM EST  
Group : Development/Libraries  
Size : 134846  
License : GPLv2+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:18:32 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Getopt-Long-2.40-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:11:58 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Getopt-Long/>  
Summary : Extended processing of command line options  
Description :  
The Getopt::Long module implements an extended getopt function called

GetOptions(). It parses the command line from @ARGV, recognizing and removing specified options and their possible values. It adheres to the POSIX syntax for command line options, with GNU extensions. In general, this means that options have long Names instead of single letters, and are introduced with a double dash "--". Support for bundling of command line options, as was the case with the more traditional single-letter approach, is provided but not enabled by default.

Name : libwacom-data  
Version : 0.24  
Release : 1.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:39 AM EST  
Group : System Environment/Libraries  
Size : 347921  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:07:14 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libwacom-0.24-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 05:39:57 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://linuxwacom.sourceforge.net>  
Summary : Tablet Information Client Library Library Data Files  
Description :  
Tablet information client library library data files.

Name : c-ares  
Version : 1.10.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:48 AM EST  
Group : System Environment/Libraries  
Size : 182385  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:55:48 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : c-ares-1.10.0-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:00:55 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://c-ares.haxx.se/>  
Summary : A library that performs asynchronous DNS operations  
Description :

c-ares is a C library that performs DNS requests and  
Name resolves  
asynchronously. c-ares is a fork of the library  
Named 'ares', written  
by Greg Hudson at MIT.

Name : perl-XML-  
NamespaceSupport  
Version : 1.11  
Release : 10.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:44 AM EST  
Group : Development/Libraries  
Size : 28981  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:26:23 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-XML-  
NamespaceSupport-1.11-10.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:40:44 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://search.cpan.org/dist/XML-  
NamespaceSupport/](http://search.cpan.org/dist/XML-<br/>NamespaceSupport/)  
Summary : A simple generic  
Namespace support class  
Description :  
This module offers a simple to process  
Namespaced XML  
Names (u  
Names) from  
within any application that may need them. It also helps maintain a  
prefix  
to  
Namespace URI map, and provides a number of basic checks.

Name : yelp-xsl  
Version : 3.20.1  
Release : 1.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:41 AM EST  
Group : Applications/System  
Size : 1612056  
License : LGPLv2+ and GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:27:21 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : yelp-xsl-3.20.1-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 12:53:56 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL : <https://download.gnome.org/sources/yelp-xsl>  
Summary : XSL stylesheets for the yelp help browser  
Description :  
This package contains XSL stylesheets that are used by the yelp help browser.

Name : lm\_sensors-libs  
Version : 3.4.0  
Release : 4.20160601gitf9185e5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:49 AM EST  
Group : System Environment/Libraries  
Size : 61600  
License : LGPLv2+ and GPLv3+ and GPLv2+ and Verbatim and Public domain  
Signature : RSA/SHA256, Sun 20 Nov 2016 02:22:00 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : lm\_sensors-3.4.0-4.20160601gitf9185e5.el7.src.rpm  
Build Date : Mon 07 Nov 2016 05:49:00 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://github.com/groeck/lm-sensors/>  
Summary : Lm\_sensors core libraries  
Description :  
Core libraries for lm\_sensors applications

Name : perl-Encode-Locale  
Version : 1.03  
Release : 5.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:44 AM EST  
Group : Development/Libraries  
Size : 18685  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:17:29 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Encode-Locale-1.03-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:28:10 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Encode-Locale/>  
Summary : Determine the locale encoding  
Description :  
In many applications it's wise to let Perl use Unicode for the strings it processes. Most of the interfaces Perl has to the outside world is still byte based. Programs therefore needs to decode byte strings that enter the program from the outside and encode them again on the way out.

Name : gnome-user-docs



Version : 3.22.0  
Release : 1.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:46 AM EST  
Group : Documentation  
Size : 41003042  
License : CC-BY-SA  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:23:29 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-user-docs-3.22.0-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 05:50:26 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://help.gnome.org/>  
Summary : GNOME User Documentation  
Description :  
This package contains end-user documentation for the GNOME desktop environment.

Name : gpgme  
Version : 1.3.2  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:50 AM EST  
Group : Applications/System  
Size : 547534  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:44:14 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gpgme-1.3.2-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:03:04 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://www.gnupg.org/related\\_software/gpgme/](http://www.gnupg.org/related_software/gpgme/)  
Summary : GnuPG Made Easy - high level crypto API  
Description :  
GnuPG Made Easy (GPGME) is a library designed to make access to GnuPG easier for applications. It provides a high-level crypto API for encryption, decryption, signing, signature verification and key management.

Name : perl-Pod-POM  
Version : 0.27  
Release : 10.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:45 AM EST  
Group : Development/Libraries  
Size : 208947  
License : GPL+ or Artistic

Signature : RSA/SHA256, Fri 04 Jul 2014 12:22:42 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Pod-POM-0.27-10.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:38:10 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Pod-POM/>  
Summary : Object-oriented interface to Perl POD documents  
Description :  
This module implements a parser to convert Pod documents into a simple object model form known hereafter as the Pod Object Model. The object model is generated as a hierarchical tree of nodes, each of which represents a different element of the original document. The tree can be walked manually and the nodes examined, printed or otherwise manipulated. In addition, Pod::POM supports and provides view objects which can automatically traverse the tree, or section thereof, and generate an output representation in one form or another.

Name : nss-softokn-freebl  
Version : 3.28.3  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:47 AM EST  
Group : System Environment/Base  
Size : 540676  
License : MPLv2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:33:58 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : nss-softokn-3.28.3-6.el7.src.rpm  
Build Date : Fri 04 Aug 2017 05:21:50 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mozilla.org/projects/security/pki/nss/>  
Summary : Freebl library for the Network Security Services  
Description :  
NSS Softoken Cryptographic Module Freebl Library

Install the nss-softokn-freebl package if you need the freebl library.

Name : yum-plugin-fastestmirror  
Version : 1.1.31  
Release : 42.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:50 AM EST  
Group : System Environment/Base  
Size : 53903  
License : GPLv2+  
Signature : RSA/SHA256, Fri 11 Aug 2017 06:46:52 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : yum-utils-1.1.31-42.el7.src.rpm  
Build Date : Fri 11 Aug 2017 06:23:19 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://yum.baseurl.org/download/yum-utils/>  
Summary : Yum plugin which chooses fastest repository from a mirrorlist  
Description :  
This plugin sorts each repository's mirrorlist by connection speed prior to downloading packages.

Name : perl-IO-Compress  
Version : 2.061  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:45 AM EST  
Group : Development/Libraries  
Size : 814173  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:23 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-IO-Compress-2.061-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:54:10 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/IO-Compress/>  
Summary : Read and write compressed data  
Description :  
This distribution provides a Perl interface to allow reading and writing of compressed data created with the zlib and bzip2 libraries.

IO-Compress supports reading and writing of bzip2, RFC 1950, RFC 1951, RFC 1952 (i.e. gzip) and zip files/buffers.

The following modules used to be distributed separately, but are now included with the IO-Compress distribution:

- \* Compress-Zlib
- \* IO-Compress-Zlib
- \* IO-Compress-Bzip2
- \* IO-Compress-Base

Name : XRXTPM  
Version : 1.0.0.25  
Release : 1  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 09:01:57 AM EST  
Group : Applications/Xerox  
Size : 172196  
License : Copyright 1996-2010 Xerox Corporation

Signature : (none)  
Source RPM : XRXTPM-1.0.0.25-1.src.rpm  
Build Date : Mon 13 Feb 2017 03:05:35 PM EST  
Build Host : chicory  
Relocations : (not relocatable)  
Packager : sdonnell  
Vendor : Xerox Corporation  
Summary : Xerox Print Engine Tools Perl Modules  
Description :  
Xerox Print Engine Tools Perl Modules for Development and Debugging

Name : glibc  
Version : 2.17  
Release : 196.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:53 AM EST  
Group : System Environment/Libraries  
Size : 14107776  
License : LGPLv2+ and LGPLv2+ with exceptions and GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:11:52 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : glibc-2.17-196.el7.src.rpm  
Build Date : Tue 01 Aug 2017 05:09:22 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/glibc/>  
Summary : The GNU libc libraries  
Description :  
The glibc package contains standard libraries which are used by multiple programs on the system. In order to save disk space and memory, as well as to make upgrading easier, common system code is kept in one place and shared between programs. This particular package contains the most important sets of shared libraries: the standard C library and the standard math library. Without these two libraries, a Linux system will not function.

Name : vim-common  
Epoch : 2  
Version : 7.4.160  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:52 AM EST  
Group : Applications/Editors  
Size : 22146173  
License : Vim  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:15:28 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : vim-7.4.160-2.el7.src.rpm  
Build Date : Tue 01 Aug 2017 08:46:12 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://www.vim.org/>  
Summary : The common files needed by any version of the VIM editor  
Description :  
VIM (VISual editor iMproved) is an updated and improved version of the vi editor. Vi was the first real screen-based editor for UNIX, and is still very popular. VIM improves on vi by adding new features: multiple windows, multi-level undo, block highlighting and more. The vim-common package contains files which every VIM binary will need in order to run.

If you are installing vim-enhanced or vim-X11, you'll also need to install the vim-common package.

Name : perl-FCGI  
Epoch : 1  
Version : 0.74  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:45 AM EST  
Group : Development/Libraries  
Size : 85623  
License : OML  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:17:50 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-FCGI-0.74-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:09:46 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/FCGI>  
Summary : FastCGI Perl bindings  
Description :  
FastCGI Perl bindings.

Name : ncurses-libs  
Version : 5.9  
Release : 13.20130511.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:55 AM EST  
Group : System Environment/Libraries  
Size : 1027944  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:54:25 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ncurses-5.9-13.20130511.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:03:19 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://invisible-island.net/ncurses/ncurses.html>  
Summary : Ncurses libraries

Description :

The curses library routines are a terminal-independent method of updating character screens with reasonable optimization. The ncurses (new curses) library is a freely distributable replacement for the discontinued 4.4 BSD classic curses library.

This package contains the ncurses libraries.

Name : libpipeline  
Version : 1.2.3  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:53 AM EST  
Group : Development/Libraries  
Size : 142521  
License : GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:05:55 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libpipeline-1.2.3-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:46:23 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libpipeline.nongnu.org/>  
Summary : A pipeline manipulation library  
Description :  
libpipeline is a C library for setting up and running pipelines of processes, without needing to involve shell command-line parsing which is often error-prone and insecure. This alleviates programmers of the need to laboriously construct pipelines using lower-level primitives such as fork(2) and execve(2).

Name : perl-XML-Writer  
Version : 0.623  
Release : 3.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:45 AM EST  
Group : Development/Libraries  
Size : 65816  
License : CC0  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:26:42 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-XML-Writer-0.623-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:22:46 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/XML-Writer/>  
Summary : A simple Perl module for writing XML documents  
Description :

XML::Writer is a simple Perl module for writing XML documents: it takes care of constructing markup and escaping data correctly, and by default, it also performs a significant amount of well-formedness checking on the output, to make certain (for example) that start and end tags match, that there is exactly one document element, and that there are not duplicate attribute Names.

Name : freetype  
Version : 2.4.11  
Release : 15.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:55 AM EST  
Group : System Environment/Libraries  
Size : 898651  
License : (FTL or GPLv2+) and BSD and MIT and Public Domain and zlib with acknowledgement  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:58:53 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : freetype-2.4.11-15.el7.src.rpm  
Build Date : Wed 02 Aug 2017 08:06:00 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freetype.org>  
Summary : A free and portable font rendering engine  
Description :  
The FreeType engine is a free and portable font rendering engine, developed to provide advanced font support for a variety of platforms and environments. FreeType is a library which can open and manages font files as well as efficiently load, hint and render individual glyphs. FreeType is not a font server or a complete text-rendering library.

Name : bluez-libs  
Version : 5.44  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:53 AM EST  
Group : System Environment/Libraries  
Size : 174326  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:08:13 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : bluez-5.44-2.el7.src.rpm  
Build Date : Thu 03 Aug 2017 03:56:55 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.bluez.org/>  
Summary : Libraries for use in Bluetooth applications  
Description :

Libraries for use in Bluetooth applications.

Name : perl-perlindex  
Version : 1.606  
Release : 10.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:46 AM EST  
Group : Development/Libraries  
Size : 35004  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Mon 04 Dec 2017 04:05:21 AM EST, Key ID 6a2faea2352c64e5  
Source RPM : perl-perlindex-1.606-10.el7.src.rpm  
Build Date : Thu 30 Nov 2017 10:31:55 AM EST  
Build Host : buildvm-04.phx2.fedoraproject.org  
Relocations : (not relocatable)  
Packager : Fedora Project  
Vendor : Fedora Project  
URL : <http://search.cpan.org/dist/perlindex/>  
Summary : Index and search the perl documentation  
Description :  
Perlindex is a program to index and search the perl documentation. It provides  
Text::English module implementing Porter stemming algorithm.

Name : libjpeg-turbo  
Version : 1.2.90  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:56 AM EST  
Group : System Environment/Libraries  
Size : 350387  
License : IJG  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:55:27 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libjpeg-turbo-1.2.90-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:48:52 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/libjpeg-turbo>  
Summary : A MMX/SSE2 accelerated library for manipulating JPEG image files  
Description :  
The libjpeg-turbo package contains a library of functions for manipulating  
JPEG images.

Name : libunwind  
Epoch : 2  
Version : 1.2  
Release : 2.el7  
Architecture: x86\_64



Install Date: Mon 03 Dec 2018 08:52:54 AM EST  
Group : Development/Debuggers  
Size : 153589  
License : BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:00:30 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libunwind-1.2-2.el7.src.rpm  
Build Date : Wed 02 Aug 2017 11:45:34 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://savannah.nongnu.org/projects/libunwind>  
Summary : An unwinding library  
Description :  
Libunwind provides a C ABI to determine the call-chain of a program.

Name : perl-WWW-RobotRules  
Version : 6.02  
Release : 5.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:46 AM EST  
Group : Development/Libraries  
Size : 26778  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:26:05 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-WWW-RobotRules-6.02-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:08:40 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/WWW-RobotRules/>  
Summary : Database of robots.txt-derived permissions  
Description :  
This module parses /robots.txt files as specified in "A Standard for  
Robot  
Exclusion", at <<http://www.robotstxt.org/wc/norobots.html>>. Webmasters  
can  
use the /robots.txt file to forbid conforming robots from accessing parts  
of their web site.

Name : xz-libs  
Version : 5.2.2  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:56 AM EST  
Group : System Environment/Libraries  
Size : 239967  
License : LGPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 04:02:51 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xz-5.2.2-1.el7.src.rpm

Build Date : Sat 05 Nov 2016 11:28:07 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://tukaani.org/xz/>  
Summary : Libraries for decoding LZMA compression  
Description :  
Libraries for decoding files compressed with LZMA or XZ utils.

Name : bridge-utils  
Version : 1.5  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:54 AM EST  
Group : System Environment/Base  
Size : 57254  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:53:41 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : bridge-utils-1.5-9.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:04:09 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<http://www.linuxfoundation.org/collaborate/workgroups/networking/bridge>  
Summary : Utilities for configuring the linux ethernet bridge  
Description :  
This package contains utilities for configuring the linux ethernet bridge. The linux ethernet bridge can be used for connecting multiple ethernet devices together. The connecting is fully transparent: hosts connected to one ethernet device see hosts connected to the other ethernet devices directly.

Install bridge-utils if you want to use the linux ethernet bridge.

Name : perl-TimeDate  
Epoch : 1  
Version : 2.30  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:46 AM EST  
Group : Development/Libraries  
Size : 100194  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:25:33 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-TimeDate-2.30-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:42:27 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://search.cpan.org/dist/TimeDate/>  
Summary : A Perl module for time and date manipulation  
Description :  
This module includes a number of smaller modules suited for manipulation of time and date strings with Perl. In particular, the Date::Format and Date::Parse modules can display and read times and dates in various formats, providing a more reliable interface to textual representations of points in time.

Name : expat  
Version : 2.1.0  
Release : 10.el7\_3  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:57 AM EST  
Group : System Environment/Libraries  
Size : 208315  
License : MIT  
Signature : RSA/SHA256, Mon 28 Nov 2016 05:32:05 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : expat-2.1.0-10.el7\_3.src.rpm  
Build Date : Mon 28 Nov 2016 05:27:00 PM EST  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libexpat.org/>  
Summary : An XML parser library  
Description :  
This is expat, the C library for parsing XML, written by James Clark. Expat is a stream oriented XML parser. This means that you register handlers with the parser prior to starting the parse. These handlers are called when the parser discovers the associated structures in the document being parsed. A start tag is an example of the kind of structures for which you may register handlers.

Name : pakchois  
Version : 0.4  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:55 AM EST  
Group : System Environment/Libraries  
Size : 29489  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:11:07 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pakchois-0.4-10.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:25:17 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.manyfish.co.uk/pakchois/>  
Summary : A wrapper library for PKCS#11  
Description :  
pakchois is just another PKCS#11 wrapper library. pakchois aims to provide a thin wrapper over the PKCS#11 interface; offering a modern object-oriented C interface which does not hide any of the underlying interface, and avoids dependencies on any cryptography toolkit.

Name : perl-HTML-Parser  
Version : 3.71  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:46 AM EST  
Group : Development/Libraries  
Size : 229197  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:18:53 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-HTML-Parser-3.71-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:35:26 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/HTML-Parser/>  
Summary : Perl module for parsing HTML  
Description :  
The HTML-Parser module for perl to parse and extract information from HTML documents, including the HTML::Entities, HTML::HeadParser, HTML::LinkExtor, HTML::PullParser, and HTML::TokenParser modules.

Name : libcap-ng  
Version : 0.7.5  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:58 AM EST  
Group : System Environment/Libraries  
Size : 50510  
License : LGPLv2+  
Signature : RSA/SHA256, Wed 25 Nov 2015 09:52:00 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : libcap-ng-0.7.5-4.el7.src.rpm  
Build Date : Fri 20 Nov 2015 01:38:30 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://people.redhat.com/sgrubb/libcap-ng>  
Summary : An alternate posix capabilities library  
Description :  
Libcap-ng is a library that makes using posix capabilities easier

Name : lksctp-tools  
Version : 1.0.17  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:56 AM EST  
Group : System Environment/Libraries  
Size : 232487  
License : GPLv2 and GPLv2+ and LGPLv2 and MIT  
Signature : RSA/SHA256, Sun 20 Nov 2016 02:21:11 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : lksctp-tools-1.0.17-2.el7.src.rpm  
Build Date : Sat 05 Nov 2016 04:08:40 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://lksctp.sourceforge.net>  
Summary : User-space access to Linux Kernel SCTP  
Description :  
This is the lksctp-tools package for Linux Kernel SCTP (Stream Control Transmission Protocol) Reference Implementation.

This package is intended to supplement the Linux Kernel SCTP Reference Implementation now available in the Linux kernel source tree in versions 2.5.36 and following. For more information on LKSCTP see the package documentation README file, section titled "LKSCTP - Linux Kernel SCTP."

This package contains the base run-time library and command-line tools.

Name : perl-Net-LibIDN  
Version : 0.12  
Release : 15.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:46 AM EST  
Group : Development/Libraries  
Size : 52037  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:21:19 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Net-LibIDN-0.12-15.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:32:15 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Net-LibIDN/>  
Summary : Perl bindings for GNU LibIDN  
Description :  
Provides perl bindings for GNU Libidn, a C library for handling Internationalized Domain Names according to IDNA (RFC 3490), in a way very much inspired by Turbo Fredriksson's PHP-IDN.

Name : libICE  
Version : 1.0.9  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:59 AM EST  
Group : System Environment/Libraries  
Size : 152213  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:17:24 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libICE-1.0.9-9.el7.src.rpm  
Build Date : Thu 03 Aug 2017 10:24:09 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 ICE runtime library  
Description :  
The X.Org X11 ICE (Inter-Client Exchange) runtime library.

Name : libsemanage  
Version : 2.5  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:59 AM EST  
Group : System Environment/Libraries  
Size : 280833  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:52:08 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libsemanage-2.5-8.el7.src.rpm  
Build Date : Thu 03 Aug 2017 09:47:59 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/SELinuxProject/selinux/wiki>  
Summary : SELinux binary policy manipulation library  
Description :  
Security-enhanced Linux is a feature of the Linux® kernel and a number of utilities with enhanced security functionality designed to add mandatory access controls to Linux. The Security-enhanced Linux kernel contains new architectural components originally developed to improve the security of the Flask operating system. These architectural components provide general support for the enforcement of many kinds of mandatory access control policies, including those based on the concepts of Type Enforcement®, Role-based Access Control, and Multi-level Security.

libsemanage provides an API for the manipulation of SELinux binary policies.

It is used by checkpolicy (the policy compiler) and similar tools, as well as by programs like load\_policy that need to perform specific transformations on binary policies such as customizing policy boolean settings.

Name : ipset  
Version : 6.29  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:47 AM EST  
Group : Unspecified  
Size : 75482  
License : GPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:46:33 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ipset-6.29-1.el7.src.rpm  
Build Date : Tue 01 Aug 2017 10:10:42 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://ipset.netfilter.org/>  
Summary : Manage Linux IP sets  
Description :  
IP sets are a framework inside the Linux kernel since version 2.4.x, which can be administered by the ipset utility. Depending on the type, currently an IP set may store IP addresses, (TCP/UDP) port numbers or IP addresses with MAC addresses in a way, which ensures lightning speed when matching an entry against a set.

If you want to:

- store multiple IP addresses or port numbers and match against the collection by iptables at one swoop;
  - dynamically update iptables rules against IP addresses or ports without performance penalty;
  - express complex IP address and ports based rulesets with one single iptables rule and benefit from the speed of IP sets
- then ipset may be the proper tool for you.

Name : libtalloc  
Version : 2.1.9  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:00 AM EST  
Group : System Environment/Daemons  
Size : 65712  
License : LGPLv3+

Signature : RSA/SHA256, Thu 10 Aug 2017 01:58:24 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libtalloc-2.1.9-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 12:14:32 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://talloc.samba.org/>  
Summary : The talloc library  
Description :  
A library that implements a hierarchical allocator with destructors.

Name : sgpio  
Version : 1.2.0.10  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:59 AM EST  
Group : System Environment/Base  
Size : 19045  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:59:33 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sgpio-1.2.0.10-13.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:13:16 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://sources.redhat.com/lvm2/wiki/DMRAID\\_Eventing](http://sources.redhat.com/lvm2/wiki/DMRAID_Eventing)  
Summary : SGPIO captive backplane tool  
Description :  
Intel SGPIO enclosure management utility

Name : mpfr  
Version : 3.1.1  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:48 AM EST  
Group : System Environment/Libraries  
Size : 554279  
License : LGPLv3+ and GPLv3+ and GFDL  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:49:45 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : mpfr-3.1.1-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:11:54 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mpfr.org/>  
Summary : A C library for multiple-precision floating-point  
computations  
Description :



The MPFR library is a C library for multiple-precision floating-point computations with "correct rounding". The MPFR is efficient and also has a well-defined semantics. It copies the good ideas from the ANSI/IEEE-754 standard for double-precision floating-point arithmetic (53-bit mantissa). MPFR is based on the GMP multiple-precision library.

Name : libtdb  
Version : 1.3.12  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:00 AM EST  
Group : System Environment/Daemons  
Size : 91600  
License : LGPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:59:07 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libtdb-1.3.12-2.el7.src.rpm  
Build Date : Thu 03 Aug 2017 10:05:38 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://tdb.samba.org/>  
Summary : The tdb library  
Description :  
A library that implements a trivial database.

Name : http-parser  
Version : 2.7.1  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:00 AM EST  
Group : Unspecified  
Size : 68192  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:41:03 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : http-parser-2.7.1-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 05:07:18 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/nodejs/http-parser>  
Summary : HTTP request/response parser for C  
Description :  
This is a parser for HTTP messages written in C. It parses both requests and responses. The parser is designed to be used in performance HTTP applications. It does not make any syscalls nor allocations, it does not buffer data, it can be interrupted at anytime. Depending on your architecture, it only requires

about 40 bytes of data per message stream (in a web server that is per connection).

Name : gdisk  
Version : 0.8.6  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:48 AM EST  
Group : System Environment/Base  
Size : 666709  
License : GPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:49:30 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gdisk-0.8.6-5.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:38:27 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.rodsbooks.com/gdisk/>  
Summary : An fdisk-like partitioning tool for GPT disks  
Description :  
An fdisk-like partitioning tool for GPT disks. GPT fdisk features a command-line interface, fairly direct manipulation of partition table structures, recovery tools to help you deal with corrupt partition tables, and the ability to convert MBR disks to GPT format.

Name : lcms2  
Version : 2.6  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:01 AM EST  
Group : Unspecified  
Size : 377192  
License : MIT  
Signature : RSA/SHA256, Sun 20 Nov 2016 01:33:24 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : lcms2-2.6-3.el7.src.rpm  
Build Date : Sat 05 Nov 2016 02:05:55 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.littlecms.com/>  
Summary : Color Management Engine  
Description :  
LittleCMS intends to be a small-footprint, speed optimized color management engine in open source form. LCMS2 is the current version of LCMS, and can be parallel installed with the original (deprecated) lcms.

Name : libestr  
Version : 0.1.9

Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:01 AM EST  
Group : Unspecified  
Size : 44322  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:45:14 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libestr-0.1.9-2.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:27:04 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libestr.adiscon.com/>  
Summary : String handling essentials library  
Description :  
This package compiles the string handling essentials library used by the Rsyslog daemon.

Name : libXp  
Version : 1.0.2  
Release : 2.1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:49 AM EST  
Group : System Environment/Libraries  
Size : 58727  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:31:36 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXp-1.0.2-2.1.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:49:14 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXp runtime library  
Description :  
X.Org X11 libXp runtime library

Name : libacl  
Version : 2.2.51  
Release : 12.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:02 AM EST  
Group : System Environment/Libraries  
Size : 37056  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:35:12 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : acl-2.2.51-12.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:43:28 AM EDT  
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://acl.bestbits.at/>  
Summary : Dynamic library for access control list support  
Description :  
This package contains the libacl.so dynamic library which contains the POSIX 1003.1e draft standard 17 functions for manipulating access control lists.

Name : jbigkit-libs  
Version : 2.0  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:02 AM EST  
Group : Development/Libraries  
Size : 105882  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:13:43 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : jbigkit-2.0-11.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:31:25 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.cl.cam.ac.uk/~mgk25/jbigkit/>  
Summary : JBIG1 lossless image compression library  
Description :  
JBIG-KIT provides a portable library of compression and decompression functions with a documented interface that you can include very easily into your image or document processing software. In addition, JBIG-KIT provides ready-to-use compression and decompression programs with a simple command line interface (similar to the converters found in netpbm).

JBIG-KIT implements the specification:

ISO/IEC 11544:1993 and ITU-T Recommendation T.82(1993):  
Information technology – Coded representation of picture and audio  
information – Progressive bi-level image compression

which is commonly referred to as the “JBIG1 standard”

Name : tcp\_wrappers  
Version : 7.6  
Release : 77.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:49 AM EST  
Group : System Environment/Daemons  
Size : 202888  
License : BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:11:00 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : tcp\_wrappers-7.6-77.el7.src.rpm

Build Date : Tue 10 Jun 2014 12:41:54 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <ftp://ftp.porcupine.org/pub/security/index.html>  
Summary : A security tool which acts as a wrapper for TCP daemons  
Description :  
The tcp\_wrappers package provides small daemon programs which can monitor and filter incoming requests for systat, finger, FTP, telnet, rlogin, rsh, exec, tftp, talk and other network services.

Install the tcp\_wrappers program if you need a security tool for filtering incoming network services requests.

This version also supports IPv6.

Name : json-c  
Version : 0.11  
Release : 4.el7\_0  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:02 AM EST  
Group : Development/Libraries  
Size : 65593  
License : MIT  
Signature : RSA/SHA256, Sat 05 Jul 2014 11:25:00 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : json-c-0.11-4.el7\_0.src.rpm  
Build Date : Tue 24 Jun 2014 08:18:58 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/json-c/json-c/wiki>  
Summary : A JSON implementation in C  
Description :  
JSON-C implements a reference counting object model that allows you to easily construct JSON objects in C, output them as JSON formatted strings and parse JSON formatted strings back into the C representation of JSON objects.

Name : gtk-update-icon-cache  
Version : 3.22.10  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:02 AM EST  
Group : Unspecified  
Size : 59804  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:33:53 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gtk3-3.22.10-4.el7.src.rpm  
Build Date : Sat 05 Aug 2017 10:54:43 AM EDT

Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gtk.org>  
Summary : Icon theme caching utility  
Description :  
GTK+ can use the cache files created by gtk-update-icon-cache to avoid a lot of system call and disk seek overhead when the application starts. Since the format of the cache files allows them to be mmap()ed shared between multiple applications, the overall memory consumption is reduced as well.

Name : libdb-utils  
Version : 5.3.21  
Release : 20.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:50 AM EST  
Group : Applications/Databases  
Size : 326403  
License : BSD and LGPLv2 and Sleepycat  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:06:12 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libdb-5.3.21-20.el7.src.rpm  
Build Date : Sun 06 Aug 2017 03:02:42 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.oracle.com/database/berkeley-db/>  
Summary : Command line tools for managing Berkeley DB databases  
Description :  
The Berkeley Database (Berkeley DB) is a programmatic toolkit that provides embedded database support for both traditional and client/server applications. Berkeley DB includes B+tree, Extended Linear Hashing, Fixed and Variable-length record access methods, transactions, locking, logging, shared memory caching, and database recovery. DB supports C, C++, Java and Perl APIs.

Name : libldb  
Version : 1.1.29  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:03 AM EST  
Group : Development/Libraries  
Size : 353856  
License : LGPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:19:32 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libldb-1.1.29-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 05:47:36 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://ldb.samba.org/>  
Summary : A schema-less, ldap like, API and database  
Description :  
An extensible library that implements an LDAP like API to access remote LDAP servers, or use local tdb databases.

Name : fontconfig  
Version : 2.10.95  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:03 AM EST  
Group : System Environment/Libraries  
Size : 578056  
License : MIT and Public Domain and UCD  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:56:35 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : fontconfig-2.10.95-11.el7.src.rpm  
Build Date : Wed 02 Aug 2017 11:05:01 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fontconfig.org>  
Summary : Font configuration and customization library  
Description :  
Fontconfig is designed to locate fonts within the system and select them according to requirements specified by applications.

Name : unzip  
Version : 6.0  
Release : 16.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:51 AM EST  
Group : Applications/Archiving  
Size : 373986  
License : BSD  
Signature : RSA/SHA256, Sun 20 Nov 2016 03:56:33 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : unzip-6.0-16.el7.src.rpm  
Build Date : Sat 05 Nov 2016 12:50:16 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.info-zip.org/UnZip.html>  
Summary : A utility for unpacking zip files  
Description :  
The unzip utility is used to list, test, or extract files from a zip archive. Zip archives are commonly found on MS-DOS systems. The zip utility, included in the zip package, creates zip archives. Zip and

unzip are both compatible with archives created by PKWARE(R)'s PKZIP for MS-DOS, but the programs' options and default behaviors do differ in some respects.

Install the unzip package if you need to list, test or extract files from a zip archive.

Name : libref\_array  
Version : 0.1.5  
Release : 27.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:04 AM EST  
Group : Development/Libraries  
Size : 54126  
License : LGPLv3+  
Signature : RSA/SHA256, Sun 20 Nov 2016 01:59:37 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : ding-libs-0.6.0-27.el7.src.rpm  
Build Date : Sat 05 Nov 2016 04:05:57 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/sssd/>  
Summary : A refcounted array for C  
Description :  
A dynamically-growing, reference-counted array

Name : gd  
Version : 2.0.35  
Release : 26.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:06 AM EST  
Group : System Environment/Libraries  
Size : 554528  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:27:13 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gd-2.0.35-26.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:02:26 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://www.libgd.org/Main\\_Page](http://www.libgd.org/Main_Page)  
Summary : A graphics library for quick creation of PNG or JPEG images  
Description :  
The gd graphics library allows your code to quickly draw images complete with lines, arcs, text, multiple colors, cut and paste from other images, and flood fills, and to write out the result as a PNG or JPEG file. This is particularly useful in Web applications, where PNG and JPEG are two of the formats accepted for inline images by most browsers. Note that gd is not a paint program.



Name : libmng  
Version : 1.0.10  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:52 AM EST  
Group : System Environment/Libraries  
Size : 546796  
License : zlib  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:59:06 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libmng-1.0.10-14.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:47:09 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libmng.com/>  
Summary : Library for Multiple-image Network Graphics support  
Description :  
LibMNG is a library for accessing graphics in MNG (Multi-image Network Graphics) and JNG (JPEG Network Graphics) formats. MNG graphics are basically animated PNGs. JNG graphics are basically JPEG streams integrated into a PNG chunk.

Name : libxcb  
Version : 1.12  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:04 AM EST  
Group : Unspecified  
Size : 1005512  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:09:30 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libxcb-1.12-1.el7.src.rpm  
Build Date : Tue 01 Aug 2017 11:37:17 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://xcb.freedesktop.org/>  
Summary : A C binding to the X11 protocol  
Description :  
The X protocol C-language Binding (XCB) is a replacement for Xlib featuring a small footprint, latency hiding, direct access to the protocol, improved threading support, and extensibility.

Name : apache-commons-pool  
Version : 1.6  
Release : 9.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:53:10 AM EST  
Group : Unspecified

Size : 134559  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:38:36 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : apache-commons-pool-1.6-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:09:01 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://commons.apache.org/pool/>  
Summary : Apache Commons Pool Package  
Description :  
The goal of Pool package is it to create and maintain an object (instance) pooling package to be distributed under the ASF license. The package should support a variety of pool implementations, but encourage support of an interface that makes these implementations interchangeable.

Name : libselinux-utils  
Version : 2.5  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:52 AM EST  
Group : Development/Libraries  
Size : 175770  
License : Public Domain  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:52:00 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libselinux-2.5-11.el7.src.rpm  
Build Date : Thu 03 Aug 2017 02:19:06 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/SELinuxProject/selinux/wiki>  
Summary : SELinux libselinux utilies  
Description :  
The libselinux-utils package contains the utilities

Name : libXfixes  
Version : 5.0.3  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:05 AM EST  
Group : System Environment/Libraries  
Size : 26903  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:10:32 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXfixes-5.0.3-1.el7.src.rpm  
Build Date : Tue 01 Aug 2017 11:52:00 PM EDT  
Build Host : clbm.rdu2.centos.org

Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X Fixes library  
Description :  
X Fixes library.

Name : xml-commons-resolver  
Epoch : 0  
Version : 1.2  
Release : 15.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:53:10 AM EST  
Group : Unspecified  
Size : 122713  
License : ASL 2.0  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:47:09 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xml-commons-resolver-1.2-15.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:30:47 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://xml.apache.org/commons/>  
Summary : Resolver subproject of xml-commons  
Description :  
Resolver subproject of xml-commons.

Name : coreutils  
Version : 8.22  
Release : 18.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:54 AM EST  
Group : System Environment/Base  
Size : 14589167  
License : GPLv3+  
Signature : RSA/SHA256, Sun 20 Nov 2016 12:26:24 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : coreutils-8.22-18.el7.src.rpm  
Build Date : Sat 05 Nov 2016 04:49:48 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/coreutils/>  
Summary : A set of basic GNU tools commonly used in shell scripts  
Description :  
These are the GNU core utilities. This package is the combination of  
the old GNU fileutils, sh-utils, and textutils packages.

Name : libXcomposite  
Version : 0.4.4

Release : 4.1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:05 AM EST  
Group : System Environment/Libraries  
Size : 35184  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:29:33 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libXcomposite-0.4.4-4.1.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:04:56 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X Composite Extension library  
Description :  
X Composite Extension library

Name : apache-commons-dbcp  
Version : 1.4  
Release : 17.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:53:12 AM EST  
Group : Unspecified  
Size : 198321  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:37:48 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : apache-commons-dbcp-1.4-17.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:27:12 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://commons.apache.org/dbcp/>  
Summary : Apache Commons DataBase Pooling Package  
Description :  
Many Apache projects support interaction with a relational database.  
Creating a  
new connection for each user can be time consuming (often requiring  
multiple  
seconds of clock time), in order to perform a database transaction that  
might  
take milliseconds. Opening a connection per user can be unfeasible in a  
publicly-hosted Internet application where the number of simultaneous  
users can  
be very large. Accordingly, developers often wish to share a "pool" of  
open  
connections between all of the application's current users. The number of  
users  
actually performing a request at any given time is usually a very small  
percentage of the total number of active users, and during request  
processing

is the only time that a database connection is required. The application itself logs into the DBMS, and handles any user account issues internally.

Name : python  
Version : 2.7.5  
Release : 58.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:56 AM EST  
Group : Development/Languages  
Size : 80827  
License : Python  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:18:49 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-2.7.5-58.el7.src.rpm  
Build Date : Thu 03 Aug 2017 09:10:01 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.python.org/>  
Summary : An interpreted, interactive, object-oriented programming language  
Description :  
Python is an interpreted, interactive, object-oriented programming language often compared to Tcl, Perl, Scheme or Java. Python includes modules, classes, exceptions, very high level dynamic data types and dynamic typing. Python supports interfaces to many system calls and libraries, as well as to various windowing systems (X11, Motif, Tk, Mac and MFC).

Programmers can write new built-in modules for Python in C or C++. Python can be used as an extension language for applications that need a programmable interface.

Note that documentation for Python is provided in the python-docs package.

This package provides the "python" executable; most of the actual implementation is within the "python-libs" package.

Name : libXcursor  
Version : 1.1.14  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:05 AM EST  
Group : System Environment/Libraries  
Size : 46967  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:09:57 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXcursor-1.1.14-8.el7.src.rpm  
Build Date : Wed 02 Aug 2017 07:12:04 AM EDT  
Build Host : clbm.rdu2.centos.org

Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Cursor management library  
Description :  
This is a simple library designed to help locate and load cursors.  
Cursors can be loaded from files or memory. A library of common cursors  
exists which map to the standard X cursor  
Names.Cursors can exist in  
several sizes and the library automatically picks the best size.

Name : jline  
Version : 1.0  
Release : 8.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:53:13 AM EST  
Group : Development/Libraries  
Size : 73632  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:16:26 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : jline-1.0-8.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:41:26 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://jline.sourceforge.net/>  
Summary : Java library for reading and editing user input in console  
applications  
Description :  
JLine is a java library for reading and editing user input in console  
applications. It features tab-completion, command history, password  
masking, configurable key-bindings, and pass-through handlers to use to  
chain to other console applications.

Name : glusterfs-libs  
Version : 3.8.4  
Release : 18.4.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:57 AM EST  
Group : Applications/File  
Size : 1288680  
License : GPLv2 or LGPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:14:13 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : glusterfs-3.8.4-18.4.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 01:55:29 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gluster.org/docs/index.php/GlusterFS>

Summary : GlusterFS common libraries  
Description :  
GlusterFS is a distributed file-system capable of scaling to several petabytes. It aggregates various storage bricks over Infiniband RDMA or TCP/IP interconnect into one large parallel network file system. GlusterFS is one of the most sophisticated file systems in terms of features and extensibility. It borrows a powerful concept called Translators from GNU Hurd kernel. Much of the code in GlusterFS is in user space and easily manageable.

This package provides the base GlusterFS libraries

Name : libexif  
Version : 0.6.21  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:06 AM EST  
Group : System Environment/Libraries  
Size : 1948807  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:45:33 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libexif-0.6.21-6.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:25:05 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libexif.sourceforge.net/>  
Summary : Library for extracting extra information from image files  
Description :  
Most digital cameras produce EXIF files, which are JPEG files with extra tags that contain information about the image. The EXIF library allows you to parse an EXIF file and read the data from those tags.

Name : avalon-logkit  
Epoch : 0  
Version : 2.1  
Release : 14.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:53:15 AM EST  
Group : Development/Libraries  
Size : 98056  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:45:52 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : avalon-logkit-2.1-14.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:34:53 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://avalon.apache.org/logkit/>  
Summary : Java logging toolkit

Description :

LogKit is a logging toolkit designed for secure performance orientated logging in applications. To get started using LogKit, it is recommended that you read the whitepaper and browse the API docs.

Name : shared-mime-info  
Version : 1.8  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:58 AM EST  
Group : System Environment/Base  
Size : 2379317  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:53:35 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : shared-mime-info-1.8-3.el7.src.rpm  
Build Date : Thu 03 Aug 2017 01:47:13 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://freedesktop.org/Software/shared-mime-info>  
Summary : Shared MIME information database  
Description :  
This is the freedesktop.org shared MIME info database.

Many programs and desktops use the MIME system to represent the types of files. Frequently, it is necessary to work out the correct MIME type for a file. This is generally done by examining the file's Name or contents, and looking up the correct MIME type in a database.

Name : libXv  
Version : 1.0.11  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:07 AM EST  
Group : System Environment/Libraries  
Size : 22287  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:13:46 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXv-1.0.11-1.el7.src.rpm  
Build Date : Tue 01 Aug 2017 11:56:03 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXv runtime library  
Description :  
X.Org X11 libXv runtime library

Name : abattis-cantarell-fonts



Version : 0.0.25  
Release : 1.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:53:16 AM EST  
Group : User Interface/X  
Size : 302131  
License : OFL  
Signature : RSA/SHA256, Thu 10 Aug 2017 10:52:12 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : abattis-cantarell-fonts-0.0.25-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 10:24:56 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://git.gnome.org/browse/cantarell-fonts/>  
Summary : Cantarell, a Humanist sans-serif font family  
Description :  
Cantarell is a set of fonts designed by Dave Crossland.  
It is a sans-serif humanist typeface family.

Name : gobject-introspection  
Version : 1.50.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:59 AM EST  
Group : Unspecified  
Size : 834149  
License : GPLv2+, LGPLv2+, MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:25:03 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gobject-introspection-1.50.0-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 03:37:32 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/GObjectIntrospection>  
Summary : Introspection system for GObject-based libraries  
Description :  
GObject Introspection can scan C header and source files in order to  
generate introspection "typelib" files. It also provides an API to  
examine  
typelib files, useful for creating language bindings among other  
things.

Name : yajl  
Version : 2.0.4  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:09 AM EST  
Group : Development/Libraries  
Size : 116450  
License : ISC

Signature : RSA/SHA256, Fri 04 Jul 2014 01:52:29 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : yajl-2.0.4-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:00:29 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://lloyd.github.com/yajl/>  
Summary : Yet Another JSON Library (YAJL)  
Description :  
Yet Another JSON Library. YAJL is a small event-driven  
(SAX-style) JSON parser written in ANSI C, and a small  
validating JSON generator.

Name : systemd-libs  
Version : 219  
Release : 57.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:19 AM EST  
Group : Unspecified  
Size : 1263560  
License : LGPLv2+ and MIT  
Signature : RSA/SHA256, Wed 25 Apr 2018 07:48:27 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : systemd-219-57.el7.src.rpm  
Build Date : Wed 11 Apr 2018 03:37:32 AM EDT  
Build Host : x86-01.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/systemd>  
Summary : systemd libraries  
Description :  
Libraries for systemd and udev, as well as the systemd PAM module.

Name : pkgconfig  
Epoch : 1  
Version : 0.27.1  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:01 AM EST  
Group : Development/Tools  
Size : 105522  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:28:33 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : pkgconfig-0.27.1-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:05:48 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://pkgconfig.freedesktop.org>

Summary : A tool for determining compilation options  
Description :  
The pkgconfig tool determines compilation options. For each required library, it reads the configuration file and outputs the necessary compiler and linker flags.

Name : libxkbfile  
Version : 1.0.9  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:10 AM EST  
Group : System Environment/Libraries  
Size : 181594  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:12:12 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libxkbfile-1.0.9-3.el7.src.rpm  
Build Date : Tue 01 Aug 2017 11:59:41 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libxkbfile runtime library  
Description :  
X.Org X11 libxkbfile runtime library

Name : satyr  
Version : 0.13  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:20 AM EST  
Group : System Environment/Libraries  
Size : 2396229  
License : GPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 03:40:47 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : satyr-0.13-14.el7.src.rpm  
Build Date : Sat 05 Nov 2016 02:29:00 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/abrt/satyr>  
Summary : Tools to create anonymous, machine-friendly problem reports  
Description :  
Satyr is a library that can be used to create and process microreports. Microreports consist of structured data suitable to be analyzed in a fully automated manner, though they do not necessarily contain sufficient information to fix the underlying problem. The reports are designed not to contain any

potentially sensitive data to eliminate the need for review before submission.  
Included is a tool that can create microreports and perform some basic operations on them.

Name : ModemManager-glib  
Version : 1.6.0  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:01 AM EST  
Group : Development/Libraries  
Size : 1059312  
License : GPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 02:29:35 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : ModemManager-1.6.0-2.el7.src.rpm  
Build Date : Thu 17 Nov 2016 05:02:54 PM EST  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/ModemManager/>  
Summary : Libraries for adding ModemManager support to applications that use glib.  
Description :  
This package contains the libraries that make it easier to use some ModemManager functionality from applications that use glib.

Name : hunspell  
Version : 1.3.2  
Release : 15.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:10 AM EST  
Group : System Environment/Libraries  
Size : 583000  
License : LGPLv2+ or GPLv2+ or MPLv1.1  
Signature : RSA/SHA256, Sun 20 Nov 2016 01:14:26 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : hunspell-1.3.2-15.el7.src.rpm  
Build Date : Sat 05 Nov 2016 09:00:13 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://hunspell.sourceforge.net/>  
Summary : A spell checker and morphological analyzer library  
Description :  
Hunspell is a spell checker and morphological analyzer library and program designed for languages with rich morphology and complex word compounding or character encoding. Hunspell interfaces: Ispell-like terminal interface using

Curses library, Ispell pipe interface, OpenOffice.org UNO module.

Name : util-linux  
Version : 2.23.2  
Release : 43.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:21 AM EST  
Group : System Environment/Base  
Size : 8508103  
License : GPLv2 and GPLv2+ and LGPLv2+ and BSD with advertising and Public Domain  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:14:08 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : util-linux-2.23.2-43.el7.src.rpm  
Build Date : Fri 04 Aug 2017 07:19:01 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://en.wikipedia.org/wiki/Util-linux>  
Summary : A collection of basic system utilities  
Description :  
The util-linux package contains a large variety of low-level system utilities that are necessary for a Linux system to function. Among others, Util-linux contains the fdisk configuration tool and the login program.

Name : pygobject2  
Version : 2.28.6  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:02 AM EST  
Group : Development/Languages  
Size : 890111  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:36:07 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pygobject2-2.28.6-11.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:30:58 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.pygtk.org/>  
Summary : Python 2 bindings for GObject  
Description :  
The pygobject2 package provides a convenient wrapper for the GObject library for use in Python programs.

Name : libseccomp  
Version : 2.3.1  
Release : 3.el7  
Architecture: x86\_64

Install Date: Mon 03 Dec 2018 08:51:11 AM EST  
Group : System Environment/Libraries  
Size : 304131  
License : LGPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:50:45 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libseccomp-2.3.1-3.el7.src.rpm  
Build Date : Wed 02 Aug 2017 09:38:21 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/seccomp/libseccomp>  
Summary : Enhanced seccomp library  
Description :  
The libseccomp library provides an easy to use interface to the Linux  
Kernel's  
syscall filtering mechanism, seccomp. The libseccomp API allows an  
application  
to specify which syscalls, and optionally which syscall arguments, the  
application is allowed to execute, all of which are enforced by the Linux  
Kernel.

Name : dbus-python  
Version : 1.1.1  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:22 AM EST  
Group : Unspecified  
Size : 848122  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:06:25 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : dbus-python-1.1.1-9.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:12:40 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/software/dbus-python>  
Summary : D-Bus Python Bindings  
Description :  
D-Bus python bindings for use with python programs.

Name : libselinux-python  
Version : 2.5  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:03 AM EST  
Group : Development/Libraries  
Size : 602972  
License : Public Domain  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:51:35 PM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : libselinux-2.5-11.el7.src.rpm  
Build Date : Thu 03 Aug 2017 02:19:06 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/SELinuxProject/selinux/wiki>  
Summary : SELinux python bindings for libselinux  
Description :  
The libselinux-python package contains the python bindings for developing SELinux applications.

Name : libXxf86vm  
Version : 1.1.4  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:15 AM EST  
Group : System Environment/Libraries  
Size : 25680  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:14:17 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXxf86vm-1.1.4-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 12:03:21 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXxf86vm runtime library  
Description :  
X.Org X11 libXxf86vm runtime library

Name : libreport-web  
Version : 2.1.11  
Release : 38.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:22 AM EST  
Group : System Environment/Libraries  
Size : 45296  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:49:48 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libreport-2.1.11-38.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 07:43:26 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : Library providing network API for libreport  
Description :  
Library providing network API for libreport

Name : binutils  
Version : 2.25.1  
Release : 31.base.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:09 AM EST  
Group : Development/Tools  
Size : 23170653  
License : GPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:06:10 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : binutils-2.25.1-31.base.el7.src.rpm  
Build Date : Thu 03 Aug 2017 11:02:14 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sources.redhat.com/binutils>  
Summary : A GNU collection of binary utilities  
Description :  
Binutils is a collection of binary utilities, including ar (for creating, modifying and extracting from archives), as (a family of GNU assemblers), gprof (for displaying call graph profile data), ld (the GNU linker), nm (for listing symbols from object files), objcopy (for copying and translating object files), objdump (for displaying information from object files), ranlib (for generating an index for the contents of an archive), readelf (for displaying detailed information about binary files), size (for listing the section sizes of an object or archive file), strings (for listing printable strings from files), strip (for discarding symbols), and addr2line (for converting addresses to file and line).

Name : nss-softokn  
Version : 3.28.3  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:16 AM EST  
Group : System Environment/Libraries  
Size : 1113702  
License : MPLv2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:33:42 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : nss-softokn-3.28.3-6.el7.src.rpm  
Build Date : Fri 04 Aug 2017 05:21:50 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mozilla.org/projects/security/pki/nss/>  
Summary : Network Security Services Softoken Module  
Description :  
Network Security Services Softoken Cryptographic Module

Name : policycoreutils  
Version : 2.5



Release : 17.1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:24 AM EST  
Group : System Environment/Base  
Size : 5151515  
License : GPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:12:30 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : policycoreutils-2.5-17.1.el7.src.rpm  
Build Date : Fri 04 Aug 2017 05:00:38 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.selinuxproject.org>  
Summary : SELinux policy core utilities  
Description :  
Security-enhanced Linux is a feature of the Linux® kernel and a number of utilities with enhanced security functionality designed to add mandatory access controls to Linux. The Security-enhanced Linux kernel contains new architectural components originally developed to improve the security of the Flask operating system. These architectural components provide general support for the enforcement of many kinds of mandatory access control policies, including those based on the concepts of Type Enforcement®, Role-based Access Control, and Multi-level Security.

policycoreutils contains the policy core utilities that are required for basic operation of a SELinux system. These utilities include load\_policy to load policies, setfiles to label filesystems, newrole to switch roles.

Name : cracklib  
Version : 2.9.0  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:12 AM EST  
Group : System Environment/Libraries  
Size : 209610  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:02:11 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : cracklib-2.9.0-11.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:42:13 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/cracklib/>  
Summary : A password-checking library  
Description :  
CrackLib tests passwords to determine whether they match certain security-oriented characteristics, with the purpose of stopping users from choosing passwords that are easy to guess. CrackLib performs

several tests on passwords: it tries to generate words from a user Name and gecost entry and checks those words against the password; it checks for simplistic patterns in passwords; and it checks for the password in a dictionary.

CrackLib is actually a library containing a particular C function which is used to check the password, as well as other C functions. CrackLib is not a replacement for a passwd program; it must be used in conjunction with an existing passwd program.

Install the cracklib package if you need a program to check users' passwords to see if they are at least minimally secure. If you install CrackLib, you will also want to install the cracklib-dicts package.

```
Name       : boost-system
Version    : 1.53.0
Release    : 27.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:51:17 AM EST
Group      : System Environment/Libraries
Size       : 32538
License    : Boost and MIT and Python
Signature  : RSA/SHA256, Thu 10 Aug 2017 11:12:51 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : boost-1.53.0-27.el7.src.rpm
Build Date : Wed 02 Aug 2017 08:43:35 AM EDT
Build Host : clbm.rdu2.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.boost.org
Summary    : Run-Time component of boost system support library
Description :
```

Run-Time component of Boost operating system support library, including the diagnostics support that will be part of the C++0x standard library.

```
Name       : device-mapper
Epoch     : 7
Version    : 1.02.140
Release    : 8.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:53:25 AM EST
Group      : System Environment/Base
Size       : 329944
License    : GPLv2
Signature  : RSA/SHA256, Thu 10 Aug 2017 11:34:40 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : lvm2-2.02.171-8.el7.src.rpm
Build Date : Sat 05 Aug 2017 11:10:51 AM EDT
Build Host : clbm.rdu2.centos.org
Relocations : (not relocatable)
```

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sources.redhat.com/dm>  
Summary : Device mapper utility  
Description :  
This package contains the supporting userspace utility, dmsetup,  
for the kernel device-mapper.

Name : cyrus-sasl-gssapi  
Version : 2.1.26  
Release : 21.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:12 AM EST  
Group : System Environment/Libraries  
Size : 36936  
License : BSD with advertising  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:31:55 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : cyrus-sasl-2.1.26-21.el7.src.rpm  
Build Date : Wed 02 Aug 2017 03:14:38 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://asg.web.cmu.edu/sasl/sasl-library.html>  
Summary : GSSAPI authentication support for Cyrus SASL  
Description :  
The cyrus-sasl-gssapi package contains the Cyrus SASL plugins which  
support GSSAPI authentication. GSSAPI is commonly used for Kerberos  
authentication.

Name : fuse-libs  
Version : 2.9.2  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:17 AM EST  
Group : System Environment/Libraries  
Size : 298882  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:59:34 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : fuse-2.9.2-8.el7.src.rpm  
Build Date : Thu 03 Aug 2017 07:49:48 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fuse.sf.net>  
Summary : File System in Userspace (FUSE) libraries  
Description :  
Devel With FUSE it is possible to implement a fully functional filesystem  
in a  
userspace program. This package contains the FUSE libraries.

Name : kmod  
Version : 20  
Release : 15.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:25 AM EST  
Group : System Environment/Kernel  
Size : 243522  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:57:45 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : kmod-20-15.el7.src.rpm  
Build Date : Fri 04 Aug 2017 01:22:06 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<http://git.kernel.org/?p=utils/kernel/kmod/kmod.git;a=summary>  
Summary : Linux kernel module management utilities  
Description :  
The kmod package provides various programs needed for automatic loading and unloading of modules under 2.6, 3.x, and later kernels, as well as other module management programs. Device drivers and filesystems are two examples of loaded and unloaded modules.

Name : pam  
Version : 1.1.8  
Release : 18.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:14 AM EST  
Group : System Environment/Base  
Size : 2625254  
License : BSD and GPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 02:52:37 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : pam-1.1.8-18.el7.src.rpm  
Build Date : Sat 05 Nov 2016 07:14:20 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.linux-pam.org/>  
Summary : An extensible library which provides authentication for applications  
Description :  
PAM (Pluggable Authentication Modules) is a system security tool that allows system administrators to set authentication policy without having to recompile programs that handle authentication.

Name : speex  
Version : 1.2  
Release : 0.19.rc1.el7

Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:18 AM EST  
Group : System Environment/Libraries  
Size : 186852  
License : BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:03:40 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : speex-1.2-0.19.rc1.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:53:45 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.speex.org/>  
Summary : A voice compression format (codec)  
Description :  
Speex is a patent-free compression format designed especially for  
speech. It is specialized for voice communications at low bit-rates in  
the 2-45 kbps range. Possible applications include Voice over IP  
(VoIP), Internet audio streaming, audio books, and archiving of speech  
data (e.g. voice mail).

Name : polkit-pkla-compat  
Version : 0.1  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:28 AM EST  
Group : Unspecified  
Size : 82409  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:32:08 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : polkit-pkla-compat-0.1-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:08:34 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/polkit-pkla-compat/>  
Summary : Rules for polkit to add compatibility with pklocalauthority  
Description :  
A polkit JavaScript rule and associated helpers that mostly provide  
compatibility with the .pkla file format supported in polkit <= 0.105 for  
users  
of later polkit releases.

Name : glusterfs-client-xlators  
Version : 3.8.4  
Release : 18.4.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:15 AM EST  
Group : Applications/File  
Size : 3835200  
License : GPLv2 or LGPLv3+

Signature : RSA/SHA256, Thu 10 Aug 2017 12:14:00 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : glusterfs-3.8.4-18.4.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 01:55:29 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gluster.org/docs/index.php/GlusterFS>  
Summary : GlusterFS client-side translators  
Description :  
GlusterFS is a distributed file-system capable of scaling to several  
petabytes. It aggregates various storage bricks over Infiniband RDMA  
or TCP/IP interconnect into one large parallel network file  
system. GlusterFS is one of the most sophisticated file systems in  
terms of features and extensibility. It borrows a powerful concept  
called Translators from GNU Hurd kernel. Much of the code in GlusterFS  
is in user space and easily manageable.

This package provides the translators needed on any GlusterFS client.

Name : file  
Version : 5.11  
Release : 33.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:18 AM EST  
Group : Applications/File  
Size : 67368  
License : BSD  
Signature : RSA/SHA256, Sun 20 Nov 2016 12:42:21 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : file-5.11-33.el7.src.rpm  
Build Date : Sat 05 Nov 2016 04:07:52 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.darwinsys.com/file/>  
Summary : A utility for determining file types  
Description :  
The file command is used to identify a particular file according to the  
type of data contained by the file. File can identify many different  
file types, including ELF binaries, system libraries, RPM packages, and  
different graphics formats.

Name : NetworkManager-glib  
Epoch : 1  
Version : 1.10.2  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:28 AM EST  
Group : Development/Libraries  
Size : 5965611  
License : GPLv2+

Signature : RSA/SHA256, Wed 25 Apr 2018 07:29:27 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : NetworkManager-1.10.2-13.el7.src.rpm  
Build Date : Thu 12 Apr 2018 03:44:26 PM EDT  
Build Host : x86-01.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/NetworkManager/>  
Summary : Libraries for adding NetworkManager support to applications  
(old API).  
Description :  
This package contains the libraries that make it easier to use some  
NetworkManager functionality from applications that use glib. This is  
the older NetworkManager API. See also NetworkManager-libnm.

Name : python-IPy  
Version : 0.75  
Release : 6.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:16 AM EST  
Group : System Environment/Libraries  
Size : 121946  
License : BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:39:22 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : python-IPy-0.75-6.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:18:29 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/haypo/python-ipy>  
Summary : Python module for handling IPv4 and IPv6 Addresses and  
Networks  
Description :  
IPy is a Python module for handling IPv4 and IPv6 Addresses and Networks  
in a fashion similar to perl's Net::IP and friends. The IP class allows  
a comfortable parsing and handling for most notations in use for IPv4  
and IPv6 Addresses and Networks.

Name : groff-base  
Version : 1.22.2  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:19 AM EST  
Group : Applications/Publishing  
Size : 3453946  
License : GPLv3+ and GFDL and BSD and MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:45:51 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : groff-1.22.2-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:17:26 PM EDT  
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/groff/>  
Summary : Parts of the groff formatting system required to display manual pages  
Description :  
The groff-base package contains only necessary parts of groff formatting system which are required to display manual pages, and the groff's default display device (PostScript).

Name : GConf2  
Version : 3.2.6  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:30 AM EST  
Group : System Environment/Base  
Size : 6605084  
License : LGPLv2+ and GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:26:50 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : GConf2-3.2.6-8.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:48:32 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://projects.gnome.org/gconf/>  
Summary : A process-transparent configuration system  
Description :  
GConf is a process-transparent configuration database API used to store user preferences. It has pluggable backends and features to support workgroup administration.

Name : python-ethtool  
Version : 0.8  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:16 AM EST  
Group : System Environment/Libraries  
Size : 76161  
License : GPLv2  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:39:03 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-ethtool-0.8-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:41:16 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.fedorahosted.org/cgit/python-ethtool.git>  
Summary : Ethernet settings python bindings  
Description :



Python bindings for the ethtool kernel interface, that allows querying and changing of Ethernet card settings, such as speed, port, auto-negotiation, and PCI locations.

Name : e2fsprogs-libs  
Version : 1.42.9  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:20 AM EST  
Group : Development/Libraries  
Size : 363569  
License : GPLv2 and LGPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:41:56 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : e2fsprogs-1.42.9-10.el7.src.rpm  
Build Date : Wed 02 Aug 2017 11:29:22 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://e2fsprogs.sourceforge.net/>  
Summary : Ext2/3/4 filesystem-specific shared libraries  
Description :  
E2fsprogs-libs contains libe2p and libext2fs, the libraries of the e2fsprogs package.

These libraries are used to directly access ext2/3/4 filesystems from userspace.

Name : mesa-libgbm  
Version : 17.0.1  
Release : 6.20170307.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:31 AM EST  
Group : System Environment/Libraries  
Size : 49888  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:21:01 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : mesa-17.0.1-6.20170307.el7.src.rpm  
Build Date : Fri 04 Aug 2017 12:27:35 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mesa3d.org>  
Summary : Mesa gbm library  
Description :  
Mesa gbm runtime library.

Name : fipscheck-lib  
Version : 1.4.1

Release : 6.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:17 AM EST  
Group : System Environment/Libraries  
Size : 11466  
License : BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:53:57 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : fipscheck-1.4.1-6.el7.src.rpm  
Build Date : Wed 02 Aug 2017 08:47:49 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/fipscheck/>  
Summary : Library files for fipscheck  
Description :  
This package contains the FIPSCheck library.

Name : snappy  
Version : 1.1.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:21 AM EST  
Group : System Environment/Libraries  
Size : 119521  
License : BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:02:19 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : snappy-1.1.0-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:40:34 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://code.google.com/p/snappy/>  
Summary : Fast compression and decompression library  
Description :  
Snappy is a compression/decompression library. It does not aim for maximum compression, or compatibility with any other compression library; instead, it aims for very high speeds and reasonable compression. For instance, compared to the fastest mode of zlib, Snappy is an order of magnitude faster for most inputs, but the resulting compressed files are anywhere from 20% to 100% bigger.

Name : pango  
Version : 1.40.4  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:32 AM EST  
Group : Unspecified

Size : 765320  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:48:22 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pango-1.40.4-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 10:36:06 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.pango.org>  
Summary : System for layout and rendering of internationalized text  
Description :  
Pango is a library for laying out and rendering of text, with an emphasis on internationalization. Pango can be used anywhere that text layout is needed, though most of the work on Pango so far has been done in the context of the GTK+ widget toolkit. Pango forms the core of text and font handling for GTK+.

Pango is designed to be modular; the core Pango layout engine can be used with different font backends.

The integration of Pango with Cairo provides a complete solution with high quality text handling and graphics rendering.

Name : python-pwquality  
Version : 1.2.3  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:18 AM EST  
Group : Development/Libraries  
Size : 20792  
License : BSD or GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:41:16 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libpwquality-1.2.3-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:44:56 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libpwquality.fedorahosted.org/>  
Summary : Python bindings for the libpwquality library  
Description :  
This is pwquality Python module that provides Python bindings for the libpwquality library. These bindings can be used for easy password quality checking and generation of random pronounceable passwords from Python applications.

Name : libusal  
Version : 1.1.11

Release : 23.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:22 AM EST  
Group : Development/Libraries  
Size : 463934  
License : GPLv2  
Signature : RSA/SHA256, Wed 25 Nov 2015 10:10:55 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : cdrkit-1.1.11-23.el7.src.rpm  
Build Date : Fri 20 Nov 2015 12:08:38 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cdrkit.org/>  
Summary : Library to communicate with SCSI devices  
Description :  
The libusal package contains C libraries that allows applications to communicate with SCSI devices and is well suitable for writing CD-R media.

Name : gstreamer1-plugins-base  
Version : 1.10.4  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:34 AM EST  
Group : Unspecified  
Size : 4833073  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:29:25 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gstreamer1-plugins-base-1.10.4-1.el7.src.rpm  
Build Date : Sun 06 Aug 2017 12:42:54 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gstreamer.freedesktop.org/>  
Summary : GStreamer streaming media framework base plugins  
Description :  
GStreamer is a streaming media framework, based on graphs of filters which operate on media data. Applications using this library can do anything from real-time sound processing to playing videos, and just about anything else media-related. Its plugin-based architecture means that new data types or processing capabilities can be added simply by installing new plug-ins.

This package contains a set of well-maintained base plug-ins.

Name : python-slip  
Version : 0.4.0  
Release : 2.el7

Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:19 AM EST  
Group : System Environment/Libraries  
Size : 61353  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:41:55 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : python-slip-0.4.0-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:57:01 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/python-slip>  
Summary : Miscellaneous convenience, extension and workaround code  
for Python  
Description :  
The Simple Library for Python packages contain miscellaneous code for  
convenience, extension and workaround purposes.

This package provides the "slip" and the "slip.util" modules.

Name : libtasn1  
Version : 4.10  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:23 AM EST  
Group : System Environment/Libraries  
Size : 424486  
License : GPLv3+ and LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:58:43 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libtasn1-4.10-1.el7.src.rpm  
Build Date : Tue 01 Aug 2017 08:21:37 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/libtasn1/>  
Summary : The ASN.1 library used in GNUTLS  
Description :  
A library that provides Abstract Syntax Notation One (ASN.1, as specified  
by the X.680 ITU-T recommendation) parsing and structures management, and  
Distinguished Encoding Rules (DER, as per X.690) encoding and decoding  
functions.

Name : device-mapper-event-libs  
Epoch : 7  
Version : 1.02.140  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:34 AM EST  
Group : System Environment/Libraries  
Size : 50556

License : LGPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:35:14 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : lvm2-2.02.171-8.el7.src.rpm  
Build Date : Sat 05 Aug 2017 11:10:51 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sources.redhat.com/lvm2>  
Summary : Device-mapper event daemon shared library  
Description :  
This package contains the device-mapper event daemon shared library,  
libdevmapper-event.

Name : gstreamer-tools  
Version : 0.10.36  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:19 AM EST  
Group : Applications/Multimedia  
Size : 96000  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:48:48 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gstreamer-0.10.36-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:26:08 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gstreamer.freedesktop.org/>  
Summary : common tools and files for GStreamer streaming media  
framework  
Description :  
GStreamer is a streaming media framework, based on graphs of filters  
which  
operate on media data. Applications using this library can do anything  
from real-time sound processing to playing videos, and just about  
anything  
else media-related. Its plugin-based architecture means that new data  
types or processing capabilities can be added simply by installing new  
plugins.

This package contains wrapper scripts for the command-line tools that  
work  
with different major/minor versions of GStreamer.

Name : libieee1284  
Version : 0.2.11  
Release : 15.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:23 AM EST  
Group : System Environment/Libraries

Size : 83389  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:53:57 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libieee1284-0.2.11-15.el7.src.rpm  
Build Date : Tue 17 Jun 2014 12:23:12 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cyberelk.net/tim/libieee1284/>  
Summary : A library for interfacing IEEE 1284-compatible devices  
Description :  
The libieee1284 library is for communicating with parallel port devices.

Name : samba-client-libs  
Epoch : 0  
Version : 4.6.2  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:36 AM EST  
Group : Unspecified  
Size : 19322744  
License : GPLv3+ and LGPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:47:46 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : samba-4.6.2-8.el7.src.rpm  
Build Date : Mon 07 Aug 2017 10:01:27 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.samba.org/>  
Summary : Samba client libraries  
Description :  
The samba-client-libs package contains internal libraries needed by the  
SMB/CIFS clients.

Name : libgcab1  
Version : 0.7  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:20 AM EST  
Group : Unspecified  
Size : 185544  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:08:35 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gcab-0.7-3.el7.src.rpm  
Build Date : Sun 06 Aug 2017 11:10:47 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL : <http://ftp.gnome.org/pub/GNOME/sources/gcab>  
Summary : Library to create Cabinet archives  
Description :  
libgcab is a library to manipulate Cabinet archive using GIO/GObject.

Name : p11-kit-trust  
Version : 0.23.5  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:24 AM EST  
Group : Unspecified  
Size : 437261  
License : BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:44:51 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : p11-kit-0.23.5-3.el7.src.rpm  
Build Date : Fri 04 Aug 2017 07:37:00 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://p11-glue.freedesktop.org/p11-kit.html>  
Summary : System trust module from p11-kit  
Description :  
The p11-kit-trust package contains a system trust PKCS#11 module which  
contains certificate anchors and black lists.

Name : pangomm  
Version : 2.40.1  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:37 AM EST  
Group : System Environment/Libraries  
Size : 223181  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:48:56 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : pangomm-2.40.1-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 11:38:37 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gtkmm.org/>  
Summary : C++ interface for Pango  
Description :  
pangomm provides a C++ interface to the Pango library. Highlights  
include typesafe callbacks, widgets extensible via inheritance and a  
comprehensive set of widget classes that can be freely combined to  
quickly create complex user interfaces.

Name : libgee  
Version : 0.18.1  
Release : 1.el7



Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:21 AM EST  
Group : Unspecified  
Size : 968486  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:09:35 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libgee-0.18.1-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 03:17:51 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/Libgee>  
Summary : GObject collection library  
Description :  
libgee is a collection library providing GObject-based interfaces and  
classes for commonly used data structures.

- \* Traversable
  - o Iterable
    - + Collection
      - List
        - \* BidirList
      - Set
        - \* SortedSet
          - o BidirSortedSet
      - MultiSet
      - Queue
        - \* Deque
    - + Map
      - SortedMap
        - \* BidirSortedMap
  - o Iterator
    - + BidirIterator
      - BidirListIterator
    - + ListIterator
      - BidirListIterator
- \* MultiMap

The ArrayList, ArrauQueue, ConcurrentLinkedList, ConcurrentSet, HashSet, HashMap, HashMultiSet, HashMultiMap, LinkedList, PriorityQueue, TreeSet, TreeMap, TreeMultiSet, and TreeMultiMap classes provide a reasonable sample

implementation of those interfaces. In addition, a set of abstract classes are provided to ease the implementation of new collections.

Around that, the API provide means to retrieve read-only views, efficient sort algorithms, simple, bi-directional or index-based mutable iterators depending on the collection type.

Libgee is written in Vala and can be used like any GObject-based C library. It's planned to provide bindings for further languages.

Name : nettle  
Version : 2.7.1  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:25 AM EST  
Group : Development/Libraries  
Size : 765042  
License : LGPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 02:36:42 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : nettle-2.7.1-8.el7.src.rpm  
Build Date : Sat 05 Nov 2016 08:21:19 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.lysator.liu.se/~nisse/nettle/>  
Summary : A low-level cryptographic library  
Description :  
Nettle is a cryptographic library that is designed to fit easily in more or less any context: In crypto toolkits for object-oriented languages (C++, Python, Pike, ...), in applications like LSH or GNUPG, or even in kernel space.

Name : python-linux-procfs  
Version : 0.4.9  
Release : 3.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:22 AM EST  
Group : System Environment/Libraries  
Size : 96639  
License : GPLv2  
Signature : RSA/SHA256, Sun 20 Nov 2016 03:16:35 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-linux-procfs-0.4.9-3.el7.src.rpm  
Build Date : Sat 05 Nov 2016 09:48:02 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://userweb.kernel.org/~acme/python-linux-procfs>  
Summary : Linux /proc abstraction classes  
Description :  
Abstractions to extract information from the Linux kernel /proc files.

Name : xorg-x11-server-utils  
Version : 7.7  
Release : 20.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:26 AM EST  
Group : Unspecified  
Size : 431711  
License : MIT

Signature : RSA/SHA256, Fri 11 Aug 2017 03:31:51 PM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : xorg-x11-server-utils-7.7-20.el7.src.rpm

Build Date : Fri 11 Aug 2017 02:43:12 PM EDT

Build Host : clbm.rdu2.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://www.x.org>

Summary : X.Org X11 X server utilities

Description :

A collection of utilities used to tweak and query the runtime  
configuration of

the X server.

Name : iscsi-initiator-utils-iscsiuio

Version : 6.2.0.874

Release : 4.el7

Architecture: x86\_64

Install Date: Mon 03 Dec 2018 08:53:38 AM EST

Group : System Environment/Daemons

Size : 184061

License : BSD

Signature : RSA/SHA256, Thu 10 Aug 2017 12:48:36 PM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : iscsi-initiator-utils-6.2.0.874-4.el7.src.rpm

Build Date : Mon 07 Aug 2017 10:51:33 AM EDT

Build Host : clbm.rdu2.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://www.open-iscsi.org>

Summary : Userspace configuration daemon required for some iSCSI  
hardware

Description :

The iscsiuiio configuration daemon provides network configuration help  
for some iSCSI offload hardware.

Name : python-lxml

Version : 3.2.1

Release : 4.el7

Architecture: x86\_64

Install Date: Mon 03 Dec 2018 08:52:23 AM EST

Group : Development/Libraries

Size : 2722705

License : BSD

Signature : RSA/SHA256, Fri 04 Jul 2014 12:39:58 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : python-lxml-3.2.1-4.el7.src.rpm

Build Date : Tue 10 Jun 2014 02:07:30 AM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://lxml.de>  
Summary : ElementTree-like Python bindings for libxml2 and libxslt  
Description :  
lxml provides a Python binding to the libxslt and libxml2 libraries.  
It follows the ElementTree API as much as possible in order to provide  
a more Pythonic interface to libxml2 and libxslt than the default  
bindings. In particular, lxml deals with Python Unicode strings  
rather than encoded UTF-8 and handles memory management automatically,  
unlike the default bindings.

Name : startup-notification  
Version : 0.12  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:27 AM EST  
Group : System Environment/Libraries  
Size : 92724  
License : LGPLv2  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:05:30 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : startup-notification-0.12-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:43:22 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/software/startup-notification/>  
Summary : Library for tracking application startup  
Description :  
This package contains libstartup-notification which implements a  
startup notification protocol. Using this protocol a desktop  
environment can track the launch of an application and provide  
feedback such as a busy cursor, among other features.

Name : kernel  
Version : 3.10.0  
Release : 862.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:46 AM EST  
Group : System Environment/Kernel  
Size : 64576056  
License : GPLv2  
Signature : RSA/SHA256, Wed 25 Apr 2018 07:09:35 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : kernel-3.10.0-862.el7.src.rpm  
Build Date : Fri 20 Apr 2018 01:46:52 PM EDT  
Build Host : kbuilder.dev.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.kernel.org/>  
Summary : The Linux kernel  
Description :  
The kernel package contains the Linux kernel (vmlinuz), the core of any

Linux operating system. The kernel handles the basic functions of the operating system: memory allocation, process allocation, device input and output, etc.

Name : tomcat-jsp-2.2-api  
Epoch : 0  
Version : 7.0.76  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:23 AM EST  
Group : Development/Libraries  
Size : 91967  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:06:52 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : tomcat-7.0.76-2.el7.src.rpm  
Build Date : Mon 07 Aug 2017 12:33:29 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://tomcat.apache.org/>  
Summary : Apache Tomcat JSP API implementation classes  
Description :  
Apache Tomcat JSP API implementation classes.

Name : libnl3-cli  
Version : 3.2.28  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:27 AM EST  
Group : Development/Libraries  
Size : 706246  
License : LGPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:22:53 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libnl3-3.2.28-4.el7.src.rpm  
Build Date : Thu 03 Aug 2017 03:49:03 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.infradead.org/~tgr/libnl/>  
Summary : Command line interface utils for libnl3  
Description :  
This package contains various libnl3 utils and additional libraries on which they depend

Name : grub2-tools-minimal  
Epoch : 1  
Version : 2.02  
Release : 0.64.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:47 AM EST

Group : System Environment/Base  
Size : 685755  
License : GPLv3+  
Signature : RSA/SHA256, Tue 22 Aug 2017 01:19:07 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : grub2-2.02-0.64.el7.centos.src.rpm  
Build Date : Thu 17 Aug 2017 02:01:13 PM EDT  
Build Host : kbuilder.dev.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/grub/>  
Summary : Support tools for GRUB.  
Description :

The GRand Unified Bootloader (GRUB) is a highly configurable and customizable bootloader with modular architecture. It supports a rich variety of kernel formats, file systems, computer architectures and hardware devices.

This subpackage provides tools for support of all platforms.

Name : python-di  
Version : 0.3  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:23 AM EST  
Group : Unspecified  
Size : 42665  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:38:48 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : python-di-0.3-2.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:24:43 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://fedorapeople.org/cgit/msivak/public\\_git/python-di.git/](http://fedorapeople.org/cgit/msivak/public_git/python-di.git/)  
Summary : Python library for dependency injection support  
Description :  
This python package provides a "di" module. The module contains a couple of  
decorators which try to implement the Dependency Injection (IoC) pattern  
without requiring the user to change local variables in his methods.

It is intended to be used in unit testing environments.

Name : iso-codes  
Version : 3.46  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:29 AM EST

Group : System Environment/Base  
Size : 14504447  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:09:42 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : iso-codes-3.46-2.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:55:28 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://alioth.debian.org/projects/pkg-isocodes/>  
Summary : ISO code lists and translations  
Description :  
This package provides the ISO 639 Language code list, the ISO 4217 Currency code list, the ISO 3166 Territory code list, and ISO 3166-2 sub-territory lists, and all their translations in gettext format.

Name : python-pyudev  
Version : 0.15  
Release : 9.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:53:47 AM EST  
Group : Development/Languages  
Size : 241404  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:22:56 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-pyudev-0.15-9.el7.src.rpm  
Build Date : Thu 03 Aug 2017 01:51:26 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://pypi.python.org/pypi/pyudev>  
Summary : A libudev binding  
Description :

pyudev is a LGPL licensed, pure Python binding for libudev, the device and hardware management and information library for Linux. It supports almost all libudev functionality, you can enumerate devices, query device properties and attributes or monitor devices, including asynchronous monitoring with threads, or within the event loops of Qt, Glib or wxPython.

The binding supports CPython\_2 (2.6 or newer) and 3 (3.1 or newer), and PyPy\_1.5 or newer. It is tested against udev 151 or newer, earlier versions of udev as found on dated Linux systems may work, but are not officially supported.

Name : python-sssconfig  
Version : 1.15.2  
Release : 50.el7

Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:24 AM EST  
Group : Applications/System  
Size : 233089  
License : GPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:23:53 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sssd-1.15.2-50.el7.src.rpm  
Build Date : Mon 07 Aug 2017 05:38:50 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://pagure.io/SSSD/sssdl>  
Summary : SSSD and IPA configuration file manipulation classes and  
functions  
Description :  
Provides python2 files for manipulation SSSD and IPA configuration files.

Name : mozjs24  
Version : 24.2.0  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:30 AM EST  
Group : Development/Languages  
Size : 5996073  
License : MPLv2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:24:55 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : mozjs24-24.2.0-7.el7.src.rpm  
Build Date : Thu 03 Aug 2017 04:43:11 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mozilla.org/js/>  
Summary : JavaScript interpreter and libraries  
Description :  
JavaScript is the Netscape-developed object scripting language used in  
millions  
of web pages and server applications worldwide. Netscape's JavaScript is  
a  
super set of the ECMA-262 Edition 3 (ECMAScript) standard scripting  
language,  
with only mild differences from the published standard.

Name : libreport-centos  
Version : 2.1.11  
Release : 38.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:48 AM EST  
Group : System Environment/Libraries  
Size : 34728  
License : GPLv2+



Signature : RSA/SHA256, Thu 10 Aug 2017 01:47:10 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libreport-2.1.11-38.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 07:43:26 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : libreport's CentOS Bug Tracker workflow  
Description :  
Workflows to report issues into the CentOS Bug Tracker.

Name : python-perf  
Version : 3.10.0  
Release : 693.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:24 AM EST  
Group : Development/Libraries  
Size : 332181  
License : GPLv2  
Signature : RSA/SHA256, Tue 22 Aug 2017 07:54:33 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : kernel-3.10.0-693.el7.src.rpm  
Build Date : Tue 22 Aug 2017 06:05:45 PM EDT  
Build Host : kbuilder.dev.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.kernel.org/>  
Summary : Python bindings for apps which will manipulate perf events  
Description :  
The python-perf package contains a module that permits applications  
written in the Python programming language to use the interface  
to manipulate perf events.

Name : libunistring  
Version : 0.9.3  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:30 AM EST  
Group : System Environment/Libraries  
Size : 1145761  
License : LGPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:22:35 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libunistring-0.9.3-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:52:46 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/libunistring/>  
Summary : GNU Unicode string library

Description :

This portable C library implements Unicode string types in three flavours:  
(UTF-8, UTF-16, UTF-32), together with functions for character processing  
(  
Names, classifications, properties) and functions for string processing  
(iteration, formatted output, width, word breaks, line breaks,  
normalization,  
case folding and regular expressions).

Name : rdma-core  
Version : 13  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:48 AM EST  
Group : Unspecified  
Size : 101844  
License : GPLv2 or BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:38:36 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : rdma-core-13-7.el7.src.rpm  
Build Date : Fri 04 Aug 2017 06:22:07 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/linux-rdma/rdma-core>  
Summary : RDMA core userspace libraries and daemons  
Description :  
RDMA core userspace infrastructure and documentation, including  
initscripts,  
kernel driver-specific modprobe override configs, IPoIB network scripts,  
dracut rules, and the rdma-ndd utility.

Name : python-coverage  
Version : 3.6  
Release : 0.5.b3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:25 AM EST  
Group : System Environment/Libraries  
Size : 582023  
License : BSD and (MIT or GPLv2)  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:38:28 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : python-coverage-3.6-0.5.b3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:09:41 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://nedbatchelder.com/code/modules/coverage.html>  
Summary : Code coverage testing module for Python  
Description :  
Coverage.py is a Python module that measures code coverage during Python

execution. It uses the code analysis tools and tracing hooks provided in the Python standard library to determine which lines are executable, and which have been executed.

Name : mesa-private-llvm  
Version : 3.9.1  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:33 AM EST  
Group : System Environment/Libraries  
Size : 30621680  
License : NCSA  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:22:33 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : mesa-private-llvm-3.9.1-3.el7.src.rpm  
Build Date : Thu 03 Aug 2017 09:42:23 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://llvm.org>  
Summary : llvm engine for Mesa  
Description :  
This package contains the LLVM-based runtime support for Mesa. It is not a fully-featured build of LLVM, and use by any package other than Mesa is not supported.

Name : sssd-common-pac  
Version : 1.15.2  
Release : 50.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:49 AM EST  
Group : Applications/System  
Size : 218331  
License : GPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:56:38 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sssd-1.15.2-50.el7.src.rpm  
Build Date : Mon 07 Aug 2017 05:38:50 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://pagure.io/SSSD/sssdpac>  
Summary : Common files needed for supporting PAC processing  
Description :  
Provides common files needed by SSSD providers such as IPA and Active Directory for handling Kerberos PACs.

Name : python-configobj  
Version : 4.7.2  
Release : 7.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:25 AM EST  
Group : System Environment/Libraries  
Size : 611855  
License : BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:38:24 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-configobj-4.7.2-7.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:57:08 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.voidspace.org.uk/python/configobj.html>  
Summary : Config file reading, writing, and validation  
Description :  
ConfigObj is a simple but powerful config file reader and writer: an ini file round tripper. Its main feature is that it is very easy to use, with a straightforward programmer's interface and a simple syntax for config files.  
It has lots of other features though:

- \* Nested sections (subsections), to any level
- \* List values
- \* Multiple line values
- \* String interpolation (substitution)
- \* Integrated with a powerful validation system
  - o including automatic type checking/conversion
  - o repeated sections
  - o and allowing default values
- \* All comments in the file are preserved
- \* The order of keys/sections is preserved
- \* No external dependencies
- \* Full Unicode support
- \* A powerful unrepr mode for storing basic datatypes

Name : libsndfile  
Version : 1.0.25  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:34 AM EST  
Group : System Environment/Libraries  
Size : 413449  
License : LGPLv2+ and GPLv2+ and BSD  
Signature : RSA/SHA256, Wed 25 Nov 2015 10:08:25 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : libsndfile-1.0.25-10.el7.src.rpm  
Build Date : Fri 20 Nov 2015 02:05:57 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://www.mega-nerd.com/libsndfile/>  
Summary : Library for reading and writing sound files  
Description :  
libsndfile is a C library for reading and writing sound files such as  
AIFF, AU, WAV, and others through one standard interface. It can  
currently read/write 8, 16, 24 and 32-bit PCM files as well as 32 and  
64-bit floating point WAV files and a number of compressed formats. It  
compiles and runs on \*nix, MacOS, and Win32.

Name : pycairo  
Version : 1.8.10  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:50 AM EST  
Group : Development/Languages  
Size : 335193  
License : MPLv1.1 or LGPLv2  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:35:59 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : pycairo-1.8.10-8.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:21:32 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cairographics.org/pycairo>  
Summary : Python bindings for the cairo library  
Description :  
Python bindings for the cairo library.

Name : perl-Net-SSLeay  
Version : 1.55  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:26 AM EST  
Group : Development/Libraries  
Size : 1014813  
License : OpenSSL  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:07:29 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Net-SSLeay-1.55-6.el7.src.rpm  
Build Date : Wed 02 Aug 2017 06:15:02 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Net-SSLeay/>  
Summary : Perl extension for using OpenSSL  
Description :  
This module offers some high level convenience functions for accessing  
web pages on SSL servers (for symmetry, same API is offered for  
accessing http servers, too), a sslcat() function for writing your own  
clients, and finally access to the SSL API of SSLeay/OpenSSL package

so you can write servers or clients for more complicated applications.

Name : libnl  
Version : 1.1.4  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:34 AM EST  
Group : Development/Libraries  
Size : 373662  
License : LGPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:02:21 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libnl-1.1.4-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:58:17 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.infradead.org/~tgr/libnl/>  
Summary : Convenience library for kernel netlink sockets  
Description :  
This package contains a convenience library to simplify using the Linux kernel's netlink sockets interface for network manipulation

Name : mesa-dri-drivers  
Version : 17.0.1  
Release : 6.20170307.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:51 AM EST  
Group : User Interface/X Hardware Support  
Size : 17630564  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:20:29 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : mesa-17.0.1-6.20170307.el7.src.rpm  
Build Date : Fri 04 Aug 2017 12:27:35 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mesa3d.org>  
Summary : Mesa-based DRI drivers  
Description :  
Mesa-based DRI drivers.

Name : perl-XML-SAX  
Version : 0.99  
Release : 9.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:26 AM EST  
Group : Development/Libraries  
Size : 128286  
License : GPL+ or Artistic

Signature : RSA/SHA256, Fri 04 Jul 2014 12:26:28 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-XML-SAX-0.99-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:18:20 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/XML-SAX/>  
Summary : SAX parser access API for Perl  
Description :  
XML::SAX consists of several framework classes for using and building  
Perl SAX2 XML parsers, filters, and drivers. It is designed around the  
need to be able to "plug in" different SAX parsers to an application  
without requiring programmer intervention. Those of you familiar with  
the DBI will be right at home. Some of the designs come from the Java  
JAXP specification (SAX part), only without the javanness.

Name : slang  
Version : 2.2.4  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:35 AM EST  
Group : System Environment/Libraries  
Size : 1881912  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:01:18 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : slang-2.2.4-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:12:57 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.jedsoft.org/slang/>  
Summary : The shared library for the S-Lang extension language  
Description :  
S-Lang is an interpreted language and a programming library. The  
S-Lang language was designed so that it can be easily embedded into  
a program to provide the program with a powerful extension language.  
The S-Lang library, provided in this package, provides the S-Lang  
extension language. S-Lang's syntax resembles C, which makes it easy  
to recode S-Lang procedures in C if you need to.

Name : ibus-libs  
Version : 1.5.3  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:53 AM EST  
Group : System Environment/Libraries  
Size : 678688  
License : LGPLv2+  
Signature : RSA/SHA256, Wed 25 Nov 2015 09:42:13 AM EST, Key ID  
24c6a8a7f4a80eb5

Source RPM : ibus-1.5.3-13.el7.src.rpm  
Build Date : Fri 20 Nov 2015 09:09:06 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://code.google.com/p/ibus/>  
Summary : IBus libraries  
Description :  
This package contains the libraries for IBus

Name : freerdp-libs  
Version : 1.0.2  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:27 AM EST  
Group : Applications/Communications  
Size : 716771  
License : ASL 2.0  
Signature : RSA/SHA256, Sun 20 Nov 2016 12:45:17 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : freerdp-1.0.2-10.el7.src.rpm  
Build Date : Sat 05 Nov 2016 12:51:27 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freerdp.com/>  
Summary : Core libraries implementing the RDP protocol  
Description :  
libfreerdp-core can be embedded in applications.

libfreerdp-channels and libfreerdp-kbd might be convenient to use in X applications together with libfreerdp-core.

libfreerdp-core can be extended with plugins handling RDP channels.

Name : libxkbcommon  
Version : 0.7.1  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:36 AM EST  
Group : Unspecified  
Size : 274686  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:11:41 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libxkbcommon-0.7.1-1.el7.src.rpm  
Build Date : Tue 01 Aug 2017 09:34:03 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>



Summary : X.Org X11 XKB parsing library  
Description :  
libxkbcommon is the X.Org library for compiling XKB maps into formats  
usable by  
the X Server or other display servers.

Name : qemu-img  
Epoch : 10  
Version : 1.5.3  
Release : 141.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:54 AM EST  
Group : Development/Tools  
Size : 2408909  
License : GPLv2+ and LGPLv2+ and BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:25:24 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : qemu-kvm-1.5.3-141.el7.src.rpm  
Build Date : Fri 04 Aug 2017 05:39:51 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.qemu.org/>  
Summary : QEMU command line tool for manipulating disk images  
Description :  
This package provides a command line tool for manipulating disk images.

Name : xmlsec1-openssl  
Version : 1.2.20  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:28 AM EST  
Group : Development/Libraries  
Size : 245088  
License : MIT  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:40:45 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xmlsec1-1.2.20-5.el7.src.rpm  
Build Date : Fri 06 Mar 2015 01:05:45 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.aleksey.com/xmlsec/>  
Summary : OpenSSL crypto plugin for XML Security Library  
Description :  
OpenSSL plugin for XML Security Library provides OpenSSL based crypto  
services  
for the xmlsec library.

Name : libnetfilter\_conntrack  
Version : 1.0.6  
Release : 1.el7\_3

Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:36 AM EST  
Group : System Environment/Libraries  
Size : 143566  
License : GPLv2+  
Signature : RSA/SHA256, Thu 25 May 2017 07:23:10 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libnetfilter\_conntrack-1.0.6-1.el7\_3.src.rpm  
Build Date : Thu 25 May 2017 03:59:45 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://netfilter.org>  
Summary : Netfilter conntrack userspace library  
Description :  
libnetfilter\_conntrack is a userspace library providing a programming  
interface (API) to the in-kernel connection tracking state table.

Name : lohit-nepali-fonts  
Version : 2.5.3  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:42 AM EST  
Group : User Interface/X  
Size : 85205  
License : OFL  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:14 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : lohit-nepali-fonts-2.5.3-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:11:12 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/lohit/>  
Summary : Free Nepali font  
Description :  
This package provides a free Nepali truetype/opentype font.

Name : abrt-addon-python  
Version : 2.1.11  
Release : 48.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:59 AM EST  
Group : System Environment/Libraries  
Size : 31464  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 10:52:54 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : abrt-2.1.11-48.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 10:17:54 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : abrt's addon for catching and analyzing Python exceptions  
Description :  
This package contains python hook and python analyzer plugin for handling  
uncaught exception in python programs.

Name : khmeros-base-fonts  
Version : 5.0  
Release : 17.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:47 AM EST  
Group : User Interface/X  
Size : 732951  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:31:12 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : khmeros-fonts-5.0-17.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:27:40 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.khmeros.info/drupal/?q=en/download/fonts>  
Summary : Base KhmerOS font  
Description :

The Khmer OS fonts include Khmer and Latin alphabets, and they have  
equivalent  
sizes for Khmer and English alphabets, so that when texts mix both it is  
not  
necessary to have different point sizes for the text in each language.

They were created by Danh Hong of the Cambodian Open Institute.

Base KhmerOS fonts.

Name : abrt-addon-ccpp  
Version : 2.1.11  
Release : 48.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:59 AM EST  
Group : System Environment/Libraries  
Size : 356038  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 10:52:29 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : abrt-2.1.11-48.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 10:17:54 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL : <https://fedorahosted.org/abrt/>  
Summary : abrt's C/C++ addon  
Description :  
This package contains hook for C/C++ crashed programs and abrt's C/C++ analyzer plugin.

Name : ppp  
Version : 2.4.5  
Release : 33.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:57 AM EST  
Group : System Environment/Daemons  
Size : 872624  
License : BSD and LGPLv2+ and GPLv2+ and Public Domain  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:34:15 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ppp-2.4.5-33.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:27:03 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.samba.org/ppp>  
Summary : The Point-to-Point Protocol daemon  
Description :  
The ppp package contains the PPP (Point-to-Point Protocol) daemon and documentation for PPP support. The PPP protocol provides a method for transmitting datagrams over serial point-to-point links. PPP is usually used to dial in to an ISP (Internet Service Provider) or other organization over a modem and phone line.

Name : sil-abyssinica-fonts  
Version : 1.200  
Release : 6.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:53 AM EST  
Group : Unspecified  
Size : 1171204  
License : OFL  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:59:59 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sil-abyssinica-fonts-1.200-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:48:25 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://scripts.sil.org/AbyssinicaSIL>  
Summary : SIL Abyssinica fonts  
Description :  
SIL Abyssinica is a Unicode typeface family containing glyphs for the Ethiopic script.

The Ethiopic script is used for writing many of the languages of Ethiopia and Eritrea. Abyssinica SIL supports all Ethiopic characters which are in Unicode including the Unicode 4.1 extensions. Some languages of Ethiopia are not yet able to be fully represented in Unicode and, where necessary, we have included non-Unicode characters in the Private Use Area (see Private-use (PUA) characters supported by Abyssinica SIL).

Abyssinica SIL is based on Ethiopic calligraphic traditions. This release is a regular typeface, with no bold or italic version available or planned.

Name : system-config-printer-libs  
Version : 1.4.1  
Release : 19.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:55:00 AM EST  
Group : System Environment/Base  
Size : 4840407  
License : GPLv2+  
Signature : RSA/SHA256, Mon 03 Nov 2014 09:07:48 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : system-config-printer-1.4.1-19.el7.src.rpm  
Build Date : Mon 03 Nov 2014 08:49:36 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cyberelk.net/tim/software/system-config-printer/>  
Summary : Libraries and shared code for printer administration tool  
Description :  
The common code used by both the graphical and non-graphical parts of the configuration tool.

Name : libreport-plugin-rhtsupport  
Version : 2.1.11  
Release : 38.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:57 AM EST  
Group : System Environment/Libraries  
Size : 106275  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:49:00 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libreport-2.1.11-38.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 07:43:26 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>

Summary : libreport's RHTSupport plugin  
Description :  
Plugin to report bugs into RH support system.

Name : lohit-tamil-fonts  
Version : 2.5.3  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:58 AM EST  
Group : User Interface/X  
Size : 79141  
License : OFL  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:20 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : lohit-tamil-fonts-2.5.3-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:37:53 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/lohit/>  
Summary : Free Tamil font  
Description :  
This package provides a free Tamil truetype/opentype font.

Name : cups-client  
Epoch : 1  
Version : 1.6.3  
Release : 29.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:00 AM EST  
Group : System Environment/Daemons  
Size : 170396  
License : GPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:29:30 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : cups-1.6.3-29.el7.src.rpm  
Build Date : Thu 03 Aug 2017 02:41:19 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.cups.org/>  
Summary : CUPS printing system - client programs  
Description :  
CUPS printing system provides a portable printing layer for  
UNIX® operating systems. This package contains command-line client  
programs.

Name : libao  
Version : 1.1.0  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:58 AM EST

Group : System Environment/Libraries  
Size : 201977  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:35:27 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libao-1.1.0-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:05:45 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://xiph.org/ao/>  
Summary : Cross Platform Audio Output Library  
Description :  
Libao is a cross platform audio output library. It currently supports  
ESD, OSS, Solaris, and IRIX.

Name : sil-padauk-fonts  
Version : 2.8  
Release : 5.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:57:03 AM EST  
Group : User Interface/X  
Size : 763225  
License : OFL  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:00:06 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sil-padauk-fonts-2.8-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:07:47 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://scripts.sil.org/Padauk>  
Summary : A font for Burmese and the Myanmar script  
Description :

Padauk is a Myanmar font covering all currently used characters  
in the Myanmar block. The font aims to cover all minority language needs.  
At the moment, these do not extend to stylistic variation needs.  
The font is a smart font using a Graphite description.

Name : virt-what  
Version : 1.13  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:01 AM EST  
Group : Unspecified  
Size : 43959  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:17:18 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : virt-what-1.13-10.el7.src.rpm  
Build Date : Thu 03 Aug 2017 04:52:20 AM EDT

Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://people.redhat.com/~rjones/virt-what/>  
Summary : Detect if we are running in a virtual machine  
Description :  
virt-what is a shell script which can be used to detect if the program is running in a virtual machine.

The program prints out a list of "facts" about the virtual machine, derived from heuristics. One fact is printed per line.

If nothing is printed and the script exits with code 0 (no error), then it can mean either that the program is running on bare-metal or the program is running inside a type of virtual machine which we don't know about or can't detect.

Current types of virtualization detected:

- hyperv Microsoft Hyper-V
- kvm Linux Kernel Virtual Machine (KVM)
- openvz OpenVZ or Virtuozzo
- powervm\_lx86 IBM PowerVM Lx86 Linux/x86 emulator
- qemu QEMU (unaccelerated)
- uml User-Mode Linux (UML)
- virtage Hitachi Virtualization Manager (HVM) Virtage LPAR
- virtualbox VirtualBox
- virtualpc Microsoft VirtualPC
- vmware VMware
- xen Xen
- xen-dom0 Xen dom0 (privileged domain)
- xen-domU Xen domU (paravirtualized guest domain)
- xen-hvm Xen guest fully virtualized (HVM)

Name : libwacom  
Version : 0.24  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:58 AM EST  
Group : System Environment/Libraries  
Size : 94470  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:07:11 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libwacom-0.24-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 05:39:57 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://linuxwacom.sourceforge.net>  
Summary : Tablet Information Client Library  
Description :



libwacom is a library that provides information about Wacom tablets and tools. This information can then be used by drivers or applications to tweak the UI or general settings to match the physical tablet.

Name : smc-meera-fonts  
Version : 6.0  
Release : 7.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:57:09 AM EST  
Group : Unspecified  
Size : 349365  
License : GPLv2+ with exceptions  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:01:52 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : smc-fonts-6.0-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:40:53 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://savannah.nongnu.org/projects/smc>  
Summary : Open Type Fonts for Malayalam script  
Description :  
The Meera font package contains fonts for the display of traditional Malayalam Scripts.

Name : libwvstreams  
Version : 4.6.1  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:01 AM EST  
Group : System Environment/Libraries  
Size : 2288470  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:28:35 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libwvstreams-4.6.1-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:40:09 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://code.google.com/p/wvstreams/>  
Summary : WvStreams is a network programming library written in C++  
Description :  
WvStreams aims to be an efficient, secure, and easy-to-use library for doing network applications development.

Name : teamd  
Version : 1.25  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:59 AM EST

Group : System Environment/Daemons  
Size : 277765  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:04:28 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libteam-1.25-5.el7.src.rpm  
Build Date : Thu 03 Aug 2017 03:13:07 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libteam.org>  
Summary : Team network device control daemon  
Description :  
The teamd package contains team network device control daemon.

Name : iwl5150-firmware  
Version : 8.24.2.2  
Release : 56.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:57:14 AM EST  
Group : System Environment/Kernel  
Size : 447557  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:49:27 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20170606-56.gitc990aae.el7.src.rpm  
Build Date : Sat 05 Aug 2017 02:03:09 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel® PRO/Wireless 5150 A/G/N network  
adaptors  
Description :  
This package contains the firmware required by the iwl5150 driver  
for Linux. Usage of the firmware is subject to the terms and conditions  
contained inside the provided LICENSE file. Please read it carefully.

Name : gnome-menus  
Version : 3.13.3  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:02 AM EST  
Group : System Environment/Libraries  
Size : 615486  
License : LGPLv2+  
Signature : RSA/SHA256, Wed 25 Nov 2015 09:35:58 AM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnome-menus-3.13.3-3.el7.src.rpm  
Build Date : Fri 20 Nov 2015 08:41:58 AM EST  
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/>  
Summary : A menu system for the GNOME project  
Description :  
gnome-menus is an implementation of the draft "Desktop Menu Specification" from freedesktop.org. This package also contains the GNOME menu layout configuration files, .directory files and assorted menu related utility programs, Python bindings, and a simple menu editor.

Name : python-meh  
Version : 0.25.2  
Release : 1.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:54:00 AM EST  
Group : System Environment/Libraries  
Size : 243963  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:31:16 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-meh-0.25.2-1.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:13:34 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.fedorahosted.org/git/?p=python-meh.git>  
Summary : A python library for handling exceptions  
Description :  
The python-meh package is a python library for handling, saving, and reporting exceptions.

Name : man-pages-overrides  
Version : 7.4.3  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:57:15 AM EST  
Group : Documentation  
Size : 1726872  
License : GPL+ and GPLv2+ and BSD and MIT and Copyright only and IEEE  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:17:42 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : man-pages-overrides-7.4.3-1.el7.src.rpm  
Build Date : Fri 04 Aug 2017 09:24:06 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : Complementary and updated manual pages  
Description :

A collection of manual ("man") pages to complement other packages or update those contained therein. Always have the latest version of this package installed.

Name : gvfs  
Version : 1.30.4  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:04 AM EST  
Group : Unspecified  
Size : 1146737  
License : GPLv3 and LGPLv2+ and BSD and MPLv2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:36:29 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gvfs-1.30.4-3.el7.src.rpm  
Build Date : Wed 09 Aug 2017 02:39:06 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/gvfs>  
Summary : Backends for the gio framework in GLib  
Description :  
The gvfs package provides backend implementations for the gio framework in GLib. It includes ftp, sftp, cifs.

Name : python-firewall  
Version : 0.4.4.4  
Release : 6.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:54:01 AM EST  
Group : Unspecified  
Size : 1851850  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:20:43 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : firewallld-0.4.4.4-6.el7.src.rpm  
Build Date : Fri 04 Aug 2017 05:14:47 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.firewalld.org>  
Summary : Python2 bindings for firewallld  
Description :  
Python2 bindings for firewallld.

Name : iwl135-firmware  
Version : 18.168.6.1  
Release : 56.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:57:16 AM EST  
Group : System Environment/Kernel

Size : 811385  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:48:57 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20170606-56.gitc990aae.el7.src.rpm  
Build Date : Sat 05 Aug 2017 02:03:09 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel(R) Centrino Wireless-N 135 Series  
Adapters  
Description :  
This package contains the firmware required by the iwlagn driver for Linux to support the iwl135 hardware. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : gnome-bluetooth  
Epoch : 1  
Version : 3.20.1  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:05 AM EST  
Group : Unspecified  
Size : 86432  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:14:59 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-bluetooth-3.20.1-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 05:35:47 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/GnomeBluetooth>  
Summary : Bluetooth graphical utilities  
Description :  
The gnome-bluetooth package contains graphical utilities to setup, monitor and use Bluetooth devices.

Name : libqmi-utils  
Version : 1.16.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:01 AM EST  
Group : Development/Libraries  
Size : 293693  
License : GPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 01:58:17 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : libqmi-1.16.0-1.el7.src.rpm

Build Date : Thu 17 Nov 2016 04:46:43 PM EST  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://freedesktop.org/software/libqmi>  
Summary : Utilities to use the QMI protocol from the command line  
Description :  
This package contains the utilities that make it easier to use QMI functionality from the command line.

Name : iwl7265-firmware  
Version : 22.0.7.0  
Release : 56.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:57:19 AM EST  
Group : System Environment/Kernel  
Size : 31863165  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:49:53 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20170606-56.gitc990aae.el7.src.rpm  
Build Date : Sat 05 Aug 2017 02:03:09 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel(R) Dual Band Wireless-AC 7265 Series Adapters  
Description :  
This package contains the firmware required by the iwlagn driver for Linux. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : pulseaudio-gdm-hooks  
Version : 10.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:07 AM EST  
Group : Unspecified  
Size : 354  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:16:38 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pulseaudio-10.0-3.el7.src.rpm  
Build Date : Sun 06 Aug 2017 01:39:40 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/PulseAudio>

Summary : PulseAudio GDM integration  
Description :  
This package contains GDM integration hooks for the PulseAudio sound server.

Name : NetworkManager-wwan  
Epoch : 1  
Version : 1.10.2  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:01 AM EST  
Group : System Environment/Base  
Size : 130344  
License : GPLv2+  
Signature : RSA/SHA256, Wed 25 Apr 2018 07:29:42 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : NetworkManager-1.10.2-13.el7.src.rpm  
Build Date : Thu 12 Apr 2018 03:44:26 PM EDT  
Build Host : x86-01.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/NetworkManager/>  
Summary : Mobile broadband device plugin for NetworkManager  
Description :  
This package contains NetworkManager support for mobile broadband (WWAN) devices.

Name : rootfiles  
Version : 8.1  
Release : 11.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:57:19 AM EST  
Group : System Environment/Base  
Size : 599  
License : Public Domain  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:50:28 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : rootfiles-8.1-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:11:33 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : The basic required files for the root user's directory  
Description :  
The rootfiles package contains basic required files that are placed in the root user's account. These files are basically the same as those in /etc/skel, which are placed in regular users' home directories.

Name : gnome-shell-extension-places-menu  
Version : 3.22.2  
Release : 10.el7

Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:55:08 AM EST  
Group : User Interface/Desktops  
Size : 23525  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:21:53 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnome-shell-extensions-3.22.2-10.el7.src.rpm  
Build Date : Mon 07 Aug 2017 10:13:52 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://wiki.gnome.org/Projects/GnomeShell/Extensions>  
Summary : Places status menu for GNOME Shell  
Description :  
This GNOME Shell extension add a system status menu for quickly  
navigating  
places in the system.

Name : lvm2  
Epoch : 7  
Version : 2.02.171  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:02 AM EST  
Group : System Environment/Base  
Size : 3006004  
License : GPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:16:08 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : lvm2-2.02.171-8.el7.src.rpm  
Build Date : Sat 05 Aug 2017 11:10:51 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sources.redhat.com/lvm2>  
Summary : Userland logical volume management tools  
Description :  
LVM2 includes all of the support for handling read/write operations on  
physical volumes (hard disks, RAID-Systems, magneto optical, etc.,  
multiple devices (MD), see mdadd(8) or even loop devices, see  
losetup(8)), creating volume groups (kind of virtual disks) from one  
or more physical volumes and creating one or more logical volumes  
(kind of logical partitions) in volume groups.

Name : glibc  
Version : 2.17  
Release : 196.el7  
Architecture: i686  
Install Date: Mon 03 Dec 2018 08:57:21 AM EST  
Group : System Environment/Libraries  
Size : 15201888



License : LGPLv2+ and LGPLv2+ with exceptions and GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:11:46 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : glibc-2.17-196.el7.src.rpm  
Build Date : Tue 01 Aug 2017 04:33:48 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/glibc/>  
Summary : The GNU libc libraries  
Description :  
The glibc package contains standard libraries which are used by  
multiple programs on the system. In order to save disk space and  
memory, as well as to make upgrading easier, common system code is  
kept in one place and shared between programs. This particular package  
contains the most important sets of shared libraries: the standard C  
library and the standard math library. Without these two libraries, a  
Linux system will not function.

Name : abrt-gui  
Version : 2.1.11  
Release : 48.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:08 AM EST  
Group : User Interface/Desktops  
Size : 245785  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 10:54:08 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : abrt-2.1.11-48.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 10:17:54 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : abrt's gui  
Description :  
GTK+ wizard for convenient bug reporting.

Name : sssd-ipa  
Version : 1.15.2  
Release : 50.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:02 AM EST  
Group : Applications/System  
Size : 621618  
License : GPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:56:55 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sssd-1.15.2-50.el7.src.rpm  
Build Date : Mon 07 Aug 2017 05:38:50 PM EDT  
Build Host : clbm.rdu2.centos.org

Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://pagure.io/SSSD/sss/>  
Summary : The IPA back end of the SSSD  
Description :  
Provides the IPA back end that the SSSD can utilize to fetch identity data  
from and authenticate against an IPA server.

Name : libX11  
Version : 1.6.5  
Release : 1.el7  
Architecture: i686  
Install Date: Mon 03 Dec 2018 08:57:22 AM EST  
Group : System Environment/Libraries  
Size : 1312320  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:08:46 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libX11-1.6.5-1.el7.src.rpm  
Build Date : Thu 03 Aug 2017 06:47:05 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Core X11 protocol client library  
Description :  
Core X11 protocol client library.

Name : gnome-boxes  
Version : 3.22.4  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:09 AM EST  
Group : Unspecified  
Size : 5216029  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:15:19 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-boxes-3.22.4-4.el7.src.rpm  
Build Date : Tue 08 Aug 2017 07:07:32 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Apps/Boxes>  
Summary : A simple GNOME 3 application to access remote or virtual systems  
Description :  
gnome-boxes lets you easily create, setup, access, and use:  
\* remote machines  
\* remote virtual machines

- \* local virtual machines
- \* When technology permits, set up access for applications on local virtual machines

```

Name       : kexec-tools
Version    : 2.0.14
Release    : 17.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:54:03 AM EST
Group      : Applications/System
Size       : 756373
License    : GPLv2
Signature  : RSA/SHA256, Thu 10 Aug 2017 12:57:08 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : kexec-tools-2.0.14-17.el7.src.rpm
Build Date : Mon 07 Aug 2017 10:33:53 AM EDT
Build Host  : clbm.rdu2.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
Summary     : The kexec/kdump userspace component.
Description :
kexec-tools provides /sbin/kexec binary that facilitates a new
kernel to boot using the kernel's kexec feature either on a
normal or a panic reboot. This package contains the /sbin/kexec
binary and ancillary utilities that together form the userspace
component of the kernel's kexec feature.

```

```

Name       : lldpad
Version    : 1.0.1
Release    : 3.git036e314.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:54:04 AM EST
Group      : System Environment/Daemons
Size       : 714479
License    : GPLv2
Signature  : RSA/SHA256, Sun 20 Nov 2016 02:21:32 PM EST, Key ID
24c6a8a7f4a80eb5
Source RPM : lldpad-1.0.1-3.git036e314.el7.src.rpm
Build Date : Sat 05 Nov 2016 06:05:54 PM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://open-lldp.org/
Summary     : Intel LLDP Agent
Description :
This package contains the Linux user space daemon and configuration tool
for
Intel LLDP Agent with Enhanced Ethernet support for the Data Center.

```

```

Name       : pinfo
Version    : 0.6.10
Release    : 9.el7

```

Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:10 AM EST  
Group : System Environment/Base  
Size : 304096  
License : GPLv2  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:28:20 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : pinfo-0.6.10-9.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:22:07 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://pinfo.aliioth.debian.org>  
Summary : An info file viewer  
Description :  
Pinfo is an info file (or man page) viewer with a user interface  
similar to the Lynx Web browser's interface. Pinfo supports searching  
using regular expressions, and is based on the ncurses library.

Name : qt-settings  
Version : 19  
Release : 23.5.el7.centos  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:54:04 AM EST  
Group : Unspecified  
Size : 1856  
License : MIT  
Signature : RSA/SHA256, Tue 29 Sep 2015 08:29:07 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : kde-settings-19-23.5.el7.centos.src.rpm  
Build Date : Tue 29 Sep 2015 08:24:29 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/kde-settings>  
Summary : Configuration files for Qt  
Description :  
Configuration files for Qt.

Name : gvfs-archive  
Version : 1.30.4  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:10 AM EST  
Group : Unspecified  
Size : 34085  
License : GPLv3 and LGPLv2+ and BSD and MPLv2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:36:53 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gvfs-1.30.4-3.el7.src.rpm  
Build Date : Wed 09 Aug 2017 02:39:06 AM EDT  
Build Host : clbm.rdu2.centos.org

Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/gvfs>  
Summary : Archiving support for gvfs  
Description :  
This package provides support for accessing files inside Zip and Tar archives,  
as well as ISO images, to applications using gvfs.

Name : gtkmm24  
Version : 2.24.5  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:08 AM EST  
Group : Unspecified  
Size : 5050751  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:32:38 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gtkmm24-2.24.5-1.el7.src.rpm  
Build Date : Sun 06 Aug 2017 01:55:51 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gtkmm.org/>  
Summary : C++ interface for GTK2 (a GUI library for X)  
Description :  
gtkmm provides a C++ interface to the GTK+ GUI library. gtkmm2 wraps GTK+ 2.  
Highlights include typesafe callbacks, widgets extensible via inheritance and a comprehensive set of widget classes that can be freely combined to quickly create complex user interfaces.

Name : gedit  
Epoch : 2  
Version : 3.22.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:11 AM EST  
Group : Unspecified  
Size : 14304200  
License : GPLv2+ and GFDL  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:03:22 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gedit-3.22.0-3.el7.src.rpm  
Build Date : Sun 06 Aug 2017 11:34:42 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Apps/Gedit>  
Summary : Text editor for the GNOME desktop

Description :

gedit is a small, but powerful text editor designed specifically for the GNOME desktop. It has most standard text editor functions and fully supports international text in Unicode. Advanced features include syntax highlighting and automatic indentation of source code, printing and editing of multiple documents in one window.

gedit is extensible through a plugin system, which currently includes support for spell checking, comparing files, viewing CVS ChangeLogs, and adjusting indentation levels. Further plugins can be found in the gedit-plugins package.

Name : samba-common-libs  
Epoch : 0  
Version : 4.6.2  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:09 AM EST  
Group : Unspecified  
Size : 280120  
License : GPLv3+ and LGPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:47:59 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : samba-4.6.2-8.el7.src.rpm  
Build Date : Mon 07 Aug 2017 10:01:27 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.samba.org/>  
Summary : Libraries used by both Samba servers and clients  
Description :  
The samba-common-libs package contains internal libraries needed by the SMB/CIFS clients.

Name : gnome-disk-utility  
Version : 3.22.1  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:32 AM EST  
Group : Unspecified  
Size : 5970053  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:17:09 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-disk-utility-3.22.1-1.el7.src.rpm  
Build Date : Tue 08 Aug 2017 07:28:30 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://git.gnome.org/browse/gnome-disk-utility>  
Summary : Disks

Description :

This package contains the Disks and Disk Image Mounter applications. Disks supports partitioning, file system creation, encryption, fstab/crypttab editing, ATA SMART and other features

Name : xorg-x11-drv-vesa  
Version : 2.3.2  
Release : 25.1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:09 AM EST  
Group : User Interface/X Hardware Support  
Size : 29888  
License : MIT  
Signature : RSA/SHA256, Fri 11 Aug 2017 03:30:59 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xorg-x11-drv-vesa-2.3.2-25.1.el7.src.rpm  
Build Date : Fri 11 Aug 2017 01:59:33 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Xorg X11 vesa video driver  
Description :  
X.Org X11 vesa video driver.

Name : pulseaudio-module-x11  
Version : 10.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:32 AM EST  
Group : Unspecified  
Size : 62656  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:17:27 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pulseaudio-10.0-3.el7.src.rpm  
Build Date : Sun 06 Aug 2017 01:39:40 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/PulseAudio>  
Summary : X11 support for the PulseAudio sound server  
Description :  
X11 bell and security modules for the PulseAudio sound server.

Name : xorg-x11-drv-qxl  
Version : 0.1.5  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:09 AM EST  
Group : User Interface/X Hardware Support  
Size : 183545

License : MIT  
Signature : RSA/SHA256, Fri 11 Aug 2017 03:30:28 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xorg-x11-drv-qxl-0.1.5-3.el7.src.rpm  
Build Date : Fri 11 Aug 2017 01:41:45 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Xorg X11 qxl video driver  
Description :  
X.Org X11 qxl video driver.

Name : sushi  
Version : 3.21.91  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:32 AM EST  
Group : Unspecified  
Size : 324096  
License : GPLv2+ with exceptions  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:59:45 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sushi-3.21.91-1.el7.src.rpm  
Build Date : Tue 08 Aug 2017 11:05:27 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<https://wiki.gnome.org/ThreePointOne/Features/FilePreviewing>  
Summary : A quick previewer for Nautilus  
Description :  
This is sushi, a quick previewer for Nautilus, the GNOME desktop  
file manager.

Name : xorg-x11-drv-v4l  
Version : 0.2.0  
Release : 47.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:10 AM EST  
Group : User Interface/X Hardware Support  
Size : 24977  
License : MIT  
Signature : RSA/SHA256, Fri 11 Aug 2017 03:30:52 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xorg-x11-drv-v4l-0.2.0-47.el7.src.rpm  
Build Date : Fri 11 Aug 2017 01:53:26 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>



Summary : Xorg X11 v4l video driver  
Description :  
X.Org X11 v4l video driver.

Name : gnome-dictionary  
Version : 3.20.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:35 AM EST  
Group : Applications/Text  
Size : 255161  
License : GPLv3+ and LGPLv2+ and GFDL  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:16:44 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnome-dictionary-3.20.0-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 11:31:51 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Apps/Dictionary>  
Summary : A dictionary application for GNOME  
Description :  
gnome-dictionary lets you look up words in dictionary sources.

Name : libglade2  
Version : 2.6.4  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:10 AM EST  
Group : System Environment/Libraries  
Size : 158886  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:47:32 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libglade2-2.6.4-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:08:03 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org>  
Summary : The libglade library for loading user interfaces  
Description :  
Libglade is a small library that allows a program to load its user interface from an XML description at runtime. Libglade uses the XML file format used by the GLADE user interface builder GLADE, so libglade acts as an alternative to GLADE's code generation approach. Libglade also provides a simple interface for connecting handlers to the various signals in the interface (on platforms where the gmodule library works correctly, it is possible to connect all the handlers with a single function call). Once the interface has been instantiated, libglade gives no overhead, so other than the short initial interface loading time, there is no performance tradeoff.

Name : firstboot  
Version : 19.12  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:35 AM EST  
Group : System Environment/Base  
Size : 301028  
License : GPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 12:43:38 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : firstboot-19.12-1.el7.src.rpm  
Build Date : Sat 05 Nov 2016 03:12:34 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedoraproject.org/wiki/FirstBoot>  
Summary : Initial system configuration utility  
Description :  
The firstboot utility runs after installation. It guides the user through a series of steps that allows for easier configuration of the machine.

Name : paps-libs  
Version : 0.6.8  
Release : 28.el7.1  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:12 AM EST  
Group : Development/Libraries  
Size : 40967  
License : LGPLv2+  
Signature : RSA/SHA256, Mon 22 Jun 2015 08:33:18 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : paps-0.6.8-28.el7.1.src.rpm  
Build Date : Mon 22 Jun 2015 08:25:45 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://paps.sourceforge.net/>  
Summary : Libraries for paps  
Description :  
paps is a PostScript converter from plain text file using Pango.

This package contains the library for paps.

Name : xdg-desktop-portal-gtk  
Version : 0.5  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:36 AM EST  
Group : Unspecified  
Size : 368563

License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:21:19 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xdg-desktop-portal-gtk-0.5-1.el7.src.rpm  
Build Date : Thu 10 Aug 2017 07:05:48 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/flatpak/xdg-desktop-portal-gtk>  
Summary : Backend implementation for xdg-desktop-portal using GTK+  
Description :  
A backend implementation for xdg-desktop-portal that is using GTK+ and various pieces of GNOME infrastructure, such as the org.gnome.Shell.Screenshot or org.gnome.SessionManager D-Bus interfaces.

Name : xorg-x11-drv-vmware  
Version : 13.2.1  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:13 AM EST  
Group : User Interface/X Hardware Support  
Size : 176569  
License : MIT  
Signature : RSA/SHA256, Fri 11 Aug 2017 03:31:15 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xorg-x11-drv-vmware-13.2.1-1.el7.src.rpm  
Build Date : Fri 11 Aug 2017 02:11:48 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Xorg X11 vmware video driver  
Description :  
X.Org X11 vmware video driver.

Name : gnome-clocks  
Version : 3.22.1  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:38 AM EST  
Group : Unspecified  
Size : 1344780  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:15:42 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-clocks-3.22.1-1.el7.src.rpm  
Build Date : Sun 06 Aug 2017 12:09:34 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL : <https://wiki.gnome.org/Apps/Clocks>  
Summary : Clock application designed for GNOME 3  
Description :  
Clock application designed for GNOME 3

Name : audit  
Version : 2.7.6  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:13 AM EST  
Group : System Environment/Daemons  
Size : 630270  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:00:04 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : audit-2.7.6-3.el7.src.rpm  
Build Date : Fri 04 Aug 2017 05:29:41 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://people.redhat.com/sgrubb/audit/>  
Summary : User space tools for 2.6 kernel auditing  
Description :  
The audit package contains the user space utilities for  
storing and searching the audit records generated by  
the audit subsystem in the Linux 2.6 kernel.

Name : seahorse  
Version : 3.20.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:40 AM EST  
Group : Unspecified  
Size : 6193842  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:51:22 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : seahorse-3.20.0-1.el7.src.rpm  
Build Date : Sun 06 Aug 2017 01:31:10 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Apps/Seahorse>  
Summary : A GNOME application for managing encryption keys  
Description :  
Seahorse is a graphical interface for managing and using encryption keys.  
It also integrates with nautilus, gedit and other places for encryption  
operations. It is a keyring manager.

Name : oddjob-mkhomedir  
Version : 0.31.5  
Release : 4.el7

Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:14 AM EST  
Group : System Environment/Daemons  
Size : 60900  
License : BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:22:16 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : oddjob-0.31.5-4.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:33:03 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.fedorahosted.org/oddjob>  
Summary : An oddjob helper which creates and populates home  
directories  
Description :  
This package contains the oddjob helper which can be used by the  
pam\_oddjob\_mkhomedir module to create a home directory for a user  
at login-time.

Name : gnome-system-log  
Epoch : 1  
Version : 3.9.90  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:40 AM EST  
Group : Applications/System  
Size : 1956893  
License : GPLv2+ and GFDL  
Signature : RSA/SHA256, Wed 25 Nov 2015 09:37:05 AM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnome-system-log-3.9.90-3.el7.src.rpm  
Build Date : Sat 21 Nov 2015 01:44:56 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org>  
Summary : A log file viewer for GNOME  
Description :  
gnome-system-log lets you view various log files on your system.

Name : cups-pk-helper  
Version : 0.2.6  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:15 AM EST  
Group : System Environment/Base  
Size : 363678  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:30:43 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : cups-pk-helper-0.2.6-2.el7.src.rpm

Build Date : Sat 05 Aug 2017 05:09:44 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.vuntz.net/download/cups-pk-helper/>  
Summary : A helper that makes system-config-printer use PolicyKit  
Description :  
cups-pk-helper is an application which makes cups configuration  
interfaces available under control of PolicyKit.

Name : gstreamer-plugins-good  
Version : 0.10.31  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:41 AM EST  
Group : Applications/Multimedia  
Size : 5243945  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:30:31 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gstreamer-plugins-good-0.10.31-13.el7.src.rpm  
Build Date : Tue 08 Aug 2017 12:59:29 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gstreamer.freedesktop.org/>  
Summary : GStreamer plug-ins with good code and licensing  
Description :  
GStreamer is a streaming media framework, based on graphs of filters  
which  
operate on media data. Applications using this library can do anything  
from real-time sound processing to playing videos, and just about  
anything  
else media-related. Its plugin-based architecture means that new data  
types or processing capabilities can be added simply by installing new  
plug-ins.

GStreamer Good Plug-ins is a collection of well-supported plug-ins of  
good quality and under the LGPL license.

Name : xdg-desktop-portal  
Version : 0.5  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:16 AM EST  
Group : Unspecified  
Size : 629633  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:21:04 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xdg-desktop-portal-0.5-2.el7.src.rpm  
Build Date : Wed 09 Aug 2017 03:25:47 PM EDT

Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/flatpak/xdg-desktop-portal/>  
Summary : Portal frontend service to flatpak  
Description :  
xdg-desktop-portal works by exposing a series of D-Bus interfaces known as portals under a well-known Name (org.freedesktop.portal.Desktop) and object path (/org/freedesktop/portal/desktop). The portal interfaces include APIs for file access, opening URIs, printing and others.

Name : xorg-x11-drivers  
Version : 7.7  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:42 AM EST  
Group : User Interface/X Hardware Support  
Size : 0  
License : MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:48:18 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xorg-x11-drivers-7.7-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:09:33 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : X.Org X11 driver installation package  
Description :  
The purpose of this package is to require all of the individual X.Org driver rpms, to allow the OS installation software to install all drivers all at once, without having to track which individual drivers are present on each architecture. By installing this package, it forces all of the individual driver packages to be installed.

Name : gssproxy  
Version : 0.7.0  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:17 AM EST  
Group : System Environment/Libraries  
Size : 257027  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:28:26 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gssproxy-0.7.0-4.el7.src.rpm  
Build Date : Fri 04 Aug 2017 07:00:59 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <https://pagure.io/gssproxy>  
Summary : GSSAPI Proxy  
Description :  
A proxy for GSSAPI credential handling

Name : sssd  
Version : 1.15.2  
Release : 50.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:42 AM EST  
Group : Applications/System  
Size : 35147  
License : GPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:56:03 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sssd-1.15.2-50.el7.src.rpm  
Build Date : Mon 07 Aug 2017 05:38:50 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://pagure.io/SSSD/sssdd/>  
Summary : System Security Services Daemon  
Description :  
Provides a set of daemons to manage access to remote directories and authentication mechanisms. It provides an NSS and PAM interface toward the system and a pluggable backend system to connect to multiple different account sources. It is also the basis to provide client auditing and policy services for projects like FreeIPA.

The sssd subpackage is a meta-package that contains the deamon as well as all the existing back ends.

Name : usb\_modeswitch  
Version : 2.4.0  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:18 AM EST  
Group : Applications/System  
Size : 437272  
License : GPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 03:56:37 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : usb\_modeswitch-2.4.0-5.el7.src.rpm  
Build Date : Sat 05 Nov 2016 07:33:12 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://www.draisberghof.de/usb\\_modeswitch/](http://www.draisberghof.de/usb_modeswitch/)



Summary : USB Modemswitch gets mobile broadband cards in operational mode

Description :

USB Modemswitch brings up your datacard into operational mode. When plugged in they identify themselves as cdrom and present some non-Linux compatible installation files. This tool deactivates this cdrom-device and enables the real communication device. It supports most devices built and sold by Huawei, T-Mobile, Vodafone, Option, ZTE, Novatel.

Name : grub2  
Epoch : 1  
Version : 2.02  
Release : 0.64.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:42 AM EST  
Group : System Environment/Base  
Size : 0  
License : GPLv3+  
Signature : RSA/SHA256, Tue 22 Aug 2017 01:17:59 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : grub2-2.02-0.64.el7.centos.src.rpm  
Build Date : Thu 17 Aug 2017 02:01:13 PM EDT  
Build Host : kbuilder.dev.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/grub/>  
Summary : Bootloader with support for Linux, Multiboot and more  
Description :

The GRand Unified Bootloader (GRUB) is a highly configurable and customizable bootloader with modular architecture. It supports a rich variety of kernel formats, file systems, computer architectures and hardware devices.

Name : NetworkManager-libreswan  
Version : 1.2.4  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:19 AM EST  
Group : System Environment/Base  
Size : 364674  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:31:31 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : NetworkManager-libreswan-1.2.4-2.el7.src.rpm  
Build Date : Fri 04 Aug 2017 05:32:44 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/NetworkManager/>

Summary : NetworkManager VPN plug-in for IPsec VPN  
Description :  
This package contains software for integrating the libreswan VPN software with NetworkManager and the GNOME desktop

Name : sane-backends-drivers-scanners  
Version : 1.0.24  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:43 AM EST  
Group : System Environment/Libraries  
Size : 9196264  
License : GPLv2+ and GPLv2+ with exceptions and Public Domain  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:54:33 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sane-backends-1.0.24-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:16:16 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.sane-project.org>  
Summary : SANE backend drivers for scanners  
Description :  
This package contains backend drivers to access scanner hardware through SANE.

Name : gnutls  
Version : 3.3.26  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:20 AM EST  
Group : System Environment/Libraries  
Size : 2093896  
License : GPLv3+ and LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:24:20 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnutls-3.3.26-9.el7.src.rpm  
Build Date : Fri 04 Aug 2017 07:58:17 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnutls.org/>  
Summary : A TLS protocol implementation  
Description :  
GnuTLS is a secure communications library implementing the SSL, TLS and DTLS protocols and technologies around them. It provides a simple C language application programming interface (API) to access the secure communications protocols as well as APIs to parse and write X.509, PKCS #12, OpenPGP and other required structures.

Name : NetworkManager-tui  
Epoch : 1  
Version : 1.10.2  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:44 AM EST  
Group : System Environment/Base  
Size : 262429  
License : GPLv2+  
Signature : RSA/SHA256, Wed 25 Apr 2018 07:29:40 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : NetworkManager-1.10.2-13.el7.src.rpm  
Build Date : Thu 12 Apr 2018 03:44:26 PM EDT  
Build Host : x86-01.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/NetworkManager/>  
Summary : NetworkManager curses-based UI  
Description :  
This adds a curses-based "TUI" (Text User Interface) to  
NetworkManager, to allow performing some of the operations supported  
by nm-connection-editor and nm-applet in a non-graphical environment.

Name : gvnc  
Version : 0.7.0  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:21 AM EST  
Group : Development/Libraries  
Size : 252692  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:38:05 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gtk-vnc-0.7.0-2.el7.src.rpm  
Build Date : Sun 06 Aug 2017 05:29:05 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/gtk-vnc>  
Summary : A GObject for VNC connections  
Description :  
gvnc is a GObject for managing a VNC connection. It provides all the  
infrastructure required to build a VNC client without having to deal  
with the raw protocol itself.

Name : mlocate  
Version : 0.26  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:45 AM EST  
Group : Applications/System  
Size : 387537

License : GPLv2  
Signature : RSA/SHA256, Sun 20 Nov 2016 02:28:56 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : mlocate-0.26-6.el7.src.rpm  
Build Date : Sat 05 Nov 2016 11:07:14 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/mlocate/>  
Summary : An utility for finding files by  
Name  
Description :  
mlocate is a locate/updatedb implementation. It keeps a database of  
all existing files and allows you to lookup files by  
Name.

The 'm' stands for "merging": updatedb reuses the existing database to  
avoid  
rereading most of the file system, which makes updatedb faster and does  
not  
trash the system caches as much as traditional locate implementations.

Name : libvirt-daemon-driver-storage-logical  
Version : 3.2.0  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:22 AM EST  
Group : Development/Libraries  
Size : 23712  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:04:18 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libvirt-3.2.0-14.el7.src.rpm  
Build Date : Sat 05 Aug 2017 01:16:28 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvirt.org/>  
Summary : Storage driver plugin for lvm volumes  
Description :  
The storage driver backend adding implementation of the storage APIs for  
block  
volumes using lvm.

Name : python-smbc  
Version : 1.0.13  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:46 AM EST  
Group : Development/Languages  
Size : 60951  
License : GPLv2+

Signature : RSA/SHA256, Wed 25 Nov 2015 10:34:38 AM EST, Key ID 24c6a8a7f4a80eb5

Source RPM : python-smbc-1.0.13-7.el7.src.rpm

Build Date : Thu 19 Nov 2015 10:22:33 PM EST

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://cyberelk.net/tim/software/pysmbc/>

Summary : Python bindings for libsmbclient API from Samba

Description :

This package provides Python bindings for the libsmbclient API from Samba, known as pysmbc. It was written for use with system-config-printer, but can be put to other uses as well.

Name : libvirt-daemon-driver-storage-mpath

Version : 3.2.0

Release : 14.el7

Architecture: x86\_64

Install Date: Mon 03 Dec 2018 08:54:22 AM EST

Group : Development/Libraries

Size : 11192

License : LGPLv2+

Signature : RSA/SHA256, Thu 10 Aug 2017 02:04:26 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : libvirt-3.2.0-14.el7.src.rpm

Build Date : Sat 05 Aug 2017 01:16:28 AM EDT

Build Host : clbm.rdu2.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://libvirt.org/>

Summary : Storage driver plugin for multipath volumes

Description :

The storage driver backend adding implementation of the storage APIs for multipath storage using device mapper.

Name : PackageKit-command-not-found

Version : 1.1.5

Release : 1.el7.centos

Architecture: x86\_64

Install Date: Mon 03 Dec 2018 08:55:47 AM EST

Group : Unspecified

Size : 44678

License : GPLv2+ and LGPLv2+

Signature : RSA/SHA256, Thu 10 Aug 2017 02:46:24 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : PackageKit-1.1.5-1.el7.centos.src.rpm

Build Date : Sun 06 Aug 2017 10:07:35 AM EDT

Build Host : clbm.rdu2.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://www.freedesktop.org/software/PackageKit/>

Summary : Ask the user to install command line programs automatically  
Description :  
A simple helper that offers to install new packages on the command line using PackageKit.

Name : libvirt-daemon-driver-nodedev  
Version : 3.2.0  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:22 AM EST  
Group : Development/Libraries  
Size : 119568  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:03:10 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libvirt-3.2.0-14.el7.src.rpm  
Build Date : Sat 05 Aug 2017 01:16:28 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvirt.org/>  
Summary : Nodedev driver plugin for the libvirtd daemon  
Description :  
The nodedev driver plugin for the libvirtd daemon, providing an implementation of the node device APIs using the udev capabilities.

Name : postfix  
Epoch : 2  
Version : 2.10.1  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:48 AM EST  
Group : System Environment/Daemons  
Size : 12773475  
License : IBM and GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:33:15 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : postfix-2.10.1-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:39:36 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.postfix.org>  
Summary : Postfix Mail Transport Agent  
Description :  
Postfix is a Mail Transport Agent (MTA), supporting LDAP, SMTP AUTH (SASL),  
TLS

Name : libvirt-glib  
Version : 1.0.0

Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:22 AM EST  
Group : Development/Libraries  
Size : 263465  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:05:34 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libvirt-glib-1.0.0-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 07:35:32 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvirt.org/>  
Summary : libvirt glib integration for events  
Description :  
This package provides integration between libvirt and the glib event loop.

Name : crda  
Version : 3.13\_2016.02.08  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:49 AM EST  
Group : System Environment/Base  
Size : 61363  
License : ISC  
Signature : RSA/SHA256, Sun 20 Nov 2016 12:27:31 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : crda-3.13\_2016.02.08-1.el7.src.rpm  
Build Date : Sat 05 Nov 2016 11:07:26 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.linuxwireless.org/en/developers/Regulatory/CRDA>  
Summary : Regulatory compliance daemon for 802.11 wireless networking  
Description :  
CRDA acts as the udev helper for communication between the kernel and userspace for regulatory compliance. It relies on nl80211 for communication. CRDA is intended to be run only through udev communication from the kernel.

Name : rest  
Version : 0.8.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:23 AM EST  
Group : Unspecified  
Size : 183766  
License : LGPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:39:56 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : rest-0.8.0-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 01:32:34 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org>  
Summary : A library for access to RESTful web services  
Description :  
This library was designed to make it easier to access web services that claim to be "RESTful". A RESTful service should have urls that represent remote objects, which methods can then be called on. The majority of services don't actually adhere to this strict definition. Instead, their RESTful end point usually has an API that is just simpler to use compared to other types of APIs they may support (XML-RPC, for instance). It is this kind of API that this library is attempting to support.

Name : microcode\_ctl  
Epoch : 2  
Version : 2.1  
Release : 22.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:50 AM EST  
Group : System Environment/Base  
Size : 1000112  
License : GPLv2+ and Redistributable, no modification permitted  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:23:08 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : microcode\_ctl-2.1-22.el7.src.rpm  
Build Date : Fri 04 Aug 2017 04:33:42 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://fedorahosted.org/microcode\\_ctl](http://fedorahosted.org/microcode_ctl)  
Summary : Tool to transform and deploy CPU microcode update for x86.  
Description :  
The microcode\_ctl utility is a companion to the microcode driver written by Tigran Aivazian <[tigran@aivazian.fsnet.co.uk](mailto:tigran@aivazian.fsnet.co.uk)>.

The microcode update is volatile and needs to be uploaded on each system boot i.e. it doesn't reflash your cpu permanently, reboot and it reverts back to the old microcode.

Name : gnome-desktop3  
Version : 3.22.2  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:25 AM EST  
Group : Unspecified



Size : 2686700  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:16:13 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnome-desktop3-3.22.2-2.el7.src.rpm  
Build Date : Sun 06 Aug 2017 05:37:35 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org>  
Summary : Shared code among gnome-panel, gnome-session, nautilus, etc  
Description :

The gnome-desktop3 package contains an internal library (libgnomedesktop) used to implement some portions of the GNOME desktop, and also some data files and other shared components of the GNOME user environment.

Name : aic94xx-firmware  
Version : 30  
Release : 6.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:55:51 AM EST  
Group : System Environment/Kernel  
Size : 30752  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:34:22 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : aic94xx-firmware-30-6.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:57:07 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://www.adaptec.com/en-US/speed/scsi/linux/aic94xx-seq-30-1\\_tar\\_gz.htm](http://www.adaptec.com/en-US/speed/scsi/linux/aic94xx-seq-30-1_tar_gz.htm)  
Summary : Adaptec SAS 44300, 48300, 58300 Sequencer Firmware for AIC94xx driver  
Description :  
Adaptec SAS 44300, 48300, 58300 Sequencer Firmware for Open-Source AIC94xx Driver.

Name : clutter-gtk  
Version : 1.8.2  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:26 AM EST  
Group : Development/Languages  
Size : 105009  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:20:38 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : clutter-gtk-1.8.2-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 04:57:38 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.clutter-project.org>  
Summary : A basic GTK clutter widget  
Description :  
clutter-gtk is a library which allows the embedding of a Clutter canvas (or "stage") into a GTK+ application, as well as embedding GTK+ widgets inside the stage.

Name : httpd  
Version : 2.4.6  
Release : 67.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:52 AM EST  
Group : System Environment/Daemons  
Size : 9823661  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:40:32 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : httpd-2.4.6-67.el7.centos.src.rpm  
Build Date : Thu 03 Aug 2017 11:21:07 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://httpd.apache.org/>  
Summary : Apache HTTP Server  
Description :  
The Apache HTTP Server is a powerful, efficient, and extensible web server.

Name : caribou  
Version : 0.4.21  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:26 AM EST  
Group : Unspecified  
Size : 633640  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:16:23 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : caribou-0.4.21-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 10:03:34 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/Caribou>  
Summary : A simplified in-place on-screen keyboard  
Description :

Caribou is a text entry application that currently manifests itself as a simplified in-place on-screen keyboard.

Name : gutenprint  
Version : 5.2.9  
Release : 18.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:53 AM EST  
Group : System Environment/Base  
Size : 20988912  
License : GPLv2+  
Signature : RSA/SHA256, Tue 16 Sep 2014 08:17:17 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gutenprint-5.2.9-18.el7.src.rpm  
Build Date : Tue 16 Sep 2014 07:55:53 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gimp-print.sourceforge.net/>  
Summary : Printer Drivers Package  
Description :  
Gutenprint is a package of high quality printer drivers for Linux, BSD, Solaris, IRIX, and other UNIX-alike operating systems.  
Gutenprint was formerly called Gimp-Print.

Name : geocode-glib  
Version : 3.20.1  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:27 AM EST  
Group : Unspecified  
Size : 193516  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:07:26 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : geocode-glib-3.20.1-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 03:10:32 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/>  
Summary : Geocoding helper library  
Description :  
geocode-glib is a convenience library for the geocoding (finding longitude, and latitude from an address) and reverse geocoding (finding an address from coordinates). It uses Nominatim service to achieve that. It also caches (reverse-)geocoding requests for faster results and to avoid unnecessary server load.

Name : perl-Tk-Pod  
Version : 0.9943  
Release : 6.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:55:56 AM EST  
Group : Development/Libraries  
Size : 246629  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Mon 04 Dec 2017 04:05:26 AM EST, Key ID  
6a2faea2352c64e5  
Source RPM : perl-Tk-Pod-0.9943-6.el7.src.rpm  
Build Date : Thu 30 Nov 2017 10:37:58 AM EST  
Build Host : buildhw-04.phx2.fedoraproject.org  
Relocations : (not relocatable)  
Packager : Fedora Project  
Vendor : Fedora Project  
URL : <http://search.cpan.org/dist/Tk-Pod/>  
Summary : Pod browser top-level widget  
Description :  
Simple Pod browser with hypertext capabilities in a Toplevel widget.

Name : gtksourceview3  
Version : 3.22.2  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:29 AM EST  
Group : Unspecified  
Size : 4213971  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:33:28 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gtksourceview3-3.22.2-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 04:16:24 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/GtkSourceView>  
Summary : A library for viewing source files  
Description :  
GtkSourceView is a text widget that extends the standard GTK+ GtkTextView widget. It improves GtkTextView by implementing syntax highlighting and other features typical of a source code editor.

This package contains version 3 of GtkSourceView. The older version 2 is contains in the gtksourceview2 package.

Name : systemtap-runtime  
Version : 3.1  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:00 AM EST  
Group : Development/System  
Size : 1004448

License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:02:13 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : systemtap-3.1-3.el7.src.rpm  
Build Date : Thu 03 Aug 2017 11:58:57 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceware.org/systemtap/>  
Summary : Programmable system-wide instrumentation system - runtime  
Description :  
SystemTap runtime contains the components needed to execute  
a systemtap script that was already compiled into a module  
using a local or remote systemtap-devel installation.

Name : geoclue2  
Version : 2.4.5  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:30 AM EST  
Group : Unspecified  
Size : 341361  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:06:56 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : geoclue2-2.4.5-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 03:56:19 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/GeoClue/>  
Summary : Geolocation service  
Description :  
Geoclue is a D-Bus service that provides location information. The  
primary goal  
of the Geoclue project is to make creating location-aware applications as  
simple as possible, while the secondary goal is to ensure that no  
application  
can access location information without explicit permission from user.

Name : man-db  
Version : 2.6.3  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:01 AM EST  
Group : System Environment/Base  
Size : 1874275  
License : GPLv2+ and GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:37:22 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : man-db-2.6.3-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:35:36 PM EDT

Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.nongnu.org/man-db/>  
Summary : Tools for searching and reading man pages  
Description :  
The man-db package includes five tools for browsing man-pages:  
man, whatis, apropos, manpath and lexgrog. man formats and displays  
manual pages. whatis searches the manual page  
Names. apropos searches the  
manual page  
Names and descriptions. manpath determines search path  
for manual pages. lexgrog directly reads header information in  
manual pages.

Name : gnome-online-accounts  
Version : 3.22.5  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:38 AM EST  
Group : Unspecified  
Size : 4443470  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:19:17 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnome-online-accounts-3.22.5-1.el7.src.rpm  
Build Date : Tue 08 Aug 2017 05:44:27 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/GnomeOnlineAccounts>  
Summary : Single sign-on framework for GNOME  
Description :  
GNOME Online Accounts provides interfaces so that applications and  
libraries  
in GNOME can access the user's online accounts. It has providers for  
Google,  
ownCloud, Facebook, Flickr, Foursquare, Microsoft Account, Pocket,  
Microsoft  
Exchange, IMAP/SMTP and Kerberos.

Name : libproxy-mozjs  
Version : 0.4.11  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:01 AM EST  
Group : System Environment/Libraries  
Size : 24592  
License : LGPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 01:56:45 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libproxy-0.4.11-10.el7.src.rpm

Build Date : Sat 05 Nov 2016 07:11:08 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://code.google.com/p/libproxy/>  
Summary : Plugin for libproxy and mozjs  
Description :  
The libproxy-mozjs package contains the libproxy plugin for mozjs.

Name : nm-connection-editor  
Version : 1.8.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:39 AM EST  
Group : Applications/System  
Size : 4809534  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:32:51 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : network-manager-applet-1.8.0-3.el7.src.rpm  
Build Date : Sun 06 Aug 2017 11:57:46 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/NetworkManager/>  
Summary : A network connection configuration editor for  
NetworkManager  
Description :  
This package contains a network configuration editor and Bluetooth modem  
utility for use with NetworkManager.

Name : shim-x64  
Version : 12  
Release : 1.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:03 AM EST  
Group : Unspecified  
Size : 6527780  
License : BSD  
Signature : RSA/SHA256, Thu 31 Aug 2017 05:38:39 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : shim-signed-12-1.el7.centos.src.rpm  
Build Date : Thu 31 Aug 2017 05:30:13 PM EDT  
Build Host : kbuilder.dev.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.codon.org.uk/~mjg59/shim/>  
Summary : First-stage UEFI bootloader  
Description :  
Initial UEFI bootloader that handles chaining to a trusted full  
bootloader

under secure boot environments. This package contains the version signed by the UEFI signing service.

Name : gnome-session  
Version : 3.22.3  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:40 AM EST  
Group : User Interface/Desktops  
Size : 1625132  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:20:23 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-session-3.22.3-4.el7.src.rpm  
Build Date : Tue 08 Aug 2017 07:46:15 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org>  
Summary : GNOME session manager  
Description :  
gnome-session manages a GNOME desktop or GDM login session. It starts up the other core GNOME components and handles logout and saving the session.

Name : xfsdump  
Version : 3.1.4  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:04 AM EST  
Group : System Environment/Base  
Size : 969087  
License : GPL+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:40:04 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xfsdump-3.1.4-1.el7.src.rpm  
Build Date : Fri 06 Mar 2015 01:02:43 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://oss.sgi.com/projects/xfs/>  
Summary : Administrative utilities for the XFS filesystem  
Description :  
The xfsdump package contains xfsdump, xfsrestore and a number of other utilities for administering XFS filesystems.

xfsdump examines files in a filesystem, determines which need to be backed up, and copies those files to a specified disk, tape or other storage medium. It uses XFS-specific directives for optimizing the dump of an XFS filesystem, and also knows how to backup XFS extended attributes. Backups created with xfsdump are "endian safe" and can



thus be transferred between Linux machines of different architectures and also between IRIX machines.

xfsrestore performs the inverse function of xfsdump; it can restore a full backup of a filesystem. Subsequent incremental backups can then be layered on top of the full backup. Single files and directory subtrees may be restored from full or partial backups.

```
Name       : abrt-gui-libs
Version    : 2.1.11
Release    : 48.el7.centos
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:54:41 AM EST
Group      : System Environment/Libraries
Size       : 19992
License    : GPLv2+
Signature  : RSA/SHA256, Thu 10 Aug 2017 10:54:25 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : abrt-2.1.11-48.el7.centos.src.rpm
Build Date : Wed 09 Aug 2017 10:17:54 PM EDT
Build Host : clbm.rdu2.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : https://fedorahosted.org/abrt/
Summary    : Libraries for abrt-gui
Description :
Libraries for abrt-gui.
```

```
Name       : xorg-x11-fonts-100dpi
Version    : 7.5
Release    : 9.el7
Architecture: noarch
Install Date: Mon 03 Dec 2018 08:56:06 AM EST
Group      : User Interface/X
Size       : 3417961
License    : MIT and Lucida and Public Domain
Signature  : RSA/SHA256, Fri 04 Jul 2014 01:49:23 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : xorg-x11-fonts-7.5-9.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:59:37 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.x.org
Summary    : A set of 100dpi resolution fonts for the X Window System.
Description :
A set of 100 dpi fonts used by the X window system.
```

```
Name       : flatpak
Version    : 0.8.7
Release    : 1.el7
Architecture: x86_64
```

Install Date: Mon 03 Dec 2018 08:54:42 AM EST  
Group : Development/Tools  
Size : 3839364  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:54:55 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : flatpak-0.8.7-1.el7.src.rpm  
Build Date : Wed 09 Aug 2017 01:07:50 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://flatpak.org/>  
Summary : Application deployment framework for desktop apps  
Description :  
flatpak is a system for building, distributing and running sandboxed desktop applications on Linux. See <https://wiki.gnome.org/Projects/SandboxedApps> for more information.

Name : nautilus-sendto  
Epoch : 1  
Version : 3.8.4  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:06 AM EST  
Group : User Interface/Desktops  
Size : 463593  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:27:51 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : nautilus-sendto-3.8.4-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 02:38:45 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <ftp://ftp.gnome.org/pub/gnome/sources/nautilus-sendto>  
Summary : Nautilus context menu for sending files  
Description :  
The nautilus-sendto package provides a Nautilus context menu for sending files via other desktop applications. These functions are implemented as plugins, so nautilus-sendto can be extended with additional features.

Name : yelp-libs  
Epoch : 1  
Version : 3.22.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:44 AM EST  
Group : Development/Libraries  
Size : 316120

License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:27:13 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : yelp-3.22.0-1.el7.src.rpm  
Build Date : Tue 08 Aug 2017 11:59:48 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Apps/Yelp>  
Summary : Libraries for yelp  
Description :  
This package contains libraries used by the yelp help browser.

Name : tcsh  
Version : 6.18.01  
Release : 15.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:07 AM EST  
Group : System Environment/Shells  
Size : 677908  
License : BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:04:12 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : tcsh-6.18.01-15.el7.src.rpm  
Build Date : Wed 02 Aug 2017 09:17:38 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.tcsh.org/>  
Summary : An enhanced version of csh, the C shell  
Description :  
Tcsh is an enhanced but completely compatible version of csh, the C  
shell. Tcsh is a command language interpreter which can be used both  
as an interactive login shell and as a shell script command processor.  
Tcsh includes a command line editor, programmable word completion,  
spelling correction, a history mechanism, job control and a C language  
like syntax.

Name : mutter  
Version : 3.22.3  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:46 AM EST  
Group : Unspecified  
Size : 11639170  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:25:43 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : mutter-3.22.3-11.el7.src.rpm  
Build Date : Tue 08 Aug 2017 09:30:26 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org>  
Summary : Window and compositing manager based on Clutter  
Description :  
Mutter is a window and compositing manager that displays and manages your desktop via OpenGL. Mutter combines a sophisticated display engine using the Clutter toolkit with solid window-management logic inherited from the Metacity window manager.

While Mutter can be used stand-alone, it is primarily intended to be used as the display core of a larger system such as GNOME Shell. For this reason, Mutter is very extensible via plugins, which are used both to add fancy visual effects and to rework the window management behaviors to meet the needs of the environment.

Name : perl-Expect  
Version : 1.21  
Release : 14.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:08 AM EST  
Group : Development/Libraries  
Size : 168400  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Tue 04 Feb 2014 11:53:07 PM EST, Key ID 6a2faea2352c64e5  
Source RPM : perl-Expect-1.21-14.el7.src.rpm  
Build Date : Thu 30 Jan 2014 10:32:36 AM EST  
Build Host : buildvm-07.phx2.fedoraproject.org  
Relocations : (not relocatable)  
Packager : Fedora Project  
Vendor : Fedora Project  
URL : <http://search.cpan.org/dist/Expect/>  
Summary : Expect for Perl  
Description :  
This module provides Expect-like functionality to Perl. Expect is a tool for automating interactive applications such as telnet, ftp, passwd, fsck, rlogin, tip, etc.

Name : gnome-keyring-pam  
Version : 3.20.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:46 AM EST  
Group : Development/Libraries  
Size : 45608  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:19:08 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-keyring-3.20.0-3.el7.src.rpm  
Build Date : Thu 03 Aug 2017 01:31:38 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/GnomeKeyring>  
Summary : Pam module for unlocking keyrings  
Description :  
The gnome-keyring-pam package contains a pam module that can automatically unlock the "login" keyring when the user logs in.

Name : perl-Filesys-DiskFree  
Version : 0.06  
Release : 1.2.el7.rf  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:08 AM EST  
Group : Applications/CPAN  
Size : 16377  
License : Artistic/GPL  
Signature : (none)  
Source RPM : perl-Filesys-DiskFree-0.06-1.2.el7.rf.src.rpm  
Build Date : Mon 19 Sep 2016 01:07:11 PM EDT  
Build Host : 3fe7fc95fbb6  
Relocations : (not relocatable)  
Packager : Dries Verachtert <dries.verachtert@dries.eu>  
Vendor : <https://driesrpms.eu/>  
URL : <http://search.cpan.org/dist/Filesys-DiskFree/>  
Summary : Perform the Unix command df in a portable fashion  
Description :  
Filesys::DiskFree does about what the unix command df(1) does, listing the mounted disks, and the amount of free space used and available.

Name : gnome-packagekit-installer  
Version : 3.22.1  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:47 AM EST  
Group : Applications/System  
Size : 202294  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:19:59 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-packagekit-3.22.1-2.el7.src.rpm  
Build Date : Sun 06 Aug 2017 02:04:39 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.packagekit.org>  
Summary : PackageKit package installer  
Description :  
A graphical package installer for PackageKit which is used to manage software not shown in GNOME Software.

Name : perl-Proc-ProcessTable  
Version : 0.48  
Release : 1.el7

Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:09 AM EST  
Group : Development/Libraries  
Size : 81815  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Sun 16 Feb 2014 02:13:34 PM EST, Key ID  
6a2faea2352c64e5  
Source RPM : perl-Proc-ProcessTable-0.48-1.el7.src.rpm  
Build Date : Thu 13 Feb 2014 03:32:47 AM EST  
Build Host : buildvm-17.phx2.fedoraproject.org  
Relocations : (not relocatable)  
Packager : Fedora Project  
Vendor : Fedora Project  
URL : <http://search.cpan.org/dist/Proc-ProcessTable/>  
Summary : Perl extension to access the Unix process table  
Description :  
Perl interface to the Unix process table.

Name : anaconda-widgets  
Version : 21.48.22.121  
Release : 1.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:48 AM EST  
Group : System Environment/Libraries  
Size : 82099  
License : GPLv2+ and MIT  
Signature : RSA/SHA256, Mon 04 Sep 2017 11:56:44 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : anaconda-21.48.22.121-1.el7.centos.src.rpm  
Build Date : Mon 04 Sep 2017 11:37:24 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedoraproject.org/wiki/Anaconda>  
Summary : A set of custom GTK+ widgets for use with anaconda  
Description :  
This package contains a set of custom GTK+ widgets used by the anaconda installer.

Name : xvattr  
Version : 1.3  
Release : 27.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:10 AM EST  
Group : Applications/System  
Size : 34657  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:52:05 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xvattr-1.3-27.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:30:51 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.dtek.chalmers.se/groups/dvd/>  
Summary : Utility for getting and setting Xv attributes  
Description :  
This program is used for getting and setting Xv attributes such as  
XV\_BRIGHTNESS, XV\_CONTRAST, XV\_SATURATION, XV\_HUE, XV\_COLORKEY, ...

Name : gtkmm30  
Version : 3.22.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:49 AM EST  
Group : Unspecified  
Size : 6548786  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:33:03 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gtkmm30-3.22.0-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 11:48:02 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gtkmm.org/>  
Summary : C++ interface for the GTK+ library  
Description :  
gtkmm is the official C++ interface for the popular GUI library GTK+.  
Highlights include type safe callbacks, and a comprehensive set of  
widgets that are easily extensible via inheritance.

Name : tftp  
Version : 5.2  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:10 AM EST  
Group : Applications/Internet  
Size : 49294  
License : BSD  
Signature : RSA/SHA256, Sun 20 Nov 2016 03:53:05 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : tftp-5.2-13.el7.src.rpm  
Build Date : Sat 05 Nov 2016 11:21:50 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.kernel.org/pub/software/network/tftp/>  
Summary : The client for the Trivial File Transfer Protocol (TFTP)  
Description :  
The Trivial File Transfer Protocol (TFTP) is normally used only for  
booting diskless workstations. The tftp package provides the user  
interface for TFTP, which allows users to transfer files to and from a  
remote machine. This program and TFTP provide very little security,

and should not be enabled unless it is expressly needed.

```
Name       : libtimezonemap
Version    : 0.4.4
Release    : 1.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:54:50 AM EST
Group      : System Environment/Libraries
Size       : 5825341
License    : GPLv3
Signature  : RSA/SHA256, Wed 25 Nov 2015 10:10:23 AM EST, Key ID
24c6a8a7f4a80eb5
Source RPM : libtimezonemap-0.4.4-1.el7.src.rpm
Build Date : Fri 20 Nov 2015 06:19:31 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : https://launchpad.net/timezonemap
Summary    : Time zone map widget for Gtk+
Description :
libtimezonemap is a time zone map widget for Gtk+. The widget displays a
world
map with a highlighted region representing the selected time zone, and
the
location can be changed by clicking on the map.
```

This library is a fork of the of the code from gnome-control-center's  
datetime  
panel, which was itself a fork of Ubiquity's timezone map.

```
Name       : nano
Version    : 2.3.1
Release    : 10.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:56:11 AM EST
Group      : Applications/Editors
Size       : 1715901
License    : GPLv3+
Signature  : RSA/SHA256, Thu 03 Jul 2014 11:53:43 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : nano-2.3.1-10.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:47:54 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.nano-editor.org
Summary    : A small text editor
Description :
GNU nano is a small and friendly text editor.
```

```
Name       : libgovirt
Version    : 0.3.3
```



Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:51 AM EST  
Group : Development/Libraries  
Size : 189794  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:12:37 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libgovirt-0.3.3-5.el7.src.rpm  
Build Date : Wed 02 Aug 2017 09:29:33 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://people.freedesktop.org/~teuf/govirt/>  
Summary : A GObject library for interacting with oVirt REST API  
Description :  
libgovirt is a library that allows applications to use oVirt REST API to list VMs managed by an oVirt instance, and to get the connection parameters needed to make a SPICE/VNC connection to them.

Name : libpng12  
Version : 1.2.50  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:12 AM EST  
Group : System Environment/Libraries  
Size : 630222  
License : zlib  
Signature : RSA/SHA256, Sun 20 Nov 2016 01:56:05 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : libpng12-1.2.50-10.el7.src.rpm  
Build Date : Sat 05 Nov 2016 04:56:12 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libpng.org/pub/png/>  
Summary : Old version of libpng, needed to run old binaries  
Description :  
The libpng12 package provides libpng 1.2, an older version of the libpng library for manipulating PNG (Portable Network Graphics) image format files.  
This version should be used only if you are unable to use the current version of libpng.

Name : tigervnc-server-minimal  
Version : 1.8.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:52 AM EST  
Group : User Interface/X  
Size : 2647761  
License : GPLv2+

Signature : RSA/SHA256, Thu 10 Aug 2017 04:05:29 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : tigervnc-1.8.0-1.el7.src.rpm

Build Date : Sun 06 Aug 2017 09:32:46 PM EDT

Build Host : clbm.rdu2.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://www.tigervnc.com>

Summary : A minimal installation of TigerVNC server

Description :

The VNC system allows you to access the same desktop from a wide variety of platforms. This package contains minimal installation of TigerVNC server, allowing others to access the desktop on your machine.

Name : compat-libcap1

Version : 1.10

Release : 7.el7

Architecture: x86\_64

Install Date: Mon 03 Dec 2018 08:56:12 AM EST

Group : System Environment/Libraries

Size : 30162

License : BSD-like and LGPL

Signature : RSA/SHA256, Thu 03 Jul 2014 09:00:38 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : compat-libcap1-1.10-7.el7.src.rpm

Build Date : Mon 09 Jun 2014 07:40:18 PM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

Summary : Library for getting and setting POSIX.1e capabilities

Description :

libcap is a library for getting and setting POSIX.1e (formerly POSIX 6) draft 15 capabilities.

Name : radvd

Version : 1.9.2

Release : 9.el7

Architecture: x86\_64

Install Date: Mon 03 Dec 2018 08:54:53 AM EST

Group : System Environment/Daemons

Size : 161877

License : BSD with advertising

Signature : RSA/SHA256, Tue 08 Sep 2015 03:37:42 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : radvd-1.9.2-9.el7.src.rpm

Build Date : Tue 08 Sep 2015 01:34:13 PM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://www.litech.org/radvd/>

Summary : A Router Advertisement daemon  
Description :  
radvd is the router advertisement daemon for IPv6. It listens to router solicitations and sends router advertisements as described in "Neighbor Discovery for IP Version 6 (IPv6)" (RFC 2461). With these advertisements hosts can automatically configure their addresses and some other parameters. They also can choose a default router based on these advertisements.

Install radvd if you are setting up IPv6 network and/or Mobile IPv6 services.

Name : scl-utils  
Version : 20130529  
Release : 17.el7\_1  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:13 AM EST  
Group : Applications/File  
Size : 25037  
License : GPLv2+  
Signature : RSA/SHA256, Thu 26 Mar 2015 06:51:32 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : scl-utils-20130529-17.el7\_1.src.rpm  
Build Date : Thu 26 Mar 2015 09:22:15 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/released/scl-utils/>  
Summary : Utilities for alternative packaging  
Description :  
Run-time utility for alternative packaging.

Name : libmtp  
Version : 1.1.6  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:54 AM EST  
Group : System Environment/Libraries  
Size : 471399  
License : LGPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 01:49:25 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : libmtp-1.1.6-5.el7.src.rpm  
Build Date : Sat 05 Nov 2016 02:15:34 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libmtp.sourceforge.net/>  
Summary : A software library for MTP media players  
Description :  
This package provides a software library for communicating with MTP (Media Transfer Protocol) media players, typically audio players, video

players etc.

Name : lohit-punjabi-fonts  
Version : 2.5.3  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:13 AM EST  
Group : User Interface/X  
Size : 40402  
License : OFL  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:18 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : lohit-punjabi-fonts-2.5.3-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:05:55 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/lohit/>  
Summary : Free Punjabi font  
Description :  
This package provides a free Punjabi truetype/opentype font.

Name : fcoe-utils  
Version : 1.0.32  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:55 AM EST  
Group : Applications/System  
Size : 298200  
License : GPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:47:49 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : fcoe-utils-1.0.32-1.el7.src.rpm  
Build Date : Mon 07 Aug 2017 09:46:00 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.open-fcoe.org>  
Summary : Fibre Channel over Ethernet utilities  
Description :  
Fibre Channel over Ethernet utilities  
fcoeadm - command line tool for configuring FCoE interfaces  
fcoemon - service to configure DCB Ethernet QOS filters, works with lldpad

Name : google-crosextra-caladea-fonts  
Version : 1.002  
Release : 0.4.20130214.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:18 AM EST  
Group : User Interface/X  
Size : 242423

License : ASL 2.0  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:41:59 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : google-crosextra-caladea-fonts-1.002-  
0.4.20130214.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:27:59 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://code.google.com/p/chromium/issues/detail?id=168879>  
Summary : Serif font metric-compatible with Cambria font  
Description :  
Caladea is metric-compatible with Cambria font. This font is a serif  
typeface family based on Lato.

Name : anaconda-gui  
Version : 21.48.22.121  
Release : 1.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:56 AM EST  
Group : Applications/System  
Size : 1507905  
License : GPLv2+ and MIT  
Signature : RSA/SHA256, Mon 04 Sep 2017 11:56:28 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : anaconda-21.48.22.121-1.el7.centos.src.rpm  
Build Date : Mon 04 Sep 2017 11:37:24 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedoraproject.org/wiki/Anaconda>  
Summary : Graphical user interface for the Anaconda installer  
Description :  
This package contains graphical user interface for the Anaconda  
installer.

Name : liberation-serif-fonts  
Epoch : 1  
Version : 1.07.2  
Release : 15.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:26 AM EST  
Group : User Interface/X  
Size : 594661  
License : Liberation  
Signature : RSA/SHA256, Mon 27 Jul 2015 07:04:47 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : liberation-fonts-1.07.2-15.el7.src.rpm  
Build Date : Mon 27 Jul 2015 06:58:27 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://fedorahosted.org/liberation-fonts/>  
Summary : Serif fonts to replace commonly used Microsoft Times New Roman  
Description :

The Liberation Fonts are intended to be replacements for the three most commonly used fonts on Microsoft systems: Times New Roman, Arial, and Courier New.

This is Serif TrueType fonts that replaced commonly used Microsoft Times New \ Roman.

Name : libspectre  
Version : 0.2.8  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:56 AM EST  
Group : System Environment/Libraries  
Size : 90983  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:54:07 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libspectre-0.2.8-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 03:26:34 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libspectre.freedesktop.org>  
Summary : A library for rendering PostScript(TM) documents  
Description :  
libspectre is a small library for rendering PostScript(TM) documents. It provides a convenient easy to use API for handling and rendering PostScript documents.

Name : lohit-telugu-fonts  
Version : 2.5.3  
Release : 3.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:31 AM EST  
Group : User Interface/X  
Size : 187557  
License : OFL  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:21 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : lohit-telugu-fonts-2.5.3-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:07:15 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL : <https://fedorahosted.org/lohit/>  
Summary : Free Telugu font  
Description :  
This package provides a free Telugu truetype/opentype font.

Name : libreport-plugin-ureport  
Version : 2.1.11  
Release : 38.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:58 AM EST  
Group : System Environment/Libraries  
Size : 57136  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:49:09 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libreport-2.1.11-38.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 07:43:26 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : libreport's micro report plugin  
Description :  
Uploads micro-report to abrt server

Name : google-crosextra-carlito-fonts  
Version : 1.103  
Release : 0.2.20130920.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:38 AM EST  
Group : User Interface/X  
Size : 2771783  
License : OFL  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:42:02 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : google-crosextra-carlito-fonts-1.103-  
0.2.20130920.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:12:24 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://code.google.com/p/chromium/issues/detail?id=280557>  
Summary : Sans-serif font metric-compatible with Calibri font  
Description :  
Carlito is metric-compatible with Calibri font. Carlito comes in regular,  
bold,  
italic, and bold italic. The family covers Latin-Greek-Cyrillic (not a  
complete set, though) with about 2,000 glyphs. It has the same character  
coverage as Calibri. This font is sans-serif typeface family based on  
Lato.

Name : abrt-addon-kerneloops

Version : 2.1.11  
Release : 48.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:59 AM EST  
Group : System Environment/Libraries  
Size : 38352  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 10:52:38 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : abrt-2.1.11-48.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 10:17:54 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : abrt's kerneloops addon  
Description :  
This package contains plugin for collecting kernel crash information from  
system log.

Name : grub2-tools  
Epoch : 1  
Version : 2.02  
Release : 0.64.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:55 AM EST  
Group : System Environment/Base  
Size : 8182405  
License : GPLv3+  
Signature : RSA/SHA256, Tue 22 Aug 2017 01:18:53 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : grub2-2.02-0.64.el7.centos.src.rpm  
Build Date : Thu 17 Aug 2017 02:01:13 PM EDT  
Build Host : kbuilder.dev.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/grub/>  
Summary : Support tools for GRUB.  
Description :

The GRand Unified Bootloader (GRUB) is a highly configurable and customizable bootloader with modular architecture. It supports a rich variety of kernel formats, file systems, computer architectures and hardware devices.

This subpackage provides tools for support of all platforms.

Name : fontpackages-filesystem  
Version : 1.44  
Release : 8.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:33 AM EST



Group : Development/System  
Size : 0  
License : Public Domain  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:22:56 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : fontpackages-1.44-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:34:20 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedoraproject.org/wiki/fontpackages>  
Summary : Directories used by font packages  
Description :  
This package contains the basic directory layout used by font packages,  
including the correct permissions for the directories.

Name : libteam  
Version : 1.25  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:37 AM EST  
Group : System Environment/Libraries  
Size : 100684  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:59:22 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libteam-1.25-5.el7.src.rpm  
Build Date : Thu 03 Aug 2017 03:13:07 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libteam.org>  
Summary : Library for controlling team network device  
Description :  
This package contains a library which is a user-space  
counterpart for team network driver. It provides an API  
to control team network devices.

Name : nss-sysinit  
Version : 3.28.4  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:41 AM EST  
Group : System Environment/Base  
Size : 13978  
License : MPLv2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:34:13 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : nss-3.28.4-8.el7.src.rpm  
Build Date : Sun 06 Aug 2017 08:16:24 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mozilla.org/projects/security/pki/nss/>  
Summary : System NSS Initialization  
Description :  
Default Operating System module that manages applications loading NSS globally on the system. This module loads the system defined PKCS #11 modules for NSS and chains with other NSS modules to load any system or user configured modules.

Name : filesystem  
Version : 3.2  
Release : 21.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:34 AM EST  
Group : System Environment/Base  
Size : 0  
License : Public Domain  
Signature : RSA/SHA256, Sun 20 Nov 2016 12:43:00 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : filesystem-3.2-21.el7.src.rpm  
Build Date : Sat 05 Nov 2016 11:39:14 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/filesystem>  
Summary : The basic directory layout for a Linux system  
Description :  
The filesystem package is one of the basic packages that is installed on a Linux system. Filesystem contains the basic directory layout for a Linux operating system, including the correct permissions for the directories.

Name : libavc1394  
Version : 0.5.3  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:38 AM EST  
Group : System Environment/Libraries  
Size : 120428  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:36:40 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libavc1394-0.5.3-14.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:52:34 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/libavc1394/>  
Summary : Audio/Video Control library for IEEE-1394 devices  
Description :  
The libavc1394 library allows utilities to control IEEE-1394 devices

using the AV/C specification. Audio/Video Control allows applications to control devices like the tape on a VCR or camcorder.

Name : librados2  
Epoch : 1  
Version : 0.94.5  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:42 AM EST  
Group : System Environment/Libraries  
Size : 5342808  
License : LGPL-2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:29:03 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ceph-common-0.94.5-2.el7.src.rpm  
Build Date : Mon 07 Aug 2017 11:13:44 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://ceph.com/>  
Summary : RADOS distributed object store client library  
Description :  
RADOS is a reliable, autonomic distributed object storage cluster developed as part of the Ceph distributed storage system. This is a shared library allowing applications to access the distributed object store using a simple file-like interface.

Name : telepathy-filesystem  
Version : 0.0.2  
Release : 6.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:34 AM EST  
Group : System Environment/Base  
Size : 0  
License : Public Domain  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:11:38 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : telepathy-filesystem-0.0.2-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:16:26 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : Telepathy filesystem layout  
Description :  
This package provides some directories which are required by other packages which comprise the Telepathy release.

Name : libofa  
Version : 0.9.3  
Release : 24.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:39 AM EST

Group : System Environment/Libraries  
Size : 159293  
License : GPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:03:30 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libofa-0.9.3-24.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:41:35 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://code.google.com/p/musicip-libofa/>  
Summary : Open Fingerprint Architecture library  
Description :  
Currently, MusicDNS and the Open Fingerprint Architecture are being used  
to:  
\* identify duplicate tracks, even when the metadata is different, MusicIP  
identifies the master recording.  
\* fix metadata  
\* find out more about tracks by connecting to MusicBrainz

Name : libcurl  
Version : 7.29.0  
Release : 42.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:43 AM EST  
Group : Development/Libraries  
Size : 435128  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:04:12 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : curl-7.29.0-42.el7.src.rpm  
Build Date : Thu 03 Aug 2017 06:21:40 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://curl.haxx.se/>  
Summary : A library for getting files from web servers  
Description :  
libcurl is a free and easy-to-use client-side URL transfer library,  
supporting  
FTP, FTPS, HTTP, HTTPS, SCP, SFTP, TFTP, TELNET, DICT, LDAP, LDAPS, FILE,  
IMAP,  
SMTP, POP3 and RTSP. libcurl supports SSL certificates, HTTP POST, HTTP  
PUT,  
FTP uploading, HTTP form based upload, proxies, cookies, user+password  
authentication (Basic, Digest, NTLM, Negotiate, Kerberos4), file transfer  
resume, http proxy tunneling and more.

Name : hyperv-daemons-license  
Version : 0  
Release : 0.30.20161211git.el7  
Architecture: noarch

Install Date: Mon 03 Dec 2018 08:50:35 AM EST  
Group : Applications/System  
Size : 18693  
License : GPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:42:27 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : hyperv-daemons-0-0.30.20161211git.el7.src.rpm  
Build Date : Tue 01 Aug 2017 08:49:52 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.kernel.org>  
Summary : License of the HyperV daemons suite  
Description :  
Contains license of the HyperV daemons suite.

Name : perl-podlators  
Version : 2.5.1  
Release : 3.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:39 AM EST  
Group : Development/Libraries  
Size : 287679  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:22:34 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-podlators-2.5.1-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:56:16 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/podlators/>  
Summary : Format POD source into various output formats  
Description :  
This package contains Pod::Man and Pod::Text modules which convert POD  
input  
to \*roff source output, suitable for man pages, or plain text. It also  
includes several sub-classes of Pod::Text for formatted output to  
terminals  
with various capabilities.

Name : openldap  
Version : 2.4.44  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:44 AM EST  
Group : System Environment/Daemons  
Size : 1028725  
License : OpenLDAP  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:37:55 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : openldap-2.4.44-5.el7.src.rpm

Build Date : Fri 04 Aug 2017 10:24:19 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.openldap.org/>  
Summary : LDAP support libraries  
Description :  
OpenLDAP is an open source suite of LDAP (Lightweight Directory Access Protocol) applications and development tools. LDAP is a set of protocols for accessing directory services (usually phone book style information, but other information is possible) over the Internet, similar to the way DNS (Domain Name System) information is propagated over the Internet. The openldap package contains configuration files, libraries, and documentation for OpenLDAP.

Name : poppler-data  
Version : 0.4.6  
Release : 3.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:36 AM EST  
Group : Development/Libraries  
Size : 12013394  
License : BSD and GPLv2 and GPLv3+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:32:33 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : poppler-data-0.4.6-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:57:12 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://poppler.freedesktop.org/>  
Summary : Encoding files  
Description :  
This package consists of encoding files for poppler. When installed, the encoding files enables poppler to correctly render CJK and Cyrillic properly.

Name : perl-Encode  
Version : 2.51  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:40 AM EST  
Group : Development/Libraries  
Size : 10176350  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:17:22 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Encode-2.51-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:49:45 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Encode/>  
Summary : Character encodings in Perl  
Description :  
The Encode module provides the interface between Perl strings and the rest of the system. Perl strings are sequences of characters.

Name : deltarpm  
Version : 3.6  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:44 AM EST  
Group : System Environment/Base  
Size : 214487  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:07:11 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : deltarpm-3.6-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:59:43 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gitorious.org/deltarpm/deltarpm>  
Summary : Create deltas between rpms  
Description :  
A deltarpm contains the difference between an old and a new version of a rpm, which makes it possible to recreate the new rpm from the deltarpm and the old one. You don't have to have a copy of the old rpm, deltarpms can also work with installed rpms.

Name : langtable  
Version : 0.0.31  
Release : 3.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:36 AM EST  
Group : Development/Tools  
Size : 121975  
License : GPLv3+  
Signature : RSA/SHA256, Wed 25 Nov 2015 09:49:43 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : langtable-0.0.31-3.el7.src.rpm  
Build Date : Fri 20 Nov 2015 01:33:27 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/mike-fabian/langtable>  
Summary : Guessing reasonable defaults for locale, keyboard layout, territory, and language.  
Description :

langtable is used to guess reasonable defaults for locale, keyboard layout, territory, and language, if part of that information is already known. For example, guess the territory and the keyboard layout if the language is known or guess the language and keyboard layout if the territory is already known.

```
Name       : perl-threads
Version    : 1.87
Release    : 4.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:51:40 AM EST
Group      : Development/Libraries
Size       : 98615
License    : GPL+ or Artistic
Signature  : RSA/SHA256, Fri 04 Jul 2014 12:25:24 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-threads-1.87-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:22:14 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://search.cpan.org/dist/threads/
Summary    : Perl interpreter-based threads
Description :
Since Perl 5.8, thread programming has been available using a model
called
interpreter threads which provides a new Perl interpreter for each
thread,
and, by default, results in no data or state information being shared
between threads.
```

(Prior to Perl 5.8, 5005threads was available through the "Thread.pm" API.  
This threading model has been deprecated, and was removed as of Perl 5.10.0.)

```
Name       : libuser-python
Version    : 0.60
Release    : 7.el7_1
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:52:45 AM EST
Group      : Development/Libraries
Size       : 67815
License    : LGPLv2+
Signature  : RSA/SHA256, Fri 24 Jul 2015 07:18:22 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libuser-0.60-7.el7_1.src.rpm
Build Date : Fri 24 Jul 2015 07:15:11 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
```



Vendor : CentOS  
URL : <https://fedorahosted.org/libuser/>  
Summary : Python bindings for the libuser library  
Description :  
The libuser-python package contains the Python bindings for the libuser library, which provides a Python API for manipulating and administering user and group accounts.

Name : smc-fonts-common  
Version : 6.0  
Release : 7.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:37 AM EST  
Group : Unspecified  
Size : 1736  
License : GPLv3+ with exceptions and GPLv2+ with exceptions and GPLv2+ and GPLv2 and GPL+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:01:48 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : smc-fonts-6.0-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:40:53 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://savannah.nongnu.org/projects/smc>  
Summary : Common files for smc-fonts  
Description :

The SMC Fonts package contains fonts for the display of traditional and new Malayalam Script.

Name : perl-Filter  
Version : 1.49  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:41 AM EST  
Group : Development/Libraries  
Size : 148475  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:18:19 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Filter-1.49-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:45:54 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Filter/>  
Summary : Perl source filters  
Description :  
Source filters alter the program text of a module before Perl sees it, much as

a C preprocessor alters the source text of a C program before the compiler sees it.

Name : python-urlgrabber  
Version : 3.10  
Release : 8.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:45 AM EST  
Group : Development/Libraries  
Size : 500670  
License : LGPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 03:18:16 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-urlgrabber-3.10-8.el7.src.rpm  
Build Date : Sat 05 Nov 2016 04:55:05 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://urlgrabber.baseurl.org/>  
Summary : A high-level cross-protocol url-grabber  
Description :  
A high-level cross-protocol url-grabber for python supporting HTTP, FTP and file locations. Features include keepalive, byte ranges, throttling, authentication, proxies and more.

Name : tzdata-java  
Version : 2017b  
Release : 1.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:37 AM EST  
Group : System Environment/Base  
Size : 371020  
License : Public Domain  
Signature : RSA/SHA256, Tue 28 Mar 2017 11:40:57 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : tzdata-2017b-1.el7.src.rpm  
Build Date : Mon 27 Mar 2017 12:34:21 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://www.iana.org/time-zones>  
Summary : Timezone data for Java  
Description :  
This package contains timezone information for use by Java runtimes.

Name : perl-constant  
Version : 1.27  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:41 AM EST  
Group : Development/Libraries

Size : 26364  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:15:39 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-constant-1.27-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:51:22 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/constant/>  
Summary : Perl pragma to declare constants  
Description :  
This pragma allows you to declare constants at compile-time:

```
use constant PI => 4 * atan2(1, 1);
```

When you declare a constant such as "PI" using the method shown above, each machine your script runs upon can have as many digits of accuracy as it can use. Also, your program will be easier to read, more likely to be maintained (and maintained correctly), and far less likely to send a space probe to the wrong planet because nobody noticed the one equation in which you wrote 3.14195.

When a constant is used in an expression, Perl replaces it with its value at compile time, and may then optimize the expression further. In particular, any code in an "if (CONSTANT)" block will be optimized away if the constant is false.

Name : graphite2  
Version : 1.3.6  
Release : 1.el7\_2  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:46 AM EST  
Group : Development/Tools  
Size : 247983  
License : (LGPLv2+ or GPLv2+ or MPL) and (Netscape or GPLv2+ or LGPLv2+)  
Signature : RSA/SHA256, Tue 05 Apr 2016 03:22:35 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : graphite2-1.3.6-1.el7\_2.src.rpm  
Build Date : Tue 05 Apr 2016 02:08:40 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/silgraphite/>  
Summary : Font rendering capabilities for complex non-Roman writing systems  
Description :  
Graphite2 is a project within SIL's Non-Roman Script Initiative and Language Software Development groups to provide rendering capabilities for complex

non-Roman writing systems. Graphite can be used to create "smart fonts" capable of displaying writing systems with various complex behaviors. With respect to the Text Encoding Model, Graphite handles the "Rendering" aspect of writing system implementation.

Name : mesa-filesystem  
Version : 17.0.1  
Release : 6.20170307.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:39 AM EST  
Group : User Interface/X Hardware Support  
Size : 3682  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:20:38 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : mesa-17.0.1-6.20170307.el7.src.rpm  
Build Date : Fri 04 Aug 2017 12:27:35 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mesa3d.org>  
Summary : Mesa driver filesystem  
Description :  
Mesa driver filesystem

Name : perl-File-Path  
Version : 2.09  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:41 AM EST  
Group : Development/Libraries  
Size : 50067  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:18:06 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-File-Path-2.09-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:48:09 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/File-Path/>  
Summary : Create or remove directory trees  
Description :  
This module provides a convenient way to create directories of arbitrary depth and to delete an entire directory subtree from the file system.

Name : libproxy  
Version : 0.4.11  
Release : 10.el7

Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:46 AM EST  
Group : System Environment/Libraries  
Size : 164022  
License : LGPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 01:56:21 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libproxy-0.4.11-10.el7.src.rpm  
Build Date : Sat 05 Nov 2016 07:11:08 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://code.google.com/p/libproxy/>  
Summary : A library handling all the details of proxy configuration  
Description :  
libproxy offers the following features:

- \* extremely small core footprint (< 35K)
- \* no external dependencies within libproxy core  
(libproxy plugins may have dependencies)
- \* only 3 functions in the stable external API
- \* dynamic adjustment to changing network topology
- \* a standard way of dealing with proxy settings across all scenarios
- \* a sublime sense of joy and accomplishment

Name : vte-profile  
Version : 0.46.2  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:39 AM EST  
Group : Unspecified  
Size : 2092  
License : GPLv3+  
Signature : RSA/SHA256, Mon 04 Sep 2017 11:57:45 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : vte291-0.46.2-1.el7.src.rpm  
Build Date : Mon 04 Sep 2017 11:26:33 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/>  
Summary : Profile script for VTE terminal emulator library  
Description :  
The vte-profile package contains a profile.d script for the VTE terminal  
emulator library.

Name : perl  
Epoch : 4  
Version : 5.16.3  
Release : 292.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:44 AM EST

Group : Development/Languages  
Size : 23544135  
License : (GPL+ or Artistic) and (GPLv2+ or Artistic) and Copyright  
Only and MIT and Public Domain and UCD  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:05:27 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-5.16.3-292.el7.src.rpm  
Build Date : Wed 02 Aug 2017 01:49:04 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.perl.org/>  
Summary : Practical Extraction and Report Language  
Description :  
Perl is a high-level programming language with roots in C, sed, awk and  
shell  
scripting. Perl is good at handling processes and files, and is  
especially  
good at handling text. Perl's hallmarks are practicality and efficiency.  
While it is used to do a lot of different things, Perl's most common  
applications are system administration utilities and web programming. A  
large  
proportion of the CGI scripts on the web are written in Perl. You need  
the  
perl package installed on your system so that your system can handle Perl  
scripts.

Install this package if you want to program in Perl or enable your system  
to  
handle Perl scripts.

Name : soundtouch  
Version : 1.4.0  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:48 AM EST  
Group : System Environment/Libraries  
Size : 141628  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:02:57 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : soundtouch-1.4.0-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:16:16 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.surina.net/soundtouch/>  
Summary : Audio Processing library for changing Tempo, Pitch and  
Playback Rates  
Description :  
SoundTouch is a LGPL-licensed open-source audio processing library for  
changing the Tempo, Pitch and Playback Rates of audio streams or

files. The SoundTouch library is suited for application developers writing sound processing tools that require tempo/pitch control functionality, or just for playing around with the sound effects.

The SoundTouch library source kit includes an example utility SoundStretch which allows processing .wav audio files from a command-line interface.

```
Name       : compat-db-headers
Version    : 4.7.25
Release    : 28.el7
Architecture: noarch
Install Date: Mon 03 Dec 2018 08:50:40 AM EST
Group      : System Environment/Libraries
Size       : 151410
License    : BSD
Signature  : RSA/SHA256, Thu 11 Sep 2014 02:01:45 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : compat-db-4.7.25-28.el7.src.rpm
Build Date : Thu 11 Sep 2014 01:42:48 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.oracle.com/database/berkeley-db/
Summary    : The Berkeley DB database compatibility headers
Description :
The Berkeley Database (Berkeley DB) is a programmatic toolkit that
provides
embedded database support for both traditional and client/server
applications.
This package contains Berkeley DB library headers used for compatibility.
```

```
Name       : perl-LWP-MediaTypes
Version    : 6.02
Release    : 2.el7
Architecture: noarch
Install Date: Mon 03 Dec 2018 08:51:44 AM EST
Group      : Development/Libraries
Size       : 62858
License    : (GPL+ or Artistic) and Public Domain
Signature  : RSA/SHA256, Fri 04 Jul 2014 12:20:25 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-LWP-MediaTypes-6.02-2.el7.src.rpm
Build Date : Mon 09 Jun 2014 02:45:01 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://search.cpan.org/dist/LWP-MediaTypes/
Summary    : Guess media type for a file or a URL
Description :
This module provides functions for handling media (also known as MIME)
types and encodings. The mapping from file extensions to media types is
```

defined by the media.types file. If the ~/.media.types file exists it is used instead. For backwards compatibility we will also look for ~/.mime.types.

Name : sg3\_utils-libs  
Version : 1.37  
Release : 12.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:49 AM EST  
Group : System Environment/Libraries  
Size : 184551  
License : GPLv2+ and BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:53:27 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sg3\_utils-1.37-12.el7.src.rpm  
Build Date : Fri 04 Aug 2017 12:07:14 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://sg.danny.cz/sg/sg3\\_utils.html](http://sg.danny.cz/sg/sg3_utils.html)  
Summary : Shared library for sg3\_utils  
Description :  
This package contains the shared library for sg3\_utils.

Name : kernel-headers  
Version : 3.10.0  
Release : 862.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:41 AM EST  
Group : Development/System  
Size : 3757012  
License : GPLv2  
Signature : RSA/SHA256, Wed 25 Apr 2018 07:09:54 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : kernel-3.10.0-862.el7.src.rpm  
Build Date : Fri 20 Apr 2018 01:46:52 PM EDT  
Build Host : kbuilder.dev.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.kernel.org/>  
Summary : Header files for the Linux kernel for use by glibc  
Description :  
Kernel-headers includes the C header files that specify the interface between the Linux kernel and userspace libraries and programs. The header files define structures and constants that are needed for building most standard programs and are also needed for rebuilding the glibc package.

Name : perl-XML-Parser  
Version : 2.41  
Release : 10.el7  
Architecture: x86\_64



Install Date: Mon 03 Dec 2018 08:51:44 AM EST  
Group : Development/Libraries  
Size : 642973  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:26:25 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-XML-Parser-2.41-10.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:50:27 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/XML-Parser/>  
Summary : Perl module for parsing XML documents  
Description :  
This module provides ways to parse XML documents. It is built on top of XML::Parser::Expat, which is a lower level interface to James Clark's expat library. Each call to one of the parsing methods creates a new instance of XML::Parser::Expat which is then used to parse the document. Expat options may be provided when the XML::Parser object is created. These options are then passed on to the Expat object on each parse call. They can also be given as extra arguments to the parse methods, in which case they override options given at XML::Parser creation time.

Name : gnupg2  
Version : 2.0.22  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:49 AM EST  
Group : Applications/System  
Size : 6644890  
License : GPLv3+  
Signature : RSA/SHA256, Sun 20 Nov 2016 01:00:27 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnupg2-2.0.22-4.el7.src.rpm  
Build Date : Sat 05 Nov 2016 12:08:17 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnupg.org/>  
Summary : Utility for secure communication and data storage  
Description :  
GnuPG is GNU's tool for secure communication and data storage. It can be used to encrypt data and to create digital signatures. It includes an advanced key management facility and is compliant with the proposed OpenPGP Internet standard as described in RFC2440 and the S/MIME standard as described by several RFCs.

GnuPG 2.0 is a newer version of GnuPG with additional support for S/MIME. It has a different design philosophy that splits functionality up into several modules. The S/MIME and smartcard functionality

is provided by the gnupg2-smime package.

Name : ncurses-base  
Version : 5.9  
Release : 13.20130511.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:47 AM EST  
Group : System Environment/Base  
Size : 223432  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:54:15 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ncurses-5.9-13.20130511.el7.src.rpm  
Build Date : Tue 10 Jun 2014 11:12:16 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://invisible-island.net/ncurses/ncurses.html>  
Summary : Descriptions of common terminals  
Description :  
This package contains descriptions of common terminals. Other terminal descriptions are included in the ncurses-term package.

Name : perl-Digest  
Version : 1.17  
Release : 245.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:45 AM EST  
Group : Development/Libraries  
Size : 28661  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:17:08 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Digest-1.17-245.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:13:52 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Digest/>  
Summary : Modules that calculate message digests  
Description :  
The Digest:: modules calculate digests, also called "fingerprints" or "hashes", of some data, called a message. The digest is (usually) some small/fixed size string. The actual size of the digest depend of the algorithm used. The message is simply a sequence of arbitrary bytes or bits.

Name : rpm-python  
Version : 4.11.3  
Release : 25.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:50 AM EST

Group : Development/Libraries  
Size : 148849  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:42:32 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : rpm-4.11.3-25.el7.src.rpm  
Build Date : Wed 02 Aug 2017 11:48:19 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.rpm.org/>  
Summary : Python bindings for apps which will manipulate RPM packages  
Description :  
The rpm-python package contains a module that permits applications written in the Python programming language to use the interface supplied by RPM Package Manager libraries.

This package should be installed if you want to develop Python programs that will manipulate RPM packages and databases.

Name : glibc-common  
Version : 2.17  
Release : 196.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:52 AM EST  
Group : System Environment/Base  
Size : 120296447  
License : LGPLv2+ and LGPLv2+ with exceptions and GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:12:11 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : glibc-2.17-196.el7.src.rpm  
Build Date : Tue 01 Aug 2017 05:09:22 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/glibc/>  
Summary : Common binaries and locale data for glibc  
Description :  
The glibc-common package includes common binaries for the GNU libc libraries, as well as national language (locale) support.

Name : perl-IO-Zlib  
Epoch : 1  
Version : 1.10  
Release : 292.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:45 AM EST  
Group : Development/Libraries  
Size : 19723  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:06:48 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : perl-5.16.3-292.el7.src.rpm  
Build Date : Wed 02 Aug 2017 01:49:04 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.perl.org/>  
Summary : Perl IO:: style interface to Compress::Zlib  
Description :  
This modules provides an IO:: style interface to the Compress::Zlib package.  
The main advantage is that you can use an IO::Zlib object in much the same way as an IO::File object so you can have common code that doesn't know which sort of file it is using.

Name : XRXTTOOLS  
Version : 1.0.0.25  
Release : 1  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 09:01:57 AM EST  
Group : Applications/Xerox  
Size : 336785  
License : Copyright 1996-2010 Xerox Corporation  
Signature : (none)  
Source RPM : XRXTTOOLS-1.0.0.25-1.src.rpm  
Build Date : Mon 13 Feb 2017 03:05:49 PM EST  
Build Host : chicory  
Relocations : (not relocatable)  
Packager : sdonnell  
Vendor : Xerox Corporation  
Summary : Xerox Print Engine Tools  
Description :  
Xerox Print Engine Tools for Development and Debugging

Name : createrepo  
Version : 0.9.9  
Release : 28.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:51 AM EST  
Group : System Environment/Base  
Size : 309485  
License : GPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:27:35 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : createrepo-0.9.9-28.el7.src.rpm  
Build Date : Thu 03 Aug 2017 02:42:44 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://createrepo.baseurl.org/>  
Summary : Creates a common metadata repository

Description :

This utility will generate a common metadata repository from a directory of rpm packages.

Name : libstdc++  
Version : 5.4.0  
Release : 1.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:54 AM EST  
Group : System Environment/Libraries  
Size : 7855795  
License : GPLv3+ and GPLv3+ with exceptions and GPLv2+ with exceptions and LGPLv2+ and BSD  
Signature : (none)  
Source RPM : libstdc++-5.4.0-1.el7.centos.src.rpm  
Build Date : Wed 21 Mar 2018 09:42:32 AM EDT  
Build Host : e6-lab5.eng.mc.xerox.com  
Relocations : (not relocatable)  
URL : <http://gcc.gnu.org>  
Summary : GCC version 5.4.0 shared support library  
Description :  
The libstdc++ package contains a rewritten standard compliant GCC Standard C++ Library.

Name : perl-CGI  
Version : 3.63  
Release : 4.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:45 AM EST  
Group : Development/Libraries  
Size : 716590  
License : (GPL+ or Artistic) and Artistic 2.0  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:15:15 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-CGI-3.63-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:31:20 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/CGI>  
Summary : Handle Common Gateway Interface requests and responses  
Description :  
CGI.pm is a stable, complete and mature solution for processing and preparing HTTP requests and responses. Major features including processing form submissions, file uploads, reading and writing cookies, query string generation and manipulation, and processing and preparing HTTP headers. Some HTML generation utilities are included as well.

CGI.pm performs very well in in a vanilla CGI.pm environment and also comes with built-in support for mod\_perl and mod\_perl2 as well as FastCGI.

Name : libdv  
Version : 1.0.0  
Release : 17.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:53 AM EST  
Group : System Environment/Libraries  
Size : 180217  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:43:28 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libdv-1.0.0-17.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:50:59 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libdv.sourceforge.net/>  
Summary : Software decoder for DV format video  
Description :  
The Quasar DV codec (libdv) is a software codec for DV video, the encoding format used by most digital camcorders, typically those that support the IEEE 1394 (a.k.a. FireWire or i.Link) interface. libdv was developed according to the official standards for DV video: IEC 61834 and SMPTE 314M.

Name : libselinux  
Version : 2.5  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:55 AM EST  
Group : System Environment/Libraries  
Size : 217762  
License : Public Domain  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:51:18 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libselinux-2.5-11.el7.src.rpm  
Build Date : Thu 03 Aug 2017 02:19:06 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/SELinuxProject/selinux/wiki>  
Summary : SELinux library and simple utilities  
Description :  
Security-enhanced Linux is a feature of the Linux® kernel and a number of utilities with enhanced security functionality designed to add mandatory access controls to Linux. The Security-enhanced Linux kernel contains new architectural components originally developed to improve the security of the Flask operating system. These architectural components provide general support for the enforcement

of many kinds of mandatory access control policies, including those based on the concepts of Type Enforcement®, Role-based Access Control, and Multi-level Security.

libselinux provides an API for SELinux applications to get and set process and file security contexts and to obtain security policy decisions. Required for any applications that use the SELinux API.

```
Name       : perl-Package-Constants
Epoch     : 1
Version    : 0.02
Release    : 292.el7
Architecture: noarch
Install Date: Mon 03 Dec 2018 08:51:45 AM EST
Group      : Development/Libraries
Size       : 4759
License    : GPL+ or Artistic
Signature  : RSA/SHA256, Thu 10 Aug 2017 03:07:37 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-5.16.3-292.el7.src.rpm
Build Date : Wed 02 Aug 2017 01:49:04 PM EDT
Build Host : clbm.rdu2.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.perl.org/
Summary    : List all constants declared in a package
Description :
Package::Constants lists all the constants defined in a certain package.
This
can be useful for, among others, setting up an autogenerated
@EXPORT/@EXPORT_OK
for a Constants.pm file.
```

```
Name       : kernel-tools-libs
Version    : 3.10.0
Release    : 862.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:52:53 AM EST
Group      : Development/System
Size       : 18640
License    : GPLv2
Signature  : RSA/SHA256, Wed 25 Apr 2018 07:09:58 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : kernel-3.10.0-862.el7.src.rpm
Build Date : Fri 20 Apr 2018 01:46:52 PM EDT
Build Host : kbuilder.dev.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.kernel.org/
Summary    : Libraries for the kernels-tools
Description :
This package contains the libraries built from the tools/ directory
```

from the kernel source.

```
Name       : libuuid
Version    : 2.23.2
Release    : 43.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:50:56 AM EST
Group      : Development/Libraries
Size       : 20254
License    : BSD
Signature  : RSA/SHA256, Thu 10 Aug 2017 02:01:16 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : util-linux-2.23.2-43.el7.src.rpm
Build Date : Fri 04 Aug 2017 07:19:01 AM EDT
Build Host : clbm.rdu2.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://en.wikipedia.org/wiki/Util-linux
Summary    : Universally unique ID library
Description :
This is the universally unique ID library, part of util-linux.
```

The libuuid library generates and parses 128-bit universally unique id's (UUID's). A UUID is an identifier that is unique across both space and time, with respect to the space of all UUIDs. A UUID can be used for multiple purposes, from tagging objects with an extremely short lifetime, to reliably identifying very persistent objects across a network.

See also the "uuid" package, which is a separate implementation.

```
Name       : perl-Business-ISBN-Data
Version    : 20120719.001
Release    : 2.el7
Architecture: noarch
Install Date: Mon 03 Dec 2018 08:51:46 AM EST
Group      : Development/Libraries
Size       : 165294
License    : GPL+ or Artistic
Signature  : RSA/SHA256, Fri 04 Jul 2014 12:15:07 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-Business-ISBN-Data-20120719.001-2.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:25:18 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://search.cpan.org/dist/Business-ISBN-Data/
Summary    : The data pack for Business::ISBN
Description :
This is a data pack for Business::ISBN. You can update
the ISBN data without changing the version of Business::ISBN.
Most of the interesting stuff is in Business::ISBN.
```



Name : sssd-client  
Version : 1.15.2  
Release : 50.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:54 AM EST  
Group : Applications/System  
Size : 212227  
License : LGPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:56:20 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sssd-1.15.2-50.el7.src.rpm  
Build Date : Mon 07 Aug 2017 05:38:50 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://pagure.io/SSSD/sss/>  
Summary : SSSD Client libraries for NSS and PAM  
Description :  
Provides the libraries needed by the PAM and NSS stacks to connect to the SSSD service.

Name : chkconfig  
Version : 1.7.4  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:56 AM EST  
Group : System Environment/Base  
Size : 779531  
License : GPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:17:48 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : chkconfig-1.7.4-1.el7.src.rpm  
Build Date : Fri 04 Aug 2017 09:45:51 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/fedora-sysv/chkconfig>  
Summary : A system tool for maintaining the /etc/rc\*.d hierarchy  
Description :  
Chkconfig is a basic system utility. It updates and queries runlevel information for system services. Chkconfig manipulates the numerous symbolic links in /etc/rc.d, to relieve system administrators of some of the drudgery of manually editing the symbolic links.

Name : perl-IO-HTML  
Version : 1.00  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:46 AM EST  
Group : Development/Libraries

Size : 43639  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:25 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-IO-HTML-1.00-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:01:04 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/IO-HTML/>  
Summary : Open an HTML file with automatic character set detection  
Description :  
IO::HTML provides an easy way to open a file containing HTML while automatically determining its encoding. It uses the HTML5 encoding sniffing algorithm specified in section 8.2.2.1 of the draft standard.

Name : libburn  
Version : 1.2.8  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:54 AM EST  
Group : System Environment/Libraries  
Size : 336722  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:37:44 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libburn-1.2.8-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:20:00 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libburnia-project.org/>  
Summary : Library for reading, mastering and writing optical discs  
Description :  
Libburn is an open-source library for reading, mastering and writing optical discs. For now this means only CD-R and CD-RW.

The project comprises of several more or less interdependent parts which together strive to be a usable foundation for application development. These are libraries, language bindings, and middleware binaries which emulate classical (and valuable) Linux tools.

Name : bzip2-libs  
Version : 1.0.6  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:57 AM EST  
Group : System Environment/Libraries  
Size : 70093  
License : BSD

Signature : RSA/SHA256, Wed 25 Nov 2015 09:18:43 AM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : bzip2-1.0.6-13.el7.src.rpm  
Build Date : Fri 20 Nov 2015 12:04:52 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.bzip.org/>  
Summary : Libraries for applications using bzip2  
Description :

Libraries for applications using the bzip2 compression format.

Name : perl-HTTP-Date  
Version : 6.02  
Release : 8.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:46 AM EST  
Group : Development/Libraries  
Size : 20167  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:02 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-HTTP-Date-6.02-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:20:58 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/HTTP-Date/>  
Summary : Date conversion routines  
Description :  
This module provides functions that deal the date formats used by the  
HTTP  
protocol (and then some more). Only the first two functions, time2str()  
and  
str2time(), are exported by default.

Name : libndp  
Version : 1.2  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:55 AM EST  
Group : System Environment/Libraries  
Size : 75612  
License : LGPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 01:50:09 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libndp-1.2-7.el7.src.rpm  
Build Date : Sat 05 Nov 2016 02:04:12 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://www.libndp.org/>  
Summary : Library for Neighbor Discovery Protocol  
Description :  
This package contains a library which provides a wrapper  
for IPv6 Neighbor Discovery Protocol. It also provides a tool

Named ndptool for sending and receiving NDP messages.

Name : sqlite  
Version : 3.7.17  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:58 AM EST  
Group : Applications/Databases  
Size : 814231  
License : Public Domain  
Signature : RSA/SHA256, Wed 25 Nov 2015 10:40:39 AM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sqlite-3.7.17-8.el7.src.rpm  
Build Date : Fri 20 Nov 2015 03:45:59 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.sqlite.org/>  
Summary : Library that implements an embeddable SQL database engine  
Description :  
SQLite is a C library that implements an SQL database engine. A large  
subset of SQL92 is supported. A complete database is stored in a  
single disk file. The API is designed for convenience and ease of use.  
Applications that link against SQLite can enjoy the power and  
flexibility of an SQL database without the administrative hassles of  
supporting a separate database server. Version 2 and version 3 binaries  
are  
Named to permit each to be installed on a single host

Name : perl-HTTP-Daemon  
Version : 6.01  
Release : 5.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:46 AM EST  
Group : Development/Libraries  
Size : 40152  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:00 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-HTTP-Daemon-6.01-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:27:59 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/HTTP-Daemon/>

Summary : Simple HTTP server class  
Description :  
Instances of the HTTP::Daemon class are HTTP/1.1 servers that listen on a socket for incoming requests. The HTTP::Daemon is a subclass of IO::Socket::INET, so you can perform socket operations directly on it too.

Name : wavpack  
Version : 4.60.1  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:56 AM EST  
Group : Applications/Multimedia  
Size : 303108  
License : BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:42:32 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : wavpack-4.60.1-9.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:15:39 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.wavpack.com/>  
Summary : A completely open audiocodec  
Description :  
WavPack is a completely open audio compression format providing lossless, high-quality lossy, and a unique hybrid compression mode. Although the technology is loosely based on previous versions of WavPack, the new version 4 format has been designed from the ground up to offer unparalleled performance and functionality.

Name : libgcrypt  
Version : 1.5.3  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:59 AM EST  
Group : System Environment/Libraries  
Size : 597727  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:08:59 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libgcrypt-1.5.3-14.el7.src.rpm  
Build Date : Wed 02 Aug 2017 11:55:07 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnupg.org/>  
Summary : A general-purpose cryptography library  
Description :  
Libgcrypt is a general purpose crypto library based on the code used in GNU Privacy Guard. This is a development version.

Name : perl-Devel-StackTrace  
 Epoch : 1  
 Version : 1.30  
 Release : 2.el7  
 Architecture: noarch  
 Install Date: Mon 03 Dec 2018 08:51:47 AM EST  
 Group : Development/Libraries  
 Size : 41166  
 License : Artistic 2.0  
 Signature : RSA/SHA256, Fri 04 Jul 2014 12:17:05 AM EDT, Key ID  
 24c6a8a7f4a80eb5  
 Source RPM : perl-Devel-StackTrace-1.30-2.el7.src.rpm  
 Build Date : Tue 10 Jun 2014 05:37:56 AM EDT  
 Build Host : worker1.bsys.centos.org  
 Relocations : (not relocatable)  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 Vendor : CentOS  
 URL : <http://search.cpan.org/dist/Devel-StackTrace/>  
 Summary : Perl module implementing stack trace and stack trace frame  
 objects  
 Description :  
 The Devel::StackTrace module contains two classes, Devel::StackTrace  
 and Devel::StackTraceFrame. The goal of this object is to encapsulate  
 the information that can found through using the caller() function, as  
 well as providing a simple interface to this data.

The Devel::StackTrace object contains a set of Devel::StackTraceFrame  
 objects, one for each level of the stack. The frames contain all the  
 data available from caller() as of Perl 5.6.0.

Name : ustr  
 Version : 1.0.4  
 Release : 16.el7  
 Architecture: x86\_64  
 Install Date: Mon 03 Dec 2018 08:52:59 AM EST  
 Group : System Environment/Libraries  
 Size : 285943  
 License : MIT or LGPLv2+ or BSD  
 Signature : RSA/SHA256, Fri 04 Jul 2014 01:39:11 AM EDT, Key ID  
 24c6a8a7f4a80eb5  
 Source RPM : ustr-1.0.4-16.el7.src.rpm  
 Build Date : Mon 09 Jun 2014 04:12:46 PM EDT  
 Build Host : worker1.bsys.centos.org  
 Relocations : (not relocatable)  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 Vendor : CentOS  
 URL : <http://www.and.org/ustr/>  
 Summary : String library, very low memory overhead, simple to import  
 Description :  
 Micro string library, very low overhead from plain strdup() (Ave. 44%  
 for  
 0-20B strings). Very easy to use in existing C code. At it's simplest you  
 can

just include a single header file into your .c and start using it.  
This package also distributes pre-built shared libraries.

Name : libnl3  
Version : 3.2.28  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:00 AM EST  
Group : Development/Libraries  
Size : 864984  
License : LGPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:22:44 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libnl3-3.2.28-4.el7.src.rpm  
Build Date : Thu 03 Aug 2017 03:49:03 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.infradead.org/~tgr/libnl/>  
Summary : Convenience library for kernel netlink sockets  
Description :  
This package contains a convenience library to simplify using the Linux kernel's netlink sockets interface for network manipulation

Name : libshout  
Version : 2.2.2  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:47 AM EST  
Group : System Environment/Libraries  
Size : 101783  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:17:16 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libshout-2.2.2-11.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:54:44 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.icecast.org/>  
Summary : Icecast source streaming library  
Description :  
libshout is a library for communicating with and sending data to an icecast server. It handles the socket connection, the timing of the data, and prevents most bad data from getting to the icecast server.

Name : libsemanage-python  
Version : 2.5  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:59 AM EST

Group : Development/Libraries  
Size : 385908  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:52:24 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libsemanage-2.5-8.el7.src.rpm  
Build Date : Thu 03 Aug 2017 09:47:59 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/SELinuxProject/selinux/wiki>  
Summary : semanager python bindings for libsemanage  
Description :  
The libsemanage-python package contains the python bindings for developing SELinux management applications.

Name : libogg  
Epoch : 2  
Version : 1.3.0  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:00 AM EST  
Group : System Environment/Libraries  
Size : 35628  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:03:37 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libogg-1.3.0-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:27:12 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.xiph.org/>  
Summary : The Ogg bitstream file format library  
Description :  
Libogg is a library for manipulating Ogg bitstream file formats. Libogg supports both making Ogg bitstreams and getting packets from Ogg bitstreams.

Name : hunspell-en-GB  
Version : 0.20121024  
Release : 6.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:48 AM EST  
Group : Applications/Text  
Size : 556243  
License : LGPLv2+ and LGPLv2 and BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:41:20 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : hunspell-en-0.20121024-6.el7.src.rpm  
Build Date : Wed 02 Aug 2017 07:53:28 AM EDT



Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://wordlist.sourceforge.net/>  
Summary : UK English hunspell dictionaries  
Description :  
UK English hunspell dictionaries

Name : checkpolicy  
Version : 2.5  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:00 AM EST  
Group : Development/System  
Size : 1270943  
License : GPLv2  
Signature : RSA/SHA256, Sun 20 Nov 2016 12:23:29 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : checkpolicy-2.5-4.el7.src.rpm  
Build Date : Sun 06 Nov 2016 12:03:26 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : SELinux policy compiler  
Description :  
Security-enhanced Linux is a feature of the Linux® kernel and a number of utilities with enhanced security functionality designed to add mandatory access controls to Linux. The Security-enhanced Linux kernel contains new architectural components originally developed to improve the security of the Flask operating system. These architectural components provide general support for the enforcement of many kinds of mandatory access control policies, including those based on the concepts of Type Enforcement®, Role-based Access Control, and Multi-level Security.

This package contains checkpolicy, the SELinux policy compiler.  
Only required for building policies.

Name : libtevent  
Version : 0.9.31  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:01 AM EST  
Group : System Environment/Daemons  
Size : 66624  
License : LGPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:59:47 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libtevent-0.9.31-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 05:41:25 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://tevent.samba.org/>  
Summary : The tevent library  
Description :  
Tevent is an event system based on the talloc memory management library. Tevent has support for many event types, including timers, signals, and the classic file descriptor events. Tevent also provide helpers to deal with asynchronous code providing the tevent\_req (Tevent Request) functions.

Name : libXvMC  
Version : 1.0.10  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:48 AM EST  
Group : System Environment/Libraries  
Size : 36971  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:14:02 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXvMC-1.0.10-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 12:18:43 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXvMC runtime library  
Description :  
X.Org X11 libXvMC runtime library

Name : libini\_config  
Version : 1.3.0  
Release : 27.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:01 AM EST  
Group : Development/Libraries  
Size : 151046  
License : LGPLv3+  
Signature : RSA/SHA256, Sun 20 Nov 2016 01:44:55 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : ding-libs-0.6.0-27.el7.src.rpm  
Build Date : Sat 05 Nov 2016 04:05:57 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/sss/>  
Summary : INI file parser for C  
Description :  
Library to process config files in INI format into a libcollection data structure

Name : libcap  
Version : 2.22  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:01 AM EST  
Group : System Environment/Libraries  
Size : 111445  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:02:00 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libcap-2.22-9.el7.src.rpm  
Build Date : Wed 02 Aug 2017 03:17:59 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://ftp.kernel.org/pub/linux/libs/security/linux-privs/kernel-2.6/>  
Summary : Library for getting and setting POSIX.1e capabilities  
Description :  
libcap is a library for getting and setting POSIX.1e (formerly POSIX 6) draft 15 capabilities.

Name : libXxf86dga  
Version : 1.1.4  
Release : 2.1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:49 AM EST  
Group : System Environment/Libraries  
Size : 30443  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:33:03 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXxf86dga-1.1.4-2.1.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:23:20 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXxf86dga runtime library  
Description :  
X.Org X11 libXxf86dga runtime library

Name : libfastjson  
Version : 0.99.4  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:01 AM EST  
Group : Unspecified  
Size : 57201  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:08:04 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : libfastjson-0.99.4-2.el7.src.rpm  
Build Date : Wed 02 Aug 2017 04:50:56 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/rsyslog/libfastjson>  
Summary : A JSON implementation in C  
Description :  
LIBFASTJSON implements a reference counting object  
model that allows you to easily construct JSON  
objects in C, output them as JSON formatted strings  
and parse JSON formatted strings back into the  
C representation of JSON objects.

Name : libtar  
Version : 1.2.11  
Release : 29.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:02 AM EST  
Group : System Environment/Libraries  
Size : 74934  
License : MIT  
Signature : RSA/SHA256, Mon 18 May 2015 09:31:11 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libtar-1.2.11-29.el7.src.rpm  
Build Date : Mon 18 May 2015 08:30:11 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.feep.net/libtar/>  
Summary : Tar file manipulation API  
Description :  
libtar is a C library for manipulating tar archives. It supports both  
the strict POSIX tar format and many of the commonly-used GNU  
extensions.

Name : vim-minimal  
Epoch : 2  
Version : 7.4.160  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:49 AM EST  
Group : Applications/Editors  
Size : 917704  
License : Vim  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:15:55 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : vim-7.4.160-2.el7.src.rpm  
Build Date : Tue 01 Aug 2017 08:46:12 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://www.vim.org/>  
Summary : A minimal version of the VIM editor  
Description :  
VIM (VIsual editor iMproved) is an updated and improved version of the vi editor. Vi was the first real screen-based editor for UNIX, and is still very popular. VIM improves on vi by adding new features: multiple windows, multi-level undo, block highlighting and more. The vim-minimal package includes a minimal version of VIM, which is installed into /bin/vi for use when only the root partition is present. NOTE: The online help is only available when the vim-common package is installed.

Name : libnotify  
Version : 0.7.7  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:02 AM EST  
Group : Unspecified  
Size : 87113  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:23:55 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libnotify-0.7.7-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 02:34:32 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org>  
Summary : Desktop notification library  
Description :  
libnotify is a library for sending desktop notifications to a notification daemon, as defined in the freedesktop.org Desktop Notifications spec. These notifications can be used to inform the user about an event or display some form of information without getting in the user's way.

Name : tcp\_wrappers-libs  
Version : 7.6  
Release : 77.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:03 AM EST  
Group : System Environment/Libraries  
Size : 134602  
License : BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:11:07 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : tcp\_wrappers-7.6-77.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:41:54 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <ftp://ftp.porcupine.org/pub/security/index.html>  
Summary : Libraries for tcp\_wrappers  
Description :  
tcp\_wrappers-libs contains the libraries of the tcp\_wrappers package.

Name : setools-libs  
Version : 3.3.8  
Release : 1.1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:50 AM EST  
Group : System Environment/Libraries  
Size : 1896006  
License : LGPLv2  
Signature : RSA/SHA256, Sun 20 Nov 2016 03:43:32 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : setools-3.3.8-1.1.el7.src.rpm  
Build Date : Mon 07 Nov 2016 03:16:39 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://oss.tresys.com/projects/setools>  
Summary : Policy analysis support libraries for SELinux  
Description :  
SETools is a collection of graphical tools, command-line tools, and libraries designed to facilitate SELinux policy analysis.

This package includes the following run-time libraries:

libapol	policy analysis library
libpoldiff	semantic policy difference library
libqpol	library that abstracts policy internals
libseaudit	parse and filter SELinux audit messages in log files
libsefs	SELinux file contexts library

Name : vlgothic-fonts  
Version : 20130607  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:53:03 AM EST  
Group : User Interface/X  
Size : 4134475  
License : mplus and BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:41:54 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : vlgothic-fonts-20130607-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:55:16 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://dicey.org/vlgothic>

Summary : Japanese TrueType font  
Description :

VLGothic provides Japanese TrueType fonts from the Vine Linux project. Most of the glyphs are taken from the M+ and Sazanami Gothic fonts, but some have also been improved by the project.

This package provides the monospace VLGothic font.

Name : p11-kit  
Version : 0.23.5  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:04 AM EST  
Group : Unspecified  
Size : 1337825  
License : BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:44:31 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : p11-kit-0.23.5-3.el7.src.rpm  
Build Date : Fri 04 Aug 2017 07:37:00 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://p11-glue.freedesktop.org/p11-kit.html>  
Summary : Library for loading and sharing PKCS#11 modules  
Description :  
p11-kit provides a way to load and enumerate PKCS#11 modules, as well as a standard configuration setup for installing PKCS#11 modules in such a way that they're discoverable.

Name : zip  
Version : 3.0  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:51 AM EST  
Group : Applications/Archiving  
Size : 815173  
License : BSD  
Signature : RSA/SHA256, Sun 20 Nov 2016 04:04:58 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : zip-3.0-11.el7.src.rpm  
Build Date : Sat 05 Nov 2016 12:49:55 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.info-zip.org/Zip.html>  
Summary : A file compression and packaging utility compatible with PKZIP  
Description :  
The zip program is a compression and file packaging utility. Zip is analogous to a combination of the UNIX tar and compress commands and

is compatible with PKZIP (a compression and file packaging utility for MS-DOS systems).

Install the zip package if you need to compress files using the zip program.

```
Name       : perl-Tk
Version    : 804.030
Release    : 6.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:53:06 AM EST
Group      : Development/Libraries
Size       : 6704158
License    : (GPL+ or Artistic) and SWL
Signature  : RSA/SHA256, Fri 04 Jul 2014 12:25:41 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-Tk-804.030-6.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:16:27 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://search.cpan.org/dist/Tk/
Summary    : Perl Graphical User Interface ToolKit
Description :
This a re-port of a perl interface to Tk8.4.
C code is derived from Tcl/Tk8.4.5.
It also includes all the C code parts of Tix8.1.4 from SourceForge.
The perl code corresponding to Tix's Tcl code is not fully implemented.
```

Perl API is essentially the same as Tk800 series Tk800.025 but has not been verified as compliant. There ARE differences see pod/804delta.pod.

```
Name       : libXau
Version    : 1.0.8
Release    : 2.1.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:51:04 AM EST
Group      : System Environment/Libraries
Size       : 55529
License    : MIT
Signature  : RSA/SHA256, Thu 03 Jul 2014 11:29:02 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libXau-1.0.8-2.1.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:56:42 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.x.org
Summary    : Sample Authorization Protocol for X
Description :
This is a very simple mechanism for providing individual access to an X
Window
```



System display. It uses existing core protocol and library hooks for specifying authorization data in the connection setup block to restrict use of the display to only those clients that show that they know a server-specific key called a "magic cookie".

Name : libss  
Version : 1.42.9  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:52 AM EST  
Group : Development/Libraries  
Size : 73009  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:54:22 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : e2fsprogs-1.42.9-10.el7.src.rpm  
Build Date : Wed 02 Aug 2017 11:29:22 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://e2fsprogs.sourceforge.net/>  
Summary : Command line interface parsing library  
Description :  
This is libss, a command line interface parsing library, part of e2fsprogs.

This package includes a tool that parses a command table to generate a simple command-line interface parser, the include files needed to compile and use it.

It was originally inspired by the Multics SubSystem library.

Name : java-1.8.0-openjdk  
Epoch : 1  
Version : 1.8.0.161  
Release : 2.b14.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:09 AM EST  
Group : Development/Languages  
Size : 512588  
License : ASL 1.1 and ASL 2.0 and GPL+ and GPLv2 and GPLv2 with exceptions and LGPL+ and LGPLv2 and MPLv1.0 and MPLv1.1 and Public Domain and W3C  
Signature : RSA/SHA256, Wed 25 Apr 2018 07:06:53 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : java-1.8.0-openjdk-1.8.0.161-2.b14.el7.src.rpm  
Build Date : Wed 11 Apr 2018 02:23:44 AM EDT  
Build Host : x86-01.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL : <http://openjdk.java.net/>  
Summary : OpenJDK Runtime Environment  
Description :  
The OpenJDK runtime environment.

Name : libXi  
Version : 1.7.9  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:05 AM EST  
Group : System Environment/Libraries  
Size : 70019  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:11:25 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libXi-1.7.9-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 12:31:39 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXi runtime library  
Description :  
X.Org X11 libXi runtime library

Name : qpdf-libs  
Version : 5.0.1  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:52 AM EST  
Group : System Environment/Libraries  
Size : 924514  
License : Artistic 2.0 and MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:44:10 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : qpdf-5.0.1-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:47:10 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://qpdf.sourceforge.net/>  
Summary : QPDF library for transforming PDF files  
Description :  
QPDF is a C++ library that inspect and manipulate the structure of PDF files.  
It can encrypt and linearize files, expose the internals of a PDF file, and do many other operations useful to PDF developers.

Name : geronimo-jms  
Version : 1.1.1  
Release : 19.el7  
Architecture: noarch

Install Date: Mon 03 Dec 2018 08:53:10 AM EST  
Group : Development/Libraries  
Size : 43760  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:29:00 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : geronimo-jms-1.1.1-19.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:26:15 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://geronimo.apache.org/>  
Summary : J2EE JMS v1.1 API  
Description :  
The Java Message Service (JMS) API is a messaging standard that allows  
application components based on the Java 2 Platform, Enterprise Edition  
(J2EE) to create, send, receive, and read messages. It enables  
distributed  
communication that is loosely coupled, reliable, and asynchronous.

Name : libXrandr  
Version : 1.5.1  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:05 AM EST  
Group : System Environment/Libraries  
Size : 48626  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:12:43 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libXrandr-1.5.1-2.el7.src.rpm  
Build Date : Wed 02 Aug 2017 12:26:17 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXrandr runtime library  
Description :  
X.Org X11 libXrandr runtime library

Name : openssl-libs  
Epoch : 1  
Version : 1.0.2k  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:54 AM EST  
Group : System Environment/Libraries  
Size : 3199756  
License : OpenSSL  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:41:49 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : openssl-1.0.2k-8.el7.src.rpm

Build Date : Fri 04 Aug 2017 02:42:31 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.openssl.org/>  
Summary : A general purpose cryptography library with TLS implementation  
Description :  
OpenSSL is a toolkit for supporting cryptography. The openssl-libs package contains the libraries that are used by various applications which support cryptographic algorithms and protocols.

Name : geronimo-jta  
Version : 1.1.1  
Release : 17.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:53:11 AM EST  
Group : Development/Libraries  
Size : 28373  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:29:03 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : geronimo-jta-1.1.1-17.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:18:12 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://geronimo.apache.org/>  
Summary : J2EE JTA v1.1 API  
Description :  
Java Transaction API (JTA) specifies standard Java interfaces between a transaction manager and the parties involved in a distributed transaction system: the resource manager, the application server, and the transactional applications.

Name : libXt  
Version : 1.1.5  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:05 AM EST  
Group : System Environment/Libraries  
Size : 430105  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:13:14 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXt-1.1.5-3.el7.src.rpm  
Build Date : Wed 02 Aug 2017 12:07:15 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXt runtime library  
Description :  
X.Org X11 libXt runtime library

Name : alsa-lib  
Version : 1.1.3  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:57 AM EST  
Group : System Environment/Libraries  
Size : 1423581  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 10:56:30 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : alsa-lib-1.1.3-3.el7.src.rpm  
Build Date : Wed 02 Aug 2017 12:09:49 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.alsa-project.org/>  
Summary : The Advanced Linux Sound Architecture (ALSA) library  
Description :  
The Advanced Linux Sound Architecture (ALSA) provides audio and MIDI  
functionality to the Linux operating system.

This package includes the ALSA runtime libraries to simplify application  
programming and provide higher level functionality as well as support for  
the older OSS API, providing binary compatibility for most OSS programs.

Name : apache-commons-daemon  
Version : 1.0.13  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:13 AM EST  
Group : Applications/System  
Size : 132394  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:37:43 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : apache-commons-daemon-1.0.13-6.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:16:50 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://commons.apache.org/daemon>  
Summary : Defines API to support an alternative invocation mechanism  
Description :  
The scope of this package is to define an API in line with the current  
Java Platform APIs to support an alternative invocation mechanism  
which could be used instead of the public static void main(String[])

method. This specification covers the behavior and life cycle of what we define as Java daemons, or, in other words, non interactive Java applications.

```
Name       : libtool-ltdl
Version    : 2.4.2
Release    : 22.el7_3
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:51:06 AM EST
Group      : System Environment/Libraries
Size       : 67814
License    : LGPLv2+
Signature  : RSA/SHA256, Wed 12 Apr 2017 09:26:27 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libtool-2.4.2-22.el7_3.src.rpm
Build Date : Wed 12 Apr 2017 03:08:35 PM EDT
Build Host : clbm.rdu2.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.gnu.org/software/libtool/
Summary    : Runtime libraries for GNU Libtool Dynamic Module Loader
Description :
The libtool-ltdl package contains the GNU Libtool Dynamic Module Loader,
a
library that provides a consistent, portable interface which simplifies
the
process of using dynamic modules.
```

These runtime libraries are needed by programs that link directly to the system-installed ltdl libraries; they are not needed by software built using the rest of the GNU Autotools (including GNU Autoconf and GNU Automake).

```
Name       : gzip
Version    : 1.5
Release    : 9.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:51:57 AM EST
Group      : Applications/File
Size       : 250054
License    : GPLv3+ and GFDL
Signature  : RSA/SHA256, Thu 10 Aug 2017 12:38:44 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gzip-1.5-9.el7.src.rpm
Build Date : Wed 02 Aug 2017 11:49:43 AM EDT
Build Host : clbm.rdu2.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.gzip.org/
Summary    : The GNU data compression program
Description :
The gzip package contains the popular GNU gzip data compression
```

program. Gzipped files have a .gz extension.

Gzip should be installed on your system, because it is a very commonly used data compression program.

```
Name       : log4j
Epoch     : 0
Version    : 1.2.17
Release    : 15.el7
Architecture: noarch
Install Date: Mon 03 Dec 2018 08:53:14 AM EST
Group      : Unspecified
Size       : 517015
License    : ASL 2.0
Signature  : RSA/SHA256, Thu 03 Jul 2014 11:34:48 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : log4j-1.2.17-15.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:19:36 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://logging.apache.org/log4j
Summary    : Java logging package
Description :
Log4j is a tool to help the programmer output log statements to a
variety of output targets.
```

```
Name       : libidn
Version    : 1.28
Release    : 4.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:51:07 AM EST
Group      : System Environment/Libraries
Size       : 630407
License    : LGPLv2+ and GPLv3+ and GFDL
Signature  : RSA/SHA256, Wed 25 Nov 2015 09:58:28 AM EST, Key ID
24c6a8a7f4a80eb5
Source RPM : libidn-1.28-4.el7.src.rpm
Build Date : Sat 21 Nov 2015 12:00:48 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.gnu.org/software/libidn/
Summary    : Internationalized Domain
Name support library
Description :
GNU Libidn is an implementation of the Stringprep, Punycode and
IDNA specifications defined by the IETF Internationalized Domain
```

Names (IDN) working group, used for internationalized domain

Names.

Name : atk  
Version : 2.22.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:59 AM EST  
Group : Unspecified  
Size : 1251190  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 10:57:48 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : atk-2.22.0-3.el7.src.rpm  
Build Date : Fri 04 Aug 2017 06:42:19 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://developer.gnome.org/platform-overview/stable/atk>  
Summary : Interfaces for accessibility support  
Description :  
The ATK library provides a set of interfaces for adding accessibility support to applications and graphical user interface toolkits. By supporting the ATK interfaces, an application or toolkit can be used with tools such as screen readers, magnifiers, and alternative input devices.

Name : ghostscript-fonts  
Version : 5.50  
Release : 32.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:53:15 AM EST  
Group : Applications/Publishing  
Size : 636425  
License : GPLv2+ and Hershey and MIT and OFL and Public Domain  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:29:58 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ghostscript-fonts-5.50-32.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:31:49 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/ghostscript/>  
Summary : Fonts for the Ghostscript PostScript interpreter  
Description :  
Ghostscript-fonts contains a set of fonts that Ghostscript, a PostScript interpreter, uses to render text. These fonts are in addition to the fonts shared by Ghostscript and the X Window System.

Name : libicu  
Version : 50.1.2  
Release : 15.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:09 AM EST



Group : System Environment/Libraries  
Size : 25225645  
License : MIT and UCD and Public Domain  
Signature : RSA/SHA256, Wed 25 Nov 2015 09:58:17 AM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : icu-50.1.2-15.el7.src.rpm  
Build Date : Fri 20 Nov 2015 01:27:54 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.icu-project.org/>  
Summary : International Components for Unicode - libraries  
Description :  
The International Components for Unicode (ICU) libraries provide robust and full-featured Unicode services on a wide variety of platforms. ICU supports the most current version of the Unicode standard, and they provide support for supplementary Unicode characters (needed for GB 18030 repertoire support).  
As computing environments become more heterogeneous, software portability becomes more important. ICU lets you produce the same results across all the various platforms you support, without sacrificing performance. It offers great flexibility to extend and customize the supplied services.

Name : gstreamer1  
Version : 1.10.4  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:00 AM EST  
Group : Unspecified  
Size : 4144086  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:28:35 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gstreamer1-1.10.4-2.el7.src.rpm  
Build Date : Wed 02 Aug 2017 06:32:40 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gstreamer.freedesktop.org/>  
Summary : GStreamer streaming media framework runtime  
Description :  
GStreamer is a streaming media framework, based on graphs of filters which operate on media data. Applications using this library can do anything from real-time sound processing to playing videos, and just about anything else media-related. Its plugin-based architecture means that new data types or processing capabilities can be added simply by installing new plugins.

Name : elfutils-libs

Version : 0.168  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:19 AM EST  
Group : Development/Tools  
Size : 735095  
License : GPLv2+ or LGPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:43:47 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : elfutils-0.168-8.el7.src.rpm  
Build Date : Fri 04 Aug 2017 06:31:36 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://elfutils.org/>  
Summary : Libraries to handle compiled objects  
Description :  
The elfutils-libs package contains libraries which implement DWARF, ELF, and machine-specific ELF handling. These libraries are used by the programs in the elfutils package. The elfutils-devel package enables building other programs using these libraries.

Name : libXmu  
Version : 1.1.2  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:09 AM EST  
Group : System Environment/Libraries  
Size : 172054  
License : MIT  
Signature : RSA/SHA256, Wed 25 Nov 2015 10:14:31 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXmu-1.1.2-2.el7.src.rpm  
Build Date : Fri 20 Nov 2015 02:21:35 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXmu/libXmuu runtime libraries  
Description :  
X.Org X11 libXmu/libXmuu runtime libraries

Name : xorg-x11-font-utils  
Epoch : 1  
Version : 7.5  
Release : 20.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:01 AM EST  
Group : User Interface/X  
Size : 327243  
License : MIT

Signature : RSA/SHA256, Wed 25 Nov 2015 11:05:44 AM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xorg-x11-font-utils-7.5-20.el7.src.rpm  
Build Date : Sun 22 Nov 2015 05:46:40 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 font utilities  
Description :  
X.Org X11 font utilities required for font installation, conversion,  
and generation.

Name : libgudev1  
Version : 219  
Release : 57.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:19 AM EST  
Group : Unspecified  
Size : 51568  
License : LGPLv2+  
Signature : RSA/SHA256, Wed 25 Apr 2018 07:14:44 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : systemd-219-57.el7.src.rpm  
Build Date : Wed 11 Apr 2018 03:37:32 AM EDT  
Build Host : x86-01.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/systemd>  
Summary : Libraries for adding libudev support to applications that  
use glib  
Description :  
This package contains the libraries that make it easier to use libudev  
functionality from applications that use glib.

Name : hunspell-en-US  
Version : 0.20121024  
Release : 6.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:10 AM EST  
Group : Applications/Text  
Size : 549311  
License : LGPLv2+ and LGPLv2 and BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:41:24 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : hunspell-en-0.20121024-6.el7.src.rpm  
Build Date : Wed 02 Aug 2017 07:53:28 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://wordlist.sourceforge.net/>

Summary : US English hunspell dictionaries  
Description :  
US English hunspell dictionaries

Name : libxml2-python  
Version : 2.9.1  
Release : 6.el7\_2.3  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:02 AM EST  
Group : Development/Libraries  
Size : 1503050  
License : MIT  
Signature : RSA/SHA256, Thu 23 Jun 2016 04:08:06 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libxml2-2.9.1-6.el7\_2.3.src.rpm  
Build Date : Thu 23 Jun 2016 10:36:41 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://xmlsoft.org/>  
Summary : Python bindings for the libxml2 library  
Description :  
The libxml2-python package contains a module that permits applications  
written in the Python programming language to use the interface  
supplied by the libxml2 library to manipulate XML files.

This library allows to manipulate XML files. It includes support  
to read, modify and write XML and HTML files. There is DTDs support  
this includes parsing and validation even with complex DTDs, either  
at parse time or later once the document has been modified.

Name : dbus-glib  
Version : 0.100  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:20 AM EST  
Group : System Environment/Libraries  
Size : 301237  
License : AFL and GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:06:03 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : dbus-glib-0.100-7.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:06:04 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/software/dbus/>  
Summary : GLib bindings for D-Bus  
Description :

D-Bus add-on library to integrate the standard D-Bus library with  
the GLib thread abstraction and main loop.

Name : orc  
Version : 0.4.26  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:11 AM EST  
Group : System Environment/Libraries  
Size : 606536  
License : BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:43:43 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : orc-0.4.26-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 06:04:29 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cgit.freedesktop.org/gstreamer/orc/>  
Summary : The Oil Run-time Compiler  
Description :  
Orc is a library and set of tools for compiling and executing very simple programs that operate on arrays of data. The "language" is a generic assembly language that represents many of the features available in SIMD architectures, including saturated addition and subtraction, and many arithmetic operations.

Name : libxklavier  
Version : 5.4  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:02 AM EST  
Group : Development/Libraries  
Size : 155459  
License : LGPLv2+  
Signature : RSA/SHA256, Wed 25 Nov 2015 10:14:24 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : libxklavier-5.4-7.el7.src.rpm  
Build Date : Thu 19 Nov 2015 11:30:26 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/LibXklavier>  
Summary : High-level API for X Keyboard Extension  
Description :  
libxklavier is a library providing a high-level API for the X Keyboard Extension (XKB). This library is intended to support XFree86 and other commercial X servers. It is useful for creating XKB-related software (layout indicators etc).

Name : cups-libs  
Epoch : 1  
Version : 1.6.3  
Release : 29.el7

Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:21 AM EST  
Group : System Environment/Libraries  
Size : 734207  
License : LGPLv2 and zlib  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:30:27 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : cups-1.6.3-29.el7.src.rpm  
Build Date : Thu 03 Aug 2017 02:41:19 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.cups.org/>  
Summary : CUPS printing system - libraries  
Description :  
CUPS printing system provides a portable printing layer for UNIX® operating systems. It has been developed by Apple Inc. to promote a standard printing solution for all UNIX vendors and users. CUPS provides the System V and Berkeley command-line interfaces. The cups-libs package provides libraries used by applications to use CUPS natively, without needing the lp/lpr commands.

Name : adwaita-icon-theme  
Version : 3.22.0  
Release : 1.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:15 AM EST  
Group : Unspecified  
Size : 13802064  
License : LGPLv3+ or CC-BY-SA  
Signature : RSA/SHA256, Thu 10 Aug 2017 10:56:02 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : adwaita-icon-theme-3.22.0-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 08:02:07 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org>  
Summary : Adwaita icon theme  
Description :  
This package contains the Adwaita icon theme used by the GNOME desktop.

Name : xorg-x11-xinit  
Version : 1.3.4  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:03 AM EST  
Group : User Interface/X  
Size : 119738  
License : MIT  
Signature : RSA/SHA256, Wed 25 Nov 2015 11:06:16 AM EST, Key ID 24c6a8a7f4a80eb5

Source RPM : xorg-x11-xinit-1.3.4-1.el7.src.rpm  
Build Date : Sun 22 Nov 2015 05:53:41 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 X Window System xinit startup scripts  
Description :  
X.Org X11 X Window System xinit startup scripts

Name : avahi-glib  
Version : 0.6.31  
Release : 17.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:22 AM EST  
Group : Unspecified  
Size : 15672  
License : LGPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 12:12:49 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : avahi-0.6.31-17.el7.src.rpm  
Build Date : Sat 05 Nov 2016 06:18:48 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://avahi.org>  
Summary : Glib libraries for avahi  
Description :  
Libraries for easy use of avahi from glib applications.

Name : libtheora  
Epoch : 1  
Version : 1.1.1  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:16 AM EST  
Group : System Environment/Libraries  
Size : 473210  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:21:05 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libtheora-1.1.1-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:24:50 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.theora.org>  
Summary : Theora Video Compression Codec  
Description :  
Theora is Xiph.Org's first publicly released video codec, intended  
for use within the Ogg's project's Ogg multimedia streaming system.

Theora is derived directly from On2's VP3 codec; Currently the two are nearly identical, varying only in encapsulating decoder tables in the bitstream headers, but Theora will make use of this extra freedom in the future to improve over what is possible with VP3.

Name : hicolor-icon-theme  
Version : 0.12  
Release : 7.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:09 AM EST  
Group : User Interface/Desktops  
Size : 45788  
License : GPL+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:54:10 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : hicolor-icon-theme-0.12-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:16:36 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://icon-theme.freedesktop.org/wiki/HicolorTheme>  
Summary : Basic requirement for icon themes  
Description :  
Contains the basic directories and files needed for icon theme support.

Name : ghostscript  
Version : 9.07  
Release : 28.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:24 AM EST  
Group : Applications/Publishing  
Size : 17345433  
License : AGPLv3+ and Redistributable, no modification permitted  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:08:20 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ghostscript-9.07-28.el7.src.rpm  
Build Date : Fri 04 Aug 2017 12:52:13 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.ghostscript.com/>  
Summary : A PostScript interpreter and renderer  
Description :  
Ghostscript is a set of software that provides a PostScript interpreter, a set of C procedures (the Ghostscript library, which implements the graphics capabilities in the PostScript language) and an interpreter for Portable Document Format (PDF) files. Ghostscript translates PostScript code into many common, bitmapped formats, like those understood by your printer or screen. Ghostscript is normally used to display PostScript files and to print PostScript files to non-PostScript printers.



If you need to display PostScript files or print them to non-PostScript printers, you should install ghostscript. If you install ghostscript, you also need to install the ghostscript-fonts package.

Name : psmisc  
Version : 22.20  
Release : 15.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:17 AM EST  
Group : Applications/System  
Size : 486599  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:16:13 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : psmisc-22.20-15.el7.src.rpm  
Build Date : Thu 03 Aug 2017 05:21:52 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/psmisc>  
Summary : Utilities for managing processes on your system  
Description :  
The psmisc package contains utilities for managing processes on your system: pstree, killall and fuser. The pstree command displays a tree structure of all of the running processes on your system. The killall command sends a specified signal (SIGTERM if nothing is specified) to processes identified by Name. The fuser command identifies the PIDs of processes that are using specified files or filesystems.

Name : python-decorator  
Version : 3.4.0  
Release : 3.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:12 AM EST  
Group : Development/Languages  
Size : 72291  
License : BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:38:41 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-decorator-3.4.0-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:46:01 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://pypi.python.org/pypi/decorator/>  
Summary : Module to simplify usage of decorators  
Description :  
The aim of the decorator module is to simplify the usage of decorators for

the average programmer, and to popularize decorators usage giving examples of useful decorators, such as memoize, tracing, redirecting\_stdout, locked, etc. The core of this module is a decorator factory called decorator.

```
Name       : kpartx
Version    : 0.4.9
Release    : 111.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:53:25 AM EST
Group      : System Environment/Base
Size       : 37795
License    : GPL+
Signature  : RSA/SHA256, Thu 10 Aug 2017 12:58:13 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : device-mapper-multipath-0.4.9-111.el7.src.rpm
Build Date : Fri 04 Aug 2017 01:53:23 AM EDT
Build Host : clbm.rdu2.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://christophe.varoqui.free.fr/
Summary    : Partition device manager for device-mapper devices
Description :
kpartx manages partition creation and removal for device-mapper devices.
```

```
Name       : pcre2
Version    : 10.23
Release    : 2.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:51:17 AM EST
Group      : System Environment/Libraries
Size       : 569737
License    : BSD
Signature  : RSA/SHA256, Thu 10 Aug 2017 03:03:40 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : pcre2-10.23-2.el7.src.rpm
Build Date : Wed 02 Aug 2017 05:44:26 PM EDT
Build Host : clbm.rdu2.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.pcre.org/
Summary    : Perl-compatible regular expression library
Description :
PCRE2 is a re-working of the original PCRE (Perl-compatible regular
expression) library to provide an entirely new API.
```

PCRE2 is written in C, and it has its own API. There are three sets of functions, one for the 8-bit library, which processes strings of bytes, one for the 16-bit library, which processes strings of 16-bit values, and one for

the 32-bit library, which processes strings of 32-bit values. There are no C++ wrappers. This package provides support for strings in 8-bit and UTF-8 encodings. Install pcre2-utf16 or pcre2-utf32 packages for the other ones.

The distribution does contain a set of C wrapper functions for the 8-bit library that are based on the POSIX regular expression API (see the pcre2posix man page). These can be found in a library called libpcre2posix. Note that this just provides a POSIX calling interface to PCRE2; the regular expressions themselves still follow Perl syntax and semantics. The POSIX API is restricted, and does not give full access to all of PCRE2's facilities.

```
Name       : libssh2
Version    : 1.4.3
Release    : 10.el7_2.1
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:52:13 AM EST
Group      : System Environment/Libraries
Size       : 341782
License    : BSD
Signature  : RSA/SHA256, Thu 10 Mar 2016 07:07:49 AM EST, Key ID
24c6a8a7f4a80eb5
Source RPM : libssh2-1.4.3-10.el7_2.1.src.rpm
Build Date : Thu 10 Mar 2016 07:05:54 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.libssh2.org/
Summary    : A library implementing the SSH2 protocol
Description :
libssh2 is a library implementing the SSH2 protocol as defined by
Internet Drafts: SECSH-TRANS(22), SECSH-USERAUTH(25),
SECSH-CONNECTION(23), SECSH-ARCH(20), SECSH-FILEXFER(06)*,
SECSH-DHGEX(04), and SECSH-NUMBERS(10).
```

```
Name       : dracut
Version    : 033
Release    : 535.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:53:25 AM EST
Group      : System Environment/Base
Size       : 897713
License    : GPLv2+ and LGPLv2+
Signature  : RSA/SHA256, Wed 25 Apr 2018 06:57:39 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : dracut-033-535.el7.src.rpm
Build Date : Wed 11 Apr 2018 03:30:20 AM EDT
Build Host : x86-01.bsys.centos.org
Relocations : (not relocatable)
```

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://dracut.wiki.kernel.org/>  
Summary : Initramfs generator using udev  
Description :  
dracut contains tools to create a bootable initramfs for 2.6 Linux kernels.  
Unlike existing implementations, dracut does hard-code as little as possible into the initramfs. dracut contains various modules which are driven by the event-based udev. Having root on MD, DM, LVM2, LUKS is supported as well as NFS, iSCSI, NBD, FCoE with the dracut-network package.

Name : libxshmfence  
Version : 1.2  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:18 AM EST  
Group : Unspecified  
Size : 11160  
License : MIT  
Signature : RSA/SHA256, Wed 25 Nov 2015 10:14:50 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : libxshmfence-1.2-1.el7.src.rpm  
Build Date : Thu 19 Nov 2015 11:09:07 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org/>  
Summary : X11 shared memory fences  
Description :  
Shared memory fences for X11, as used in DRI3.

Name : libvirt-gconfig  
Version : 1.0.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:14 AM EST  
Group : Development/Libraries  
Size : 373884  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:05:18 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libvirt-glib-1.0.0-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 07:35:32 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvirt.org/>  
Summary : libvirt object APIs for processing object configuration

Description :

This package provides APIs for processing the object configuration data

Name : polkit  
Version : 0.112  
Release : 12.el7\_3  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:27 AM EST  
Group : System Environment/Libraries  
Size : 487578  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 25 May 2017 07:28:28 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : polkit-0.112-12.el7\_3.src.rpm  
Build Date : Thu 25 May 2017 03:46:46 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/polkit>  
Summary : An authorization framework  
Description :  
polkit is a toolkit for defining and handling authorizations. It is used for allowing unprivileged processes to speak to privileged processes.

Name : boost-thread  
Version : 1.53.0  
Release : 27.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:18 AM EST  
Group : System Environment/Libraries  
Size : 95658  
License : Boost and MIT and Python  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:13:07 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : boost-1.53.0-27.el7.src.rpm  
Build Date : Wed 02 Aug 2017 08:43:35 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.boost.org>  
Summary : Run-Time component of boost thread library  
Description :

Run-Time component Boost.Thread library, which provides classes and functions for managing multiple threads of execution, and for synchronizing data between the threads or providing separate copies of data specific to individual threads.

Name : xfsprogs  
Version : 4.5.0

Release : 12.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:15 AM EST  
Group : System Environment/Base  
Size : 4079238  
License : GPL+ and LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:21:28 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xfsprogs-4.5.0-12.el7.src.rpm  
Build Date : Thu 03 Aug 2017 11:37:03 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://oss.sgi.com/projects/xfs/>  
Summary : Utilities for managing the XFS filesystem  
Description :  
A set of commands to use the XFS filesystem, including mkfs.xfs.

XFS is a high performance journaling filesystem which originated on the SGI IRIX platform. It is completely multi-threaded, can support large files and large filesystems, extended attributes, variable block sizes, is extent based, and makes extensive use of Btrees (directories, extents, free space) to aid both performance and scalability.

Refer to the documentation at <http://oss.sgi.com/projects/xfs/> for complete details. This implementation is on-disk compatible with the IRIX version of XFS.

Name : PackageKit-glib  
Version : 1.1.5  
Release : 1.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:28 AM EST  
Group : Unspecified  
Size : 491880  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:46:40 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : PackageKit-1.1.5-1.el7.centos.src.rpm  
Build Date : Sun 06 Aug 2017 10:07:35 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/software/PackageKit/>  
Summary : GLib libraries for accessing PackageKit  
Description :  
GLib libraries for accessing PackageKit.

Name : celt051  
Version : 0.5.1.3  
Release : 8.el7

Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:19 AM EST  
Group : System Environment/Libraries  
Size : 110321  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:56:32 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : celt051-0.5.1.3-8.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:32:38 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.celt-codec.org/>  
Summary : An audio codec for use in low-delay speech and audio  
communication  
Description :  
CELT (Constrained Energy Lapped Transform) is an ultra-low delay audio  
codec designed for realtime transmission of high quality speech and  
audio.  
This is meant to close the gap between traditional speech codecs  
(such as Speex) and traditional audio codecs (such as Vorbis).

The CELT bitstream format is not yet stable, this package is a special  
version of 0.5.1 that has the same bitstream format, but symbols and  
files

re

Named from 'celt\*' to 'celt051\*' so that it is parallel installable with  
the normal celt for packages requiring this particular bitstream format.

Name : langtable-python  
Version : 0.0.31  
Release : 3.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:16 AM EST  
Group : Development/Tools  
Size : 135983  
License : GPLv3+  
Signature : RSA/SHA256, Wed 25 Nov 2015 09:49:46 AM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : langtable-0.0.31-3.el7.src.rpm  
Build Date : Fri 20 Nov 2015 01:33:27 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/mike-fabian/langtable>  
Summary : Python module to query the langtable-data  
Description :  
This package contains a Python module to query the data  
from langtable-data.

Name : parted  
Version : 3.1

Release : 28.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:29 AM EST  
Group : Applications/System  
Size : 2332175  
License : GPLv3+  
Signature : RSA/SHA256, Sun 20 Nov 2016 02:54:02 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : parted-3.1-28.el7.src.rpm  
Build Date : Mon 07 Nov 2016 03:45:20 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/parted>  
Summary : The GNU disk partition manipulation program  
Description :  
The GNU Parted program allows you to create, destroy, resize, move, and copy hard disk partitions. Parted can be used for creating space for new operating systems, reorganizing disk usage, and copying data to new hard disks.

Name : apr  
Version : 1.4.8  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:20 AM EST  
Group : System Environment/Libraries  
Size : 226686  
License : ASL 2.0 and BSD with advertising and ISC and BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:39:16 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : apr-1.4.8-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:05:16 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://apr.apache.org/>  
Summary : Apache Portable Runtime library  
Description :  
The mission of the Apache Portable Runtime (APR) is to provide a free library of C data structures and routines, forming a system portability layer to as many operating systems as possible, including Unices, MS Win32, BeOS and OS/2.

Name : gdb  
Version : 7.6.1  
Release : 100.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:17 AM EST  
Group : Development/Debuggers  
Size : 7357906



License : GPLv3+ and GPLv3+ with exceptions and GPLv2+ and GPLv2+ with exceptions and GPL+ and LGPLv2+ and BSD and Public Domain  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:02:13 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gdb-7.6.1-100.el7.src.rpm  
Build Date : Fri 04 Aug 2017 07:02:07 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gnu.org/software/gdb/>  
Summary : A GNU source-level debugger for C, C++, Fortran, Go and other languages  
Description :  
GDB, the GNU debugger, allows you to debug programs written in C, C++, Java, and other languages, by executing them in a controlled fashion and printing their data.

Name : libdrm  
Version : 2.4.74  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:31 AM EST  
Group : System Environment/Libraries  
Size : 351779  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:06:52 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libdrm-2.4.74-1.el7.src.rpm  
Build Date : Tue 01 Aug 2017 08:16:23 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://dri.sourceforge.net>  
Summary : Direct Rendering Manager runtime library  
Description :  
Direct Rendering Manager runtime library

Name : libgomp  
Version : 4.8.5  
Release : 16.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:21 AM EST  
Group : System Environment/Libraries  
Size : 212144  
License : GPLv3+ and GPLv3+ with exceptions and GPLv2+ with exceptions and LGPLv2+ and BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:12:19 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gcc-4.8.5-16.el7.src.rpm  
Build Date : Tue 01 Aug 2017 03:00:39 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gcc.gnu.org>  
Summary : GCC OpenMP v3.0 shared support library  
Description :  
This package contains GCC shared support library which is needed for OpenMP v3.0 support.

Name : fipscheck  
Version : 1.4.1  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:18 AM EST  
Group : System Environment/Libraries  
Size : 38839  
License : BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:53:42 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : fipscheck-1.4.1-6.el7.src.rpm  
Build Date : Wed 02 Aug 2017 08:47:49 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/fipscheck/>  
Summary : A library for integrity verification of FIPS validated modules  
Description :  
FIPSCheck is a library for integrity verification of FIPS validated modules. The package also provides helper binaries for creation and verification of the HMAC-SHA256 checksum files.

Name : cairo  
Version : 1.14.8  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:31 AM EST  
Group : Unspecified  
Size : 1827302  
License : LGPLv2 or MPLv1.1  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:15:22 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : cairo-1.14.8-2.el7.src.rpm  
Build Date : Thu 03 Aug 2017 05:00:08 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cairographics.org>  
Summary : A 2D graphics library  
Description :  
Cairo is a 2D graphics library designed to provide high-quality display and print output. Currently supported output targets include the X Window

System, OpenGL (via glitz), in-memory image buffers, and image files (PDF, PostScript, and SVG).

Cairo is designed to produce consistent output on all output media while taking advantage of display hardware acceleration when available (e.g. through the X Render Extension or OpenGL).

```
Name       : libraw1394
Version    : 2.1.0
Release    : 2.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:51:22 AM EST
Group      : System Environment/Libraries
Size       : 145921
License    : LGPLv2+
Signature  : RSA/SHA256, Thu 03 Jul 2014 11:08:21 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libraw1394-2.1.0-2.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:15:44 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.dennedy.org/libraw1394/
Summary    : Library providing low-level IEEE-1394 access
Description :
The libraw1394 library provides direct access to the IEEE-1394 bus.
Support for both the obsolete ieee1394 interface and the new firewire
intererface are included, with run-time detection of the active stack.
```

```
Name       : sos
Version    : 3.4
Release    : 6.el7.centos
Architecture: noarch
Install Date: Mon 03 Dec 2018 08:52:18 AM EST
Group      : Applications/System
Size       : 1358412
License    : GPLv2+
Signature  : RSA/SHA256, Thu 10 Aug 2017 03:54:16 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : sos-3.4-6.el7.centos.src.rpm
Build Date : Wed 09 Aug 2017 07:22:22 PM EDT
Build Host : clbm.rdu2.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://github.com/sosreport/sos
Summary    : A set of tools to gather troubleshooting information from a
system
Description :
Sos is a set of tools that gathers information about system
hardware and configuration. The information can then be used for
diagnostic purposes and debugging. Sos is commonly used to help
```

support technicians and developers.

Name : xorg-x11-server-Xorg  
Version : 1.19.3  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:33 AM EST  
Group : User Interface/X  
Size : 3784925  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:26:26 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xorg-x11-server-1.19.3-11.el7.src.rpm  
Build Date : Sat 05 Aug 2017 02:21:15 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Xorg X server  
Description :  
X.org X11 is an open source implementation of the X Window System. It provides the basic low level functionality which full fledged graphical user interfaces (GUIs) such as GNOME and KDE are designed upon.

Name : dmidecode  
Epoch : 1  
Version : 3.0  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:22 AM EST  
Group : System Environment/Base  
Size : 247119  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:38:00 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : dmidecode-3.0-5.el7.src.rpm  
Build Date : Thu 03 Aug 2017 07:53:58 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.nongnu.org/dmidecode/>  
Summary : Tool to analyse BIOS DMI data  
Description :  
dmidecode reports information about x86 & ia64 hardware as described in the system BIOS according to the SMBIOS/DMI standard. This information typically includes system manufacturer, model Name, serial number, BIOS version, asset tag as well as a lot of other details of varying level of interest and reliability depending on the manufacturer.

This will often include usage status for the CPU sockets, expansion slots (e.g. AGP, PCI, ISA) and memory module slots, and the list of I/O ports (e.g. serial, parallel, USB).

Name : gettext-libs  
Version : 0.19.8.1  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:19 AM EST  
Group : System Environment/Libraries  
Size : 1546952  
License : LGPLv2+ and GPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:08:05 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gettext-0.19.8.1-2.el7.src.rpm  
Build Date : Wed 02 Aug 2017 10:28:14 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/gettext/>  
Summary : Libraries for gettext  
Description :  
This package contains libraries used internationalization support.

Name : cairomm  
Version : 1.12.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:34 AM EST  
Group : System Environment/Libraries  
Size : 196047  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:15:55 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : cairomm-1.12.0-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 09:55:37 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.cairographics.org>  
Summary : C++ API for the cairo graphics library  
Description :  
Cairomm is the C++ API for the cairo graphics library. It offers all the power of cairo with an interface familiar to C++ developers, including use of the Standard Template Library where it makes sense.

Name : pciutils-libs  
Version : 3.5.1  
Release : 2.el7  
Architecture: x86\_64

Install Date: Mon 03 Dec 2018 08:51:23 AM EST  
Group : System Environment/Libraries  
Size : 72691  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:50:59 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : pciutils-3.5.1-2.el7.src.rpm  
Build Date : Thu 03 Aug 2017 01:11:21 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://atrey.karlin.mff.cuni.cz/~mj/pciutils.shtml>  
Summary : Linux PCI library  
Description :  
This package contains a library for inspecting and setting  
devices connected to the PCI bus.

Name : gstreamer  
Version : 0.10.36  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:20 AM EST  
Group : Applications/Multimedia  
Size : 3480677  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:47:08 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gstreamer-0.10.36-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:26:08 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gstreamer.freedesktop.org/>  
Summary : GStreamer streaming media framework runtime  
Description :  
GStreamer is a streaming media framework, based on graphs of filters  
which  
operate on media data. Applications using this library can do anything  
from real-time sound processing to playing videos, and just about  
anything  
else media-related. Its plugin-based architecture means that new data  
types or processing capabilities can be added simply by installing new  
plugins.

Name : libwbclient  
Epoch : 0  
Version : 4.6.2  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:35 AM EST  
Group : Unspecified  
Size : 72680

License : GPLv3+ and LGPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:07:30 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : samba-4.6.2-8.el7.src.rpm  
Build Date : Mon 07 Aug 2017 10:01:27 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.samba.org/>  
Summary : The winbind client library  
Description :  
The libwbclient package contains the winbind client library from the Samba suite.

Name : lz4  
Version : 1.7.5  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:24 AM EST  
Group : Unspecified  
Size : 366872  
License : GPLv2+ and BSD  
Signature : RSA/SHA256, Wed 25 Apr 2018 07:26:10 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : lz4-1.7.5-2.el7.src.rpm  
Build Date : Tue 10 Apr 2018 08:54:01 PM EDT  
Build Host : x86-01.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://lz4.github.io/lz4/>  
Summary : Extremely fast compression algorithm  
Description :  
LZ4 is an extremely fast loss-less compression algorithm, providing compression speed at 400 MB/s per core, scalable with multi-core CPU. It also features an extremely fast decoder, with speed in multiple GB/s per core, typically reaching RAM speed limits on multi-core systems.

Name : libipa\_hbac  
Version : 1.15.2  
Release : 50.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:20 AM EST  
Group : Development/Libraries  
Size : 58342  
License : LGPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:18:27 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sssd-1.15.2-50.el7.src.rpm

Build Date : Mon 07 Aug 2017 05:38:50 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://pagure.io/SSSD/sssdd/>  
Summary : FreeIPA HBAC Evaluator library  
Description :  
Utility library to validate FreeIPA HBAC rules for authorization requests

Name : sssd-krb5-common  
Version : 1.15.2  
Release : 50.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:36 AM EST  
Group : Applications/System  
Size : 262955  
License : GPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:57:20 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sssd-1.15.2-50.el7.src.rpm  
Build Date : Mon 07 Aug 2017 05:38:50 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://pagure.io/SSSD/sssdd/>  
Summary : SSSD helpers needed for Kerberos and GSSAPI authentication  
Description :  
Provides helper processes that the LDAP and Kerberos back ends can use  
for  
Kerberos user or host authentication.

Name : libXfont2  
Version : 2.0.1  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:25 AM EST  
Group : System Environment/Libraries  
Size : 329517  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:10:57 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libXfont2-2.0.1-2.el7.src.rpm  
Build Date : Tue 01 Aug 2017 09:30:02 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXfont2 runtime library  
Description :  
X.Org X11 libXfont2 runtime library



Name : glusterfs-cli  
Version : 3.8.4  
Release : 18.4.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:21 AM EST  
Group : Applications/File  
Size : 483383  
License : GPLv2 or LGPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:13:56 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : glusterfs-3.8.4-18.4.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 01:55:29 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gluster.org/docs/index.php/GlusterFS>  
Summary : GlusterFS CLI  
Description :  
GlusterFS is a distributed file-system capable of scaling to several petabytes. It aggregates various storage bricks over Infiniband RDMA or TCP/IP interconnect into one large parallel network file system. GlusterFS is one of the most sophisticated file systems in terms of features and extensibility. It borrows a powerful concept called Translators from GNU Hurd kernel. Much of the code in GlusterFS is in user space and easily manageable.

This package provides the GlusterFS CLI application and its man page

Name : libXxf86misc  
Version : 1.0.3  
Release : 7.1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:26 AM EST  
Group : System Environment/Libraries  
Size : 29684  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:33:10 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXxf86misc-1.0.3-7.1.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:14:29 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXxf86misc runtime library  
Description :  
X.Org X11 libXxf86misc runtime library

Name : pyparsing  
Version : 1.5.6  
Release : 9.el7  
Architecture: noarch

Install Date: Mon 03 Dec 2018 08:52:22 AM EST  
Group : Development/Libraries  
Size : 375948  
License : MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:37:27 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pyparsing-1.5.6-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:15:47 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://pyparsing.wikispaces.com/>  
Summary : An object-oriented approach to text processing  
Description :  
pyparsing is a module that can be used to easily and directly configure syntax definitions for any number of text parsing applications.

Name : at-spi2-core  
Version : 2.22.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:38 AM EST  
Group : Unspecified  
Size : 481779  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 10:59:40 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : at-spi2-core-2.22.0-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 12:41:16 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://www.linuxfoundation.org/en/AT-SPI\\_on\\_D-Bus](http://www.linuxfoundation.org/en/AT-SPI_on_D-Bus)  
Summary : Protocol definitions and daemon for D-Bus at-spi  
Description :  
at-spi allows assistive technologies to access GTK-based applications. Essentially it exposes the internals of applications for automation, so tools such as screen readers, magnifiers, or even scripting interfaces can query and interact with GUI controls.

This version of at-spi is a major break from previous versions. It has been completely rewritten to use D-Bus rather than ORBIT / CORBA for its transport protocol.

Name : xcb-util  
Version : 0.4.0  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:26 AM EST  
Group : System Environment/Libraries  
Size : 26647

License : MIT  
Signature : RSA/SHA256, Wed 25 Nov 2015 11:04:04 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : xcb-util-0.4.0-2.el7.src.rpm  
Build Date : Thu 19 Nov 2015 11:39:13 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://xcb.freedesktop.org>  
Summary : Convenience libraries sitting on top of libxcb  
Description :  
The xcb-util module provides a number of libraries which sit on top of libxcb, the core X protocol library, and some of the extension libraries. These experimental libraries provide convenience functions and interfaces which make the raw X protocol more usable. Some of the libraries also provide client-side code which is not strictly part of the X protocol but which have traditionally been provided by Xlib.

Name : python-javapackages  
Version : 3.4.1  
Release : 11.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:23 AM EST  
Group : Unspecified  
Size : 66505  
License : BSD  
Signature : RSA/SHA256, Wed 25 Nov 2015 10:33:32 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : javapackages-tools-3.4.1-11.el7.src.rpm  
Build Date : Fri 20 Nov 2015 03:03:06 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/javapackages/>  
Summary : Module for handling various files for Java packaging  
Description :  
Module for handling, querying and manipulating of various files for Java packaging in Linux distributions

Name : initscripts  
Version : 9.49.39  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:38 AM EST  
Group : System Environment/Base  
Size : 1515082  
License : GPLv2 and GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:44:16 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : initscripts-9.49.39-1.el7.src.rpm  
Build Date : Thu 03 Aug 2017 07:57:56 PM EDT  
Build Host : clbm.rdu2.centos.org

Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/fedora-sysv/initscripts>  
Summary : The inittab file and the /etc/init.d scripts  
Description :  
The initscripts package contains basic system scripts used during a boot of the system. It also contains scripts which activate and deactivate most network interfaces.

Name : keyutils  
Version : 1.5.8  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:27 AM EST  
Group : System Environment/Base  
Size : 99436  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:30:56 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : keyutils-1.5.8-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:17:55 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://people.redhat.com/~dhowells/keyutils/>  
Summary : Linux Key Management Utilities  
Description :  
Utilities to control the kernel key management facility and to provide a mechanism by which the kernel call back to user space to get a key instantiated.

Name : tagsoup  
Epoch : 0  
Version : 1.2.1  
Release : 8.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:23 AM EST  
Group : Text Processing/Markup/XML  
Size : 143828  
License : ASL 2.0 and (GPLv2+ or AFL)  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:38:13 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : tagsoup-1.2.1-8.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:48:19 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://home.ccil.org/~cowan/XML/tagsoup/>  
Summary : A SAX-compliant HTML parser written in Java  
Description :  
TagSoup is a SAX-compliant parser written in Java that, instead of

parsing well-formed or valid XML, parses HTML as it is found in the wild:  
nasty  
and brutish, though quite often far from short. TagSoup is designed for  
people  
who have to process this stuff using some semblance of a rational  
application  
design. By providing a SAX interface, it allows standard XML tools to be  
applied to even the worst HTML.

Name : crontabs  
Version : 1.11  
Release : 6.20121102git.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:53:47 AM EST  
Group : System Environment/Base  
Size : 3700  
License : Public Domain and GPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:02:43 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : crontabs-1.11-6.20121102git.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:14:31 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/crontabs>  
Summary : Root crontab files used to schedule the execution of  
programs  
Description :  
This package is used by Fedora mainly for executing files by cron.

The crontabs package contains root crontab files and directories.  
You will need to install cron daemon to run the jobs from the crontabs.  
The cron daemon such as crontab or fcrontab checks the crontab files to  
see when particular commands are scheduled to be executed. If commands  
are scheduled, it executes them.

Crontabs handles a basic system function, so it should be installed on  
your system.

Name : xml-common  
Version : 0.6.3  
Release : 39.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:28 AM EST  
Group : Applications/Text  
Size : 46969  
License : GPL+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:46:52 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sgml-common-0.6.3-39.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:31:38 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.w3.org/2003/entities/>  
Summary : Common XML catalog and DTD files  
Description :  
The xml-common is a subpackage of sgml-common which contains  
a collection XML catalogs that are useful for processing XML,  
but that don't need to be included in main package.

Name : python-schedutils  
Version : 0.4  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:24 AM EST  
Group : System Environment/Libraries  
Size : 43123  
License : GPLv2  
Signature : RSA/SHA256, Sun 20 Nov 2016 03:17:26 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : python-schedutils-0.4-6.el7.src.rpm  
Build Date : Sat 05 Nov 2016 05:51:47 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.kernel.org/?p=linux/kernel/git/acme/python-schedutils.git>  
Summary : Linux scheduler python bindings  
Description :  
Python interface for the Linux scheduler  
sched\_{get,set}{affinity,scheduler}  
functions and friends.

Name : spice-glib  
Version : 0.33  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:47 AM EST  
Group : Development/Libraries  
Size : 1327809  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:54:25 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : spice-gtk-0.33-6.el7.src.rpm  
Build Date : Fri 04 Aug 2017 11:22:02 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://www.spice-space.org/>  
Summary : A GObject for communicating with Spice servers  
Description :  
spice-client-glib-2.0 is a SPICE client library for GLib2.

Name : mozjs17  
Version : 17.0.0  
Release : 19.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:29 AM EST  
Group : Development/Languages  
Size : 4045181  
License : GPLv2+ or LGPLv2+ or MPLv1.1  
Signature : RSA/SHA256, Sun 20 Nov 2016 02:31:01 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : mozjs17-17.0.0-19.el7.src.rpm  
Build Date : Sat 05 Nov 2016 06:06:21 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mozilla.org/js/>  
Summary : JavaScript interpreter and libraries  
Description :  
JavaScript is the Netscape-developed object scripting language used in millions of web pages and server applications worldwide. Netscape's JavaScript is a superset of the ECMA-262 Edition 3 (ECMAScript) standard scripting language, with only mild differences from the published standard.

Name : python-iniparse  
Version : 0.4  
Release : 9.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:24 AM EST  
Group : Development/Libraries  
Size : 115166  
License : MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:39:14 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-iniparse-0.4-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:04:54 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://code.google.com/p/iniparse/>  
Summary : Python Module for Accessing and Modifying Configuration Data in INI files  
Description :  
iniparse is an INI parser for Python which is API compatible with the standard library's ConfigParser, preserves structure of INI files (order of sections & options, indentation, comments, and blank lines are preserved when data is updated), and is more convenient to use.

Name : dhclient

Epoch : 12  
Version : 4.2.5  
Release : 58.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:48 AM EST  
Group : System Environment/Base  
Size : 483094  
License : ISC  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:36:17 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : dhcp-4.2.5-58.el7.centos.src.rpm  
Build Date : Fri 04 Aug 2017 02:07:15 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://isc.org/products/DHCP/>  
Summary : Provides the ISC DHCP client daemon and dhclient-script  
Description :  
DHCP (Dynamic Host Configuration Protocol) is a protocol which allows individual devices on an IP network to get their own network configuration information (IP address, subnetmask, broadcast address, etc.) from a DHCP server. The overall purpose of DHCP is to make it easier to administer a large network.

To use DHCP on your network, install a DHCP service (or relay agent), and on clients run a DHCP client daemon. The dhclient package provides the ISC DHCP client daemon.

Name : libcdio-paranoia  
Version : 10.2+0.90  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:30 AM EST  
Group : System Environment/Libraries  
Size : 156247  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:38:48 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libcdio-paranoia-10.2+0.90-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:20:14 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/libcdio/>  
Summary : CD paranoia on top of libcdio  
Description :  
This CDDA reader distribution ('libcdio-cdparanoia') reads audio from the CDROM directly as data, with no analog step between, and writes the data to a file or pipe as .wav, .aifc or as raw 16 bit linear PCM.

Split off from libcdio to allow more flexible licensing and to be compatible



with cdparanoia-III-10.2's license. And also, libcdio is just too large.

```
Name       : python-backports
Version    : 1.0
Release    : 8.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:52:24 AM EST
Group      : Unspecified
Size       : 638
License    : Public Domain
Signature  : RSA/SHA256, Sat 14 Mar 2015 04:30:55 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : python-backports-1.0-8.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:10:25 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : https://pypi.python.org/pypi/backports
Summary    :
Namespace for backported Python features
Description :
The backports
Namespace is a
Namespace reserved for features backported from
the Python standard library to older versions of Python 2.
```

Packages that exist in the backports  
Namespace in Fedora should not provide  
their own backports/\_\_init\_\_.py, but instead require this package.

Backports to earlier versions of Python 3, if they exist, do not need  
this  
package because of changes made in Python 3.3 in PEP 420  
(<http://www.python.org/dev/peps/pep-0420/>).

```
Name       : libstoragemgmt
Version    : 1.4.0
Release    : 3.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:53:48 AM EST
Group      : System Environment/Libraries
Size       : 653897
License    : LGPLv2+
Signature  : RSA/SHA256, Thu 10 Aug 2017 01:56:43 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libstoragemgmt-1.4.0-3.el7.src.rpm
Build Date : Thu 03 Aug 2017 12:41:23 PM EDT
Build Host : clbm.rdu2.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : https://github.com/libstorage/libstoragemgmt
Summary    : Storage array management library
```

Description :

The libStorageMgmt library will provide a vendor agnostic open source storage application programming interface (API) that will allow management of storage arrays. The library includes a command line interface for interactive use and scripting (command lsmcli). The library also has a daemon that is used for executing plug-ins in a separate process (lsmd).

Name : taglib  
Version : 1.8  
Release : 7.20130218git.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:31 AM EST  
Group : Unspecified  
Size : 1031425  
License : LGPLv2  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:09:59 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : taglib-1.8-7.20130218git.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:48:11 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://taglib.github.com/>  
Summary : Audio Meta-Data Library  
Description :  
TagLib is a library for reading and editing the meta-data of several popular audio formats. Currently it supports both ID3v1 and ID3v2 for MP3 files, Ogg Vorbis comments and ID3 tags and Vorbis comments in FLAC, MPC, Speex, WavPack, TrueAudio files, as well as APE Tags.

Name : python-urwid  
Version : 1.1.1  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:25 AM EST  
Group : Development/Libraries  
Size : 2798406  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:42:47 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-urwid-1.1.1-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:54:33 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://excess.org/urwid/>  
Summary : Console user interface library  
Description :

Urwid is a Python library for making text console applications. It has many features including fluid interface resizing, support for UTF-8 and CJK encodings, standard and custom text layout modes, simple markup for setting text attributes, and a powerful, dynamic list box that handles a mix of widget types. It is flexible, modular, and leaves the developer in control.

Name : at-spi2-atk  
Version : 2.22.0  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:49 AM EST  
Group : Unspecified  
Size : 233991  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 10:59:24 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : at-spi2-atk-2.22.0-2.el7.src.rpm  
Build Date : Sun 06 Aug 2017 08:29:45 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [https://wiki.linuxfoundation.org/en/AT-SPI\\_on\\_D-Bus](https://wiki.linuxfoundation.org/en/AT-SPI_on_D-Bus)  
Summary : A GTK+ module that bridges ATK to D-Bus at-spi  
Description :  
at-spi allows assistive technologies to access GTK-based applications. Essentially it exposes the internals of applications for automation, so tools such as screen readers, magnifiers, or even scripting interfaces can query and interact with GUI controls.

This version of at-spi is a major break from previous versions. It has been completely rewritten to use D-Bus rather than ORBIT / CORBA for its transport protocol.

This package includes a gtk-module that bridges ATK to the new D-Bus based at-spi.

Name : gsm  
Version : 1.0.13  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:34 AM EST  
Group : System Environment/Libraries  
Size : 56172  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:46:45 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gsm-1.0.13-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:29:39 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://www.quut.com/gsm/>  
Summary : Shared libraries for GSM speech compressor  
Description :  
Contains runtime shared libraries for libgsm, an implementation of the European GSM 06.10 provisional standard for full-rate speech transcoding, prI-ETS 300 036, which uses RPE/LTP (residual pulse excitation/long term prediction) coding at 13 kbit/s.

GSM 06.10 compresses frames of 162 13-bit samples (8 kHz sampling rate, i.e. a frame rate of 50 Hz) into 260 bits; for compatibility with typical UNIX applications, our implementation turns frames of 160 16-bit linear samples into 33-byte frames (1650 Bytes/s). The quality of the algorithm is good enough for reliable speaker recognition; even music often survives transcoding in recognizable form (given the bandwidth limitations of 8 kHz sampling rate).

The interfaces offered are a front end modelled after compress(1), and a library API. Compression and decompression run faster than realtime on most SPARCstations. The implementation has been verified against the ETSI standard test patterns.

Name : python-ntplib  
Version : 0.3.2  
Release : 1.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:25 AM EST  
Group : Unspecified  
Size : 38121  
License : LGPLv2+  
Signature : RSA/SHA256, Wed 25 Nov 2015 10:34:02 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-ntplib-0.3.2-1.el7.src.rpm  
Build Date : Thu 19 Nov 2015 10:18:24 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://pypi.python.org/pypi/ntplib/>  
Summary : Python module that offers a simple interface to query NTP servers  
Description :  
The ntplib is a python module that offers a simple interface to query NTP servers. It also provides utility functions to translate NTP fields' values to text (mode, leap indicator...). Since it's pure Python, and only depends on core modules, it should work on any platform with a Python implementation.

Name : libgxps  
Version : 0.2.5  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:50 AM EST

Group : System Environment/Libraries  
Size : 238309  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:16:06 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libgxps-0.2.5-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 12:01:57 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/libgxps>  
Summary : GObject based library for handling and rendering XPS documents  
Description :  
libgxps is a GObject based library for handling and rendering XPS documents.

Name : libnfnetwork  
Version : 1.0.1  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:34 AM EST  
Group : System Environment/Libraries  
Size : 47123  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:01:58 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libnfnetwork-1.0.1-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:21:22 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://netfilter.org>  
Summary : Netfilter network userspace library  
Description :  
libnfnetwork is a userspace library that provides some low-level network handling functions. It is used as a foundation for other, netfilter subsystem specific libraries such as libnfnetwork\_conntrack, libnfnetwork\_log and libnfnetwork\_queue.

Name : perl-IO-Socket-SSL  
Version : 1.94  
Release : 6.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:26 AM EST  
Group : Development/Libraries  
Size : 220327  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:06:44 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : perl-IO-Socket-SSL-1.94-6.el7.src.rpm  
Build Date : Tue 01 Aug 2017 11:13:00 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/IO-Socket-SSL/>  
Summary : Perl library for transparent SSL  
Description :  
This module is a true drop-in replacement for IO::Socket::INET that uses SSL to encrypt data before it is transferred to a remote server or client. IO::Socket::SSL supports all the extra features that one needs to write a full-featured SSL client or server application: multiple SSL contexts, cipher selection, certificate verification, and SSL version selection. As an extra bonus, it works perfectly with mod\_perl.

Name : poppler-glib  
Version : 0.26.5  
Release : 16.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:50 AM EST  
Group : Development/Libraries  
Size : 431604  
License : (GPLv2 or GPLv3) and GPLv2+ and LGPLv2+ and MIT  
Signature : RSA/SHA256, Sun 20 Nov 2016 03:09:39 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : poppler-0.26.5-16.el7.src.rpm  
Build Date : Sat 05 Nov 2016 11:36:53 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://poppler.freedesktop.org/>  
Summary : Glib wrapper for poppler  
Description :  
Glib wrapper for poppler.

Name : hyphen  
Version : 2.8.6  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:35 AM EST  
Group : System Environment/Libraries  
Size : 48141  
License : GPLv2 or LGPLv2+ or MPLv1.1  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:01:29 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : hyphen-2.8.6-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:10:57 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL : <http://hunspell.sf.net>  
Summary : A text hyphenation library  
Description :  
Hyphen is a library for high quality hyphenation and justification.

Name : perl-XML-LibXML  
Epoch : 1  
Version : 2.0018  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:26 AM EST  
Group : Development/Libraries  
Size : 966722  
License : (GPL+ or Artistic) and MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:26:18 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-XML-LibXML-2.0018-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:30:41 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/XML-LibXML/>  
Summary : Perl interface to the libxml2 library  
Description :  
This module implements a Perl interface to the GNOME libxml2 library which provides interfaces for parsing and manipulating XML files. This module allows Perl programmers to make use of the highly capable validating XML parser and the high performance DOM implementation.

Name : rpcbind  
Version : 0.2.0  
Release : 42.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:53 AM EST  
Group : System Environment/Daemons  
Size : 103264  
License : BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:41:25 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : rpcbind-0.2.0-42.el7.src.rpm  
Build Date : Fri 04 Aug 2017 06:03:23 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://nfsv4.bullopensource.org>  
Summary : Universal Addresses to RPC Program Number Mapper  
Description :  
The rpcbind utility is a server that converts RPC program numbers into universal addresses. It must be running on the host to be able to make RPC calls on a server on that machine.

Name : opus

Version : 1.0.2  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:35 AM EST  
Group : System Environment/Libraries  
Size : 1257756  
License : BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:08:40 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : opus-1.0.2-6.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:30:48 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.opus-codec.org/>  
Summary : An audio codec for use in low-delay speech and audio  
communication  
Description :  
The Opus codec is designed for interactive speech and audio transmission  
over  
the Internet. It is designed by the IETF Codec Working Group and  
incorporates  
technology from Skype's SILK codec and Xiph.Org's CELT codec.

Name : mariadb-libs  
Epoch : 1  
Version : 5.5.56  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:27 AM EST  
Group : Applications/Databases  
Size : 4614814  
License : GPLv2 with exceptions and LGPLv2 and BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:18:43 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : mariadb-5.5.56-2.el7.src.rpm  
Build Date : Fri 04 Aug 2017 05:01:21 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://mariadb.org>  
Summary : The shared libraries required for MariaDB/MySQL clients  
Description :  
The mariadb-libs package provides the essential shared libraries for any  
MariaDB/MySQL client program or interface. You will need to install this  
package to use any other MariaDB package or any clients that need to  
connect  
to a MariaDB/MySQL server. MariaDB is a community developed branch of  
MySQL.

Name : glusterfs-api  
Version : 3.8.4



Release : 18.4.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:54 AM EST  
Group : System Environment/Daemons  
Size : 173880  
License : GPLv2 or LGPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:13:47 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : glusterfs-3.8.4-18.4.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 01:55:29 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gluster.org/docs/index.php/GlusterFS>  
Summary : GlusterFS api library  
Description :  
GlusterFS is a distributed file-system capable of scaling to several  
petabytes. It aggregates various storage bricks over Infiniband RDMA  
or TCP/IP interconnect into one large parallel network file  
system. GlusterFS is one of the most sophisticated file systems in  
terms of features and extensibility. It borrows a powerful concept  
called Translators from GNU Hurd kernel. Much of the code in GlusterFS  
is in user space and easily manageable.

This package provides the glusterfs libgfapi library.

Name : iw  
Version : 4.3  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:36 AM EST  
Group : System Environment/Base  
Size : 163145  
License : ISC  
Signature : RSA/SHA256, Sun 20 Nov 2016 01:20:51 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : iw-4.3-1.el7.src.rpm  
Build Date : Sat 05 Nov 2016 01:46:59 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.linuxwireless.org/en/users/Documentation/iw>  
Summary : A nl80211 based wireless configuration tool  
Description :  
iw is a new nl80211 based CLI configuration utility for wireless devices.  
Currently you can only use this utility to configure devices which  
use a mac80211 driver as these are the new drivers being written -  
only because most new wireless devices being sold are now SoftMAC.

Name : mokutil  
Version : 12  
Release : 1.el7.centos

Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:28 AM EST  
Group : Unspecified  
Size : 83473  
License : BSD  
Signature : RSA/SHA256, Thu 31 Aug 2017 05:38:23 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : shim-signed-12-1.el7.centos.src.rpm  
Build Date : Thu 31 Aug 2017 05:30:13 PM EDT  
Build Host : kbuilder.dev.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.codon.org.uk/~mjg59/shim/>  
Summary : Utilities for managing Secure Boot/MoK keys.  
Description :  
Utilities for managing the "Machine's Own Keys" list.

Name : grub2-tools-extra  
Epoch : 1  
Version : 2.02  
Release : 0.64.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:55 AM EST  
Group : System Environment/Base  
Size : 6327636  
License : GPLv3+  
Signature : RSA/SHA256, Tue 22 Aug 2017 01:19:02 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : grub2-2.02-0.64.el7.centos.src.rpm  
Build Date : Thu 17 Aug 2017 02:01:13 PM EDT  
Build Host : kbuilder.dev.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/grub/>  
Summary : Support tools for GRUB.  
Description :

The GRand Unified Bootloader (GRUB) is a highly configurable and customizable bootloader with modular architecture. It supports a rich variety of kernel formats, file systems, computer architectures and hardware devices.

This subpackage provides tools for support of all platforms.

Name : abrt-addon-vmcore  
Version : 2.1.11  
Release : 48.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:59 AM EST  
Group : System Environment/Libraries  
Size : 42424  
License : GPLv2+

Signature : RSA/SHA256, Thu 10 Aug 2017 10:53:10 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : abrt-2.1.11-48.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 10:17:54 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : abrt's vmcore addon  
Description :  
This package contains plugin for collecting kernel crash information from  
vmcore files.

Name : lohit-kannada-fonts  
Version : 2.5.3  
Release : 3.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:43 AM EST  
Group : User Interface/X  
Size : 214685  
License : OFL  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:08 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : lohit-kannada-fonts-2.5.3-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:08:17 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/lohit/>  
Summary : Free Kannada font  
Description :  
This package provides a free Kannada truetype/opentype font.

Name : libgphoto2  
Version : 2.5.2  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:56 AM EST  
Group : Development/Libraries  
Size : 4971862  
License : GPLv2+ and GPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:12:54 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libgphoto2-2.5.2-5.el7.src.rpm  
Build Date : Sat 05 Aug 2017 12:46:37 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gphoto.org/>  
Summary : Library for accessing digital cameras  
Description :

libgphoto2 is a library that can be used by applications to access various digital cameras. libgphoto2 itself is not a GUI application, opposed to gphoto. There are GUI frontends for the gphoto2 library, however, such as gtkam for example.

Name : abrt-retrace-client  
Version : 2.1.11  
Release : 48.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:59 AM EST  
Group : System Environment/Libraries  
Size : 104659  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 10:54:53 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : abrt-2.1.11-48.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 10:17:54 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : abrt's retrace client  
Description :  
This package contains the client application for Retrace server which is able to analyze C/C++ crashes remotely.

Name : lohit-devanagari-fonts  
Version : 2.5.3  
Release : 4.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:48 AM EST  
Group : User Interface/X  
Size : 90128  
License : OFL  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:04 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : lohit-devanagari-fonts-2.5.3-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:36:39 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/lohit/>  
Summary : Free Devanagari Script Font  
Description :  
This package provides a free Devanagari Script TrueType/OpenType font.

Name : cryptsetup  
Version : 1.7.4  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:57 AM EST  
Group : Applications/System

Size : 293671  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:28:14 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : cryptsetup-1.7.4-3.el7.src.rpm  
Build Date : Thu 03 Aug 2017 05:46:17 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://gitlab.com/cryptsetup/cryptsetup>  
Summary : A utility for setting up encrypted disks  
Description :  
The cryptsetup package contains a utility for setting up disk encryption using dm-crypt kernel module.

Name : python-cups  
Version : 1.9.63  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:59 AM EST  
Group : Development/Languages  
Size : 241326  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:38:32 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-cups-1.9.63-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:14:06 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cyberelk.net/tim/software/pycups/>  
Summary : Python bindings for CUPS  
Description :  
This package provides Python bindings for the CUPS API, known as pycups. It was written for use with system-config-printer, but can be put to other uses as well.

Name : paratype-pt-sans-fonts  
Version : 20101909  
Release : 3.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:54 AM EST  
Group : User Interface/X  
Size : 2417717  
License : OFL  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:12:37 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : paratype-pt-sans-fonts-20101909-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 02:41:22 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://www.paratype.com/public/>  
Summary : A pan-Cyrillic typeface  
Description :

The PT Sans family was developed as part of the "Public Types of Russian Federation" project. This project aims at enabling the peoples of Russia to read and write their native languages, using free/libre fonts. It is dedicated to the 300-year anniversary of the Russian civil type invented by Peter the Great from 1708 to 1710, and was realized with financial support from the Russian Federal Agency for Press and Mass Communications.

The fonts include support for all 54 title<sup>1</sup> languages of the Russian Federation as well as more common Western, Central European and Cyrillic blocks making them unique and a very important tool for modern digital communications.

PT Sans is a grotesque font based on Russian type designs of the second part of the 20th century. However, it also includes very distinctive features of modern humanistic design, fulfilling present day aesthetic and functional requirements.

It was designed by Alexandra Korolkova, Olga Umpeleva and Vladimir Yefimov and released by ParaType.

<sup>1</sup> A "title" language is  
Named after an ethnic group.

This package includes the four basic styles and two narrows styles for economic setting.

Name : libreport-plugin-reportuploader  
Version : 2.1.11  
Release : 38.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:57 AM EST  
Group : System Environment/Libraries  
Size : 86044  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:48:52 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libreport-2.1.11-38.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 07:43:26 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>

Summary : libreport's reportuploader plugin  
Description :  
Plugin to report bugs into anonymous FTP site associated with ticketing system.

Name : thai-scalable-waree-fonts  
Version : 0.5.0  
Release : 7.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:57:00 AM EST  
Group : User Interface/X  
Size : 368592  
License : GPLv2+ and Bitstream Vera  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:33:24 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : thai-scalable-fonts-0.5.0-7.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:03:19 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://linux.thai.net/projects/thaifonts-scalable>  
Summary : Thai Waree fonts  
Description :

fonts-tlwg provides a collection of free scalable Thai fonts.

This package provides the Waree family of Thai fonts.

Name : openssh  
Version : 7.4p1  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:58 AM EST  
Group : Applications/Internet  
Size : 1995388  
License : BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:40:21 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : openssh-7.4p1-11.el7.src.rpm  
Build Date : Sun 06 Aug 2017 10:28:30 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.openssh.com/portable.html>  
Summary : An open source implementation of SSH protocol versions 1 and 2  
Description :  
SSH (Secure SHell) is a program for logging into and executing commands on a remote machine. SSH is intended to replace rlogin and rsh, and to provide secure encrypted communications between two untrusted hosts over an insecure network. X11 connections and arbitrary TCP/IP ports can also be forwarded over the secure channel.

OpenSSH is OpenBSD's version of the last free version of SSH, bringing it up to date in terms of security and features.

This package includes the core files necessary for both the OpenSSH client and server. To make this package useful, you should also install openssh-clients, openssh-server, or both.

Name : pulseaudio-utils  
Version : 10.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:01 AM EST  
Group : Unspecified  
Size : 167115  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:17:50 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pulseaudio-10.0-3.el7.src.rpm  
Build Date : Sun 06 Aug 2017 01:39:40 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/PulseAudio>  
Summary : PulseAudio sound server utilities  
Description :  
This package contains command line utilities for the PulseAudio sound server.

Name : overpass-fonts  
Version : 2.1  
Release : 1.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:57:04 AM EST  
Group : Unspecified  
Size : 1447566  
License : OFL  
Signature : RSA/SHA256, Sun 20 Nov 2016 02:50:23 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : overpass-fonts-2.1-1.el7.src.rpm  
Build Date : Sat 05 Nov 2016 01:22:36 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/RedHatBrand/overpass/>  
Summary : Typeface based on the U.S. interstate highway road signage type system  
Description :  
Free and open source typeface based on the U.S. interstate highway road signage type system; it is sans-serif and suitable for both body and titling text.



Name : libgusb  
Version : 0.2.9  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:58 AM EST  
Group : Unspecified  
Size : 107410  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:15:32 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libgusb-0.2.9-1.el7.src.rpm  
Build Date : Sun 06 Aug 2017 12:20:38 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://gitorious.org/gusb/>  
Summary : GLib wrapper around libusb1  
Description :  
GUsb is a GObject wrapper for libusb1 that makes it easy to do asynchronous control, bulk and interrupt transfers with proper cancellation and integration into a mainloop.

Name : libgnome-keyring  
Version : 3.12.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:01 AM EST  
Group : System Environment/Libraries  
Size : 306231  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:11:44 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libgnome-keyring-3.12.0-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 05:03:11 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/GnomeKeyring>  
Summary : Framework for managing passwords and other secrets  
Description :  
gnome-keyring is a program that keep password and other secrets for users. The library libgnome-keyring is used by applications to integrate with the gnome-keyring system.

Name : gnome-getting-started-docs  
Version : 3.22.0  
Release : 1.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:57:13 AM EST  
Group : Unspecified  
Size : 60436176

License : CC-BY-SA  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:17:40 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-getting-started-docs-3.22.0-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 08:10:39 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://help.gnome.org/>  
Summary : Help a new user get started in GNOME  
Description :  
This package contains a 'Getting Started' guide that can be viewed with yelp. It is normally used together with gnome-initial-setup.

Name : elfutils  
Version : 0.168  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:59 AM EST  
Group : Development/Tools  
Size : 777205  
License : GPLv3+ and (GPLv2+ or LGPLv3+)  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:42:54 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : elfutils-0.168-8.el7.src.rpm  
Build Date : Fri 04 Aug 2017 06:31:36 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://elfutils.org/>  
Summary : A collection of utilities and DSOs to handle ELF files and DWARF data  
Description :  
Elfutils is a collection of utilities, including stack (to show backtraces), nm (for listing symbols from object files), size (for listing the section sizes of an object or archive file), strip (for discarding symbols), readelf (to see the raw ELF file structures), elflint (to check for well-formed ELF files) and elfcompress (to compress or decompress ELF sections).

Name : redhat-menus  
Version : 12.0.2  
Release : 8.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:55:02 AM EST  
Group : User Interface/Desktops  
Size : 668448  
License : GPL+  
Signature : RSA/SHA256, Sun 20 Nov 2016 03:33:03 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : redhat-menus-12.0.2-8.el7.src.rpm  
Build Date : Sat 05 Nov 2016 11:44:44 AM EDT

Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.redhat.com>  
Summary : Configuration and data files for the desktop menus  
Description :  
This package contains the XML files that describe the menu layout for GNOME and KDE, and the .desktop files that define the Names and icons of "subdirectories" in the menus.

Name : iwl4965-firmware  
Version : 228.61.2.24  
Release : 56.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:57:14 AM EST  
Group : System Environment/Kernel  
Size : 298129  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:49:18 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20170606-56.gitc990aae.el7.src.rpm  
Build Date : Sat 05 Aug 2017 02:03:09 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel® PRO/Wireless 4965 A/G/N network adaptors  
Description :  
This package contains the firmware required by the iwl4965 driver for Linux. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : cdrdao  
Version : 1.2.3  
Release : 20.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:00 AM EST  
Group : Applications/Multimedia  
Size : 1169304  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:56:26 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : cdrdao-1.2.3-20.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:12:42 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cdrdao.sourceforge.net/>

Summary : Writes audio CD-Rs in disk-at-once (DAO) mode  
Description :  
Cdrdao records audio CD-Rs in disk-at-once (DAO) mode, based on a textual description of the CD contents. Recording in DAO mode writes the complete disc (lead-in, one or more tracks, and lead-out) in a single step. DAO allows full control over the length and the contents of pre-gaps, the pause areas between tracks.

Name : desktop-file-utils  
Version : 0.23  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:03 AM EST  
Group : Development/Tools  
Size : 208436  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:34:08 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : desktop-file-utils-0.23-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 08:15:09 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://www.freedesktop.org/software/desktop-file-utils>  
Summary : Utilities for manipulating .desktop files  
Description :  
.desktop files are used to describe an application for inclusion in GNOME or KDE menus. This package contains desktop-file-validate which checks whether a .desktop file complies with the specification at <http://www.freedesktop.org/standards/>, and desktop-file-install which installs a desktop file to the standard directory, optionally fixing it up in the process.

Name : ivtv-firmware  
Epoch : 2  
Version : 20080701  
Release : 26.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:57:15 AM EST  
Group : System Environment/Kernel  
Size : 857256  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:10:03 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ivtv-firmware-20080701-26.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:06:24 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://dl.ivtvdriver.org/ivtv/firmware/>  
Summary : Firmware for the Hauppauge PVR 250/350/150/500/USB2 model series

Description :

This package contains the firmware for WinTV Hauppauge PVR 250/350/150/500/USB2 cards.

Name : firewalld  
Version : 0.4.4.4  
Release : 6.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:54:01 AM EST  
Group : Unspecified  
Size : 1852322  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:54:42 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : firewalld-0.4.4.4-6.el7.src.rpm  
Build Date : Fri 04 Aug 2017 05:14:47 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.firewalld.org>  
Summary : A firewall daemon with D-Bus interface providing a dynamic firewall  
Description :  
firewalld is a firewall service daemon that provides a dynamic customizable firewall with a D-Bus interface.

Name : nautilus  
Version : 3.22.3  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:05 AM EST  
Group : Unspecified  
Size : 15417929  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:27:26 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : nautilus-3.22.3-3.el7.src.rpm  
Build Date : Tue 08 Aug 2017 09:42:10 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Apps/Nautilus>  
Summary : File manager for GNOME  
Description :  
Nautilus is the file manager and graphical shell for the GNOME desktop that makes it easy to manage your files and the rest of your system. It allows to browse directories on local and remote filesystems, preview files and launch applications associated with them. It is also responsible for handling the icons on the GNOME desktop.

Name : iwl6000g2a-firmware

Version : 17.168.5.3  
Release : 56.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:57:16 AM EST  
Group : System Environment/Kernel  
Size : 1231581  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:49:35 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20170606-56.gitc990aae.el7.src.rpm  
Build Date : Sat 05 Aug 2017 02:03:09 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel(R) Wireless WiFi Link 6005 Series  
Adapters  
Description :  
This package contains the firmware required by the iwlagn driver  
for Linux. Usage of the firmware is subject to the terms and conditions  
contained inside the provided LICENSE file. Please read it carefully.

Name : grub2-pc  
Epoch : 1  
Version : 2.02  
Release : 0.64.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:01 AM EST  
Group : System Environment/Base  
Size : 0  
License : GPLv3+  
Signature : RSA/SHA256, Tue 22 Aug 2017 01:18:42 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : grub2-2.02-0.64.el7.centos.src.rpm  
Build Date : Thu 17 Aug 2017 02:01:13 PM EDT  
Build Host : kbuilder.dev.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/grub/>  
Summary : Bootloader with support for Linux, Multiboot, and more  
Description :

The GRand Unified Bootloader (GRUB) is a highly configurable and customizable bootloader with modular architecture. It supports a rich variety of kernel formats, file systems, computer architectures and hardware devices.

This subpackage provides support for pc systems.

Name : gdm  
Epoch : 1

Version : 3.22.3  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:07 AM EST  
Group : User Interface/X  
Size : 2191061  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:03:04 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gdm-3.22.3-11.el7.src.rpm  
Build Date : Sun 06 Aug 2017 11:12:51 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://download.gnome.org/sources/gdm>  
Summary : The GNOME Display Manager  
Description :  
GDM provides the graphical login screen, shown shortly after boot up,  
log out, and when user-switching.

Name : iwl2030-firmware  
Version : 18.168.6.1  
Release : 56.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:57:19 AM EST  
Group : System Environment/Kernel  
Size : 817549  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:49:05 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20170606-56.gitc990aae.el7.src.rpm  
Build Date : Sat 05 Aug 2017 02:03:09 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel(R) Centrino Wireless-N 2030 Series  
Adapters  
Description :  
This package contains the firmware required by the iwlagn driver  
for Linux to support the iwl2030 hardware. Usage of the firmware  
is subject to the terms and conditions contained inside the provided  
LICENSE file. Please read it carefully.

Name : pyatspi  
Version : 2.20.3  
Release : 1.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:54:01 AM EST  
Group : Development/Languages  
Size : 411541

License : LGPLv2 and GPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:17:54 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pyatspi-2.20.3-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 02:53:21 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://www.linuxfoundation.org/en/AT-SPI\\_on\\_D-Bus](http://www.linuxfoundation.org/en/AT-SPI_on_D-Bus)  
Summary : Python bindings for at-spi  
Description :  
at-spi allows assistive technologies to access GTK-based applications. Essentially it exposes the internals of applications for automation, so tools such as screen readers, magnifiers, or even scripting interfaces can query and interact with GUI controls.

This package includes a python2 client library for at-spi.

Name : gnome-shell-extension-apps-menu  
Version : 3.22.2  
Release : 10.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:55:07 AM EST  
Group : User Interface/Desktops  
Size : 33208  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:21:22 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-shell-extensions-3.22.2-10.el7.src.rpm  
Build Date : Mon 07 Aug 2017 10:13:52 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://wiki.gnome.org/Projects/GnomeShell/Extensions>  
Summary : Application menu for GNOME Shell  
Description :  
This GNOME Shell extension adds a GNOME 2.x style menu for applications.

Name : iwl3945-firmware  
Version : 15.32.2.9  
Release : 56.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:57:19 AM EST  
Group : System Environment/Kernel  
Size : 260257  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:49:14 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20170606-56.gitc990aae.el7.src.rpm  
Build Date : Sat 05 Aug 2017 02:03:09 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)



Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel® PRO/Wireless 3945 A/B/G network  
adaptors  
Description :  
This package contains the firmware required by the iwl3945 driver  
for Linux. Usage of the firmware is subject to the terms and conditions  
contained inside the provided LICENSE file. Please read it carefully.

Name : dmraid-events  
Version : 1.0.0.rc16  
Release : 28.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:02 AM EST  
Group : System Environment/Base  
Size : 12452  
License : GPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 12:33:15 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : dmraid-1.0.0.rc16-28.el7.src.rpm  
Build Date : Sat 05 Nov 2016 08:09:18 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://people.redhat.com/heinzm/sw/dmraid>  
Summary : dmevent\_tool (Device-mapper event tool) and DSO  
Description :  
Provides a dmeventd DSO and the dmevent\_tool to register devices with it  
for device monitoring. All active RAID sets should be manually  
registered  
with dmevent\_tool.

Name : gnome-shell-extension-launch-new-instance  
Version : 3.22.2  
Release : 10.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:55:08 AM EST  
Group : User Interface/Desktops  
Size : 5020  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:21:42 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnome-shell-extensions-3.22.2-10.el7.src.rpm  
Build Date : Mon 07 Aug 2017 10:13:52 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://wiki.gnome.org/Projects/GnomeShell/Extensions>  
Summary : Always launch a new application instance for GNOME Shell  
Description :

This GNOME Shell extension modifies the behavior of clicking in the dash and app launcher to always launch a new application instance.

Name : nss-softokn-freebl  
Version : 3.28.3  
Release : 6.el7  
Architecture: i686  
Install Date: Mon 03 Dec 2018 08:57:21 AM EST  
Group : System Environment/Base  
Size : 461096  
License : MPLv2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:33:54 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : nss-softokn-3.28.3-6.el7.src.rpm  
Build Date : Fri 04 Aug 2017 05:19:00 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mozilla.org/projects/security/pki/nss/>  
Summary : Freebl library for the Network Security Services  
Description :  
NSS Softoken Cryptographic Module Freebl Library

Install the nss-softokn-freebl package if you need the freebl library.

Name : sssd-ad  
Version : 1.15.2  
Release : 50.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:03 AM EST  
Group : Applications/System  
Size : 324756  
License : GPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:56:12 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sssd-1.15.2-50.el7.src.rpm  
Build Date : Mon 07 Aug 2017 05:38:50 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://pagure.io/SSSD/sssds>  
Summary : The AD back end of the SSSD  
Description :  
Provides the Active Directory back end that the SSSD can utilize to fetch identity data from and authenticate against an Active Directory server.

Name : libvirt-daemon-kvm  
Version : 3.2.0  
Release : 14.el7  
Architecture: x86\_64

Install Date: Mon 03 Dec 2018 08:55:08 AM EST  
Group : Development/Libraries  
Size : 0  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:04:43 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libvirt-3.2.0-14.el7.src.rpm  
Build Date : Sat 05 Aug 2017 01:16:28 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvirt.org/>  
Summary : Server side daemon & driver required to run KVM guests  
Description :  
Server side daemon and driver required to manage the virtualization  
capabilities of the KVM hypervisor

Name : libXext  
Version : 1.3.3  
Release : 3.el7  
Architecture: i686  
Install Date: Mon 03 Dec 2018 08:57:22 AM EST  
Group : System Environment/Libraries  
Size : 85786  
License : MIT  
Signature : RSA/SHA256, Wed 25 Nov 2015 10:13:56 AM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libXext-1.3.3-3.el7.src.rpm  
Build Date : Fri 20 Nov 2015 02:18:21 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXext runtime library  
Description :  
X.Org X11 libXext runtime library

Name : python-rtslib  
Version : 2.1.fb63  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:54:03 AM EST  
Group : System Environment/Libraries  
Size : 696245  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:23:32 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : python-rtslib-2.1.fb63-2.el7.src.rpm  
Build Date : Fri 04 Aug 2017 03:09:00 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <https://fedorahosted.org/targetcli-fb/>  
Summary : API for Linux kernel LIO SCSI target  
Description :  
API for generic Linux SCSI kernel target. Includes the 'target'  
service and targetctl tool for restoring configuration.

Name : gnome-tweak-tool  
Version : 3.22.0  
Release : 1.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:55:09 AM EST  
Group : Unspecified  
Size : 1081496  
License : GPLv3  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:23:24 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnome-tweak-tool-3.22.0-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 04:08:24 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Apps/GnomeTweakTool>  
Summary : A tool to customize advanced GNOME 3 options  
Description :  
GNOME Tweak Tool is an application for changing the advanced settings  
of GNOME 3.

Features:

- \* Install and switch gnome-shell themes
- \* Switch gtk/icon/cursor themes
- \* Switch window manager themes
- \* Change:
  - \* The user-interface and titlebar fonts
  - \* Icons in menus and buttons
  - \* Behavior on laptop lid close
  - \* Shell font size
  - \* File manager desktop icons
  - \* Titlebar click action
  - \* Shell clock to show date
  - \* Font hinting and antialiasing

Name : hypervkvpd  
Version : 0  
Release : 0.30.20161211git.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:04 AM EST  
Group : System Environment/Daemons  
Size : 31565  
License : GPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:42:40 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : hyperv-daemons-0-0.30.20161211git.el7.src.rpm

Build Date : Tue 01 Aug 2017 08:49:52 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.kernel.org>  
Summary : HyperV key value pair (KVP) daemon  
Description :  
Hypervkvpd is an implementation of HyperV key value pair (KVP) functionality for Linux. The daemon first registers with the kernel driver. After this is done it collects information requested by Windows Host about the Linux Guest. It also supports IP injection functionality on the Guest.

Name : setroubleshoot  
Version : 3.2.28  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:10 AM EST  
Group : Applications/System  
Size : 240657  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:52:49 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : setroubleshoot-3.2.28-3.el7.src.rpm  
Build Date : Sun 06 Aug 2017 10:47:47 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://pagure.io/setroubleshoot>  
Summary : Helps troubleshoot SELinux problems  
Description :  
setroubleshoot GUI. Application that allows you to view setroubleshoot-server messages.  
Provides tools to help diagnose SELinux problems. When AVC messages are generated an alert can be generated that will give information about the problem and help track its resolution. Alerts can be configured to user preference. The same tools can be run on existing log files.

Name : xpi-xeroxutils  
Version : 3.0  
Release : 0  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 09:14:13 AM EST  
Group : Applications/System  
Size : 1449256  
License : Xerox  
Signature : (none)  
Source RPM : xpi-xeroxutils-3.0-0.src.rpm  
Build Date : Wed 23 May 2018 01:32:18 AM EDT  
Build Host : oslab7.eng.mc.xerox.com  
Relocations : (not relocatable)

Packager : Joel Lissade <joel.lissade@usa.xerox.com>  
Vendor : Xerox Corp.  
Summary : XPI linux Xerox binary utilities  
Description :  
Xerox X86 binary utilities that provides the capability to perform  
NameLookup  
calls, determining boardtype and board configuration. These utilities is  
required by modules that are linked with the MCT Runtime.

Name : qt  
Epoch : 1  
Version : 4.8.5  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:05 AM EST  
Group : System Environment/Libraries  
Size : 17427872  
License : (LGPLv2 with exceptions or GPLv3 with exceptions) and ASL  
2.0 and BSD and FTL and MIT  
Signature : RSA/SHA256, Sun 20 Nov 2016 03:19:08 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : qt-4.8.5-13.el7.src.rpm  
Build Date : Sat 05 Nov 2016 01:57:36 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://qt-project.org/>  
Summary : Qt toolkit  
Description :  
Qt is a software toolkit for developing applications.

This package contains base tools, like string, xml, and network  
handling.

Name : gvfs-afc  
Version : 1.30.4  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:10 AM EST  
Group : Unspecified  
Size : 152247  
License : GPLv3 and LGPLv2+ and BSD and MPLv2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:36:37 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gvfs-1.30.4-3.el7.src.rpm  
Build Date : Wed 09 Aug 2017 02:39:06 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/gvfs>  
Summary : AFC support for gvfs  
Description :

This package provides support for reading files on mobile devices including phones and music players to applications using gvfs.

Name : sssd-ldap  
Version : 1.15.2  
Release : 50.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:08 AM EST  
Group : Applications/System  
Size : 156545  
License : GPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:57:29 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sssd-1.15.2-50.el7.src.rpm  
Build Date : Mon 07 Aug 2017 05:38:50 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://pagure.io/SSSD/sssdl>  
Summary : The LDAP back end of the SSSD  
Description :  
Provides the LDAP back end that the SSSD can utilize to fetch identity data from and authenticate against an LDAP server.

Name : gvfs-afp  
Version : 1.30.4  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:10 AM EST  
Group : Unspecified  
Size : 241035  
License : GPLv3 and LGPLv2+ and BSD and MPLv2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:36:45 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gvfs-1.30.4-3.el7.src.rpm  
Build Date : Wed 09 Aug 2017 02:39:06 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/gvfs>  
Summary : AFP support for gvfs  
Description :  
This package provides support for reading and writing files on Mac OS X and original Mac OS network shares via Apple Filing Protocol to applications using gvfs.

Name : policycoreutils-python  
Version : 2.5  
Release : 17.1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:09 AM EST

Group : System Environment/Base  
Size : 1248665  
License : GPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:13:06 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : policycoreutils-2.5-17.1.el7.src.rpm  
Build Date : Fri 04 Aug 2017 05:00:38 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.selinuxproject.org>  
Summary : SELinux policy core python utilities  
Description :  
The policycoreutils-python package contains the management tools use to manage an SELinux environment.

Name : gnome-software  
Version : 3.22.7  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:31 AM EST  
Group : Unspecified  
Size : 7101250  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:22:34 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-software-3.22.7-1.el7.src.rpm  
Build Date : Wed 09 Aug 2017 02:48:41 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Apps/Software>  
Summary : A software center for GNOME  
Description :  
gnome-software is an application that makes it easy to add, remove and update software in the GNOME desktop.

Name : xorg-x11-drv-dummy  
Version : 0.3.7  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:09 AM EST  
Group : User Interface/X Hardware Support  
Size : 21051  
License : MIT  
Signature : RSA/SHA256, Fri 11 Aug 2017 03:28:39 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xorg-x11-drv-dummy-0.3.7-1.el7.src.rpm  
Build Date : Fri 11 Aug 2017 12:45:29 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)



Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Xorg X11 dummy video driver  
Description :  
X.Org X11 dummy video driver.

Name : tuned  
Version : 2.8.0  
Release : 5.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:55:32 AM EST  
Group : Unspecified  
Size : 706148  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:10:29 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : tuned-2.8.0-5.el7.src.rpm  
Build Date : Fri 04 Aug 2017 05:19:18 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.tuned-project.org/>  
Summary : A dynamic adaptive system tuning daemon  
Description :  
The tuned package contains a daemon that tunes system settings  
dynamically.  
It does so by monitoring the usage of several system components  
periodically.  
Based on that information components will then be put into lower or  
higher  
power saving modes to adapt to the current usage. Currently only ethernet  
network and ATA harddisk devices are implemented.

Name : xorg-x11-drv-synaptics  
Version : 1.9.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:09 AM EST  
Group : User Interface/X Hardware Support  
Size : 130295  
License : MIT  
Signature : RSA/SHA256, Fri 11 Aug 2017 03:30:36 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xorg-x11-drv-synaptics-1.9.0-1.el7.src.rpm  
Build Date : Fri 11 Aug 2017 01:47:44 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Xorg X11 Synaptics touchpad input driver  
Description :

This is the Synaptics touchpad driver for the X.Org X server. The following touchpad models are supported:

- \* Synaptics
- \* appletouch (Post February 2005 and October 2005 Apple Aluminium Powerbooks)
- \* Elantech (EeePC)
- \* bcm5974 (Macbook Air (Jan 2008), Macbook Pro Penryn (Feb 2008), iPhone (2007), iPod Touch (2008))

Note that support for appletouch, elantech and bcm5974 requires the respective kernel module.

A touchpad by default operates in compatibility mode by emulating a standard mouse. However, by using a dedicated driver, more advanced features of the touchpad become available.

#### Features:

- \* Movement with adjustable, non-linear acceleration and speed.
- \* Button events through short touching of the touchpad ("tapping").
- \* Double-Button events through double short touching of the touchpad.
- \* Dragging through short touching and holding down the finger on the touchpad.
- \* Middle and right button events on the upper and lower corner of the touchpad.
- \* Vertical scrolling (button four and five events) through moving the finger on the right side of the touchpad.
- \* The up/down button sends button four/five events.
- \* Horizontal scrolling (button six and seven events) through moving the finger on the lower side of the touchpad.
- \* The multi-buttons send button four/five events, and six/seven events for horizontal scrolling.
- \* Adjustable finger detection.  
Multifinger taps: two finger for middle button and three finger for right button events. (Needs hardware support. Not all models implement this feature.)
- \* Run-time configuration using shared memory. This means you can change parameter settings without restarting the X server.

Name : abrt-console-notification  
Version : 2.1.11  
Release : 48.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:32 AM EST  
Group : Applications/System  
Size : 1348  
License : GPLv2+

Signature : RSA/SHA256, Thu 10 Aug 2017 10:53:36 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : abrt-2.1.11-48.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 10:17:54 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : ABRT console notification script  
Description :  
A small script which prints a count of detected problems when someone  
logs in  
to the shell

Name : xorg-x11-drv-intel  
Version : 2.99.917  
Release : 26.20160929.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:10 AM EST  
Group : User Interface/X Hardware Support  
Size : 2092303  
License : MIT  
Signature : RSA/SHA256, Fri 11 Aug 2017 03:29:10 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xorg-x11-drv-intel-2.99.917-26.20160929.el7.src.rpm  
Build Date : Fri 11 Aug 2017 01:05:48 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Xorg X11 Intel video driver  
Description :  
X.Org X11 Intel video driver.

Name : initial-setup-gui  
Version : 0.3.9.40  
Release : 1.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:35 AM EST  
Group : System Environment/Base  
Size : 32668  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:44:08 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : initial-setup-0.3.9.40-1.el7.centos.src.rpm  
Build Date : Fri 04 Aug 2017 04:55:29 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedoraproject.org/wiki/InitialSetup>  
Summary : Graphical user interface for the initial-setup utility

Description :

The initial-setup-gui package contains a graphical user interface for the initial-setup utility.

Name : pygtk2-libglade  
Version : 2.24.0  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:10 AM EST  
Group : Development/Languages  
Size : 24888  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:36:44 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pygtk2-2.24.0-9.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:46:15 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.pygtk.org/>  
Summary : A wrapper for the libglade library for use with PyGTK  
Description :

This module contains a wrapper for the libglade library. Libglade allows a program to construct its user interface from an XML description, which allows the programmer to keep the UI and program logic separate.

Name : file-roller-nautilus  
Version : 3.22.3  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:35 AM EST  
Group : Unspecified  
Size : 19640  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:53:18 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : file-roller-3.22.3-1.el7.src.rpm  
Build Date : Sun 06 Aug 2017 01:02:01 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Apps/FileRoller>  
Summary : File Roller extension for nautilus  
Description :

This package contains the file-roller extension for the nautilus file manager.

It adds an item to the nautilus context menu that lets you compress files or directories.

Name : poppler-utils  
Version : 0.26.5  
Release : 16.el7

Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:12 AM EST  
Group : Applications/Text  
Size : 444659  
License : (GPLv2 or GPLv3) and GPLv2+ and LGPLv2+ and MIT  
Signature : RSA/SHA256, Sun 20 Nov 2016 03:10:09 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : poppler-0.26.5-16.el7.src.rpm  
Build Date : Sat 05 Nov 2016 11:36:53 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://poppler.freedesktop.org/>  
Summary : Command line utilities for converting PDF files  
Description :  
Poppler, a PDF rendering library, is a fork of the xpdf PDF  
viewer developed by Derek Noonburg of Glyph and Cog, LLC.

This utils package installs a number of command line tools for  
converting PDF files to a number of other formats.

Name : brasero-nautilus  
Version : 3.12.1  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:36 AM EST  
Group : User Interface/Desktops  
Size : 48081  
License : GPLv3+  
Signature : RSA/SHA256, Wed 25 Nov 2015 09:18:28 AM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : brasero-3.12.1-2.el7.src.rpm  
Build Date : Sat 21 Nov 2015 10:35:39 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/brasero/>  
Summary : Nautilus extension for brasero  
Description :  
The brasero-nautilus package contains the brasero nautilus extension.

Name : mesa-libGLES  
Version : 17.0.1  
Release : 6.20170307.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:13 AM EST  
Group : System Environment/Libraries  
Size : 41448  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:21:40 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : mesa-17.0.1-6.20170307.el7.src.rpm

Build Date : Fri 04 Aug 2017 12:27:35 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mesa3d.org>  
Summary : Mesa libGL ES runtime libraries  
Description :  
Mesa GL ES runtime libraries

Name : gnome-session-xsession  
Version : 3.22.3  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:38 AM EST  
Group : User Interface/Desktops  
Size : 16020  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:20:39 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnome-session-3.22.3-4.el7.src.rpm  
Build Date : Tue 08 Aug 2017 07:46:15 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org>  
Summary : Desktop file for gnome-session  
Description :  
Desktop file to add GNOME to display manager session menu.

Name : setroubleshoot-plugins  
Version : 3.0.65  
Release : 1.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:54:14 AM EST  
Group : Applications/System  
Size : 2882080  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:52:53 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : setroubleshoot-plugins-3.0.65-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 10:47:12 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/setroubleshoot>  
Summary : Analysis plugins for use with setroubleshoot  
Description :  
This package provides a set of analysis plugins for use with  
setroubleshoot. Each plugin has the capacity to analyze SELinux AVC  
data and system data to provide user friendly reports describing how  
to interpret SELinux AVC denials.

Name : gnome-font-viewer  
Version : 3.22.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:39 AM EST  
Group : Unspecified  
Size : 420919  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:17:35 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-font-viewer-3.22.0-1.el7.src.rpm  
Build Date : Sun 06 Aug 2017 12:12:02 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/gnome-3/>  
Summary : Utility for previewing fonts for GNOME  
Description :  
Use gnome-font-viewer, the Font Viewer, to preview fonts and display information about a specified font. You can use the Font Viewer to display the

Name, style, type, size, version and copyright of the font.

Name : realmd  
Version : 0.16.1  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:14 AM EST  
Group : Unspecified  
Size : 687604  
License : LGPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 03:32:50 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : realmd-0.16.1-9.el7.src.rpm  
Build Date : Fri 11 Nov 2016 11:56:35 PM EST  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cgit.freedesktop.org/realmd/realmd/>  
Summary : Kerberos realm enrollment service  
Description :  
realmd is a Dbus system service which manages discovery and enrollment in realms and domains like Active Directory or IPA. The control center uses realmd as the back end to 'join' a domain simply and automatically configure things correctly.

Name : baobab  
Version : 3.22.1

Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:40 AM EST  
Group : Unspecified  
Size : 1200902  
License : GPLv2+ and GFDL  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:03:31 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : baobab-3.22.1-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 11:05:09 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Apps/Baobab>  
Summary : A graphical directory tree analyzer  
Description :  
Baobab is able to scan either specific directories or the whole filesystem, in order to give the user a graphical tree representation including each directory size or percentage in the branch. It also auto-detects in real-time any change made to your home folder as far as any mounted/unmounted device.

Name : rtkit  
Version : 0.11  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:15 AM EST  
Group : System Environment/Base  
Size : 136145  
License : GPLv3+ and BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:33:22 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : rtkit-0.11-10.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:27:17 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.0pointer.de/?p=rtkit.git>  
Summary : Realtime Policy and Watchdog Daemon  
Description :  
RealtimeKit is a D-Bus system service that changes the scheduling policy of user processes/threads to SCHED\_RR (i.e. realtime scheduling mode) on request. It is intended to be used as a secure mechanism to allow real-time scheduling to be used by normal user processes.

Name : mousetweaks  
Version : 3.12.0  
Release : 1.el7  
Architecture: x86\_64



Install Date: Mon 03 Dec 2018 08:55:41 AM EST  
Group : User Interface/Desktops  
Size : 489258  
License : GPLv3 and GFDL  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:24:42 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : mousetweaks-3.12.0-1.el7.src.rpm  
Build Date : Sun 06 Aug 2017 12:39:37 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/Mousetweaks/Home>  
Summary : Mouse accessibility support for the GNOME desktop  
Description :  
The Mousetweaks package provides mouse accessibility enhancements for the GNOME desktop, such as performing various clicks without using any hardware button. The options can be accessed through the Accessibility tab of the Mouse Preferences of GNOME Control Center or through command-line.

Name : chrony  
Version : 3.1  
Release : 2.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:16 AM EST  
Group : System Environment/Daemons  
Size : 475316  
License : GPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:17:57 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : chrony-3.1-2.el7.centos.src.rpm  
Build Date : Thu 03 Aug 2017 05:28:19 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://chrony.tuxfamily.org>  
Summary : An NTP client/server  
Description :  
A client/server for the Network Time Protocol, this program keeps your computer's clock accurate. It was specially designed to support systems with intermittent internet connections, but it also works well in permanently connected environments. It can use also hardware reference clocks, system real-time clock or manual input as time references.

Name : open-vm-tools-desktop  
Version : 10.1.5  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:42 AM EST  
Group : System Environment/Libraries  
Size : 433408  
License : GPLv2

Signature : RSA/SHA256, Thu 10 Aug 2017 02:42:16 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : open-vm-tools-10.1.5-3.el7.src.rpm  
Build Date : Mon 07 Aug 2017 02:15:38 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/vmware/open-vm-tools>  
Summary : User experience components for Open Virtual Machine Tools  
Description :  
This package contains only the user-space programs and libraries of  
open-vm-tools that are essential for improved user experience of VMware  
virtual  
machines.

Name : nfs-utils  
Epoch : 1  
Version : 1.3.0  
Release : 0.48.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:17 AM EST  
Group : System Environment/Daemons  
Size : 1037291  
License : MIT and GPLv2 and GPLv2+ and BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:32:33 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : nfs-utils-1.3.0-0.48.el7.src.rpm  
Build Date : Mon 07 Aug 2017 05:18:05 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/nfs>  
Summary : NFS utilities and supporting clients and daemons for the  
kernel NFS server  
Description :  
The nfs-utils package provides a daemon for the kernel NFS server and  
related tools, which provides a much higher level of performance than the  
traditional Linux NFS server used by most users.

This package also contains the showmount program. Showmount queries the  
mount daemon on a remote host for information about the NFS (Network File  
System) server on the remote host. For example, showmount can display  
the  
clients which are mounted on that host.

This package also contains the mount.nfs and umount.nfs program.

Name : samba-client  
Epoch : 0  
Version : 4.6.2  
Release : 8.el7  
Architecture: x86\_64

Install Date: Mon 03 Dec 2018 08:55:42 AM EST  
Group : Unspecified  
Size : 2125947  
License : GPLv3+ and LGPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:47:35 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : samba-4.6.2-8.el7.src.rpm  
Build Date : Mon 07 Aug 2017 10:01:27 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.samba.org/>  
Summary : Samba client programs  
Description :  
The samba-client package provides some SMB/CIFS clients to complement  
the built-in SMB/CIFS filesystem in Linux. These clients allow access  
of SMB/CIFS shares and printing to SMB/CIFS printers.

Name : usb\_modeswitch-data  
Version : 20160612  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:54:18 AM EST  
Group : Applications/System  
Size : 124598  
License : GPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 03:56:41 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : usb\_modeswitch-data-20160612-2.el7.src.rpm  
Build Date : Sat 05 Nov 2016 07:31:40 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://www.draisberghof.de/usb\\_modeswitch/](http://www.draisberghof.de/usb_modeswitch/)  
Summary : USB Modeswitch gets mobile broadband cards in operational  
mode  
Description :  
USB Modeswitch brings up your datacard into operational mode. When  
plugged  
in they identify themselves as cdrom and present some non-Linux  
compatible  
installation files. This tool deactivates this cdrom-devices and enables  
the real communication device. It supports most devices built and  
sold by Huawei, T-Mobile, Vodafone, Option, ZTE, Novatel.

This package contains the data files needed for usb\_modeswitch to  
function.

Name : NetworkManager-bluetooth  
Epoch : 1  
Version : 1.10.2  
Release : 13.el7

Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:42 AM EST  
Group : System Environment/Base  
Size : 106064  
License : GPLv2+  
Signature : RSA/SHA256, Wed 25 Apr 2018 07:29:22 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : NetworkManager-1.10.2-13.el7.src.rpm  
Build Date : Thu 12 Apr 2018 03:44:26 PM EDT  
Build Host : x86-01.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/NetworkManager/>  
Summary : Bluetooth device plugin for NetworkManager  
Description :  
This package contains NetworkManager support for Bluetooth devices.

Name : hplip-common  
Version : 3.15.9  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:19 AM EST  
Group : System Environment/Libraries  
Size : 1072421  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:40:04 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : hplip-3.15.9-3.el7.src.rpm  
Build Date : Tue 01 Aug 2017 08:33:28 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://hplip.sourceforge.net/>  
Summary : Files needed by the HPLIP printer and scanner drivers  
Description :  
Files needed by the HPLIP printer and scanner drivers.

Name : NetworkManager-ppp  
Epoch : 1  
Version : 1.10.2  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:43 AM EST  
Group : System Environment/Base  
Size : 66040  
License : GPLv2+  
Signature : RSA/SHA256, Wed 25 Apr 2018 07:29:38 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : NetworkManager-1.10.2-13.el7.src.rpm  
Build Date : Thu 12 Apr 2018 03:44:26 PM EDT  
Build Host : x86-01.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/NetworkManager/>  
Summary : PPP plugin for NetworkManager  
Description :  
This package contains NetworkManager support for PPP.

Name : libvirt-libs  
Version : 3.2.0  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:21 AM EST  
Group : Development/Libraries  
Size : 22729036  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:06:07 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libvirt-3.2.0-14.el7.src.rpm  
Build Date : Sat 05 Aug 2017 01:16:28 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvirt.org/>  
Summary : Client side libraries  
Description :  
Shared libraries for accessing the libvirt daemon.

Name : NetworkManager-adsl  
Epoch : 1  
Version : 1.10.2  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:44 AM EST  
Group : System Environment/Base  
Size : 50368  
License : GPLv2+  
Signature : RSA/SHA256, Wed 25 Apr 2018 07:29:20 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : NetworkManager-1.10.2-13.el7.src.rpm  
Build Date : Thu 12 Apr 2018 03:44:26 PM EDT  
Build Host : x86-01.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/NetworkManager/>  
Summary : ADSL device plugin for NetworkManager  
Description :  
This package contains NetworkManager support for ADSL devices.

Name : libimobiledevice  
Version : 1.2.0  
Release : 1.el7  
Architecture: x86\_64

Install Date: Mon 03 Dec 2018 08:54:21 AM EST  
Group : System Environment/Libraries  
Size : 174003  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:17:40 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libimobileddevice-1.2.0-1.el7.src.rpm  
Build Date : Sun 06 Aug 2017 02:18:17 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libimobileddevice.org/>  
Summary : Library for connecting to mobile devices  
Description :  
libimobileddevice is a library for connecting to mobile devices including  
phones  
and music players

Name : dhcp  
Epoch : 12  
Version : 4.2.5  
Release : 58.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:45 AM EST  
Group : System Environment/Daemons  
Size : 1453369  
License : ISC  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:36:26 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : dhcp-4.2.5-58.el7.centos.src.rpm  
Build Date : Fri 04 Aug 2017 02:07:15 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://isc.org/products/DHCP/>  
Summary : Dynamic host configuration protocol software  
Description :  
DHCP (Dynamic Host Configuration Protocol) is a protocol which allows  
individual devices on an IP network to get their own network  
configuration information (IP address, subnetmask, broadcast address,  
etc.) from a DHCP server. The overall purpose of DHCP is to make it  
easier to administer a large network.

To use DHCP on your network, install a DHCP service (or relay agent),  
and on clients run a DHCP client daemon. The dhcp package provides  
the ISC DHCP service and relay agent.

Name : libvirt-daemon-driver-storage-disk  
Version : 3.2.0  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:22 AM EST

Group : Development/Libraries  
Size : 23624  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:03:57 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libvirt-3.2.0-14.el7.src.rpm  
Build Date : Sat 05 Aug 2017 01:16:28 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvirt.org/>  
Summary : Storage driver plugin for disk  
Description :  
The storage driver backend adding implementation of the storage APIs for block volumes using the host disks.

Name : xinetd  
Epoch : 2  
Version : 2.3.15  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:46 AM EST  
Group : System Environment/Daemons  
Size : 267020  
License : xinetd  
Signature : RSA/SHA256, Sun 20 Nov 2016 04:00:56 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : xinetd-2.3.15-13.el7.src.rpm  
Build Date : Sat 05 Nov 2016 11:25:06 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.xinetd.org>  
Summary : A secure replacement for inetd  
Description :  
Xinetd is a secure replacement for inetd, the Internet services daemon. Xinetd provides access control for all services based on the address of the remote host and/or on time of access and can prevent denial-of-access attacks. Xinetd provides extensive logging, has no limit on the number of server arguments, and lets you bind specific services to specific IP addresses on your host machine. Each service has its own specific configuration file for Xinetd; the files are located in the /etc/xinetd.d directory.

Name : libvirt-daemon-driver-storage-iscsi  
Version : 3.2.0  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:22 AM EST  
Group : Development/Libraries  
Size : 15376

License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:04:09 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libvirt-3.2.0-14.el7.src.rpm  
Build Date : Sat 05 Aug 2017 01:16:28 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvirt.org/>  
Summary : Storage driver plugin for iscsi  
Description :  
The storage driver backend adding implementation of the storage APIs for  
iscsi  
volumes using the host iscsi stack.

Name : usbutils  
Version : 007  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:47 AM EST  
Group : Applications/System  
Size : 187281  
License : GPLv2+  
Signature : RSA/SHA256, Wed 25 Nov 2015 11:02:14 AM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : usbutils-007-5.el7.src.rpm  
Build Date : Fri 20 Nov 2015 03:48:55 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.linux-usb.org/>  
Summary : Linux USB utilities  
Description :  
This package contains utilities for inspecting devices connected to a  
USB bus.

Name : libvirt-daemon-driver-interface  
Version : 3.2.0  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:22 AM EST  
Group : Development/Libraries  
Size : 115848  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:02:43 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libvirt-3.2.0-14.el7.src.rpm  
Build Date : Sat 05 Aug 2017 01:16:28 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS



URL : <http://libvirt.org/>  
Summary : Interface driver plugin for the libvirtd daemon  
Description :  
The interface driver plugin for the libvirtd daemon, providing an implementation of the network interface APIs using the netcf library

Name : autofs  
Epoch : 1  
Version : 5.0.7  
Release : 69.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:47 AM EST  
Group : System Environment/Daemons  
Size : 5280794  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:03:22 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : autofs-5.0.7-69.el7.src.rpm  
Build Date : Fri 04 Aug 2017 09:05:13 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : A tool for automatically mounting and unmounting filesystems  
Description :  
autofs is a daemon which automatically mounts filesystems when you use them, and unmounts them later when you are not using them. This can include network filesystems, CD-ROMs, floppies, and so forth.

Name : libvirt-gobject  
Version : 1.0.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:22 AM EST  
Group : Development/Libraries  
Size : 219784  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:05:50 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libvirt-glib-1.0.0-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 07:35:32 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvirt.org/>  
Summary : libvirt object APIs for managing virtualization hosts  
Description :  
This package provides APIs for managing virtualization host objects

Name : qemu-guest-agent

Epoch : 10  
Version : 2.8.0  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:49 AM EST  
Group : System Environment/Daemons  
Size : 510398  
License : GPLv2+ and LGPLv2+ and BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:25:20 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : qemu-guest-agent-2.8.0-2.el7.src.rpm  
Build Date : Fri 04 Aug 2017 03:33:19 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.qemu.org/>  
Summary : QEMU guest agent  
Description :  
qemu-kvm is an open source virtualizer that provides hardware emulation  
for  
the KVM hypervisor.

This package provides an agent to run inside guests, which communicates  
with the host over a virtio-serial channel  
Named "org.qemu.guest\_agent.0"

This package does not need to be installed on the host OS.

Name : gtk3  
Version : 3.22.10  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:24 AM EST  
Group : Unspecified  
Size : 17483425  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:31:34 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gtk3-3.22.10-4.el7.src.rpm  
Build Date : Sat 05 Aug 2017 10:54:43 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gtk.org>  
Summary : The GIMP ToolKit (GTK+), a library for creating GUIs for X  
Description :  
GTK+ is a multi-platform toolkit for creating graphical user  
interfaces. Offering a complete set of widgets, GTK+ is suitable for  
projects ranging from small one-off tools to complete application  
suites.

This package contains version 3 of GTK+.

Name : ntpdate  
Version : 4.2.6p5  
Release : 25.el7.centos.2  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:50 AM EST  
Group : Applications/System  
Size : 123974  
License : (MIT and BSD and BSD with advertising) and GPLv2  
Signature : RSA/SHA256, Wed 12 Apr 2017 09:30:43 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ntp-4.2.6p5-25.el7.centos.2.src.rpm  
Build Date : Wed 12 Apr 2017 05:24:15 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.ntp.org>  
Summary : Utility to set the date and time via NTP  
Description :  
ntpdate is a program for retrieving the date and time from NTP servers.

Name : clutter  
Version : 1.26.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:25 AM EST  
Group : Development/Libraries  
Size : 4908002  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:19:40 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : clutter-1.26.0-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 04:50:27 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.clutter-project.org/>  
Summary : Open Source software library for creating rich graphical user interfaces  
Description :  
Clutter is an open source software library for creating fast, visually rich graphical user interfaces. The most obvious example of potential usage is in media center type applications. We hope however it can be used for a lot more.

Name : tomcat  
Epoch : 0  
Version : 7.0.76  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:55:50 AM EST

Group : System Environment/Daemons  
Size : 310297  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:06:31 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : tomcat-7.0.76-2.el7.src.rpm  
Build Date : Mon 07 Aug 2017 12:33:29 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://tomcat.apache.org/>  
Summary : Apache Servlet/JSP Engine, RI for Servlet 3.0/JSP 2.2 API  
Description :  
Tomcat is the servlet container that is used in the official Reference  
Implementation for the Java Servlet and JavaServer Pages technologies.  
The Java Servlet and JavaServer Pages specifications are developed by  
Sun under the Java Community Process.

Tomcat is developed in an open and participatory environment and  
released under the Apache Software License version 2.0. Tomcat is  
intended  
to be a collaboration of the best-of-breed developers from around the  
world.

Name : python2-caribou  
Version : 0.4.21  
Release : 1.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:54:26 AM EST  
Group : Unspecified  
Size : 135187  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:18:53 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : caribou-0.4.21-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 10:03:34 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/Caribou>  
Summary : Keyboard UI for caribou  
Description :  
This package contains caribou python GUI

Name : biosdev  
Name  
Version : 0.7.2  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:51 AM EST  
Group : System Environment/Base  
Size : 59183

License : GPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:06:28 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : biosdev  
Name-0.7.2-2.el7.src.rpm  
Build Date : Thu 03 Aug 2017 12:49:32 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://linux.dell.com/files/biosdev>  
Name  
Summary : Udev helper for naming devices per BIOS  
Names  
Description :  
biosdev  
Name in its simplest form takes a kernel device  
Name as an  
argument, and returns the BIOS-given  
Name it "should" be. This is necessary  
on systems where the BIOS  
Name for a given device (e.g. the label on  
the chassis is "Gb1") doesn't map directly and obviously to the kernel  
Name (e.g. eth0).

Name : libreport-gtk  
Version : 2.1.11  
Release : 38.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:26 AM EST  
Group : User Interface/Desktops  
Size : 216207  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:47:50 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libreport-2.1.11-38.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 07:43:26 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : GTK front-end for libreport  
Description :  
Applications for reporting bugs using libreport backend

Name : dracut-config-rescue  
Version : 033  
Release : 535.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:52 AM EST  
Group : System Environment/Base  
Size : 4067

License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Wed 25 Apr 2018 06:57:42 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : dracut-033-535.el7.src.rpm  
Build Date : Wed 11 Apr 2018 03:30:20 AM EDT  
Build Host : x86-01.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://dracut.wiki.kernel.org/>  
Summary : dracut configuration to turn on rescue image generation  
Description :  
This package provides the configuration to turn on the rescue initramfs  
generation with dracut.

Name : libgweather  
Version : 3.20.4  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:28 AM EST  
Group : Unspecified  
Size : 22085464  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:15:49 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libgweather-3.20.4-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 04:42:07 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/LibGWeather>  
Summary : A library for weather information  
Description :  
libgweather is a library to access weather information from online  
services for numerous locations.

Name : java-1.8.0-openjdk-devel  
Epoch : 1  
Version : 1.8.0.161  
Release : 2.b14.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:56 AM EST  
Group : Development/Tools  
Size : 42145755  
License : ASL 1.1 and ASL 2.0 and GPL+ and GPLv2 and GPLv2 with  
exceptions and LGPL+ and LGPLv2 and MPLv1.0 and MPLv1.1 and Public Domain  
and W3C  
Signature : RSA/SHA256, Wed 25 Apr 2018 07:07:07 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : java-1.8.0-openjdk-1.8.0.161-2.b14.el7.src.rpm  
Build Date : Wed 11 Apr 2018 02:23:44 AM EDT  
Build Host : x86-01.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://openjdk.java.net/>  
Summary : OpenJDK Development Environment  
Description :  
The OpenJDK development tools.

Name : vte291  
Version : 0.46.2  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:29 AM EST  
Group : Unspecified  
Size : 654975  
License : LGPLv2+  
Signature : RSA/SHA256, Mon 04 Sep 2017 11:57:30 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : vte291-0.46.2-1.el7.src.rpm  
Build Date : Mon 04 Sep 2017 11:26:33 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/>  
Summary : Terminal emulator library  
Description :  
VTE is a library implementing a terminal emulator widget for GTK+. VTE  
is mainly used in gnome-terminal, but can also be used to embed a  
console/terminal in games, editors, IDEs, etc.

Name : xorg-x11-fonts-misc  
Version : 7.5  
Release : 9.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:55:58 AM EST  
Group : User Interface/X  
Size : 7179431  
License : MIT and Lucida and Public Domain  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:50:06 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xorg-x11-fonts-7.5-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:59:37 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : misc bitmap fonts for the X Window System  
Description :  
This package contains misc bitmap Chinese, Japanese, Korean, Indic, and  
Arabic  
fonts for use with X Window System.

Name : webkitgtk4-jsc

Version : 2.14.7  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:31 AM EST  
Group : Unspecified  
Size : 15663011  
License : LGPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:19:21 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : webkitgtk4-2.14.7-2.el7.src.rpm  
Build Date : Tue 08 Aug 2017 04:10:02 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.webkitgtk.org>  
Summary : JavaScript engine from webkitgtk4  
Description :  
This package contains JavaScript engine from webkitgtk4.

Name : kernel-tools  
Version : 3.10.0  
Release : 862.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:01 AM EST  
Group : Development/System  
Size : 284717  
License : GPLv2  
Signature : RSA/SHA256, Wed 25 Apr 2018 07:09:56 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : kernel-3.10.0-862.el7.src.rpm  
Build Date : Fri 20 Apr 2018 01:46:52 PM EDT  
Build Host : kbuilder.dev.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.kernel.org/>  
Summary : Assortment of tools for the Linux kernel  
Description :  
This package contains the tools/ directory from the kernel source and the supporting documentation.

Name : geoclue2-libs  
Version : 2.4.5  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:38 AM EST  
Group : Unspecified  
Size : 131685  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:07:19 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : geoclue2-2.4.5-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 03:56:19 AM EDT



Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/GeoClue/>  
Summary : Geoclue client library  
Description :  
The geoclue2-libs package contains a convenience library to interact with Geoclue service.

Name : ledmon  
Version : 0.80  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:01 AM EST  
Group : Applications/System  
Size : 147172  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:00:32 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ledmon-0.80-2.el7.src.rpm  
Build Date : Fri 04 Aug 2017 01:04:42 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/ledmon/>  
Summary : Enclosure LED Utilities  
Description :  
The ledmon and ledctl are user space applications design to control LED associated with each slot in an enclosure or a drive bay. There are two types of system: 2-LED system (Activity LED, Status LED) and 3-LED system (Activity LED, Locate LED, Fail LED). User must have root privileges to use this application.

Name : brasero-libs  
Version : 3.12.1  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:39 AM EST  
Group : System Environment/Libraries  
Size : 962108  
License : GPLv3+  
Signature : RSA/SHA256, Wed 25 Nov 2015 09:18:26 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : brasero-3.12.1-2.el7.src.rpm  
Build Date : Sat 21 Nov 2015 10:35:39 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/brasero/>  
Summary : Libraries for brasero  
Description :

The brasero-libs package contains the runtime shared libraries for brasero.

Name : compat-openldap  
Epoch : 1  
Version : 2.3.43  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:02 AM EST  
Group : System Environment/Libraries  
Size : 613501  
License : OpenLDAP  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:01:04 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : compat-openldap-2.3.43-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:27:00 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.openldap.org/>  
Summary : OpenLDAP compatibility shared libraries  
Description :  
OpenLDAP is an open source suite of LDAP (Lightweight Directory Access Protocol) applications and development tools. The compat-openldap package includes older versions of the OpenLDAP shared libraries which may be required by some applications.

Name : gnome-bluetooth-libs  
Epoch : 1  
Version : 3.20.1  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:40 AM EST  
Group : Unspecified  
Size : 1176360  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:15:07 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-bluetooth-3.20.1-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 05:35:47 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/GnomeBluetooth>  
Summary : GTK+ Bluetooth device selection widgets  
Description :  
This package contains libraries needed for applications that want to display a Bluetooth device selection widget.

Name : vsftpd  
Version : 3.0.2  
Release : 22.el7

Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:03 AM EST  
Group : System Environment/Daemons  
Size : 356236  
License : GPLv2 with exceptions  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:17:26 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : vsftpd-3.0.2-22.el7.src.rpm  
Build Date : Thu 03 Aug 2017 02:10:20 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://security.appspot.com/vsftpd.html>  
Summary : Very Secure Ftp Daemon  
Description :  
vsftpd is a Very Secure FTP daemon. It was written completely from scratch.

Name : libpeas-gtk  
Version : 1.20.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:41 AM EST  
Group : Unspecified  
Size : 61592  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:25:15 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libpeas-1.20.0-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 10:09:21 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/Libpeas>  
Summary : GTK+ plug-ins support for libpeas  
Description :  
libpeas-gtk is a convenience library making adding plug-ins support to GTK+-based applications.

Name : crash  
Version : 7.1.9  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:05 AM EST  
Group : Development/Debuggers  
Size : 7532779  
License : GPLv3  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:27:10 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : crash-7.1.9-2.el7.src.rpm  
Build Date : Thu 03 Aug 2017 09:59:58 PM EDT  
Build Host : clbm.rdu2.centos.org

Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://people.redhat.com/anderson>  
Summary : Kernel analysis utility for live systems, netdump, diskdump, kdump, LKCD or mcore dumpfiles  
Description :  
The core analysis suite is a self-contained tool that can be used to investigate either live systems, kernel core dumps created from the netdump, diskdump and kdump packages from Red Hat Linux, the mcore kernel patch offered by Mission Critical Linux, or the LKCD kernel patch.

Name : flatpak-libs  
Version : 0.8.7  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:42 AM EST  
Group : Development/Libraries  
Size : 560250  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:55:22 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : flatpak-0.8.7-1.el7.src.rpm  
Build Date : Wed 09 Aug 2017 01:07:50 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://flatpak.org/>  
Summary : Libraries for flatpak  
Description :  
This package contains libflatpak.

Name : mtr  
Epoch : 2  
Version : 0.85  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:06 AM EST  
Group : Applications/Internet  
Size : 130820  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:51:25 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : mtr-0.85-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:43:41 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.BitWizard.nl/mtr>  
Summary : A network diagnostic tool  
Description :

Mtr is a network diagnostic tool that combines ping and traceroute into one program. Mtr provides two interfaces: an ncurses interface, useful for using Mtr from a telnet session; and a GTK+ interface for X (provided in the mtr-gtk package).

Name : yelp  
Epoch : 1  
Version : 3.22.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:44 AM EST  
Group : Applications/System  
Size : 2324117  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:26:57 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : yelp-3.22.0-1.el7.src.rpm  
Build Date : Tue 08 Aug 2017 11:59:48 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Apps/Yelp>  
Summary : Help browser for the GNOME desktop  
Description :  
Yelp is the help browser for the GNOME desktop. It is designed to help you browse all the documentation on your system in one central tool, including traditional man pages, info pages and documentation written in DocBook.

Name : wget  
Version : 1.14  
Release : 15.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:07 AM EST  
Group : Applications/Internet  
Size : 2055533  
License : GPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:20:09 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : wget-1.14-15.el7.src.rpm  
Build Date : Thu 03 Aug 2017 10:35:24 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/wget/>  
Summary : A utility for retrieving files using the HTTP or FTP protocols  
Description :  
GNU Wget is a file retrieval utility which can use either the HTTP or FTP protocols. Wget features include the ability to work in the background while you are logged out, recursive retrieval of directories, file

Name wildcard matching, remote file timestamp storage and comparison, use of Rest with FTP servers and Range with HTTP servers to retrieve files over slow or unstable connections, support for Proxy servers, and configurability.

Name : python-meh-gui  
Version : 0.25.2  
Release : 1.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:54:46 AM EST  
Group : System Environment/Libraries  
Size : 24610  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:31:17 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-meh-0.25.2-1.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:13:34 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.fedorahosted.org/git/?p=python-meh.git>  
Summary : Graphical user interface for the python-meh library  
Description :  
The python-meh-gui package provides a GUI for the python-meh library.

Name : perl-Exception-Class  
Version : 1.37  
Release : 3.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:08 AM EST  
Group : Development/Libraries  
Size : 70869  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:17:34 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Exception-Class-1.37-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:51:35 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Exception-Class/>  
Summary : Module that allows you to declare real exception classes in Perl  
Description :  
Exception::Class allows you to declare exception hierarchies in your modules in a "Java-esque" manner.

Name : gnome-packagekit-updater  
Version : 3.22.1  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:46 AM EST

Group : Applications/System  
Size : 198829  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:20:07 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnome-packagekit-3.22.1-2.el7.src.rpm  
Build Date : Sun 06 Aug 2017 02:04:39 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.packagekit.org>  
Summary : PackageKit package updater  
Description :  
A graphical package updater for PackageKit which is used to update  
packages  
without rebooting.

Name : perl-Archive-Zip  
Version : 1.30  
Release : 11.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:08 AM EST  
Group : Development/Libraries  
Size : 307552  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:14:52 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Archive-Zip-1.30-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:49:30 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Archive-Zip/>  
Summary : Perl library for accessing Zip archives  
Description :  
The Archive::Zip module allows a Perl program to create, manipulate,  
read, and write Zip archive files.  
Zip archives can be created, or you can read from existing zip files.  
Once created, they can be written to files, streams, or strings.  
Members can be added, removed, extracted, replaced, rearranged, and  
enumerated. They can also be re  
Named or have their dates, comments,  
or other attributes queried or modified. Their data can be compressed  
or uncompressed as needed. Members can be created from members in  
existing Zip files, or from existing directories, files, or strings.

Name : libcanberra-gtk2  
Version : 0.30  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:47 AM EST  
Group : System Environment/Libraries

Size : 43896  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:38:12 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libcanberra-0.30-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:25:05 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.0pointer.de/?p=libcanberra.git;a=summary>  
Summary : Gtk+ 2.x Bindings for libcanberra  
Description :  
Gtk+ 2.x bindings for libcanberra

Name : perl-Pod-Parser  
Version : 1.61  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:09 AM EST  
Group : Development/Libraries  
Size : 277564  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:22:36 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Pod-Parser-1.61-2.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:04:10 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Pod-Parser/>  
Summary : Basic perl modules for handling Plain Old Documentation (POD)  
Description :  
This software distribution contains the packages for using Perl5 POD (Plain Old Documentation). See the "perlpod" and "perlsyn" manual pages from your Perl5 distribution for more information about POD.

Name : file-roller  
Version : 3.22.3  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:48 AM EST  
Group : Unspecified  
Size : 4047987  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:53:10 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : file-roller-3.22.3-1.el7.src.rpm  
Build Date : Sun 06 Aug 2017 01:02:01 PM EDT  
Build Host : clbm.rdu2.centos.org



Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Apps/FileRoller>  
Summary : Tool for viewing and creating archives  
Description :  
File Roller is an application for creating and viewing archives files,  
such as tar or zip files.

Name : syslinux  
Version : 4.05  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:09 AM EST  
Group : Applications/System  
Size : 2419109  
License : GPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 03:49:35 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : syslinux-4.05-13.el7.src.rpm  
Build Date : Sat 05 Nov 2016 01:42:05 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
[http://syslinux.zytor.com/wiki/index.php/The\\_Syslinux\\_Project](http://syslinux.zytor.com/wiki/index.php/The_Syslinux_Project)  
Summary : Simple kernel loader which boots from a FAT filesystem  
Description :  
SYSINUX is a suite of bootloaders, currently supporting DOS FAT  
filesystems, Linux ext2/ext3 filesystems (EXTLINUX), PXE network boots  
(PXELINUX), or ISO 9660 CD-ROMs (ISOLINUX).

Name : gucharmap-libs  
Version : 3.18.2  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:49 AM EST  
Group : Unspecified  
Size : 4535496  
License : GPLv3+ and GFDL and MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:34:58 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gucharmap-3.18.2-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 08:20:41 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Apps/Gucharmap>  
Summary : libgucharmap library  
Description :  
The gucharmap-libs package contains the libgucharmap library.

Name : ftp  
Version : 0.17  
Release : 67.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:10 AM EST  
Group : Applications/Internet  
Size : 98723  
License : BSD with advertising  
Signature : RSA/SHA256, Sun 20 Nov 2016 12:45:48 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : ftp-0.17-67.el7.src.rpm  
Build Date : Sat 05 Nov 2016 11:04:49 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <ftp://ftp.linux.org.uk/pub/linux/Networking/netkit>  
Summary : The standard UNIX FTP (File Transfer Protocol) client  
Description :  
The ftp package provides the standard UNIX command-line FTP (File Transfer Protocol) client. FTP is a widely used protocol for transferring files over the Internet and for archiving files.

If your system is on a network, you should install ftp in order to do file transfers.

Name : libwnck3  
Version : 3.20.1  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:51 AM EST  
Group : System Environment/Libraries  
Size : 2128439  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:08:18 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libwnck3-3.20.1-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 11:57:11 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://download.gnome.org/sources/libwnck/>  
Summary : Window Navigator Construction Kit  
Description :  
libwnck (pronounced "libwink") is used to implement pagers, tasklists, and other such things. It allows applications to monitor information about open windows, workspaces, their Names/icons, and so forth.

Name : ed  
Version : 1.9  
Release : 4.el7  
Architecture: x86\_64

Install Date: Mon 03 Dec 2018 08:56:11 AM EST  
Group : Applications/Text  
Size : 119985  
License : GPLv3+, GFDL  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:11:39 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : ed-1.9-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:54:13 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/ed/>  
Summary : The GNU line editor  
Description :  
Ed is a line-oriented text editor, used to create, display, and modify  
text files (both interactively and via shell scripts). For most  
purposes, ed has been replaced in normal usage by full-screen editors  
(emacs and vi, for example).

Ed was the original UNIX editor, and may be used by some programs. In  
general, however, you probably don't need to install it and you probably  
won't use it.

Name : libappstream-glib  
Version : 0.6.10  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:51 AM EST  
Group : Unspecified  
Size : 881774  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:00:41 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libappstream-glib-0.6.10-1.el7.src.rpm  
Build Date : Sun 06 Aug 2017 12:51:43 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://people.freedesktop.org/~hughsient/appstream-glib/>  
Summary : Library for AppStream metadata  
Description :  
This library provides GObject objects and helper methods to make it easy to read  
and write AppStream metadata. It also provides a simple DOM implementation  
that makes it easy to edit nodes and convert to and from the standardized XML  
representation.

Name : compat-db47  
Version : 4.7.25  
Release : 28.el7  
Architecture: x86\_64

Install Date: Mon 03 Dec 2018 08:56:11 AM EST  
Group : System Environment/Libraries  
Size : 3502143  
License : BSD  
Signature : RSA/SHA256, Thu 11 Sep 2014 02:01:43 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : compat-db-4.7.25-28.el7.src.rpm  
Build Date : Thu 11 Sep 2014 01:42:48 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.oracle.com/database/berkeley-db/>  
Summary : The Berkeley DB database 4.7.25 compatibility library  
Description :  
The Berkeley Database (Berkeley DB) is a programmatic toolkit that  
provides  
embedded database support for both traditional and client/server  
applications.  
This package contains Berkeley DB library version 4.7.25 used for  
compatibility.

Name : fxload  
Version : 2002\_04\_11  
Release : 16.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:52 AM EST  
Group : System Environment/Kernel  
Size : 42589  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:25:35 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : fxload-2002\_04\_11-16.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:45:39 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://linux-hotplug.sourceforge.net/>  
Summary : A helper program to download firmware into FX and FX2 EZ-  
USB devices  
Description :  
This program is conveniently able to download firmware into FX and FX2  
EZ-USB devices, as well as the original AnchorChips EZ-USB. It is  
intended to be invoked by udev scripts when the unprogrammed device  
appears on the bus.

Name : pnm2ppa  
Epoch : 1  
Version : 1.04  
Release : 28.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:12 AM EST  
Group : Applications/Publishing

Size : 895626  
License : GPLv2+ and GPLv2  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:31:30 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pnm2ppa-1.04-28.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:07:44 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/pnm2ppa>  
Summary : Drivers for printing to HP PPA printers  
Description :  
Pnm2ppa is a color driver for HP PPA host-based printers such as the HP710C, 712C, 720C, 722C, 820Cse, 820Cxi, 1000Cse, and 1000Cxi. Pnm2ppa accepts Ghostscript output in PPM format and sends it to the printer in PPA format.

Install pnm2ppa if you need to print to a PPA printer.

Name : libvirt-daemon-driver-network  
Version : 3.2.0  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:54 AM EST  
Group : Development/Libraries  
Size : 560696  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:03:01 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libvirt-3.2.0-14.el7.src.rpm  
Build Date : Sat 05 Aug 2017 01:16:28 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvirt.org/>  
Summary : Network driver plugin for the libvirtd daemon  
Description :  
The network driver plugin for the libvirtd daemon, providing an implementation of the virtual network APIs using the Linux bridge capabilities.

Name : rdate  
Version : 1.4  
Release : 25.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:13 AM EST  
Group : Applications/System  
Size : 29251  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:47:26 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : rdate-1.4-25.el7.src.rpm

Build Date : Mon 09 Jun 2014 10:26:22 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <ftp://people.redhat.com/sopwith/>  
Summary : Tool for getting the date/time from a remote machine  
Description :  
The rdate utility retrieves the date and time from another machine on your network, using the protocol described in RFC 868. If you run rdate as root, it will set your machine's local time to the time of the machine that you queried.

Name : cryptsetup-python  
Version : 1.7.4  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:54 AM EST  
Group : System Environment/Libraries  
Size : 59118  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:28:38 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : cryptsetup-1.7.4-3.el7.src.rpm  
Build Date : Thu 03 Aug 2017 05:46:17 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://gitlab.com/cryptsetup/cryptsetup>  
Summary : Python bindings for libcryptsetup  
Description :  
This package provides Python bindings for libcryptsetup, a library for setting up disk encryption using dm-crypt kernel module.

Name : compat-libf2c-34  
Version : 3.4.6  
Release : 32.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:13 AM EST  
Group : System Environment/Libraries  
Size : 589675  
License : GPLv2+ and GPLv2+ with exceptions  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:00:42 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : compat-gcc-34-3.4.6-32.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:29:11 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gcc.gnu.org>  
Summary : Fortran 77 compatibility runtime  
Description :

This package contains Fortran 77 shared library which is needed to run Fortran 77 dynamically linked programs built by g77 3.4.x

Name : python-blivet  
Epoch : 1  
Version : 0.61.15.65  
Release : 1.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:54:55 AM EST  
Group : System Environment/Libraries  
Size : 3139318  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:19:39 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-blivet-0.61.15.65-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 03:20:13 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedoraproject.org/wiki/blivet>  
Summary : A python module for system storage configuration  
Description :  
The python-blivet package is a python module for examining and modifying storage configuration.

Name : lohit-gujarati-fonts  
Version : 2.5.3  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:17 AM EST  
Group : User Interface/X  
Size : 77133  
License : OFL  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:06 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : lohit-gujarati-fonts-2.5.3-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:57:29 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/lohit/>  
Summary : Free Gujarati font  
Description :  
This package provides a free Gujarati truetype/opentype font.

Name : wqy-zenhei-fonts  
Version : 0.9.46  
Release : 11.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:24 AM EST  
Group : User Interface/X  
Size : 17156598

License : GPLv2 with exceptions  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:44:09 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : wqy-zenhei-fonts-0.9.46-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:06:00 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://wenq.org/enindex.cgi>  
Summary : WenQuanYi Zen Hei CJK Font  
Description :

WenQuanYi Zen Hei is a Hei-Ti style (sans-serif type) Chinese outline font. It is designed for general purpose text formatting and on-screen display of Chinese characters and symbols from many other languages. The embolden strokes of the font glyphs produces enhanced screen contrast, making it easier to read recognize. The embedded bitmap glyphs further enhance on-screen performance, which can be enabled with the provided configuration files. WenQuanYi Zen Hei provides a rather complete coverage to Chinese Hanzi glyphs, including both simplified and traditional forms. The total glyph number in this font is over 35,000, including over 21,000 Chinese Hanzi. This font has full coverage to GBK(CP936) charset, CJK Unified Ideographs, as well as the code-points needed for zh\_cn, zh\_sg, zh\_tw, zh\_hk, zh\_mo, ja (Japanese) and ko (Korean) locales for fontconfig. Starting from version 0.8, this font package has contained two font families, i.e. the proportionally-spaced Zen Hei, and a mono-spaced face

Named "WenQuanYi Zen Hei Mono".

Name : evince-libs  
Version : 3.22.1  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:57 AM EST  
Group : Unspecified  
Size : 1151650  
License : GPLv2+ and GPLv3+ and LGPLv2+ and MIT and Afmparse  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:45:21 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : evince-3.22.1-5.el7.src.rpm  
Build Date : Sun 06 Aug 2017 11:28:52 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Apps/Evince>  
Summary : Libraries for the evince document viewer  
Description :  
This package contains shared libraries needed for evince

Name : lohit-marathi-fonts



Version : 2.5.3  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:30 AM EST  
Group : User Interface/X  
Size : 85042  
License : OFL  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:12 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : lohit-marathi-fonts-2.5.3-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:46:18 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/lohit/>  
Summary : Free Marathi font  
Description :  
This package provides a free Marathi truetype/opentype font.

Name : abrt  
Version : 2.1.11  
Release : 48.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:58 AM EST  
Group : Applications/System  
Size : 2431839  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 10:52:21 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : abrt-2.1.11-48.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 10:17:54 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : Automatic bug detection and reporting tool  
Description :  
abrt is a tool to help users to detect defects in applications and  
to create a bug report with all information needed by maintainer to fix  
it.  
It uses plugin system to extend its functionality.

Name : gnu-free-mono-fonts  
Version : 20120503  
Release : 8.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:37 AM EST  
Group : User Interface/X  
Size : 1586590  
License : GPLv3+ with exceptions  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:40:56 PM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : gnu-free-fonts-20120503-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:49:15 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/freefont/>  
Summary : GNU FreeFont Monospaced Font  
Description :

Gnu FreeFont is a free family of scalable outline fonts, suitable for general use on computers and for desktop publishing. It is Unicode-encoded for compatibility with all modern operating systems.

Besides a full set of characters for writing systems based on the Latin alphabet, FreeFont contains large selection of characters from other writing systems some of which are hard to find elsewhere.

FreeFont also contains a large set of symbol characters, both technical and decorative. We are especially pleased with the Mathematical Operators range, with which most of the glyphs used in LaTeX can be displayed.

This package contains the GNU FreeFont monospaced font.

Name : abrt-addon-pstoreoops  
Version : 2.1.11  
Release : 48.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:59 AM EST  
Group : System Environment/Libraries  
Size : 14460  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 10:52:46 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : abrt-2.1.11-48.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 10:17:54 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : abrt's pstore oops addon  
Description :  
This package contains plugin for collecting kernel oopses from pstore storage.

Name : sound-theme-freedesktop  
Version : 0.8  
Release : 3.el7  
Architecture: noarch

Install Date: Mon 03 Dec 2018 08:52:41 AM EST  
Group : User Interface/Desktops  
Size : 471310  
License : GPLv2+ and LGPLv2+ and CC-BY-SA and CC-BY  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:02:53 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sound-theme-freedesktop-0.8-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:45:23 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Specifications/sound-theme-spec>  
Summary : freedesktop.org sound theme  
Description :  
The default freedesktop.org sound theme following the XDG theming  
specification. (<http://0pointer.de/public/sound-theme-spec.html>).

Name : lohit-bengali-fonts  
Version : 2.5.3  
Release : 4.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:45 AM EST  
Group : User Interface/X  
Size : 156244  
License : OFL  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:02 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : lohit-bengali-fonts-2.5.3-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:15:47 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/lohit/>  
Summary : Free Bengali font  
Description :  
This package provides a free Bengali truetype/opentype font.

Name : setup  
Version : 2.8.71  
Release : 7.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:34 AM EST  
Group : System Environment/Base  
Size : 696715  
License : Public Domain  
Signature : RSA/SHA256, Sun 20 Nov 2016 03:43:54 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : setup-2.8.71-7.el7.src.rpm  
Build Date : Sat 05 Nov 2016 01:19:36 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/setup/>  
Summary : A set of system configuration and setup files  
Description :  
The setup package contains a set of important system configuration and setup files, such as passwd, group, and profile.

Name : sane-backends-libs  
Version : 1.0.24  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:56 AM EST  
Group : System Environment/Libraries  
Size : 183096  
License : GPLv2+ and GPLv2+ with exceptions and Public Domain  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:54:38 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sane-backends-1.0.24-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:16:16 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.sane-project.org>  
Summary : SANE libraries  
Description :  
This package contains the SANE libraries which are needed by applications that want to access scanners.

Name : libiec61883  
Version : 1.2.0  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:38 AM EST  
Group : System Environment/Libraries  
Size : 83601  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:53:48 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libiec61883-1.2.0-10.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:34:30 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<http://ieee1394.wiki.kernel.org/index.php/Libraries#libiec61883>  
Summary : Streaming library for IEEE1394  
Description :  
The libiec61883 library provides an higher level API for streaming DV, MPEG-2 and audio over IEEE1394. Based on the libraw1394 isochronous functionality, this library acts as a filter that accepts DV-frames,

MPEG-2 frames or audio samples from the application and breaks these down to isochronous packets, which are transmitted using libraw1394.

Name : avahi-gobject  
Version : 0.6.31  
Release : 17.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:59 AM EST  
Group : Unspecified  
Size : 49672  
License : LGPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 12:13:06 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : avahi-0.6.31-17.el7.src.rpm  
Build Date : Sat 05 Nov 2016 06:18:48 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://avahi.org>  
Summary : GObject wrapper library for Avahi  
Description :  
This library contains a GObject wrapper for the Avahi API

Name : nss-tools  
Version : 3.28.4  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:43 AM EST  
Group : System Environment/Base  
Size : 1990673  
License : MPLv2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:34:22 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : nss-3.28.4-8.el7.src.rpm  
Build Date : Sun 06 Aug 2017 08:16:24 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mozilla.org/projects/security/pki/nss/>  
Summary : Tools for the Network Security Services  
Description :  
Network Security Services (NSS) is a set of libraries designed to support cross-platform development of security-enabled client and server applications. Applications built with NSS can support SSL v2 and v3, TLS, PKCS #5, PKCS #7, PKCS #11, PKCS #12, S/MIME, X.509 v3 certificates, and other security standards.

Install the nss-tools package if you need command-line tools to manipulate the NSS certificate and key database.

Name : dejavu-serif-fonts  
Version : 2.33

Release : 6.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:55 AM EST  
Group : User Interface/X  
Size : 2693311  
License : Bitstream Vera and Public Domain  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:07:07 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : dejavu-fonts-2.33-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:34:30 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://dejavu-fonts.org/>  
Summary : Variable-width serif font faces  
Description :

The DejaVu font set is based on the "Bitstream Vera" fonts, release 1.10. Its purpose is to provide a wider range of characters, while maintaining the original style, using an open collaborative development process.

This package consists of the DejaVu serif variable-width font faces, in their unabridged version.

Name : mozilla-filesystem  
Version : 1.9  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:35 AM EST  
Group : Applications/Internet  
Size : 0  
License : MPLv1.1  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:49:27 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : mozilla-filesystem-1.9-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:37:44 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : Mozilla filesystem layout  
Description :

This package provides some directories required by packages which use Mozilla technologies such as NPAPI plugins or toolkit extensions.

Name : libreport-plugin-bugzilla  
Version : 2.1.11  
Release : 38.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:57 AM EST  
Group : System Environment/Libraries

Size : 153593  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:48:13 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libreport-2.1.11-38.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 07:43:26 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : libreport's bugzilla plugin  
Description :  
Plugin to report bugs into the bugzilla.

Name : perl-Pod-Perldoc  
Version : 3.20  
Release : 4.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:39 AM EST  
Group : Development/Libraries  
Size : 166910  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:22:38 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Pod-Perldoc-3.20-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:17:50 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Pod-Perldoc/>  
Summary : Look up Perl documentation in Pod format  
Description :  
perldoc looks up a piece of documentation in .pod format that is embedded  
in the perl installation tree or in a perl script, and displays it via  
"groff -man | \$PAGER". This is primarily used for the documentation for  
the perl library modules.

Name : libnfsidmap  
Version : 0.25  
Release : 17.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:44 AM EST  
Group : System Environment/Libraries  
Size : 110568  
License : BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:22:13 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libnfsidmap-0.25-17.el7.src.rpm  
Build Date : Wed 02 Aug 2017 07:26:30 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://www.citi.umich.edu/projects/nfsv4/linux/>  
Summary : NFSv4 User and Group ID Mapping Library  
Description :  
Library that handles mapping between  
Names and ids for NFSv4.

Name : gnu-free-serif-fonts  
Version : 20120503  
Release : 8.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:57:06 AM EST  
Group : User Interface/X  
Size : 6146428  
License : GPLv3+ with exceptions  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:41:02 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnu-free-fonts-20120503-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:49:15 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/freefont/>  
Summary : GNU FreeFont Serif Font  
Description :

Gnu FreeFont is a free family of scalable outline fonts, suitable for general use on computers and for desktop publishing. It is Unicode-encoded for compatibility with all modern operating systems.

Besides a full set of characters for writing systems based on the Latin alphabet, FreeFont contains large selection of characters from other writing systems some of which are hard to find elsewhere.

FreeFont also contains a large set of symbol characters, both technical and decorative. We are especially pleased with the Mathematical Operators range, with which most of the glyphs used in LaTeX can be displayed.

This package contains the GNU FreeFont serif font.

Name : libreport-filesystem  
Version : 2.1.11  
Release : 38.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:36 AM EST  
Group : Applications/File  
Size : 0  
License : GPLv2+



Signature : RSA/SHA256, Thu 10 Aug 2017 01:47:42 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libreport-2.1.11-38.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 07:43:26 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : Filesystem layout for libreport  
Description :  
Filesystem layout for libreport

Name : colord-libs  
Version : 1.3.4  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:59 AM EST  
Group : Unspecified  
Size : 588020  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:23:54 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : colord-1.3.4-1.el7.src.rpm  
Build Date : Sun 06 Aug 2017 01:01:53 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/software/colord/>  
Summary : Color daemon library  
Description :  
colord is a low level system activated daemon that maps color devices  
to color profiles in the system context.

Name : perl-Storable  
Version : 2.45  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:40 AM EST  
Group : Development/Libraries  
Size : 181031  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:23:18 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Storable-2.45-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:29:58 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Storable/>  
Summary : Persistence for Perl data structures  
Description :

The Storable package brings persistence to your Perl data structures containing scalar, array, hash or reference objects, i.e. anything that can be conveniently stored to disk and retrieved at a later time.

Name : udisks2  
Version : 2.1.2  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:02 AM EST  
Group : System Environment/Libraries  
Size : 1577601  
License : GPLv2+  
Signature : RSA/SHA256, Wed 25 Nov 2015 11:01:51 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : udisks2-2.1.2-6.el7.src.rpm  
Build Date : Fri 20 Nov 2015 09:11:03 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/udisks>  
Summary : Disk Manager  
Description :  
udisks provides a daemon, D-Bus API and command line tools for managing disks and storage devices. This package is for the udisks 2.x series.

Name : python-pycurl  
Version : 7.19.0  
Release : 19.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:45 AM EST  
Group : Development/Languages  
Size : 241513  
License : LGPLv2+ or MIT  
Signature : RSA/SHA256, Sun 20 Nov 2016 03:16:58 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-pycurl-7.19.0-19.el7.src.rpm  
Build Date : Sat 05 Nov 2016 11:10:54 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://pycurl.sourceforge.net/>  
Summary : A Python interface to libcurl  
Description :  
PycURL is a Python interface to libcurl. PycURL can be used to fetch objects identified by a URL from a Python program, similar to the urllib Python module. PycURL is mature, very fast, and supports a lot of features.

Name : iwl5000-firmware  
Version : 8.83.5.1\_1  
Release : 56.el7

Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:57:14 AM EST  
Group : System Environment/Kernel  
Size : 1149101  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:49:23 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20170606-56.gitc990aae.el7.src.rpm  
Build Date : Sat 05 Aug 2017 02:03:09 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel® PRO/Wireless 5000 A/G/N network  
adaptors  
Description :  
This package contains the firmware required by the iwl5000 driver  
for Linux. Usage of the firmware is subject to the terms and conditions  
contained inside the provided LICENSE file. Please read it carefully.

Name : khmeros-fonts-common  
Version : 5.0  
Release : 17.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:37 AM EST  
Group : User Interface/X  
Size : 826  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:31:18 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : khmeros-fonts-5.0-17.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:27:40 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.khmeros.info/drupal/?q=en/download/fonts>  
Summary : Common files of khmeros-fonts  
Description :

The Khmer OS fonts include Khmer and Latin alphabets, and they have  
equivalent  
sizes for Khmer and English alphabets, so that when texts mix both it is  
not  
necessary to have different point sizes for the text in each language.

They were created by Danh Hong of the Cambodian Open Institute.

This package consists of files used by other khmeros-fonts packages.

Name : vorbis-tools  
Epoch : 1

Version : 1.4.0  
Release : 12.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:00 AM EST  
Group : Applications/Multimedia  
Size : 794577  
License : GPLv2  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:42:12 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : vorbis-tools-1.4.0-12.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:20:46 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.xiph.org/>  
Summary : The Vorbis General Audio Compression Codec tools  
Description :  
Ogg Vorbis is a fully open, non-proprietary, patent- and royalty-free,  
general-purpose compressed audio format for audio and music at fixed  
and variable bitrates from 16 to 128 kbps/channel.

The vorbis package contains an encoder, a decoder, a playback tool, and a  
comment editor.

Name : perl-Socket  
Version : 2.010  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:41 AM EST  
Group : Development/Libraries  
Size : 114497  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Sun 20 Nov 2016 03:02:40 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Socket-2.010-4.el7.src.rpm  
Build Date : Sat 05 Nov 2016 11:24:51 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Socket/>  
Summary : Networking constants and support functions  
Description :  
This module provides a variety of constants, structure manipulators and  
other  
functions related to socket-based networking. The values and functions  
provided are useful when used in conjunction with Perl core functions  
such as  
socket(), setsockopt() and bind(). It also provides several other support  
functions, mostly for dealing with conversions of network addresses  
between  
human-readable and native binary forms, and for host  
Name resolver operations.

Name : gnome-abrt  
Version : 0.3.4  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:04 AM EST  
Group : User Interface/Desktops  
Size : 745305  
License : GPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 12:55:28 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-abrt-0.3.4-8.el7.src.rpm  
Build Date : Sat 05 Nov 2016 03:15:19 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : A utility for viewing problems that have occurred with the system  
Description :  
A GNOME application allows users to browse through detected problems and provides them with convenient way for managing these problems.

Name : libmodman  
Version : 2.0.1  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:46 AM EST  
Group : System Environment/Libraries  
Size : 58871  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:59:25 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libmodman-2.0.1-8.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:30:18 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://code.google.com/p/libmodman/>  
Summary : A simple library for managing C++ modules (plug-ins)  
Description :  
libmodman is a simple library for managing C++ modules (plug-ins).

Name : iwl2000-firmware  
Version : 18.168.6.1  
Release : 56.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:57:16 AM EST  
Group : System Environment/Kernel  
Size : 806033  
License : Redistributable, no modification permitted

Signature : RSA/SHA256, Thu 10 Aug 2017 12:49:01 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20170606-56.gitc990aae.el7.src.rpm  
Build Date : Sat 05 Aug 2017 02:03:09 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel(R) Centrino Wireless-N 2000 Series  
Adapters  
Description :  
This package contains the firmware required by the iwlagn driver  
for Linux to support the iwl2000 hardware. Usage of the firmware  
is subject to the terms and conditions contained inside the provided  
LICENSE file. Please read it carefully.

Name : firewalld-filesystem  
Version : 0.4.4.4  
Release : 6.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:39 AM EST  
Group : Unspecified  
Size : 239  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:54:47 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : firewalld-0.4.4.4-6.el7.src.rpm  
Build Date : Fri 04 Aug 2017 05:14:47 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.firewalld.org>  
Summary : Firewalld directory layout and rpm macros  
Description :  
This package provides directories and rpm macros which  
are required by other packages that add firewalld configuration files.

Name : quota  
Epoch : 1  
Version : 4.01  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:01 AM EST  
Group : System Environment/Base  
Size : 908434  
License : BSD and LGPLv2+ and GPLv2 and GPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 03:32:14 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : quota-4.01-14.el7.src.rpm  
Build Date : Sat 05 Nov 2016 11:39:41 AM EDT  
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/linuxquota/>  
Summary : System administration tools for monitoring users' disk usage  
Description :  
The quota package contains system administration tools for monitoring and limiting user and or group disk usage per file system.

Name : perl-Data-Dumper  
Version : 2.145  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:44 AM EST  
Group : Development/Libraries  
Size : 99287  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:16:13 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Data-Dumper-2.145-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:36:56 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Data-Dumper/>  
Summary : Stringify perl data structures, suitable for printing and eval  
Description :  
Given a list of scalars or reference variables, writes out their contents in perl syntax. The references can also be objects. The content of each variable is output in a single Perl statement. Handles self-referential structures correctly.

Name : gnome-shell-extension-user-theme  
Version : 3.22.2  
Release : 10.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:55:07 AM EST  
Group : User Interface/Desktops  
Size : 7162  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:22:13 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-shell-extensions-3.22.2-10.el7.src.rpm  
Build Date : Mon 07 Aug 2017 10:13:52 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://wiki.gnome.org/Projects/GnomeShell/Extensions>  
Summary : Support for custom themes in GNOME Shell  
Description :

This GNOME Shell extension enables loading a GNOME Shell theme from  
~/.themes/<  
Name>/gnome-shell/.

Name : libmspack  
Version : 0.5  
Release : 0.5.alpha.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:48 AM EST  
Group : System Environment/Libraries  
Size : 135331  
License : LGPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:21:17 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libmspack-0.5-0.5.alpha.el7.src.rpm  
Build Date : Wed 02 Aug 2017 11:42:32 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.cabextract.org.uk/libmspack/>  
Summary : Library for CAB and related files compression and  
decompression  
Description :  
The purpose of libmspack is to provide both compression and decompression  
of  
some loosely related file formats used by Microsoft.

Name : iwl6000-firmware  
Version : 9.221.4.1  
Release : 56.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:57:19 AM EST  
Group : System Environment/Kernel  
Size : 564765  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:49:31 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20170606-56.gitc990aae.el7.src.rpm  
Build Date : Sat 05 Aug 2017 02:03:09 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel(R) Wireless WiFi Link 6000 AGN Adapter  
Description :  
This package contains the firmware required by the iwlagn driver  
for Linux. Usage of the firmware is subject to the terms and conditions  
contained inside the provided LICENSE file. Please read it carefully.

Name : sgabios-bin  
Epoch : 1



Version : 0.20110622svn  
Release : 4.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:41 AM EST  
Group : Applications/Emulators  
Size : 4096  
License : ASL 2.0  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:59:29 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sgabios-0.20110622svn-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:33:48 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://code.google.com/p/sgabios/>  
Summary : Sgabios for x86  
Description :  
SGABIOS is designed to be inserted into a BIOS as an option rom to  
provide over  
a serial port the display and input capabilities normally handled by a  
VGA  
adapter and a keyboard, and additionally provide hooks for logging  
displayed  
characters for later collection after an operating system boots.

Name : dmraid  
Version : 1.0.0.rc16  
Release : 28.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:02 AM EST  
Group : System Environment/Base  
Size : 348822  
License : GPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 12:33:07 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : dmraid-1.0.0.rc16-28.el7.src.rpm  
Build Date : Sat 05 Nov 2016 08:09:18 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://people.redhat.com/heinzm/sw/dmraid>  
Summary : dmraid (Device-mapper RAID tool and library)  
Description :  
DMRAID supports RAID device discovery, RAID set activation, creation,  
removal, rebuild and display of properties for ATARAID/DDF1 metadata on  
Linux >= 2.4 using device-mapper.

Name : perl-Image-Xpm  
Version : 1.09  
Release : 21.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:44 AM EST

Group : Development/Libraries  
Size : 36317  
License : GPL+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:15 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Image-Xpm-1.09-21.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:51:47 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Image-Xpm/>  
Summary : Load, create, manipulate and save xpm image files in Perl  
Description :  
This class module provides basic load, manipulate and save functionality for the xpm file format. It inherits from Image::Base which provides additional manipulation functionality.

Name : qemu-kvm  
Epoch : 10  
Version : 1.5.3  
Release : 141.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:08 AM EST  
Group : Development/Tools  
Size : 6001118  
License : GPLv2+ and LGPLv2+ and BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:25:29 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : qemu-kvm-1.5.3-141.el7.src.rpm  
Build Date : Fri 04 Aug 2017 05:39:51 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.qemu.org/>  
Summary : QEMU is a machine emulator and virtualizer  
Description :  
qemu-kvm is an open source virtualizer that provides hardware emulation for the KVM hypervisor. qemu-kvm acts as a virtual machine monitor together with the KVM kernel modules, and emulates the hardware for a full system such as a PC and its associated peripherals.

Name : rpm-build-libs  
Version : 4.11.3  
Release : 25.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:50 AM EST  
Group : Development/Libraries  
Size : 166656  
License : GPLv2+ and LGPLv2+ with exceptions

Signature : RSA/SHA256, Thu 10 Aug 2017 03:41:55 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : rpm-4.11.3-25.el7.src.rpm  
Build Date : Wed 02 Aug 2017 11:48:19 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.rpm.org/>  
Summary : Libraries for building and signing RPM packages  
Description :  
This package contains the RPM shared libraries for building and signing  
packages.

Name : libXi  
Version : 1.7.9  
Release : 1.el7  
Architecture: i686  
Install Date: Mon 03 Dec 2018 08:57:22 AM EST  
Group : System Environment/Libraries  
Size : 69179  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:11:21 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libXi-1.7.9-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 12:28:57 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXi runtime library  
Description :  
X.Org X11 libXi runtime library

Name : libgcc  
Version : 5.4.0  
Release : 1.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:48 AM EST  
Group : System Environment/Libraries  
Size : 398536  
License : GPLv3+ and GPLv3+ with exceptions and GPLv2+ with  
exceptions and LGPLv2+ and BSD  
Signature : (none)  
Source RPM : libgcc-5.4.0-1.el7.centos.src.rpm  
Build Date : Wed 21 Mar 2018 09:41:33 AM EDT  
Build Host : e6-lab5.eng.mc.xerox.com  
Relocations : (not relocatable)  
URL : <http://gcc.gnu.org>  
Summary : GCC version 5.4.0 shared support library  
Description :  
This package contains GCC shared support library which is needed  
e.g. for exception handling support.

Name : hypervvssd  
Version : 0  
Release : 0.30.20161211git.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:03 AM EST  
Group : System Environment/Daemons  
Size : 11639  
License : GPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:42:48 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : hyperv-daemons-0-0.30.20161211git.el7.src.rpm  
Build Date : Tue 01 Aug 2017 08:49:52 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.kernel.org>  
Summary : HyperV VSS daemon  
Description :  
Hypervvssd is an implementation of HyperV VSS functionality for Linux. The daemon is used for host initiated guest snapshot on HyperV hypervisor. The daemon first registers with the kernel driver. After this is done it waits for instructions from Windows Host if to "freeze" or "thaw" the filesystem on the Linux Guest.

Name : perl-AppConfig  
Version : 1.66  
Release : 20.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:45 AM EST  
Group : Development/Libraries  
Size : 228292  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:14:44 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-AppConfig-1.66-20.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:09:55 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/AppConfig/>  
Summary : Perl module for reading configuration files  
Description :  
AppConfig has a powerful but easy to use module for parsing configuration files. It also has a simple and efficient module for parsing command line arguments. For fully-featured command line parsing, a module is provided for interfacing AppConfig to Johan Vromans' extensive Getopt::Long module. Johan will continue to develop the functionality of this package and its features will automatically become available through AppConfig.

Name : evince-nautilus  
Version : 3.22.1  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:10 AM EST  
Group : Unspecified  
Size : 19912  
License : GPLv2+ and GPLv3+ and LGPLv2+ and MIT and Afmparse  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:45:29 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : evince-3.22.1-5.el7.src.rpm  
Build Date : Sun 06 Aug 2017 11:28:52 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Apps/Evince>  
Summary : Evince extension for nautilus  
Description :  
This package contains the evince extension for the nautilus file manager. It adds an additional tab called "Document" to the file properties dialog.

Name : libiptcdata  
Version : 1.0.4  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:52 AM EST  
Group : Development/Libraries  
Size : 163421  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:54:47 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libiptcdata-1.0.4-11.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:22:54 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libiptcdata.sourceforge.net/>  
Summary : IPTC tag library  
Description :  
libiptcdata is a library for parsing, editing, and saving IPTC data stored inside images. IPTC is a standard for encoding metadata such as captions, titles, locations, etc. in the headers of an image file. libiptcdata also includes a command-line utility for modifying the metadata.

Name : pcre  
Version : 8.32  
Release : 17.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:55 AM EST  
Group : System Environment/Libraries

Size : 1475532  
License : BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:04:31 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : pcre-8.32-17.el7.src.rpm  
Build Date : Tue 01 Aug 2017 11:08:12 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.pcre.org/>  
Summary : Perl-compatible regular expression library  
Description :  
Perl-compatible regular expression library.  
PCRE has its own native API, but a set of "wrapper" functions that are  
based on  
the POSIX API are also supplied in the library libpcreposix. Note that  
this  
just provides a POSIX calling interface to PCRE: the regular expressions  
themselves still follow Perl syntax and semantics. The header file  
for the POSIX-style functions is called pcreposix.h.

Name : qt-x11  
Epoch : 1  
Version : 4.8.5  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:08 AM EST  
Group : System Environment/Libraries  
Size : 35861372  
License : (LGPLv2 with exceptions or GPLv3 with exceptions) and ASL  
2.0 and BSD and FTL and MIT  
Signature : RSA/SHA256, Sun 20 Nov 2016 03:32:08 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : qt-4.8.5-13.el7.src.rpm  
Build Date : Sat 05 Nov 2016 01:57:36 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://qt-project.org/>  
Summary : Qt GUI-related libraries  
Description :  
Qt libraries used for drawing widgets and OpenGL items.

Name : perl-Module-Refresh  
Version : 0.17  
Release : 6.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:45 AM EST  
Group : Development/Libraries  
Size : 10739  
License : GPL+ or Artistic

Signature : RSA/SHA256, Tue 04 Feb 2014 11:45:16 PM EST, Key ID  
6a2faea2352c64e5  
Source RPM : perl-Module-Refresh-0.17-6.el7.src.rpm  
Build Date : Wed 22 Jan 2014 11:20:38 AM EST  
Build Host : buildvm-06.phx2.fedoraproject.org  
Relocations : (not relocatable)  
Packager : Fedora Project  
Vendor : Fedora Project  
URL : <http://search.cpan.org/dist/Module-Refresh/>  
Summary : Refresh %INC files when updated on disk  
Description :  
This module is a generalization of the functionality provided by  
Apache::StatINC. It's designed to make it easy to do simple iterative  
development when working in a persistent environment.

Name : gvfs-mtp  
Version : 1.30.4  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:10 AM EST  
Group : Unspecified  
Size : 164840  
License : GPLv3 and LGPLv2+ and BSD and MPLv2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:37:41 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gvfs-1.30.4-3.el7.src.rpm  
Build Date : Wed 09 Aug 2017 02:39:06 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/gvfs>  
Summary : MTP support for gvfs  
Description :  
This package provides support for reading and writing files on  
MTP based devices (Media Transfer Protocol) to applications using gvfs.

Name : libsss\_nss\_idmap  
Version : 1.15.2  
Release : 50.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:53 AM EST  
Group : Development/Libraries  
Size : 62902  
License : LGPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:55:20 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sssd-1.15.2-50.el7.src.rpm  
Build Date : Mon 07 Aug 2017 05:38:50 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://pagure.io/SSSD/sssds>

Summary : Library for SID and certificate based lookups  
Description :  
Utility library for SID and certificate based lookups

Name : popt  
Version : 1.13  
Release : 16.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:56 AM EST  
Group : System Environment/Libraries  
Size : 88516  
License : MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:33:04 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : popt-1.13-16.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:03:23 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.rpm5.org/>  
Summary : C library for parsing command line parameters  
Description :  
Popt is a C library for parsing command line parameters. Popt was heavily influenced by the getopt() and getopt\_long() functions, but it improves on them by allowing more powerful argument expansion. Popt can parse arbitrary argv[] style arrays and automatically set variables based on command line arguments. Popt allows command line arguments to be aliased via configuration files and includes utility functions for parsing arbitrary strings into argv[] arrays using shell-like rules.

Name : libcggroup-tools  
Version : 0.41  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:09 AM EST  
Group : System Environment/Base  
Size : 262911  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:02:40 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libcggroup-0.41-13.el7.src.rpm  
Build Date : Wed 02 Aug 2017 11:33:28 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libcg.sourceforge.net/>  
Summary : Command-line utility programs, services and daemons for libcggroup  
Description :  
This package contains command-line programs, services and a daemon for manipulating control groups using the libcggroup library.



Name : perl-XML-RegExp  
Version : 0.04  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:46 AM EST  
Group : Development/Libraries  
Size : 9605  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:26:27 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-XML-RegExp-0.04-2.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:38:35 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/XML-RegExp/>  
Summary : Regular expressions for XML tokens  
Description :  
This package contains an utility module containing regular expressions for the following XML tokens: BaseChar, Ideographic, Letter, Digit, Extender, CombiningChar, NameChar, EntityRef, CharRef, Reference,

Name, NmToken, and AttValue.

Name : fprintd-pam  
Version : 0.5.0  
Release : 4.0.el7\_0  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:32 AM EST  
Group : System Environment/Base  
Size : 25623  
License : GPLv2+  
Signature : RSA/SHA256, Sat 05 Jul 2014 11:22:26 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : fprintd-0.5.0-4.0.el7\_0.src.rpm  
Build Date : Tue 24 Jun 2014 07:15:32 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/fprint/fprintd>  
Summary : PAM module for fingerprint authentication  
Description :  
PAM module that uses the fprintd D-Bus service for fingerprint authentication.

Name : libsss\_autofs  
Version : 1.15.2  
Release : 50.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:55 AM EST

Group : Development/Libraries  
Size : 62790  
License : LGPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:54:38 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sssd-1.15.2-50.el7.src.rpm  
Build Date : Mon 07 Aug 2017 05:38:50 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://pagure.io/SSSD/sss/>  
Summary : A library to allow communication between Autofs and SSSD  
Description :  
A utility library to allow communication between Autofs and SSSD

Name : readline  
Version : 6.2  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:58 AM EST  
Group : System Environment/Libraries  
Size : 460464  
License : GPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:38:53 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : readline-6.2-10.el7.src.rpm  
Build Date : Wed 02 Aug 2017 04:44:24 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cnswww.cns.cwru.edu/php/chet/readline/rltop.html>  
Summary : A library for editing typed command lines  
Description :  
The Readline library provides a set of functions that allow users to edit command lines. Both Emacs and vi editing modes are available. The Readline library includes additional functions for maintaining a list of previously-entered command lines for recalling or editing those lines, and for performing csh-like history expansion on previous commands.

Name : xorg-x11-drv-ati  
Version : 7.7.1  
Release : 3.20160928git3fc839ff.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:09 AM EST  
Group : User Interface/X Hardware Support  
Size : 515882  
License : MIT  
Signature : RSA/SHA256, Fri 11 Aug 2017 03:53:31 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xorg-x11-drv-ati-7.7.1-3.20160928git3fc839ff.el7.src.rpm  
Build Date : Fri 11 Aug 2017 12:39:35 PM EDT

Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Xorg X11 ati video driver  
Description :  
X.Org X11 ati video driver.

Name : perl-HTTP-Negotiate  
Version : 6.01  
Release : 5.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:46 AM EST  
Group : Development/Libraries  
Size : 29259  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:06 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-HTTP-Negotiate-6.01-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:57:44 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/HTTP-Negotiate/>  
Summary : Choose a variant to serve  
Description :  
This module provides a complete implementation of the HTTP content negotiation algorithm specified in draft-ietf-http-v11-spec-00.ps chapter 12. Content negotiation allows for the selection of a preferred content representation based upon attributes of the negotiable variants and the value of the various Accept\* header fields in the request.

Name : ModemManager  
Version : 1.6.0  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:34 AM EST  
Group : System Environment/Base  
Size : 2868996  
License : GPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 02:29:17 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : ModemManager-1.6.0-2.el7.src.rpm  
Build Date : Thu 17 Nov 2016 05:02:54 PM EST  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/ModemManager/>  
Summary : Mobile broadband modem management service  
Description :

The ModemManager service manages WWAN modems and provides a consistent API for interacting with these devices to client applications.

Name : libsss\_sudo  
Version : 1.15.2  
Release : 50.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:59 AM EST  
Group : Development/Libraries  
Size : 55211  
License : LGPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:55:54 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sssd-1.15.2-50.el7.src.rpm  
Build Date : Mon 07 Aug 2017 05:38:50 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://pagure.io/SSSD/sss/>  
Summary : A library to allow communication between SUDO and SSSD  
Description :  
A utility library to allow communication between SUDO and SSSD

Name : sed  
Version : 4.2.2  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:59 AM EST  
Group : Applications/Text  
Size : 601208  
License : GPLv3+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:58:02 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sed-4.2.2-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:01:55 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sed.sourceforge.net/>  
Summary : A GNU stream text editor  
Description :  
The sed (Stream EDitor) editor is a stream or batch (non-interactive) editor. Sed takes text as input, performs an operation or set of operations on the text and outputs the modified text. The operations that sed performs (substitutions, deletions, insertions, etc.) can be specified in a script file or from the command line.

Name : adwaita-gtk2-theme  
Version : 3.22.2  
Release : 1.el7  
Architecture: x86\_64

Install Date: Mon 03 Dec 2018 08:54:10 AM EST  
Group : Unspecified  
Size : 349032  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 10:55:56 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-themes-standard-3.22.2-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 10:57:53 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.gnome.org/browse/gnome-themes-standard>  
Summary : Adwaita gtk2 theme  
Description :  
The adwaita-gtk2-theme package contains a gtk2 theme for presenting widgets with a GNOME look and feel.

Name : libXfont  
Version : 1.5.2  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:47 AM EST  
Group : System Environment/Libraries  
Size : 347614  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:10:48 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXfont-1.5.2-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 12:22:46 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXfont runtime library  
Description :  
X.Org X11 libXfont runtime library

Name : gnome-terminal-nautilus  
Version : 3.22.1  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:36 AM EST  
Group : User Interface/Desktops  
Size : 77787  
License : GPLv3+ and GFDL  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:23:09 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-terminal-3.22.1-2.el7.src.rpm  
Build Date : Wed 09 Aug 2017 02:22:02 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/>  
Summary : GNOME Terminal extension for Nautilus  
Description :  
This package provides a Nautilus extension that adds the 'Open in Terminal'  
option to the right-click context menu in Nautilus.

Name : libvpx  
Version : 1.3.0  
Release : 5.el7\_0  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:00 AM EST  
Group : System Environment/Libraries  
Size : 1368856  
License : BSD  
Signature : RSA/SHA256, Tue 26 Aug 2014 08:47:07 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libvpx-1.3.0-5.el7\_0.src.rpm  
Build Date : Tue 26 Aug 2014 08:26:00 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.webmproject.org/tools/vp8-sdk/>  
Summary : VP8 Video Codec SDK  
Description :  
libvpx provides the VP8 SDK, which allows you to integrate your  
applications  
with the VP8 video codec, a high quality, royalty free, open source codec  
deployed on millions of computers and devices worldwide.

Name : elfutils-libelf  
Version : 0.168  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:01 AM EST  
Group : Development/Tools  
Size : 934111  
License : GPLv2+ or LGPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:43:22 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : elfutils-0.168-8.el7.src.rpm  
Build Date : Fri 04 Aug 2017 06:31:36 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://elfutils.org/>  
Summary : Library to read and write ELF files  
Description :  
The elfutils-libelf package provides a DSO which allows reading and  
writing ELF files on a high level. Third party programs depend on

this package to read internals of ELF files. The programs of the elfutils package use it also to generate new ELF files.

Name : osinfo-db  
Version : 20170423  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:54:13 AM EST  
Group : Unspecified  
Size : 990424  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:44:06 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : osinfo-db-20170423-2.el7.src.rpm  
Build Date : Mon 07 Aug 2017 10:27:55 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libosinfo.org/>  
Summary : osinfo database files  
Description :  
The osinfo database provides information about operating systems and hypervisor platforms to facilitate the automated configuration and provisioning of new virtual machines

Name : hesiod  
Version : 3.2.1  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:49 AM EST  
Group : System Environment/Libraries  
Size : 42730  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:54:03 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : hesiod-3.2.1-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:22:12 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : Shared libraries for querying the Hesiod naming service  
Description :  
Hesiod is a system which uses existing DNS functionality to provide access to databases of information that changes infrequently. It is often used to distribute information kept in the /etc/passwd, /etc/group, and /etc/printcap files, among others.

Name : gnome-calculator  
Version : 3.22.3

Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:39 AM EST  
Group : Unspecified  
Size : 5053847  
License : GPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:15:28 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-calculator-3.22.3-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 11:23:39 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Apps/Calculator>  
Summary : A desktop calculator  
Description :  
gnome-calculator is a powerful graphical calculator with financial, logical and scientific modes. It uses a multiple precision package to do its arithmetic to give a high degree of accuracy.

Name : libthai  
Version : 0.1.14  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:01 AM EST  
Group : System Environment/Libraries  
Size : 704340  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:20:57 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libthai-0.1.14-9.el7.src.rpm  
Build Date : Tue 17 Jun 2014 01:08:18 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://linux.thai.net>  
Summary : Thai language support routines  
Description :  
LibThai is a set of Thai language support routines aimed to ease developers' tasks to incorporate Thai language support in their applications.  
It includes important Thai-specific functions e.g. word breaking, input and output methods as well as basic character and string supports.

Name : libxslt  
Version : 1.1.28  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:02 AM EST  
Group : Development/Libraries  
Size : 497582



License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:32:21 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libxslt-1.1.28-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:12:35 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://xmlsoft.org/XSLT/>  
Summary : Library providing the Gnome XSLT engine  
Description :  
This C library allows to transform XML files into other XML files (or HTML, text, ...) using the standard XSLT stylesheet transformation mechanism. To use it you need to have a version of libxml2 >= 2.6.27 installed. The xsltproc command is a command line interface to the XSLT engine

Name : dnsmasq  
Version : 2.76  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:14 AM EST  
Group : System Environment/Daemons  
Size : 599709  
License : GPLv2 or GPLv3  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:38:09 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : dnsmasq-2.76-2.el7.src.rpm  
Build Date : Wed 02 Aug 2017 10:54:31 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.thekelleys.org.uk/dnsmasq/>  
Summary : A lightweight DHCP/caching DNS server  
Description :  
Dnsmasq is lightweight, easy to configure DNS forwarder and DHCP server. It is designed to provide DNS and, optionally, DHCP, to a small network. It can serve the  
Names of local machines which are not in the global  
DNS. The DHCP server integrates with the DNS server and allows machines with DHCP-allocated addresses to appear in the DNS with  
Names configured  
either in each host or in a central configuration file. Dnsmasq supports static and dynamic DHCP leases and BOOTP for network booting of diskless machines.

Name : libisofs  
Version : 1.2.8  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:49 AM EST  
Group : System Environment/Libraries

Size : 388330  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:55:07 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libisofs-1.2.8-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:25:53 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libburnia-project.org/>  
Summary : Library to create ISO 9660 disk images  
Description :  
Libisofs is a library to create an ISO-9660 filesystem and supports extensions like RockRidge or Joliet. It is also a full featured ISO-9660 editor, allowing you to modify an ISO image or multisession disc, including file addition or removal, change of file Names and attributes etc. It supports the extension AAIP which allows to store ACLs and xattr in ISO-9660 filesystems as well. As it is linked with zlib, it supports zisofs compression, too.

Name : PackageKit-gtk3-module  
Version : 1.1.5  
Release : 1.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:41 AM EST  
Group : Unspecified  
Size : 22803  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:47:04 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : PackageKit-1.1.5-1.el7.centos.src.rpm  
Build Date : Sun 06 Aug 2017 10:07:35 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/software/PackageKit/>  
Summary : Install fonts automatically using PackageKit  
Description :  
The PackageKit GTK3+ module allows any Pango application to install fonts from configured repositories using PackageKit.

Name : libmediaart  
Version : 1.9.1  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:03 AM EST  
Group : Unspecified  
Size : 94175  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:20:35 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : libmediaart-1.9.1-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 07:04:50 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/curlybeast/libmediaart>  
Summary : Library for managing media art caches  
Description :  
Library tasked with managing, extracting and handling media art caches.

Name : libffi  
Version : 3.0.13  
Release : 18.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:04 AM EST  
Group : System Environment/Libraries  
Size : 47766  
License : MIT and Public Domain  
Signature : RSA/SHA256, Sun 20 Nov 2016 01:39:28 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libffi-3.0.13-18.el7.src.rpm  
Build Date : Sat 05 Nov 2016 12:30:28 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceware.org/libffi>  
Summary : A portable foreign function interface library  
Description :  
Compilers for high level languages generate code that follow certain conventions. These conventions are necessary, in part, for separate compilation to work. One such convention is the "calling convention". The calling convention is a set of assumptions made by the compiler about where function arguments will be found on entry to a function. A calling convention also specifies where the return value for a function is found.

Some programs may not know at the time of compilation what arguments are to be passed to a function. For instance, an interpreter may be told at run-time about the number and types of arguments used to call a given function. 'Libffi' can be used in such programs to provide a bridge from the interpreter program to compiled code.

The 'libffi' library provides a portable, high level programming interface to various calling conventions. This allows a programmer to call any function specified by a call interface description at run time.

FFI stands for Foreign Function Interface. A foreign function interface is the popular Name for the interface that allows code written in one language to call code written in another language. The 'libffi' library really only provides the lowest, machine dependent layer of a fully featured foreign function interface. A layer must

exist above 'libffi' that handles type conversions for values passed between the two languages.

Name : net-tools  
Version : 2.0  
Release : 0.22.20131004git.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:16 AM EST  
Group : System Environment/Base  
Size : 938986  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:30:02 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : net-tools-2.0-0.22.20131004git.el7.src.rpm  
Build Date : Thu 03 Aug 2017 05:17:34 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/net-tools/>  
Summary : Basic networking tools  
Description :  
The net-tools package contains basic networking tools, including ifconfig, netstat, route, and others. Most of them are obsolete. For replacement check iproute package.

Name : libbluray  
Version : 0.2.3  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:51 AM EST  
Group : System Environment/Libraries  
Size : 460889  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:37:16 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libbluray-0.2.3-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:06:58 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.videolan.org/developers/libbluray.html>  
Summary : Library to access Blu-Ray disks for video playback  
Description :  
This package is aiming to provide a full portable free open source bluray library, which can be plugged into popular media players to allow full bluray navigation and playback on Linux. It will eventually be compatible with all current titles, and will be easily portable and embeddable in standard players such as mplayer and vlc.

Name : cgdcbxd  
Version : 1.0.2  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:42 AM EST  
Group : System Environment/Base  
Size : 52158  
License : GPLv2  
Signature : RSA/SHA256, Sun 20 Nov 2016 12:23:25 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : cgdcbxd-1.0.2-7.el7.src.rpm  
Build Date : Sat 05 Nov 2016 11:10:10 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/jrfastab/cgdcbxd>  
Summary : DCB network priority management daemon  
Description :  
This is a daemon to manage the priority of network traffic in dcb enabled environments. By using the information exchanged over the dcbx protocol on a LAN, this package will enforce network priority on running applications on your host using the net\_prio cgroup

Name : xorg-x11-fonts-Type1  
Version : 7.5  
Release : 9.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:53:08 AM EST  
Group : User Interface/X  
Size : 883992  
License : MIT and Lucida and Public Domain  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:50:09 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xorg-x11-fonts-7.5-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:59:37 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Type1 fonts provided by the X Window System  
Description :  
A collection of Type1 fonts which are part of the core X Window System distribution.

Name : libXext  
Version : 1.3.3  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:05 AM EST  
Group : System Environment/Libraries

Size : 87102  
License : MIT  
Signature : RSA/SHA256, Wed 25 Nov 2015 10:13:58 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXext-1.3.3-3.el7.src.rpm  
Build Date : Fri 20 Nov 2015 02:19:47 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXext runtime library  
Description :  
X.Org X11 libXext runtime library

Name : rsync  
Version : 3.0.9  
Release : 18.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:18 AM EST  
Group : Applications/Internet  
Size : 750018  
License : GPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:42:56 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : rsync-3.0.9-18.el7.src.rpm  
Build Date : Wed 02 Aug 2017 04:58:38 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://rsync.samba.org/>  
Summary : A program for synchronizing files over a network  
Description :  
Rsync uses a reliable algorithm to bring remote and host files into sync very quickly. Rsync is fast because it just sends the differences in the files over the network instead of sending the complete files. Rsync is often used as a very powerful mirroring process or just as a more capable replacement for the rcp command. A technical report which describes the rsync algorithm is included in this package.

Name : make  
Epoch : 1  
Version : 3.82  
Release : 23.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:52 AM EST  
Group : Development/Tools  
Size : 1160684  
License : GPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 02:23:44 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : make-3.82-23.el7.src.rpm

Build Date : Sat 05 Nov 2016 06:15:49 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/make/>  
Summary : A GNU tool which simplifies the build process for users  
Description :  
A GNU tool for controlling the generation of executables and other non-source files of a program from the program's source files. Make allows users to build and install packages without any significant knowledge about the details of the build process. The details about how the program should be built are provided for make in the program's makefile.

Name : openssh-server  
Version : 7.4p1  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:43 AM EST  
Group : System Environment/Daemons  
Size : 993794  
License : BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:41:14 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : openssh-7.4p1-11.el7.src.rpm  
Build Date : Sun 06 Aug 2017 10:28:30 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.openssh.com/portable.html>  
Summary : An open source SSH server daemon  
Description :  
OpenSSH is a free version of SSH (Secure SHell), a program for logging into and executing commands on a remote machine. This package contains the secure shell daemon (sshd). The sshd daemon allows SSH clients to securely connect to your SSH server.

Name : xerces-j2  
Version : 2.11.0  
Release : 17.el7\_0  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:53:11 AM EST  
Group : Development/Libraries  
Size : 1368144  
License : ASL 2.0  
Signature : RSA/SHA256, Tue 30 Sep 2014 06:49:24 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xerces-j2-2.11.0-17.el7\_0.src.rpm  
Build Date : Tue 30 Sep 2014 05:35:41 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://xerces.apache.org/xerces2-j/>  
Summary : Java XML parser  
Description :  
Welcome to the future! Xerces2 is the next generation of high performance, fully compliant XML parsers in the Apache Xerces family. This new version of Xerces introduces the Xerces Native Interface (XNI), a complete framework for building parser components and configurations that is extremely modular and easy to program.

The Apache Xerces2 parser is the reference implementation of XNI but other parser components, configurations, and parsers can be written using the Xerces Native Interface. For complete design and implementation documents, refer to the XNI Manual.

Xerces2 is a fully conforming XML Schema processor. For more information, refer to the XML Schema page.

Xerces2 also provides a complete implementation of the Document Object Model Level 3 Core and Load/Save W3C Recommendations and provides a complete implementation of the XML Inclusions (XInclude) W3C Recommendation. It also provides support for OASIS XML Catalogs v1.1.

Xerces2 is able to parse documents written according to the XML 1.1 Recommendation, except that it does not yet provide an option to enable normalization checking as described in section 2.13 of this specification. It also handles Name spaces according to the XML Namespaces 1.1 Recommendation, and will correctly serialize XML 1.1 documents if the DOM level 3 load/save APIs are in use.

Name : libXinerama  
Version : 1.1.3  
Release : 2.1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:05 AM EST  
Group : System Environment/Libraries  
Size : 14967  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:30:47 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXinerama-1.1.3-2.1.el7.src.rpm



Build Date : Tue 10 Jun 2014 02:25:20 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXinerama runtime library  
Description :  
X.Org X11 libXinerama runtime library

Name : libvirt-daemon  
Version : 3.2.0  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:21 AM EST  
Group : Development/Libraries  
Size : 2635203  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:02:18 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libvirt-3.2.0-14.el7.src.rpm  
Build Date : Sat 05 Aug 2017 01:16:28 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvirt.org/>  
Summary : Server side daemon and supporting files for libvirt library  
Description :  
Server side daemon required to manage the virtualization capabilities  
of recent versions of Linux. Requires a hypervisor specific sub-RPM  
for specific drivers.

Name : libarchive  
Version : 3.1.2  
Release : 10.el7\_2  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:57 AM EST  
Group : System Environment/Libraries  
Size : 745291  
License : BSD  
Signature : RSA/SHA256, Thu 15 Sep 2016 07:28:35 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libarchive-3.1.2-10.el7\_2.src.rpm  
Build Date : Thu 15 Sep 2016 08:49:21 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libarchive.org/>  
Summary : A library for handling streaming archive formats  
Description :  
Libarchive is a programming library that can create and read several  
different

streaming archive formats, including most popular tar variants, several cpio formats, and both BSD and GNU ar variants. It can also write shar archives and read ISO9660 CDRom images and ZIP archives.

Name : pm-utils  
Version : 1.4.1  
Release : 27.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:45 AM EST  
Group : System Environment/Base  
Size : 372827  
License : GPLv2  
Signature : RSA/SHA256, Tue 16 Sep 2014 08:17:53 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pm-utils-1.4.1-27.el7.src.rpm  
Build Date : Tue 16 Sep 2014 02:20:54 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://pm-utils.freedesktop.org>  
Summary : Power management utilities and scripts  
Description :  
The pm-utils package contains utilities and scripts useful for tasks related to power management.

Name : javamail  
Version : 1.4.6  
Release : 8.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:53:14 AM EST  
Group : Unspecified  
Size : 1917258  
License : CDDL or GPLv2 with exceptions  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:13:17 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : javamail-1.4.6-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:41:36 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.oracle.com/technetwork/java/javamail>  
Summary : Java Mail API  
Description :  
The JavaMail API provides a platform-independent and protocol-independent framework to build mail and messaging applications.

Name : xmlrpc-c  
Version : 1.32.5  
Release : 1905.svn2451.el7

Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:06 AM EST  
Group : System Environment/Libraries  
Size : 330001  
License : BSD and MIT and GPL+ and Public Domain  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:47:21 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xmlrpc-c-1.32.5-1905.svn2451.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:03:43 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://xmlrpc-c.sourceforge.net/>  
Summary : A lightweight RPC library based on XML and HTTP  
Description :  
XML-RPC is a quick-and-easy way to make procedure calls over the Internet. It converts the procedure call into XML document, sends it to a remote server using HTTP, and gets back the response as XML.

This library provides a modular implementation of XML-RPC for C.

Name : libvirt-daemon-driver-storage-scsi  
Version : 3.2.0  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:22 AM EST  
Group : Development/Libraries  
Size : 15384  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:04:38 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libvirt-3.2.0-14.el7.src.rpm  
Build Date : Sat 05 Aug 2017 01:16:28 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvirt.org/>  
Summary : Storage driver plugin for local scsi devices  
Description :  
The storage driver backend adding implementation of the storage APIs for scsi host devices.

Name : json-glib  
Version : 1.2.6  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:59 AM EST  
Group : System Environment/Libraries  
Size : 495832  
License : LGPLv2+

Signature : RSA/SHA256, Thu 10 Aug 2017 12:55:55 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : json-glib-1.2.6-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 09:24:56 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/JsonGlib>  
Summary : Library for JavaScript Object Notation format  
Description :  
json-glib is a library providing serialization and deserialization  
support  
for the JavaScript Object Notation (JSON) format.

Name : spice-vdagent  
Version : 0.14.0  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:46 AM EST  
Group : Applications/System  
Size : 151740  
License : GPLv3+  
Signature : RSA/SHA256, Sun 20 Nov 2016 03:46:28 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : spice-vdagent-0.14.0-14.el7.src.rpm  
Build Date : Sat 05 Nov 2016 06:21:38 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://spice-space.org/>  
Summary : Agent for Spice guests  
Description :  
Spice agent for Linux guests offering the following features:

Features:

- \* Client mouse mode (no need to grab mouse by client, no mouse lag)  
this is handled by the daemon by feeding mouse events into the kernel  
via uinput. This will only work if the active X-session is running a  
spice-vdagent process so that its resolution can be determined.
- \* Automatic adjustment of the X-session resolution to the client  
resolution
- \* Support of copy and paste (text and images) between the active X-  
session  
and the client

Name : elfutils-default-yama-scope  
Version : 0.168  
Release : 8.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:53:19 AM EST  
Group : Development/Tools  
Size : 1810

License : GPLv2+ or LGPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:42:58 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : elfutils-0.168-8.el7.src.rpm  
Build Date : Fri 04 Aug 2017 06:31:36 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://elfutils.org/>  
Summary : Default yama attach scope sysctl setting  
Description :  
Yama sysctl setting to enable default attach scope settings enabling programs to use ptrace attach, access to /proc/PID/{mem,personality,stack,syscall}, and the syscalls process\_vm\_readv and process\_vm\_writev which are used for interprocess services, communication and introspection (like synchronisation, signaling, debugging, tracing and profiling) of processes.

Name : lzo  
Version : 2.06  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:09 AM EST  
Group : System Environment/Libraries  
Size : 165360  
License : GPLv2+  
Signature : RSA/SHA256, Wed 25 Nov 2015 10:15:43 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : lzo-2.06-8.el7.src.rpm  
Build Date : Fri 20 Nov 2015 02:26:41 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.oberhumer.com/opensource/lzo/>  
Summary : Data compression library with very fast (de)compression  
Description :  
LZO is a portable lossless data compression library written in ANSI C. It offers pretty fast compression and very fast decompression. Decompression requires no memory. In addition there are slower compression levels achieving a quite competitive compression ratio while still decompressing at this very high speed.

Name : libvirt-daemon-driver-nwfilter  
Version : 3.2.0  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:22 AM EST  
Group : Development/Libraries  
Size : 174072  
License : LGPLv2+

Signature : RSA/SHA256, Thu 10 Aug 2017 02:03:18 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : libvirt-3.2.0-14.el7.src.rpm

Build Date : Sat 05 Aug 2017 01:16:28 AM EDT

Build Host : clbm.rdu2.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://libvirt.org/>

Summary : Nwfilter driver plugin for the libvirtd daemon

Description :

The nwfilter driver plugin for the libvirtd daemon, providing an implementation of the firewall APIs using the ebtables, iptables and ip6tables capabilities

Name : python-gobject-base

Version : 3.22.0

Release : 1.el7

Architecture: x86\_64

Install Date: Mon 03 Dec 2018 08:52:01 AM EST

Group : Unspecified

Size : 1123114

License : LGPLv2+ and MIT

Signature : RSA/SHA256, Thu 10 Aug 2017 03:21:03 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : pygobject3-3.22.0-1.el7.src.rpm

Build Date : Sat 05 Aug 2017 03:59:36 PM EDT

Build Host : clbm.rdu2.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <https://wiki.gnome.org/Projects/PyGObject>

Summary : Python 2 bindings for GObject Introspection base package

Description :

This package provides the non-cairo specific bits of the GObject Introspection library.

Name : rng-tools

Version : 5

Release : 11.el7

Architecture: x86\_64

Install Date: Mon 03 Dec 2018 08:55:49 AM EST

Group : System Environment/Base

Size : 69623

License : GPLv2+

Signature : RSA/SHA256, Thu 10 Aug 2017 03:41:17 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : rng-tools-5-11.el7.src.rpm

Build Date : Fri 04 Aug 2017 06:55:04 AM EDT

Build Host : clbm.rdu2.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://sourceforge.net/projects/gkernel/>  
Summary : Random number generator related utilities  
Description :  
Hardware random number generation tools.

Name : libreport  
Version : 2.1.11  
Release : 38.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:20 AM EST  
Group : System Environment/Libraries  
Size : 2116189  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:46:53 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libreport-2.1.11-38.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 07:43:26 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : Generic library for reporting various problems  
Description :  
Libraries providing API for reporting different problems in applications to different bug targets like Bugzilla, ftp, trac, etc...

Name : file-libs  
Version : 5.11  
Release : 33.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:11 AM EST  
Group : Applications/File  
Size : 3077690  
License : BSD  
Signature : RSA/SHA256, Sun 20 Nov 2016 12:42:38 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : file-5.11-33.el7.src.rpm  
Build Date : Sat 05 Nov 2016 04:07:52 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.darwinsys.com/file/>  
Summary : Libraries for applications using libmagic  
Description :

Libraries for applications using libmagic.

Name : libcanberra-gtk3  
Version : 0.30  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:24 AM EST

Group : System Environment/Libraries  
Size : 56351  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:38:16 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libcanberra-0.30-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:25:05 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.0pointer.de/?p=libcanberra.git;a=summary>  
Summary : Gtk+ 3.x Bindings for libcanberra  
Description :  
Gtk+ 3.x bindings for libcanberra

Name : enchant  
Epoch : 1  
Version : 1.6.0  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:03 AM EST  
Group : System Environment/Libraries  
Size : 130894  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:13:33 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : enchant-1.6.0-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 02:46:47 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.abisource.com/>  
Summary : An Enchanting Spell Checking Library  
Description :  
A library that wraps other spell checking backends.

Name : rsh-server  
Version : 0.17  
Release : 76.el7\_1.1  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:50 AM EST  
Group : System Environment/Daemons  
Size : 75091  
License : BSD  
Signature : RSA/SHA256, Tue 12 May 2015 03:12:17 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : rsh-0.17-76.el7\_1.1.src.rpm  
Build Date : Tue 12 May 2015 10:49:29 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS



URL : ftp://ftp.uk.linux.org/pub/linux/Networking/netkit  
Summary : Servers for remote access commands (rsh, rlogin, rcp)  
Description :  
The rsh-server package contains a set of programs which allow users to run commands on remote machines, login to other machines and copy files between machines (rsh, rlogin and rcp). All three of these commands use rhosts style authentication. This package contains the servers needed for all of these services. It also contains a server for rexec, an alternate method of executing remote commands. All of these servers are run by systemd and configured using systemd units and PAM.

The rsh-server package should be installed to enable remote access from other machines

Name : NetworkManager-libnm  
Epoch : 1  
Version : 1.10.2  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:22 AM EST  
Group : Development/Libraries  
Size : 6393187  
License : GPLv2+  
Signature : RSA/SHA256, Wed 25 Apr 2018 07:29:33 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : NetworkManager-1.10.2-13.el7.src.rpm  
Build Date : Thu 12 Apr 2018 03:44:26 PM EDT  
Build Host : x86-01.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/NetworkManager/>  
Summary : Libraries for adding NetworkManager support to applications (new API).  
Description :  
This package contains the libraries that make it easier to use some NetworkManager functionality from applications. This is the new NetworkManager API. See also NetworkManager-glib.

Name : flac-libs  
Version : 1.3.0  
Release : 5.el7\_1  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:16 AM EST  
Group : System Environment/Libraries  
Size : 471147  
License : BSD and GPLv2+ and GFDL  
Signature : RSA/SHA256, Wed 01 Apr 2015 12:09:22 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : flac-1.3.0-5.el7\_1.src.rpm  
Build Date : Tue 31 Mar 2015 07:10:52 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.xiph.org/flac/>  
Summary : Libraries for the Free Lossless Audio Codec  
Description :  
FLAC stands for Free Lossless Audio Codec. Grossly oversimplified, FLAC is similar to Ogg Vorbis, but lossless. The FLAC project consists of the stream format, reference encoders and decoders in library form, flac, a command-line program to encode and decode FLAC files, metaflac, a command-line metadata editor for FLAC files and input plugins for various music players.

This package contains the FLAC libraries.

Name : caribou-gtk3-module  
Version : 0.4.21  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:26 AM EST  
Group : Unspecified  
Size : 37088  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:16:54 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : caribou-0.4.21-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 10:03:34 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/Caribou>  
Summary : Gtk3 module for caribou  
Description :  
This package contains caribou module for gtk3 applications.

Name : gnome-icon-theme  
Version : 3.12.0  
Release : 1.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:12 AM EST  
Group : User Interface/Desktops  
Size : 10333535  
License : LGPLv3+  
Signature : RSA/SHA256, Wed 25 Nov 2015 09:35:36 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-icon-theme-3.12.0-1.el7.src.rpm  
Build Date : Fri 20 Nov 2015 06:04:22 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : GNOME icon theme  
Description :  
This package contains the default icon theme used by the GNOME desktop.

Name : kpatch  
Version : 0.4.0  
Release : 1.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:55:52 AM EST  
Group : System Environment/Kernel  
Size : 9926  
License : GPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:58:17 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : kpatch-0.4.0-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 09:20:55 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/dynup/kpatch>  
Summary : Dynamic kernel patch manager  
Description :  
kpatch is a dynamic kernel patch module manager. It allows the user to manage a collection of binary kernel patch modules which can be used to dynamically patch the kernel without rebooting.

Name : procps-ng  
Version : 3.3.10  
Release : 16.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:25 AM EST  
Group : Applications/System  
Size : 759252  
License : GPLv2 and GPLv2+ and GPLv3+ and LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:15:41 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : procps-ng-3.3.10-16.el7.src.rpm  
Build Date : Fri 04 Aug 2017 07:12:27 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://sourceforge.net/projects/procps-ng/>  
Summary : System and process monitoring utilities  
Description :  
The procps package contains a set of system utilities that provide system information. Procps includes ps, free, skill, pkill, pgrep, snice, tload, top, uptime, vmstat, w, watch and pwdx. The ps command displays a snapshot of running processes. The top command provides a repetitive update of the statuses of running processes. The free command displays the amounts of free and used memory on your system. The skill command sends a terminate command (or another specified signal) to a specified set of processes. The snice command is used to change the scheduling priority of specified

processes. The tload command prints a graph of the current system load average to a specified tty. The uptime command displays the current time, how long the system has been running, how many users are logged on, and system load averages for the past one, five, and fifteen minutes. The w command displays a list of the users who are currently logged on and what they are running. The watch program watches a running program. The vmstat command displays virtual memory statistics about processes, memory, paging, block I/O, traps, and CPU activity. The pwdx command reports the current working directory of a process or processes.

```
Name       : gdbm
Version    : 1.10
Release    : 8.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:51:17 AM EST
Group      : System Environment/Libraries
Size       : 184322
License    : GPLv3+
Signature  : RSA/SHA256, Thu 03 Jul 2014 09:27:27 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gdbm-1.10-8.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:39:08 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.gnu.org/software/gdbm/
Summary    : A GNU set of database routines which use extensible hashing
Description :
Gdbm is a GNU database indexing library, including routines which use
extensible hashing. Gdbm works in a similar way to standard UNIX dbm
routines. Gdbm is useful for developers who write C applications and
need access to a simple and efficient database or who are building C
applications which will use such a database.
```

If you're a C developer and your programs need access to simple database routines, you should install gdbm. You'll also need to install gdbm-devel.

```
Name       : tracker
Version    : 1.10.5
Release    : 4.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:54:28 AM EST
Group      : Unspecified
Size       : 5900826
License    : GPLv2+
Signature  : RSA/SHA256, Thu 10 Aug 2017 04:09:11 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : tracker-1.10.5-4.el7.src.rpm
Build Date : Tue 08 Aug 2017 11:43:38 PM EDT
Build Host : clbm.rdu2.centos.org
Relocations : (not relocatable)
```

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/Tracker>  
Summary : Desktop-neutral search tool and indexer  
Description :  
Tracker is a powerful desktop-neutral first class object database,  
tag/metadata database, search tool and indexer.

It consists of a common object database that allows entities to have an almost infinite number of properties, metadata (both embedded/harvested as well as user definable), a comprehensive database of keywords/tags and links to other entities.

It provides additional features for file based objects including context linking and audit trails for a file object.

It has the ability to index, store, harvest metadata. retrieve and search all types of files and other first class objects

Name : cracklib-dicts  
Version : 2.9.0  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:14 AM EST  
Group : System Environment/Libraries  
Size : 9389116  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:02:17 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : cracklib-2.9.0-11.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:42:13 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/cracklib/>  
Summary : The standard CrackLib dictionaries  
Description :  
The cracklib-dicts package includes the CrackLib dictionaries.  
CrackLib will need to use the dictionary appropriate to your system, which is normally put in /usr/share/dict/words. Cracklib-dicts also contains the utilities necessary for the creation of new dictionaries.

If you are installing CrackLib, you should also install cracklib-dicts.

Name : xorg-x11-apps  
Version : 7.7  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:57 AM EST  
Group : User Interface/X  
Size : 790955  
License : MIT

Signature : RSA/SHA256, Fri 11 Aug 2017 03:28:31 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xorg-x11-apps-7.7-7.el7.src.rpm  
Build Date : Fri 11 Aug 2017 12:33:16 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 applications  
Description :  
A collection of common X Window System applications.

Name : dbus  
Epoch : 1  
Version : 1.10.24  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:27 AM EST  
Group : System Environment/Libraries  
Size : 595223  
License : (GPLv2+ or AFL) and GPLv2+  
Signature : RSA/SHA256, Wed 25 Apr 2018 06:57:03 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : dbus-1.10.24-7.el7.src.rpm  
Build Date : Wed 11 Apr 2018 03:23:31 AM EDT  
Build Host : x86-01.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/Software/dbus/>  
Summary : D-BUS message bus  
Description :  
D-BUS is a system for sending messages between applications. It is  
used both for the system-wide message bus service, and as a  
per-user-login-session messaging facility.

Name : libepoxy  
Version : 1.3.1  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:18 AM EST  
Group : Unspecified  
Size : 1031230  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:07:09 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libepoxy-1.3.1-1.el7.src.rpm  
Build Date : Tue 01 Aug 2017 09:38:59 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://github.com/anholt/libepoxy>

Summary : epoxy runtime library  
Description :  
A library for handling OpenGL function pointer management.

Name : webkitgtk4  
Version : 2.14.7  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:35 AM EST  
Group : Unspecified  
Size : 73832756  
License : LGPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:18:56 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : webkitgtk4-2.14.7-2.el7.src.rpm  
Build Date : Tue 08 Aug 2017 04:10:02 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.webkitgtk.org>  
Summary : GTK+ Web content engine library  
Description :  
WebKitGTK+ is the port of the portable web rendering engine WebKit to the  
GTK+ platform.

This package contains WebKitGTK+ for GTK+ 3.

Name : e2fsprogs  
Version : 1.42.9  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:16 AM EST  
Group : System Environment/Base  
Size : 2555860  
License : GPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:41:37 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : e2fsprogs-1.42.9-10.el7.src.rpm  
Build Date : Wed 02 Aug 2017 11:29:22 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://e2fsprogs.sourceforge.net/>  
Summary : Utilities for managing ext2, ext3, and ext4 filesystems  
Description :  
The e2fsprogs package contains a number of utilities for creating,  
checking, modifying, and correcting any inconsistencies in second,  
third and fourth extended (ext2/ext3/ext4) filesystems. E2fsprogs  
contains e2fsck (used to repair filesystem inconsistencies after an  
unclean shutdown), mke2fs (used to initialize a partition to contain  
an empty ext2 filesystem), debugfs (used to examine the internal  
structure of a filesystem, to manually repair a corrupted

filesystem, or to create test cases for e2fsck), tune2fs (used to modify filesystem parameters), and most of the other core ext2fs filesystem utilities.

You should install the e2fsprogs package if you need to manage the performance of an ext2, ext3, or ext4 filesystem.

```
Name       : yum-langpacks
Version    : 0.4.2
Release    : 7.el7
Architecture: noarch
Install Date: Mon 03 Dec 2018 08:56:01 AM EST
Group      : Development/Tools
Size       : 72628
License    : GPLv2+
Signature  : RSA/SHA256, Sun 20 Nov 2016 04:03:08 PM EST, Key ID
24c6a8a7f4a80eb5
Source RPM : yum-langpacks-0.4.2-7.el7.src.rpm
Build Date : Sat 05 Nov 2016 01:36:43 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : https://fedorahosted.org/yum-langpacks/
Summary    : Langpacks plugin for yum
Description :
Yum-langpacks is a plugin for YUM that looks for langpacks for your
native
language for packages you install.
```

```
Name       : dbus-x11
Epoch     : 1
Version    : 1.10.24
Release    : 7.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:53:29 AM EST
Group      : Development/Libraries
Size       : 32138
License    : (GPLv2+ or AFL) and GPLv2+
Signature  : RSA/SHA256, Wed 25 Apr 2018 06:57:10 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : dbus-1.10.24-7.el7.src.rpm
Build Date : Wed 11 Apr 2018 03:23:31 AM EDT
Build Host : x86-01.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.freedesktop.org/Software/dbus/
Summary    : X11-requiring add-ons for D-BUS
Description :
D-BUS contains some tools that require Xlib to be installed, those are
in this separate package so server systems need not install X.
```

```
Name       : bzip2
```



Version : 1.0.6  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:20 AM EST  
Group : Applications/File  
Size : 83791  
License : BSD  
Signature : RSA/SHA256, Wed 25 Nov 2015 09:18:37 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : bzip2-1.0.6-13.el7.src.rpm  
Build Date : Fri 20 Nov 2015 12:04:52 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.bzip.org/>  
Summary : A file compression utility  
Description :  
Bzip2 is a freely available, patent-free, high quality data compressor. Bzip2 compresses files to within 10 to 15 percent of the capabilities of the best techniques available. However, bzip2 has the added benefit of being approximately two times faster at compression and six times faster at decompression than those techniques. Bzip2 is not the fastest compression utility, but it does strike a balance between speed and compression capability.

Install bzip2 if you need a compression utility.

Name : clutter-gst3  
Version : 3.0.22  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:39 AM EST  
Group : Unspecified  
Size : 219462  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:20:22 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : clutter-gst3-3.0.22-1.el7.src.rpm  
Build Date : Mon 07 Aug 2017 11:46:22 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://developer.gnome.org/clutter-gst/stable/>  
Summary : GStreamer integration library for Clutter  
Description :  
Clutter is an open source software library for creating fast, visually rich and animated graphical user interfaces.

Clutter GStreamer enables the use of GStreamer with Clutter.

Name : openssl  
Epoch : 1

Version : 1.0.2k  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:17 AM EST  
Group : System Environment/Libraries  
Size : 833715  
License : OpenSSL  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:41:30 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : openssl-1.0.2k-8.el7.src.rpm  
Build Date : Fri 04 Aug 2017 02:42:31 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.openssl.org/>  
Summary : Utilities from the general purpose cryptography library  
with TLS implementation  
Description :  
The OpenSSL toolkit provides support for secure communications between  
machines. OpenSSL includes a certificate management tool and shared  
libraries which provide various cryptographic algorithms and  
protocols.

Name : perl-XML-DOM  
Version : 1.44  
Release : 19.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:03 AM EST  
Group : Development/Libraries  
Size : 283204  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:26:09 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-XML-DOM-1.44-19.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:53:09 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/XML-DOM/>  
Summary : DOM extension to XML::Parser  
Description :  
This is a Perl extension to XML::Parser. It adds a new 'Style' to  
XML::Parser, called 'DOM', that allows XML::Parser to build an Object  
Oriented data structure with a DOM Level 1 compliant interface. For a  
description of the DOM (Document Object Model), see  
<<http://www.w3.org/DOM/>>.

Name : mesa-libGL  
Version : 17.0.1  
Release : 6.20170307.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:31 AM EST

Group : System Environment/Libraries  
Size : 481320  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:21:16 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : mesa-17.0.1-6.20170307.el7.src.rpm  
Build Date : Fri 04 Aug 2017 12:27:35 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mesa3d.org>  
Summary : Mesa libGL runtime libraries and DRI drivers  
Description :  
Mesa libGL runtime library.

Name : libverto  
Version : 0.2.5  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:21 AM EST  
Group : Unspecified  
Size : 23060  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:23:48 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libverto-0.2.5-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:44:21 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/libverto/>  
Summary : Main loop abstraction library  
Description :  
libverto provides a way for libraries to expose asynchronous interfaces  
without having to choose a particular event loop, offloading this  
decision to the end application which consumes the library.

If you are packaging an application, not library, based on libverto,  
you should depend either on a specific implementation module or you  
can depend on the virtual provides 'libverto-module-base'. This will  
ensure that you have at least one module installed that provides io,  
timeout and signal functionality. Currently glib is the only module  
that does not provide these three because it lacks signal. However,  
glib will support signal in the future.

Name : gtk-vnc2  
Version : 0.7.0  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:41 AM EST  
Group : Applications/Internet  
Size : 85259

License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:34:09 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gtk-vnc-0.7.0-2.el7.src.rpm  
Build Date : Sun 06 Aug 2017 05:29:05 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/gtk-vnc>  
Summary : A GTK3 widget for VNC clients  
Description :  
gtk-vnc is a VNC viewer widget for GTK3. It is built using coroutines allowing it to be completely asynchronous while remaining single threaded.

Name : dvd+rw-tools  
Version : 7.1  
Release : 15.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:18 AM EST  
Group : Applications/Multimedia  
Size : 395279  
License : GPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:10:38 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : dvd+rw-tools-7.1-15.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:55:14 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fy.chalmers.se/~appro/linux/DVD+RW/>  
Summary : Toolchain to master DVD+RW/+R media  
Description :  
Collection of tools to master DVD+RW/+R media. For further information see <http://fy.chalmers.se/~appro/linux/DVD+RW/>.

Name : bash-completion  
Epoch : 1  
Version : 2.1  
Release : 6.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:06 AM EST  
Group : Unspecified  
Size : 264934  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:47:01 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : bash-completion-2.1-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:05:27 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://bash-completion.alioth.debian.org/>  
Summary : Programmable completion for Bash  
Description :  
bash-completion is a collection of shell functions that take advantage of the programmable completion feature of bash.

Name : librsvg2  
Version : 2.40.16  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:34 AM EST  
Group : System Environment/Libraries  
Size : 298108  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:50:13 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : librsvg2-2.40.16-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 03:53:38 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/LibRsvg>  
Summary : An SVG library based on cairo  
Description :  
An SVG library based on cairo.

Name : libXdmcp  
Version : 1.1.2  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:23 AM EST  
Group : System Environment/Libraries  
Size : 67555  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:10:12 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXdmcp-1.1.2-6.el7.src.rpm  
Build Date : Thu 03 Aug 2017 10:28:47 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X Display Manager Control Protocol library  
Description :  
X Display Manager Control Protocol library.

Name : gnome-terminal  
Version : 3.22.1  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:45 AM EST

Group : User Interface/Desktops  
Size : 7120783  
License : GPLv3+ and GFDL  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:23:01 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-terminal-3.22.1-2.el7.src.rpm  
Build Date : Wed 09 Aug 2017 02:22:02 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/>  
Summary : Terminal emulator for GNOME  
Description :  
gnome-terminal is a terminal emulator for GNOME. It features the ability to use multiple terminals in a single window (tabs) and profiles support.

Name : xorg-x11-xbitmaps  
Version : 1.1.1  
Release : 6.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:20 AM EST  
Group : User Interface/X  
Size : 183590  
License : MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:50:58 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xorg-x11-xbitmaps-1.1.1-6.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:09:44 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 application bitmaps  
Description :  
X.Org X11 application bitmaps

Name : hunspell-en  
Version : 0.20121024  
Release : 6.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:08 AM EST  
Group : Applications/Text  
Size : 551130  
License : LGPLv2+ and LGPLv2 and BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:41:15 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : hunspell-en-0.20121024-6.el7.src.rpm  
Build Date : Wed 02 Aug 2017 07:53:28 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://wordlist.sourceforge.net/>  
Summary : English hunspell dictionaries  
Description :  
English (US, UK, etc.) hunspell dictionaries

Name : libsmbclient  
Epoch : 0  
Version : 4.6.2  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:36 AM EST  
Group : Unspecified  
Size : 159920  
License : GPLv3+ and LGPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:53:02 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : samba-4.6.2-8.el7.src.rpm  
Build Date : Mon 07 Aug 2017 10:01:27 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.samba.org/>  
Summary : The SMB client library  
Description :  
The libsmbclient contains the SMB client library from the Samba suite.

Name : apr-util  
Version : 1.5.2  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:25 AM EST  
Group : System Environment/Libraries  
Size : 198751  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:39:25 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : apr-util-1.5.2-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:31:06 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://apr.apache.org/>  
Summary : Apache Portable Runtime Utility library  
Description :  
The mission of the Apache Portable Runtime (APR) is to provide a  
free library of C data structures and routines. This library  
contains additional utility interfaces for APR; including support  
for XML, LDAP, database interfaces, URI parsing and more.

Name : gnome-packagekit  
Version : 3.22.1

Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:46 AM EST  
Group : Applications/System  
Size : 0  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:19:42 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnome-packagekit-3.22.1-2.el7.src.rpm  
Build Date : Sun 06 Aug 2017 02:04:39 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.packagekit.org>  
Summary : Session applications to manage packages  
Description :  
gnome-packagekit provides session applications for the PackageKit API.  
There are several utilities designed for installing, updating and  
removing packages on your system.

Name : btrfs-progs  
Version : 4.9.1  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:22 AM EST  
Group : System Environment/Base  
Size : 4142307  
License : GPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:15:01 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : btrfs-progs-4.9.1-1.el7.src.rpm  
Build Date : Sun 06 Aug 2017 12:32:37 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://btrfs.wiki.kernel.org/index.php/Main\\_Page](http://btrfs.wiki.kernel.org/index.php/Main_Page)  
Summary : Userspace programs for btrfs  
Description :  
The btrfs-progs package provides all the userspace programs needed to  
create,  
check, modify and correct any inconsistencies in the btrfs filesystem.

Name : perl-Net-Telnet  
Version : 3.03  
Release : 19.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:09 AM EST  
Group : Development/Libraries  
Size : 157913  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:21:26 AM EDT, Key ID  
24c6a8a7f4a80eb5



Source RPM : perl-Net-Telnet-3.03-19.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:52:56 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Net-Telnet/>  
Summary : Net-Telnet Perl module  
Description :  
Net::Telnet allows you to make client connections to a TCP port and do network I/O, especially to a port using the TELNET protocol. Simple I/O methods such as print, get, and getline are provided. More sophisticated interactive features are provided because connecting to a TELNET port ultimately means communicating with a program designed for human interaction.  
These interactive features include the ability to specify a time-out and to wait for patterns to appear in the input stream, such as the prompt from a shell.

Name : accountsservice-libs  
Version : 0.6.45  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:38 AM EST  
Group : Development/Libraries  
Size : 308776  
License : GPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 10:55:27 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : accountsservice-0.6.45-2.el7.src.rpm  
Build Date : Fri 04 Aug 2017 01:48:49 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<http://www.fedoraproject.org/wiki/Features/UserAccountDialog>  
Summary : Client-side library to talk to accountsservice  
Description :  
The accountsservice-libs package contains a library that can be used by applications that want to interact with the accountsservice daemon.

Name : giflib  
Version : 4.1.6  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:26 AM EST  
Group : System Environment/Libraries  
Size : 90124  
License : MIT

Signature : RSA/SHA256, Thu 03 Jul 2014 09:30:03 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : giflib-4.1.6-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:51:18 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.sourceforge.net/projects/giflib/>  
Summary : Library for manipulating GIF format image files  
Description :  
The giflib package contains a shared library of functions for loading and  
saving GIF format image files. It is API and ABI compatible with  
libungif,  
the library which supported uncompressed GIFs while the Unisys LZW patent  
was in effect.

Name : gtkspell3  
Version : 3.0.3  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:48 AM EST  
Group : Unspecified  
Size : 108964  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:50:36 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gtkspell3-3.0.3-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:11:37 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gtkspell.sourceforge.net/>  
Summary : On-the-fly spell checking for GtkTextView widgets  
Description :  
GtkSpell provides word-processor-style highlighting and replacement of  
misspelled words in a GtkTextView widget as you type. Right-clicking a  
misspelled word pops up a menu of suggested replacements.

Name : javapackages-tools  
Version : 3.4.1  
Release : 11.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:23 AM EST  
Group : Unspecified  
Size : 160151  
License : BSD  
Signature : RSA/SHA256, Wed 25 Nov 2015 09:46:23 AM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : javapackages-tools-3.4.1-11.el7.src.rpm  
Build Date : Fri 20 Nov 2015 03:03:06 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/javapackages/>  
Summary : Macros and scripts for Java packaging support  
Description :  
This package provides macros and scripts to support Java packaging.

Name : cyrus-sasl-plain  
Version : 2.1.26  
Release : 21.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:10 AM EST  
Group : System Environment/Libraries  
Size : 39992  
License : BSD with advertising  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:32:35 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : cyrus-sasl-2.1.26-21.el7.src.rpm  
Build Date : Wed 02 Aug 2017 03:14:38 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://asg.web.cmu.edu/sasl/sasl-library.html>  
Summary : PLAIN and LOGIN authentication support for Cyrus SASL  
Description :  
The cyrus-sasl-plain package contains the Cyrus SASL plugins which support  
PLAIN and LOGIN authentication schemes.

Name : cronie  
Version : 1.4.11  
Release : 17.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:47 AM EST  
Group : System Environment/Base  
Size : 220388  
License : MIT and BSD and ISC and GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:27:51 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : cronie-1.4.11-17.el7.src.rpm  
Build Date : Thu 03 Aug 2017 11:33:54 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/cronie>  
Summary : Cron daemon for executing programs at set times  
Description :  
Cronie contains the standard UNIX daemon crond that runs specified  
programs at  
scheduled times and related tools. It is a fork of the original vixie-  
cron and

has security and configuration enhancements like the ability to use pam and SELinux.

Name : libassuan  
Version : 2.1.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:28 AM EST  
Group : System Environment/Libraries  
Size : 155391  
License : LGPLv2+ and GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:35:59 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libassuan-2.1.0-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:14:00 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnupg.org/>  
Summary : GnuPG IPC library  
Description :  
This is the IPC library used by GnuPG 2, GPGME and a few other packages.

Name : gnome-dictionary-libs  
Version : 3.20.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:51 AM EST  
Group : Applications/Text  
Size : 2593216  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:17:00 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-dictionary-3.20.0-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 11:31:51 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Apps/Dictionary>  
Summary : Library for dictionary support  
Description :  
This package contains the libgdict library.

Name : pyxattr  
Version : 0.5.1  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:24 AM EST  
Group : Development/Libraries  
Size : 63304

License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:43:07 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : pyxattr-0.5.1-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:24:57 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://pyxattr.sourceforge.net/>  
Summary : Extended attributes library wrapper for Python  
Description :  
Python extension module wrapper for libattr. It allows to query, list,  
add and remove extended attributes from files and directories.

Name : telnet  
Epoch : 1  
Version : 0.17  
Release : 64.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:11 AM EST  
Group : Applications/Internet  
Size : 115888  
License : BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:04:43 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : telnet-0.17-64.el7.src.rpm  
Build Date : Thu 03 Aug 2017 04:00:38 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<http://web.archive.org/web/20070819111735/www.hcs.harvard.edu/~dholland/computers/old-netkit.html>  
Summary : The client program for the Telnet remote login protocol  
Description :  
Telnet is a popular protocol for logging into remote systems over the  
Internet. The package provides a command line Telnet client

Name : dhcp-common  
Epoch : 12  
Version : 4.2.5  
Release : 58.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:48 AM EST  
Group : System Environment/Base  
Size : 245529  
License : ISC  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:36:34 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : dhcp-4.2.5-58.el7.centos.src.rpm  
Build Date : Fri 04 Aug 2017 02:07:15 AM EDT  
Build Host : clbm.rdu2.centos.org

Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://isc.org/products/DHCP/>  
Summary : Common files used by ISC dhcp client and server  
Description :  
DHCP (Dynamic Host Configuration Protocol) is a protocol which allows individual devices on an IP network to get their own network configuration information (IP address, subnetmask, broadcast address, etc.) from a DHCP server. The overall purpose of DHCP is to make it easier to administer a large network.

This package provides common files used by dhcp and dhclient package.

Name : libcdio  
Version : 0.92  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:30 AM EST  
Group : System Environment/Libraries  
Size : 596737  
License : GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:38:38 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libcdio-0.92-1.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:42:09 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/libcdio/>  
Summary : CD-ROM input and control library  
Description :  
This library provides an interface for CD-ROM access. It can be used by applications that need OS- and device-independent access to CD-ROM devices.

Name : alsa-firmware  
Version : 1.0.28  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:54:53 AM EST  
Group : Applications/Multimedia  
Size : 9572469  
License : GPL+ and BSD and GPLv2+ and GPLv2 and LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:36:28 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : alsa-firmware-1.0.28-2.el7.src.rpm  
Build Date : Thu 05 Mar 2015 04:58:35 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.alsa-project.org/>

Summary : Firmware for several ALSA-supported sound cards  
Description :  
This package contains the firmware binaries for a number of sound cards.  
Some (but not all of these) require firmware loaders which are included  
in  
the alsa-tools-firmware package.

Name : python-backports-ssl\_match\_host  
Name  
Version : 3.4.0.2  
Release : 4.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:24 AM EST  
Group : Unspecified  
Size : 14193  
License : Python  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:38:12 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : python-backports-ssl\_match\_host  
Name-3.4.0.2-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:59:11 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [https://bitbucket.org/brandon/backports.ssl\\_match\\_host](https://bitbucket.org/brandon/backports.ssl_match_host)

Name  
Summary : The ssl.match\_host  
Name() function from Python 3  
Description :  
The Secure Sockets layer is only actually secure if you check the host  
Name in  
the certificate returned by the server to which you are connecting, and  
verify  
that it matches to host  
Name that you are trying to reach.

But the matching logic, defined in RFC2818, can be a bit tricky to  
implement on  
your own. So the ssl package in the Standard Library of Python 3.2 now  
includes  
a match\_host  
Name() function for performing this check instead of requiring  
every application to implement the check separately.

This backport brings match\_host  
Name() to users of earlier versions of Python.  
The actual code inside comes verbatim from Python 3.2.

Name : compat-libgfortran-41  
Version : 4.1.2  
Release : 44.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:13 AM EST

Group : System Environment/Libraries  
Size : 959528  
License : GPLv2+ with exceptions  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:00:46 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : compat-libgfortran-41-4.1.2-44.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:20:36 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gcc.gnu.org>  
Summary : Compatibility Fortran 95 runtime library version 4.1.2  
Description :  
This package includes a Fortran 95 runtime library for compatibility  
with GCC 4.1.x-RH compiled Fortran applications.

Name : kbd  
Version : 1.15.5  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:49 AM EST  
Group : System Environment/Base  
Size : 1380661  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:56:40 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : kbd-1.15.5-13.el7.src.rpm  
Build Date : Wed 02 Aug 2017 09:09:13 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://ftp.altlinux.org/pub/people/legion/kbd>  
Summary : Tools for configuring the console (keyboard, virtual  
terminals, etc.)  
Description :  
The kbd package contains tools for managing a Linux  
system's console's behavior, including the keyboard, the screen  
fonts, the virtual terminals and font files.

Name : dosfstools  
Version : 3.0.20  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:33 AM EST  
Group : Applications/System  
Size : 248432  
License : GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:09:32 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : dosfstools-3.0.20-9.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:53:49 AM EDT  
Build Host : worker1.bsys.centos.org



Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.daniel-baumann.ch/software/dosfstools/>  
Summary : Utilities for making and checking MS-DOS FAT filesystems on Linux  
Description :  
The dosfstools package includes the mkdosfs and dosfsck utilities, which respectively make and check MS-DOS FAT filesystems on hard drives or on floppies.

Name : device-mapper-multipath-libs  
Version : 0.4.9  
Release : 111.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:54 AM EST  
Group : System Environment/Libraries  
Size : 628313  
License : GPL+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:35:47 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : device-mapper-multipath-0.4.9-111.el7.src.rpm  
Build Date : Fri 04 Aug 2017 01:53:23 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://christophe.varoqui.free.fr/>  
Summary : The device-mapper-multipath modules and shared library  
Description :  
The device-mapper-multipath-libs provides the path checker and prioritizer modules. It also contains the libmpathpersist and libmpathcmd shared libraries, as well as multipath's internal library, libmultipath.

Name : bind-libs  
Epoch : 32  
Version : 9.9.4  
Release : 50.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:25 AM EST  
Group : Applications/System  
Size : 2703232  
License : ISC  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:04:39 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : bind-9.9.4-50.el7.src.rpm  
Build Date : Fri 04 Aug 2017 04:13:28 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.isc.org/products/BIND/>  
Summary : Libraries used by the BIND DNS packages

Description :

Contains heavyweight version of BIND suite libraries used by both  
Named DNS  
server and utilities in bind-utils package.

Name : paktype-naskh-basic-fonts  
Version : 4.1  
Release : 3.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:16 AM EST  
Group : User Interface/X  
Size : 629053  
License : GPLv2 with exceptions  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:11:15 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : paktype-naskh-basic-fonts-4.1-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:04:05 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://sourceforge.net/projects/paktype/>  
Summary : Fonts for Arabic, Farsi, Urdu and Sindhi from PakType  
Description :  
The paktype-naskh-basic-fonts package contains fonts for the display of \  
Arabic, Farsi, Urdu and Sindhi from PakType by Lateef Sagar.

Name : pygtk2  
Version : 2.24.0  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:50 AM EST  
Group : Development/Languages  
Size : 4087343  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:36:32 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : pygtk2-2.24.0-9.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:46:15 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.pygtk.org/>  
Summary : Python bindings for GTK+  
Description :  
PyGTK is an extension module for Python that gives you access to the GTK+  
widget set. Just about anything you can write in C with GTK+ you can  
write  
in Python with PyGTK (within reason), but with all the benefits of using  
a  
high-level scripting language.

Name : ethtool

Epoch : 2  
Version : 4.8  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:35 AM EST  
Group : Applications/System  
Size : 349468  
License : GPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:44:37 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ethtool-4.8-1.el7.src.rpm  
Build Date : Thu 03 Aug 2017 02:14:25 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://ftp.kernel.org/pub/software/network/ethtool/>  
Summary : Settings tool for Ethernet NICs  
Description :  
This utility allows querying and changing settings such as speed, port, auto-negotiation, PCI locations and checksum offload on many network devices, especially of Ethernet devices.

Name : libmbim-utils  
Version : 1.14.0  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:56 AM EST  
Group : Unspecified  
Size : 97357  
License : GPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 01:48:21 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : libmbim-1.14.0-2.el7.src.rpm  
Build Date : Sat 05 Nov 2016 07:20:31 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://freedesktop.org/software/libmbim>  
Summary : Utilities to use the MBIM protocol from the command line  
Description :  
This package contains the utilities that make it easier to use MBIM functionality from the command line.

Name : perl-XML-Simple  
Version : 2.20  
Release : 5.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:26 AM EST  
Group : Development/Libraries  
Size : 160004  
License : GPL+ or Artistic

Signature : RSA/SHA256, Fri 04 Jul 2014 12:26:34 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-XML-Simple-2.20-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:37:32 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/XML-Simple/>  
Summary : Easy API to maintain XML in Perl  
Description :  
The XML::Simple module provides a simple API layer on top of an  
underlying XML parsing module (either XML::Parser or one of the SAX2  
parser modules).

Name : lklug-fonts  
Version : 0.6  
Release : 10.20090803cvs.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:28 AM EST  
Group : User Interface/X  
Size : 329427  
License : GPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:33:58 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : lklug-fonts-0.6-10.20090803cvs.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:03:38 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sinhala.sourceforge.net/>  
Summary : Fonts for Sinhala language  
Description :  
The lklug-fonts package contains fonts for the display of  
Sinhala. The original font for TeX/LaTeX is developed by Yannis  
Haralambous and are in GPL. OTF tables are added by Anuradha  
Ratnaweera and Harshani Devadithya.

Name : glusterfs  
Version : 3.8.4  
Release : 18.4.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:54 AM EST  
Group : System Environment/Base  
Size : 1881510  
License : GPLv2 or LGPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:13:43 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : glusterfs-3.8.4-18.4.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 01:55:29 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://www.gluster.org/docs/index.php/GlusterFS>  
Summary : Distributed File System  
Description :  
GlusterFS is a distributed file-system capable of scaling to several petabytes. It aggregates various storage bricks over Infiniband RDMA or TCP/IP interconnect into one large parallel network file system. GlusterFS is one of the most sophisticated file systems in terms of features and extensibility. It borrows a powerful concept called Translators from GNU Hurd kernel. Much of the code in GlusterFS is in user space and easily manageable.

This package includes the glusterfs binary, the glusterfsd daemon and the libglusterfs and glusterfs translator modules common to both GlusterFS server and client framework.

Name : libxkbcommon-x11  
Version : 0.7.1  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:36 AM EST  
Group : Unspecified  
Size : 32696  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:11:57 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libxkbcommon-0.7.1-1.el7.src.rpm  
Build Date : Tue 01 Aug 2017 09:34:03 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 XKB keymap creation library  
Description :  
libxkbcommon-x11 is the X.Org library for creating keymaps by querying the X server.

Name : abrt-dbus  
Version : 2.1.11  
Release : 48.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:59 AM EST  
Group : Applications/System  
Size : 132117  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 10:53:44 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : abrt-2.1.11-48.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 10:17:54 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : ABRT DBus service  
Description :  
ABRT DBus service which provides org.freedesktop.problems API on dbus and uses PolicyKit to authorize to access the problem data.

Name : nmap-ncat  
Epoch : 2  
Version : 6.40  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:28 AM EST  
Group : Applications/System  
Size : 423842  
License : GPLv2 and LGPLv2+ and GPLv2+ and BSD  
Signature : RSA/SHA256, Wed 25 Nov 2015 10:21:01 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : nmap-6.40-7.el7.src.rpm  
Build Date : Fri 20 Nov 2015 02:19:00 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://nmap.org/>  
Summary : Nmap's Netcat replacement  
Description :  
Ncat is a feature packed networking utility which will read and write data across a network from the command line. It uses both TCP and UDP for communication and is designed to be a reliable back-end tool to instantly provide network connectivity to other applications and users. Ncat will not only work with IPv4 and IPv6 but provides the user with a virtually limitless number of potential uses.

Name : open-sans-fonts  
Version : 1.10  
Release : 1.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:41 AM EST  
Group : Unspecified  
Size : 2185729  
License : ASL 2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:24:01 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : open-sans-fonts-1.10-1.el7.src.rpm  
Build Date : Wed 11 Mar 2015 11:10:05 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.google.com/fonts/specimen/Open+Sans>

Summary : Open Sans is a humanist sans-serif typeface designed by Steve Matteson  
Description :  
Open Sans is a humanist sans serif typeface designed by Steve Matteson, Type Director of Ascender Corp. This version contains the complete 897 character set, which includes the standard ISO Latin 1, Latin CE, Greek and Cyrillic character sets. Open Sans was designed with an upright stress, open forms and a neutral, yet friendly appearance. It was optimized for print, web, and mobile interfaces, and has excellent legibility characteristics in its letter forms.

Name : mdadm  
Version : 4.0  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:55 AM EST  
Group : System Environment/Base  
Size : 1044798  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:20:11 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : mdadm-4.0-5.el7.src.rpm  
Build Date : Fri 04 Aug 2017 05:44:20 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.kernel.org/pub/linux/utils/raid/mdadm/>  
Summary : The mdadm program controls Linux md devices (software RAID arrays)  
Description :  
The mdadm program is used to create, manage, and monitor Linux MD (software RAID) devices. As such, it provides similar functionality to the raidtools package. However, mdadm is a single program, and it can perform almost all functions without a configuration file, though a configuration file can be used to help with some common tasks.

Name : abrt-addon-xorg  
Version : 2.1.11  
Release : 48.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:59 AM EST  
Group : System Environment/Libraries  
Size : 17634  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 10:53:20 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : abrt-2.1.11-48.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 10:17:54 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : abrt's Xorg addon  
Description :  
This package contains plugin for collecting Xorg crash information from Xorg log.

Name : libdvdnav  
Version : 5.0.3  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:38 AM EST  
Group : System Environment/Libraries  
Size : 96407  
License : GPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 01:38:23 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : libdvdnav-5.0.3-1.el7.src.rpm  
Build Date : Sat 05 Nov 2016 02:11:29 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : A library for reading DVD video discs based on Ogle code  
Description :  
libdvdnav provides a simple library for reading DVD video discs.  
The code is based on Ogle and used in, among others, the Xine dvdnav plug-in.

Name : nss  
Version : 3.28.4  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:41 AM EST  
Group : System Environment/Libraries  
Size : 2501956  
License : MPLv2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:33:08 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : nss-3.28.4-8.el7.src.rpm  
Build Date : Sun 06 Aug 2017 08:16:24 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mozilla.org/projects/security/pki/nss/>  
Summary : Network Security Services  
Description :



Network Security Services (NSS) is a set of libraries designed to support cross-platform development of security-enabled client and server applications. Applications built with NSS can support SSL v2 and v3, TLS, PKCS #5, PKCS #7, PKCS #11, PKCS #12, S/MIME, X.509 v3 certificates, and other security standards.

Name : xkeyboard-config  
Version : 2.20  
Release : 1.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:34 AM EST  
Group : User Interface/X  
Size : 5641002  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:21:41 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xkeyboard-config-2.20-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 01:12:48 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/XKeyboardConfig>  
Summary : X Keyboard Extension configuration data  
Description :  
This package contains configuration data used by the X Keyboard Extension (XKB), which allows selection of keyboard layouts when using a graphical interface.

Name : nhn-nanum-gothic-fonts  
Version : 3.020  
Release : 9.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:51 AM EST  
Group : User Interface/X  
Size : 12803865  
License : OFL  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:57:21 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : nhn-nanum-fonts-3.020-9.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:48:21 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://hangeul.naver.com/share.nhn>  
Summary : Nanum fonts Gothic font faces  
Description :

Nanum fonts are collection of commonly-used Myeongjo and Gothic Korean font families, designed by Sandoll Communication and Fontrix. The publisher is NHN Corporation.

This package consists of the Nanum fonts Gothic font faces.

Name : authconfig  
Version : 6.2.8  
Release : 30.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:57 AM EST  
Group : System Environment/Base  
Size : 2316601  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:00:45 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : authconfig-6.2.8-30.el7.src.rpm  
Build Date : Fri 04 Aug 2017 05:05:38 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/authconfig>  
Summary : Command line tool for setting up authentication from network services  
Description :  
Authconfig is a command line utility which can configure a workstation to use shadow (more secure) passwords. Authconfig can also configure a system to be a client for certain networked user information and authentication schemes.

Name : perl-parent  
Epoch : 1  
Version : 0.225  
Release : 244.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:39 AM EST  
Group : Development/Libraries  
Size : 8141  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:21:55 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-parent-0.225-244.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:15:20 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/parent/>  
Summary : Establish an ISA relationship with base classes at compile time  
Description :  
Allows you to both load one or more modules, while setting up inheritance from those modules at the same time. Mostly similar in effect to:

```
package Baz;
```

```
BEGIN {  
    require Foo;
```

```
        require Bar;

        push @ISA, qw(Foo Bar);
    }
```

```
Name       : rpm-libs
Version    : 4.11.3
Release    : 25.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:52:43 AM EST
Group      : Development/Libraries
Size       : 607176
License    : GPLv2+ and LGPLv2+ with exceptions
Signature  : RSA/SHA256, Thu 10 Aug 2017 03:42:16 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : rpm-4.11.3-25.el7.src.rpm
Build Date : Wed 02 Aug 2017 11:48:19 PM EDT
Build Host  : clbm.rdu2.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://www.rpm.org/
Summary     : Libraries for manipulating RPM packages
Description :
This package contains the RPM shared libraries.
```

```
Name       : basesystem
Version    : 10.0
Release    : 7.el7.centos
Architecture: noarch
Install Date: Mon 03 Dec 2018 08:50:35 AM EST
Group      : System Environment/Base
Size       : 0
License    : Public Domain
Signature  : RSA/SHA256, Thu 03 Jul 2014 08:46:57 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : basesystem-10.0-7.el7.centos.src.rpm
Build Date : Fri 27 Jun 2014 06:37:10 AM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
Summary     : The skeleton package which defines a simple CentOS Linux
system
Description :
Basesystem defines the components of a basic CentOS Linux
system (for example, the package installation order to use during
bootstrapping). Basesystem should be in every installation of a system,
and it should never be removed.
```

```
Name       : sil-nuosu-fonts
Version    : 2.1.1
Release    : 5.el7
Architecture: noarch
```

Install Date: Mon 03 Dec 2018 08:57:02 AM EST  
Group : User Interface/X  
Size : 524316  
License : OFL  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:00:01 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sil-nuosu-fonts-2.1.1-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:36:10 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://scripts.sil.org/SILYi\\_home](http://scripts.sil.org/SILYi_home)  
Summary : The Nuosu SIL Font  
Description :  
The Nuosu SIL Font is a single Unicode font for the standardized Yi script used by a large ethnic group in southwestern China. Until this version, the font was called SIL Yi.

Name : libreport-cli  
Version : 2.1.11  
Release : 38.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:58 AM EST  
Group : User Interface/Desktops  
Size : 29814  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:47:17 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libreport-2.1.11-38.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 07:43:26 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : libreport's command line interface  
Description :  
This package contains simple command line tool for working with problem dump reports

Name : libfprint  
Version : 0.5.0  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:01 AM EST  
Group : System Environment/Libraries  
Size : 412788  
License : LGPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 01:39:45 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : libfprint-0.5.0-4.el7.src.rpm  
Build Date : Sat 05 Nov 2016 12:40:56 PM EDT

Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/fprint/libfprint>  
Summary : Toolkit for fingerprint scanner  
Description :  
libfprint offers support for consumer fingerprint reader devices.

Name : perl-libs  
Epoch : 4  
Version : 5.16.3  
Release : 292.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:40 AM EST  
Group : Development/Languages  
Size : 1647272  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:06:57 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-5.16.3-292.el7.src.rpm  
Build Date : Wed 02 Aug 2017 01:49:04 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.perl.org/>  
Summary : The libraries for the perl runtime  
Description :  
The libraries for the perl runtime

Name : mailx  
Version : 12.5  
Release : 16.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:45 AM EST  
Group : Applications/Internet  
Size : 477293  
License : BSD with advertising and MPLv1.1  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:17:28 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : mailx-12.5-16.el7.src.rpm  
Build Date : Thu 03 Aug 2017 01:39:16 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://heirloom.sourceforge.net/mailx.html>  
Summary : Enhanced implementation of the mailx command  
Description :  
Mailx is an enhanced mail command, which provides the functionality  
of the POSIX mailx command, as well as SysV mail and Berkeley Mail  
(from which it is derived).

Additionally to the POSIX features, mailx can work with Maildir/ e-mail storage format (as well as mailboxes), supports IMAP, POP3 and SMTP protocols (including over SSL) to operate with remote hosts, handles mime types and different charsets. There are a lot of other useful features, see mailx(1).

And as its ancient analogues, mailx can be used as a mail script language, both for sending and receiving mail.

Besides the "mailx" command, this package provides "mail" and "Mail" (which should be compatible with its predecessors from the mailx-8.x source), as well as "nail" (the initial Name of this project).

Name : bind-license  
Epoch : 32  
Version : 9.9.4  
Release : 50.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:36 AM EST  
Group : Applications/System  
Size : 26831  
License : ISC  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:04:52 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : bind-9.9.4-50.el7.src.rpm  
Build Date : Fri 04 Aug 2017 04:13:28 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.isc.org/products/BIND/>  
Summary : License of the BIND DNS suite  
Description :  
Contains license of the BIND DNS suite.

Name : iwl7260-firmware  
Version : 22.0.7.0  
Release : 56.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:57:14 AM EST  
Group : System Environment/Kernel  
Size : 6493877  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:49:48 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20170606-56.gitc990aae.el7.src.rpm  
Build Date : Sat 05 Aug 2017 02:03:09 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel(R) Dual Band Wireless-AC 7260 Series  
Adapters  
Description :  
This package contains the firmware required by the iwlagn driver for Linux. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : openssh-clients  
Version : 7.4p1  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:00 AM EST  
Group : Applications/Internet  
Size : 2647536  
License : BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:40:47 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : openssh-7.4p1-11.el7.src.rpm  
Build Date : Sun 06 Aug 2017 10:28:30 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.openssh.com/portable.html>  
Summary : An open source SSH client applications  
Description :  
OpenSSH is a free version of SSH (Secure SHell), a program for logging into and executing commands on a remote machine. This package includes the clients necessary to make encrypted connections to SSH servers.

Name : liberation-sans-fonts  
Epoch : 1  
Version : 1.07.2  
Release : 15.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:55:02 AM EST  
Group : User Interface/X  
Size : 575460  
License : Liberation  
Signature : RSA/SHA256, Mon 27 Jul 2015 07:04:45 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : liberation-fonts-1.07.2-15.el7.src.rpm  
Build Date : Mon 27 Jul 2015 06:58:27 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/liberation-fonts/>  
Summary : Sans-serif fonts to replace commonly used Microsoft Arial  
Description :

The Liberation Fonts are intended to be replacements for the three most

commonly used fonts on Microsoft systems: Times New Roman, Arial, and Courier New.

This is Sans-serif TrueType fonts that replaced commonly used Microsoft Arial.

```
Name       : perl-Time-HiRes
Epoch     : 4
Version    : 1.9725
Release    : 3.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:51:41 AM EST
Group      : Development/Libraries
Size       : 94069
License    : GPL+ or Artistic
Signature  : RSA/SHA256, Fri 04 Jul 2014 12:25:35 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-Time-HiRes-1.9725-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:57:24 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://search.cpan.org/dist/Time-HiRes/
Summary    : High resolution alarm, sleep, gettimeofday, interval timers
Description :
The Time::HiRes module implements a Perl interface to the usleep,
nanosleep,
ualarm, gettimeofday, and setitimer/getitimer system calls, in other
words,
high resolution time and timers.
```

```
Name       : python-nss
Version    : 0.16.0
Release    : 3.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:52:45 AM EST
Group      : Development/Languages
Size       : 924791
License    : MPLv2.0 or GPLv2+ or LGPLv2+
Signature  : RSA/SHA256, Wed 25 Nov 2015 10:33:59 AM EST, Key ID
24c6a8a7f4a80eb5
Source RPM : python-nss-0.16.0-3.el7.src.rpm
Build Date : Thu 19 Nov 2015 10:21:23 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : ftp://ftp.mozilla.org/pub/mozilla.org/security/python-nss
Summary    : Python bindings for Network Security Services (NSS)
Description :
This package provides Python bindings for Network Security Services
(NSS) and the Netscape Portable Runtime (NSPR).
```



NSS is a set of libraries supporting security-enabled client and server applications. Applications built with NSS can support SSL v2 and v3, TLS, PKCS #5, PKCS #7, PKCS #11, PKCS #12, S/MIME, X.509 v3 certificates, and other security standards. Specific NSS implementations have been FIPS-140 certified.

Name : seabios-bin  
Version : 1.10.2  
Release : 3.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:37 AM EST  
Group : Applications/Emulators  
Size : 393216  
License : LGPLv3  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:51:13 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : seabios-1.10.2-3.el7.src.rpm  
Build Date : Fri 04 Aug 2017 01:09:20 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.coreboot.org/SeaBIOS>  
Summary : Seabios for x86  
Description :  
SeaBIOS is an open-source legacy BIOS implementation which can be used as a coreboot payload. It implements the standard BIOS calling interfaces that a typical x86 proprietary BIOS implements.

Name : iwl3160-firmware  
Version : 22.0.7.0  
Release : 56.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:57:15 AM EST  
Group : System Environment/Kernel  
Size : 9381897  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:49:10 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20170606-56.gitc990aae.el7.src.rpm  
Build Date : Sat 05 Aug 2017 02:03:09 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel(R) Dual Band Wireless-AC 3160 Series Adapters  
Description :  
This package contains the firmware required by the iwlagn driver for Linux to support the iwl3160 hardware. Usage of the firmware is subject to the terms and conditions contained inside the provided

LICENSE file. Please read it carefully.

Name : libreport-anaconda  
Version : 2.1.11  
Release : 38.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:01 AM EST  
Group : Applications/File  
Size : 20754  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:47:02 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libreport-2.1.11-38.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 07:43:26 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : Default configuration for reporting anaconda bugs  
Description :  
Default configuration for reporting Anaconda problems or uploading the  
gathered  
data over ftp/scp...

Name : control-center  
Epoch : 1  
Version : 3.22.2  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:06 AM EST  
Group : Unspecified  
Size : 18858784  
License : GPLv2+ and GFDL  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:25:17 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : control-center-3.22.2-5.el7.src.rpm  
Build Date : Tue 08 Aug 2017 06:03:54 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org>  
Summary : Utilities to configure the GNOME desktop  
Description :  
This package contains configuration utilities for the GNOME desktop,  
which  
allow to configure accessibility options, desktop fonts, keyboard and  
mouse  
properties, sound setup, desktop theme and background, user interface  
properties, screen resolution, and other settings.

Name : perl-Pod-Simple  
Epoch : 1

Version : 3.28  
Release : 4.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:42 AM EST  
Group : Development/Libraries  
Size : 538320  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:22:44 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Pod-Simple-3.28-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:00:13 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Pod-Simple/>  
Summary : Framework for parsing POD documentation  
Description :  
Pod::Simple is a Perl library for parsing text in the Pod ("plain old  
documentation") markup language that is typically used for writing  
documentation for Perl and for Perl modules.

Name : dyninst  
Version : 9.3.1  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:47 AM EST  
Group : Development/Libraries  
Size : 13047128  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:40:34 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : dyninst-9.3.1-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 09:59:05 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.dyninst.org>  
Summary : An API for Run-time Code Generation  
Description :

Dyninst is an Application Program Interface (API) to permit the insertion  
of  
code into a running program. The API also permits changing or removing  
subroutine calls from the application program. Run-time code changes are  
useful to support a variety of applications including debugging,  
performance  
monitoring, and to support composing applications out of existing  
packages.  
The goal of this API is to provide a machine independent interface to  
permit  
the creation of tools and applications that use run-time code patching.

Name : adwaita-cursor-theme  
Version : 3.22.0  
Release : 1.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:40 AM EST  
Group : Unspecified  
Size : 12033505  
License : LGPLv3+ or CC-BY-SA  
Signature : RSA/SHA256, Thu 10 Aug 2017 10:55:47 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : adwaita-icon-theme-3.22.0-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 08:02:07 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org>  
Summary : Adwaita cursor theme  
Description :  
The adwaita-cursor-theme package contains a modern set of cursors originally designed for the GNOME desktop.

Name : iwl100-firmware  
Version : 39.31.5.1  
Release : 56.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:57:19 AM EST  
Group : System Environment/Kernel  
Size : 447729  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:48:49 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20170606-56.gitc990aae.el7.src.rpm  
Build Date : Sat 05 Aug 2017 02:03:09 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel(R) Wireless WiFi Link 100 Series Adapters  
Description :  
This package contains the firmware required by the iwlagn driver for Linux to support the iwl100 hardware. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : lvm2-libs  
Epoch : 7  
Version : 2.02.171  
Release : 8.el7  
Architecture: x86\_64

Install Date: Mon 03 Dec 2018 08:54:02 AM EST  
Group : System Environment/Libraries  
Size : 3636684  
License : LGPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:16:44 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : lvm2-2.02.171-8.el7.src.rpm  
Build Date : Sat 05 Aug 2017 11:10:51 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sources.redhat.com/lvm2>  
Summary : Shared libraries for lvm2  
Description :  
This package contains shared lvm2 libraries for applications.

Name : gnome-shell-extension-window-list  
Version : 3.22.2  
Release : 10.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:55:08 AM EST  
Group : User Interface/Desktops  
Size : 58217  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:22:16 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnome-shell-extensions-3.22.2-10.el7.src.rpm  
Build Date : Mon 07 Aug 2017 10:13:52 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://wiki.gnome.org/Projects/GnomeShell/Extensions>  
Summary : Display a window list at the bottom of the screen in GNOME  
Shell  
Description :  
This GNOME Shell extension displays a window list at the bottom of the  
screen.

Name : perl-XML-SAX-Base  
Version : 1.08  
Release : 7.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:44 AM EST  
Group : Development/Libraries  
Size : 180558  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:26:31 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-XML-SAX-Base-1.08-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:22:45 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/XML-SAX-Base/>  
Summary : Base class SAX drivers and filters  
Description :  
This module has a very simple task - to be a base class for Perl SAX  
drivers  
and filters. It's default behaviour is to pass the input directly to the  
output unchanged. It can be useful to use this module as a base class so  
you don't have to, for example, implement the characters() callback.

Name : hardlink  
Epoch : 1  
Version : 1.0  
Release : 19.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:49 AM EST  
Group : System Environment/Base  
Size : 16545  
License : GPL+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:53:40 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : hardlink-1.0-19.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:26:04 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://pkgs.fedoraproject.org/gitweb/?p=hardlink.git>  
Summary : Create a tree of hardlinks  
Description :  
hardlink is used to create a tree of hard links.  
It's used by kernel installation to dramatically reduce the  
amount of disk space used by each kernel package installed.

Name : kbd-misc  
Version : 1.15.5  
Release : 13.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:50:47 AM EST  
Group : System Environment/Base  
Size : 2397086  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:56:49 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : kbd-1.15.5-13.el7.src.rpm  
Build Date : Wed 02 Aug 2017 09:09:13 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://ftp.altlinux.org/pub/people/legion/kbd>  
Summary : Data for kbd package  
Description :

The kbd-misc package contains data for kbd package - console fonts, keymaps etc. Please note that kbd-misc is not helpful without kbd.

Name : libxcb  
Version : 1.12  
Release : 1.el7  
Architecture: i686  
Install Date: Mon 03 Dec 2018 08:57:21 AM EST  
Group : Unspecified  
Size : 994012  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:09:26 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libxcb-1.12-1.el7.src.rpm  
Build Date : Tue 01 Aug 2017 11:33:34 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://xcb.freedesktop.org/>  
Summary : A C binding to the X11 protocol  
Description :  
The X protocol C-language Binding (XCB) is a replacement for Xlib featuring a small footprint, latency hiding, direct access to the protocol, improved threading support, and extensibility.

Name : dracut-network  
Version : 033  
Release : 535.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:03 AM EST  
Group : System Environment/Base  
Size : 147466  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Wed 25 Apr 2018 06:57:45 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : dracut-033-535.el7.src.rpm  
Build Date : Wed 11 Apr 2018 03:30:20 AM EDT  
Build Host : x86-01.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://dracut.wiki.kernel.org/>  
Summary : dracut modules to build a dracut initramfs with network support  
Description :  
This package requires everything which is needed to build a generic all purpose initramfs with network support with dracut.

Name : abrt-desktop  
Version : 2.1.11  
Release : 48.el7.centos  
Architecture: x86\_64

Install Date: Mon 03 Dec 2018 08:55:09 AM EST  
Group : User Interface/Desktops  
Size : 0  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 10:53:52 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : abrt-2.1.11-48.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 10:17:54 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : Virtual package to make easy default installation on  
desktop environments  
Description :  
Virtual package to install all necessary packages for usage from desktop  
environment.

Name : perl-Compress-Raw-Bzip2  
Version : 2.061  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:45 AM EST  
Group : Development/Libraries  
Size : 57986  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:15:32 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Compress-Raw-Bzip2-2.061-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:51:47 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Compress-Raw-Bzip2/>  
Summary : Low-level interface to bzip2 compression library  
Description :  
This module provides a Perl interface to the bzip2 compression library.  
It is used by IO::Compress::Bzip2.

Name : yum  
Version : 3.4.3  
Release : 154.el7.centos  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:50 AM EST  
Group : System Environment/Base  
Size : 5803844  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:27:53 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : yum-3.4.3-154.el7.centos.src.rpm  
Build Date : Sat 05 Aug 2017 03:13:08 PM EDT  
Build Host : clbm.rdu2.centos.org



Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://yum.baseurl.org/>  
Summary : RPM package installer/updater/manager  
Description :  
Yum is a utility that can check for and automatically download and install updated RPM packages. Dependencies are obtained and downloaded automatically, prompting the user for permission as necessary.

Name : zlib  
Version : 1.2.7  
Release : 17.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:54 AM EST  
Group : System Environment/Libraries  
Size : 185710  
License : zlib and Boost  
Signature : RSA/SHA256, Sun 20 Nov 2016 04:05:07 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : zlib-1.2.7-17.el7.src.rpm  
Build Date : Sat 05 Nov 2016 02:09:15 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.zlib.net/>  
Summary : The compression and decompression library  
Description :  
Zlib is a general-purpose, patent-free, lossless data compression library which is used by many different programs.

Name : xerces-c  
Version : 3.1.1  
Release : 8.el7\_2  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 09:14:12 AM EST  
Group : System Environment/Libraries  
Size : 3864702  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 10 Mar 2016 11:55:51 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : xerces-c-3.1.1-8.el7\_2.src.rpm  
Build Date : Thu 10 Mar 2016 11:50:27 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://xml.apache.org/xerces-c/>  
Summary : Validating XML Parser  
Description :  
Xerces-C is a validating XML parser written in a portable subset of C++. Xerces-C makes it easy to give your application the ability to read and write XML data. A shared library is provided for

parsing, generating, manipulating, and validating XML documents. Xerces-C is faithful to the XML 1.0 recommendation and associated standards: XML 1.0 (Third Edition), XML 1.1 (First Edition), DOM Level 1, 2, 3 Core, DOM Level 2.0 Traversal and Range, DOM Level 3.0 Load and Save, SAX 1.0 and SAX 2.0, Namespaces in XML,

Namespaces in XML 1.1, XML Schema, XML Inclusions).

Name : numad  
Version : 0.5  
Release : 17.20150602git.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:04 AM EST  
Group : System Environment/Daemons  
Size : 57145  
License : LGPLv2  
Signature : RSA/SHA256, Sun 20 Nov 2016 02:40:28 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : numad-0.5-17.20150602git.el7.src.rpm  
Build Date : Mon 07 Nov 2016 04:30:51 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.fedorahosted.org/git/?p=numad.git>  
Summary : NUMA user daemon  
Description :  
Numad, a daemon for NUMA (Non-Uniform Memory Architecture) systems, that monitors NUMA characteristics and manages placement of processes and memory to minimize memory latency and thus provide optimum performance.

Name : gvfs-smb  
Version : 1.30.4  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:10 AM EST  
Group : Unspecified  
Size : 117595  
License : GPLv3 and LGPLv2+ and BSD and MPLv2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:37:49 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gvfs-1.30.4-3.el7.src.rpm  
Build Date : Wed 09 Aug 2017 02:39:06 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/gvfs>  
Summary : Windows fileshare support for gvfs  
Description :  
This package provides support for reading and writing files on windows shares (SMB) to applications using gvfs.

Name : perl-IO-Socket-IP  
Version : 0.21  
Release : 4.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:45 AM EST  
Group : Development/Libraries  
Size : 85785  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:29 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-IO-Socket-IP-0.21-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:34:21 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/IO-Socket-IP/>  
Summary : Drop-in replacement for IO::Socket::INET supporting both  
IPv4 and IPv6  
Description :  
This module provides a protocol-independent way to use IPv4 and IPv6  
sockets, as a drop-in replacement for IO::Socket::INET. Most constructor  
arguments and methods are provided in a backward-compatible way.

Name : libdnf  
Version : 1.12  
Release : 13.1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:53 AM EST  
Group : Unspecified  
Size : 70416  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:43:08 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libdnf-1.12-13.1.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:58:02 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://code.google.com/p/libdnf/>  
Summary : Simple portable interface to lowlevel networking routines  
Description :  
libdnf provides a simplified, portable interface to several  
low-level networking routines, including network address  
manipulation, kernel arp(4) cache and route(4) table lookup and  
manipulation, network firewalling (IP filter, ipfw, ipchains,  
pf, ...), network interface lookup and manipulation, raw IP  
packet and Ethernet frame, and data transmission.

Name : libcom\_err  
Version : 1.42.9  
Release : 10.el7

Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:55 AM EST  
Group : Development/Libraries  
Size : 60417  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:03:23 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : e2fsprogs-1.42.9-10.el7.src.rpm  
Build Date : Wed 02 Aug 2017 11:29:22 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://e2fsprogs.sourceforge.net/>  
Summary : Common error description library  
Description :  
This is the common error description library, part of e2fsprogs.

libcom\_err is an attempt to present a common error-handling mechanism.

Name : sssd-proxy  
Version : 1.15.2  
Release : 50.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:09 AM EST  
Group : Applications/System  
Size : 136891  
License : GPLv3+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:58:02 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sssd-1.15.2-50.el7.src.rpm  
Build Date : Mon 07 Aug 2017 05:38:50 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://pagure.io/SSSD/sss/>  
Summary : The proxy back end of the SSSD  
Description :  
Provides the proxy back end which can be used to wrap an existing NSS  
and/or  
PAM modules to leverage SSSD caching.

Name : gvfs-gphoto2  
Version : 1.30.4  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:12 AM EST  
Group : Unspecified  
Size : 160963  
License : GPLv3 and LGPLv2+ and BSD and MPLv2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:37:33 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gvfs-1.30.4-3.el7.src.rpm

Build Date : Wed 09 Aug 2017 02:39:06 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/gvfs>  
Summary : gphoto2 support for gvfs  
Description :  
This package provides support for reading and writing files on  
PTP based cameras (Picture Transfer Protocol) and MTP based  
media players (Media Transfer Protocol) to applications using gvfs.

Name : perl-URI  
Version : 1.60  
Release : 9.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:46 AM EST  
Group : Development/Libraries  
Size : 193950  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:25:57 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-URI-1.60-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:07:36 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/URI/>  
Summary : A Perl module implementing URI parsing and manipulation  
Description :  
This module implements the URI class. Objects of this class represent  
"Uniform Resource Identifier references" as specified in RFC 2396 (and  
updated by RFC 2732).

Name : gperftools-libs  
Version : 2.4  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:54 AM EST  
Group : Development/Tools  
Size : 1439864  
License : BSD  
Signature : RSA/SHA256, Sun 20 Nov 2016 01:10:10 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gperftools-2.4-8.el7.src.rpm  
Build Date : Sat 05 Nov 2016 03:30:47 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://code.google.com/p/gperftools/>  
Summary : Libraries provided by gperftools  
Description :

Libraries provided by gperftools, including libtcmalloc and libprofiler.

Name : libxml2  
Version : 2.9.1  
Release : 6.el7\_2.3  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:57 AM EST  
Group : Development/Libraries  
Size : 1710062  
License : MIT  
Signature : RSA/SHA256, Thu 23 Jun 2016 04:07:58 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libxml2-2.9.1-6.el7\_2.3.src.rpm  
Build Date : Thu 23 Jun 2016 10:36:41 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://xmlsoft.org/>  
Summary : Library providing XML and HTML support  
Description :  
This library allows to manipulate XML files. It includes support to read, modify and write XML and HTML files. There is DTDs support this includes parsing and validation even with complex DTDs, either at parse time or later once the document has been modified. The output can be a simple SAX stream or and in-memory DOM like representations. In this case one can use the built-in XPath and XPointer implementation to select sub nodes or ranges. A flexible Input/Output mechanism is available, with existing HTTP and FTP modules and combined to an URI library.

Name : xorg-x11-drv-nouveau  
Epoch : 1  
Version : 1.0.13  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:09 AM EST  
Group : User Interface/X Hardware Support  
Size : 222558  
License : MIT  
Signature : RSA/SHA256, Fri 11 Aug 2017 03:30:04 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xorg-x11-drv-nouveau-1.0.13-3.el7.src.rpm  
Build Date : Fri 11 Aug 2017 01:29:11 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Xorg X11 nouveau video driver for NVIDIA graphics chipsets  
Description :  
X.Org X11 nouveau video driver.

Name : system-config-printer-udev

Version : 1.4.1  
Release : 19.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:32 AM EST  
Group : System Environment/Base  
Size : 45689  
License : GPLv2+  
Signature : RSA/SHA256, Mon 03 Nov 2014 09:07:50 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : system-config-printer-1.4.1-19.el7.src.rpm  
Build Date : Mon 03 Nov 2014 08:49:36 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cyberelk.net/tim/software/system-config-printer/>  
Summary : Rules for udev for automatic configuration of USB printers  
Description :  
The udev rules and helper programs for automatically configuring USB printers.

Name : perl-HTTP-Cookies  
Version : 6.01  
Release : 5.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:51:46 AM EST  
Group : Development/Libraries  
Size : 47180  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:18:59 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-HTTP-Cookies-6.01-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:01:14 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/HTTP-Cookies/>  
Summary : HTTP cookie jars  
Description :  
This class is for objects that represent a "cookie jar" -- that is, a database of all the HTTP cookies that a given LWP::UserAgent object knows about.

Name : compat-glibc-headers  
Epoch : 1  
Version : 2.12  
Release : 4.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:55 AM EST  
Group : Development/Libraries  
Size : 2144315  
License : LGPLv2+ and LGPLv2+ with exceptions and GPLv2+

Signature : RSA/SHA256, Thu 03 Jul 2014 09:00:34 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : compat-glibc-2.12-4.el7.centos.src.rpm  
Build Date : Fri 27 Jun 2014 06:58:28 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sources.redhat.com/glibc/>  
Summary : Header files for development using standard C libraries.  
Description :  
The compat-glibc-headers package contains the header files from  
CentOS Linux 6

Name : audit-libs  
Version : 2.7.6  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:50:59 AM EST  
Group : Development/Libraries  
Size : 247962  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:00:12 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : audit-2.7.6-3.el7.src.rpm  
Build Date : Fri 04 Aug 2017 05:29:41 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://people.redhat.com/sgrubb/audit/>  
Summary : Dynamic library for libaudit  
Description :  
The audit-libs package contains the dynamic libraries needed for  
applications to use the audit framework.

Name : xorg-x11-drv-void  
Version : 1.4.1  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:10 AM EST  
Group : User Interface/X Hardware Support  
Size : 15422  
License : MIT  
Signature : RSA/SHA256, Fri 11 Aug 2017 03:31:23 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xorg-x11-drv-void-1.4.1-2.el7.src.rpm  
Build Date : Fri 11 Aug 2017 02:17:40 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Xorg X11 void input driver



Description :  
X.Org X11 void input driver.

Name : gnome-system-monitor  
Version : 3.22.2  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:35 AM EST  
Group : Unspecified  
Size : 3553408  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:22:52 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-system-monitor-3.22.2-2.el7.src.rpm  
Build Date : Fri 04 Aug 2017 05:43:59 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/>  
Summary : Process and resource monitor  
Description :  
gnome-system-monitor allows to graphically view and manipulate the running processes on your system. It also provides an overview of available resources such as CPU and memory.

Name : ipset-libs  
Version : 6.29  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:47 AM EST  
Group : Unspecified  
Size : 270690  
License : GPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:46:49 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ipset-6.29-1.el7.src.rpm  
Build Date : Tue 01 Aug 2017 10:10:42 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://ipset.netfilter.org/>  
Summary : Shared library providing the IP sets functionality  
Description :  
This package contains the libraries which provide the IP sets functionality.

Name : shadow-utils  
Epoch : 2  
Version : 4.1.5.1  
Release : 24.el7

Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:59 AM EST  
Group : System Environment/Base  
Size : 3534490  
License : BSD and GPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 03:44:20 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : shadow-utils-4.1.5.1-24.el7.src.rpm  
Build Date : Sat 05 Nov 2016 04:17:11 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://pkg-shadow.alioth.debian.org/>  
Summary : Utilities for managing accounts and shadow password files  
Description :  
The shadow-utils package includes the necessary programs for  
converting UNIX password files to the shadow password format, plus  
programs for managing user and group accounts. The pwconv command  
converts passwords to the shadow password format. The pwunconv command  
unconverts shadow passwords and generates a passwd file (a standard  
UNIX password file). The pwck command checks the integrity of password  
and shadow files. The lastlog command prints out the last login times  
for all users. The useradd, userdel, and usermod commands are used for  
managing user accounts. The groupadd, groupdel, and groupmod commands  
are used for managing group accounts.

Name : libdb  
Version : 5.3.21  
Release : 20.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:00 AM EST  
Group : System Environment/Libraries  
Size : 1858000  
License : BSD and LGPLv2 and Sleepycat  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:04:30 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libdb-5.3.21-20.el7.src.rpm  
Build Date : Sun 06 Aug 2017 03:02:42 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.oracle.com/database/berkeley-db/>  
Summary : The Berkeley DB database library for C  
Description :  
The Berkeley Database (Berkeley DB) is a programmatic toolkit that  
provides embedded database support for both traditional and  
client/server applications. The Berkeley DB includes B+tree, Extended  
Linear Hashing, Fixed and Variable-length record access methods,  
transactions, locking, logging, shared memory caching, and database  
recovery. The Berkeley DB supports C, C++, Java, and Perl APIs. It is  
used by many applications, including Python and Perl, so this should  
be installed on all systems.

Name : mesa-libxatracker  
Version : 17.0.1  
Release : 6.20170307.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:12 AM EST  
Group : System Environment/Libraries  
Size : 3500736  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:22:14 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : mesa-17.0.1-6.20170307.el7.src.rpm  
Build Date : Fri 04 Aug 2017 12:27:35 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mesa3d.org>  
Summary : Mesa XA state tracker for vmware  
Description :  
Mesa XA state tracker for vmware

Name : gnome-color-manager  
Version : 3.22.2  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:37 AM EST  
Group : Unspecified  
Size : 4251150  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:15:51 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnome-color-manager-3.22.2-1.el7.src.rpm  
Build Date : Sun 06 Aug 2017 01:11:03 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://mail.gnome.org/mailman/listinfo/gnome-color-manager-list>  
Summary : Color management tools for GNOME  
Description :  
gnome-color-manager is a session framework that makes it easy to manage,  
install  
and generate color profiles in the GNOME desktop.

Name : xorg-x11-xauth  
Epoch : 1  
Version : 1.0.9  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:48 AM EST  
Group : User Interface/X  
Size : 49531

License : MIT  
Signature : RSA/SHA256, Wed 25 Nov 2015 11:06:15 AM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xorg-x11-xauth-1.0.9-1.el7.src.rpm  
Build Date : Sun 22 Nov 2015 05:50:59 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 X authority utilities  
Description :  
xauth is used to edit and display the authorization information  
used in connecting to an X server.

Name : qrencode-libs  
Version : 3.4.1  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:00 AM EST  
Group : Unspecified  
Size : 126732  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:44:21 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : qrencode-3.4.1-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:45:31 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://megau1.net/fukuchi/works/qrencode/index.en.html>  
Summary : QR Code encoding library - Shared libraries  
Description :  
The qrencode-libs package contains the shared libraries and header files  
for  
applications that use qrencode.

Name : keyutils-libs  
Version : 1.5.8  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:01 AM EST  
Group : System Environment/Base  
Size : 42138  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:30:59 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : keyutils-1.5.8-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:17:55 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL : <http://people.redhat.com/~dhowells/keyutils/>  
Summary : Key utilities library  
Description :  
This package provides a wrapper library for the key management facility system calls.

Name : oddjob  
Version : 0.31.5  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:14 AM EST  
Group : System Environment/Daemons  
Size : 153686  
License : BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:22:13 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : oddjob-0.31.5-4.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:33:03 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.fedorahosted.org/oddjob>  
Summary : A D-Bus service which runs odd jobs on behalf of client applications  
Description :  
oddjob is a D-Bus service which performs particular tasks for clients which connect to it and issue requests using the system-wide message bus.

Name : gnome-screenshot  
Version : 3.22.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:40 AM EST  
Group : Unspecified  
Size : 884510  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:20:15 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-screenshot-3.22.0-1.el7.src.rpm  
Build Date : Sun 06 Aug 2017 12:47:16 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org>  
Summary : A screenshot utility for GNOME  
Description :  
gnome-screenshot lets you take pictures of your screen.

Name : libXres  
Version : 1.0.7

Release : 2.1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:49 AM EST  
Group : System Environment/Libraries  
Size : 12652  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:32:06 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libXres-1.0.7-2.1.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:38:47 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X-Resource extension client library  
Description :  
X-Resource is an extension that allows a client to query  
the X server about its usage of various resources.

Name : libtiff  
Version : 4.0.3  
Release : 27.el7\_3  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:02 AM EST  
Group : System Environment/Libraries  
Size : 494377  
License : libtiff  
Signature : RSA/SHA256, Wed 01 Feb 2017 07:42:01 AM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libtiff-4.0.3-27.el7\_3.src.rpm  
Build Date : Wed 01 Feb 2017 07:24:01 AM EST  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.remotesensing.org/libtiff/>  
Summary : Library of functions for manipulating TIFF format image  
files  
Description :  
The libtiff package contains a library of functions for manipulating  
TIFF (Tagged Image File Format) image format files. TIFF is a widely  
used file format for bitmapped images. TIFF files usually end in the  
.tif extension and they are often quite large.

The libtiff package should be installed if you need to manipulate TIFF  
format image files.

Name : which  
Version : 2.20  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:02 AM EST  
Group : Applications/System

Size : 76962  
License : GPLv3  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:43:07 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : which-2.20-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:25:22 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.xs4all.nl/~carlo17/which/>  
Summary : Displays where a particular program in your path is located  
Description :  
The which command shows the full path  
Name of a specified program, if  
the specified program is in your PATH.

Name : pulseaudio-module-bluetooth  
Version : 10.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:16 AM EST  
Group : Unspecified  
Size : 178760  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:17:11 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pulseaudio-10.0-3.el7.src.rpm  
Build Date : Sun 06 Aug 2017 01:39:40 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/PulseAudio>  
Summary : Bluetooth support for the PulseAudio sound server  
Description :  
Contains Bluetooth audio (A2DP/HSP/HFP) support for the PulseAudio sound server.

Name : libsane-hpaio  
Version : 3.15.9  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:41 AM EST  
Group : System Environment/Daemons  
Size : 157390  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:50:37 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : hplip-3.15.9-3.el7.src.rpm  
Build Date : Tue 01 Aug 2017 08:33:28 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://hplip.sourceforge.net/>  
Summary : SANE driver for scanners in HP's multi-function devices  
Description :  
SANE driver for scanners in HP's multi-function devices (from HPOJ).

Name : exiv2-libs  
Version : 0.23  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:51 AM EST  
Group : System Environment/Libraries  
Size : 3365564  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:15:57 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : exiv2-0.23-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:49:58 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.exiv2.org/>  
Summary : Exif and Iptc metadata manipulation library  
Description :  
A C++ library to access image metadata, supporting full read and write access to the Exif and Iptc metadata, Exif MakerNote support, extract and delete methods for Exif thumbnails, classes to access Ifd and so on.

Name : libXft  
Version : 2.3.2  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:05 AM EST  
Group : System Environment/Libraries  
Size : 125933  
License : MIT  
Signature : RSA/SHA256, Wed 25 Nov 2015 10:14:11 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXft-2.3.2-2.el7.src.rpm  
Build Date : Fri 20 Nov 2015 02:20:42 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXft runtime library  
Description :  
X.Org X11 libXft runtime library

Name : libcollection  
Version : 0.6.2  
Release : 27.el7



Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:04 AM EST  
Group : Development/Libraries  
Size : 96182  
License : LGPLv3+  
Signature : RSA/SHA256, Sun 20 Nov 2016 01:37:01 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : ding-libs-0.6.0-27.el7.src.rpm  
Build Date : Sat 05 Nov 2016 04:05:57 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/sssd/>  
Summary : Collection data-type for C  
Description :  
A data-type to collect data in a hierarchical structure for easy  
iteration  
and serialization

Name : qemu-kvm-common  
Epoch : 10  
Version : 1.5.3  
Release : 141.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:18 AM EST  
Group : Development/Tools  
Size : 773325  
License : GPLv2+ and LGPLv2+ and BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:25:34 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : qemu-kvm-1.5.3-141.el7.src.rpm  
Build Date : Fri 04 Aug 2017 05:39:51 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.qemu.org/>  
Summary : QEMU common files needed by all QEMU targets  
Description :  
qemu-kvm is an open source virtualizer that provides hardware emulation  
for  
the KVM hypervisor.

This package provides documentation and auxiliary programs used with  
qemu-kvm.

Name : hyperv-daemons  
Version : 0  
Release : 0.30.20161211git.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:42 AM EST  
Group : System Environment/Daemons  
Size : 0

License : GPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:42:23 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : hyperv-daemons-0-0.30.20161211git.el7.src.rpm  
Build Date : Tue 01 Aug 2017 08:49:52 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.kernel.org>  
Summary : HyperV daemons suite  
Description :  
Suite of daemons that are needed when Linux guest is running on Windows Host with HyperV.

Name : lsof  
Version : 4.87  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:52 AM EST  
Group : Development/Debuggers  
Size : 948819  
License : zlib and Sendmail and LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:34 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : lsof-4.87-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:10:39 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://people.freebsd.org/~abe/>  
Summary : A utility which lists open files on a Linux/UNIX system  
Description :  
Lsof stands for LiSt Open Files, and it does just that: it lists information about files that are open by the processes running on a UNIX system.

Name : xml-commons-apis  
Version : 1.4.01  
Release : 16.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:53:10 AM EST  
Group : Unspecified  
Size : 337446  
License : ASL 2.0 and W3C and Public Domain  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:47:01 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xml-commons-apis-1.4.01-16.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:26:03 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL : <http://xml.apache.org/commons/>  
Summary : APIs for DOM, SAX, and JAXP  
Description :  
xml-commons-apis is designed to organize and have common packaging for the various externally-defined standard interfaces for XML. This includes the DOM, SAX, and JAXP.

Name : libXdamage  
Version : 1.1.4  
Release : 4.1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:05 AM EST  
Group : System Environment/Libraries  
Size : 29688  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:29:47 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXdamage-1.1.4-4.1.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:38:32 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X Damage extension library  
Description :  
X.Org X11 libXdamage runtime library.

Name : trousers  
Version : 0.3.14  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:19 AM EST  
Group : System Environment/Libraries  
Size : 836873  
License : BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:09:49 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : trousers-0.3.14-2.el7.src.rpm  
Build Date : Thu 03 Aug 2017 01:16:08 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://trousers.sourceforge.net>  
Summary : TCG's Software Stack v1.2  
Description :  
Trousers is an implementation of the Trusted Computing Group's Software Stack (TSS) specification. You can use Trousers to write applications that make use of your TPM hardware. TPM hardware can create, store and use RSA keys securely (without ever being exposed in memory), verify a platform's software

state using cryptographic hashes and more.

```
Name       : grub2-efi-x64
Epoch     : 1
Version    : 2.02
Release    : 0.64.el7.centos
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:55:44 AM EST
Group      : System Environment/Base
Size       : 3612112
License    : GPLv3+
Signature  : RSA/SHA256, Tue 22 Aug 2017 01:18:27 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : grub2-2.02-0.64.el7.centos.src.rpm
Build Date : Thu 17 Aug 2017 02:01:13 PM EDT
Build Host  : kbuilder.dev.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://www.gnu.org/software/grub/
Summary     : GRUB for EFI systems.
Description :
```

The GRand Unified Bootloader (GRUB) is a highly configurable and customizable bootloader with modular architecture. It supports a rich variety of kernel formats, file systems, computer architectures and hardware devices.

This subpackage provides support for efi-x64 systems.

```
Name       : python-libs
Version    : 2.7.5
Release    : 58.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:51:56 AM EST
Group      : Applications/System
Size       : 24704505
License    : Python
Signature  : RSA/SHA256, Thu 10 Aug 2017 03:22:02 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : python-2.7.5-58.el7.src.rpm
Build Date : Thu 03 Aug 2017 09:10:01 PM EDT
Build Host  : clbm.rdu2.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://www.python.org/
Summary     : Runtime libraries for Python
Description :
```

This package contains runtime libraries for use by Python:

- the libpython dynamic library, for use by applications that embed Python as
- a scripting language, and by the main "python" executable
- the Python standard library

Name : ecj  
Epoch : 1  
Version : 4.5.2  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:12 AM EST  
Group : Development/Languages  
Size : 2079456  
License : EPL  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:42:16 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ecj-4.5.2-3.el7.src.rpm  
Build Date : Tue 01 Aug 2017 09:58:47 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.eclipse.org>  
Summary : Eclipse Compiler for Java  
Description :  
ECJ is the Java bytecode compiler of the Eclipse Platform. It is also known as the JDT Core batch compiler.

Name : libsigc++20  
Version : 2.10.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:06 AM EST  
Group : Unspecified  
Size : 81669  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:52:40 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libsigc++20-2.10.0-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 09:16:37 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libsigc.sourceforge.net/>  
Summary : Typesafe signal framework for C++  
Description :  
This library implements a full callback system for use in widget libraries, abstract interfaces, and general programming. Originally part of the Gtk+- widget set, libsigc++20 is now a separate library to provide for more general use. It is the most complete library of its kind with the ability to connect an abstract callback to a class method, function, or function object. It

contains adaptor classes for connection of dissimilar callbacks and has an ease of use unmatched by other C++ callback libraries.

Package GTK-- (gtkmm), which is a C++ binding to the GTK+ library, starting with version 1.1.2, uses libsigc++20.

Name : usbmuxd  
Version : 1.1.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:22 AM EST  
Group : Applications/System  
Size : 129387  
License : GPLv3+ or GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:13:26 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : usbmuxd-1.1.0-1.el7.src.rpm  
Build Date : Sun 06 Aug 2017 02:40:09 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libimobiledevice.org/>  
Summary : Daemon for communicating with Apple's iOS devices  
Description :  
usbmuxd is a daemon used for communicating with Apple's iPod Touch, iPhone, iPad and Apple TV devices. It allows multiple services on the device to be accessed simultaneously.

Name : sysstat  
Version : 10.1.5  
Release : 12.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:45 AM EST  
Group : Applications/System  
Size : 1158910  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:00:09 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sysstat-10.1.5-12.el7.src.rpm  
Build Date : Thu 03 Aug 2017 05:31:00 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sebastien.godard.pagesperso-orange.fr/>  
Summary : Collection of performance monitoring tools for Linux  
Description :  
The sysstat package contains sar, sadf, mpstat, iostat, pidstat, nfsiostat-sysstat, tapestat, cifsioat and sa tools for Linux.

The sar command collects and reports system activity information. This information can be saved in a file in a binary format for future inspection. The statistics reported by sar concern I/O transfer rates, paging activity, process-related activities, interrupts, network activity, memory and swap space utilization, CPU utilization, kernel activities and TTY statistics, among others. Both UP and SMP machines are fully supported. The sadf command may be used to display data collected by sar in various formats (CSV, XML, etc.).

The iostat command reports CPU utilization and I/O statistics for disks. The tapestat command reports statistics for tapes connected to the system.

The mpstat command reports global and per-processor statistics. The pidstat command reports statistics for Linux tasks (processes). The nfsiostat-sysstat command reports I/O statistics for network file systems. The cifsstat command reports I/O statistics for CIFS file systems.

Name : glib2  
Version : 2.54.2  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:58 AM EST  
Group : Unspecified  
Size : 11986873  
License : LGPLv2+  
Signature : RSA/SHA256, Wed 25 Apr 2018 07:01:21 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : glib2-2.54.2-2.el7.src.rpm  
Build Date : Tue 10 Apr 2018 11:54:44 PM EDT  
Build Host : x86-01.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gtk.org>  
Summary : A library of handy utility functions  
Description :  
GLib is the low-level core library that forms the basis for projects such as GTK+ and GNOME. It provides data structure handling for C, portability wrappers, and interfaces for such runtime functionality as an event loop, threads, dynamic loading, and an object system.

Name : apache-commons-logging  
Version : 1.1.2  
Release : 7.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:53:15 AM EST  
Group : Development/Libraries  
Size : 185120  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:38:26 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : apache-commons-logging-1.1.2-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:49:15 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://commons.apache.org/logging>  
Summary : Apache Commons Logging  
Description :  
The commons-logging package provides a simple, component oriented interface (org.apache.commons.logging.Log) together with wrappers for logging systems. The user can choose at runtime which system they want to use. In addition, a small number of basic implementations are provided to allow users to use the package standalone. commons-logging was heavily influenced by Avalon's Logkit and Log4J. The commons-logging abstraction is meant to minimize the differences between the two, and to allow a developer to not tie himself to a particular logging implementation.

Name : xz  
Version : 5.2.2  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:07 AM EST  
Group : Applications/File  
Size : 798130  
License : LGPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 04:02:27 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : xz-5.2.2-1.el7.src.rpm  
Build Date : Sat 05 Nov 2016 11:28:07 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://tukaani.org/xz/>  
Summary : LZMA compression utilities  
Description :  
XZ Utils are an attempt to make LZMA compression easy to use on free (as in freedom) operating systems. This is achieved by providing tools and libraries which are similar to use than the equivalents of the most popular existing compression algorithms.

LZMA is a general purpose compression algorithm designed by Igor Pavlov as part of 7-Zip. It provides high compression ratio while keeping the decompression speed fast.

Name : libvirt-daemon-driver-storage  
Version : 3.2.0  
Release : 14.el7



Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:22 AM EST  
Group : Development/Libraries  
Size : 0  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:03:39 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libvirt-3.2.0-14.el7.src.rpm  
Build Date : Sat 05 Aug 2017 01:16:28 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvirt.org/>  
Summary : Storage driver plugin including all backends for the libvirtd daemon  
Description :  
The storage driver plugin for the libvirtd daemon, providing an implementation of the storage APIs using LVM, iSCSI, parted and more.

Name : PackageKit-gstreamer-plugin  
Version : 1.1.5  
Release : 1.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:47 AM EST  
Group : Unspecified  
Size : 20160  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:46:56 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : PackageKit-1.1.5-1.el7.centos.src.rpm  
Build Date : Sun 06 Aug 2017 10:07:35 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/software/PackageKit/>  
Summary : Install GStreamer codecs using PackageKit  
Description :  
The PackageKit GStreamer plugin allows any Gstreamer application to install codecs from configured repositories using PackageKit.

Name : gvfs-client  
Version : 1.30.4  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:00 AM EST  
Group : Unspecified  
Size : 4802330  
License : GPLv3 and LGPLv2+ and BSD and MPLv2.0  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:37:02 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : gvfs-1.30.4-3.el7.src.rpm  
Build Date : Wed 09 Aug 2017 02:39:06 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/gvfs>  
Summary : Client modules of backends for the gio framework in GLib  
Description :  
The gvfs package provides client modules of backend implementations for the gio framework in GLib.

Name : dbus-libs  
Epoch : 1  
Version : 1.10.24  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:19 AM EST  
Group : Development/Libraries  
Size : 362584  
License : (GPLv2+ or AFL) and GPLv2+  
Signature : RSA/SHA256, Wed 25 Apr 2018 06:57:08 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : dbus-1.10.24-7.el7.src.rpm  
Build Date : Wed 11 Apr 2018 03:23:31 AM EDT  
Build Host : x86-01.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/Software/dbus/>  
Summary : Libraries for accessing D-BUS  
Description :  
This package contains lowlevel libraries for accessing D-BUS.

Name : libplist  
Version : 1.12  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:10 AM EST  
Group : System Environment/Libraries  
Size : 146220  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:26:03 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libplist-1.12-3.el7.src.rpm  
Build Date : Thu 03 Aug 2017 03:17:46 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libimobiledevice.org/>  
Summary : Library for manipulating Apple Binary and XML Property Lists

Description :  
libplist is a library for manipulating Apple Binary and XML Property Lists

Name : libsoup  
Version : 2.56.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:23 AM EST  
Group : Unspecified  
Size : 1481669  
License : LGPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:53:50 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libsoup-2.56.0-3.el7.src.rpm  
Build Date : Sat 05 Aug 2017 01:35:17 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/libsoup>  
Summary : Soup, an HTTP library implementation  
Description :  
Libsoup is an HTTP library implementation in C. It was originally part of a SOAP (Simple Object Access Protocol) implementation called Soup, but the SOAP and non-SOAP parts have now been split into separate packages.

libsoup uses the Glib main loop and is designed to work well with GTK applications. This enables GNOME applications to access HTTP servers on the network in a completely asynchronous fashion, very similar to the Gtk+ programming model (a synchronous operation mode is also supported for those who want it).

Name : rsyslog  
Version : 8.24.0  
Release : 12.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:49 AM EST  
Group : System Environment/Daemons  
Size : 2001814  
License : (GPLv3+ and ASL 2.0)  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:43:05 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : rsyslog-8.24.0-12.el7.src.rpm  
Build Date : Sun 06 Aug 2017 08:56:12 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.rsyslog.com/>  
Summary : Enhanced system logging and kernel message trapping daemon  
Description :  
Rsyslog is an enhanced, multi-threaded syslog daemon. It supports MySQL,

syslog/TCP, RFC 3195, permitted sender lists, filtering on any message part, and fine grain output format control. It is compatible with stock syslogd and can be used as a drop-in replacement. Rsyslog is simple to set up, with advanced features suitable for enterprise-class, encryption-protected syslog relay chains.

Name : libpeas  
Version : 1.20.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:02 AM EST  
Group : Unspecified  
Size : 358731  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:24:59 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libpeas-1.20.0-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 10:09:21 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/Libpeas>  
Summary : Plug-ins implementation convenience library  
Description :  
libpeas is a convenience library making adding plug-ins support to glib-based applications.

Name : pulseaudio-libs  
Version : 10.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:21 AM EST  
Group : Unspecified  
Size : 3352114  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:16:46 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pulseaudio-10.0-3.el7.src.rpm  
Build Date : Sun 06 Aug 2017 01:39:40 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/PulseAudio>  
Summary : Libraries for PulseAudio clients  
Description :  
This package contains the runtime libraries for any application that wishes to interface with a PulseAudio sound server.

Name : numactl-libs  
Version : 2.0.9  
Release : 6.el7\_2  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:11 AM EST  
Group : System Environment/Libraries  
Size : 50712  
License : LGPLv2 and GPLv2  
Signature : RSA/SHA256, Tue 16 Feb 2016 05:15:14 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : numactl-2.0.9-6.el7\_2.src.rpm  
Build Date : Tue 16 Feb 2016 11:32:00 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <ftp://oss.sgi.com/www/projects/libnuma/download>  
Summary : libnuma libraries  
Description :  
numactl-libs provides libnuma, a library to do allocations with NUMA policy in applications.

Name : compat-gnome-desktop314  
Version : 3.14.2  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:25 AM EST  
Group : Unspecified  
Size : 324035  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:24:24 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : compat-gnome-desktop314-3.14.2-1.el7.src.rpm  
Build Date : Sun 06 Aug 2017 11:05:13 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org>  
Summary : Compat package with gnome-desktop 3.14 libraries  
Description :  
Compatibility package with gnome-desktop 3.14 librarires.

Name : irqbalance  
Epoch : 3  
Version : 1.0.7  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:51 AM EST  
Group : System Environment/Base  
Size : 71155  
License : GPLv2

Signature : RSA/SHA256, Thu 10 Aug 2017 12:48:11 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : irqbalance-1.0.7-10.el7.src.rpm  
Build Date : Fri 04 Aug 2017 02:01:24 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/Irqbalance/irqbalance>  
Summary : IRQ balancing daemon  
Description :  
irqbalance is a daemon that evenly distributes IRQ load across  
multiple CPUs for enhanced performance.

Name : genisoimage  
Version : 1.1.11  
Release : 23.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:07 AM EST  
Group : Applications/System  
Size : 1072692  
License : GPLv2  
Signature : RSA/SHA256, Wed 25 Nov 2015 09:32:26 AM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : cdrkit-1.1.11-23.el7.src.rpm  
Build Date : Fri 20 Nov 2015 12:08:38 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cdrkit.org/>  
Summary : Creates an image of an ISO9660 file-system  
Description :  
The genisoimage program is used as a pre-mastering program; i.e., it  
generates the ISO9660 file-system. Genisoimage takes a snapshot of  
a given directory tree and generates a binary image of the tree  
which will correspond to an ISO9660 file-system when written to  
a block device. Genisoimage is used for writing CD-ROMs, and includes  
support for creating boot-able El Torito CD-ROMs.

Install the genisoimage package if you need a program for writing  
CD-ROMs.

Name : pulseaudio-libs-glib2  
Version : 10.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:22 AM EST  
Group : Unspecified  
Size : 19552  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:17:03 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : pulseaudio-10.0-3.el7.src.rpm

Build Date : Sun 06 Aug 2017 01:39:40 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/PulseAudio>  
Summary : GLIB 2.x bindings for PulseAudio clients  
Description :  
This package contains bindings to integrate the PulseAudio client library with  
a GLIB 2.x based application.

Name : kmod-libs  
Version : 20  
Release : 15.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:16 AM EST  
Group : System Environment/Libraries  
Size : 91784  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:58:01 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : kmod-20-15.el7.src.rpm  
Build Date : Fri 04 Aug 2017 01:22:06 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<http://git.kernel.org/?p=utils/kernel/kmod/kmod.git;a=summary>  
Summary : Libraries to handle kernel module loading and unloading  
Description :  
The kmod-libs package provides runtime libraries for any application that  
wishes to load or unload Linux kernel modules from the running system.

Name : totem-pl-parser  
Version : 3.10.7  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:27 AM EST  
Group : Unspecified  
Size : 627387  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:07:48 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : totem-pl-parser-3.10.7-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 10:21:03 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Apps/Videos>  
Summary : Totem Playlist Parser library  
Description :

A library to parse and save playlists, as used in music and movie players.

Name : libreport-plugin-mailx  
Version : 2.1.11  
Release : 38.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:55:53 AM EST  
Group : System Environment/Libraries  
Size : 75141  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:48:37 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libreport-2.1.11-38.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 07:43:26 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : libreport's mailx reporter plugin  
Description :  
The simple reporter plugin which sends a report via mailx to a specified email address.

Name : libtirpc  
Version : 0.2.4  
Release : 0.10.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:12 AM EST  
Group : System Environment/Libraries  
Size : 187263  
License : SISSL and BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:00:05 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libtirpc-0.2.4-0.10.el7.src.rpm  
Build Date : Fri 04 Aug 2017 03:00:40 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://nfsv4.bullopenSource.org/>  
Summary : Transport Independent RPC Library  
Description :  
This package contains SunLib's implementation of transport-independent RPC (TI-RPC) documentation. This library forms a piece of the base of Open Network Computing (ONC), and is derived directly from the Solaris 2.3 source.

TI-RPC is an enhanced version of TS-RPC that requires the UNIX System V Transport Layer Interface (TLI) or an equivalent X/Open Transport Interface (XTI). TI-RPC is on-the-wire compatible with the TS-RPC, which is supported



by almost 70 vendors on all major operating systems. TS-RPC source code (RPCSRC 4.0) remains available from several internet sites.

Name : device-mapper-libs  
Epoch : 7  
Version : 1.02.140  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:25 AM EST  
Group : System Environment/Libraries  
Size : 400471  
License : LGPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:35:22 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : lvm2-2.02.171-8.el7.src.rpm  
Build Date : Sat 05 Aug 2017 11:10:51 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sources.redhat.com/lvm2>  
Summary : Device-mapper shared library  
Description :  
This package contains the device-mapper shared library, libdevmapper.

Name : jansson  
Version : 2.10  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:17 AM EST  
Group : System Environment/Libraries  
Size : 74998  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:50:09 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : jansson-2.10-1.el7.src.rpm  
Build Date : Wed 02 Aug 2017 08:32:08 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.digip.org/jansson/>  
Summary : C library for encoding, decoding and manipulating JSON data  
Description :  
Small library for parsing and writing JSON documents.

Name : libgnomekbd  
Version : 3.22.0.1  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:30 AM EST  
Group : Unspecified  
Size : 618158  
License : LGPLv2+

Signature : RSA/SHA256, Thu 10 Aug 2017 01:11:28 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : libgnomekbd-3.22.0.1-1.el7.src.rpm

Build Date : Wed 02 Aug 2017 03:00:13 PM EDT

Build Host : clbm.rdu2.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://gswitchit.sourceforge.net>

Summary : A keyboard configuration library

Description :

The libgnomekbd package contains a GNOME library which manages keyboard configuration and offers various widgets related to keyboard configuration.

Name : tcpdump

Epoch : 14

Version : 4.9.0

Release : 5.el7

Architecture: x86\_64

Install Date: Mon 03 Dec 2018 08:56:00 AM EST

Group : Applications/Internet

Size : 1058697

License : BSD with advertising

Signature : RSA/SHA256, Thu 10 Aug 2017 04:04:03 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : tcpdump-4.9.0-5.el7.src.rpm

Build Date : Fri 04 Aug 2017 12:33:17 AM EDT

Build Host : clbm.rdu2.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://www.tcpdump.org>

Summary : A network traffic monitoring tool

Description :

Tcpdump is a command-line tool for monitoring network traffic.

Tcpdump can capture and display the packet headers on a particular network interface or on all interfaces. Tcpdump can display all of the packet headers, or just the ones that match particular criteria.

Install tcpdump if you need a program to monitor network traffic.

Name : yum-metadata-parser

Version : 1.1.4

Release : 10.el7

Architecture: x86\_64

Install Date: Mon 03 Dec 2018 08:52:14 AM EST

Group : Development/Libraries

Size : 58789

License : GPLv2

Signature : RSA/SHA256, Fri 04 Jul 2014 01:53:04 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : yum-metadata-parser-1.1.4-10.el7.src.rpm

Build Date : Tue 10 Jun 2014 04:39:48 AM EDT

Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://linux.duke.edu/projects/yum/>  
Summary : A fast metadata parser for yum  
Description :  
Fast metadata parser for yum implemented in C.

Name : libcanberra  
Version : 0.30  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:28 AM EST  
Group : System Environment/Libraries  
Size : 218912  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:38:04 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libcanberra-0.30-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:25:05 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.0pointer.de/?p=libcanberra.git;a=summary>  
Summary : Portable Sound Event Library  
Description :  
A small and lightweight implementation of the XDG Sound Theme  
Specification  
(<http://0pointer.de/public/sound-theme-spec.html>).

Name : xorg-x11-xkb-utils  
Version : 7.7  
Release : 12.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:19 AM EST  
Group : User Interface/X  
Size : 241338  
License : MIT  
Signature : RSA/SHA256, Wed 25 Nov 2015 11:06:21 AM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xorg-x11-xkb-utils-7.7-12.el7.src.rpm  
Build Date : Sun 22 Nov 2015 05:54:11 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 xkb utilities  
Description :  
X.Org X11 xkb core utilities.

Name : libgdata

Version : 0.17.8  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:38 AM EST  
Group : Unspecified  
Size : 1858124  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:09:16 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libgdata-0.17.8-1.el7.src.rpm  
Build Date : Tue 08 Aug 2017 08:35:23 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/libgdata>  
Summary : Library for the GData protocol  
Description :  
libgdata is a GLib-based library for accessing online service APIs using the  
GData protocol --- most notably, Google's services. It provides APIs to  
access  
the common Google services, and has full asynchronous support.

Name : sudo  
Version : 1.8.19p2  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:02 AM EST  
Group : Applications/System  
Size : 4051619  
License : ISC  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:59:29 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sudo-1.8.19p2-10.el7.src.rpm  
Build Date : Fri 04 Aug 2017 10:38:18 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.courtesan.com/sudo/>  
Summary : Allows restricted root access for specified users  
Description :  
Sudo (superuser do) allows a system administrator to give certain  
users (or groups of users) the ability to run some (or all) commands  
as root while logging all commands and arguments. Sudo operates on a  
per-command basis. It is not a replacement for the shell. Features  
include: the ability to restrict what commands a user may run on a  
per-host basis, copious logging of each command (providing a clear  
audit trail of who did what), a configurable timeout of the sudo  
command, and the ability to use the same configuration file (sudoers)  
on many different machines.

Name : audit-libs-python

Version : 2.7.6  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:16 AM EST  
Group : Development/Libraries  
Size : 318419  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:00:28 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : audit-2.7.6-3.el7.src.rpm  
Build Date : Fri 04 Aug 2017 05:29:41 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://people.redhat.com/sgrubb/audit/>  
Summary : Python bindings for libaudit  
Description :  
The audit-libs-python package contains the bindings so that libaudit and libauparse can be used by python.

Name : hwdata  
Version : 0.252  
Release : 8.6.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:30 AM EST  
Group : System Environment/Base  
Size : 12956704  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:41:34 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : hwdata-0.252-8.6.el7.src.rpm  
Build Date : Sat 05 Aug 2017 02:25:32 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/vcrhonek/hwdata>  
Summary : Hardware identification and configuration data  
Description :  
hwdata contains various hardware identification and configuration data, such as the pci.ids and usb.ids databases.

Name : findutils  
Epoch : 1  
Version : 4.5.11  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:20 AM EST  
Group : Applications/File  
Size : 1855626  
License : GPLv3+  
Signature : RSA/SHA256, Wed 25 Nov 2015 09:30:00 AM EST, Key ID 24c6a8a7f4a80eb5

Source RPM : findutils-4.5.11-5.el7.src.rpm  
Build Date : Fri 20 Nov 2015 06:00:18 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/findutils/>  
Summary : The GNU versions of find utilities (find and xargs)  
Description :  
The findutils package contains programs which will help you locate files on your system. The find utility searches through a hierarchy of directories looking for files which match a certain set of criteria (such as a file  
Name pattern). The xargs utility builds and executes command lines from standard input arguments (usually lists of file

Names generated by the find command).

You should install findutils because it includes tools that are very useful for finding things on your system.

Name : gjs  
Version : 1.46.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:41 AM EST  
Group : Unspecified  
Size : 879189  
License : MIT and (MPLv1.1 or GPLv2+ or LGPLv2+)  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:10:03 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gjs-1.46.0-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 04:24:50 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/Gjs>  
Summary : Javascript Bindings for GNOME  
Description :  
Gjs allows using GNOME libraries from Javascript. It's based on the Spidermonkey Javascript engine from Mozilla and the GObject introspection framework.

Name : gnome-icon-theme-extras  
Version : 3.12.0  
Release : 1.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:04 AM EST  
Group : User Interface/Desktops  
Size : 936304  
License : CC-BY-SA  
Signature : RSA/SHA256, Wed 25 Nov 2015 09:35:40 AM EST, Key ID 24c6a8a7f4a80eb5

Source RPM : gnome-icon-theme-extras-3.12.0-1.el7.src.rpm  
Build Date : Fri 20 Nov 2015 01:00:50 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : Additional GNOME icons  
Description :  
This package contains extra device and mime-type icons for use by the GNOME desktop.

Name : logrotate  
Version : 3.8.6  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:18 AM EST  
Group : System Environment/Base  
Size : 106924  
License : GPL+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:15:14 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : logrotate-3.8.6-14.el7.src.rpm  
Build Date : Tue 01 Aug 2017 09:12:48 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/logrotate/>  
Summary : Rotates, compresses, removes and mails system log files  
Description :  
The logrotate utility is designed to simplify the administration of log files on a system which generates a lot of log files. Logrotate allows for the automatic rotation compression, removal and mailing of log files. Logrotate can be set to handle a log file daily, weekly, monthly or when the log file gets to a certain size. Normally, logrotate runs as a daily cron job.

Install the logrotate package if you need a utility to deal with the log files on your system.

Name : cairo-gobject  
Version : 1.14.8  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:32 AM EST  
Group : Unspecified  
Size : 35720  
License : LGPLv2 or MPLv1.1  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:15:39 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : cairo-1.14.8-2.el7.src.rpm  
Build Date : Thu 03 Aug 2017 05:00:08 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cairographics.org>  
Summary : GObject bindings for cairo  
Description :  
Cairo is a 2D graphics library designed to provide high-quality display and print output.

This package contains functionality to make cairo graphics library integrate well with the GObject object system used by GNOME.

Name : cdparanoia-libs  
Version : 10.2  
Release : 17.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:22 AM EST  
Group : Applications/Multimedia  
Size : 152360  
License : LGPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:56:20 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : cdparanoia-10.2-17.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:14:59 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.xiph.org/paranoia/index.html>  
Summary : Libraries for libcddda\_paranoia (Paranoia III)  
Description :  
The cdparanoia-libs package contains the dynamic libraries needed for applications which read CD Digital Audio disks.

Name : evolution-data-server  
Version : 3.22.7  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:44 AM EST  
Group : System Environment/Libraries  
Size : 14736822  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:45:59 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : evolution-data-server-3.22.7-6.el7.src.rpm  
Build Date : Wed 09 Aug 2017 12:43:04 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Apps/Evolution>  
Summary : Backend data server for Evolution  
Description :  
The evolution-data-server package provides a unified backend for programs that work



with contacts, tasks, and calendar information.

It was originally developed for Evolution (hence the Name), but is now used by other packages.

```
Name       : blktrace
Version    : 1.0.5
Release    : 8.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:56:07 AM EST
Group      : Development/System
Size       : 308527
License    : GPLv2+
Signature  : RSA/SHA256, Sun 20 Nov 2016 12:16:23 PM EST, Key ID
24c6a8a7f4a80eb5
Source RPM : blktrace-1.0.5-8.el7.src.rpm
Build Date : Sat 05 Nov 2016 02:12:29 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://brick.kernel.dk/snaps
Summary    : Utilities for performing block layer IO tracing in the
linux kernel
Description :
blktrace is a block layer IO tracing mechanism which provides detailed
information about request queue operations to user space. This package
includes both blktrace, a utility which gathers event traces from the
kernel;
and blkparse, a utility which formats trace data collected by blktrace.
```

You should install the blktrace package if you need to gather detailed information about IO patterns.

```
Name       : python-dmidecode
Version    : 3.12.2
Release    : 1.el7
Architecture: x86_64
Install Date: Mon 03 Dec 2018 08:52:19 AM EST
Group      : System Environment/Libraries
Size       : 276505
License    : GPLv2
Signature  : RSA/SHA256, Thu 10 Aug 2017 03:20:35 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : python-dmidecode-3.12.2-1.el7.src.rpm
Build Date : Wed 02 Aug 2017 09:04:10 PM EDT
Build Host : clbm.rdu2.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://projects.autonomy.net.au/python-dmidecode/
Summary    : Python module to access DMI data
Description :
```

python-dmidecode is a python extension module that uses the code-base of the 'dmidecode' utility, and presents the data as python data structures or as XML data using libxml2.

Name : libcgroupp  
Version : 0.41  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:34 AM EST  
Group : Development/Libraries  
Size : 133026  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:02:16 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libcgroupp-0.41-13.el7.src.rpm  
Build Date : Wed 02 Aug 2017 11:33:28 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libcg.sourceforge.net/>  
Summary : Library to control and monitor control groups  
Description :  
Control groups infrastructure. The library helps manipulate, control, administrate and monitor control groups and the associated controllers.

Name : openjpeg-libs  
Version : 1.5.1  
Release : 17.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:23 AM EST  
Group : Unspecified  
Size : 174261  
License : BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:37:47 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : openjpeg-1.5.1-17.el7.src.rpm  
Build Date : Wed 02 Aug 2017 02:42:30 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://code.google.com/p/openjpeg/>  
Summary : JPEG 2000 codec runtime library  
Description :  
The openjpeg-libs package contains runtime libraries for applications that use OpenJPEG.

Name : gnome-keyring  
Version : 3.20.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:46 AM EST

Group : System Environment/Libraries  
Size : 4448278  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:19:00 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-keyring-3.20.0-3.el7.src.rpm  
Build Date : Thu 03 Aug 2017 01:31:38 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/GnomeKeyring>  
Summary : Framework for managing passwords and other secrets  
Description :  
The gnome-keyring session daemon manages passwords and other types of secrets for the user, storing them encrypted with a main password. Applications can use the gnome-keyring library to integrate with the keyring.

Name : perl-Archive-Tar  
Version : 1.92  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:08 AM EST  
Group : Development/Libraries  
Size : 154195  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:14:50 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Archive-Tar-1.92-2.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:33:50 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Archive-Tar/>  
Summary : A module for Perl manipulation of .tar files  
Description :  
Archive::Tar provides an object oriented mechanism for handling tar files. It provides class methods for quick and easy files handling while also allowing for the creation of tar file objects for custom manipulation. If you have the IO::Zlib module installed, Archive::Tar will also support compressed or gzipped tar files.

Name : spice-server  
Version : 0.12.8  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:21 AM EST  
Group : System Environment/Libraries  
Size : 1271381  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:55:14 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : spice-0.12.8-2.el7.src.rpm  
Build Date : Thu 03 Aug 2017 05:37:38 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.spice-space.org/>  
Summary : Implements the server side of the SPICE protocol  
Description :  
The Simple Protocol for Independent Computing Environments (SPICE) is a remote display system built for virtual environments which allows you to view a computing 'desktop' environment not only on the machine where it is running, but from anywhere on the Internet and from a wide variety of machine architectures.

This package contains the run-time libraries for any application that wishes to be a SPICE server.

Name : pciutils  
Version : 3.5.1  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:37 AM EST  
Group : Applications/System  
Size : 200400  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:50:25 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pciutils-3.5.1-2.el7.src.rpm  
Build Date : Thu 03 Aug 2017 01:11:21 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://atrey.karlin.mff.cuni.cz/~mj/pciutils.shtml>  
Summary : PCI bus related utilities  
Description :  
The pciutils package contains various utilities for inspecting and setting devices connected to the PCI bus. The utilities provided require kernel version 2.1.82 or newer (which support the /proc/bus/pci interface).

Name : lzop  
Version : 1.03  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:26 AM EST  
Group : Applications/Archiving  
Size : 101494  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:36:29 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : lzop-1.03-10.el7.src.rpm

Build Date : Tue 10 Jun 2014 02:34:55 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.lzop.org/>  
Summary : Real-time file compressor  
Description :  
lzop is a compression utility which is designed to be a companion to  
gzip.  
It is based on the LZO data compression library and its main advantages  
over  
gzip are much higher compression and decompression speed at the cost of  
some  
compression ratio. The lzop compression utility was designed with the  
goals  
of reliability, speed, portability and with reasonable drop-in  
compatibility  
to gzip.

Name : glade-libs  
Version : 3.20.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:48 AM EST  
Group : Unspecified  
Size : 1987690  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:10:48 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : glade-3.20.0-1.el7.src.rpm  
Build Date : Sat 05 Aug 2017 04:08:32 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://glade.gnome.org/>  
Summary : Widget library for Glade UI designer  
Description :  
The glade-libs package consists of the widgets that compose the Glade GUI  
as  
a separate library to ease the integration of Glade into other  
applications.

Name : ntsysv  
Version : 1.7.4  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:09 AM EST  
Group : System Environment/Base  
Size : 37716  
License : GPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:34:46 PM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : chkconfig-1.7.4-1.el7.src.rpm  
Build Date : Fri 04 Aug 2017 09:45:51 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/fedora-sysv/chkconfig>  
Summary : A tool to set the stop/start of system services in a runlevel  
Description :  
Ntsysv provides a simple interface for setting which system services are started or stopped in various runlevels (instead of directly manipulating the numerous symbolic links in /etc/rc.d). Unless you specify a runlevel or runlevels on the command line (see the man page), ntsysv configures the current runlevel (5 if you're using X).

Name : python-kitchen  
Version : 1.1.1  
Release : 5.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:22 AM EST  
Group : Development/Languages  
Size : 1465161  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:39:32 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-kitchen-1.1.1-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:57:23 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://pypi.python.org/pypi/kitchen/>  
Summary : Small, useful pieces of code to make python coding easier  
Description :  
kitchen includes functions to make gettext easier to use, handling unicode text easier (conversion with bytes, outputting xml, and calculating how many columns a string takes), and compatibility modules for writing code that uses python-2.7 modules but needs to run on python-2.3

Name : iscsi-initiator-utils  
Version : 6.2.0.874  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:38 AM EST  
Group : System Environment/Daemons  
Size : 2487897  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:48:20 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : iscsi-initiator-utils-6.2.0.874-4.el7.src.rpm

Build Date : Mon 07 Aug 2017 10:51:33 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.open-iscsi.org>  
Summary : iSCSI daemon and utility programs  
Description :  
The iscsi package provides the server daemon for the iSCSI protocol, as well as the utility programs used to manage it. iSCSI is a protocol for distributed disk access using SCSI commands sent over Internet Protocol networks.

Name : acl  
Version : 2.2.51  
Release : 12.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:27 AM EST  
Group : System Environment/Base  
Size : 201066  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:33:34 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : acl-2.2.51-12.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:43:28 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://acl.bestbits.at/>  
Summary : Access control list utilities  
Description :  
This package contains the getfacl and setfacl utilities needed for manipulating access control lists.

Name : gspell  
Version : 1.2.3  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:50 AM EST  
Group : Unspecified  
Size : 242126  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 12:27:40 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gspell-1.2.3-1.el7.src.rpm  
Build Date : Sun 06 Aug 2017 01:22:15 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://wiki.gnome.org/Projects/gspell>  
Summary : Spell-checking library for GTK+  
Description :

gspell provides a flexible API to implement the spell checking in a GTK+ application.

Name : pax  
Version : 3.4  
Release : 19.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:10 AM EST  
Group : Applications/Archiving  
Size : 140149  
License : BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:12:56 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pax-3.4-19.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:29:32 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <ftp://ftp.suse.com/pub/people/kukuk/pax/>  
Summary : POSIX File System Archiver  
Description :  
The 'pax' utility is the POSIX standard archive tool. It supports the two most common forms of standard Unix archive (backup) files - CPIO and TAR.

Name : pytz  
Version : 2016.10  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:23 AM EST  
Group : Development/Languages  
Size : 190290  
License : MIT  
Signature : RSA/SHA256, Thu 10 Aug 2017 03:25:12 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pytz-2016.10-2.el7.src.rpm  
Build Date : Thu 03 Aug 2017 12:53:35 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://pytz.sourceforge.net/>  
Summary : World Timezone Definitions for Python  
Description :  
pytz brings the Olson tz database into Python. This library allows accurate and cross platform timezone calculations using Python 2.3 or higher. It also solves the issue of ambiguous times at the end of daylight savings, which you can read more about in the Python Library Reference ([datetime.tzinfo](#)).

Almost all (over 540) of the Olson timezones are supported.



Name : libreport-plugin-mantisbt  
Version : 2.1.11  
Release : 38.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:47 AM EST  
Group : System Environment/Libraries  
Size : 73695  
License : GPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:48:45 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libreport-2.1.11-38.el7.centos.src.rpm  
Build Date : Wed 09 Aug 2017 07:43:26 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : libreport's mantisbt plugin  
Description :  
Plugin to report bugs into the mantisbt.

Name : pinentry  
Version : 0.8.1  
Release : 17.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:29 AM EST  
Group : Applications/System  
Size : 159929  
License : GPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 03:05:16 PM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : pinentry-0.8.1-17.el7.src.rpm  
Build Date : Sat 05 Nov 2016 11:49:27 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnupg.org/aegypten/>  
Summary : Collection of simple PIN or passphrase entry dialogs  
Description :  
Pinentry is a collection of simple PIN or passphrase entry dialogs which utilize the Assuan protocol as described by the aegypten project; see <http://www.gnupg.org/aegypten/> for details.  
This package contains the curses (text) based version of the PIN entry dialog.

Name : libmusicbrainz5  
Version : 5.0.1  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:52 AM EST  
Group : System Environment/Libraries  
Size : 607838  
License : LGPLv2

Signature : RSA/SHA256, Thu 03 Jul 2014 11:00:51 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libmusicbrainz5-5.0.1-9.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:14:00 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.musicbrainz.org/>  
Summary : Library for accessing MusicBrainz servers  
Description :  
The MusicBrainz client library allows applications to make metadata  
lookup to a MusicBrainz server, generate signatures from WAV data and  
create CD Index Disk ids from audio CD roms.

Name : rfkill  
Version : 0.4  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:12 AM EST  
Group : System Environment/Base  
Size : 13389  
License : ISC  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:49:45 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : rfkill-0.4-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:43:16 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.linuxwireless.org/en/users/Documentation/rfkill>  
Summary : A tool for enabling and disabling wireless devices  
Description :  
rfkill is a simple tool for accessing the Linux rfkill device interface,  
which is used to enable and disable wireless networking devices,  
typically  
WLAN, Bluetooth and mobile broadband.

Name : python-inotify  
Version : 0.9.4  
Release : 4.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:24 AM EST  
Group : Development/Libraries  
Size : 262646  
License : MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:39:16 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : python-inotify-0.9.4-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:46:21 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <https://github.com/seb-m/pyinotify>  
Summary : Monitor filesystem events with Python under Linux  
Description :  
This is a Python module for watching filesystems changes. pyinotify can be used for various kind of fs monitoring. pyinotify relies on a recent Linux Kernel feature (merged in kernel 2.6.13) called inotify. inotify is an event-driven notifier, its notifications are exported from kernel space to user space.

Name : libstoragegmt-python-clibs  
Version : 1.4.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:48 AM EST  
Group : System Environment/Libraries  
Size : 24400  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 01:57:30 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libstoragegmt-1.4.0-3.el7.src.rpm  
Build Date : Thu 03 Aug 2017 12:41:23 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/libstorage/libstoragegmt>  
Summary : Python C extension module for libstoragegmt  
Description :  
The libstoragegmt-python-clibs package contains python client C extension libraries.

Name : libedit  
Version : 3.0  
Release : 12.20121213cv5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:31 AM EST  
Group : System Environment/Libraries  
Size : 244257  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:44:30 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libedit-3.0-12.20121213cv5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:33:10 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.thrysoee.dk/editline/>  
Summary : The NetBSD Editline library  
Description :  
Libedit is an autotool- and libtoolized port of the NetBSD Editline library.

It provides generic line editing, history, and tokenization functions, similar to those found in GNU Readline.

Name : libvirt-daemon-driver-qemu  
Version : 3.2.0  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:54 AM EST  
Group : Development/Libraries  
Size : 1540453  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:03:23 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libvirt-3.2.0-14.el7.src.rpm  
Build Date : Sat 05 Aug 2017 01:16:28 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvirt.org/>  
Summary : QEMU driver plugin for the libvirtd daemon  
Description :  
The qemu driver plugin for the libvirtd daemon, providing an implementation of the hypervisor driver APIs using QEMU

Name : lrzsz  
Version : 0.12.20  
Release : 36.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:56:13 AM EST  
Group : Applications/Communications  
Size : 184846  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:32 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : lrzsz-0.12.20-36.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:29:11 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.ohse.de/uwe/software/lrzsz.html>  
Summary : The lrz and lsz modem communications programs  
Description :  
Lrzsz (consisting of lrz and lsz) is a cosmetically modified zmodem/ymodem/xmodem package built from the public-domain version of the rzzsz package. Lrzsz was created to provide a working GNU copylefted Zmodem solution for Linux systems.

Name : newt-python  
Version : 0.52.15  
Release : 4.el7

Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:25 AM EST  
Group : Development/Libraries  
Size : 116916  
License : LGPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:57:00 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : newt-0.52.15-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:48:12 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/newt/>  
Summary : Python bindings for newt  
Description :  
The newt-python package contains the Python bindings for the newt library  
providing a python API for creating text mode ionterfaces.

Name : device-mapper-event  
Epoch : 7  
Version : 1.02.140  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:49 AM EST  
Group : System Environment/Base  
Size : 42683  
License : GPLv2  
Signature : RSA/SHA256, Thu 10 Aug 2017 11:34:57 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : lvm2-2.02.171-8.el7.src.rpm  
Build Date : Sat 05 Aug 2017 11:10:51 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sources.redhat.com/lvm2>  
Summary : Device-mapper event daemon  
Description :  
This package contains the dmeventd daemon for monitoring the state  
of device-mapper devices.

Name : libwebp  
Version : 0.3.0  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:34 AM EST  
Group : Development/Libraries  
Size : 379925  
License : BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:07:46 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libwebp-0.3.0-7.el7.src.rpm  
Build Date : Wed 02 Aug 2017 08:56:15 AM EDT

Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://webmproject.org/>  
Summary : Library and tools for the WebP graphics format  
Description :  
WebP is an image format that does lossy compression of digital photographic images. WebP consists of a codec based on VP8, and a container based on RIFF. Webmasters, web developers and browser developers can use WebP to compress, archive and distribute digital images more efficiently.

Name : anaconda-core  
Version : 21.48.22.121  
Release : 1.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:56 AM EST  
Group : Applications/System  
Size : 8396408  
License : GPLv2+ and MIT  
Signature : RSA/SHA256, Mon 04 Sep 2017 11:56:12 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : anaconda-21.48.22.121-1.el7.centos.src.rpm  
Build Date : Mon 04 Sep 2017 11:37:24 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedoraproject.org/wiki/Anaconda>  
Summary : Core of the Anaconda installer  
Description :  
The anaconda-core package contains the program which was used to install your system.

Name : wqy-microhei-fonts  
Version : 0.2.0  
Release : 0.12.beta.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:20 AM EST  
Group : User Interface/X  
Size : 5244095  
License : ASL 2.0 or GPLv3 with exceptions  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:44:02 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : wqy-microhei-fonts-0.2.0-0.12.beta.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:06:41 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://wenq.org/enindex.cgi?MicroHei\(en\)](http://wenq.org/enindex.cgi?MicroHei(en))  
Summary : Compact Chinese fonts derived from Droid

Description :

A new Sans Serif CJK font derived from Google's "Droid Sans Fallback" and covers the entire GBK code points (20932 Han glyphs).

Name : perl-libwww-perl  
Version : 6.05  
Release : 2.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:52:26 AM EST  
Group : Development/Libraries  
Size : 498456  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:20:03 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-libwww-perl-6.05-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:19:15 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/libwww-perl/>  
Summary : A Perl interface to the World-Wide Web  
Description :  
The libwww-perl collection is a set of Perl modules which provides a simple and consistent application programming interface to the World-Wide Web. The main focus of the library is to provide classes and functions that allow you to write WWW clients. The library also contain modules that are of more general use and even classes that help you implement simple HTTP servers.

Name : wpa\_supplicant  
Epoch : 1  
Version : 2.6  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:52 AM EST  
Group : System Environment/Base  
Size : 4406921  
License : BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 04:20:51 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : wpa\_supplicant-2.6-5.el7.src.rpm  
Build Date : Fri 04 Aug 2017 02:47:55 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://w1.fi/wpa\\_supplicant/](http://w1.fi/wpa_supplicant/)  
Summary : WPA/WPA2/IEEE 802.1X Supplicant  
Description :

wpa\_supplicant is a WPA Supplicant for Linux, BSD and Windows with support for WPA and WPA2 (IEEE 802.11i / RSN). Supplicant is the IEEE 802.1X/WPA component that is used in the client stations. It implements key negotiation with a WPA Authenticator and it controls the roaming and IEEE 802.11 authentication/association of the wlan driver.

Name : newt  
Version : 0.52.15  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:35 AM EST  
Group : System Environment/Libraries  
Size : 185196  
License : LGPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:56:55 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : newt-0.52.15-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:48:12 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/newt/>  
Summary : A library for text mode user interfaces  
Description :  
Newt is a programming library for color text mode, widget based user interfaces. Newt can be used to add stacked windows, entry widgets, checkboxes, radio buttons, labels, plain text fields, scrollbars, etc., to text mode user interfaces. This package also contains the shared library needed by programs built with newt, as well as a /usr/bin/dialog replacement called whiptail. Newt is based on the slang library.

Name : telepathy-logger  
Version : 0.8.0  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:54:58 AM EST  
Group : Applications/Communications  
Size : 273056  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:12:00 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : telepathy-logger-0.8.0-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:40:42 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://telepathy.freedesktop.org/wiki/Logger>  
Summary : Telepathy framework logging daemon  
Description :



telepathy-logger is a headless Observer client that logs information received by the Telepathy framework. It features pluggable backends to log different sorts of messages, in different formats.

Name : lohit-oriya-fonts  
Version : 2.5.4.1  
Release : 3.el7  
Architecture: noarch  
Install Date: Mon 03 Dec 2018 08:56:32 AM EST  
Group : User Interface/X  
Size : 105062  
License : OFL  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:16 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : lohit-oriya-fonts-2.5.4.1-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:26:02 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/lohit/>  
Summary : Free Odia Font  
Description :  
This package provides a free Odia truetype/opentype font.

Name : net-snmp-libs  
Epoch : 1  
Version : 5.7.2  
Release : 28.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:52:28 AM EST  
Group : Development/Libraries  
Size : 3071528  
License : BSD  
Signature : RSA/SHA256, Thu 10 Aug 2017 02:29:21 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : net-snmp-5.7.2-28.el7.src.rpm  
Build Date : Thu 03 Aug 2017 06:11:58 PM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://net-snmp.sourceforge.net/>  
Summary : The NET-SNMP runtime client libraries  
Description :  
The net-snmp-libs package contains the runtime client libraries for shared binaries and applications.

Name : ebttables  
Version : 2.0.10  
Release : 15.el7  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:53:54 AM EST

Group : System Environment/Base  
Size : 350803  
License : GPLv2+  
Signature : RSA/SHA256, Sun 20 Nov 2016 12:35:15 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : ebtables-2.0.10-15.el7.src.rpm  
Build Date : Sat 05 Nov 2016 04:52:46 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://ebtables.sourceforge.net/>  
Summary : Ethernet Bridge frame table administration tool  
Description :  
Ethernet bridge tables is a firewalling tool to transparently filter  
network  
traffic passing a bridge. The filtering possibilities are limited to link  
layer filtering and some basic filtering on higher network layers.

This tool is the userspace control for the bridge and ebtables kernel  
components.

The ebtables tool can be used together with the other Linux filtering  
tools,  
like iptables. There are no known incompatibility issues.

Name : iptables  
Version : 1.4.21  
Release : 18.0.1.el7.centos  
Architecture: x86\_64  
Install Date: Mon 03 Dec 2018 08:51:37 AM EST  
Group : System Environment/Base  
Size : 1556293  
License : GPLv2  
Signature : RSA/SHA256, Mon 04 Sep 2017 11:57:00 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : iptables-1.4.21-18.0.1.el7.centos.src.rpm  
Build Date : Mon 04 Sep 2017 11:45:25 AM EDT  
Build Host : clbm.rdu2.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.netfilter.org/>  
Summary : Tools for managing Linux kernel packet filtering  
capabilities  
Description :  
The iptables utility controls the network packet filtering code in the  
Linux kernel. If you need to set up firewalls and/or IP masquerading,  
you should install this package.