

# EFI Fiery™ for the Xerox® EX-i C60/C70 Color Server

PostScript patch release note



## Overview

This checklist will help you prepare for the installation of **SP1.ps**.

General Information	
○ Current Version	2.0
○ Defect ID	FIT101467994(SP1)
○ Release Date	01-September-2016
○ Files included	SP1.ps
○ File size	324409393 bytes
○ Checksum	1408864381

## Issue(s) addressed with this release

- **FIT101467994: Service Pack 1 for EXi C60-C70 Print Server Powered by Fiery 2.0**
- FIT101439060: Few custom paper sizes do not print from driver.
- FIT101499170: Executive7.25x10.5SEF, D5Finsher: Output Tray: Finisher stacker tray, can NOT be selected.
- FIT000243900: HW 3 & Coated 3A - Auto Duplex.
- FIT101499160: Special print button requirement.
- FIT101352138: 13x18, C4 Envelope(229x324), 8.5x11 LEF Tab, A4 LEF Tab paper size paper catalog is not reflecting on the engine paper catalog list from the server.
- FIT000244526: Hole Punched HW3 & HW3 should be able to print Face down.
- FIT101499166: Unable to restore using Backup.
- FIT101499167: 8x10SEF Top 3hole punch needs a constraint.
- FIT000243901: Plain A minimum weight is 60 gsm not 64 like it was before.

### IMPORTANT

## Before installing Xerox\_EX-i\_C60\_C70\_Print\_Server\_Powered\_by\_Fiery\_2.0\_SP1.ps

1. Known issues listed below, read before installing **Xerox\_EX-i\_C60\_C70\_Print\_Server\_Powered\_by\_Fiery\_2.0\_SP1.ps** patch:
  - None.
2. The following prerequisite(s) must be installed in the order specified before applying the **Xerox\_EX-i\_C60\_C70\_Print\_Server\_Powered\_by\_Fiery\_2.0\_SP1.ps** patch:
  - None.

#### Disclaimer

This hardware, software/patches, or technology may contain cryptographic functions as defined in Article 8 (ix) (h) because the cryptographic capability is not user-accessible, and are designed to have only one or more of the following cryptographic functionality(ies):

1. Functionality to execute copy-protected programs
2. Functionality to access to digital contents stored on copy-protected read-only media
3. Functionality to access to encrypted and memorized digital contents on a medium that will be sold to the public with the same content
4. Functionality for copying control of copyright protected audio/video data
5. Functionality to encrypt and/or decrypt to protect libraries, design attributes, or associated data for the design of semiconductor devices or integrated circuits

# EFI Fiery™ for the Xerox® EX-i C60/C70 Color Server

PostScript patch release note



3. Do NOT install any of the following patch(es) after installing the **Xerox\_EX-i\_C60\_C70\_Print\_Server\_Powered\_by\_Fiery\_2.0\_SP1.ps** patch. If you must install any of the patch(es) below, do so before installing the **Xerox\_EX-i\_C60\_C70\_Print\_Server\_Powered\_by\_Fiery\_2.0\_SP1.ps** patch:
  - None.
4. This patch is exclusive, it must be installed by itself, and the server must be rebooted or restarted once. After that, other patches can be applied to the server.

---

## Patch installation instructions

1. Make sure that the Fiery controller has reached Idle.
2. Import patch file **Xerox\_EX-i\_C60\_C70\_Print\_Server\_Powered\_by\_Fiery\_2.0\_SP1.ps** using Command WorkStation to the Direct connection.
3. You must wait until the file finishes processing and Service Pack instruction page is printed and Command WorkStation or the LCD show Idle.
4. From Command WorkStation, choose Server, Reboot Server, or from the Fiery LCD, select Shut down, Reboot System.
5. Wait until the Fiery controller reaches Idle and print the configuration page.
6. Verify that the Update Info section contains the patch number **SP1** and Version will change to **2.0\_SP1**.

## Print Driver update

To get the most updated Print Driver, please connect to WebTools and download.

Use Internet browser to access WebTools.

1. Start your Internet browser.
2. Type the IP address or DNS name of the EX-i Print Server.
3. Click the Downloads tab and download the Windows or Mac Print Drivers.

### Disclaimer

This hardware, software/patches, or technology may contain cryptographic functions as defined in Article 8 (ix) (h) because the cryptographic capability is not user-accessible, and are designed to have only one or more of the following cryptographic functionality(ies):

1. Functionality to execute copy-protected programs
2. Functionality to access to digital contents stored on copy-protected read-only media
3. Functionality to access to encrypted and memorized digital contents on a medium that will be sold to the public with the same content
4. Functionality for copying control of copyright protected audio/video data
5. Functionality to encrypt and/or decrypt to protect libraries, design attributes, or associated data for the design of semiconductor devices or integrated circuits