Recommended Xerox Materials for CopyCentre C32/C40 & WorkCentre Pro 32/40 Color (USA and Canada)

For use in the US and Canada

Revision 1.1, Publish Date: July 23, 2003

For the most recent version of this quarterly published document, visit www.xdss.com, select "Free Downloads", then "Color".

Important Notes:

All media is listed by product, machine run mode, weight (standard gsm), re-order number, size, and tray runability. The additional information column is for hints and tips on how to run certain media applications.

Media recommendations made in this publication are based on qualification tests* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.

* Testing Environment temperature range of 60-75 deg. F, Relative Humidity range 20-40%.

*Machine reliability specifications may be affected by increased usage of the Heavyweight mode and Extra Heavyweight modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on using Heavyweight mode, Extra Heavyweight mode or special application media types for long duration copy/print runs.

For specifications and a description of the various media types discussed in this publication, please refer to www.Xerox.com

© 2003 Xerox Corporation. All rights reserved.

Xerox®, The Document Company®, the stylized X®, and all Xerox product names and product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

Trays 1,2,3,& 4: Plain/Bond/Recycled (64-105gsm) Paper Types are selected within system settings.					CopyCentre WorkCentre Pro			A=Auto Duplex M=Manual Duplex S=Simplex Only		olex			
Tray 5: Plain/Bond/Recycled (64-105gsm) Transparency Heavyweight Plain & Glossy (106-169gsm) Extra Heavyweight Plain & Glossy (170-220gsm)					32 / 40 Color				PCW=Post Consumer Waste ECF=Elemental Chlorine Free * Sizes Not Available from HCF		е		
				Time	0!								Additional Information
Media	Description	Weight	Re-Order #	Type	Size	J	1	Tra 2	ys 3	4	Bypass 5	L	Additional Information
			3R721	1	8.5 x 11	⊢∍Ī	Α	Α	Α	Α	Α	Г	
Xerox Premium Multipurpose 4024	Plain	75 gsm/	3R2193 (3-hole)		8.5 x 11	-	Α	Α	Α	A	Α		Paper Type Plain should be displayed on the user interface for trays 1, 2,3 & 4. Paper Types are
		20lb	3R727		8.5 x 14	-	Α	Α	Α*	A*	Α	-	selected within system settings.
			3R729	.	11 x 17	-	Α	Α	Α*	Α*	Α	L	
Xerox Business Multipurpose 4200	Plain	75 gsm/ 20lb	3R2047		8.5 x 11	-	Α	Α	Α	Α	Α		
			3R2641 3R2051		8.5 x 11 8.5 x 14		A	A	A A*	A A*	A	-	Paper Type <i>Plain</i> should be displayed on the user interface for trays 1, 2,3 & 4. Paper Types are selected within system settings.
wullipurpose 4200		2015	3R3761		11 x 17	-	A	A	A*	A*	A		Sciented within System Settings.
			3R11380]	8.5 x 11	⊢ ▶	Α	Α	Α	Α	Α	 	
	- Bond -	90 gsm/ 24lb	3R11381 (3-hole)		8.5 x 11		Ā	A	Ā	Ā	A		Paper Type Bond should be displayed on the user interface for trays 1, 2,3 & 4. Paper Types are
			3R11382		8.5 x 14	-	Α	Α	Α*	Α*	Α	-	selected within system settings.
			3R11383		17 x 11	-	Α	Α	Α*	A *	Α	L	
	Bond	105gsm/ 28lb	3R11385		8.5 x 11	-	Α	Α	Α	Α	Α	_	Paper Type Bond should be displayed on the user interface for trays 1,2,3 & 4. Paper Types are
Xerox Digital Color	20		3R11386		17 x 11	 ->	Α	Α	Α*	A*	Α		selected within system settings.
Xpressions +			3R11387		8.5 x 11	⊢ ▶					M	ı	
	Heavyweight	120gsm/ 32lb	3R11388		17 x 11	-					M	-	Bypass Tray: 2nd side printing - Use Heavyweight Side 2 as media description / type.
		3210	3R11389		18 x 12	-					M	L	
		163gsm/ 60lb	3R11390	 	8.5 x 11	⊢ ▶					M	ſ	
	Heavyweight		3R11391		17 x 11	-					M	-	Bypass Tray: 2nd side printing - Use Heavyweight Side 2 as media description / type.
		OOID	3R11384		18 x 12	-					M	L	
	Bond	105gsm/ 28lb 163gsm/ 60lb	3R5529		8.5 x 11	-	Α	Α	Α	Α	Α		Paper Type Bond should be displayed on the user interface for trays 1, 2,3 & 4. Paper Types are
			3R5530 3R5531		17 x 11 18 x 12		Α	Α	Α*	A *	A M	-	selected within system settings. PCW=30%
			01(0001	J	10 x 12] - L					141		
Xerox Digital Color Xpressions 98' (Ultra White)	Heavyweight		3R6385		8.5 x 11	-					M		
			3R6386 3R6387		17 x 11 18 x 12						M	-	Bypass Tray: 2nd side printing - Use Heavyweight Side 2 as media description / type.PCW=30%
			31(030)	l I	10 X 12] - L					IVI	L	
	Extra Heavyweight	175gsm/ 65lb	3R5533		8.5 x 11	-					M		
			3R5534 3R5535		17 x 11 18 x 12						M	-	Bypass Tray: 2nd side printing - Use Heavyweight Side 2 as media description / type.PCW=30%
			01(0000	J I	10 X 12	ן יי					141	L	
		215gsm/ 80lb	3R5537		8.5 x 11	-					M		
			3R5538 3R5539		17 x 11 18 x 12						M	-	Bypass Tray: 2nd side printing - Use Heavyweight Side 2 as media description / type.PCW=3
]						L	
Xerox Digital Color Parchment	Bond	-	3R11244 3R11248	White	8.5 x 11 17 x 11		A	A	A A*	A A*	A	-	
			3R11245		8.5 x 11		Α	Α	Α	Α	Α		
		90gsm/ 24lb	3R11249	Gold	17 x 11	-	A	A	A*	A*	A	-	Paper Type Bond should be displayed on the user interface for trays 1, 2,3 & 4. Paper Types are selected within system settings.
			3R11246	0 111	8.5 x 11	⊢ ▶	Α	Α	Α	Α	Α		Due to the unique surface patterns in Parchment paper, this product will exhibit image mottle as a
			3R11250	Orchid	17 x 11	 	Α	Α	Α*	A*	Α	_	design feature. PCW=30%
			3R11247	Pewter	8.5 x 11	 	Α	Α	Α	Α	Α	_	
			3R11251	1 CWIO	17 x 11	-	Α	Α	Α*	Α*	Α		
Xerox Digital Color Silk Coated Text and Covers (C2S)	Heavyweight Glossy	120gsm/ 80lb	3R11354		8.5 x 11	 					M		
			3R11355 3R11356	Silk Text	17 x 11 18 x 12						M	→	Bypass Tray: 2nd side printing - Use Heavyweight Side 2 as media description / type. Enviromental
	Heavyweight Glossy		3R11360		8.5 x 11	 >					M		conditions may require that this product be fed one sheet at a time. Replaced Color Xpressions
		140gsm/ 100lb	- 3R11361	Silk Text								-	Matte Coated Text. ECF
			3R11362		18 x 12	 -					M		
	Extra Heavyweight Glossy	210gsm/	3R11357		8.5 x 11	-					М		Bypass Tray: 2nd side printing - Use Extra Heavyweight Side 2 as media description / type.
			3R11358	Silk	17 x 11	 					м	→	Environmental conditions may require that this product be fed one sheet at a time. Replaced Color
		80lb		Cover		⊢							Xpressions Matte Coated Cover. ECF
			3R11359		18 x 12	, L					M	ш	

For the most recent version of this document, visit www.xdss.com/ select "Free Downloads",

Trays 1,2,3,& 4: Plain/Bond/Recycled (64-105gsm) Paper Types are selected within system settings.					CopyCentre WorkCentre Pro			A=Auto Duplex M=Manual Duplex S=Simplex Only PCW=Post Consumer Waste					
Tray 5: Plain/Bond/Recycled (64-105gsm) Transparency Heavyweight Plain & Glossy (106-169gsm) Extra Heavyweight Plain & Glossy (170-220gsm)					32 / 40 Colo	r		ECF=Eleme	CF=Elemental Chlorine Free izes Not Available from HCF				
Media	Туре	Size	1 [Trays Bypass				_	Additional Information			
Wiedia	Description	Weight	Re-Order #	Турс	Size	J	1	2 3	4			_	Additional information
			0011000		0.5 44	1 ⊾[1		_		
Xerox Digital Color Gloss Coated Text and Covers (C2S)	Heavyweight Glossy	120gsm/ 80lb	3R11330	Gloss	8.5 x 11						M		
			3R11331	Text	17 x 11					M	→		Bypass Tray: 2nd side printing - Use Heavyweight Side 2 as media description / type. Enviromental conditions may require that this product be fed one sheet at a time. Replaced Color Xpressions Gloss Coated Text. ECF
			3R11332		18 x 12	-				M			
	Heavyweight _ Glossy	140gsm/ 100lb	3R11336	01	8.5 x 11					M			
			3R11337	Gloss Text	17 x 11					M	•	▶	
			3R11338		18 x 12	-				M			
, ,	Extra Heavyweight Glossy	210gsm/ 80lb	3R11333		8.5 x 11	→				М		Т	
				Gloss						_		_	Bypass Tray: 2nd side printing - Use Extra Heavyweight Side 2 as media description / type. Environmental conditions may require that this product be fed one sheet at a time. Replaced Color
			3R11334	Cover	17 x 11				Ynre	Xpressions Gloss Coated Cover. ECF			
	Glossy		3R11335		18 x 12					M			Apressions 5,555 554,557 257
Xerox Digital Color Super Gloss Trifold Brochure (C1S)	Heavyweight Glossy	160 gsm	3R6348		8.5 x 11	-				М	-	B	Bypass Tray: 2nd side printing - Use Heavyweight Side 2 as media description / type. Duplex text or light area coverage/ Print on uncoated side first. Enviromental conditions may require that this product be fed one sheet at a time.
] <u> </u>] -			1			_	
Xerox Index Stock	Heavyweight	163gsm/ 90lb	3R3004		8.5 x 11				M		•	Bypass Tray: 2nd side printing - Use Extra Heavyweight Side 2 as media description / type.	
			3R5102						M		L		
Xerox 110# Index Stock	Extra Heavyweight	199 gsm _	3R6383		8.5 x 11	 				М	•	•	
Xerox 65# Cover	Extra Heavyweight	176 gsm	3R3041		8.5 x 11	 - [М	→	•	
Xerox Digital Color Glossy Labels	Label		3R5770	1- up 8.5 x 11					S				
			3R5771	4-up					S				
			3R6324	10-up 8.5 x 11 30-up 8.5 x 11 VCR 8.5 x 11	┍╸				S		>		
			3R6325 3R6320		∤ ∤				S				
			3R6320 3R6322	CD Rom	8.5 x 11 8.5 x 11					S			
			3R5772	1- up		1				S		H	
Xerox Digital Color Matte Labels	Label		3R5773	4-up	8.5 x 11	1				S			
			3R6332	10-up	8.5 x 11					S	١.		
			3R6333	30-up	8.5 x 11					S		7	
			3R6328	VCR	*******					S			
			3R6330	CD Rom		IJĹ				S		L	
				1 [1 [1			_	A LA NON OTRIPE LA
Xerox Laser Transp Removable Stripe	Transparency		3R3108		8.5 x 11	→	s			s	*	Tr	Print on NON - STRIPE side ray 1 - Load stripe down at trail edge ypass Tray - Load Stripe up at trailing edge
Xerox Digital Color Clear Transparency	Transparency		3R12327		8.5 x 11	ightarrow	s			s	-	•	