

Source RPM files for all components can be found at:
<http://vault.centos.org/6.2/>

Name : ibus Relocations: (not relocatable)
Version : 1.3.4 Vendor: CentOS
Release : 6.el6 Build Date: Wed 07 Dec 2011
12:23:43 PM EST
Install Date: Sun 24 Feb 2013 10:37:50 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ibus-1.3.4-
6.el6.src.rpm
Size : 1528502 License: LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:07:47 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/ibus/>
Summary : Intelligent Input Bus for Linux OS
Description :
IBus means Intelligent Input Bus. It is an input framework for Linux OS.

Name : libarchive Relocations: (not relocatable)
Version : 2.8.3 Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010
04:36:02 PM EST
Install Date: Sun 24 Feb 2013 10:34:20 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libarchive-
2.8.3-2.el6.src.rpm
Size : 307255 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:31:39 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/libarchive/>
Summary : A library for handling streaming archive formats
Description :
Libarchive is a programming library that can create and read several
different
streaming archive formats, including most popular tar variants, several
cpio
formats, and both BSD and GNU ar variants. It can also write shar
archives and
read ISO9660 CDRom images and ZIP archives.

Name : nfs4-acl-tools Relocations: (not relocatable)
Version : 0.3.3 Vendor: CentOS
Release : 5.el6 Build Date: Thu 11 Nov 2010
09:12:10 AM EST
Install Date: Sun 24 Feb 2013 10:40:39 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Applications/System Source RPM: nfs4-acl-tools-
0.3.3-5.el6.src.rpm
Size : 104528 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:47:32 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.citi.umich.edu/projects/nfsv4/linux/>
Summary : The nfs4 ACL tools
Description :
This package contains commandline and GUI ACL utilities for the Linux NFSv4 client.

Name : plymouth-plugin-two-step Relocations: (not relocatable)
Version : 0.8.3 Vendor: CentOS
Release : 24.el6.centos Build Date: Thu 08 Dec 2011
01:38:06 PM EST
Install Date: Sun 24 Feb 2013 10:35:46 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Base Source RPM: plymouth-0.8.3-
24.el6.centos.src.rpm
Size : 25472 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:57:38 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://freedesktop.org/software/plymouth/releases>
Summary : Plymouth "two-step" plugin
Description :
This package contains the "two-step" boot splash plugin for
Plymouth. It features a two phased boot process that starts with
a progressing animation synced to boot time and finishes with a
short, fast one-shot animation.

Name : ca-certificates Relocations: (not relocatable)
Version : 2010.63 Vendor: CentOS
Release : 3.el6_1.5 Build Date: Fri 23 Sep 2011
03:39:46 PM EDT
Install Date: Sun 24 Feb 2013 10:33:27 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: ca-certificates-
2010.63-3.el6_1.5.src.rpm
Size : 1353134 License: Public Domain
Signature : RSA/SHA1, Mon 26 Sep 2011 12:17:03 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mozilla.org/>
Summary : The Mozilla CA root certificate bundle
Description :
This package contains the set of CA certificates chosen by the
Mozilla Foundation for use with the Internet PKI.

Name : gnome-session Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 18.el6 Build Date: Wed 07 Dec 2011
12:54:27 PM EST
Install Date: Sun 24 Feb 2013 10:37:59 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: gnome-session-
2.28.0-18.el6.src.rpm
Size : 1839090 License: GPLv2+

Signature : RSA/SHA1, Thu 08 Dec 2011 03:05:32 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : GNOME session manager
Description :
gnome-session manages a GNOME desktop or GDM login session. It starts up
the other core GNOME components and handles logout and saving the
session.

Name : sound-theme-freedesktop Relocations: (not relocatable)
Version : 0.7 Vendor: CentOS
Release : 3.el6 Build Date: Sun 22 Aug 2010
05:18:33 AM EDT
Install Date: Sun 24 Feb 2013 10:34:21 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: sound-theme-
freedesktop-0.7-3.el6.src.rpm
Size : 483308 License: GPLv2+ and
LGPLv2+ and CC-BY-SA and CC-BY
Signature : RSA/8, Sun 03 Jul 2011 12:48:07 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/wiki/Specifications/sound-theme-spec>
Summary : freedesktop.org sound theme
Description :
The default freedesktop.org sound theme following the XDG theming
specification. (<http://0pointer.de/public/sound-theme-spec.html>).

Name : liberation-serif-fonts Relocations: (not relocatable)
Version : 1.05.1.20090721 Vendor: CentOS
Release : 4.el6 Build Date: Sat 21 Aug 2010
06:22:37 AM EDT
Install Date: Sun 24 Feb 2013 10:40:58 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : User Interface/X Source RPM: liberation-fonts-
1.05.1.20090721-4.el6.src.rpm
Size : 595788 License: Liberation
Signature : RSA/8, Sun 03 Jul 2011 12:23:01 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/liberation-fonts/>
Summary : Serif fonts to replace commonly used Microsoft Times New
Roman
Description :

The Liberation Fonts are intended to be replacements for the three most
commonly used fonts on Microsoft systems: Times New Roman, Arial, and
Courier
New.

This is Serif TrueType fonts that replaced commonly used Microsoft Times
New \

Roman.

Name : dash Relocations: (not relocatable)
Version : 0.5.5.1 Vendor: CentOS
Release : 3.1.el6 Build Date: Wed 18 Aug 2010
03:59:42 PM EDT
Install Date: Sun 24 Feb 2013 10:35:47 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Shells Source RPM: dash-0.5.5.1-
3.1.el6.src.rpm
Size : 127501 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:09:16 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gondor.apana.org.au/~herbert/dash/>
Summary : Small and fast POSIX-compliant shell
Description :
DASH is a POSIX-compliant implementation of /bin/sh that aims to be as
small as
possible. It does this without sacrificing speed where possible. In fact,
it is
significantly faster than bash (the GNU Bourne-Again SHell) for most
tasks.

Name : comps-extras Relocations: (not relocatable)
Version : 17.8 Vendor: CentOS
Release : 1.el6 Build Date: Wed 10 Nov 2010
10:22:44 PM EST
Install Date: Sun 24 Feb 2013 10:33:29 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Applications/System Source RPM: comps-extras-
17.8-1.el6.src.rpm
Size : 66974 License: GPL+ and LGPL+
Signature : RSA/8, Sun 03 Jul 2011 12:02:58 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://git.fedorahosted.org/git/?p=comps-extras.git;a=summary>
Summary : Images for components included in Fedora
Description :
This package contains images for the components included in Fedora.

Name : cjkuni-fonts-common Relocations: (not relocatable)
Version : 0.2.20080216.1 Vendor: CentOS
Release : 35.el6 Build Date: Fri 23 Sep 2011
06:55:38 AM EDT
Install Date: Sun 24 Feb 2013 10:38:08 PM EST Build Host:
c6b18n1.dev.centos.org
Group : User Interface/X Source RPM: cjkuni-fonts-
0.2.20080216.1-35.el6.src.rpm
Size : 0 License: Arphic
Signature : RSA/SHA1, Mon 26 Sep 2011 12:17:06 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.freedesktop.org/wiki/Software/CJKUnifonts>
Summary : Common package of CJK Unifonts
Description :

CJK Unifonts are Unicode TrueType fonts derived from original fonts made available by Arphic Technology under "Arphic Public License" and extended by the CJK Unifonts project.

Common package of CJK Unifonts.

Name : libical Relocations: (not relocatable)
Version : 0.43 Vendor: CentOS
Release : 5.1.el6 Build Date: Thu 19 Aug 2010
04:20:32 AM EDT
Install Date: Sun 24 Feb 2013 10:34:23 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libical-0.43-
5.1.el6.src.rpm
Size : 621347 License: LGPLv2 or MPLv1.1
Signature : RSA/8, Sun 03 Jul 2011 12:35:46 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://freeassociation.sourceforge.net/>
Summary : Reference implementation of the iCalendar data type and
serialization format
Description :
Reference implementation of the iCalendar data type and serialization
format
used in dozens of calendaring and scheduling products.

Name : paktype-naqsh-fonts Relocations: (not relocatable)
Version : 2.0 Vendor: CentOS
Release : 8.el6 Build Date: Tue 24 Aug 2010
08:33:49 PM EDT
Install Date: Sun 24 Feb 2013 10:41:15 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : User Interface/X Source RPM: paktype-fonts-
2.0-8.el6.src.rpm
Size : 635031 License: GPLv2 with
exceptions
Signature : RSA/8, Sun 03 Jul 2011 12:36:22 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://sourceforge.net/projects/paktype/>
Summary : Naqsh Fonts for Arabic from PakType
Description :
The paktype-naqsh-fonts package contains fonts for the display of\
Arabic from the PakType by Lateef Sagar.

Name : libpath_utils Relocations: (not relocatable)
Version : 0.2.1 Vendor: CentOS
Release : 6.el6 Build Date: Tue 19 Jul 2011
07:17:05 AM EDT

Install Date: Sun 24 Feb 2013 10:35:50 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: ding-libs-0.1.2-
6.el6.src.rpm
Size : 54310 License: LGPLv3+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:20:49 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/sssd/>
Summary : Filesystem Path Utilities
Description :
Utility functions to manipulate filesystem pathnames

Name : glibc-common Relocations: (not relocatable)
Version : 2.12 Vendor: CentOS
Release : 1.47.el6 Build Date: Tue 06 Dec 2011
10:42:51 AM EST

Install Date: Sun 24 Feb 2013 10:33:34 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Base Source RPM: glibc-2.12-
1.47.el6.src.rpm
Size : 112420215 License: LGPLv2+ and
LGPLv2+ with exceptions and GPLv2+
Signature : RSA/SHA1, Sat 10 Dec 2011 05:58:51 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sources.redhat.com/glibc/>
Summary : Common binaries and locale data for glibc
Description :
The glibc-common package includes common binaries for the GNU libc
libraries, as well as national language (locale) support.

Name : dracut-kernel Relocations: (not relocatable)
Version : 004 Vendor: CentOS
Release : 256.el6 Build Date: Wed 07 Dec 2011
07:59:53 PM EST

Install Date: Sun 24 Feb 2013 10:38:11 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Base Source RPM: dracut-004-
256.el6.src.rpm
Size : 202 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 02:56:08 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://apps.sourceforge.net/trac/dracut/wiki>
Summary : Metapackage to build generic initramfs with dracut with
only kernel modules
Description :
This package requires everything which is needed to build a initramfs
with all
kernel modules and firmware files needed by dracut modules.

Name : lm_sensors-libs Relocations: (not relocatable)
Version : 3.1.1 Vendor: CentOS

Release : 10.el6 Build Date: Thu 11 Nov 2010
09:24:31 PM EST
Install Date: Sun 24 Feb 2013 10:34:26 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: lm_sensors-
3.1.1-10.el6.src.rpm
Size : 66192 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:43:10 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.lm-sensors.org/>
Summary : Lm_sensors core libraries
Description :
Core libraries for lm_sensors applications

Name : mcelog Relocations: (not relocatable)
Version : 1.0pre3_20110718 Vendor: CentOS
Release : 0.7.el6 Build Date: Wed 07 Dec 2011
11:11:32 AM EST
Install Date: Sun 24 Feb 2013 10:41:32 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : System Environment/Base Source RPM: mcelog-
1.0pre3_20110718-0.7.el6.src.rpm
Size : 117939 License: GPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 03:30:32 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://git.kernel.org/?p=utils/cpu/mce/mcelog.git>
Summary : Tool to translate x86-64 CPU Machine Check Exception data.
Description :
mcelog is a daemon that collects and decodes Machine Check Exception data
on x86-64 machines.

Name : xorg-x11-server-utils Relocations: (not relocatable)
Version : 7.5 Vendor: CentOS
Release : 5.2.el6 Build Date: Wed 07 Dec 2011
04:27:36 PM EST
Install Date: Sun 24 Feb 2013 10:35:51 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : User Interface/X Source RPM: xorg-x11-server-
utils-7.5-5.2.el6.src.rpm
Size : 303577 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:44:15 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 X server utilities
Description :
A collection of utilities used to tweak and query the runtime
configuration
of the X server.

Name : freetype Relocations: (not relocatable)
Version : 2.3.11 Vendor: CentOS

Release : 6.el6_1.7 Build Date: Wed 26 Oct 2011
08:06:04 AM EDT
Install Date: Sun 24 Feb 2013 10:33:40 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: freetype-2.3.11-
6.el6_1.7.src.rpm
Size : 835275 License: FTL or GPLv2+
Signature : RSA/SHA1, Wed 26 Oct 2011 11:14:31 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freetype.org>
Summary : A free and portable font rendering engine
Description :
The FreeType engine is a free and portable font rendering
engine, developed to provide advanced font support for a variety of
platforms and environments. FreeType is a library which can open and
manages font files as well as efficiently load, hint and render
individual glyphs. FreeType is not a font server or a complete
text-rendering library.

Name : mesa-libGL Relocations: (not relocatable)
Version : 7.11 Vendor: CentOS
Release : 3.el6 Build Date: Wed 07 Dec 2011
05:56:04 PM EST
Install Date: Sun 24 Feb 2013 10:38:21 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: mesa-7.11-
3.el6.src.rpm
Size : 504264 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 03:31:41 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mesa3d.org>
Summary : Mesa libGL runtime libraries and DRI drivers
Description :
Mesa libGL runtime library.

Name : libhbalinux Relocations: (not relocatable)
Version : 1.0.12 Vendor: CentOS
Release : 1.el6 Build Date: Wed 07 Dec 2011
11:05:28 AM EST
Install Date: Sun 24 Feb 2013 10:34:27 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libhbalinux-
1.0.12-1.el6.src.rpm
Size : 70370 License: LGPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 03:18:15 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.open-fcoe.org>
Summary : FC-HBAAPI implementation using scsi_transport_fc interfaces
Description :
SNIA HBAAPI vendor library built on top of the scsi_transport_fc
interfaces


```

Name           : gdb-gdbserver           Relocations: (not relocatable)
Version        : 7.2                     Vendor: CentOS
Release        : 50.el6                  Build Date: Wed 07 Dec 2011
01:17:56 PM EST
Install Date: Sun 24 Feb 2013 10:41:34 PM EST      Build Host:
c6b6.bsys.dev.centos.org
Group          : Development/Debuggers          Source RPM: gdb-7.2-
50.el6.src.rpm
Size           : 264306                    License: GPLv3+ and GPLv3+
with exceptions and GPLv2+ and GPLv2+ with exceptions and GPL+ and
LGPLv2+ and GFDL and BSD and Public Domain
Signature      : RSA/SHA1, Thu 08 Dec 2011 03:04:21 PM EST, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://gnu.org/software/gdb/
Summary        : A standalone server for GDB (the GNU source-level debugger)
Description    :
GDB, the GNU debugger, allows you to debug programs written in C, C++,
Java, and other languages, by executing them in a controlled fashion
and printing their data.

```

This package provides a program that allows you to run GDB on a different machine than the one which is running the program being debugged.

```

Name           : dbus-python             Relocations: (not relocatable)
Version        : 0.83.0                  Vendor: CentOS
Release        : 6.1.el6                  Build Date: Wed 10 Nov 2010
11:17:00 PM EST
Install Date: Sun 24 Feb 2013 10:35:57 PM EST      Build Host:
c6b4.bsys.dev.centos.org
Group          : System Environment/Libraries      Source RPM: dbus-python-
0.83.0-6.1.el6.src.rpm
Size           : 807290                    License: MIT
Signature      : RSA/8, Sun 03 Jul 2011 12:09:35 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.freedesktop.org/software/dbus/
Summary        : D-Bus Python Bindings
Description    :

```

D-Bus python bindings for use with python programs.

```

Name           : nspr                     Relocations: (not relocatable)
Version        : 4.8.8                     Vendor: CentOS
Release        : 3.el6                     Build Date: Wed 07 Dec 2011
11:48:15 AM EST
Install Date: Sun 24 Feb 2013 10:33:41 PM EST      Build Host:
c6b6.bsys.dev.centos.org
Group          : System Environment/Libraries      Source RPM: nspr-4.8.8-
3.el6.src.rpm
Size           : 273840                    License: MPLv1.1 or GPLv2+
or LGPLv2+

```

Signature : RSA/SHA1, Thu 08 Dec 2011 03:44:05 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mozilla.org/projects/nspr/>
Summary : Netscape Portable Runtime
Description :
NSPR provides platform independence for non-GUI operating system
facilities. These facilities include threads, thread synchronization,
normal file and network I/O, interval timing and calendar time, basic
memory management (malloc and free) and shared library linking.

Name : xorg-x11-drv-vooodoo Relocations: (not relocatable)
Version : 1.2.4 Vendor: CentOS
Release : 1.el6 Build Date: Wed 07 Dec 2011
10:52:24 AM EST
Install Date: Sun 24 Feb 2013 10:38:26 PM EST Build Host:
c6b18n2.bsyzs.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-vooodoo-1.2.4-1.el6.src.rpm
Size : 29787 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:42:08 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 voodoo video driver
Description :
X.Org X11 voodoo video driver.

Name : docbook-dtlds Relocations: (not relocatable)
Version : 1.0 Vendor: CentOS
Release : 51.el6 Build Date: Wed 10 Nov 2010
11:31:28 PM EST
Install Date: Sun 24 Feb 2013 10:34:30 PM EST Build Host:
c6b5.bsyzs.dev.centos.org
Group : Applications/Text Source RPM: docbook-dtlds-1.0-
51.el6.src.rpm
Size : 4571574 License: Copyright only
Signature : RSA/8, Sun 03 Jul 2011 12:04:48 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.oasis-open.org/docbook/>
Summary : SGML and XML document type definitions for DocBook
Description :
The DocBook Document Type Definition (DTD) describes the syntax of
technical documentation texts (articles, books and manual pages).
This syntax is XML-compliant and is developed by the OASIS consortium.
This package contains SGML and XML versions of the DocBook DTD.

Name : eject Relocations: (not relocatable)
Version : 2.1.5 Vendor: CentOS
Release : 17.el6 Build Date: Thu 11 Nov 2010
01:32:26 AM EST
Install Date: Sun 24 Feb 2013 10:41:34 PM EST Build Host:
c6b5.bsyzs.dev.centos.org

Group : System Environment/Base Source RPM: eject-2.1.5-17.el6.src.rpm
Size : 137173 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:12:41 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.pobox.com/~tranter>
Summary : A program that ejects removable media using software control
Description :
The eject program allows the user to eject removable media (typically CD-ROMs, floppy disks or Iomega Jaz or Zip disks) using software control. Eject can also control some multi-disk CD changers and even some devices' auto-eject features.

Install eject if you'd like to eject removable media using software control.

Name : pycairo Relocations: (not relocatable)
Version : 1.8.6 Vendor: CentOS
Release : 2.1.el6 Build Date: Wed 18 Aug 2010 10:51:19 PM EDT
Install Date: Sun 24 Feb 2013 10:35:59 PM EST Build Host: c6b1.bsys.dev.centos.org
Group : Development/Languages Source RPM: pycairo-1.8.6-2.1.el6.src.rpm
Size : 423809 License: MPLv1.1 or LGPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:58:09 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://cairographics.org/pycairo>
Summary : Python bindings for the cairo library
Description :
Python bindings for the cairo library.

Name : nss-util Relocations: (not relocatable)
Version : 3.12.10 Vendor: CentOS
Release : 2.el6 Build Date: Wed 07 Dec 2011 04:22:56 PM EST
Install Date: Sun 24 Feb 2013 10:33:42 PM EST Build Host: c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: nss-util-3.12.10-2.el6.src.rpm
Size : 125768 License: MPLv1.1 or GPLv2+ or LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:45:46 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mozilla.org/projects/security/pki/nss/>
Summary : Network Security Services Utilities Library
Description :
Utilities for Network Security Services and the Softoken module

Name : xorg-x11-drv-sis Relocations: (not relocatable)

Version : 0.10.3 Vendor: CentOS
Release : 1.el6 Build Date: Wed 07 Dec 2011
10:52:10 AM EST
Install Date: Sun 24 Feb 2013 10:38:27 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-sis-0.10.3-1.el6.src.rpm
Size : 589184 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:39:49 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 sis video driver
Description :
X.Org X11 sis video driver.

Name : mysql-libs Relocations: (not relocatable)
Version : 5.1.52 Vendor: CentOS
Release : 1.el6_0.1 Build Date: Sat 25 Jun 2011
01:53:02 AM EDT
Install Date: Sun 24 Feb 2013 10:34:33 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/Databases Source RPM: mysql-5.1.52-
1.el6_0.1.src.rpm
Size : 4236020 License: GPLv2 with
exceptions
Signature : RSA/8, Tue 05 Jul 2011 09:41:44 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mysql.com>
Summary : The shared libraries required for MySQL clients
Description :
The mysql-libs package provides the essential shared libraries for any
MySQL client program or interface. You will need to install this package
to use any other MySQL package or any clients that need to connect to a
MySQL server.

Name : compat-libgfortran-41 Relocations: (not relocatable)
Version : 4.1.2 Vendor: CentOS
Release : 39.el6 Build Date: Wed 10 Nov 2010
10:17:21 PM EST
Install Date: Sun 24 Feb 2013 10:41:35 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: compat-
libgfortran-41-4.1.2-39.el6.src.rpm
Size : 924304 License: GPLv2+ with
exceptions
Signature : RSA/8, Sun 03 Jul 2011 12:07:40 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gcc.gnu.org>
Summary : Compatibility Fortran 95 runtime library version 4.1.2
Description :
This package includes a Fortran 95 runtime library for compatibility

with GCC 4.1.x-RH compiled Fortran applications.

Name : pygtk2 Relocations: (not relocatable)
Version : 2.16.0 Vendor: CentOS
Release : 3.el6 Build Date: Fri 20 Aug 2010
11:03:41 PM EDT
Install Date: Sun 24 Feb 2013 10:36:00 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Development/Languages Source RPM: pygtk2-2.16.0-
3.el6.src.rpm
Size : 4314034 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:58:13 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.pygtk.org/>
Summary : Python bindings for GTK+
Description :
PyGTK is an extension module for Python that gives you access to the GTK+
widget set. Just about anything you can write in C with GTK+ you can
write
in Python with PyGTK (within reason), but with all the benefits of using
a
high-level scripting language.

Name : m17n-contrib Relocations: (not relocatable)
Version : 1.1.10 Vendor: CentOS
Release : 4.el6_1.1 Build Date: Fri 23 Sep 2011
06:12:49 AM EDT
Install Date: Sun 24 Feb 2013 10:33:43 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-contrib-
1.1.10-4.el6_1.1.src.rpm
Size : 39144 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:31 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : Contributed multilingualization datafiles for m17n-lib
Description :
This package contains contributed multilingualization (m17n) datafiles
for the m17n-lib project.

Name : xorg-x11-drv-openchrome Relocations: (not relocatable)
Version : 0.2.904 Vendor: CentOS
Release : 4.el6 Build Date: Wed 07 Dec 2011
11:46:15 AM EST
Install Date: Sun 24 Feb 2013 10:38:28 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-openchrome-0.2.904-4.el6.src.rpm
Size : 470389 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:38:00 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.openchrome.org>
Summary : Xorg X11 openchrome video driver
Description :
X.Org X11 openchrome video driver.

Name : at Relocations: (not relocatable)
Version : 3.1.10 Vendor: CentOS
Release : 43.el6 Build Date: Sat 25 Jun 2011
12:32:21 AM EDT
Install Date: Sun 24 Feb 2013 10:34:43 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: at-3.1.10-
43.el6.src.rpm
Size : 93940 License: GPLv2+
Signature : RSA/8, Tue 05 Jul 2011 09:37:07 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://ftp.debian.org/debian/pool/main/a/at>
Summary : Job spooling tools
Description :
At and batch read commands from standard input or from a specified
file. At allows you to specify that a command will be run at a
particular time. Batch will execute commands when the system load
levels drop to a particular level. Both commands use user's shell.

You should install the at package if you need a utility for
time-oriented job control. Note: If it is a recurring job that will
need to be repeated at the same time every day/week, etc. you should
use crontab instead.

Name : iwl5000-firmware Relocations: (not relocatable)
Version : 8.83.5.1_1 Vendor: CentOS
Release : 1.el6_1.1 Build Date: Tue 27 Sep 2011
09:50:38 AM EDT
Install Date: Sun 24 Feb 2013 10:41:42 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: iwl5000-firmware-
8.83.5.1_1-1.el6_1.1.src.rpm
Size : 1045904 License: Redistributable,
no modification permitted
Signature : RSA/SHA1, Tue 27 Sep 2011 08:34:05 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://intellinuxwireless.org/>
Summary : Firmware for Intel® PRO/Wireless 5000 A/G/N network
adaptors
Description :
This package contains the firmware required by the iwl5000 driver for
Linux.
Usage of the firmware is subject to the terms and conditions contained
inside the provided LICENSE file. Please read it carefully.

Name : gnome-python2-extras Relocations: (not relocatable)
Version : 2.25.3 Vendor: CentOS

Release : 20.el6 Build Date: Thu 11 Nov 2010
06:53:06 AM EST
Install Date: Sun 24 Feb 2013 10:36:01 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Development/Languages Source RPM: gnome-python2-
extras-2.25.3-20.el6.src.rpm
Size : 68392 License: GPLv2+ and
LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:18:31 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.pygtk.org/>
Summary : Additional PyGNOME Python extension modules
Description :
The gnome-python-extra package contains the source packages for
additional
Python bindings for GNOME. It should be used together with gnome-python.

Name : dbus-glib Relocations: (not relocatable)
Version : 0.86 Vendor: CentOS
Release : 5.el6 Build Date: Wed 10 Nov 2010
11:22:35 PM EST
Install Date: Sun 24 Feb 2013 10:33:44 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: dbus-glib-0.86-
5.el6.src.rpm
Size : 579827 License: AFL and GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:09:33 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/software/dbus/>
Summary : GLib bindings for D-Bus
Description :

D-Bus add-on library to integrate the standard D-Bus library with
the GLib thread abstraction and main loop.

Name : xorg-x11-drv-intel Relocations: (not relocatable)
Version : 2.16.0 Vendor: CentOS
Release : 1.el6 Build Date: Wed 07 Dec 2011
02:24:23 PM EST
Install Date: Sun 24 Feb 2013 10:38:28 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-intel-2.16.0-1.el6.src.rpm
Size : 797805 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:35:39 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 Intel video driver
Description :
X.Org X11 Intel video driver.

Name : xorg-x11-server-common Relocations: (not relocatable)
Version : 1.10.4 Vendor: CentOS
Release : 6.el6 Build Date: Wed 07 Dec 2011
06:46:47 PM EST
Install Date: Sun 24 Feb 2013 10:34:45 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : User Interface/X Source RPM: xorg-x11-server-
1.10.4-6.el6.src.rpm
Size : 134085 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:43:46 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg server common files
Description :
Common files shared among all X servers.

Name : iwl4965-firmware Relocations: (not relocatable)
Version : 228.61.2.24 Vendor: CentOS
Release : 2.1.el6 Build Date: Wed 18 Aug 2010
12:56:35 PM EDT
Install Date: Sun 24 Feb 2013 10:41:43 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: iwl4965-firmware-
228.61.2.24-2.1.el6.src.rpm
Size : 382618 License: Redistributable,
no modification permitted
Signature : RSA/8, Sun 03 Jul 2011 12:16:29 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://intellinuxwireless.org/>
Summary : Firmware for Intel's PRO/Wireless 4965 A/G/N network
adaptors
Description :
This package contains the firmware required by the iwl4965 driver for
Linux.
Usage of the firmware is subject to the terms and conditions contained
inside the provided LICENSE file. Please read it carefully.

Name : pyxf86config Relocations: (not relocatable)
Version : 0.3.37 Vendor: CentOS
Release : 7.1.el6 Build Date: Wed 18 Aug 2010
07:11:12 PM EDT
Install Date: Sun 24 Feb 2013 10:36:03 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: pyxf86config-
0.3.37-7.1.el6.src.rpm
Size : 160008 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:59:17 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedoraproject.org/wiki/pyxf86config>
Summary : Python wrappers for libxf86config
Description :

Python wrappers for the X server config file library libxf86config.
It is used to read and write X server configuration files.

Name : libblkid Relocations: (not relocatable)
Version : 2.17.2 Vendor: CentOS
Release : 12.4.el6 Build Date: Wed 07 Dec 2011
03:57:13 PM EST
Install Date: Sun 24 Feb 2013 10:33:45 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Development/Libraries Source RPM: util-linux-ng-
2.17.2-12.4.el6.src.rpm
Size : 136104 License: LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 04:27:13 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.kernel.org/pub/linux/utils/util-linux-ng>
Summary : Block device ID library
Description :
This is block device identification library, part of util-linux-ng.

Name : xorg-x11-drv-dummy Relocations: (not relocatable)
Version : 0.3.4 Vendor: CentOS
Release : 1.el6 Build Date: Wed 07 Dec 2011
10:22:21 AM EST
Install Date: Sun 24 Feb 2013 10:38:29 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-dummy-0.3.4-1.el6.src.rpm
Size : 15920 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:33:07 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 dummy video driver
Description :
X.Org X11 dummy video driver.

Name : perl-Newt Relocations: (not relocatable)
Version : 1.08 Vendor: CentOS
Release : 26.el6 Build Date: Thu 11 Nov 2010
02:44:37 PM EST
Install Date: Sun 24 Feb 2013 10:34:45 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: perl-Newt-1.08-
26.el6.src.rpm
Size : 199103 License: GPL+ or Artistic
Signature : RSA/8, Sun 03 Jul 2011 12:56:04 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://search.cpan.org/~amedina/Newt-1.08/>
Summary : Perl bindings for the Newt library
Description :
This package provides Perl bindings for the Newt widget
library, which provides a color text mode user interface.

Name : rootfiles Relocations: (not relocatable)
Version : 8.1 Vendor: CentOS
Release : 6.1.el6 Build Date: Wed 18 Aug 2010
10:50:16 AM EDT
Install Date: Sun 24 Feb 2013 10:41:44 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Base Source RPM: rootfiles-8.1-
6.1.el6.src.rpm
Size : 599 License: Public Domain
Signature : RSA/8, Sun 03 Jul 2011 12:45:28 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : The basic required files for the root user's directory
Description :
The rootfiles package contains basic required files that are placed
in the root user's account. These files are basically the same
as those in /etc/skel, which are placed in regular
users' home directories.

Name : libreport-plugin-reportuploader Relocations: (not
relocatable)
Version : 2.0.5 Vendor: CentOS
Release : 20.el6 Build Date: Wed 07 Dec 2011
07:15:10 PM EST
Install Date: Sun 24 Feb 2013 10:36:04 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libreport-2.0.5-
20.el6.src.rpm
Size : 23873 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:23:07 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : libreport's reportuploader plugin
Description :
Plugin to report bugs into anonymous FTP site associated with ticketing
system.

Name : findutils Relocations: (not relocatable)
Version : 4.4.2 Vendor: CentOS
Release : 6.el6 Build Date: Thu 11 Nov 2010
02:50:57 AM EST
Install Date: Sun 24 Feb 2013 10:33:46 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Applications/File Source RPM: findutils-4.4.2-
6.el6.src.rpm
Size : 1446945 License: GPLv3+
Signature : RSA/8, Sun 03 Jul 2011 12:14:37 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/findutils/>
Summary : The GNU versions of find utilities (find and xargs)
Description :

The findutils package contains programs which will help you locate files on your system. The find utility searches through a hierarchy of directories looking for files which match a certain set of criteria (such as a filename pattern). The xargs utility builds and executes command lines from standard input arguments (usually lists of file names generated by the find command).

You should install findutils because it includes tools that are very useful for finding things on your system.

```
Name      : fuse                      Relocations: (not relocatable)
Version    : 2.8.3                    Vendor: CentOS
Release    : 4.el6                    Build Date: Wed 07 Dec 2011
07:56:46 PM EST
Install Date: Sun 24 Feb 2013 10:38:30 PM EST    Build Host:
c6b4.bsyz.dev.centos.org
Group      : System Environment/Base          Source RPM: fuse-2.8.3-
4.el6.src.rpm
Size       : 191803                      License: GPL+
Signature  : RSA/SHA1, Thu 08 Dec 2011 03:00:18 PM EST, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://fuse.sf.net
Summary    : File System in Userspace (FUSE) utilities
Description :
With FUSE it is possible to implement a fully functional filesystem in a
userspace program. This package contains the FUSE userspace tools to
mount a FUSE filesystem.
```

```
Name      : perl-Parse-CPAN-Meta      Relocations: (not relocatable)
Version    : 1.40                      Vendor: CentOS
Release    : 119.el6_1.1              Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:46 PM EST    Build Host:
c6b5.bsyz.dev.centos.org
Group      : Development/Libraries      Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size       : 13303                      License: GPL+ or Artistic
Signature  : RSA/SHA1, Tue 15 Nov 2011 05:58:41 AM EST, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://www.perl.org/
Summary    : Parse META.yml and other similar CPAN metadata files
Description :
Parse::CPAN::Meta is a parser for META.yml files, based on the parser
half
of YAML::Tiny.
```

```
Name      : perl-Filesys-Df           Relocations: (not relocatable)
Version    : 0.92                      Vendor: Dag Apt
Repository, http://dag.wieers.com/apt/
Release    : 1.el6.rf                  Build Date: Wed 10 Nov 2010
11:50:03 PM EST
```

Install Date: Sun 24 Feb 2013 10:44:23 PM EST Build Host:
lisse.hasselt.wieers.com
Group : Applications/CPAN Source RPM: perl-Filesys-Df-
0.92-1.el6.rf.src.rpm
Size : 75286 License: Artistic/GPL
Signature : DSA/SHA1, Thu 11 Nov 2010 01:29:39 AM EST, Key ID
a20e52146b8d79e6
Packager : Dag Wieers <dag@wieers.com>
URL : <http://search.cpan.org/dist/Filesys-Df/>
Summary : Perl module for filesystem disk space information
Description :
perl-Filesys-Df is a Perl module for filesystem disk space information.

Name : libreport-gtk Relocations: (not relocatable)
Version : 2.0.5 Vendor: CentOS
Release : 20.el6 Build Date: Wed 07 Dec 2011
07:15:10 PM EST
Install Date: Sun 24 Feb 2013 10:36:05 PM EST Build Host:
c6b18n2.bsyzs.dev.centos.org
Group : User Interface/Desktops Source RPM: libreport-2.0.5-
20.el6.src.rpm
Size : 106616 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:23:10 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : GTK front-end for libreport
Description :
Applications for reporting bugs using libreport backend

Name : libsigc++20 Relocations: (not relocatable)
Version : 2.2.4.2 Vendor: CentOS
Release : 1.el6 Build Date: Tue 17 Aug 2010
02:30:57 AM EDT
Install Date: Sun 24 Feb 2013 10:33:47 PM EST Build Host:
c6b2.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: libsigc++20-
2.2.4.2-1.el6.src.rpm
Size : 154116 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:39:01 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://libsigc.sourceforge.net/>
Summary : Typesafe signal framework for C++
Description :
This library implements a full callback system for use in widget
libraries,
abstract interfaces, and general programming. Originally part of the Gtk-
-
widget set, libsigc++20 is now a separate library to provide for more
general
use. It is the most complete library of its kind with the ability to
connect
an abstract callback to a class method, function, or function object. It

contains adaptor classes for connection of dissimilar callbacks and has an ease of use unmatched by other C++ callback libraries.

Package GTK-- (gtkmm), which is a C++ binding to the GTK+ library, starting with version 1.1.2, uses libsigc++20.

Name : pulseaudio-gdm-hooks Relocations: (not relocatable)
Version : 0.9.21 Vendor: CentOS
Release : 13.el6 Build Date: Fri 12 Nov 2010
01:55:18 AM EST
Install Date: Sun 24 Feb 2013 10:38:38 PM EST Build Host:
c5b2.bsyzs.dev.centos.org
Group : Applications/Multimedia Source RPM: pulseaudio-
0.9.21-13.el6.src.rpm
Size : 385 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:58:03 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://pulseaudio.org/>
Summary : PulseAudio GDM integration
Description :
This package contains GDM integration hooks for the PulseAudio sound server.

Name : atlas Relocations: (not relocatable)
Version : 3.8.4 Vendor: CentOS
Release : 1.el6 Build Date: Wed 07 Dec 2011
01:27:29 PM EST
Install Date: Sun 24 Feb 2013 10:34:47 PM EST Build Host:
c6b5.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: atlas-3.8.4-
1.el6.src.rpm
Size : 10511122 License: BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 02:43:24 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://math-atlas.sourceforge.net/>
Summary : Automatically Tuned Linear Algebra Software
Description :
The ATLAS (Automatically Tuned Linear Algebra Software) project is an ongoing research effort focusing on applying empirical techniques in order to provide portable performance. At present, it provides C and Fortran77 interfaces to a portably efficient BLAS implementation, as well as a few routines from LAPACK.

The performance improvements in ATLAS are obtained largely via compile-time optimizations and tend to be specific to a given hardware configuration. In order to package ATLAS for Red Hat Enterprise Linux some compromises are necessary so that good performance can be obtained on a variety of hardware. This set of ATLAS binary packages is therefore not necessarily optimal for any specific hardware configuration. However, the source package can be used to compile customized ATLAS packages; see the documentation for information.

```

Name       : perl-XML-RegExp           Relocations: (not relocatable)
Version    : 0.03                     Vendor: CentOS
Release    : 7.el6                   Build Date: Thu 11 Nov 2010
09:36:26 AM EST
Install Date: Sun 24 Feb 2013 10:44:28 PM EST   Build Host:
c6b5.bsys.dev.centos.org
Group      : Development/Libraries       Source RPM: perl-XML-RegExp-
0.03-7.el6.src.rpm
Size       : 9368                      License: GPL+ or Artistic
Signature  : RSA/8, Sun 03 Jul 2011 12:39:42 AM EDT, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://search.cpan.org/dist/XML-RegExp/
Summary    : Regular expressions for XML tokens
Description :
This package contains an utility module containing regular expressions
for the following XML tokens: BaseChar, Ideographic, Letter, Digit,
Extender, CombiningChar, NameChar, EntityRef, CharRef, Reference,

```

Name, NmToken, and AttValue.

```

Name       : python-crypto           Relocations: (not relocatable)
Version    : 2.0.1                   Vendor: CentOS
Release    : 22.el6                  Build Date: Fri 12 Nov 2010
06:15:23 AM EST
Install Date: Sun 24 Feb 2013 10:36:06 PM EST   Build Host:
c6b1.bsys.dev.centos.org
Group      : Development/Libraries       Source RPM: python-crypto-
2.0.1-22.el6.src.rpm
Size       : 578990                    License: Public Domain
Signature  : RSA/8, Sun 03 Jul 2011 12:58:30 AM EDT, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://www.amk.ca/python/code/crypto.html
Summary    : Cryptography library for Python
Description :
Python-crypto is a collection of both secure hash functions (such as MD5
and
SHA), and various encryption algorithms (AES, DES, RSA, ElGamal, etc.).

```

```

Name       : binutils                Relocations: (not relocatable)
Version    : 2.20.51.0.2             Vendor: CentOS
Release    : 5.28.el6                Build Date: Wed 07 Dec 2011
07:20:05 PM EST
Install Date: Sun 24 Feb 2013 10:33:49 PM EST   Build Host:
c6b4.bsys.dev.centos.org
Group      : Development/Tools         Source RPM: binutils-
2.20.51.0.2-5.28.el6.src.rpm
Size       : 9813533                  License: GPLv3+
Signature  : RSA/SHA1, Thu 08 Dec 2011 02:46:07 PM EST, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://sources.redhat.com/binutils

```

Summary : A GNU collection of binary utilities

Description :

Binutils is a collection of binary utilities, including ar (for creating, modifying and extracting from archives), as (a family of GNU assemblers), gprof (for displaying call graph profile data), ld (the GNU linker), nm (for listing symbols from object files), objcopy (for copying and translating object files), objdump (for displaying information from object files), ranlib (for generating an index for the contents of an archive), readelf (for displaying detailed information about binary files), size (for listing the section sizes of an object or archive file), strings (for listing printable strings from files), strip (for discarding symbols), and addr2line (for converting addresses to file and line).

Name : tomcat6 Relocations: (not relocatable)
Version : 6.0.24 Vendor: CentOS
Release : 33.el6 Build Date: Wed 20 Jul 2011
07:44:53 AM EDT
Install Date: Sun 24 Feb 2013 10:38:41 PM EST Build Host:
c6b5.bsyz.dev.centos.org
Group : Networking/Daemons Source RPM: tomcat6-6.0.24-
33.el6.src.rpm
Size : 195129 License: ASL 2.0
Signature : RSA/SHA1, Mon 26 Sep 2011 12:15:30 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://tomcat.apache.org/>
Summary : Apache Servlet/JSP Engine, RI for Servlet 2.5/JSP 2.1 API
Description :
Tomcat is the servlet container that is used in the official Reference Implementation for the Java Servlet and JavaServer Pages technologies. The Java Servlet and JavaServer Pages specifications are developed by Sun under the Java Community Process.

Tomcat is developed in an open and participatory environment and released under the Apache Software License version 2.0. Tomcat is intended to be a collaboration of the best-of-breed developers from around the world.

Name : giflib Relocations: (not relocatable)
Version : 4.1.6 Vendor: CentOS
Release : 3.1.el6 Build Date: Thu 11 Nov 2010
04:03:51 AM EST
Install Date: Sun 24 Feb 2013 10:34:48 PM EST Build Host:
c6b1.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: giflib-4.1.6-
3.1.el6.src.rpm
Size : 81932 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:16:39 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.sourceforge.net/projects/giflib/>
Summary : Library for manipulating GIF format image files

Description :

The giflib package contains a shared library of functions for loading and saving GIF format image files. It is API and ABI compatible with libungif, the library which supported uncompressed GIFs while the Unisys LZW patent was in effect.

Name : perl-Tk Relocations: (not relocatable)
Version : 804.028 Vendor: ATrpms.net
Release : 11.el6 Build Date: Sat 22 Jan 2011
07:37:27 AM EST
Install Date: Sun 24 Feb 2013 10:44:34 PM EST Build Host:
flocki.atrpms.net
Group : Development/Libraries Source RPM: perl-Tk-804.028-
11.el6.src.rpm
Size : 6724064 License: GPL+ or Artistic
Signature : DSA/SHA1, Sat 22 Jan 2011 07:37:33 AM EST, Key ID
508ce5e666534c2b
Packager : ATrpms <<http://ATrpms.net/>>
URL : <http://search.cpan.org/dist/Tk/>
Summary : Perl Graphical User Interface ToolKit
Description :
This a re-port of a perl interface to Tk8.4.
C code is derived from Tcl/Tk8.4.5.
It also includes all the C code parts of Tix8.1.4 from SourceForge.
The perl code corresponding to Tix's Tcl code is not fully implemented.

Perl API is essentially the same as Tk800 series Tk800.025 but has not been verified as compliant. There ARE differences see pod/804delta.pod.

Name : PackageKit-glib Relocations: (not relocatable)
Version : 0.5.8 Vendor: CentOS
Release : 19.el6.centos Build Date: Fri 02 Dec 2011
05:27:06 AM EST
Install Date: Sun 24 Feb 2013 10:36:09 PM EST Build Host:
c6b6.bsyz.dev.centos.org
Group : Development/Libraries Source RPM: PackageKit-0.5.8-
19.el6.centos.src.rpm
Size : 751043 License: GPLv2+
Signature : RSA/SHA1, Fri 02 Dec 2011 07:22:48 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.packagekit.org>
Summary : GLib libraries for accessing PackageKit
Description :
GLib libraries for accessing PackageKit.

Name : libXext Relocations: (not relocatable)
Version : 1.1 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
08:06:37 PM EST
Install Date: Sun 24 Feb 2013 10:33:51 PM EST Build Host:
c6b3.bsyz.dev.centos.org

Group : System Environment/Libraries Source RPM: libXext-1.1-3.el6.src.rpm
Size : 85007 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:41:50 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXext runtime library
Description :
X.Org X11 libXext runtime library

Name : cjkuni-uming-fonts Relocations: (not relocatable)
Version : 0.2.20080216.1 Vendor: CentOS
Release : 35.el6 Build Date: Fri 23 Sep 2011 06:55:38 AM EDT
Install Date: Sun 24 Feb 2013 10:38:51 PM EST Build Host: c6b18n1.dev.centos.org
Group : User Interface/X Source RPM: cjkuni-fonts-0.2.20080216.1-35.el6.src.rpm
Size : 21551622 License: Arphic
Signature : RSA/SHA1, Mon 26 Sep 2011 12:17:08 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/wiki/Software/CJKUnifonts>
Summary : Chinese Unicode TrueType font in Ming face
Description :

CJK Unifonts are Unicode TrueType fonts derived from original fonts made available by Arphic Technology under "Arphic Public License" and extended by the CJK Unifonts project.

CJK Unifonts in Ming face.

Name : ModemManager Relocations: (not relocatable)
Version : 0.4.0 Vendor: CentOS
Release : 3.git20100628.el6 Build Date: Wed 10 Nov 2010 06:38:04 PM EST
Install Date: Sun 24 Feb 2013 10:34:49 PM EST Build Host: c6b1.bsyzs.dev.centos.org
Group : System Environment/Base Source RPM: ModemManager-0.4.0-3.git20100628.el6.src.rpm
Size : 603939 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:45:39 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/projects/NetworkManager/>
Summary : Mobile broadband modem management service
Description :
The ModemManager service provides a consistent API to operate many different modems, including mobile broadband (3G) devices.

Name : perl-Socket6 Relocations: (not relocatable)

Version : 0.23 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
09:33:52 AM EST
Install Date: Sun 24 Feb 2013 10:44:41 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-Socket6-
0.23-3.el6.src.rpm
Size : 51338 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:56:15 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://search.cpan.org/dist/Socket6/>
Summary : IPv6 related part of the C socket.h defines and structure
manipulators
Description :
This module supports getaddrinfo() and getnameinfo() to intend to
enable protocol independent programing.
If your environment supports IPv6, IPv6 related defines such as
AF_INET6 are included.

Name : python-deltarpm Relocations: (not relocatable)
Version : 3.5 Vendor: CentOS
Release : 0.5.20090913git.el6 Build Date: Sat 21 Aug 2010
02:40:23 AM EDT
Install Date: Sun 24 Feb 2013 10:36:11 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Base Source RPM: deltarpm-3.5-
0.5.20090913git.el6.src.rpm
Size : 42138 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:58:32 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gitorious.org/deltarpm/deltarpm>
Summary : Python bindings for deltarpm
Description :
This package contains python bindings for deltarpm.

Name : libXmu Relocations: (not relocatable)
Version : 1.0.5 Vendor: CentOS
Release : 1.el6 Build Date: Mon 16 Aug 2010
05:59:15 PM EDT
Install Date: Sun 24 Feb 2013 10:33:51 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXmu-1.0.5-
1.el6.src.rpm
Size : 135142 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:42:16 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXmu/libXmu runtime libraries
Description :
X.Org X11 libXmu/libXmu runtime libraries

```

Name           : eog                               Relocations: (not relocatable)
Version        : 2.28.2                           Vendor: CentOS
Release       : 4.el6                             Build Date: Thu 11 Nov 2010
01:52:31 AM EST
Install Date: Sun 24 Feb 2013 10:39:03 PM EST      Build Host:
c6b5.bsys.dev.centos.org
Group         : User Interface/Desktops           Source RPM: eog-2.28.2-
4.el6.src.rpm
Size          : 5326487                           License: GPLv2+ and GFDL
Signature     : RSA/8, Sun 03 Jul 2011 12:13:13 AM EDT, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           : http://projects.gnome.org/eog/
Summary       : Eye of GNOME image viewer
Description   :
The Eye of GNOME image viewer (eog) is the official image viewer for the
GNOME desktop. It can view single image files in a variety of formats, as
well as large image collections.

```

eog is extensible through a plugin system.

```

Name           : ConsoleKit-x11                   Relocations: (not relocatable)
Version        : 0.4.1                           Vendor: CentOS
Release       : 3.el6                             Build Date: Wed 10 Nov 2010
05:09:29 PM EST
Install Date: Sun 24 Feb 2013 10:34:52 PM EST      Build Host:
c5b2.bsys.dev.centos.org
Group         : Development/Libraries             Source RPM: ConsoleKit-0.4.1-
3.el6.src.rpm
Size          : 43984                             License: GPLv2+
Signature     : RSA/8, Sun 03 Jul 2011 12:07:56 AM EDT, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           : http://www.freedesktop.org/wiki/Software/ConsoleKit
Summary       : X11-requiring add-ons for ConsoleKit
Description   :
ConsoleKit contains some tools that require Xlib to be installed,
those are in this separate package so server systems need not install
X. Applications (such as xorg-x11-xinit) and login managers (such as
gdm) that need to register their X sessions with ConsoleKit needs to
have a Requires: for this package.

```

```

Name           : libXau                           Relocations: (not relocatable)
Version        : 1.0.5                           Vendor: CentOS
Release       : 1.el6                             Build Date: Mon 16 Aug 2010
06:09:07 PM EDT
Install Date: Sun 24 Feb 2013 10:46:44 PM EST      Build Host:
c6b3.bsys.dev.centos.org
Group         : System Environment/Libraries       Source RPM: libXau-1.0.5-
1.el6.src.rpm
Size          : 31991                             License: MIT
Signature     : RSA/8, Sun 03 Jul 2011 12:27:22 AM EDT, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>

```

URL : <http://www.x.org>
Summary : Sample Authorization Protocol for X
Description :
This is a very simple mechanism for providing individual access to an X Window System display. It uses existing core protocol and library hooks for specifying authorization data in the connection setup block to restrict use of the display to only those clients that show that they know a server-specific key called a "magic cookie".

Name : gstreamer-plugins-good Relocations: (not relocatable)
Version : 0.10.23 Vendor: CentOS
Release : 1.el6 Build Date: Sun 22 May 2011
05:34:22 PM EDT
Install Date: Sun 24 Feb 2013 10:36:16 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/Multimedia Source RPM: gstreamer-
plugins-good-0.10.23-1.el6.src.rpm
Size : 4445593 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:20:11 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gstreamer.freedesktop.org/>
Summary : GStreamer plug-ins with good code and licensing
Description :
GStreamer is a streaming media framework, based on graphs of filters which operate on media data. Applications using this library can do anything from real-time sound processing to playing videos, and just about anything else media-related. Its plugin-based architecture means that new data types or processing capabilities can be added simply by installing new plug-ins.

GStreamer Good Plug-ins is a collection of well-supported plug-ins of good quality and under the LGPL license.

Name : libtheora Relocations: (not relocatable)
Version : 1.1.0 Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010
03:56:21 PM EST
Install Date: Sun 24 Feb 2013 10:33:52 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libtheora-1.1.0-
2.el6.src.rpm
Size : 466989 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:39:59 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.theora.org>
Summary : Theora Video Compression Codec
Description :

Theora is Xiph.Org's first publicly released video codec, intended for use within the Ogg's project's Ogg multimedia streaming system. Theora is derived directly from On2's VP3 codec; Currently the two are nearly identical, varying only in encapsulating decoder tables in the bitstream headers, but Theora will make use of this extra freedom in the future to improve over what is possible with VP3.

Name : ibus-anthy Relocations: (not relocatable)
Version : 1.2.1 Vendor: CentOS
Release : 3.el6 Build Date: Fri 23 Sep 2011
12:07:33 PM EDT
Install Date: Sun 24 Feb 2013 10:39:07 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ibus-anthy-
1.2.1-3.el6.src.rpm
Size : 629626 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:19 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/ibus/>
Summary : The Anthy engine for IBus input platform
Description :
The Anthy engine for IBus platform. It provides Japanese input method
from
libanthy.

Name : m17n-contrib-punjabi Relocations: (not relocatable)
Version : 1.1.10 Vendor: CentOS
Release : 4.el6_1.1 Build Date: Fri 23 Sep 2011
06:12:49 AM EDT
Install Date: Sun 24 Feb 2013 10:34:52 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-contrib-
1.1.10-4.el6_1.1.src.rpm
Size : 13491 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:41 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : Contributed input maps for Punjabi
Description :
This package provides contributed multilingualization (m17n) input maps
for Punjabi.

Name : gedit Relocations: (not relocatable)
Version : 2.28.4 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
03:50:52 AM EST
Install Date: Sun 24 Feb 2013 10:46:52 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Applications/Editors Source RPM: gedit-2.28.4-
3.el6.src.rpm
Size : 14256330 License: GPLv2+ and GFDL

Signature : RSA/8, Sun 03 Jul 2011 12:16:13 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://projects.gnome.org/gedit/>
Summary : Text editor for the GNOME desktop
Description :
gedit is a small, but powerful text editor designed specifically for
the GNOME desktop. It has most standard text editor functions and fully
supports international text in Unicode. Advanced features include syntax
highlighting and automatic indentation of source code, printing and
editing
of multiple documents in one window.

gedit is extensible through a plugin system, which currently includes
support for spell checking, comparing files, viewing CVS ChangeLogs, and
adjusting indentation levels. Further plugins can be found in the
gedit-plugins package.

Name : smp_utils Relocations: (not relocatable)
Version : 0.94 Vendor: CentOS
Release : 4.el6 Build Date: Thu 11 Nov 2010
06:00:08 PM EST
Install Date: Sun 24 Feb 2013 10:36:21 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Applications/System Source RPM: smp_utils-0.94-
4.el6.src.rpm
Size : 484471 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 01:02:11 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : http://sg.danny.cz/sg/smp_utils.html
Summary : Utilities for SAS management protocol (SMP)
Description :
This is a package of utilities. Each utility sends a Serial Attached
SCSI (SAS) Management Protocol (SMP) request to a SMP target.
If the request fails then the error is decoded. If the request succeeds
then the response is either decoded, printed out in hexadecimal or
output in binary. This package supports multiple interfaces since
SMP passthroughs are not mature. This package supports the linux
2.4 and 2.6 series and should be easy to port to other operating
systems.

Warning: Some of these tools access the internals of your system
and the incorrect usage of them may render your system inoperable.

Name : iptables Relocations: (not relocatable)
Version : 1.4.7 Vendor: CentOS
Release : 4.el6 Build Date: Tue 19 Jul 2011
03:21:59 PM EDT
Install Date: Sun 24 Feb 2013 10:33:53 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: iptables-1.4.7-
4.el6.src.rpm
Size : 852923 License: GPLv2

Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:30 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.netfilter.org/>

Summary : Tools for managing Linux kernel packet filtering
capabilities

Description :

The iptables utility controls the network packet filtering code in the
Linux kernel. If you need to set up firewalls and/or IP masquerading,
you should install this package.

Name : system-config-network-tui Relocations: (not relocatable)

Version : 1.6.0.el6.2 Vendor: CentOS

Release : 1.el6 Build Date: Thu 11 Nov 2010
03:19:58 PM EST

Install Date: Sun 24 Feb 2013 10:39:15 PM EST Build Host:

c6b6.bsys.dev.centos.org

Group : Applications/System Source RPM: system-config-
network-1.6.0.el6.2-1.el6.src.rpm

Size : 5011751 License: GPLv2+

Signature : RSA/8, Sun 03 Jul 2011 12:48:50 AM EDT, Key ID

0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://fedoraproject.org/wiki/SystemConfig/network>

Summary : The Network Administration Tool

Description :

This is the network configuration tool,
supporting Ethernet, Wireless, TokenRing, ADSL, ISDN and PPP.

Name : m17n-contrib-telugu Relocations: (not relocatable)

Version : 1.1.10 Vendor: CentOS

Release : 4.el6_1.1 Build Date: Fri 23 Sep 2011
06:12:49 AM EDT

Install Date: Sun 24 Feb 2013 10:34:52 PM EST Build Host:

c6b5.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM: m17n-contrib-
1.1.10-4.el6_1.1.src.rpm

Size : 27914 License: LGPLv2+

Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:45 AM EDT, Key ID

0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.m17n.org/m17n-lib/index.html>

Summary : Contributed input maps for Telugu

Description :

This package provides contributed multilingualization (m17n) input maps
for Telugu.

Name : zlib Relocations: (not relocatable)

Version : 1.2.3 Vendor: CentOS

Release : 27.el6 Build Date: Wed 07 Dec 2011
12:51:15 PM EST

Install Date: Sun 24 Feb 2013 10:47:02 PM EST Build Host:

c6b18n1.dev.centos.org

Group : System Environment/Libraries Source RPM: zlib-1.2.3-27.el6.src.rpm
Size : 139037 License: zlib and Boost
Signature : RSA/SHA1, Thu 08 Dec 2011 04:47:42 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gzip.org/zlib/>
Summary : The zlib compression and decompression library
Description :
Zlib is a general-purpose, patent-free, lossless data compression library which is used by many different programs.

Name : poppler-data Relocations: (not relocatable)
Version : 0.4.0 Vendor: CentOS
Release : 1.el6 Build Date: Sat 21 Aug 2010 09:02:58 AM EDT
Install Date: Sun 24 Feb 2013 10:36:25 PM EST Build Host: c6b4.bsys.dev.centos.org
Group : Development/Libraries Source RPM: poppler-data-0.4.0-1.el6.src.rpm
Size : 11987205 License: BSD and GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:40:58 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://poppler.freedesktop.org/>
Summary : Encoding files
Description :
This package consists of encoding files for poppler. When installed, the encoding files enables poppler to correctly render CJK and Cyrillic properly.

Name : keyutils-libs Relocations: (not relocatable)
Version : 1.4 Vendor: CentOS
Release : 3.el6 Build Date: Wed 07 Dec 2011 01:07:30 PM EST
Install Date: Sun 24 Feb 2013 10:33:54 PM EST Build Host: c6b18n3.bsys.dev.centos.org
Group : System Environment/Base Source RPM: keyutils-1.4-3.el6.src.rpm
Size : 36624 License: GPLv2+ and LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:13:35 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://people.redhat.com/~dhowells/keyutils/>
Summary : Key utilities library
Description :
This package provides a wrapper library for the key management facility system calls.

Name : openssh-server Relocations: (not relocatable)
Version : 5.3p1 Vendor: CentOS

Release : 70.el6 Build Date: Wed 07 Dec 2011
03:25:12 PM EST
Install Date: Sun 24 Feb 2013 10:39:23 PM EST Build Host:
c6b18n2.bsyzs.dev.centos.org
Group : System Environment/Daemons Source RPM: openssh-5.3p1-
70.el6.src.rpm
Size : 667433 License: BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 03:49:45 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.openssh.com/portable.html>
Summary : An open source SSH server daemon
Description :
OpenSSH is a free version of SSH (Secure SHell), a program for logging
into and executing commands on a remote machine. This package contains
the secure shell daemon (sshd). The sshd daemon allows SSH clients to
securely connect to your SSH server.

Name : m17n-contrib-gujarati Relocations: (not relocatable)
Version : 1.1.10 Vendor: CentOS
Release : 4.el6_1.1 Build Date: Fri 23 Sep 2011
06:12:49 AM EDT
Install Date: Sun 24 Feb 2013 10:34:53 PM EST Build Host:
c6b5.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-contrib-
1.1.10-4.el6_1.1.src.rpm
Size : 9875 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:35 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : Contributed input maps for Gujarati
Description :
This package provides contributed multilingualization (m17n) input maps
for Gujarati.

Name : wsdl4j Relocations: (not relocatable)
Version : 1.5.2 Vendor: CentOS
Release : 7.8.el6 Build Date: Sat 21 Aug 2010
12:54:23 AM EDT
Install Date: Sun 24 Feb 2013 10:36:36 PM EST Build Host:
c6b4.bsyzs.dev.centos.org
Group : Text Processing/Markup/XML Source RPM: wsdl4j-1.5.2-
7.8.el6.src.rpm
Size : 346853 License: CPL
Signature : RSA/8, Sun 03 Jul 2011 12:53:06 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceforge.net/projects/wsdl4j>
Summary : Web Services Description Language Toolkit for Java
Description :
The Web Services Description Language for Java Toolkit (WSDL4J) allows
the
creation, representation, and manipulation of WSDL documents describing

services. This codebase will eventually serve as a reference implementation of the standard created by JSR110.

Name : perl Relocations: (not relocatable)
Version : 5.10.1 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:33:59 PM EST Build Host:
c6b5.bsyz.dev.centos.org
Group : Development/Languages Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size : 35277775 License: (GPL+ or
Artistic) and (GPLv2+ or Artistic) and Copyright Only and MIT and Public
Domain and UCD
Signature : RSA/SHA1, Tue 15 Nov 2011 06:00:19 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Practical Extraction and Report Language
Description :
Perl is a high-level programming language with roots in C, sed, awk
and shell scripting. Perl is good at handling processes and files,
and is especially good at handling text. Perl's hallmarks are
practicality and efficiency. While it is used to do a lot of
different things, Perl's most common applications are system
administration utilities and web programming. A large proportion of
the CGI scripts on the web are written in Perl. You need the perl
package installed on your system so that your system can handle Perl
scripts.

Install this package if you want to program in Perl or enable your
system to handle Perl scripts.

Name : iwl5150-firmware Relocations: (not relocatable)
Version : 8.24.2.2 Vendor: CentOS
Release : 1.el6 Build Date: Sun 22 Aug 2010
02:27:00 AM EDT
Install Date: Sun 24 Feb 2013 10:39:26 PM EST Build Host:
c6b1.bsyz.dev.centos.org
Group : System Environment/Kernel Source RPM: iwl5150-firmware-
8.24.2.2-1.el6.src.rpm
Size : 344430 License: Redistributable,
no modification permitted
Signature : RSA/8, Sun 03 Jul 2011 12:16:30 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://intellinuxwireless.org/>
Summary : Firmware for Intel® Wireless 5150 A/G/N network adaptors
Description :
This package contains the firmware required by the iwlagn driver
for Linux to support the iwl5150 hardware. Usage of the firmware
is subject to the terms and conditions contained inside the provided
LICENSE file. Please read it carefully.

Name : libcurl Relocations: (not relocatable)
Version : 7.19.7 Vendor: CentOS
Release : 26.el6_1.2 Build Date: Fri 23 Sep 2011
03:29:54 PM EDT
Install Date: Sun 24 Feb 2013 10:34:55 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: curl-7.19.7-
26.el6_1.2.src.rpm
Size : 340264 License: MIT
Signature : RSA/SHA1, Mon 26 Sep 2011 12:20:20 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://curl.haxx.se/>
Summary : A library for getting files from web servers
Description :
This package provides a way for applications to use FTP, HTTP, Gopher and
other servers for getting files.

Name : kbd-misc Relocations: (not relocatable)
Version : 1.15 Vendor: CentOS
Release : 11.el6 Build Date: Thu 11 Nov 2010
03:43:02 PM EST
Install Date: Sun 24 Feb 2013 10:36:42 PM EST Build Host:
c5b2.bsys.dev.centos.org
Group : System Environment/Base Source RPM: kbd-1.15-
11.el6.src.rpm
Size : 1443451 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:18:04 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://ftp.altlinux.org/pub/people/legion/kbd>
Summary : Data for kbd package
Description :
The kbd-misc package contains data for kbd package - console fonts,
keymaps etc. Please note that kbd-misc is not helpful without kbd.

Name : perl-Module-Load-Conditional Relocations: (not
relocatable)
Version : 0.30 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:00 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size : 23690 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 05:59:21 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Looking up module information / loading at runtime
Description :
Module::Load::Conditional provides simple ways to query and possibly

load

any of the modules you have installed on your system during runtime.

Name : biosdevname Relocations: (not relocatable)
Version : 0.3.11 Vendor: CentOS
Release : 1.el6 Build Date: Wed 07 Dec 2011
04:15:49 PM EST
Install Date: Sun 24 Feb 2013 10:39:26 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : System Environment/Base Source RPM: biosdevname-
0.3.11-1.el6.src.rpm
Size : 53685 License: GPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 02:46:25 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://linux.dell.com/files/biosdevname>
Summary : Udev helper for naming devices per BIOS names
Description :
biosdevname in its simplest form takes a kernel device name as an
argument, and returns the BIOS-given name it "should" be. This is
necessary
on systems where the BIOS name for a given device (e.g. the label on
the chassis is "Gb1") doesn't map directly and obviously to the kernel
name (e.g. eth0).

Name : apr-util-ldap Relocations: (not relocatable)
Version : 1.3.9 Vendor: CentOS
Release : 3.el6_0.1 Build Date: Sat 25 Jun 2011
12:38:40 AM EDT
Install Date: Sun 24 Feb 2013 10:34:56 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: apr-util-1.3.9-
3.el6_0.1.src.rpm
Size : 9488 License: ASL 2.0
Signature : RSA/8, Tue 05 Jul 2011 09:37:04 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://apr.apache.org/>
Summary : APR utility library LDAP support
Description :
This package provides the LDAP support for the apr-util.

Name : device-mapper-libs Relocations: (not relocatable)
Version : 1.02.66 Vendor: CentOS
Release : 6.el6 Build Date: Wed 07 Dec 2011
05:49:14 PM EST
Install Date: Sun 24 Feb 2013 10:36:47 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: lvm2-2.02.87-
6.el6.src.rpm
Size : 168776 License: LGPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 03:28:55 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://sources.redhat.com/lvm2>
Summary : Device-mapper shared library
Description :
This package contains the device-mapper shared library, libdevmapper.

Name : libgssglue Relocations: (not relocatable)
Version : 0.1 Vendor: CentOS
Release : 11.el6 Build Date: Tue 19 Jul 2011
04:22:03 AM EDT
Install Date: Sun 24 Feb 2013 10:34:00 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libgssglue-0.1-
11.el6.src.rpm
Size : 41157 License: GPL+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:20:38 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.citi.umich.edu/projects/nfsv4/linux/>
Summary : Generic Security Services Application Programming Interface
Library
Description :
This library exports a gssapi interface, but doesn't implement any gssapi
mechanisms itself; instead it calls gssapi routines in other libraries,
depending on the mechanism.

Name : rng-tools Relocations: (not relocatable)
Version : 2 Vendor: CentOS
Release : 10.el6 Build Date: Wed 07 Dec 2011
08:07:28 PM EST
Install Date: Sun 24 Feb 2013 10:39:34 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : System Environment/Base Source RPM: rng-tools-2-
10.el6.src.rpm
Size : 53500 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 04:06:03 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceforge.net/projects/gkernel/>
Summary : Random number generator related utilities
Description :
Hardware random number generation tools.

Name : rpm-libs Relocations: (not relocatable)
Version : 4.8.0 Vendor: CentOS
Release : 19.el6 Build Date: Wed 07 Dec 2011
04:34:07 PM EST
Install Date: Sun 24 Feb 2013 10:34:57 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: rpm-4.8.0-
19.el6.src.rpm
Size : 771032 License: GPLv2+ and
LGPLv2+ with exceptions
Signature : RSA/SHA1, Thu 08 Dec 2011 04:06:37 PM EST, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.rpm.org/>
Summary : Libraries for manipulating RPM packages
Description :
This package contains the RPM shared libraries.

Name : openssh Relocations: (not relocatable)
Version : 5.3p1 Vendor: CentOS
Release : 70.el6 Build Date: Wed 07 Dec 2011
03:25:12 PM EST
Install Date: Sun 24 Feb 2013 10:36:50 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : Applications/Internet Source RPM: openssh-5.3p1-
70.el6.src.rpm
Size : 679713 License: BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 03:49:35 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.openssh.com/portable.html>
Summary : An open source implementation of SSH protocol versions 1
and 2

Description :
SSH (Secure SHell) is a program for logging into and executing
commands on a remote machine. SSH is intended to replace rlogin and
rsh, and to provide secure encrypted communications between two
untrusted hosts over an insecure network. X11 connections and
arbitrary TCP/IP ports can also be forwarded over the secure channel.

OpenSSH is OpenBSD's version of the last free version of SSH, bringing
it up to date in terms of security and features.

This package includes the core files necessary for both the OpenSSH
client and server. To make this package useful, you should also
install openssh-clients, openssh-server, or both.

Name : diffutils Relocations: (not relocatable)
Version : 2.8.1 Vendor: CentOS
Release : 28.el6 Build Date: Wed 10 Nov 2010
11:29:05 PM EST
Install Date: Sun 24 Feb 2013 10:34:03 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Applications/Text Source RPM: diffutils-2.8.1-
28.el6.src.rpm
Size : 588813 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:10:10 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/diffutils/diffutils.html>
Summary : A GNU collection of diff utilities
Description :
Diffutils includes four utilities: diff, cmp, diff3 and sdiff. Diff
compares two files and shows the differences, line by line. The cmp
command shows the offset and line numbers where two files differ, or
cmp can show the characters that differ between the two files. The

diff3 command shows the differences between three files. Diff3 can be used when two people have made independent changes to a common original; diff3 can produce a merged file that contains both sets of changes and warnings about conflicts. The sdiff command can be used to merge two files interactively.

Install diffutils if you need to compare text files.

```
Name       : vlgothic-fonts           Relocations: (not relocatable)
Version    : 20091202                 Vendor: CentOS
Release    : 2.el6                     Build Date: Thu 11 Nov 2010
10:06:07 AM EST
Install Date: Sun 24 Feb 2013 10:39:41 PM EST   Build Host:
c5b2.bsys.dev.centos.org
Group      : User Interface/X           Source RPM: vlgothic-fonts-
20091202-2.el6.src.rpm
Size       : 3843798                    License: mplus and BSD
Signature  : RSA/8, Sun 03 Jul 2011 12:52:33 AM EDT, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://dicey.org/vlgothic
Summary    : Japanese TrueType font
Description :
```

VLGothic provides Japanese TrueType fonts from the Vine Linux project. Most of the glyphs are taken from the M+ and Sazanami Gothic fonts, but some have also been improved by the project.

This package provides the monospace VLGothic font.

```
Name       : gpgme                     Relocations: (not relocatable)
Version    : 1.1.8                     Vendor: CentOS
Release    : 3.el6                     Build Date: Thu 11 Nov 2010
07:58:38 AM EST
Install Date: Sun 24 Feb 2013 10:34:59 PM EST   Build Host:
c6b5.bsys.dev.centos.org
Group      : Applications/System         Source RPM: gpgme-1.1.8-
3.el6.src.rpm
Size       : 729658                      License: LGPLv2+
Signature  : RSA/8, Sun 03 Jul 2011 12:19:20 AM EDT, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://www.gnupg.org/related_software/gpgme/
Summary    : GnuPG Made Easy - high level crypto API
Description :
GnuPG Made Easy (GPGME) is a library designed to make access to GnuPG
easier for applications. It provides a high-level crypto API for
encryption, decryption, signing, signature verification and key
management.
```

```
Name       : rarian                     Relocations: (not relocatable)
Version    : 0.8.1                      Vendor: CentOS
Release    : 5.1.el6                    Build Date: Wed 18 Aug 2010
07:01:23 PM EDT
```

Install Date: Sun 24 Feb 2013 10:36:55 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Base Source RPM: rarian-0.8.1-
5.1.el6.src.rpm
Size : 340580 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:00:04 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://rarian.freedesktop.org/>
Summary : Documentation meta-data library
Description :
Rarian is a documentation meta-data library that allows access to
documents,
man pages and info pages. It was designed as a replacement for
scrollkeeper.

Name : gnutls Relocations: (not relocatable)
Version : 2.8.5 Vendor: CentOS
Release : 4.el6 Build Date: Thu 11 Nov 2010
07:56:30 AM EST
Install Date: Sun 24 Feb 2013 10:34:04 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: gnutls-2.8.5-
4.el6.src.rpm
Size : 1019010 License: GPLv3+ and
LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:19:11 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnutls.org/>
Summary : A TLS protocol implementation
Description :
GnuTLS is a project that aims to develop a library which provides a
secure
layer, over a reliable transport layer. Currently the GnuTLS library
implements
the proposed standards by the IETF's TLS working group.

Name : abrt-cli Relocations: (not relocatable)
Version : 2.0.4 Vendor: CentOS
Release : 14.el6.centos Build Date: Tue 13 Dec 2011
10:50:57 PM EST
Install Date: Sun 24 Feb 2013 10:39:51 PM EST Build Host:
c6b18n1.dev.centos.org
Group : User Interface/Desktops Source RPM: abrt-2.0.4-
14.el6.centos.src.rpm
Size : 13232 License: GPLv2+
Signature : RSA/SHA1, Wed 14 Dec 2011 11:28:36 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : abrt's command line interface
Description :

This package contains simple command line client for controlling abrt daemon over the sockets.

Name : db4-cxx Relocations: (not relocatable)
Version : 4.7.25 Vendor: CentOS
Release : 16.el6 Build Date: Fri 12 Nov 2010
08:46:13 AM EST
Install Date: Sun 24 Feb 2013 10:35:00 PM EST Build Host:
c5b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: db4-4.7.25-
16.el6.src.rpm
Size : 1647120 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:09:19 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.oracle.com/database/berkeley-db/>
Summary : The Berkeley DB database library (version 4) for C++
Description :
The Berkeley Database (Berkeley DB) is a programmatic toolkit that provides embedded database support for both traditional and client/server applications. The Berkeley DB includes B+tree, Extended Linear Hashing, Fixed and Variable-length record access methods, transactions, locking, logging, shared memory caching, and database recovery. The Berkeley DB supports C, C++, Java, and Perl APIs. It is used by many applications, including Python and Perl, so this should be installed on all systems.

Name : DeviceKit-power Relocations: (not relocatable)
Version : 014 Vendor: CentOS
Release : 3.el6 Build Date: Fri 23 Sep 2011
03:53:31 PM EDT
Install Date: Sun 24 Feb 2013 10:37:00 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: DeviceKit-power-
014-3.el6.src.rpm
Size : 247179 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:17:34 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://cgit.freedesktop.org/DeviceKit/DeviceKit-power/>
Summary : Power Management Service
Description :
DeviceKit-power provides a daemon, API and command line tools for managing power devices attached to the system.

Name : libipa_hbac Relocations: (not relocatable)
Version : 1.5.1 Vendor: CentOS
Release : 66.el6 Build Date: Wed 07 Dec 2011
07:48:17 PM EST
Install Date: Sun 24 Feb 2013 10:34:04 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Development/Libraries Source RPM: sssd-1.5.1-
66.el6.src.rpm

Size : 49734 License: LGPLv3+
Signature : RSA/SHA1, Thu 08 Dec 2011 04:17:50 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/sssd/>
Summary : FreeIPA HBAC Evaluator library
Description :
Utility library to validate FreeIPA HBAC rules for authorization requests

Name : iotop Relocations: (not relocatable)
Version : 0.3.2 Vendor: CentOS
Release : 3.el6 Build Date: Tue 24 Aug 2010
07:00:30 PM EDT
Install Date: Sun 24 Feb 2013 10:39:56 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : Applications/System Source RPM: iotop-0.3.2-
3.el6.src.rpm
Size : 144635 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:16:03 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://guichaz.free.fr/iotop/>
Summary : Top like utility for I/O
Description :
Linux has always been able to show how much I/O was going on
(the bi and bo columns of the vmstat 1 command).
iotop is a Python program with a top like UI used to
show of behalf of which process is the I/O going on.

Name : libnih Relocations: (not relocatable)
Version : 1.0.1 Vendor: CentOS
Release : 7.el6 Build Date: Wed 07 Dec 2011
12:40:52 PM EST
Install Date: Sun 24 Feb 2013 10:35:06 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libnih-1.0.1-
7.el6.src.rpm
Size : 486830 License: GPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 03:21:23 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://launchpad.net/libnih>
Summary : Lightweight application development library
Description :
libnih is a small library for C application development containing
functions
that, despite its name, are not implemented elsewhere in the standard
library
set.

libnih is roughly equivalent to other C libraries such as glib, except
that its
focus is on a small size and intended for applications that sit very low
in the

software stack, especially outside of /usr.

Name : python-cryptsetup Relocations: (not relocatable)
Version : 0.0.11 Vendor: CentOS
Release : 1.el6 Build Date: Fri 12 Nov 2010
02:28:55 AM EST
Install Date: Sun 24 Feb 2013 10:37:09 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Development/Libraries Source RPM: python-
cryptsetup-0.0.11-1.el6.src.rpm
Size : 47894 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:58:31 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://git.fedorahosted.org/git/?p=python-cryptsetup.git;a=snapshot;h=python-cryptsetup-0.0.11;sf=tgz>
Summary : Python bindings for cryptsetup
Description :
A python module to ease the manipulation with LUKS devices.

Name : perl-File-Fetch Relocations: (not relocatable)
Version : 0.26 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:05 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size : 47083 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 05:59:14 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Generic file fetching mechanism
Description :
File::Fetch is a generic file fetching mechanism.

Name : paps Relocations: (not relocatable)
Version : 0.6.8 Vendor: CentOS
Release : 13.el6.2 Build Date: Sat 25 Jun 2011
04:26:48 AM EDT
Install Date: Sun 24 Feb 2013 10:39:58 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Applications/Publishing Source RPM: paps-0.6.8-
13.el6.2.src.rpm
Size : 56705 License: LGPLv2+
Signature : RSA/8, Tue 05 Jul 2011 09:44:33 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://paps.sourceforge.net/>
Summary : Plain Text to PostScript converter
Description :
paps is a PostScript converter from plain text file using Pango.

Name : ruby-libs Relocations: (not relocatable)
Version : 1.8.7.352 Vendor: CentOS
Release : 3.el6 Build Date: Wed 07 Dec 2011
01:31:21 PM EST
Install Date: Sun 24 Feb 2013 10:35:12 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : Development/Libraries Source RPM: ruby-1.8.7.352-
3.el6.src.rpm
Size : 5906230 License: (Ruby or GPLv2)
and (GPL+ or Artistic)
Signature : RSA/SHA1, Thu 08 Dec 2011 04:08:09 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.ruby-lang.org/>
Summary : Libraries necessary to run Ruby
Description :
This package includes the libruby, necessary to run Ruby.

Name : udisks Relocations: (not relocatable)
Version : 1.0.1 Vendor: CentOS
Release : 4.el6 Build Date: Wed 07 Dec 2011
05:01:07 PM EST
Install Date: Sun 24 Feb 2013 10:37:10 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: udisks-1.0.1-
4.el6.src.rpm
Size : 619471 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 04:26:30 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/wiki/Software/udisks>
Summary : Storage Management Service
Description :
udisks provides a daemon, D-Bus API and command line tools
for managing disks and storage devices.

Name : perl-Module-CoreList Relocations: (not relocatable)
Version : 2.18 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:05 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Languages Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size : 533334 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 05:59:31 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Perl core modules indexed by perl versions
Description :
Module::CoreList contains the hash of hashes %Module::CoreList::version,
this is keyed on perl version as indicated in \$]. The second level hash
is module => version pairs.

Name : xorg-x11-fonts-Type1 Relocations: (not relocatable)
 Version : 7.2 Vendor: CentOS
 Release : 9.1.el6 Build Date: Thu 11 Nov 2010
 09:24:29 AM EST
 Install Date: Sun 24 Feb 2013 10:40:03 PM EST Build Host:
 c6b4.bsys.dev.centos.org
 Group : User Interface/X Source RPM: xorg-x11-fonts-
 7.2-9.1.el6.src.rpm
 Size : 883992 License: MIT and Lucida
 and Public Domain
 Signature : RSA/8, Sun 03 Jul 2011 12:54:48 AM EDT, Key ID
 0946fca2c105b9de
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>
 URL : <http://www.x.org>
 Summary : Type1 fonts provided by the X Window System
 Description :
 A collection of Type1 fonts which are part of the core X Window System
 distribution.

Name : ctags Relocations: (not relocatable)
 Version : 5.8 Vendor: CentOS
 Release : 2.el6 Build Date: Wed 10 Nov 2010
 10:54:56 PM EST
 Install Date: Sun 24 Feb 2013 10:35:13 PM EST Build Host:
 c6b1.bsys.dev.centos.org
 Group : Development/Tools Source RPM: ctags-5.8-
 2.el6.src.rpm
 Size : 347508 License: GPLv2+ or Public
 Domain
 Signature : RSA/8, Sun 03 Jul 2011 12:08:31 AM EDT, Key ID
 0946fca2c105b9de
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>
 URL : <http://ctags.sourceforge.net/>
 Summary : A C programming language indexing and/or cross-reference
 tool
 Description :
 Ctags generates an index (or tag) file of C language objects found in
 C source and header files. The index makes it easy for text editors or
 other utilities to locate the indexed items. Ctags can also generate a
 cross reference file which lists information about the various objects
 found in a set of C language files in human readable form. Exuberant
 Ctags improves on ctags because it can find all types of C language tags,
 including macro definitions, enumerated values (values inside enum{...}),
 function and method definitions, enum/struct/union tags, external
 function prototypes, typedef names and variable declarations. Exuberant
 Ctags is far less likely to be fooled by code containing #if preprocessor
 conditional constructs than ctags. Exuberant ctags supports output of
 Emacs style TAGS files and can be used to print out a list of selected
 objects found in source files.

Install ctags if you are going to use your system for C programming.

Name : system-config-language Relocations: (not relocatable)

Version : 1.3.4 Vendor: CentOS
Release : 5.el6 Build Date: Fri 12 Nov 2010
01:28:45 AM EST
Install Date: Sun 24 Feb 2013 10:37:22 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Base Source RPM: system-config-
language-1.3.4-5.el6.src.rpm
Size : 522073 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:48:48 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/system-config-language/>
Summary : A graphical interface for modifying the system language
Description :
system-config-language is a graphical user interface that
allows the user to change the default language of the system.

Name : libXScrnSaver Relocations: (not relocatable)
Version : 1.2.0 Vendor: CentOS
Release : 1.el6 Build Date: Tue 17 Aug 2010
02:10:39 AM EDT
Install Date: Sun 24 Feb 2013 10:34:06 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXScrnSaver-
1.2.0-1.el6.src.rpm
Size : 26969 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:42:33 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXss runtime library
Description :
X.Org X11 libXss runtime library

Name : openmotif Relocations: (not relocatable)
Version : 2.3.3 Vendor: CentOS
Release : 4.el6 Build Date: Fri 23 Sep 2011
02:02:45 PM EDT
Install Date: Sun 24 Feb 2013 10:40:09 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: openmotif-2.3.3-
4.el6.src.rpm
Size : 4092076 License: Open Group Public
License
Signature : RSA/SHA1, Mon 26 Sep 2011 12:22:32 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.motifzone.net/>
Summary : Open Motif runtime libraries and executables
Description :
This is the Open Motif 2.3.3 runtime environment. It includes the
Motif shared libraries, needed to run applications which are dynamically
linked against Motif and the Motif Window Manager "mwm".

Name : pango Relocations: (not relocatable)
Version : 1.28.1 Vendor: CentOS
Release : 3.el6_0.centos.5 Build Date: Fri 02 Dec 2011
06:35:42 AM EST
Install Date: Sun 24 Feb 2013 10:35:15 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: pango-1.28.1-
3.el6_0.centos.5.src.rpm
Size : 1037961 License: LGPLv2+
Signature : RSA/SHA1, Mon 05 Dec 2011 06:41:32 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.pango.org>
Summary : System for layout and rendering of internationalized text
Description :
Pango is a library for laying out and rendering of text, with an emphasis
on internationalization. Pango can be used anywhere that text layout is
needed,
though most of the work on Pango so far has been done in the context of
the
GTK+ widget toolkit. Pango forms the core of text and font handling for
GTK+.

Pango is designed to be modular; the core Pango layout engine can be used
with different font backends.

The integration of Pango with Cairo provides a complete solution with
high
quality text handling and graphics rendering.

Name : sane-backends-libs Relocations: (not relocatable)
Version : 1.0.21 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
04:59:36 PM EST
Install Date: Sun 24 Feb 2013 10:37:24 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: sane-backends-
1.0.21-3.el6.src.rpm
Size : 7927072 License: GPLv2+ and GPLv2+
with exceptions and Public Domain
Signature : RSA/8, Sun 03 Jul 2011 01:01:07 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.sane-project.org>
Summary : SANE libraries
Description :
This package contains the SANE libraries which are needed by applications
that
want to access scanners.

Name : file Relocations: (not relocatable)
Version : 5.04 Vendor: CentOS
Release : 11.el6 Build Date: Fri 23 Sep 2011
04:00:37 PM EDT

Install Date: Sun 24 Feb 2013 10:34:06 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/File Source RPM: file-5.04-
11.el6.src.rpm
Size : 56434 License: BSD
Signature : RSA/SHA1, Mon 26 Sep 2011 12:18:19 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.darwinsys.com/file/>
Summary : A utility for determining file types
Description :
The file command is used to identify a particular file according to the
type of data contained by the file. File can identify many different
file types, including ELF binaries, system libraries, RPM packages, and
different graphics formats.

Name : glibc-utils Relocations: (not relocatable)
Version : 2.12 Vendor: CentOS
Release : 1.47.el6 Build Date: Tue 06 Dec 2011
10:42:51 AM EST
Install Date: Sun 24 Feb 2013 10:40:10 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Development/Tools Source RPM: glibc-2.12-
1.47.el6.src.rpm
Size : 78156 License: LGPLv2+ and
LGPLv2+ with exceptions and GPLv2+
Signature : RSA/SHA1, Sat 10 Dec 2011 05:58:38 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sources.redhat.com/glibc/>
Summary : Development utilities from GNU C library
Description :
The glibc-utils package contains memusage, a memory usage profiler,
mtrace, a memory leak tracer and xtrace, a function call tracer
which can be helpful during program debugging.

If unsure if you need this, don't install this package.

Name : libcanberra-gtk2 Relocations: (not relocatable)
Version : 0.22 Vendor: CentOS
Release : 1.el6.centos Build Date: Fri 02 Dec 2011
04:56:08 AM EST
Install Date: Sun 24 Feb 2013 10:35:26 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libcanberra-
0.22-1.el6.centos.src.rpm
Size : 53912 License: LGPLv2+
Signature : RSA/SHA1, Fri 02 Dec 2011 07:46:07 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://git.0pointer.de/?p=libcanberra.git;a=summary>
Summary : Gtk+ Bindings for libcanberra
Description :
Gtk+ bindings for libcanberra


```

Name           : crontabs                      Relocations: (not relocatable)
Version        : 1.10                          Vendor: CentOS
Release        : 33.el6                        Build Date: Mon 26 Sep 2011
09:33:08 PM EDT
Install Date: Sun 24 Feb 2013 10:37:30 PM EST    Build Host:
c6b6.bsys.dev.centos.org
Group          : System Environment/Base          Source RPM: crontabs-1.10-
33.el6.src.rpm
Size           : 2495                            License: Public Domain and
GPLv2
Signature      : RSA/SHA1, Tue 27 Sep 2011 08:33:55 PM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
Summary        : Root crontab files used to schedule the execution of
programs
Description    :
The crontabs package contains root crontab files and directories.
You will need to install cron daemon to run the jobs from the crontabs.
The cron daemon such as crontab or fcrontab checks the crontab files to
see when particular commands are scheduled to be executed.  If commands
are scheduled, it executes them.

```

Crontabs handles a basic system function, so it should be installed on your system.

```

Name           : vim-minimal                    Relocations: (not relocatable)
Version        : 7.2.411                        Vendor: CentOS
Release        : 1.6.el6                        Build Date: Sat 25 Jun 2011
04:43:46 AM EDT
Install Date: Sun 24 Feb 2013 10:34:08 PM EST    Build Host:
c6b5.bsys.dev.centos.org
Group          : Applications/Editors            Source RPM: vim-7.2.411-
1.6.el6.src.rpm
Size           : 767842                          License: Vim and GPLv2+
and BSD and LGPLv2+ and Open Publication
Signature      : RSA/8, Tue 05 Jul 2011 09:46:37 PM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.vim.org/
Summary        : A minimal version of the VIM editor
Description    :
VIM (VIsual editor iMproved) is an updated and improved version of the
vi editor. Vi was the first real screen-based editor for UNIX, and is
still very popular. VIM improves on vi by adding new features:
multiple windows, multi-level undo, block highlighting and more. The
vim-minimal package includes a minimal version of VIM, which is
installed into /bin/vi for use when only the root partition is
present. NOTE: The online help is only available when the vim-common
package is installed.

```

```

Name           : ksh                            Relocations: (not relocatable)
Version        : 20100621                       Vendor: CentOS

```

Release : 12.el6 Build Date: Wed 07 Dec 2011
05:02:44 PM EST
Install Date: Sun 24 Feb 2013 10:40:16 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Shells Source RPM: ksh-20100621-
12.el6.src.rpm
Size : 1548708 License: CPL
Signature : RSA/SHA1, Thu 08 Dec 2011 03:14:55 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.kornshell.com/>
Summary : The Original ATT Korn Shell
Description :
KSH-93 is the most recent version of the KornShell by David Korn of
AT&T Bell Laboratories.
KornShell is a shell programming language, which is upward compatible
with "sh" (the Bourne Shell).

Name : libwnck Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 3.el6 Build Date: Tue 19 Jul 2011
12:25:28 AM EDT
Install Date: Sun 24 Feb 2013 10:35:35 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libwnck-2.28.0-
3.el6.src.rpm
Size : 1858284 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:20 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/libwnck/>
Summary : Window Navigator Construction Kit
Description :

libwnck (pronounced "libwink") is used to implement pagers, tasklists,
and other such things. It allows applications to monitor information
about open windows, workspaces, their names/icons, and so forth.

Name : net-snmp Relocations: (not relocatable)
Version : 5.5 Vendor: CentOS
Release : 37.el6 Build Date: Wed 07 Dec 2011
03:44:38 PM EST
Install Date: Sun 24 Feb 2013 10:37:32 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: net-snmp-5.5-
37.el6.src.rpm
Size : 835421 License: BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 03:42:14 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://net-snmp.sourceforge.net/>
Summary : A collection of SNMP protocol tools and libraries
Description :
SNMP (Simple Network Management Protocol) is a protocol used for

network management. The NET-SNMP project includes various SNMP tools: an extensible agent, an SNMP library, tools for requesting or setting information from SNMP agents, tools for generating and handling SNMP traps and a version of the netstat command which uses SNMP. This package contains the snmpd and snmptrapd daemons, documentation, etc.

You will probably also want to install the net-snmp-utils package, which contains NET-SNMP utilities.

Name : tomcat6-servlet-2.5-api Relocations: (not relocatable)
Version : 6.0.24 Vendor: CentOS
Release : 33.el6 Build Date: Wed 20 Jul 2011
07:44:53 AM EDT
Install Date: Sun 24 Feb 2013 10:34:09 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Internet/WWW/Dynamic Content Source RPM: tomcat6-6.0.24-
33.el6.src.rpm
Size : 88279 License: ASL 2.0
Signature : RSA/SHA1, Mon 26 Sep 2011 12:15:33 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://tomcat.apache.org/>
Summary : Apache Tomcat Servlet API implementation classes
Description :
Apache Tomcat Servlet API implementation classes.

Name : xorg-x11-fonts-100dpi Relocations: (not relocatable)
Version : 7.2 Vendor: CentOS
Release : 9.1.el6 Build Date: Thu 11 Nov 2010
09:24:29 AM EST
Install Date: Sun 24 Feb 2013 10:40:20 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : User Interface/X Source RPM: xorg-x11-fonts-
7.2-9.1.el6.src.rpm
Size : 3417965 License: MIT and Lucida
and Public Domain
Signature : RSA/8, Sun 03 Jul 2011 12:54:37 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : A set of 100dpi resolution fonts for the X Window System.
Description :
A set of 100 dpi fonts used by the X window system.

Name : notification-daemon Relocations: (not relocatable)
Version : 0.5.0 Vendor: CentOS
Release : 1.el6 Build Date: Thu 11 Nov 2010
05:47:23 PM EST
Install Date: Sun 24 Feb 2013 10:35:38 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: notification-
daemon-0.5.0-1.el6.src.rpm
Size : 186642 License: GPLv2+

Signature : RSA/8, Sun 03 Jul 2011 12:47:38 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://live.gnome.org/NotificationDaemon>
Summary : Desktop Notification Daemon
Description :
notification-daemon is the server implementation of the freedesktop.org
desktop
notification specification. Notifications can be used to inform the user
about an event or display some form of information without getting in the
user's way.

Name : gnome-panel-libs Relocations: (not relocatable)
Version : 2.30.2 Vendor: CentOS
Release : 14.el6 Build Date: Tue 19 Jul 2011
12:37:01 AM EDT
Install Date: Sun 24 Feb 2013 10:37:36 PM EST Build Host:
c6b5.bsyz.dev.centos.org
Group : Development/Libraries Source RPM: gnome-panel-
2.30.2-14.el6.src.rpm
Size : 63064 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:18:54 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : Libraries for Panel Applets
Description :
This package contains the libpanel-applet library that
is needed by Panel Applets.

Name : less Relocations: (not relocatable)
Version : 436 Vendor: CentOS
Release : 10.el6 Build Date: Wed 07 Dec 2011
04:21:45 PM EST
Install Date: Sun 24 Feb 2013 10:34:11 PM EST Build Host:
c6b18n3.bsyz.dev.centos.org
Group : Applications/Text Source RPM: less-436-
10.el6.src.rpm
Size : 200427 License: GPLv3+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:15:08 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.greenwoodsoftware.com/less/>
Summary : A text file browser similar to more, but better
Description :
The less utility is a text file browser that resembles more, but has
more capabilities. Less allows you to move backwards in the file as
well as forwards. Since less doesn't have to read the entire input file
before it starts, less starts up more quickly than text editors (for
example, vi).

You should install less because it is a basic utility for viewing text
files, and you'll use it frequently.

Name : efibootmgr Relocations: (not relocatable)
Version : 0.5.4 Vendor: CentOS
Release : 9.el6 Build Date: Mon 18 Jul 2011
10:13:40 PM EDT
Install Date: Sun 24 Feb 2013 10:40:33 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: efibootmgr-0.5.4-
9.el6.src.rpm
Size : 72694 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:17:59 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://linux.dell.com/efibootmgr/>
Summary : EFI Boot Manager
Description :
efibootmgr displays and allows the user to edit the Intel Extensible
Firmware Interface (EFI) Boot Manager variables. Additional
information about EFI can be found at
<http://developer.intel.com/technology/efi/efi.htm> and <http://uefi.org/>.

Name : libgladem24 Relocations: (not relocatable)
Version : 2.6.7 Vendor: CentOS
Release : 3.1.el6 Build Date: Tue 24 Aug 2010
11:52:18 AM EDT
Install Date: Sun 24 Feb 2013 10:35:39 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libgladem24-
2.6.7-3.1.el6.src.rpm
Size : 90881 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:34:11 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gtkmm.sourceforge.net/>
Summary : C++ wrapper for libglade
Description :
This package provides a C++ interface for libgladem. It is a
subpackage of the GTKmm project. The interface provides a convenient
interface for C++ programmers to create Gnome GUIs with GTK+'s
flexible object-oriented framework.

Name : system-config-services-docs Relocations: (not relocatable)
Version : 1.1.8 Vendor: CentOS
Release : 1.el6 Build Date: Thu 11 Nov 2010
06:04:37 PM EST
Install Date: Sun 24 Feb 2013 10:37:44 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Documentation Source RPM: system-config-
services-docs-1.1.8-1.el6.src.rpm
Size : 986350 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:48:54 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/system-config-services-docs>
Summary : Documentation for configuring system services

Description :

This package contains the online documentation for system-config-services is a utility which allows you to configure which services should be enabled on your machine.

Name : cairo Relocations: (not relocatable)
Version : 1.8.8 Vendor: CentOS
Release : 3.1.el6 Build Date: Wed 10 Nov 2010
09:23:08 PM EST
Install Date: Sun 24 Feb 2013 10:34:15 PM EST Build Host:
c6b6.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: cairo-1.8.8-
3.1.el6.src.rpm
Size : 797873 License: LGPLv2 or MPLv1.1
Signature : RSA/8, Sun 03 Jul 2011 12:06:29 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://cairographics.org>
Summary : A 2D graphics library
Description :
Cairo is a 2D graphics library designed to provide high-quality display and print output. Currently supported output targets include the X Window System, OpenGL (via glitz), in-memory image buffers, and image files (PDF, PostScript, and SVG).

Cairo is designed to produce consistent output on all output media while taking advantage of display hardware acceleration when available (e.g. through the X Render Extension or OpenGL).

Name : nc Relocations: (not relocatable)
Version : 1.84 Vendor: CentOS
Release : 22.el6 Build Date: Sun 22 Aug 2010
07:21:09 AM EDT
Install Date: Sun 24 Feb 2013 10:40:37 PM EST Build Host:
c6b5.bsyz.dev.centos.org
Group : Applications/Internet Source RPM: nc-1.84-
22.el6.src.rpm
Size : 111583 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:46:58 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.openbsd.org/cgi-bin/cvsweb/src/usr.bin/nc/>
Summary : Reads and writes data across network connections using TCP or UDP
Description :
The nc package contains Netcat (the program is actually nc), a simple utility for reading and writing data across network connections, using the TCP or UDP protocols. Netcat is intended to be a reliable back-end tool which can be used directly or easily driven by other programs and scripts. Netcat is also a feature-rich network debugging and exploration tool, since it can create many different connections and

has many built-in capabilities.

You may want to install the netcat package if you are administering a network and you'd like to use its debugging and network exploration capabilities.

```
Name       : gnome-bluetooth-libs           Relocations: (not relocatable)
Version    : 2.28.6                         Vendor: CentOS
Release    : 8.el6                         Build Date: Thu 11 Nov 2010
05:32:41 AM EST
Install Date: Sun 24 Feb 2013 10:35:43 PM EST   Build Host:
c6b1.bsys.dev.centos.org
Group      : System Environment/Libraries     Source RPM: gnome-bluetooth-
2.28.6-8.el6.src.rpm
Size       : 168688                         License: LGPLv2+
Signature  : RSA/8, Sun 03 Jul 2011 12:17:45 AM EDT, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://live.gnome.org/GnomeBluetooth
Summary    : GTK+ Bluetooth device selection widgets
Description:
This package contains libraries needed for applications that
want to display a Bluetooth device selection widget.
```

```
Name       : libgail-gnome                 Relocations: (not relocatable)
Version    : 1.20.1                       Vendor: CentOS
Release    : 4.1.el6.centos                Build Date: Fri 02 Dec 2011
04:06:34 AM EST
Install Date: Sun 24 Feb 2013 10:37:47 PM EST   Build Host:
c6b4.bsys.dev.centos.org
Group      : System Environment/Libraries     Source RPM: libgail-gnome-
1.20.1-4.1.el6.centos.src.rpm
Size       : 53142                         License: LGPLv2+
Signature  : RSA/SHA1, Fri 02 Dec 2011 07:47:00 PM EST, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://developer.gnome.org/projects/gap
Summary    : Accessibility implementation for GTK+ and GNOME libraries
Description:
GAIL implements the abstract interfaces found in ATK for GTK+ and GNOME
libraries, enabling accessibility technologies such as at-spi to access
those GUIs.
```

libgail-gnome contains the GNOME portions of GAIL.

```
Name       : libXft                       Relocations: (not relocatable)
Version    : 2.1.13                       Vendor: CentOS
Release    : 4.1.el6                     Build Date: Thu 19 Aug 2010
02:56:31 AM EDT
Install Date: Sun 24 Feb 2013 10:34:19 PM EST   Build Host:
c6b3.bsys.dev.centos.org
Group      : System Environment/Libraries     Source RPM: libXft-2.1.13-
4.1.el6.src.rpm
Size       : 101301                       License: MIT
```

Signature : RSA/8, Sun 03 Jul 2011 12:41:59 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXft runtime library
Description :
X.Org X11 libXft runtime library

Name : fprintd-pam Relocations: (not relocatable)
Version : 0.1 Vendor: CentOS
Release : 19.git04fd09cfa.el6 Build Date: Thu 11 Nov 2010
02:58:50 AM EST
Install Date: Sun 24 Feb 2013 10:35:43 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Base Source RPM: fprintd-0.1-
19.git04fd09cfa.el6.src.rpm
Size : 17439 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:15:15 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.reactivated.net/fprint/wiki/Fprintd>
Summary : PAM module for fingerprint authentication
Description :
PAM module that uses the fprintd D-Bus service for fingerprint
authentication.

Name : m17n-db Relocations: (not relocatable)
Version : 1.5.5 Vendor: CentOS
Release : 1.1.el6 Build Date: Thu 19 Aug 2010
02:00:34 AM EDT
Install Date: Sun 24 Feb 2013 10:33:26 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-db-1.5.5-
1.1.el6.src.rpm
Size : 89375 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:28:58 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : Multilingualization datafiles for m17n-lib
Description :
This package contains multilingualization (m17n) datafiles for m17n-lib
which describe input maps, encoding maps, and OpenType font data
for many languages.

Name : gnome-desktop Relocations: (not relocatable)
Version : 2.28.2 Vendor: CentOS
Release : 8.el6.centos Build Date: Tue 12 Apr 2011
12:51:39 PM EDT
Install Date: Sun 24 Feb 2013 10:37:54 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: gnome-desktop-
2.28.2-8.el6.centos.src.rpm

Size : 3162811 License: GPLv2+ and
LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:17:48 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : Shared code among gnome-panel, gnome-session, nautilus, etc
Description :

The gnome-desktop package contains an internal library
(libgnomedesktop) used to implement some portions of the GNOME
desktop, and also some data files and other shared components of the
GNOME user environment.

Name : dejavu-serif-fonts Relocations: (not relocatable)
Version : 2.30 Vendor: CentOS
Release : 2.el6 Build Date: Wed 10 Nov 2010
11:23:58 PM EST
Install Date: Sun 24 Feb 2013 10:40:47 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : User Interface/X Source RPM: dejavu-fonts-
2.30-2.el6.src.rpm
Size : 2406691 License: Bitstream Vera
and Public Domain
Signature : RSA/8, Sun 03 Jul 2011 12:04:24 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://dejavu-fonts.org/>
Summary : Variable-width serif font faces
Description :

The DejaVu font set is based on the ,ÇfBitstream Vera,Ç¥ fonts, release
1.10. Its
purpose is to provide a wider range of characters, while maintaining the
original style, using an open collaborative development process.

This package consists of the DejaVu serif variable-width font faces, in
their
unabridged version.

Name : libssh2 Relocations: (not relocatable)
Version : 1.2.2 Vendor: CentOS
Release : 7.el6_1.1 Build Date: Tue 18 Oct 2011
09:19:11 AM EDT
Install Date: Sun 24 Feb 2013 10:34:21 PM EST Build Host:
c6b18n1.dev.centos.org
Group : System Environment/Libraries Source RPM: libssh2-1.2.2-
7.el6_1.1.src.rpm
Size : 186986 License: BSD
Signature : RSA/SHA1, Wed 19 Oct 2011 09:03:11 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.libssh2.org/>
Summary : A library implementing the SSH2 protocol

Description :

libssh2 is a library implementing the SSH2 protocol as defined by Internet Drafts: SECSH-TRANS(22), SECSH-USERAUTH(25), SECSH-CONNECTION(23), SECSH-ARCH(20), SECSH-FILEXFER(06)*, SECSH-DHGEX(04), and SECSH-NUMBERS(10).

Name : hdparm Relocations: (not relocatable)
Version : 9.16 Vendor: CentOS
Release : 3.4.el6 Build Date: Thu 11 Nov 2010
03:21:59 PM EST
Install Date: Sun 24 Feb 2013 10:35:47 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/System Source RPM: hdparm-9.16-
3.4.el6.src.rpm
Size : 133072 License: BSD and GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:21:36 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceforge.net/projects/hdparm/>
Summary : A utility for displaying and/or setting hard disk
parameters
Description :
Hdparm is a useful system utility for setting (E)IDE hard drive
parameters. For example, hdparm can be used to tweak hard drive
performance and to spin down hard drives for power conservation.

Name : liberation-fonts-common Relocations: (not relocatable)
Version : 1.05.1.20090721 Vendor: CentOS
Release : 4.el6 Build Date: Sat 21 Aug 2010
06:22:37 AM EDT
Install Date: Sun 24 Feb 2013 10:33:28 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : User Interface/X Source RPM: liberation-fonts-
1.05.1.20090721-4.el6.src.rpm
Size : 45998 License: Liberation
Signature : RSA/8, Sun 03 Jul 2011 12:22:59 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/liberation-fonts/>
Summary : Shared common files of Liberation font families
Description :

The Liberation Fonts are intended to be replacements for the three most commonly used fonts on Microsoft systems: Times New Roman, Arial, and Courier New.

Shared common files of Liberation font families.

Name : gnome-python2-libegg Relocations: (not relocatable)
Version : 2.25.3 Vendor: CentOS
Release : 20.el6 Build Date: Thu 11 Nov 2010
06:53:06 AM EST

Install Date: Sun 24 Feb 2013 10:38:08 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Development/Languages Source RPM: gnome-python2-
extras-2.25.3-20.el6.src.rpm
Size : 134978 License: GPLv2+ and
LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:18:35 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.pygtk.org/>
Summary : Python bindings for recent files and tray icons
Description :
This module contains a wrapper that allows the use of recent files and
tray
icons via Python.

Name : lohit-kannada-fonts Relocations: (not relocatable)
Version : 2.4.5 Vendor: CentOS
Release : 5.el6 Build Date: Fri 23 Sep 2011
09:13:06 AM EDT
Install Date: Sun 24 Feb 2013 10:41:05 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : User Interface/X Source RPM: lohit-kannada-
fonts-2.4.5-5.el6.src.rpm
Size : 229266 License: GPLv2 with
exceptions
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:26 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/lohit/>
Summary : Free Kannada font
Description :
This package provides a free Kannada truetype/opentype font.

Name : libaio Relocations: (not relocatable)
Version : 0.3.107 Vendor: CentOS
Release : 10.el6 Build Date: Sun 22 Aug 2010
05:08:18 PM EDT
Install Date: Sun 24 Feb 2013 10:34:23 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libaio-0.3.107-
10.el6.src.rpm
Size : 34542 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:31:33 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://git.kernel.org/?p=libs/libaio/libaio.git>
Summary : Linux-native asynchronous I/O access library
Description :
The Linux-native asynchronous I/O facility ("async I/O", or "aio") has a
richer API and capability set than the simple POSIX async I/O facility.
This library, libaio, provides the Linux-native API for async I/O.
The POSIX async I/O facility requires this library in order to provide
kernel-accelerated async I/O capabilities, as do applications which

require the Linux-native async I/O API.

```
Name           : libvisual                      Relocations: (not relocatable)
Version        : 0.4.0                        Vendor: CentOS
Release        : 9.1.el6                      Build Date: Thu 19 Aug 2010
03:17:01 AM EDT
Install Date: Sun 24 Feb 2013 10:35:49 PM EST    Build Host:
c6b3.bsys.dev.centos.org
Group          : Applications/Multimedia        Source RPM: libvisual-0.4.0-
9.1.el6.src.rpm
Size           : 414568                        License: LGPLv2+
Signature      : RSA/8, Sun 03 Jul 2011 12:40:51 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://libvisual.sf.net
Summary        : Abstraction library for audio visualisation plugins
Description    :
Libvisual is an abstraction library that comes between applications and
audio visualisation plugins.
```

Often when it comes to audio visualisation plugins or programs that create visuals they do depend on a player or something else, basically there is no general framework that enable application developers to easy access cool audio visualisation plugins. Libvisual wants to change this by providing an interface towards plugins and applications, through this easy to use interface applications can easily access plugins and since the drawing is done by the application it also enables the developer to draw the visual anywhere he wants.

```
Name           : mailcap                      Relocations: (not relocatable)
Version        : 2.1.31                      Vendor: CentOS
Release        : 2.el6                      Build Date: Fri 23 Sep 2011
11:02:51 AM EDT
Install Date: Sun 24 Feb 2013 10:33:29 PM EST    Build Host:
c6b18n1.dev.centos.org
Group          : System Environment/Base        Source RPM: mailcap-2.1.31-
2.el6.src.rpm
Size           : 52877                        License: Public Domain and
MIT
Signature      : RSA/SHA1, Mon 26 Sep 2011 12:21:48 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://git.fedoraproject.org/git/mailcap.git
Summary        : Helper application and MIME type associations for file
types
Description    :
The mailcap file is used by the metamail program. Metamail reads the
mailcap file to determine how it should display non-text or multimedia
material. Basically, mailcap associates a particular type of file
with a particular program that a mail agent or other program can call
in order to handle the file. Mailcap should be installed to allow
certain programs to be able to handle non-text files.
```

Also included in this package is the mime.types file which contains a list of MIME types and their filename "extension" associations, used by several applications e.g. to determine MIME types for filenames.

Name : libdrm Relocations: (not relocatable)
Version : 2.4.25 Vendor: CentOS
Release : 2.el6 Build Date: Wed 07 Dec 2011
06:38:33 PM EST
Install Date: Sun 24 Feb 2013 10:38:10 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libdrm-2.4.25-
2.el6.src.rpm
Size : 133976 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 03:17:06 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://dri.sourceforge.net>
Summary : Direct Rendering Manager runtime library
Description :
Direct Rendering Manager runtime library

Name : lohit-tamil-fonts Relocations: (not relocatable)
Version : 2.4.5 Vendor: CentOS
Release : 5.el6 Build Date: Fri 23 Sep 2011
09:08:02 AM EDT
Install Date: Sun 24 Feb 2013 10:41:22 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : User Interface/X Source RPM: lohit-tamil-
fonts-2.4.5-5.el6.src.rpm
Size : 98270 License: GPLv2 with
exceptions
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:28 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/lohit/>
Summary : Free Tamil font
Description :
This package provides a free Tamil truetype/opentype font.

Name : libdaemon Relocations: (not relocatable)
Version : 0.14 Vendor: CentOS
Release : 1.el6 Build Date: Mon 16 Aug 2010
09:23:20 PM EDT
Install Date: Sun 24 Feb 2013 10:34:26 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libdaemon-0.14-
1.el6.src.rpm
Size : 58693 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:32:54 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://0pointer.de/lennart/projects/libdaemon/>
Summary : Library for writing UNIX daemons

Description :

libdaemon is a lightweight C library which eases the writing of UNIX daemons.

It consists of the following parts:

- * A wrapper around fork() which does the correct daemonization procedure of a process
- * A wrapper around syslog() for simpler and compatible log output to Syslog or STDERR
- * An API for writing PID files
- * An API for serializing UNIX signals into a pipe for usage with select() or poll()
- * An API for running subprocesses with STDOUT and STDERR redirected to syslog.

Name : libnetfilter_conntrack Relocations: (not relocatable)
Version : 0.0.100 Vendor: CentOS
Release : 2.el6 Build Date: Sun 22 Aug 2010
05:06:18 PM EDT
Install Date: Sun 24 Feb 2013 10:35:50 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM:
libnetfilter_conntrack-0.0.100-2.el6.src.rpm
Size : 99730 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:37:09 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://netfilter.org>
Summary : Netfilter conntrack userspace library
Description :
libnetfilter_conntrack is a userspace library providing a programming interface (API) to the in-kernel connection tracking state table.

Name : bash Relocations: (not relocatable)
Version : 4.1.2 Vendor: CentOS
Release : 8.el6.centos Build Date: Fri 02 Dec 2011
09:29:49 AM EST
Install Date: Sun 24 Feb 2013 10:33:40 PM EST Build Host: c6-x8664-
build.centos.org
Group : System Environment/Shells Source RPM: bash-4.1.2-
8.el6.centos.src.rpm
Size : 3139102 License: GPLv3+
Signature : RSA/SHA1, Fri 02 Dec 2011 07:10:07 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/bash>
Summary : The GNU Bourne Again shell
Description :
The GNU Bourne Again shell (Bash) is a shell or command language interpreter that is compatible with the Bourne shell (sh). Bash incorporates useful features from the Korn shell (ksh) and the C shell (csh). Most sh scripts can be run by bash without modification.

Name : xorg-x11-server-Xorg Relocations: (not relocatable)
Version : 1.10.4 Vendor: CentOS

Release : 6.el6 Build Date: Wed 07 Dec 2011
06:46:47 PM EST
Install Date: Sun 24 Feb 2013 10:38:18 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : User Interface/X Source RPM: xorg-x11-server-
1.10.4-6.el6.src.rpm
Size : 3828994 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:43:56 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X server
Description :
X.org X11 is an open source implementation of the X Window System. It
provides the basic low level functionality which full fledged
graphical user interfaces (GUIs) such as GNOME and KDE are designed
upon.

Name : iptraf Relocations: (not relocatable)
Version : 3.0.1 Vendor: CentOS
Release : 13.el6 Build Date: Wed 10 Nov 2010
06:05:39 PM EST
Install Date: Sun 24 Feb 2013 10:41:33 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Applications/System Source RPM: iptraf-3.0.1-
13.el6.src.rpm
Size : 699933 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:24:56 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.penguin.cz/~fojtik/iptraf/>
Summary : A console-based network monitoring utility
Description :
IPTraf is a console-based network monitoring utility. IPTraf gathers
data like TCP connection packet and byte counts, interface statistics
and activity indicators, TCP/UDP traffic breakdowns, and LAN station
packet and byte counts. IPTraf features include an IP traffic monitor
which shows TCP flag information, packet and byte counts, ICMP
details, OSPF packet types, and oversized IP packet warnings;
interface statistics showing IP, TCP, UDP, ICMP, non-IP and other IP
packet counts, IP checksum errors, interface activity and packet size
counts; a TCP and UDP service monitor showing counts of incoming and
outgoing packets for common TCP and UDP application ports, a LAN
statistics module that discovers active hosts and displays statistics
about their activity; TCP, UDP and other protocol display filters so
you can view just the traffic you want; logging; support for Ethernet,
FDDI, ISDN, SLIP, PPP, and loopback interfaces; and utilization of the
built-in raw socket interface of the Linux kernel, so it can be used
on a wide variety of supported network cards.

Name : festival-speechtools-libs Relocations: (not relocatable)
Version : 1.2.96 Vendor: CentOS
Release : 18.el6 Build Date: Thu 11 Nov 2010
02:43:14 AM EST

Install Date: Sun 24 Feb 2013 10:34:27 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: festival-1.96-
18.el6.src.rpm
Size : 3438954 License: MIT and GPL+ and
TCL
Signature : RSA/8, Sun 03 Jul 2011 12:14:13 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.cstr.ed.ac.uk/projects/festival/>
Summary : The Edinburgh Speech Tools libraries
Description :
The Edinburgh Speech Tools libraries, used by the Festival text-to-speech
and speech synthesis system.

Name : imsettings Relocations: (not relocatable)
Version : 0.108.0 Vendor: CentOS
Release : 3.5.el6 Build Date: Mon 18 Jul 2011
06:51:45 PM EDT

Install Date: Sun 24 Feb 2013 10:35:52 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Applications/System Source RPM: imsettings-
0.108.0-3.5.el6.src.rpm
Size : 834687 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:26 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/imsettings/>
Summary : Delivery framework for general Input Method configuration
Description :
IMSettings is a framework that delivers Input Method
settings and applies the changes so they take effect
immediately without any need to restart applications
or the desktop.

This package contains the core DBus services and some utilities.

Name : info Relocations: (not relocatable)
Version : 4.13a Vendor: CentOS
Release : 8.el6 Build Date: Fri 20 Aug 2010
01:30:28 AM EDT

Install Date: Sun 24 Feb 2013 10:33:41 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Base Source RPM: texinfo-4.13a-
8.el6.src.rpm
Size : 329482 License: GPLv3+
Signature : RSA/8, Sun 03 Jul 2011 12:24:38 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/texinfo/>
Summary : A stand-alone TTY-based reader for GNU texinfo
documentation
Description :
The GNU project uses the texinfo file format for much of its

documentation. The info package provides a standalone TTY-based browser program for viewing texinfo files.

Name : redhat-lsb Relocations: (not relocatable)
Version : 4.0 Vendor: CentOS
Release : 3.el6.centos Build Date: Sun 20 Nov 2011
04:46:24 PM EST
Install Date: Sun 24 Feb 2013 10:38:26 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: redhat-lsb-4.0-
3.el6.centos.src.rpm
Size : 22822 License: GPL
Signature : RSA/SHA1, Mon 21 Nov 2011 07:54:35 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.linuxfoundation.org/collaborate/workgroups/lsb>
Summary : LSB base libraries support for CentOS
Description :
The Linux Standard Base (LSB) is an attempt to develop a set of standards that will increase compatibility among Linux distributions. The redhat-lsb package provides utilities needed for LSB Compliant Applications. It also contains requirements that will ensure that all components required by the LSB that are provided by CentOS are installed on the system.

Name : setserial Relocations: (not relocatable)
Version : 2.17 Vendor: CentOS
Release : 25.el6 Build Date: Sun 22 Aug 2010
07:06:32 PM EDT
Install Date: Sun 24 Feb 2013 10:41:34 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/System Source RPM: setserial-2.17-
25.el6.src.rpm
Size : 31075 License: GPL+
Signature : RSA/8, Sun 03 Jul 2011 01:01:58 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://setserial.sourceforge.net/>
Summary : A utility for configuring serial ports
Description :
Setserial is a basic system utility for displaying or setting serial port information. Setserial can reveal and allow you to alter the I/O port and IRQ that a particular serial device is using, and more.

Name : libshout Relocations: (not relocatable)
Version : 2.2.2 Vendor: CentOS
Release : 5.1.el6 Build Date: Thu 19 Aug 2010
06:28:17 PM EDT
Install Date: Sun 24 Feb 2013 10:34:29 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libshout-2.2.2-
5.1.el6.src.rpm
Size : 96239 License: LGPLv2+

Signature : RSA/8, Sun 03 Jul 2011 12:38:58 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.icecast.org/>

Summary : Icecast source streaming library

Description :

libshout is a library for communicating with and sending data to an icecast server. It handles the socket connection, the timing of the data, and prevents most bad data from getting to the icecast server.

Name : system-config-firewall-base Relocations: (not relocatable)

Version : 1.2.27

Vendor: CentOS

Release : 5.el6

Build Date: Fri 23 Sep 2011

01:04:13 PM EDT

Install Date: Sun 24 Feb 2013 10:35:58 PM EST

Build Host:

c6b5.bsyz.dev.centos.org

Group : System Environment/Base

Source RPM: system-config-

firewall-1.2.27-5.el6.src.rpm

Size : 2364002

License: GPLv2+

Signature : RSA/SHA1, Mon 26 Sep 2011 12:25:38 AM EDT, Key ID

0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://fedorahosted.org/system-config-firewall>

Summary : system-config-firewall base components and command line tool

Description :

Base components of system-config-firewall with lokkit, the command line tool

for basic firewall setup.

Name : audit-libs

Relocations: (not relocatable)

Version : 2.1.3

Vendor: CentOS

Release : 3.el6

Build Date: Wed 07 Dec 2011

08:14:37 PM EST

Install Date: Sun 24 Feb 2013 10:33:41 PM EST

Build Host:

c6b18n3.bsyz.dev.centos.org

Group : Development/Libraries

Source RPM: audit-2.1.3-

3.el6.src.rpm

Size : 157346

License: LGPLv2+

Signature : RSA/SHA1, Thu 08 Dec 2011 02:44:02 PM EST, Key ID

0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://people.redhat.com/sgrubb/audit/>

Summary : Dynamic library for libaudit

Description :

The audit-libs package contains the dynamic libraries needed for applications to use the audit framework.

Name : xorg-x11-drv-tdfx

Relocations: (not relocatable)

Version : 1.4.3

Vendor: CentOS

Release : 2.el6

Build Date: Wed 07 Dec 2011

10:45:31 AM EST

Install Date: Sun 24 Feb 2013 10:38:26 PM EST

Build Host:

c6b18n3.bsyz.dev.centos.org

Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-tdfx-1.4.3-2.el6.src.rpm
Size : 72116 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:40:34 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 tdfx video driver
Description :
X.Org X11 tdfx video driver.

Name : compat-opensm-lib3 Relocations: (not relocatable)
Version : 3.3.5 Vendor: CentOS
Release : 3.el6 Build Date: Wed 07 Dec 2011 03:16:28 PM EST
Install Date: Sun 24 Feb 2013 10:41:35 PM EST Build Host: c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: compat-opensm-lib3-3.3.5-3.el6.src.rpm
Size : 92208 License: GPLv2 or BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 02:49:39 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://openfabrics.org/>
Summary : Back compatability libraries for the IB management stack
Description :
The libibumad and opensm packages provide libraries for use on the system.
As those libraries have changed version, this compat package provides the older version of the libraries so that packages or user applications will not need to be recompiled against the newer libraries unnecessarily.

Name : wpa_supplicant Relocations: (not relocatable)
Version : 0.7.3 Vendor: CentOS
Release : 2.el6 Build Date: Wed 07 Dec 2011 07:53:36 PM EST
Install Date: Sun 24 Feb 2013 10:34:32 PM EST Build Host: c6b18n3.bsys.dev.centos.org
Group : System Environment/Base Source RPM: wpa_supplicant-0.7.3-2.el6.src.rpm
Size : 958543 License: BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 04:30:32 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : http://w1.fi/wpa_supplicant/
Summary : WPA/WPA2/IEEE 802.1X Supplicant
Description :
wpa_supplicant is a WPA Supplicant for Linux, BSD and Windows with support for WPA and WPA2 (IEEE 802.11i / RSN). Supplicant is the IEEE 802.1X/WPA component that is used in the client stations. It implements key negotiation with a WPA Authenticator and it controls the roaming and IEEE 802.11 authentication/association of the wlan driver.

Name : libsvg2 Relocations: (not relocatable)
Version : 2.26.0 Vendor: CentOS
Release : 5.el6_1.1 Build Date: Fri 23 Sep 2011
04:10:53 PM EDT
Install Date: Sun 24 Feb 2013 10:36:00 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libsvg2-2.26.0-
5.el6_1.1.src.rpm
Size : 370304 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:20:57 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : An SVG library based on cairo
Description :
An SVG library based on cairo.

Name : libSM Relocations: (not relocatable)
Version : 1.1.0 Vendor: CentOS
Release : 7.1.el6 Build Date: Thu 19 Aug 2010
11:04:33 AM EDT
Install Date: Sun 24 Feb 2013 10:33:42 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libSM-1.1.0-
7.1.el6.src.rpm
Size : 44655 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:39:04 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 SM runtime library
Description :
The X.Org X11 SM (Session Management) runtime library.

Name : xorg-x11-drv-r128 Relocations: (not relocatable)
Version : 6.8.1 Vendor: CentOS
Release : 3.el6 Build Date: Wed 07 Dec 2011
10:33:14 AM EST
Install Date: Sun 24 Feb 2013 10:38:27 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-r128-6.8.1-3.el6.src.rpm
Size : 119404 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:38:42 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 r128 video driver
Description :
X.Org X11 r128 video driver.

Name : crash-trace-command Relocations: (not relocatable)
Version : 1.0 Vendor: Fujitsu Limited

Release : 3.el6 Build Date: Wed 10 Nov 2010
10:47:54 PM EST
Install Date: Sun 24 Feb 2013 10:41:37 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Debuggers Source RPM: crash-trace-
command-1.0-3.el6.src.rpm
Size : 77367 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:08:23 AM EDT, Key ID
0946fca2c105b9de
Packager : Lai Jiangshan <laijs@cn.fujitsu.com>
URL : http://people.redhat.com/anderson/extensions/trace.c
Summary : trace extension module for the crash utility
Description :
Command for reading ftrace data from a dumpfile.

Name : ghostscript-fonts Relocations: (not relocatable)
Version : 5.50 Vendor: CentOS
Release : 23.1.el6 Build Date: Thu 11 Nov 2010
03:57:31 AM EST
Install Date: Sun 24 Feb 2013 10:34:39 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Applications/Publishing Source RPM: ghostscript-
fonts-5.50-23.1.el6.src.rpm
Size : 1507709 License: GPLv2+ and
Hershey and MIT and OFL and Public Domain
Signature : RSA/8, Sun 03 Jul 2011 12:09:59 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <http://bugs.centos.org>
URL : http://www.gnu.org/software/ghostscript/
Summary : Fonts for the Ghostscript PostScript interpreter
Description :
Ghostscript-fonts contains a set of fonts that Ghostscript, a
PostScript interpreter, uses to render text. These fonts are in
addition to the fonts shared by Ghostscript and the X Window System.

Name : gnome-python2-canvas Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
06:32:37 AM EST
Install Date: Sun 24 Feb 2013 10:36:01 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Languages Source RPM: gnome-python2-
2.28.0-3.el6.src.rpm
Size : 74807 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:18:29 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <http://bugs.centos.org>
URL : http://download.gnome.org/sources/gnome-python/
Summary : Python bindings for the GNOME Canvas
Description :
This module contains a wrapper that allows use of the GNOME Canvas
in Python.

Name : libsepol Relocations: (not relocatable)

Version : 2.0.41 Vendor: CentOS
Release : 4.el6 Build Date: Wed 07 Dec 2011
01:01:09 PM EST
Install Date: Sun 24 Feb 2013 10:33:43 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libsepol-2.0.41-
4.el6.src.rpm
Size : 248680 License: LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:24:54 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.selinuxproject.org>
Summary : SELinux binary policy manipulation library
Description :
Security-enhanced Linux is a feature of the Linux kernel and a number
of utilities with enhanced security functionality designed to add
mandatory access controls to Linux. The Security-enhanced Linux
kernel contains new architectural components originally developed to
improve the security of the Flask operating system. These
architectural components provide general support for the enforcement
of many kinds of mandatory access control policies, including those
based on the concepts of Type Enforcement, Role-based Access
Control, and Multi-level Security.

libsepol provides an API for the manipulation of SELinux binary policies.
It is used by checkpolicy (the policy compiler) and similar tools, as
well
as by programs like load_policy that need to perform specific
transformations
on binary policies such as customizing policy boolean settings.

Name : xorg-x11-drv-mga Relocations: (not relocatable)
Version : 1.4.13 Vendor: CentOS
Release : 3.el6 Build Date: Wed 07 Dec 2011
05:24:17 PM EST
Install Date: Sun 24 Feb 2013 10:38:28 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-mga-1.4.13-3.el6.src.rpm
Size : 184245 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:36:39 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 mga video driver
Description :
X.Org X11 mga video driver.

Name : libertas-usb8388-firmware Relocations: (not relocatable)
Version : 5.110.22.p23 Vendor: CentOS
Release : 3.1.el6 Build Date: Wed 18 Aug 2010
12:36:03 PM EDT
Install Date: Sun 24 Feb 2013 10:41:43 PM EST Build Host:
c6b3.bsys.dev.centos.org

Group : System Environment/Kernel Source RPM: libertas-usb8388-firmware-5.110.22.p23-3.1.el6.src.rpm
Size : 129601 License: Redistributable,
no modification permitted
Signature : RSA/8, Sun 03 Jul 2011 12:23:02 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.marvell.com/>
Summary : Firmware for Marvell Libertas USB 8388 Network Adapter
Description :
Firmware for Marvell Libertas USB 8388 Network Adapter

Name : syslinux Relocations: (not relocatable)
Version : 4.02 Vendor: CentOS
Release : 4.el6 Build Date: Mon 18 Jul 2011
09:50:50 PM EDT
Install Date: Sun 24 Feb 2013 10:34:44 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Applications/System Source RPM: syslinux-4.02-
4.el6.src.rpm
Size : 2121438 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:25:35 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL :
http://syslinux.zytor.com/wiki/index.php/The_Syslinux_Project
Summary : Simple kernel loader which boots from a FAT filesystem
Description :
SYSINUX is a suite of bootloaders, currently supporting DOS FAT
filesystems, Linux ext2/ext3 filesystems (EXTLINUX), PXE network boots
(PXELINUX), or ISO 9660 CD-ROMs (ISOLINUX). It also includes a tool,
MEMDISK, which loads legacy operating systems from these media.

Name : blktrace Relocations: (not relocatable)
Version : 1.0.1 Vendor: CentOS
Release : 6.el6 Build Date: Wed 07 Dec 2011
03:27:41 PM EST
Install Date: Sun 24 Feb 2013 10:36:01 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/System Source RPM: blktrace-1.0.1-
6.el6.src.rpm
Size : 1041979 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 02:46:38 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://brick.kernel.dk/snaps>
Summary : Utilities for performing block layer IO tracing in the
linux kernel
Description :
blktrace is a block layer IO tracing mechanism which provides detailed
information about request queue operations to user space. This package
includes both blktrace, a utility which gathers event traces from the
kernel;
and blkparse, a utility which formats trace data collected by blktrace.

You should install the blktrace package if you need to gather detailed information about IO patterns.

Name : elfutils-libelf Relocations: (not relocatable)
Version : 0.152 Vendor: CentOS
Release : 1.el6 Build Date: Tue 19 Jul 2011
11:14:19 AM EDT
Install Date: Sun 24 Feb 2013 10:33:45 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Tools Source RPM: elfutils-0.152-
1.el6.src.rpm
Size : 920293 License: GPLv2 with
exceptions
Signature : RSA/SHA1, Mon 26 Sep 2011 12:18:01 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/elfutils/>
Summary : Library to read and write ELF files
Description :
The elfutils-libelf package provides a DSO which allows reading and
writing ELF files on a high level. Third party programs depend on
this package to read internals of ELF files. The programs of the
elfutils package use it also to generate new ELF files.

Name : xorg-x11-drv-fpit Relocations: (not relocatable)
Version : 1.4.0 Vendor: CentOS
Release : 2.el6 Build Date: Wed 07 Dec 2011
11:12:47 AM EST
Install Date: Sun 24 Feb 2013 10:38:29 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-fpit-1.4.0-2.el6.src.rpm
Size : 16942 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:34:05 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 fpit input driver
Description :
X.Org X11 fpit input driver.

Name : ql2200-firmware Relocations: (not relocatable)
Version : 2.02.08 Vendor: CentOS
Release : 3.1.el6 Build Date: Wed 18 Aug 2010
11:01:18 AM EDT
Install Date: Sun 24 Feb 2013 10:41:44 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: ql2200-firmware-
2.02.08-3.1.el6.src.rpm
Size : 86403 License: Redistributable,
no modification permitted
Signature : RSA/8, Sun 03 Jul 2011 12:43:59 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.qlogic.com/outgoing/linux/firmware/>
Summary : Firmware for qlogic 2200 devices
Description :
Firmware for qlogic 2200 devices.

Name : perl-Module-Build Relocations: (not relocatable)
Version : 0.3500 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:45 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size : 471047 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 06:00:17 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Perl module for building and installing Perl modules
Description :
Module::Build is a system for building, testing, and installing Perl
modules. It is meant to be an alternative to ExtUtils::MakeMaker.
Developers may alter the behavior of the module through subclassing in a
much more straightforward way than with MakeMaker. It also does not
require a make on your system - most of the Module::Build code is pure-
perl and
written in a very cross-platform way. In fact, you don't even need a
shell, so even platforms like MacOS (traditional) can use it fairly
easily. Its
only prerequisites are modules that are included with perl 5.6.0, and it
works fine on perl 5.005 if you can install a few additional modules.

Name : pygpgme Relocations: (not relocatable)
Version : 0.1 Vendor: CentOS
Release : 18.20090824bzh68.el6 Build Date: Sun 22 Aug 2010
05:28:16 AM EDT
Install Date: Sun 24 Feb 2013 10:36:04 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Development/Languages Source RPM: pygpgme-0.1-
18.20090824bzh68.el6.src.rpm
Size : 251432 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:58:12 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://cheeseshop.python.org/pypi/pygpgme/0.1>
Summary : Python module for working with OpenPGP messages
Description :
PyGPGME is a Python module that lets you sign, verify, encrypt and
decrypt
files using the OpenPGP format. It is built on top of GNU Privacy Guard
and
the GPGME library.

Name : libnl Relocations: (not relocatable)
Version : 1.1 Vendor: CentOS
Release : 14.el6 Build Date: Tue 19 Jul 2011
02:32:51 PM EDT
Install Date: Sun 24 Feb 2013 10:33:45 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: libnl-1.1-
14.el6.src.rpm
Size : 361990 License: LGPLv2
Signature : RSA/SHA1, Mon 26 Sep 2011 12:20:47 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.infradead.org/~tgr/libnl/>
Summary : Convenience library for kernel netlink sockets
Description :
This package contains a convenience library to simplify
using the Linux kernel's netlink sockets interface for
network manipulation

Name : xorg-x11-drv-aiptek Relocations: (not relocatable)
Version : 1.4.1 Vendor: CentOS
Release : 2.el6 Build Date: Wed 07 Dec 2011
11:07:53 AM EST
Install Date: Sun 24 Feb 2013 10:38:29 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-aiptek-1.4.1-2.el6.src.rpm
Size : 27433 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:31:55 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 aiptek input driver
Description :
X.Org X11 aiptek input driver.

Name : libgcc Relocations: (not relocatable)
Version : 4.4.6 Vendor: CentOS
Release : 3.el6 Build Date: Tue 06 Dec 2011
11:31:29 AM EST
Install Date: Sun 24 Feb 2013 10:41:47 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: gcc-4.4.6-
3.el6.src.rpm
Size : 147112 License: GPLv3+ and GPLv3+
with exceptions and GPLv2+ with exceptions
Signature : RSA/SHA1, Thu 08 Dec 2011 03:01:20 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gcc.gnu.org>
Summary : GCC version 4.4 shared support library
Description :
This package contains GCC shared support library which is needed
e.g. for exception handling support.

```

Name       : perl-parent                      Relocations: (not relocatable)
Version    : 0.221                          Vendor: CentOS
Release    : 119.el6_1.1                    Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:46 PM EST    Build Host:
c6b5.bsys.dev.centos.org
Group      : Development/Libraries            Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size       : 5809                            License: GPL+ or Artistic
Signature  : RSA/SHA1, Tue 15 Nov 2011 05:59:01 AM EST, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://www.perl.org/
Summary    : Establish an ISA relationship with base classes at compile
time
Description :
parent allows you to both load one or more modules, while setting up
inheritance from those modules at the same time. Mostly similar in
effect to:

```

```

    package Baz;

```

```

    BEGIN {
        require Foo;
        require Bar;

        push @ISA, qw(Foo Bar);
    }

```

```

Name       : abrt                      Relocations: (not relocatable)
Version    : 2.0.4                    Vendor: CentOS
Release    : 14.el6.centos            Build Date: Tue 13 Dec 2011
10:50:57 PM EST
Install Date: Sun 24 Feb 2013 10:36:05 PM EST    Build Host:
c6b18n1.dev.centos.org
Group      : Applications/System        Source RPM: abrt-2.0.4-
14.el6.centos.src.rpm
Size       : 788330                    License: GPLv2+
Signature  : RSA/SHA1, Wed 14 Dec 2011 11:28:43 PM EST, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : https://fedorahosted.org/abrt/
Summary    : Automatic bug detection and reporting tool
Description :
abrt is a tool to help users to detect defects in applications and
to create a bug report with all informations needed by maintainer to fix
it.
It uses plugin system to extend its functionality.

```

```

Name       : pcre                      Relocations: (not relocatable)
Version    : 7.8                      Vendor: CentOS
Release    : 3.1.el6                  Build Date: Thu 19 Aug 2010
12:42:16 AM EDT

```

Install Date: Sun 24 Feb 2013 10:33:46 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: pcre-7.8-
3.1.el6.src.rpm
Size : 526215 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:54:16 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.pcre.org/>
Summary : Perl-compatible regular expression library
Description : Perl-compatible regular expression library.
PCRE has its own native API, but a set of "wrapper" functions that are
based on
the POSIX API are also supplied in the library libpcreposix. Note that
this
just provides a POSIX calling interface to PCRE: the regular expressions
themselves still follow Perl syntax and semantics. The header file
for the POSIX-style functions is called pcreposix.h.

Name : plymouth-utils Relocations: (not relocatable)
Version : 0.8.3 Vendor: CentOS
Release : 24.el6.centos Build Date: Thu 08 Dec 2011
01:38:06 PM EST
Install Date: Sun 24 Feb 2013 10:38:34 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Applications/System Source RPM: plymouth-0.8.3-
24.el6.centos.src.rpm
Size : 15816 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:57:46 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://freedesktop.org/software/plymouth/releases>
Summary : Plymouth related utilities
Description : This package contains utilities that integrate with Plymouth
including a boot log viewing application.

Name : perl-Net-Netmask Relocations: (not relocatable)
Version : 1.9015 Vendor: Fedora Project
Release : 8.el6 Build Date: Fri 15 Jul 2011
05:52:06 AM EDT
Install Date: Sun 24 Feb 2013 10:44:24 PM EST Build Host: x86-
07.phx2.fedoraproject.org
Group : Development/Libraries Source RPM: perl-Net-Netmask-
1.9015-8.el6.src.rpm
Size : 56682 License: Copyright only
Signature : RSA/8, Fri 15 Jul 2011 04:45:01 PM EDT, Key ID
3b49df2a0608b895
Packager : Fedora Project
URL : <http://search.cpan.org/dist/Net-Netmask/>
Summary : Perl module for manipulation and lookup of IP network
blocks
Description :

Net::Netmask parses and understands IPv4 CIDR blocks. It's built with an object-oriented interface. Nearly all functions are methods that operate on a Net::Netmask object.

Name : perl-XML-Parser Relocations: (not relocatable)
Version : 2.36 Vendor: CentOS
Release : 7.el6 Build Date: Tue 24 Aug 2010
08:08:33 AM EDT
Install Date: Sun 24 Feb 2013 10:34:46 PM EST Build Host:
c6b2.bsyz.dev.centos.org
Group : Development/Libraries Source RPM: perl-XML-Parser-
2.36-7.el6.src.rpm
Size : 652307 License: GPL+ or Artistic
Signature : RSA/8, Sun 03 Jul 2011 12:56:39 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://search.cpan.org/dist/XML-Parser/>
Summary : Perl module for parsing XML files
Description :
This module provides ways to parse XML documents. It is built on top of XML::Parser::Expat, which is a lower level interface to James Clark's expat library. Each call to one of the parsing methods creates a new instance of XML::Parser::Expat which is then used to parse the document. Expat options may be provided when the XML::Parser object is created. These options are then passed on to the Expat object on each parse call. They can also be given as extra arguments to the parse methods, in which case they override options given at XML::Parser creation time.

Name : abrt-addon-kerneloops Relocations: (not relocatable)
Version : 2.0.4 Vendor: CentOS
Release : 14.el6.centos Build Date: Tue 13 Dec 2011
10:50:57 PM EST
Install Date: Sun 24 Feb 2013 10:36:06 PM EST Build Host:
c6b18n1.dev.centos.org
Group : System Environment/Libraries Source RPM: abrt-2.0.4-
14.el6.centos.src.rpm
Size : 30513 License: GPLv2+
Signature : RSA/SHA1, Wed 14 Dec 2011 11:28:51 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : abrt's kerneloops addon
Description :
This package contains plugin for collecting kernel crash information.

Name : libexif Relocations: (not relocatable)
Version : 0.6.16 Vendor: CentOS
Release : 4.1.el6 Build Date: Thu 19 Aug 2010
04:39:14 AM EDT
Install Date: Sun 24 Feb 2013 10:33:47 PM EST Build Host:
c6b3.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: libexif-0.6.16-
4.1.el6.src.rpm

Size : 705489 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:33:36 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://libexif.sourceforge.net/>
Summary : Library for extracting extra information from image files
Description :
Most digital cameras produce EXIF files, which are JPEG files with
extra tags that contain information about the image. The EXIF library
allows you to parse an EXIF file and read the data from those tags.

Name : gvfs-fuse Relocations: (not relocatable)
Version : 1.4.3 Vendor: CentOS
Release : 12.el6 Build Date: Mon 18 Jul 2011
07:51:20 PM EDT
Install Date: Sun 24 Feb 2013 10:38:39 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: gvfs-1.4.3-
12.el6.src.rpm
Size : 32728 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:09 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gtk.org>
Summary : FUSE support for gvfs
Description :
This package provides support for applications not using gio
to access the gvfs filesystems.

Name : perl-XML-Writer-String Relocations: (not relocatable)
Version : 0.1 Vendor: (none)
Release : 1 Build Date: Thu 15 Jul 2010
09:29:16 AM EDT
Install Date: Sun 24 Feb 2013 10:44:29 PM EST Build Host: lorax
Group : Applications/CPAN Source RPM: perl-XML-Writer-
String-0.1-1.src.rpm
Size : 5088 License: Artistic/GPL
Signature : (none)
Packager : Jason Messmer <Jason.Messmer@xerox.com>
URL : <http://search.cpan.org/dist/XML-Writer-String/>
Summary : Capture output from XML::Writer
Description :
Capture output from XML::Writer.

Name : libdmx Relocations: (not relocatable)
Version : 1.1.0 Vendor: CentOS
Release : 1.el6 Build Date: Tue 17 Aug 2010
03:42:09 AM EDT
Install Date: Sun 24 Feb 2013 10:34:48 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libdmx-1.1.0-
1.el6.src.rpm
Size : 24435 License: MIT

Signature : RSA/8, Sun 03 Jul 2011 12:33:11 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 DMX runtime library
Description :
The X.Org X11 DMX (Distributed Multihead X) runtime library.

Name : python-urlgrabber Relocations: (not relocatable)
Version : 3.9.1 Vendor: CentOS
Release : 8.el6 Build Date: Tue 19 Jul 2011
01:19:32 PM EDT
Install Date: Sun 24 Feb 2013 10:36:07 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: python-
urlgrabber-3.9.1-8.el6.src.rpm
Size : 322193 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:13:59 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://urlgrabber.baseurl.org/>
Summary : A high-level cross-protocol url-grabber
Description :
A high-level cross-protocol url-grabber for python supporting HTTP, FTP
and file locations. Features include keepalive, byte ranges, throttling,
authentication, proxies and more.

Name : dbus Relocations: (not relocatable)
Version : 1.2.24 Vendor: CentOS
Release : 5.el6_1 Build Date: Fri 23 Sep 2011
11:48:08 AM EDT
Install Date: Sun 24 Feb 2013 10:33:50 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: dbus-1.2.24-
5.el6_1.src.rpm
Size : 478089 License: GPLv2+ or AFL
Signature : RSA/SHA1, Mon 26 Sep 2011 12:17:32 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/software/dbus/>
Summary : D-BUS message bus
Description :
D-BUS is a system for sending messages between applications. It is
used both for the system-wide message bus service, and as a
per-user-login-session messaging facility.

Name : autofs Relocations: (not relocatable)
Version : 5.0.5 Vendor: CentOS
Release : 39.el6 Build Date: Wed 07 Dec 2011
03:09:53 PM EST
Install Date: Sun 24 Feb 2013 10:38:42 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: autofs-5.0.5-
39.el6.src.rpm

```

Size           : 3118965                               License: GPLv2+
Signature      : RSA/SHA1, Thu 08 Dec 2011 02:44:46 PM EST, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://wiki.autofs.net/
Summary        : A tool for automatically mounting and unmounting
filesystems
Description    :
autofs is a daemon which automatically mounts filesystems when you use
them, and unmounts them later when you are not using them. This can
include network filesystems, CD-ROMs, floppies, and so forth.

Name           : perl-Tk-HistEntry                     Relocations: (not relocatable)
Version        : 0.43                                   Vendor: (none)
Release        : 1                                       Build Date: Thu 15 Jul 2010
08:45:55 AM EDT
Install Date: Sun 24 Feb 2013 10:44:36 PM EST           Build Host: lorax
Group          : Applications/CPAN                     Source RPM: perl-Tk-
HistEntry-0.43-1.src.rpm
Size           : 21447                                   License: Artistic/GPL
Signature      : (none)
Packager       : Jason Messmer <Jason.Messmer@xerox.com>
URL            : http://search.cpan.org/dist/Tk-HistEntry/
Summary        : Entry widget with history capability
Description    :
Entry widget with history capability.

Name           : gstreamer                             Relocations: (not relocatable)
Version        : 0.10.29                               Vendor: CentOS
Release        : 1.el6                                   Build Date: Thu 11 Nov 2010
03:01:36 PM EST
Install Date: Sun 24 Feb 2013 10:34:49 PM EST           Build Host:
c6b1.bsyzs.dev.centos.org
Group          : Applications/Multimedia                Source RPM: gstreamer-
0.10.29-1.el6.src.rpm
Size           : 2632102                               License: LGPLv2+
Signature      : RSA/8, Sun 03 Jul 2011 12:19:57 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://gstreamer.freedesktop.org/
Summary        : GStreamer streaming media framework runtime
Description    :
GStreamer is a streaming media framework, based on graphs of filters
which
operate on media data. Applications using this library can do anything
from real-time sound processing to playing videos, and just about
anything
else media-related. Its plugin-based architecture means that new data
types or processing capabilities can be added simply by installing new
plugins.

Name           : PackageKit-yum                         Relocations: (not relocatable)
Version        : 0.5.8                                   Vendor: CentOS

```


Release : 19.el6.centos Build Date: Fri 02 Dec 2011
05:27:06 AM EST
Install Date: Sun 24 Feb 2013 10:36:09 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: PackageKit-
0.5.8-19.el6.centos.src.rpm
Size : 506654 License: GPLv2+
Signature : RSA/SHA1, Fri 02 Dec 2011 07:22:55 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.packagekit.org>
Summary : PackageKit YUM backend
Description :
A backend for PackageKit to enable yum functionality.

Name : libXtst Relocations: (not relocatable)
Version : 1.0.99.2 Vendor: CentOS
Release : 3.el6 Build Date: Mon 16 Aug 2010
08:54:32 PM EDT
Install Date: Sun 24 Feb 2013 10:33:51 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXtst-
1.0.99.2-3.el6.src.rpm
Size : 39169 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:42:43 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXtst runtime library
Description :
X.Org X11 libXtst runtime library

Name : control-center-extra Relocations: (not relocatable)
Version : 2.28.1 Vendor: CentOS
Release : 25.el6 Build Date: Wed 10 Nov 2010
10:54:49 PM EST
Install Date: Sun 24 Feb 2013 10:38:58 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: control-center-
2.28.1-25.el6.src.rpm
Size : 48193 License: GPLv2+ and GFDL
Signature : RSA/8, Sun 03 Jul 2011 12:08:00 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : Additional utilities to configure the GNOME desktop
Description :
The control-center-extra package contains additions configuration
utilities
for the GNOME desktop.

Name : jre Relocations: /usr/java
Version : 1.6.0_37 Vendor: Oracle and/or its
affiliates.

Release : fcs Build Date: Mon 24 Sep 2012
05:05:00 PM EDT
Install Date: Sun 24 Feb 2013 10:45:03 PM EST Build Host: jb6-lin-
amd64.sfbay.sun.com
Group : Development/Tools Source RPM: jre-1.6.0_37-
fcs.src.rpm
Size : 51450876 License: Copyright (c)
2011, Oracle and/or its affiliates. All rights reserved. Also under other
license(s) as shown at the Description field.
Signature : (none)
Packager : Java Software <jre-comments@java.sun.com>
URL :
<http://www.oracle.com/technetwork/java/javase/overview/index.html>
Summary : Java(TM) Platform Standard Edition Runtime Environment
Description :
The Java Platform Standard Edition Runtime Environment (JRE) contains
everything necessary to run applets and applications designed for the
Java platform. This includes the Java virtual machine, plus the Java
platform classes and supporting files.

The JRE is freely redistributable, per the terms of the included license.

Name : eggdbus Relocations: (not relocatable)
Version : 0.6 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
01:35:51 AM EST
Install Date: Sun 24 Feb 2013 10:34:52 PM EST Build Host:
c6b4.bsyz.dev.centos.org
Group : Development/Libraries Source RPM: eggdbus-0.6-
3.el6.src.rpm
Size : 321013 License: LGPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:12:39 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://cgkit.freedesktop.org/~david/eggdbus>
Summary : Experimental D-Bus bindings for GObject
Description :
Experimental D-Bus bindings for GObject.

Name : libproxy Relocations: (not relocatable)
Version : 0.3.0 Vendor: CentOS
Release : 2.el6 Build Date: Fri 12 Nov 2010
04:58:34 AM EST
Install Date: Sun 24 Feb 2013 10:36:11 PM EST Build Host:
c5b2.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: libproxy-0.3.0-
2.el6.src.rpm
Size : 118511 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:38:02 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/libproxy/>
Summary : A library handling all the details of proxy configuration
Description :

libproxy offers the following features:

- * extremely small core footprint (< 35K)
- * no external dependencies within libproxy core (libproxy plugins may have dependencies)
- * only 3 functions in the stable external API
- * dynamic adjustment to changing network topology
- * a standard way of dealing with proxy settings across all scenarios
- * a sublime sense of joy and accomplishment

Name : libXdamage Relocations: (not relocatable)
Version : 1.1.2 Vendor: CentOS
Release : 1.el6 Build Date: Mon 16 Aug 2010
06:07:48 PM EDT
Install Date: Sun 24 Feb 2013 10:33:51 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXdamage-
1.1.2-1.el6.src.rpm
Size : 20156 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:41:41 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X Damage extension library
Description :
X.Org X11 libXdamage runtime library

Name : ibus-chewing Relocations: (not relocatable)
Version : 1.3.5.20100714 Vendor: CentOS
Release : 4.el6 Build Date: Mon 18 Jul 2011
08:27:20 PM EDT
Install Date: Sun 24 Feb 2013 10:39:06 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ibus-chewing-
1.3.5.20100714-4.el6.src.rpm
Size : 149702 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:20 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/ibus/>
Summary : The Chewing engine for IBus input platform
Description :
IBus-chewing is an IBus front-end of Chewing, an intelligent Chinese
input
method for Zhuyin (BoPoMoFo) users.
It supports various Zhuyin keyboard layout, such as standard (DaChen),
IBM, Gin-Yeah, Eten, Eten 26, Hsu, Dvorak, Dvorak-Hsu, and DaChen26.

Chewing also support toned Hanyu pinyin input.

Name : libXext Relocations: (not relocatable)
Version : 1.1 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
08:04:18 PM EST

Install Date: Sun 24 Feb 2013 10:46:46 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXext-1.1-
3.el6.src.rpm
Size : 79259 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:27:33 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXext runtime library
Description :
X.Org X11 libXext runtime library

Name : m17n-db-bengali Relocations: (not relocatable)
Version : 1.5.5 Vendor: CentOS
Release : 1.1.el6 Build Date: Thu 19 Aug 2010
02:00:34 AM EDT
Install Date: Sun 24 Feb 2013 10:34:52 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-db-1.5.5-
1.1.el6.src.rpm
Size : 6826 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:29:01 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : m17n-db input maps for Bengali
Description :
This package contains m17n-db input maps for Bengali.

Name : numpy Relocations: (not relocatable)
Version : 1.3.0 Vendor: CentOS
Release : 6.2.el6 Build Date: Thu 11 Nov 2010
11:38:43 AM EST
Install Date: Sun 24 Feb 2013 10:36:18 PM EST Build Host:
c5b2.bsys.dev.centos.org
Group : Development/Languages Source RPM: numpy-1.3.0-
6.2.el6.src.rpm
Size : 7636905 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:48:12 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://numeric.scipy.org/>
Summary : A fast multidimensional array facility for Python
Description :
NumPy is a general-purpose array-processing package designed to
efficiently manipulate large multi-dimensional arrays of arbitrary
records without sacrificing too much speed for small multi-dimensional
arrays. NumPy is built on the Numeric code base and adds features
introduced by numarray as well as an extended C-API and the ability to
create arrays of arbitrary type.

There are also basic facilities for discrete fourier transform,
basic linear algebra and random number generation. Also included in

this package is a version of f2py that works properly with NumPy.

Name : psmisc Relocations: (not relocatable)
Version : 22.6 Vendor: CentOS
Release : 15.el6_0.1 Build Date: Sat 25 Jun 2011
02:02:12 AM EDT
Install Date: Sun 24 Feb 2013 10:33:52 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Applications/System Source RPM: psmisc-22.6-
15.el6_0.1.src.rpm
Size : 222302 License: GPLv2+
Signature : RSA/8, Tue 05 Jul 2011 09:45:24 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceforge.net/projects/psmisc>
Summary : Utilities for managing processes on your system
Description :
The psmisc package contains utilities for managing processes on your
system: pstree, killall and fuser. The pstree command displays a tree
structure of all of the running processes on your system. The killall
command sends a specified signal (SIGTERM if nothing is specified) to
processes identified by name. The fuser command identifies the PIDs
of processes that are using specified files or filesystems.

Name : sysstat Relocations: (not relocatable)
Version : 9.0.4 Vendor: CentOS
Release : 18.el6 Build Date: Tue 19 Jul 2011
08:43:17 AM EDT
Install Date: Sun 24 Feb 2013 10:39:12 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Applications/System Source RPM: sysstat-9.0.4-
18.el6.src.rpm
Size : 825089 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:25:37 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://perso.orange.fr/sebastien.godard/>
Summary : The sar and iostat system monitoring commands
Description :
This package provides the sar and iostat commands for Linux. Sar and
iostat enable system monitoring of disk, network, and other IO
activity.

Name : evince-libs Relocations: (not relocatable)
Version : 2.28.2 Vendor: CentOS
Release : 14.el6_0.1 Build Date: Sat 25 Jun 2011
12:18:36 AM EDT
Install Date: Sun 24 Feb 2013 10:46:57 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: evince-2.28.2-
14.el6_0.1.src.rpm
Size : 459503 License: GPLv2+ and GFDL
Signature : RSA/8, Tue 05 Jul 2011 09:38:08 PM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://projects.gnome.org/evince/>
Summary : Libraries for the evince document viewer
Description :
This package contains shared libraries needed for evince

Name : m17n-db-kannada Relocations: (not relocatable)
Version : 1.5.5 Vendor: CentOS
Release : 1.1.el6 Build Date: Thu 19 Aug 2010
02:00:34 AM EDT
Install Date: Sun 24 Feb 2013 10:34:52 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-db-1.5.5-
1.1.el6.src.rpm
Size : 7749 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:29:13 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : m17n-db input maps for Kannada
Description :
This package contains m17n-db input maps for Kannada.

Name : thai-scalable-fonts-common Relocations: (not relocatable)
Version : 0.4.12 Vendor: CentOS
Release : 2.1.el6 Build Date: Thu 11 Nov 2010
09:33:51 AM EST
Install Date: Sun 24 Feb 2013 10:36:22 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : User Interface/X Source RPM: thai-scalable-
fonts-0.4.12-2.1.el6.src.rpm
Size : 11671 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:50:38 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://linux.thai.net/projects/thaifonts-scalable>
Summary : Common files of <NAME>
Description :

thaifonts-scalable provides a collection of free scalable Thai fonts.

This package consists of files used by other thai-scalable-fonts
packages.

Name : libpcap Relocations: (not relocatable)
Version : 1.0.0 Vendor: CentOS
Release : 6.20091201git117cb5.el6 Build Date: Thu 11 Nov 2010
02:46:56 PM EST
Install Date: Sun 24 Feb 2013 10:33:54 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: libpcap-1.0.0-
6.20091201git117cb5.el6.src.rpm
Size : 332194 License: BSD with
advertising

Signature : RSA/8, Sun 03 Jul 2011 12:37:49 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.tcpdump.org>
Summary : A system-independent interface for user-level packet
capture
Description :
Libpcap provides a portable framework for low-level network
monitoring. Libpcap can provide network statistics collection,
security monitoring and network debugging. Since almost every system
vendor provides a different interface for packet capture, the libpcap
authors created this system-independent API to ease in porting and to
alleviate the need for several system-dependent packet capture modules
in each application.

Install libpcap if you need to do low-level network traffic monitoring
on your network.

Name : telnet-server Relocations: (not relocatable)
Version : 0.17 Vendor: CentOS
Release : 47.el6 Build Date: Fri 23 Sep 2011
06:26:22 AM EDT
Install Date: Sun 24 Feb 2013 10:39:22 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: telnet-0.17-
47.el6.src.rpm
Size : 54434 License: BSD
Signature : RSA/SHA1, Mon 26 Sep 2011 12:25:51 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : The server program for the Telnet remote login protocol
Description :
Telnet is a popular protocol for logging into remote systems over the
Internet. The package includes a daemon that supports Telnet remote
logins into the host machine. The daemon is disabled by default.
You may enable the daemon by editing /etc/xinetd.d/telnet

Name : libuuid Relocations: (not relocatable)
Version : 2.17.2 Vendor: CentOS
Release : 12.7.el6 Build Date: Fri 22 Jun 2012
06:49:04 AM EDT
Install Date: Sun 24 Feb 2013 10:47:04 PM EST Build Host:
c6b10.bsys.dev.centos.org
Group : Development/Libraries Source RPM: util-linux-ng-
2.17.2-12.7.el6.src.rpm
Size : 15200 License: BSD
Signature : RSA/SHA1, Sun 24 Jun 2012 06:09:15 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.kernel.org/pub/linux/utils/util-linux-ng>
Summary : Universally unique ID library
Description :
This is the universally unique ID library, part of util-linux-ng.

The libuuid library generates and parses 128-bit universally unique id's (UUID's). A UUID is an identifier that is unique across both space and time, with respect to the space of all UUIDs. A UUID can be used for multiple purposes, from tagging objects with an extremely short lifetime, to reliably identifying very persistent objects across a network.

See also the "uuid" package, which is a separate implementation.

Name : m17n-db-malayalam Relocations: (not relocatable)
Version : 1.5.5 Vendor: CentOS
Release : 1.1.el6 Build Date: Thu 19 Aug 2010
02:00:34 AM EDT
Install Date: Sun 24 Feb 2013 10:34:53 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-db-1.5.5-
1.1.el6.src.rpm
Size : 7521 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:29:17 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : m17n-db input maps for Malayalam
Description :
This package contains m17n-db input maps for Malayalam.

Name : tzdata-java Relocations: (not relocatable)
Version : 2011l Vendor: CentOS
Release : 4.el6 Build Date: Wed 02 Nov 2011
11:32:11 AM EDT
Install Date: Sun 24 Feb 2013 10:36:26 PM EST Build Host:
c6b18n1.dev.centos.org
Group : System Environment/Base Source RPM: tzdata-2011l-
4.el6.src.rpm
Size : 277033 License: Public Domain
Signature : RSA/SHA1, Tue 15 Nov 2011 06:03:37 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://munnari.oz.au/pub/>
Summary : Timezone data for Java
Description :
This package contains timezone information for use by Java runtimes.

Name : perl-Pod-Escapes Relocations: (not relocatable)
Version : 1.04 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:33:54 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size : 21092 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 05:58:49 AM EST, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Perl module for resolving POD escape sequences
Description :
This module provides things that are useful in decoding Pod E<...> sequences. Presumably, it should be used only by Pod parsers and/or formatters.

Name : mod_wsgi Relocations: (not relocatable)
Version : 3.2 Vendor: CentOS
Release : 1.el6 Build Date: Sun 22 Aug 2010
10:25:20 PM EDT
Install Date: Sun 24 Feb 2013 10:39:25 PM EST Build Host:
c6b6.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: mod_wsgi-3.2-
1.el6.src.rpm
Size : 179498 License: ASL 2.0
Signature : RSA/8, Sun 03 Jul 2011 12:45:43 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://modwsgi.org>
Summary : A WSGI interface for Python web applications in Apache
Description :
The mod_wsgi adapter is an Apache module that provides a WSGI compliant interface for hosting Python based web applications within Apache. The adapter is written completely in C code against the Apache C runtime and for hosting WSGI applications within Apache has a lower overhead than using existing WSGI adapters for mod_python or CGI.

Name : nss Relocations: (not relocatable)
Version : 3.12.10 Vendor: CentOS
Release : 16.el6 Build Date: Wed 07 Dec 2011
08:54:14 PM EST
Install Date: Sun 24 Feb 2013 10:34:53 PM EST Build Host:
c6b4.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: nss-3.12.10-
16.el6.src.rpm
Size : 2602368 License: MPLv1.1 or GPLv2+
or LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:44:35 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mozilla.org/projects/security/pki/nss/>
Summary : Network Security Services
Description :
Network Security Services (NSS) is a set of libraries designed to support cross-platform development of security-enabled client and server applications. Applications built with NSS can support SSL v2 and v3, TLS, PKCS #5, PKCS #7, PKCS #11, PKCS #12, S/MIME, X.509 v3 certificates, and other security standards.

Name : tomcat6-lib Relocations: (not relocatable)
Version : 6.0.24 Vendor: CentOS

Release : 33.el6 Build Date: Wed 20 Jul 2011
07:44:53 AM EDT
Install Date: Sun 24 Feb 2013 10:36:38 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Compilers Source RPM: tomcat6-6.0.24-
33.el6.src.rpm
Size : 3228041 License: ASL 2.0
Signature : RSA/SHA1, Mon 26 Sep 2011 12:15:32 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://tomcat.apache.org/>
Summary : Libraries needed to run the Tomcat Web container
Description :
Libraries needed to run the Tomcat Web container.

Name : perl-ExtUtils-MakeMaker Relocations: (not relocatable)
Version : 6.55 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:33:59 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Languages Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size : 622449 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 06:00:07 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Create a module Makefile
Description :
Create a module Makefile.

Name : aic94xx-firmware Relocations: (not relocatable)
Version : 30 Vendor: CentOS
Release : 2.el6 Build Date: Wed 10 Nov 2010
07:00:59 PM EST
Install Date: Sun 24 Feb 2013 10:39:26 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: aic94xx-firmware-
30-2.el6.src.rpm
Size : 30752 License: Redistributable,
no modification permitted
Signature : RSA/8, Sat 02 Jul 2011 11:59:32 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : [http://www.adaptec.com/en-US/speed/scsi/linux/aic94xx-seq-
30-1_tar_gz.htm](http://www.adaptec.com/en-US/speed/scsi/linux/aic94xx-seq-30-1_tar_gz.htm)
Summary : Adaptec SAS 44300, 48300, 58300 Sequencer Firmware for
AIC94xx driver
Description :
Adaptec SAS 44300, 48300, 58300 Sequencer Firmware for Open-Source
AIC94xx
Driver.

```

Name           : mailx                      Relocations: (not relocatable)
Version        : 12.4                      Vendor: CentOS
Release        : 6.el6                     Build Date: Sun 22 Aug 2010
09:40:18 AM EDT
Install Date: Sun 24 Feb 2013 10:34:55 PM EST      Build Host:
c6b3.bsys.dev.centos.org
Group          : Applications/Internet           Source RPM: mailx-12.4-
6.el6.src.rpm
Size           : 462852                     License: BSD with
advertising and MPLv1.1
Signature      : RSA/8, Sun 03 Jul 2011 12:44:36 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://heirloom.sourceforge.net/mailx.html
Summary        : Enhanced implementation of the mailx command
Description    :
Mailx is an enhanced mail command, which provides the functionality
of the POSIX mailx command, as well as SysV mail and Berkeley Mail
(from which it is derived).

```

Additionally to the POSIX features, mailx can work with Maildir/ e-mail storage format (as well as mailboxes), supports IMAP, POP3 and SMTP protocols (including over SSL) to operate with remote hosts, handles mime types and different charsets. There are a lot of other useful features, see mailx(1).

And as its ancient analogues, mailx can be used as a mail script language, both for sending and receiving mail.

Besides the "mailx" command, this package provides "mail" and "Mail" (which should be compatible with its predecessors from the mailx-8.x source), as well as "nail" (the initial name of this project).

```

Name           : initscripts                Relocations: (not relocatable)
Version        : 9.03.27                   Vendor: CentOS
Release        : 1.el6.centos              Build Date: Thu 08 Dec 2011
01:39:30 PM EST
Install Date: Sun 24 Feb 2013 10:36:43 PM EST      Build Host:
c6b18n2.bsys.dev.centos.org
Group          : System Environment/Base        Source RPM: initscripts-
9.03.27-1.el6.centos.src.rpm
Size           : 5712572                   License: GPLv2 and GPLv2+
Signature      : RSA/SHA1, Thu 08 Dec 2011 03:09:15 PM EST, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://fedorahosted.org/releases/i/n/initscripts/
Summary        : The inittab file and the /etc/init.d scripts
Description    :
The initscripts package contains the basic system scripts used to boot
your Red Hat or Fedora system, change runlevels, and shut the system down
cleanly. Initscripts also contains the scripts that activate and
deactivate most network interfaces.

```

```

Name       : plymouth-core-libs           Relocations: (not relocatable)
Version    : 0.8.3                       Vendor: CentOS
Release    : 24.el6.centos               Build Date: Thu 08 Dec 2011
01:38:06 PM EST
Install Date: Sun 24 Feb 2013 10:34:00 PM EST   Build Host:
c6b4.bsys.dev.centos.org
Group      : Development/Libraries         Source RPM: plymouth-0.8.3-
24.el6.centos.src.rpm
Size       : 177752                       License: GPLv2+
Signature  : RSA/SHA1, Thu 08 Dec 2011 03:57:23 PM EST, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://freedesktop.org/software/plymouth/releases
Summary    : Plymouth libraries
Description:
This package contains the libply and libply-splash-core libraries
used by Plymouth.

```

```

Name       : dhcp                         Relocations: (not relocatable)
Version    : 4.1.1                       Vendor: CentOS
Release    : 25.P1.el6                   Build Date: Wed 07 Dec 2011
05:14:52 PM EST
Install Date: Sun 24 Feb 2013 10:39:33 PM EST   Build Host:
c6b5.bsys.dev.centos.org
Group      : System Environment/Daemons      Source RPM: dhcp-4.1.1-
25.P1.el6.src.rpm
Size       : 1971408                     License: ISC
Signature  : RSA/SHA1, Thu 08 Dec 2011 02:54:39 PM EST, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://isc.org/products/DHCP/
Summary    : Dynamic host configuration protocol software
Description:
DHCP (Dynamic Host Configuration Protocol) is a protocol which allows
individual devices on an IP network to get their own network
configuration information (IP address, subnetmask, broadcast address,
etc.) from a DHCP server. The overall purpose of DHCP is to make it
easier to administer a large network. The dhcp package includes the
ISC DHCP service and relay agent.

```

To use DHCP on your network, install a DHCP service (or relay agent), and on clients run a DHCP client daemon. The dhcp package provides the ISC DHCP service and relay agent.

```

Name       : gnome-doc-utils-stylesheets Relocations: (not relocatable)
Version    : 0.18.1                      Vendor: CentOS
Release    : 1.el6                       Build Date: Thu 11 Nov 2010
05:46:03 AM EST
Install Date: Sun 24 Feb 2013 10:34:57 PM EST   Build Host:
c6b3.bsys.dev.centos.org
Group      : Development/Tools            Source RPM: gnome-doc-utils-
0.18.1-1.el6.src.rpm
Size       : 1339755                     License: LGPLv2+

```

Signature : RSA/8, Sun 03 Jul 2011 12:10:49 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/>
Summary : XSL stylesheets used by gnome-doc-utils
Description :
The gnome-doc-utils-stylesheets package contains XSL stylesheets which
are used by the tools in gnome-doc-utils and by yelp.

Name : usermode-gtk Relocations: (not relocatable)
Version : 1.102 Vendor: CentOS
Release : 3.el6 Build Date: Sun 22 Aug 2010
03:00:06 PM EDT
Install Date: Sun 24 Feb 2013 10:36:48 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/System Source RPM: usermode-1.102-
3.el6.src.rpm
Size : 208099 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:04:37 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/usermode/>
Summary : Graphical tools for certain user account management tasks
Description :
The usermode-gtk package contains several graphical tools for users:
userinfo, usermount and userpasswd. Userinfo allows users to change
their finger information. Usermount lets users mount, unmount, and
format filesystems. Userpasswd allows users to change their
passwords.

Install the usermode-gtk package if you would like to provide users with
graphical tools for certain account management tasks.

Name : libXcomposite Relocations: (not relocatable)
Version : 0.4.1 Vendor: CentOS
Release : 2.el6 Build Date: Mon 16 Aug 2010
06:10:54 PM EDT
Install Date: Sun 24 Feb 2013 10:34:00 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXcomposite-
0.4.1-2.el6.src.rpm
Size : 22232 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:41:36 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X Composite Extension library
Description :
X Composite Extension library

Name : openswan Relocations: (not relocatable)
Version : 2.6.32 Vendor: CentOS
Release : 9.el6 Build Date: Wed 07 Dec 2011
07:39:51 PM EST

Install Date: Sun 24 Feb 2013 10:39:36 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: openswan-2.6.32-
9.el6.src.rpm
Size : 2713791 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:50:39 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.openswan.org/>
Summary : IPSEC implementation with IKEv1 and IKEv2 keying protocols
Description :
Openswan is a free implementation of IPsec & IKE for Linux. IPsec is
the Internet Protocol Security and uses strong cryptography to provide
both authentication and encryption services. These services allow you
to build secure tunnels through untrusted networks. Everything passing
through the untrusted net is encrypted by the ipsec gateway machine and
decrypted by the gateway at the other end of the tunnel. The resulting
tunnel is a virtual private network or VPN.

This package contains the daemons and userland tools for setting up
Openswan. It supports the NETKEY/XFRM IPsec kernel stack that exists
in the default Linux kernel.

Openswan 2.6.x also supports IKEv2 (RFC4306)

Name : tomcat6-el-2.1-api Relocations: (not relocatable)
Version : 6.0.24 Vendor: CentOS
Release : 33.el6 Build Date: Wed 20 Jul 2011
07:44:53 AM EDT
Install Date: Sun 24 Feb 2013 10:34:58 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries/Java Source RPM: tomcat6-6.0.24-
33.el6.src.rpm
Size : 32341 License: ASL 2.0
Signature : RSA/SHA1, Mon 26 Sep 2011 12:15:31 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://tomcat.apache.org/>
Summary : Expression Language v1.0 API
Description :
Expression Language 1.0.

Name : device-mapper-event Relocations: (not relocatable)
Version : 1.02.66 Vendor: CentOS
Release : 6.el6 Build Date: Wed 07 Dec 2011
05:49:14 PM EST
Install Date: Sun 24 Feb 2013 10:36:50 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Base Source RPM: lvm2-2.02.87-
6.el6.src.rpm
Size : 31181 License: GPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 03:28:52 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://sources.redhat.com/lvm2>
Summary : Device-mapper event daemon
Description :
This package contains the dmeventd daemon for monitoring the state of device-mapper devices.

Name : libtalloc Relocations: (not relocatable)
Version : 2.0.1 Vendor: CentOS
Release : 1.1.el6 Build Date: Sun 22 Aug 2010
04:36:39 AM EDT
Install Date: Sun 24 Feb 2013 10:34:03 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: libtalloc-2.0.1-
1.1.el6.src.rpm
Size : 39616 License: LGPLv3+
Signature : RSA/8, Sun 03 Jul 2011 12:39:37 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://talloc.samba.org/>
Summary : The talloc library
Description :
A library that implements a hierarchical allocator with destructors.

Name : abrt-desktop Relocations: (not relocatable)
Version : 2.0.4 Vendor: CentOS
Release : 14.el6.centos Build Date: Tue 13 Dec 2011
10:50:57 PM EST
Install Date: Sun 24 Feb 2013 10:39:51 PM EST Build Host:
c6b18n1.dev.centos.org
Group : User Interface/Desktops Source RPM: abrt-2.0.4-
14.el6.centos.src.rpm
Size : 0 License: GPLv2+
Signature : RSA/SHA1, Wed 14 Dec 2011 11:28:33 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : Virtual package to install all necessary packages for usage
from desktop environment
Description :
Virtual package to make easy default installation on desktop
environments.

Name : make Relocations: (not relocatable)
Version : 3.81 Vendor: CentOS
Release : 19.el6 Build Date: Thu 11 Nov 2010
03:47:05 PM EST
Install Date: Sun 24 Feb 2013 10:34:59 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Tools Source RPM: make-3.81-
19.el6.src.rpm
Size : 1079569 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:44:38 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.gnu.org/software/make/>
Summary : A GNU tool which simplifies the build process for users
Description :
A GNU tool for controlling the generation of executables and other non-source files of a program from the program's source files. Make allows users to build and install packages without any significant knowledge about the details of the build process. The details about how the program should be built are provided for make in the program's makefile.

Name : metacity Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 20.el6 Build Date: Fri 12 Nov 2010
04:00:12 AM EST
Install Date: Sun 24 Feb 2013 10:36:56 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: metacity-2.28.0-
20.el6.src.rpm
Size : 7840178 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:45:19 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/metacity/>
Summary : Unobtrusive window manager
Description :
Metacity is a window manager that integrates nicely with the GNOME desktop.
It strives to be quiet, small, stable, get on with its job, and stay out of
your attention.

Name : sysvinit-tools Relocations: (not relocatable)
Version : 2.87 Vendor: CentOS
Release : 4.dsfc.el6 Build Date: Tue 19 Jul 2011
03:26:23 AM EDT
Install Date: Sun 24 Feb 2013 10:34:04 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: sysvinit-2.87-
4.dsfc.el6.src.rpm
Size : 112743 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:25:50 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://alioth.debian.org/projects/pkg-sysvinit/>
Summary : Tools used for process and utmp management.
Description :
The sysvinit-tools package contains various tools used for process management.

Name : nmap Relocations: (not relocatable)
Version : 5.21 Vendor: CentOS
Release : 4.el6 Build Date: Fri 23 Sep 2011
09:01:54 AM EDT

Install Date: Sun 24 Feb 2013 10:39:54 PM EST Build Host:
c6b18n1.dev.centos.org
Group : Applications/System Source RPM: nmap-5.21-
4.el6.src.rpm
Size : 7606210 License: GPLv2 and LGPLv2+
and GPLv2+ and BSD
Signature : RSA/SHA1, Mon 26 Sep 2011 12:22:18 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://nmap.org/>
Summary : Network exploration tool and security scanner
Description :
Nmap is a utility for network exploration or security auditing. It
supports
ping scanning (determine which hosts are up), many port scanning
techniques
(determine what services the hosts are offering), and TCP/IP
fingerprinting
(remote host operating system identification). Nmap also offers flexible
target
and port specification, decoy scanning, determination of TCP sequence
predictability characteristics, reverse-identd scanning, and more.

Name : ttmkfdird Relocations: (not relocatable)
Version : 3.0.9 Vendor: CentOS
Release : 32.1.el6 Build Date: Wed 18 Aug 2010
05:36:28 PM EDT
Install Date: Sun 24 Feb 2013 10:35:05 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Applications/System Source RPM: ttmkfdird-3.0.9-
32.1.el6.src.rpm
Size : 101747 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:04:20 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : Utility to create fonts.scale files for truetype fonts
Description :
ttmkfdird is a utility used to create fonts.scale files in
TrueType font directories in order to prepare them for use
by the font server.

Name : gucharmap Relocations: (not relocatable)
Version : 2.28.2 Vendor: CentOS
Release : 2.el6 Build Date: Wed 25 Aug 2010
12:39:08 AM EDT
Install Date: Sun 24 Feb 2013 10:37:01 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : Applications/System Source RPM: gucharmap-2.28.2-
2.el6.src.rpm
Size : 6551976 License: GPLv2+ and GFDL
and MIT
Signature : RSA/8, Sun 03 Jul 2011 12:20:57 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

```

URL          : http://live.gnome.org/Gucharmap
Summary      : Unicode character picker and font browser
Description  :
This program allows you to browse through all the available Unicode
characters and categories for the installed fonts, and to examine their
detailed properties. It is an easy way to find the character you might
only know by its Unicode name or code point.

Name         : perl-IO-Zlib                      Relocations: (not relocatable)
Version      : 1.09                               Vendor: CentOS
Release      : 119.el6_1.1                       Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:05 PM EST      Build Host:
c6b5.bsys.dev.centos.org
Group        : Development/Libraries              Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size         : 19686                               License: GPL+ or Artistic
Signature    : RSA/SHA1, Tue 15 Nov 2011 05:59:49 AM EST, Key ID
0946fca2c105b9de
Packager     : CentOS BuildSystem <http://bugs.centos.org>
URL          : http://www.perl.org/
Summary      : Perl IO:: style interface to Compress::Zlib
Description  :
This modules provides an IO:: style interface to the Compress::Zlib
package. The main advantage is that you can use an IO::Zlib object in
much the same way as an IO::File object so you can have common code
that doesn't know which sort of file it is using.

Name         : xdg-user-dirs-gtk                  Relocations: (not relocatable)
Version      : 0.8                               Vendor: CentOS
Release      : 7.el6                             Build Date: Tue 24 Aug 2010
04:24:01 PM EDT
Install Date: Sun 24 Feb 2013 10:39:58 PM EST      Build Host:
c6b2.bsys.dev.centos.org
Group        : User Interface/Desktops            Source RPM: xdg-user-dirs-
gtk-0.8-7.el6.src.rpm
Size         : 137561                             License: GPLv2+
Signature    : RSA/8, Sun 03 Jul 2011 01:05:37 AM EDT, Key ID
0946fca2c105b9de
Packager     : CentOS BuildSystem <http://bugs.centos.org>
URL          : http://freedesktop.org/wiki/Software/xdg-user-dirs
Summary      : Gnome integration of special directories
Description  :
Contains some integration of xdg-user-dirs with the gnome
desktop, including creating default bookmarks and detecting
locale changes.

Name         : vim-common                          Relocations: (not relocatable)
Version      : 7.2.411                            Vendor: CentOS
Release      : 1.6.el6                             Build Date: Sat 25 Jun 2011
04:43:46 AM EDT
Install Date: Sun 24 Feb 2013 10:35:11 PM EST      Build Host:
c6b5.bsys.dev.centos.org

```

Group : Applications/Editors Source RPM: vim-7.2.411-1.6.el6.src.rpm
Size : 17774921 License: Vim and GPLv2+ and BSD and LGPLv2+ and Open Publication
Signature : RSA/8, Tue 05 Jul 2011 09:46:36 PM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.vim.org/>
Summary : The common files needed by any version of the VIM editor
Description :
VIM (VISual editor iMproved) is an updated and improved version of the vi editor. Vi was the first real screen-based editor for UNIX, and is still very popular. VIM improves on vi by adding new features: multiple windows, multi-level undo, block highlighting and more. The vim-common package contains files which every VIM binary will need in order to run.

If you are installing vim-enhanced or vim-X11, you'll also need to install the vim-common package.

Name : python-pyblock Relocations: (not relocatable)
Version : 0.48 Vendor: CentOS
Release : 1.el6 Build Date: Thu 11 Nov 2010 08:55:54 PM EST
Install Date: Sun 24 Feb 2013 10:37:09 PM EST Build Host: c6b4.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: python-pyblock-0.48-1.el6.src.rpm
Size : 209311 License: GPLv2 or GPLv3
Signature : RSA/8, Sun 03 Jul 2011 12:58:53 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : Python modules for dealing with block devices
Description :
The pyblock contains Python modules for dealing with block devices.

Name : perl-ExtUtils-CBuilder Relocations: (not relocatable)
Version : 0.27 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011 08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:05 PM EST Build Host: c6b5.bsyz.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-119.el6_1.1.src.rpm
Size : 60327 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 06:00:14 AM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Compile and link C code for Perl modules
Description :
This module can build the C portions of Perl modules by invoking the appropriate compilers and linkers in a cross-platform manner. It was motivated by the Module::Build project, but may be useful for other

purposes as well.

```
Name           : gutenprint           Relocations: (not relocatable)
Version        : 5.2.5                 Vendor: CentOS
Release        : 2.el6                 Build Date: Thu 11 Nov 2010
07:11:42 PM EST
Install Date: Sun 24 Feb 2013 10:40:02 PM EST   Build Host:
c6b6.bsys.dev.centos.org
Group          : System Environment/Base       Source RPM: gutenprint-5.2.5-
2.el6.src.rpm
Size           : 15681669                License: GPLv2+
Signature      : RSA/8, Sun 03 Jul 2011 12:21:11 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://gimp-print.sourceforge.net/
Summary        : Printer Drivers Package
Description    :
Gutenprint is a package of high quality printer drivers for Linux, BSD,
Solaris, IRIX, and other UNIX-alike operating systems.
Gutenprint was formerly called Gimp-Print.
```

```
Name           : ethtool               Relocations: (not relocatable)
Version        : 2.6.33                 Vendor: CentOS
Release        : 0.3.el6                 Build Date: Thu 11 Nov 2010
01:48:40 AM EST
Install Date: Sun 24 Feb 2013 10:35:13 PM EST   Build Host:
c6b3.bsys.dev.centos.org
Group          : Applications/System        Source RPM: ethtool-2.6.33-
0.3.el6.src.rpm
Size           : 203259                  License: GPLv2
Signature      : RSA/8, Sun 03 Jul 2011 12:13:22 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://sourceforge.net/projects/gkernel/
Summary        : Ethernet settings tool for PCI ethernet cards
Description    :
This utility allows querying and changing settings such as speed,
port, autonegotiation, PCI locations and checksum offload on many
network devices, especially of ethernet devices.
```

```
Name           : foomatic-db-ppds       Relocations: (not relocatable)
Version        : 4.0                     Vendor: CentOS
Release        : 7.20091126.el6          Build Date: Thu 11 Nov 2010
02:54:20 AM EST
Install Date: Sun 24 Feb 2013 10:37:16 PM EST   Build Host:
c6b1.bsys.dev.centos.org
Group          : System Environment/Libraries Source RPM: foomatic-db-4.0-
7.20091126.el6.src.rpm
Size           : 25032963                 License: GPLv2+ and MIT
Signature      : RSA/8, Sun 03 Jul 2011 12:08:59 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.openprinting.org
Summary        : PPDs from printer manufacturers
```

Description :
PPDs from printer manufacturers.

Name : libmng Relocations: (not relocatable)
Version : 1.0.10 Vendor: CentOS
Release : 4.1.el6 Build Date: Thu 11 Nov 2010
09:05:35 AM EST
Install Date: Sun 24 Feb 2013 10:34:05 PM EST Build Host:
c5b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libmng-1.0.10-
4.1.el6.src.rpm
Size : 544620 License: zlib
Signature : RSA/8, Sun 03 Jul 2011 12:36:47 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.libmng.com/>
Summary : Library for Multiple-image Network Graphics support
Description :
LibMNG is a library for accessing graphics in MNG (Multi-image Network
Graphics) and JNG (JPEG Network Graphics) formats. MNG graphics are
basically animated PNGs. JNG graphics are basically JPEG streams
integrated into a PNG chunk.

Name : crypto-utils Relocations: (not relocatable)
Version : 2.4.1 Vendor: CentOS
Release : 24.2.el6 Build Date: Wed 10 Nov 2010
10:52:48 PM EST
Install Date: Sun 24 Feb 2013 10:40:07 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Applications/System Source RPM: crypto-utils-
2.4.1-24.2.el6.src.rpm
Size : 184696 License: MIT and GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:08:27 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : SSL certificate and key management utilities
Description :
This package provides tools for managing and generating
SSL certificates and keys.

Name : mingetty Relocations: (not relocatable)
Version : 1.08 Vendor: CentOS
Release : 5.el6 Build Date: Fri 23 Sep 2011
08:54:56 AM EDT
Install Date: Sun 24 Feb 2013 10:35:15 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Base Source RPM: mingetty-1.08-
5.el6.src.rpm
Size : 34586 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:55 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceforge.net/projects/mingetty/>
Summary : A compact getty program for virtual consoles only

Description :

The mingetty program is a lightweight, minimalist getty program for use only on virtual consoles. Mingetty is not suitable for serial lines (you should use the mgetty program in that case).

Name : wireless-tools Relocations: (not relocatable)
Version : 29 Vendor: CentOS
Release : 5.1.1.el6 Build Date: Wed 18 Aug 2010
10:30:25 AM EDT
Install Date: Sun 24 Feb 2013 10:37:22 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Base Source RPM: wireless-tools-
29-5.1.1.el6.src.rpm
Size : 211891 License: GPL+
Signature : RSA/8, Sun 03 Jul 2011 01:05:15 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL :
http://www.hpl.hp.com/personal/Jean_Tourrilhes/Linux/Tools.html
Summary : Wireless ethernet configuration tools
Description :
This package contain the Wireless tools, used to manipulate
the Wireless Extensions. The Wireless Extension is an interface
allowing you to set Wireless LAN specific parameters and get the
specific stats for wireless networking equipment.

Name : libxklavier Relocations: (not relocatable)
Version : 4.0 Vendor: CentOS
Release : 7.el6 Build Date: Thu 19 Aug 2010
10:43:15 PM EDT
Install Date: Sun 24 Feb 2013 10:34:06 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Libraries Source RPM: libxklavier-4.0-
7.el6.src.rpm
Size : 142605 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:42:09 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gswitchit.sourceforge.net/>
Summary : High-level API for X Keyboard Extension
Description :
libxklavier is a library providing a high-level API for the X Keyboard
Extension (XKB). This library is intended to support XFree86 and other
commercial X servers. It is useful for creating XKB-related software
(layout indicators etc).

Name : bind-utils Relocations: (not relocatable)
Version : 9.7.3 Vendor: CentOS
Release : 8.P3.el6 Build Date: Wed 07 Dec 2011
08:27:16 PM EST
Install Date: Sun 24 Feb 2013 10:40:09 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/System Source RPM: bind-9.7.3-
8.P3.el6.src.rpm

Size : 445124 License: ISC
Signature : RSA/SHA1, Thu 08 Dec 2011 02:45:34 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.isc.org/products/BIND/>
Summary : Utilities for querying DNS name servers
Description :
Bind-utils contains a collection of utilities for querying DNS (Domain

Name System) name servers to find out information about Internet
hosts. These tools will provide you with the IP addresses for given
host names, as well as other information about registered domains and
network addresses.

You should install bind-utils if you need to get information from DNS
name
servers.

Name : sinjdoc Relocations: (not relocatable)
Version : 0.5 Vendor: CentOS
Release : 9.1.el6 Build Date: Wed 18 Aug 2010
06:03:52 PM EDT
Install Date: Sun 24 Feb 2013 10:35:25 PM EST Build Host:
c6b2.bsyz.dev.centos.org
Group : Development/Tools Source RPM: sinjdoc-0.5-
9.1.el6.src.rpm
Size : 2444702 License: GPL+
Signature : RSA/8, Sun 03 Jul 2011 01:02:03 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://cscott.net/Projects/GJ/sinjdoc-latest/>
Summary : Documentation generator for Java source code
Description :
This package contains Sinjdoc a tool for generating Javadoc-style
documentation from Java source code

Name : nfs-utils-lib Relocations: (not relocatable)
Version : 1.1.5 Vendor: CentOS
Release : 4.el6 Build Date: Wed 07 Dec 2011
03:02:22 PM EST
Install Date: Sun 24 Feb 2013 10:37:26 PM EST Build Host:
c6b4.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: nfs-utils-lib-
1.1.5-4.el6.src.rpm
Size : 152918 License: BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 03:43:47 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.citi.umich.edu/projects/nfsv4/linux/>
Summary : Network File System Support Library
Description :
Support libraries that are needed by the commands and
daemons the nfs-utils rpm.

Name : grubby Relocations: (not relocatable)
 Version : 7.0.15 Vendor: CentOS
 Release : 2.el6 Build Date: Thu 11 Nov 2010
 07:26:34 PM EST
 Install Date: Sun 24 Feb 2013 10:34:07 PM EST Build Host:
 c6b4.bsys.dev.centos.org
 Group : System Environment/Base Source RPM: grubby-7.0.15-
 2.el6.src.rpm
 Size : 84472 License: GPLv2+
 Signature : RSA/8, Sun 03 Jul 2011 12:19:46 AM EDT, Key ID
 0946fca2c105b9de
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>
 URL : <http://git.fedorahosted.org/git/grubby.git>
 Summary : Command line tool for updating bootloader configs
 Description :
 grubby is a command line tool for updating and displaying information
 about
 the configuration files for the grub, lilo, elilo (ia64), yaboot
 (powerpc)
 and zipl (s390) boot loaders. It is primarily designed to be used from
 scripts
 which install new kernels and need to find information about the current
 boot
 environment.

Name : krb5-workstation Relocations: (not relocatable)
 Version : 1.9 Vendor: CentOS
 Release : 22.el6 Build Date: Wed 07 Dec 2011
 05:36:00 PM EST
 Install Date: Sun 24 Feb 2013 10:40:16 PM EST Build Host:
 c6b18n2.bsys.dev.centos.org
 Group : System Environment/Base Source RPM: krb5-1.9-
 22.el6.src.rpm
 Size : 646018 License: MIT
 Signature : RSA/SHA1, Thu 08 Dec 2011 03:14:15 PM EST, Key ID
 0946fca2c105b9de
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>
 URL : <http://web.mit.edu/kerberos/www/>
 Summary : Kerberos 5 programs for use on workstations
 Description :
 Kerberos is a network authentication system. The krb5-workstation
 package contains the basic Kerberos programs (kinit, klist, kdestroy,
 kpasswd). If your network uses Kerberos, this package should be
 installed on every workstation.

Name : xerces-j2 Relocations: (not relocatable)
 Version : 2.7.1 Vendor: CentOS
 Release : 12.6.el6_0 Build Date: Mon 03 Oct 2011
 07:30:08 PM EDT
 Install Date: Sun 24 Feb 2013 10:35:33 PM EST Build Host:
 c6b6.bsys.dev.centos.org
 Group : Text Processing/Markup/XML Source RPM: xerces-j2-2.7.1-
 12.6.el6_0.src.rpm
 Size : 8965475 License: ASL 2.0

Signature : RSA/SHA1, Wed 07 Dec 2011 01:20:03 PM EST, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://xerces.apache.org/>

Summary : Java XML parser

Description :

Welcome to the future! Xerces2 is the next generation of high performance, fully compliant XML parsers in the Apache Xerces family. This new version of Xerces introduces the Xerces Native Interface (XNI), a complete framework for building parser components and configurations that is extremely modular and easy to program.

The Apache Xerces2 parser is the reference implementation of XNI but other parser components, configurations, and parsers can be written using the Xerces Native Interface. For complete design and implementation documents, refer to the XNI Manual.

Xerces 2 is a fully conforming XML Schema processor. For more information, refer to the XML Schema page.

Xerces 2 also provides a partial implementation of Document Object Model Level 3 Core, Load and Save and Abstract Schemas [deprecated] Working Drafts. For more information, refer to the DOM Level 3 Implementation page.

Name : ntpdate Relocations: (not relocatable)
Version : 4.2.4p8 Vendor: CentOS
Release : 2.el6.centos Build Date: Mon 28 Nov 2011
07:09:23 PM EST

Install Date: Sun 24 Feb 2013 10:37:31 PM EST Build Host:
c6b4.bsyz.dev.centos.org

Group : Applications/System Source RPM: ntp-4.2.4p8-
2.el6.centos.src.rpm

Size : 75761 License: (MIT and BSD and
BSD with advertising) and GPLv2

Signature : RSA/SHA1, Mon 28 Nov 2011 08:47:03 PM EST, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.ntp.org>

Summary : Utility to set the date and time via NTP

Description :

ntpdate is a program for retrieving the date and time from
NTP servers.

Name : bc Relocations: (not relocatable)
Version : 1.06.95 Vendor: CentOS
Release : 1.el6 Build Date: Wed 10 Nov 2010
08:18:13 PM EST

Install Date: Sun 24 Feb 2013 10:34:08 PM EST Build Host:
c6b3.bsyz.dev.centos.org

Group : Applications/Engineering Source RPM: bc-1.06.95-
1.el6.src.rpm

Size : 217289 License: GPLv2+

Signature : RSA/8, Sun 03 Jul 2011 12:04:45 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/bc/>
Summary : GNU's bc (a numeric processing language) and dc (a
calculator)
Description :

The bc package includes bc and dc. Bc is an arbitrary precision
numeric processing arithmetic language. Dc is an interactive
arbitrary precision stack based calculator, which can be used as a
text mode calculator.

Install the bc package if you need its number handling capabilities or
if you would like to use its text mode calculator.

Name : tcsh Relocations: (not relocatable)
Version : 6.17 Vendor: CentOS
Release : 14.el6 Build Date: Wed 07 Dec 2011
07:00:08 PM EST
Install Date: Sun 24 Feb 2013 10:40:18 PM EST Build Host:
c6b18n2.bsyz.dev.centos.org
Group : System Environment/Shells Source RPM: tcsh-6.17-
14.el6.src.rpm
Size : 1200181 License: BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 04:20:22 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.tcsh.org/>
Summary : An enhanced version of csh, the C shell
Description :
Tcsh is an enhanced but completely compatible version of csh, the C
shell. Tcsh is a command language interpreter which can be used both
as an interactive login shell and as a shell script command processor.
Tcsh includes a command line editor, programmable word completion,
spelling correction, a history mechanism, job control and a C language
like syntax.

Name : pangomm Relocations: (not relocatable)
Version : 2.26.0 Vendor: CentOS
Release : 1.el6 Build Date: Tue 17 Aug 2010
07:04:25 AM EDT
Install Date: Sun 24 Feb 2013 10:35:37 PM EST Build Host:
c6b2.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: pangomm-2.26.0-
1.el6.src.rpm
Size : 227578 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:53:55 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gtkmm.sourceforge.net/>
Summary : C++ interface for Pango
Description :
pangomm provides a C++ interface to the Pango library. Highlights
include typesafe callbacks, widgets extensible via inheritance and a

comprehensive set of widget classes that can be freely combined to quickly create complex user interfaces.

Name : avahi-glib Relocations: (not relocatable)
Version : 0.6.25 Vendor: CentOS
Release : 11.el6 Build Date: Tue 19 Jul 2011
08:21:55 AM EDT
Install Date: Sun 24 Feb 2013 10:37:34 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: avahi-0.6.25-
11.el6.src.rpm
Size : 11040 License: LGPLv2
Signature : RSA/SHA1, Mon 26 Sep 2011 12:16:24 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://avahi.org>
Summary : Glib libraries for avahi
Description :
Libraries for easy use of avahi from glib applications.

Name : libXfont Relocations: (not relocatable)
Version : 1.4.1 Vendor: CentOS
Release : 2.el6_1 Build Date: Fri 23 Sep 2011
12:51:37 PM EDT
Install Date: Sun 24 Feb 2013 10:34:10 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXfont-1.4.1-
2.el6_1.src.rpm
Size : 278874 License: MIT
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:23 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXfont runtime library
Description :
X.Org X11 libXfont runtime library

Name : valgrind Relocations: (not relocatable)
Version : 3.6.0 Vendor: CentOS
Release : 4.el6 Build Date: Wed 07 Dec 2011
09:03:32 PM EST
Install Date: Sun 24 Feb 2013 10:40:32 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : Development/Debuggers Source RPM: valgrind-3.6.0-
4.el6.src.rpm
Size : 147587980 License: GPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 04:27:53 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.valgrind.org/>
Summary : Tool for finding memory management bugs in programs
Description :
Valgrind is a tool to help you find memory-management problems in your programs. When a program is run under Valgrind's supervision, all

reads and writes of memory are checked, and calls to malloc/new/free/delete are intercepted. As a result, Valgrind can detect a lot of problems that are otherwise very hard to find/diagnose.

Name : gdm-libs Relocations: (not relocatable)
Version : 2.30.4 Vendor: CentOS
Release : 32.el6 Build Date: Wed 07 Dec 2011
03:23:06 PM EST
Install Date: Sun 24 Feb 2013 10:35:39 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: gdm-2.30.4-
32.el6.src.rpm
Size : 78208 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:04:50 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/gdm>
Summary : GDM plugin libs
Description :
The GDM libs subpackage contains experimental libraries for developing
GDM plugins.

Name : xulrunner Relocations: (not relocatable)
Version : 1.9.2.24 Vendor: CentOS
Release : 2.el6.centos.1 Build Date: Tue 08 Nov 2011
09:38:55 PM EST
Install Date: Sun 24 Feb 2013 10:37:42 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/Internet Source RPM: xulrunner-
1.9.2.24-2.el6.centos.1.src.rpm
Size : 29222743 License: MPLv1.1 or GPLv2+
or LGPLv2+
Signature : RSA/SHA1, Mon 14 Nov 2011 08:33:31 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://developer.mozilla.org/En/XULRunner>
Summary : XUL Runtime for Gecko Applications
Description :
XULRunner provides the XUL Runtime environment for Gecko applications.

Name : cracklib Relocations: (not relocatable)
Version : 2.8.16 Vendor: CentOS
Release : 4.el6 Build Date: Sat 25 Jun 2011
02:39:10 AM EDT
Install Date: Sun 24 Feb 2013 10:34:11 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: cracklib-2.8.16-
4.el6.src.rpm
Size : 187265 License: LGPLv2+
Signature : RSA/8, Tue 05 Jul 2011 09:37:31 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceforge.net/projects/cracklib/>

Summary : A password-checking library

Description :

CrackLib tests passwords to determine whether they match certain security-oriented characteristics, with the purpose of stopping users from choosing passwords that are easy to guess. CrackLib performs several tests on passwords: it tries to generate words from a username and gecos entry and checks those words against the password; it checks for simplistic patterns in passwords; and it checks for the password in a dictionary.

CrackLib is actually a library containing a particular C function which is used to check the password, as well as other C functions. CrackLib is not a replacement for a passwd program; it must be used in conjunction with an existing passwd program.

Install the cracklib package if you need a program to check users' passwords to see if they are at least minimally secure. If you install CrackLib, you will also want to install the cracklib-dicts package.

Name : gmp-devel Relocations: (not relocatable)
Version : 4.3.1 Vendor: CentOS
Release : 7.el6 Build Date: Thu 11 Nov 2010
05:32:17 AM EST
Install Date: Sun 24 Feb 2013 10:40:37 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Libraries Source RPM: gmp-4.3.1-
7.el6.src.rpm
Size : 344621 License: LGPLv2+ and
GPLv3+ and LGPLv3+
Signature : RSA/8, Sun 03 Jul 2011 12:17:39 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gmplib.org/>
Summary : Development tools for the GNU MP arbitrary precision
library
Description :
The libraries, header files and documentation for using the GNU MP
arbitrary precision library in applications.

If you want to develop applications which will use the GNU MP library, you'll need to install the gmp-devel package. You'll also need to install the gmp package.

Name : jakarta-commons-daemon Relocations: (not relocatable)
Version : 1.0.1 Vendor: CentOS
Release : 8.9.el6 Build Date: Thu 19 Aug 2010
05:46:58 AM EDT
Install Date: Sun 24 Feb 2013 10:35:40 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Applications/System Source RPM: jakarta-commons-
daemon-1.0.1-8.9.el6.src.rpm
Size : 124200 License: ASL 2.0
Signature : RSA/8, Sun 03 Jul 2011 12:25:30 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://jakarta.apache.org/commons/daemon/>
Summary : Defines API to support an alternative invocation mechanism
Description :

The scope of this package is to define an API in line with the current Java(tm) Platform APIs to support an alternative invocation mechanism which could be used instead of the above mentioned public static void main(String[]) method. This specification cover the behavior and life cycle of what we define as Java(tm) daemons, or, in other words, non interactive Java(tm) applications.

Name : system-config-date Relocations: (not relocatable)
Version : 1.9.60 Vendor: CentOS
Release : 1.el6.centos Build Date: Mon 28 Nov 2011
08:06:05 PM EST
Install Date: Sun 24 Feb 2013 10:37:45 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Base Source RPM: system-config-
date-1.9.60-1.el6.centos.src.rpm
Size : 3724437 License: GPLv2+
Signature : RSA/SHA1, Mon 28 Nov 2011 08:42:24 PM EST, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/system-config-date>
Summary : A graphical interface for modifying system date and time
Description :
system-config-date is a graphical interface for changing the system date and
time, configuring the system time zone, and setting up the NTP daemon to
synchronize the time of the system with an NTP time server.

Name : jpackage-utils Relocations: (not relocatable)
Version : 1.7.5 Vendor: CentOS
Release : 3.12.el6 Build Date: Thu 11 Nov 2010
11:24:41 AM EST
Install Date: Sun 24 Feb 2013 10:34:16 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Utilities Source RPM: jpackage-utils-
1.7.5-3.12.el6.src.rpm
Size : 168678 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:17:30 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.jpackage.org/>
Summary : JPackage utilities
Description :
Utilities for the JPackage Project <<http://www.jpackage.org/>>.

It contains also the License, man pages, documentation, XSL files of
general
use with maven2, a header file for spec files, etc. Please See
the /usr/share/doc/jpackage-utils-1.7.5/jpackage-utils-README file for
more
information.

```

Name           : ftp                               Relocations: (not relocatable)
Version        : 0.17                             Vendor: CentOS
Release        : 51.1.el6                         Build Date: Thu 11 Nov 2010
03:01:30 AM EST
Install Date: Sun 24 Feb 2013 10:40:37 PM EST      Build Host:
c6b5.bsys.dev.centos.org
Group          : Applications/Internet             Source RPM: ftp-0.17-
51.1.el6.src.rpm
Size           : 96957                             License: BSD with
advertising
Signature      : RSA/8, Sun 03 Jul 2011 12:15:33 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : ftp://ftp.uk.linux.org/pub/linux/Networking/netkit
Summary        : The standard UNIX FTP (File Transfer Protocol) client
Description    :
The ftp package provides the standard UNIX command-line FTP (File
Transfer Protocol) client.  FTP is a widely used protocol for
transferring files over the Internet and for archiving files.

```

If your system is on a network, you should install ftp in order to do file transfers.

```

Name           : fprintd                           Relocations: (not relocatable)
Version        : 0.1                               Vendor: CentOS
Release        : 19.git04fd09cfa.el6               Build Date: Thu 11 Nov 2010
02:58:50 AM EST
Install Date: Sun 24 Feb 2013 10:35:43 PM EST      Build Host:
c6b4.bsys.dev.centos.org
Group          : System Environment/Daemons         Source RPM: fprintd-0.1-
19.git04fd09cfa.el6.src.rpm
Size           : 104260                             License: GPLv2+
Signature      : RSA/8, Sun 03 Jul 2011 12:15:13 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.reactivated.net/fprint/wiki/Fprintd
Summary        : D-Bus service for Fingerprint reader access
Description    :
D-Bus service to access fingerprint readers.

```

```

Name           : qt                                 Relocations: (not relocatable)
Version        : 4.6.2                             Vendor: CentOS
Release        : 20.el6                             Build Date: Sun 25 Sep 2011
11:11:35 PM EDT
Install Date: Sun 24 Feb 2013 10:34:20 PM EST      Build Host:
c6b5.bsys.dev.centos.org
Group          : System Environment/Libraries       Source RPM: qt-4.6.2-
20.el6.src.rpm
Size           : 15411168                           License: (LGPLv2 with
exceptions or GPLv3 with exceptions) and ASL 2.0 and BSD and FLT and MIT
Signature      : RSA/SHA1, Tue 27 Sep 2011 08:34:50 PM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>

```

URL : <http://www.qtsoftware.com/>
Summary : Qt toolkit
Description :
Qt is a software toolkit for developing applications.

This package contains base tools, like string, xml, and network handling.

Name : fontpackages-filesystem Relocations: (not relocatable)
Version : 1.41 Vendor: CentOS
Release : 1.1.el6 Build Date: Thu 11 Nov 2010
02:51:13 AM EST
Install Date: Sun 24 Feb 2013 10:33:26 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Development/System Source RPM: fontpackages-
1.41-1.1.el6.src.rpm
Size : 0 License: Public Domain
Signature : RSA/8, Sun 03 Jul 2011 12:08:54 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedoraproject.org/wiki/fontpackages/>
Summary : Directories used by font packages
Description :
This package contains the basic directory layout used by font packages,
including the correct permissions for the directories.

Name : gnome-terminal Relocations: (not relocatable)
Version : 2.31.3 Vendor: CentOS
Release : 7.el6 Build Date: Fri 23 Sep 2011
11:22:43 AM EDT
Install Date: Sun 24 Feb 2013 10:37:52 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: gnome-terminal-
2.31.3-7.el6.src.rpm
Size : 7768861 License: GPLv2+ and GFDL
Signature : RSA/SHA1, Mon 26 Sep 2011 12:18:55 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/>
Summary : Terminal emulator for GNOME
Description :
gnome-terminal is a terminal emulator for GNOME. It supports translucent
backgrounds, opening multiple terminals in a single window (tabs) and
clickable URLs.

Name : system-icon-theme Relocations: (not relocatable)
Version : 6.0.0 Vendor: CentOS
Release : 2.el6 Build Date: Tue 24 Aug 2010
08:56:52 PM EDT
Install Date: Sun 24 Feb 2013 10:35:46 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: system-icon-
theme-6.0.0-2.el6.src.rpm
Size : 116387 License: GPLv2+

Signature : RSA/8, Sun 03 Jul 2011 12:48:57 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.redhat.com>
Summary : System icon theme
Description :
This package contains the system icon theme.

Name : logrotate Relocations: (not relocatable)
Version : 3.7.8 Vendor: CentOS
Release : 12.el6_0.1 Build Date: Sat 25 Jun 2011
07:18:49 AM EDT
Install Date: Sun 24 Feb 2013 10:34:20 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Base Source RPM: logrotate-3.7.8-
12.el6_0.1.src.rpm
Size : 83285 License: GPL+
Signature : RSA/8, Tue 05 Jul 2011 09:41:26 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/logrotate/>
Summary : Rotates, compresses, removes and mails system log files
Description :
The logrotate utility is designed to simplify the administration of
log files on a system which generates a lot of log files. Logrotate
allows for the automatic rotation compression, removal and mailing of
log files. Logrotate can be set to handle a log file daily, weekly,
monthly or when the log file gets to a certain size. Normally,
logrotate runs as a daily cron job.

Install the logrotate package if you need a utility to deal with the
log files on your system.

Name : xml-common Relocations: (not relocatable)
Version : 0.6.3 Vendor: CentOS
Release : 32.el6 Build Date: Thu 11 Nov 2010
02:34:28 PM EST
Install Date: Sun 24 Feb 2013 10:33:26 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Applications/Text Source RPM: sgml-common-
0.6.3-32.el6.src.rpm
Size : 1055 License: GPL+
Signature : RSA/8, Sun 03 Jul 2011 12:53:36 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.w3.org/2003/entities/>
Summary : Common XML catalog and DTD files
Description :
The xml-common is a subpackage of sgml-common which contains
a collection XML catalogs that are useful for processing XML,
but that don't need to be included in main package.

Name : paps-libs Relocations: (not relocatable)
Version : 0.6.8 Vendor: CentOS

Release : 13.el6.2 Build Date: Sat 25 Jun 2011
04:26:48 AM EDT
Install Date: Sun 24 Feb 2013 10:35:47 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: paps-0.6.8-
13.el6.2.src.rpm
Size : 38964 License: LGPLv2+
Signature : RSA/8, Tue 05 Jul 2011 09:44:34 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://paps.sourceforge.net/>
Summary : Libraries for paps
Description :
paps is a PostScript converter from plain text file using Pango.

This package contains the library for paps.

Name : gd Relocations: (not relocatable)
Version : 2.0.35 Vendor: CentOS
Release : 10.el6 Build Date: Thu 11 Nov 2010
03:14:30 AM EST
Install Date: Sun 24 Feb 2013 10:34:21 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: gd-2.0.35-
10.el6.src.rpm
Size : 548848 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:16:02 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : http://www.libgd.org/Main_Page
Summary : A graphics library for quick creation of PNG or JPEG images
Description :
The gd graphics library allows your code to quickly draw images
complete with lines, arcs, text, multiple colors, cut and paste from
other images, and flood fills, and to write out the result as a PNG or
JPEG file. This is particularly useful in Web applications, where PNG
and JPEG are two of the formats accepted for inline images by most
browsers. Note that gd is not a paint program.

Name : dejavu-fonts-common Relocations: (not relocatable)
Version : 2.30 Vendor: CentOS
Release : 2.el6 Build Date: Wed 10 Nov 2010
11:23:58 PM EST
Install Date: Sun 24 Feb 2013 10:33:28 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : User Interface/X Source RPM: dejavu-fonts-
2.30-2.el6.src.rpm
Size : 117064 License: Bitstream Vera
and Public Domain
Signature : RSA/8, Sun 03 Jul 2011 12:04:19 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://dejavu-fonts.org/>
Summary : Common files for the DejaVu font set

Description :

The DejaVu font set is based on the ,ÇfBitstream Vera,Ç¥ fonts, release 1.10. Its purpose is to provide a wider range of characters, while maintaining the original style, using an open collaborative development process.

This package consists of files used by other DejaVu packages.

Name : gpm-libs Relocations: (not relocatable)
Version : 1.20.6 Vendor: CentOS
Release : 12.el6 Build Date: Fri 23 Sep 2011
08:49:21 AM EDT
Install Date: Sun 24 Feb 2013 10:35:47 PM EST Build Host:
c6b6.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: gpm-1.20.6-
12.el6.src.rpm
Size : 23720 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:18:57 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.nico.schottelius.org/software/gpm/>
Summary : Dynamic library for for the gpm
Description :
This package contains the libgpm.so dynamic library which contains
the gpm system calls and library functions.

Name : xdg-utils Relocations: (not relocatable)
Version : 1.0.2 Vendor: CentOS
Release : 17.20091016cvs.el6 Build Date: Fri 23 Sep 2011
02:36:52 PM EDT
Install Date: Sun 24 Feb 2013 10:34:23 PM EST Build Host:
c6b5.bsyz.dev.centos.org
Group : System Environment/Base Source RPM: xdg-utils-1.0.2-
17.20091016cvs.el6.src.rpm
Size : 212283 License: MIT
Signature : RSA/SHA1, Mon 26 Sep 2011 12:26:14 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://portland.freedesktop.org/>
Summary : Basic desktop integration functions
Description :
The xdg-utils package is a set of simple scripts that provide basic
desktop integration functions for any Free Desktop, such as Linux.
They are intended to provide a set of defacto standards.
This means that:
* Third party software developers can rely on these xdg-utils
for all of their simple integration needs.
* Developers of desktop environments can make sure that their
environments are well supported
* Distribution vendors can provide custom versions of these utilities

The following scripts are provided at this time:

* xdg-desktop-menu Install desktop menu items

- * xdg-desktop-icon Install icons to the desktop
- * xdg-icon-resource Install icon resources
- * xdg-mime Query information about file type handling and
install descriptions for new file types
- * xdg-open Open a file or URL in the user's preferred
application
- * xdg-email Send mail using the user's preferred e-mail
composer
- * xdg-screensaver Control the screensaver

```

Name           : basesystem                      Relocations: (not relocatable)
Version        : 10.0                           Vendor: CentOS
Release        : 4.el6                           Build Date: Wed 10 Nov 2010
08:12:57 PM EST
Install Date: Sun 24 Feb 2013 10:33:29 PM EST      Build Host:
c5b2.bsyz.dev.centos.org
Group          : System Environment/Base           Source RPM: basesystem-10.0-
4.el6.src.rpm
Size           : 0                               License: Public Domain
Signature      : RSA/8, Sun 03 Jul 2011 12:00:48 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
Summary        : The skeleton package which defines a simple Red Hat
Enterprise Linux system
Description    :
Basesystem defines the components of a basic Red Hat Enterprise Linux
system (for example, the package installation order to use during
bootstrapping). Basesystem should be in every installation of a system,
and it should never be removed.

```

```

Name           : environment-modules              Relocations: (not relocatable)
Version        : 3.2.7b                           Vendor: CentOS
Release        : 6.el6                           Build Date: Thu 11 Nov 2010
01:46:42 AM EST
Install Date: Sun 24 Feb 2013 10:35:48 PM EST      Build Host:
c6b3.bsyz.dev.centos.org
Group          : System Environment/Base           Source RPM: environment-
modules-3.2.7b-6.el6.src.rpm
Size           : 199766                           License: GPLv2+
Signature      : RSA/8, Sun 03 Jul 2011 12:13:12 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://modules.sourceforge.net/
Summary        : Provides dynamic modification of a user's environment
Description    :
The Environment Modules package provides for the dynamic modification of
a user's environment via modulefiles.

```

Each modulefile contains the information needed to configure the shell for an application. Once the Modules package is initialized, the environment can be modified on a per-module basis using the module command which interprets modulefiles. Typically modulefiles instruct the module command to alter or set shell environment variables such as PATH, MANPATH, etc. modulefiles may be shared by many users on a system

and users may have their own collection to supplement or replace the shared modulefiles.

Modules can be loaded and unloaded dynamically and atomically, in a clean fashion. All popular shells are supported, including bash, ksh, zsh, sh, csh, tcsh, as well as some scripting languages such as perl.

Modules are useful in managing different versions of applications. Modules can also be bundled into metamodules that will load an entire suite of different applications.

NOTE: You will need to get a new shell after installing this package to have access to the module alias.

```
Name           : dosfstools                      Relocations: (not relocatable)
Version        : 3.0.9                          Vendor: CentOS
Release       : 4.el6                           Build Date: Wed 07 Dec 2011
09:55:10 AM EST
Install Date: Sun 24 Feb 2013 10:34:23 PM EST    Build Host:
c6b5.bsys.dev.centos.org
Group         : Applications/System              Source RPM: dosfstools-3.0.9-
4.el6.src.rpm
Size          : 201513                          License: GPLv3+
Signature     : RSA/SHA1, Thu 08 Dec 2011 02:55:25 PM EST, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           : http://www.daniel-baumann.ch/software/dosfstools/
Summary       : Utilities for making and checking MS-DOS FAT filesystems on
Linux
Description   :
The dosfstools package includes the mkdosfs and dosfsck utilities,
which respectively make and check MS-DOS FAT filesystems on hard
drives or on floppies.
```

```
Name           : libX11-common                    Relocations: (not relocatable)
Version        : 1.3                            Vendor: CentOS
Release       : 2.el6                           Build Date: Thu 11 Nov 2010
05:16:37 PM EST
Install Date: Sun 24 Feb 2013 10:33:29 PM EST    Build Host:
c6b4.bsys.dev.centos.org
Group         : System Environment/Libraries     Source RPM: libX11-1.3-
2.el6.src.rpm
Size          : 2109487                          License: MIT
Signature     : RSA/8, Sun 03 Jul 2011 12:27:20 AM EDT, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           : http://www.x.org
Summary       : Common data for libX11
Description   :
libX11 common data
```

```
Name           : libdv                          Relocations: (not relocatable)
Version        : 1.0.0                          Vendor: CentOS
```

Release : 8.1.el6 Build Date: Tue 17 Aug 2010
03:58:41 AM EDT
Install Date: Sun 24 Feb 2013 10:35:50 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libdv-1.0.0-
8.1.el6.src.rpm
Size : 182449 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:33:16 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://libdv.sourceforge.net/>
Summary : Software decoder for DV format video
Description :
The Quasar DV codec (libdv) is a software codec for DV video, the
encoding format used by most digital camcorders, typically those that
support the IEEE 1394 (a.k.a. FireWire or i.Link) interface. libdv was
developed according to the official standards for DV video: IEC 61834
and SMPTE 314M.

Name : anthy Relocations: (not relocatable)
Version : 9100h Vendor: CentOS
Release : 10.1.el6 Build Date: Wed 10 Nov 2010
07:14:33 PM EST
Install Date: Sun 24 Feb 2013 10:34:25 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: anthy-9100h-
10.1.el6.src.rpm
Size : 25800356 License: LGPLv2+ and GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:02:12 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceforge.jp/projects/anthy/>
Summary : Japanese character set input library
Description :
Anthy provides the library to input Japanese on the applications, such as
X applications and emacs. and the user dictionaries and the users
information
which is used for the conversion, is stored into their own home
directory.
So Anthy is secure than other conversion server.

Name : ncurses-base Relocations: (not relocatable)
Version : 5.7 Vendor: CentOS
Release : 3.20090208.el6 Build Date: Wed 18 Aug 2010
11:42:34 AM EDT
Install Date: Sun 24 Feb 2013 10:33:29 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Base Source RPM: ncurses-5.7-
3.20090208.el6.src.rpm
Size : 193090 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:47:00 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://invisible-island.net/ncurses/ncurses.html>

Summary : Descriptions of common terminals
Description :
This package contains descriptions of common terminals. Other terminal descriptions are included in the ncurses-term package.

Name : libnfnetlink Relocations: (not relocatable)
Version : 1.0.0 Vendor: CentOS
Release : 1.el6 Build Date: Mon 16 Aug 2010
09:06:41 PM EDT
Install Date: Sun 24 Feb 2013 10:35:50 PM EST Build Host:
c6b2.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: libnfnetlink-
1.0.0-1.el6.src.rpm
Size : 44417 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:37:12 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://netfilter.org>
Summary : Netfilter netlink userspace library
Description :
libnfnetlink is a userspace library that provides some low-level
nfnetlink handling functions. It is used as a foundation for other,
netfilter
subsystem specific libraries such as libnfnetlink_conntrack,
libnfnetlink_log
and libnfnetlink_queue.

Name : liboil Relocations: (not relocatable)
Version : 0.3.16 Vendor: CentOS
Release : 4.1.el6 Build Date: Thu 19 Aug 2010
03:46:50 AM EDT
Install Date: Sun 24 Feb 2013 10:34:26 PM EST Build Host:
c6b3.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: liboil-0.3.16-
4.1.el6.src.rpm
Size : 593601 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:37:31 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://liboil.freedesktop.org/>
Summary : Library of Optimized Inner Loops, CPU optimized functions
Description :
Liboil is a library of simple functions that are optimized for various
CPUs.
These functions are generally loops implementing simple algorithms, such
as
converting an array of N integers to floating-point numbers or
multiplying
and summing an array of N numbers. Clearly such functions are candidates
for
significant optimization using various techniques, especially by using
extended instructions provided by modern CPUs (Altivec, MMX, SSE, etc.).

Name : ncurses-libs Relocations: (not relocatable)

Version : 5.7 Vendor: CentOS
Release : 3.20090208.el6 Build Date: Wed 18 Aug 2010
11:42:34 AM EDT
Install Date: Sun 24 Feb 2013 10:33:39 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ncurses-5.7-
3.20090208.el6.src.rpm
Size : 760448 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:47:02 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://invisible-island.net/ncurses/ncurses.html>
Summary : Ncurses libraries
Description :
The curses library routines are a terminal-independent method of
updating character screens with reasonable optimization. The ncurses
(new curses) library is a freely distributable replacement for the
discontinued 4.4 BSD classic curses library.

This package contains the ncurses libraries.

Name : libmcpp Relocations: (not relocatable)
Version : 2.7.2 Vendor: CentOS
Release : 4.1.el6 Build Date: Wed 18 Aug 2010
11:52:52 AM EDT
Install Date: Sun 24 Feb 2013 10:35:50 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Languages Source RPM: mcpp-2.7.2-
4.1.el6.src.rpm
Size : 138264 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:36:40 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://mcpp.sourceforge.net/>
Summary : Alternative C/C++ preprocessor (library build)
Description :
This package provides a library build of mcpp.

Name : libasyncns Relocations: (not relocatable)
Version : 0.8 Vendor: CentOS
Release : 1.1.el6 Build Date: Wed 18 Aug 2010
12:43:49 PM EDT
Install Date: Sun 24 Feb 2013 10:34:26 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libasyncns-0.8-
1.1.el6.src.rpm
Size : 52778 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:31:45 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://0pointer.de/lennart/projects/libasyncns/>
Summary : Asynchronous Name Service Library
Description :
A small and lightweight library that implements easy to use asynchronous

wrappers around the libc NSS functions getaddrinfo(), res_query() and related.

Name : zlib Relocations: (not relocatable)
Version : 1.2.3 Vendor: CentOS
Release : 27.el6 Build Date: Wed 07 Dec 2011
12:54:41 PM EST
Install Date: Sun 24 Feb 2013 10:33:40 PM EST Build Host:
c6b18n1.dev.centos.org
Group : System Environment/Libraries Source RPM: zlib-1.2.3-
27.el6.src.rpm
Size : 152225 License: zlib and Boost
Signature : RSA/SHA1, Thu 08 Dec 2011 04:48:00 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gzip.org/zlib/>
Summary : The zlib compression and decompression library
Description :
Zlib is a general-purpose, patent-free, lossless data compression
library which is used by many different programs.

Name : xdg-user-dirs Relocations: (not relocatable)
Version : 0.12 Vendor: CentOS
Release : 4.el6 Build Date: Thu 11 Nov 2010
10:47:17 PM EST
Install Date: Sun 24 Feb 2013 10:35:52 PM EST Build Host:
c6b1.bsyz.dev.centos.org
Group : User Interface/Desktops Source RPM: xdg-user-dirs-
0.12-4.el6.src.rpm
Size : 149451 License: GPLv2+ and MIT
Signature : RSA/8, Sun 03 Jul 2011 01:05:37 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://freedesktop.org/wiki/Software/xdg-user-dirs>
Summary : Handles user special directories
Description :
Contains xdg-user-dirs-update that updates folders in a users
home directory based on the defaults configured by the administrator.

Name : libhbaapi Relocations: (not relocatable)
Version : 2.2 Vendor: CentOS
Release : 12.el6 Build Date: Wed 07 Dec 2011
11:42:34 AM EST
Install Date: Sun 24 Feb 2013 10:34:27 PM EST Build Host:
c6b18n3.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: libhbaapi-2.2-
12.el6.src.rpm
Size : 49534 License: SNIA
Signature : RSA/SHA1, Thu 08 Dec 2011 03:18:02 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceforge.net/projects/hbaapi/>
Summary : SNIA HBAAPI library
Description :

The SNIA HBA API library. C-level project to manage
Fibre Channel Host Bus Adapters.

Name : libxml2 Relocations: (not relocatable)
Version : 2.7.6 Vendor: CentOS
Release : 4.el6 Build Date: Wed 07 Dec 2011
04:50:02 PM EST
Install Date: Sun 24 Feb 2013 10:33:40 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: libxml2-2.7.6-
4.el6.src.rpm
Size : 1770651 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 03:27:19 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://xmlsoft.org/>
Summary : Library providing XML and HTML support
Description :
This library allows to manipulate XML files. It includes support
to read, modify and write XML and HTML files. There is DTDs support
this includes parsing and validation even with complex DTDs, either
at parse time or later once the document has been modified. The output
can be a simple SAX stream or and in-memory DOM like representations.
In this case one can use the built-in XPath and XPointer implementation
to select subnodes or ranges. A flexible Input/Output mechanism is
available, with existing HTTP and FTP modules and combined to an
URI library.

Name : python Relocations: (not relocatable)
Version : 2.6.6 Vendor: CentOS
Release : 29.el6 Build Date: Wed 07 Dec 2011
03:51:08 PM EST
Install Date: Sun 24 Feb 2013 10:35:56 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : Development/Languages Source RPM: python-2.6.6-
29.el6.src.rpm
Size : 21289385 License: Python
Signature : RSA/SHA1, Thu 08 Dec 2011 03:59:52 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.python.org/>
Summary : An interpreted, interactive, object-oriented programming
language
Description :
Python is an interpreted, interactive, object-oriented programming
language often compared to Tcl, Perl, Scheme or Java. Python includes
modules, classes, exceptions, very high level dynamic data types and
dynamic typing. Python supports interfaces to many system calls and
libraries, as well as to various windowing systems (X11, Motif, Tk,
Mac and MFC).

Programmers can write new built-in modules for Python in C or C++.
Python can be used as an extension language for applications that need
a programmable interface. This package contains most of the standard

Python modules, as well as modules for interfacing to the Tix widget set for Tk and RPM.

Note that documentation for Python is provided in the python-docs package.

```
Name           : festvox-slt-arctic-hts           Relocations: (not relocatable)
Version        : 0.20061229                       Vendor: CentOS
Release       : 18.el6                             Build Date: Thu 11 Nov 2010
02:34:29 AM EST
Install Date: Sun 24 Feb 2013 10:34:28 PM EST      Build Host:
c6b4.bsys.dev.centos.org
Group         : Applications/Multimedia           Source RPM: festival-1.96-
18.el6.src.rpm
Size          : 2257839                           License: MIT and GPL+ and
TCL
Signature     : RSA/8, Sun 03 Jul 2011 12:08:20 AM EDT, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           : http://www.cstr.ed.ac.uk/projects/festival/
Summary       : US English female speaker "SLT" for Festival
Description   :
US English female speaker ("SLT") voice for Festival.
```

This is a HMM-based Speech Synthesis System (HTS) voice from the Nagoya Institute of Technology, trained using the CMU ARCTIC database. This voice is based on 1132 utterances spoken by a US English female speaker. The speaker is experienced in building synthetic voices. This was recorded at 16bit 32KHz, in a sound proof room, in stereo, one channel was the waveform, the other EGG. The database was automatically labelled using CMU Sphinx using the FestVox labelling scripts. No hand correction has been made.

```
Name           : chkconfig                       Relocations: (not relocatable)
Version        : 1.3.47                         Vendor: CentOS
Release       : 1.el6                             Build Date: Wed 10 Nov 2010
09:33:15 PM EST
Install Date: Sun 24 Feb 2013 10:33:41 PM EST      Build Host:
c6b6.bsys.dev.centos.org
Group         : System Environment/Base           Source RPM: chkconfig-1.3.47-
1.el6.src.rpm
Size          : 668317                           License: GPLv2
Signature     : RSA/8, Sun 03 Jul 2011 12:06:50 AM EDT, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
Summary       : A system tool for maintaining the /etc/rc*.d hierarchy
Description   :
Chkconfig is a basic system utility. It updates and queries runlevel
information for system services. Chkconfig manipulates the numerous
symbolic links in /etc/rc.d, to relieve system administrators of some
of the drudgery of manually editing the symbolic links.
```

```
Name           : gnome-menus                     Relocations: (not relocatable)
```

```

Version      : 2.28.0                      Vendor: CentOS
Release      : 4.el6                      Build Date: Thu 11 Nov 2010
06:09:41 AM EST
Install Date: Sun 24 Feb 2013 10:35:58 PM EST    Build Host:
c6b5.bsys.dev.centos.org
Group       : System Environment/Libraries    Source RPM: gnome-menus-
2.28.0-4.el6.src.rpm
Size        : 750973                      License: LGPLv2+
Signature   : RSA/8, Sun 03 Jul 2011 12:18:15 AM EDT, Key ID
0946fca2c105b9de
Packager    : CentOS BuildSystem <http://bugs.centos.org>
URL         : http://www.gnome.org/
Summary     : A menu system for the GNOME project
Description :
gnome-menus is an implementation of the draft "Desktop
Menu Specification" from freedesktop.org. This package
also contains the GNOME menu layout configuration files,
.directory files and assorted menu related utility programs,
Python bindings, and a simple menu editor.

Name        : avahi-autoipd                Relocations: (not relocatable)
Version     : 0.6.25                      Vendor: CentOS
Release     : 11.el6                      Build Date: Tue 19 Jul 2011
08:21:55 AM EDT
Install Date: Sun 24 Feb 2013 10:34:30 PM EST    Build Host:
c6b5.bsys.dev.centos.org
Group       : System Environment/Base        Source RPM: avahi-0.6.25-
11.el6.src.rpm
Size        : 40273                      License: LGPLv2
Signature   : RSA/SHA1, Mon 26 Sep 2011 12:16:19 AM EDT, Key ID
0946fca2c105b9de
Packager    : CentOS BuildSystem <http://bugs.centos.org>
URL         : http://avahi.org
Summary     : Link-local IPv4 address automatic configuration daemon
(IPv4LL)
Description :
avahi-autoipd implements IPv4LL, "Dynamic Configuration of IPv4
Link-Local Addresses" (IETF RFC3927), a protocol for automatic IP
address
configuration from the link-local 169.254.0.0/16 range without the need
for a
central server. It is primarily intended to be used in ad-hoc networks
which
lack a DHCP server.

Name        : libjpeg                      Relocations: (not relocatable)
Version     : 6b                          Vendor: CentOS
Release     : 46.el6                      Build Date: Sat 21 Aug 2010
09:23:56 AM EDT
Install Date: Sun 24 Feb 2013 10:33:41 PM EST    Build Host:
c6b5.bsys.dev.centos.org
Group       : System Environment/Libraries    Source RPM: libjpeg-6b-
46.el6.src.rpm
Size        : 300121                      License: IJG

```

Signature : RSA/8, Sun 03 Jul 2011 12:36:25 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.ijg.org/>
Summary : A library for manipulating JPEG image format files
Description :
The libjpeg package contains a library of functions for manipulating
JPEG images, as well as simple client programs for accessing the
libjpeg functions. Libjpeg client programs include cjpeg, djpeg,
jpegtran, rdjpgcom and wrjpgcom. Cjpeg compresses an image file into
JPEG format. Djpeg decompresses a JPEG file into a regular image
file. Jpegtran can perform various useful transformations on JPEG
files. Rdjpgcom displays any text comments included in a JPEG file.
Wrjpgcom inserts text comments into a JPEG file.

Name : libselinux-python Relocations: (not relocatable)
Version : 2.0.94 Vendor: CentOS
Release : 5.2.el6 Build Date: Wed 07 Dec 2011
07:24:17 PM EST
Install Date: Sun 24 Feb 2013 10:35:59 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: libselinux-
2.0.94-5.2.el6.src.rpm
Size : 668698 License: Public Domain
Signature : RSA/SHA1, Thu 08 Dec 2011 03:24:01 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.selinuxproject.org>
Summary : SELinux python bindings for libselinux
Description :
The libselinux-python package contains the python bindings for developing
SELinux applications.

Name : qt-sqlite Relocations: (not relocatable)
Version : 4.6.2 Vendor: CentOS
Release : 20.el6 Build Date: Sun 25 Sep 2011
11:11:35 PM EDT
Install Date: Sun 24 Feb 2013 10:34:31 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: qt-4.6.2-
20.el6.src.rpm
Size : 49800 License: (LGPLv2 with
exceptions or GPLv3 with exceptions) and ASL 2.0 and BSD and FLT and MIT
Signature : RSA/SHA1, Tue 27 Sep 2011 08:35:09 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.qtsoftware.com/>
Summary : SQLite driver for Qt's SQL classes
Description :
SQLite driver for Qt's SQL classes.

Name : pkgconfig Relocations: (not relocatable)
Version : 0.23 Vendor: CentOS

Release : 9.1.el6 Build Date: Wed 18 Aug 2010
11:30:32 PM EDT
Install Date: Sun 24 Feb 2013 10:33:42 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Development/Tools Source RPM: pkgconfig-0.23-
9.1.el6.src.rpm
Size : 140091 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:57:05 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://pkgconfig.freedesktop.org>
Summary : A tool for determining compilation options
Description :
The pkgconfig tool determines compilation options. For each required
library, it reads the configuration file and outputs the necessary
compiler and linker flags.

Name : python-ethtool Relocations: (not relocatable)
Version : 0.6 Vendor: CentOS
Release : 1.el6 Build Date: Tue 19 Jul 2011
06:42:54 PM EDT
Install Date: Sun 24 Feb 2013 10:35:59 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: python-ethtool-
0.6-1.el6.src.rpm
Size : 70037 License: GPLv2
Signature : RSA/SHA1, Mon 26 Sep 2011 12:23:48 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL :
http://fedorapeople.org/gitweb?p=dsommers/public_git/python-ethtool.git;a=summary
Summary : Ethernet settings python bindings
Description :
Python bindings for the ethtool kernel interface, that allows querying
and
changing of Ethernet card settings, such as speed, port, auto-
negotiation, and
PCI locations.

Name : bind-libs Relocations: (not relocatable)
Version : 9.7.3 Vendor: CentOS
Release : 8.P3.el6 Build Date: Wed 07 Dec 2011
08:27:16 PM EST
Install Date: Sun 24 Feb 2013 10:34:32 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/System Source RPM: bind-9.7.3-
8.P3.el6.src.rpm
Size : 2223400 License: ISC
Signature : RSA/SHA1, Thu 08 Dec 2011 02:45:24 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.isc.org/products/BIND/>
Summary : Libraries used by the BIND DNS packages

Description :

Contains libraries used by both the bind server package as well as the
utils
packages.

Name : libuuid Relocations: (not relocatable)
Version : 2.17.2 Vendor: CentOS
Release : 12.4.el6 Build Date: Wed 07 Dec 2011
03:57:13 PM EST
Install Date: Sun 24 Feb 2013 10:33:42 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Development/Libraries Source RPM: util-linux-ng-
2.17.2-12.4.el6.src.rpm
Size : 16304 License: BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 04:27:23 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.kernel.org/pub/linux/utils/util-linux-ng>
Summary : Universally unique ID library
Description :
This is the universally unique ID library, part of util-linux-ng.

The libuuid library generates and parses 128-bit universally unique
id's (UUID's). A UUID is an identifier that is unique across both
space and time, with respect to the space of all UUIDs. A UUID can
be used for multiple purposes, from tagging objects with an extremely
short lifetime, to reliably identifying very persistent objects
across a network.

See also the "uuid" package, which is a separate implementation.

Name : pyorbit Relocations: (not relocatable)
Version : 2.24.0 Vendor: CentOS
Release : 5.el6 Build Date: Fri 20 Aug 2010
10:56:25 PM EDT
Install Date: Sun 24 Feb 2013 10:36:00 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Development/Languages Source RPM: pyorbit-2.24.0-
5.el6.src.rpm
Size : 124785 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:58:21 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : Python bindings for ORBit2.
Description :
pyorbit is an extension module for python that gives you access
to the ORBit2 CORBA ORB.

Name : fipscheck Relocations: (not relocatable)
Version : 1.2.0 Vendor: CentOS
Release : 7.el6 Build Date: Wed 07 Dec 2011
02:13:53 PM EST
Install Date: Sun 24 Feb 2013 10:34:33 PM EST Build Host:
c6b18n3.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM: fipscheck-1.2.0-7.el6.src.rpm
Size : 28163 License: BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 02:58:48 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/fipscheck/>
Summary : A library for integrity verification of FIPS validated modules
Description :
FIPSCheck is a library for integrity verification of FIPS validated modules. The package also provides helper binaries for creation and verification of the HMAC-SHA256 checksum files.

Name : sqlite Relocations: (not relocatable)
Version : 3.6.20 Vendor: CentOS
Release : 1.el6 Build Date: Tue 17 Aug 2010 08:56:21 AM EDT
Install Date: Sun 24 Feb 2013 10:33:43 PM EST Build Host: c6b2.bsys.dev.centos.org
Group : Applications/Databases Source RPM: sqlite-3.6.20-1.el6.src.rpm
Size : 641020 License: Public Domain
Signature : RSA/8, Sun 03 Jul 2011 01:02:22 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.sqlite.org/>
Summary : Library that implements an embeddable SQL database engine
Description :
SQLite is a C library that implements an SQL database engine. A large subset of SQL92 is supported. A complete database is stored in a single disk file. The API is designed for convenience and ease of use. Applications that link against SQLite can enjoy the power and flexibility of an SQL database without the administrative hassles of supporting a separate database server. Version 2 and version 3 binaries are named to permit each to be installed on a single host

Name : gnome-python2 Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010 06:32:37 AM EST
Install Date: Sun 24 Feb 2013 10:36:00 PM EST Build Host: c6b5.bsys.dev.centos.org
Group : Development/Languages Source RPM: gnome-python2-2.28.0-3.el6.src.rpm
Size : 158310 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:18:27 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/gnome-python/>
Summary : PyGNOME Python extension module
Description :
The gnome-python package contains the source packages for the Python bindings for GNOME called PyGNOME.

PyGNOME is an extension module for Python that provides access to the base GNOME libraries, so you have access to more widgets, a simple configuration interface, and metadata support.

Name : ghostscript Relocations: (not relocatable)
Version : 8.15.2 Vendor: CentOS
Release : 9.12.el5_5 Build Date: Thu 30 Sep 2010
07:07:38 PM EDT
Install Date: Sun 24 Feb 2013 10:34:43 PM EST Build Host:
builder10.centos.org
Group : Applications/Publishing Source RPM: ghostscript-
8.15.2-9.12.el5_5.src.rpm
Size : 19585060 License: GPL
Signature : DSA/SHA1, Wed 03 Nov 2010 02:03:54 PM EDT, Key ID
b36ebb982d22a9f4
URL : <http://www.cups.org/espgs/>
Summary : A PostScript(TM) interpreter and renderer.
Description :
Ghostscript is a set of software that provides a PostScript(TM)
interpreter, a set of C procedures (the Ghostscript library, which
implements the graphics capabilities in the PostScript language) and
an interpreter for Portable Document Format (PDF) files. Ghostscript
translates PostScript code into many common, bitmapped formats, like
those understood by your printer or screen. Ghostscript is normally
used to display PostScript files and to print PostScript files to
non-PostScript printers.

If you need to display PostScript files or print them to
non-PostScript printers, you should install ghostscript. If you
install ghostscript, you also need to install the ghostscript-fonts
package.

Name : avahi-libs Relocations: (not relocatable)
Version : 0.6.25 Vendor: CentOS
Release : 11.el6 Build Date: Tue 19 Jul 2011
08:21:55 AM EDT
Install Date: Sun 24 Feb 2013 10:33:43 PM EST Build Host:
c6b5.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: avahi-0.6.25-
11.el6.src.rpm
Size : 114920 License: LGPLv2
Signature : RSA/SHA1, Mon 26 Sep 2011 12:16:26 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://avahi.org>
Summary : Libraries for avahi run-time use
Description :
The avahi-libs package contains the libraries needed
to run programs that use avahi.

Name : gnome-python2-desktop Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS

Release : 4.el6 Build Date: Thu 11 Nov 2010
07:11:34 AM EST
Install Date: Sun 24 Feb 2013 10:36:01 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Languages Source RPM: gnome-python2-
desktop-2.28.0-4.el6.src.rpm
Size : 330508 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:18:30 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : The sources for additional PyGNOME Python extension modules
Description :
The gnome-python-desktop package contains the source packages for
additional
Python bindings for GNOME. It should be used together with gnome-python.

Name : genisoimage Relocations: (not relocatable)
Version : 1.1.9 Vendor: CentOS
Release : 11.el6 Build Date: Wed 10 Nov 2010
09:29:49 PM EST
Install Date: Sun 24 Feb 2013 10:34:43 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Applications/System Source RPM: cdrkit-1.1.9-
11.el6.src.rpm
Size : 1512929 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:16:19 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://cdrkit.org/>
Summary : Creates an image of an ISO9660 filesystem
Description :
The genisoimage program is used as a pre-mastering program; i.e., it
generates the ISO9660 filesystem. Genisoimage takes a snapshot of
a given directory tree and generates a binary image of the tree
which will correspond to an ISO9660 filesystem when written to
a block device. Genisoimage is used for writing CD-ROMs, and includes
support for creating bootable El Torito CD-ROMs.

Install the genisoimage package if you need a program for writing
CD-ROMs.

Name : glib2 Relocations: (not relocatable)
Version : 2.22.5 Vendor: CentOS
Release : 6.el6 Build Date: Mon 18 Jul 2011
07:07:28 PM EDT
Install Date: Sun 24 Feb 2013 10:33:44 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: glib2-2.22.5-
6.el6.src.rpm
Size : 5193540 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:18:42 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gtk.org>

Summary : A library of handy utility functions
Description :
GLib is the low-level core library that forms the basis for projects such as GTK+ and GNOME. It provides data structure handling for C, portability wrappers, and interfaces for such runtime functionality as an event loop, threads, dynamic loading, and an object system.

This package provides version 2 of GLib.

Name : system-config-firewall-tui Relocations: (not relocatable)
Version : 1.2.27 Vendor: CentOS
Release : 5.el6 Build Date: Fri 23 Sep 2011
01:04:13 PM EDT
Install Date: Sun 24 Feb 2013 10:36:01 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: system-config-
firewall-1.2.27-5.el6.src.rpm
Size : 60799 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:25:39 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/system-config-firewall>
Summary : A text interface for basic firewall setup
Description :
system-config-firewall-tui is a text user interface for basic firewall
setup.

Name : tomcat6-jsp-2.1-api Relocations: (not relocatable)
Version : 6.0.24 Vendor: CentOS
Release : 33.el6 Build Date: Wed 20 Jul 2011
07:44:53 AM EDT
Install Date: Sun 24 Feb 2013 10:34:44 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Internet/WWW/Dynamic Content Source RPM: tomcat6-6.0.24-
33.el6.src.rpm
Size : 76500 License: ASL 2.0
Signature : RSA/SHA1, Mon 26 Sep 2011 12:15:32 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://tomcat.apache.org/>
Summary : Apache Tomcat JSP API implementation classes
Description :
Apache Tomcat JSP API implementation classes.

Name : sed Relocations: (not relocatable)
Version : 4.2.1 Vendor: CentOS
Release : 7.el6 Build Date: Fri 23 Sep 2011
10:43:28 AM EDT
Install Date: Sun 24 Feb 2013 10:33:45 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/Text Source RPM: sed-4.2.1-
7.el6.src.rpm
Size : 542325 License: GPLv2+

```

Signature   : RSA/SHA1, Mon 26 Sep 2011 12:25:13 AM EDT, Key ID
0946fca2c105b9de
Packager    : CentOS BuildSystem <http://bugs.centos.org>
URL         : http://sed.sourceforge.net/
Summary     : A GNU stream text editor
Description :
The sed (Stream EDitor) editor is a stream or batch (non-interactive)
editor. Sed takes text as input, performs an operation or set of
operations on the text and outputs the modified text. The operations
that sed performs (substitutions, deletions, insertions, etc.) can be
specified in a script file or from the command line.

Name        : python-magic                      Relocations: (not relocatable)
Version     : 5.04                             Vendor: CentOS
Release     : 11.el6                           Build Date: Fri 23 Sep 2011
04:00:37 PM EDT
Install Date: Sun 24 Feb 2013 10:36:03 PM EST    Build Host:
c6b6.bsyz.dev.centos.org
Group       : Development/Libraries             Source RPM: file-5.04-
11.el6.src.rpm
Size        : 16657                             License: BSD
Signature   : RSA/SHA1, Mon 26 Sep 2011 12:23:50 AM EDT, Key ID
0946fca2c105b9de
Packager    : CentOS BuildSystem <http://bugs.centos.org>
URL         : http://www.darwinsys.com/file/
Summary     : Python bindings for the libmagic API
Description :
This package contains the Python bindings to allow access to the
libmagic API. The libmagic library is also used by the familiar
file(1) command.

Name        : perl-CPAN                        Relocations: (not relocatable)
Version     : 1.9402                           Vendor: CentOS
Release     : 119.el6_1.1                      Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:45 PM EST    Build Host:
c6b5.bsyz.dev.centos.org
Group       : Development/Languages             Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size        : 678872                             License: GPL+ or Artistic
Signature   : RSA/SHA1, Tue 15 Nov 2011 05:59:54 AM EST, Key ID
0946fca2c105b9de
Packager    : CentOS BuildSystem <http://bugs.centos.org>
URL         : http://www.perl.org/
Summary     : Query, download and build perl modules from CPAN sites
Description :
Query, download and build perl modules from CPAN sites.

Name        : libogg                          Relocations: (not relocatable)
Version     : 1.1.4                             Vendor: CentOS
Release     : 2.1.el6                           Build Date: Wed 18 Aug 2010
12:28:41 PM EDT
Install Date: Sun 24 Feb 2013 10:33:45 PM EST    Build Host:
c6b2.bsyz.dev.centos.org

```

Group : System Environment/Libraries Source RPM: libogg-1.1.4-2.1.el6.src.rpm
Size : 30454 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:37:28 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.xiph.org/>
Summary : The Ogg bitstream file format library
Description :
Libogg is a library for manipulating Ogg bitstream file formats.
Libogg supports both making Ogg bitstreams and getting packets from Ogg bitstreams.

Name : python-iniparse Relocations: (not relocatable)
Version : 0.3.1 Vendor: CentOS
Release : 2.1.el6 Build Date: Tue 17 Aug 2010 12:49:21 AM EDT
Install Date: Sun 24 Feb 2013 10:36:04 PM EST Build Host: c6b1.bsyz.dev.centos.org
Group : Development/Libraries Source RPM: python-iniparse-0.3.1-2.1.el6.src.rpm
Size : 109284 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:42:38 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/iniparse/>
Summary : Python Module for Accessing and Modifying Configuration Data in INI files
Description :
iniparse is an INI parser for Python which is API compatible with the standard library's ConfigParser, preserves structure of INI files (order of sections & options, indentation, comments, and blank lines are preserved when data is updated), and is more convenient to use.

Name : libavc1394 Relocations: (not relocatable)
Version : 0.5.3 Vendor: CentOS
Release : 9.1.el6 Build Date: Thu 11 Nov 2010 08:54:29 AM EST
Install Date: Sun 24 Feb 2013 10:34:45 PM EST Build Host: c6b5.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: libavc1394-0.5.3-9.1.el6.src.rpm
Size : 104860 License: GPLv2+ and LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:31:53 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceforge.net/projects/libavc1394/>
Summary : Audio/Video Control library for IEEE-1394 devices
Description :
The libavc1394 library allows utilities to control IEEE-1394 devices using the AV/C specification. Audio/Video Control allows applications to control devices like the tape on a VCR or camcorder.

Name : libusb Relocations: (not relocatable)
Version : 0.1.12 Vendor: CentOS
Release : 23.el6 Build Date: Sun 22 Aug 2010
02:44:27 PM EDT
Install Date: Sun 24 Feb 2013 10:33:45 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libusb-0.1.12-
23.el6.src.rpm
Size : 54440 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:40:23 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceforge.net/projects/libusb/>
Summary : A library which allows userspace access to USB devices
Description :
This package provides a way for applications to access USB devices.

Name : notify-python Relocations: (not relocatable)
Version : 0.1.1 Vendor: CentOS
Release : 10.el6 Build Date: Sun 22 Aug 2010
05:04:04 PM EDT
Install Date: Sun 24 Feb 2013 10:36:04 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Languages Source RPM: notify-python-
0.1.1-10.el6.src.rpm
Size : 61829 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:47:39 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : Python bindings for libnotify
Description :
Python bindings for libnotify

Name : perl-ExtUtils-Embed Relocations: (not relocatable)
Version : 1.28 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:46 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Languages Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size : 17130 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 05:59:51 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Utilities for embedding Perl in C/C++ applications
Description :
Utilities for embedding Perl in C/C++ applications.

Name : libvorbis Relocations: (not relocatable)
Version : 1.2.3 Vendor: CentOS

Release : 4.el6 Build Date: Tue 17 Aug 2010
08:52:48 AM EDT
Install Date: Sun 24 Feb 2013 10:33:45 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libvorbis-1.2.3-
4.el6.src.rpm
Size : 2157960 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:40:59 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.xiph.org/>
Summary : The Vorbis General Audio Compression Codec.
Description :
Ogg Vorbis is a fully open, non-proprietary, patent- and royalty-free,
general-purpose compressed audio format for audio and music at fixed
and variable bitrates from 16 to 128 kbps/channel.

The libvorbis package contains runtime libraries for use in programs
that support Ogg Vorbis.

Name : libreport-python Relocations: (not relocatable)
Version : 2.0.5 Vendor: CentOS
Release : 20.el6 Build Date: Wed 07 Dec 2011
07:15:10 PM EST
Install Date: Sun 24 Feb 2013 10:36:04 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libreport-2.0.5-
20.el6.src.rpm
Size : 40154 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:23:02 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : Python bindings for report-libs
Description :
Python bindings for report-libs.

Name : perl-Time-Piece Relocations: (not relocatable)
Version : 1.15 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:46 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size : 51663 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 06:00:04 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Time objects from localtime and gmtime
Description :
The Time::Piece module replaces the standard localtime and gmtime
functions

with implementations that return objects. It does so in a backwards compatible manner, so that using localtime or gmtime as documented in perlfunc still behave as expected.

Name : gmp Relocations: (not relocatable)
Version : 4.3.1 Vendor: CentOS
Release : 7.el6 Build Date: Thu 11 Nov 2010
05:32:17 AM EST
Install Date: Sun 24 Feb 2013 10:33:46 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: gmp-4.3.1-
7.el6.src.rpm
Size : 667867 License: LGPLv2+ and
GPLv3+ and LGPLv3+
Signature : RSA/8, Sun 03 Jul 2011 12:17:38 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gmplib.org/>
Summary : A GNU arbitrary precision library
Description :
The gmp package contains GNU MP, a library for arbitrary precision arithmetic, signed integers operations, rational numbers and floating point numbers. GNU MP is designed for speed, for both small and very large operands. GNU MP is fast because it uses fullwords as the basic arithmetic type, it uses fast algorithms, it carefully optimizes assembly code for many CPUs' most common inner loops, and it generally emphasizes speed over simplicity/elegance in its operations.

Install the gmp package if you need a fast arbitrary precision library.

Name : libreport-plugin-mailx Relocations: (not relocatable)
Version : 2.0.5 Vendor: CentOS
Release : 20.el6 Build Date: Wed 07 Dec 2011
07:15:10 PM EST
Install Date: Sun 24 Feb 2013 10:36:05 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libreport-2.0.5-
20.el6.src.rpm
Size : 29113 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:23:05 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : libreport's mailx reporter plugin
Description :
The simple reporter plugin which sends a report via mailx to a specified email address.

Name : perl-HTML-Tagset Relocations: (not relocatable)
Version : 3.20 Vendor: CentOS
Release : 4.el6 Build Date: Thu 19 Aug 2010
07:43:57 PM EDT

Install Date: Sun 24 Feb 2013 10:34:46 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-HTML-Tagset-
3.20-4.el6.src.rpm
Size : 19692 License: GPL+ or Artistic
Signature : RSA/8, Sun 03 Jul 2011 12:37:58 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://search.cpan.org/dist/HTML-Tagset/>
Summary : HTML::Tagset - data tables useful in parsing HTML
Description :
This module contains several data tables useful in various kinds of
HTML parsing operations, such as tag and entity names.

Name : libgcrypt Relocations: (not relocatable)
Version : 1.4.5 Vendor: CentOS
Release : 9.el6 Build Date: Wed 07 Dec 2011
02:16:24 PM EST

Install Date: Sun 24 Feb 2013 10:33:47 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libgcrypt-1.4.5-
9.el6.src.rpm
Size : 536622 License: LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:17:25 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnupg.org/>
Summary : A general-purpose cryptography library
Description :
Libgcrypt is a general purpose crypto library based on the code used
in GNU Privacy Guard. This is a development version.

Name : libreport-plugin-kerneloops Relocations: (not relocatable)
Version : 2.0.5 Vendor: CentOS
Release : 20.el6 Build Date: Wed 07 Dec 2011
07:15:10 PM EST

Install Date: Sun 24 Feb 2013 10:36:06 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libreport-2.0.5-
20.el6.src.rpm
Size : 18087 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:23:12 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : libreport's kerneloops reporter plugin
Description :
This package contains plugin which sends kernel crash information to
specified
server, usually to kerneloops.org.

Name : perl-libxml-perl Relocations: (not relocatable)
Version : 0.08 Vendor: CentOS

Release : 10.el6 Build Date: Thu 19 Aug 2010
07:30:34 PM EDT
Install Date: Sun 24 Feb 2013 10:34:46 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-libxml-perl-
0.08-10.el6.src.rpm
Size : 183536 License: GPL+ or Artistic
Signature : RSA/8, Sun 03 Jul 2011 12:38:10 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://search.cpan.org/dist/libxml-perl/>
Summary : A collection of Perl modules for working with XML
Description :
libxml-perl is a collection of smaller Perl modules, scripts, and
documents for working with XML in Perl. libxml-perl software works in
combination with XML::Parser, PerlSAX, XML::DOM, XML::Grove and
others.

Name : pixman Relocations: (not relocatable)
Version : 0.18.4 Vendor: CentOS
Release : 1.el6_0.1 Build Date: Fri 24 Jun 2011
11:46:22 PM EDT
Install Date: Sun 24 Feb 2013 10:33:47 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: pixman-0.18.4-
1.el6_0.1.src.rpm
Size : 397992 License: MIT
Signature : RSA/8, Tue 05 Jul 2011 09:44:55 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://cgit.freedesktop.org/pixman/>
Summary : Pixel manipulation library
Description :
Pixman is a pixel manipulation library for X and cairo.

Name : pytz Relocations: (not relocatable)
Version : 2010h Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010
06:42:42 PM EST
Install Date: Sun 24 Feb 2013 10:36:06 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Languages Source RPM: pytz-2010h-
2.el6.src.rpm
Size : 131318 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:43:49 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://pytz.sourceforge.net/>
Summary : World Timezone Definitions for Python
Description :
pytz brings the Olson tz database into Python. This library allows
accurate
and cross platform timezone calculations using Python 2.3 or higher. It
also solves the issue of ambiguous times at the end of daylight savings,

which you can read more about in the Python Library Reference
(datetime.tzinfo).

Almost all (over 540) of the Olson timezones are supported.

```
Name           : tmpwatch           Relocations: (not relocatable)
Version        : 2.9.16             Vendor: CentOS
Release       : 4.el6               Build Date: Fri 23 Sep 2011
12:34:17 PM EDT
Install Date: Sun 24 Feb 2013 10:34:47 PM EST   Build Host:
c6b18n1.dev.centos.org
Group         : System Environment/Base        Source RPM: tmpwatch-2.9.16-
4.el6.src.rpm
Size          : 41144                  License: GPLv2
Signature     : RSA/SHA1, Mon 26 Sep 2011 12:25:54 AM EDT, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           : https://fedorahosted.org/tmpwatch/
Summary       : A utility for removing files based on when they were last
accessed
Description   :
The tmpwatch utility recursively searches through specified
directories and removes files which have not been accessed in a
specified period of time. Tmpwatch is normally used to clean up
directories which are used for temporarily holding files (for example,
/tmp). Tmpwatch ignores symlinks, won't switch filesystems and only
removes empty directories and regular files.
```

```
Name           : apr-util           Relocations: (not relocatable)
Version        : 1.3.9             Vendor: CentOS
Release       : 3.el6_0.1          Build Date: Sat 25 Jun 2011
12:38:40 AM EDT
Install Date: Sun 24 Feb 2013 10:33:48 PM EST   Build Host:
c6b5.bsyzs.dev.centos.org
Group         : System Environment/Libraries    Source RPM: apr-util-1.3.9-
3.el6_0.1.src.rpm
Size          : 202360                License: ASL 2.0
Signature     : RSA/8, Tue 05 Jul 2011 09:37:03 PM EDT, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           : http://apr.apache.org/
Summary       : Apache Portable Runtime Utility library
Description   :
The mission of the Apache Portable Runtime (APR) is to provide a
free library of C data structures and routines. This library
contains additional utility interfaces for APR; including support
for XML, LDAP, database interfaces, URI parsing and more.
```

```
Name           : python-pycurl       Relocations: (not relocatable)
Version        : 7.19.0             Vendor: CentOS
Release       : 8.el6               Build Date: Sat 25 Jun 2011
04:30:00 AM EDT
Install Date: Sun 24 Feb 2013 10:36:07 PM EST   Build Host:
c6b5.bsyzs.dev.centos.org
```

Group : Development/Languages Source RPM: python-pycurl-7.19.0-8.el6.src.rpm
Size : 236939 License: LGPLv2+ or MIT
Signature : RSA/8, Tue 05 Jul 2011 09:45:29 PM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://pycurl.sourceforge.net/>
Summary : A Python interface to libcurl
Description :
PycURL is a Python interface to libcurl. PycURL can be used to fetch objects identified by a URL from a Python program, similar to the urllib Python module. PycURL is mature, very fast, and supports a lot of features.

Name : libXxf86dga Relocations: (not relocatable)
Version : 1.1.1 Vendor: CentOS
Release : 1.el6 Build Date: Mon 16 Aug 2010 08:52:35 PM EDT
Install Date: Sun 24 Feb 2013 10:34:48 PM EST Build Host: c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXxf86dga-1.1.1-1.el6.src.rpm
Size : 38248 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:42:51 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXxf86dga runtime library
Description :
X.Org X11 libXxf86dga runtime library

Name : libcap-ng Relocations: (not relocatable)
Version : 0.6.4 Vendor: CentOS
Release : 3.el6_0.1 Build Date: Fri 24 Jun 2011 11:49:32 PM EDT
Install Date: Sun 24 Feb 2013 10:33:49 PM EST Build Host: c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libcap-ng-0.6.4-3.el6_0.1.src.rpm
Size : 45214 License: LGPLv2+
Signature : RSA/8, Tue 05 Jul 2011 09:40:43 PM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://people.redhat.com/sgrubb/libcap-ng>
Summary : An alternate posix capabilities library
Description :
Libcap-ng is a library that makes using posix capabilities easier

Name : pykickstart Relocations: (not relocatable)
Version : 1.74.6 Vendor: CentOS
Release : 1.el6 Build Date: Wed 07 Dec 2011 12:28:19 PM EST
Install Date: Sun 24 Feb 2013 10:36:09 PM EST Build Host: c6b4.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM: pykickstart-1.74.6-1.el6.src.rpm
Size : 1266969 License: GPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 03:59:04 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedoraproject.org/wiki/pykickstart>
Summary : A python library for manipulating kickstart files
Description :
The pykickstart package is a python library for manipulating kickstart files.

Name : crash Relocations: (not relocatable)
Version : 5.1.8 Vendor: CentOS
Release : 1.el6 Build Date: Wed 07 Dec 2011 04:03:31 PM EST
Install Date: Sun 24 Feb 2013 10:34:49 PM EST Build Host: c6b18n2.bsyzs.dev.centos.org
Group : Development/Debuggers Source RPM: crash-5.1.8-1.el6.src.rpm
Size : 5862419 License: GPLv3
Signature : RSA/SHA1, Thu 08 Dec 2011 02:51:07 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://people.redhat.com/anderson>
Summary : Kernel crash and live system analysis utility
Description :
The core analysis suite is a self-contained tool that can be used to investigate either live systems, kernel core dumps created from the netdump, diskdump and kdump packages from Red Hat Linux, the mcore kernel patch offered by Mission Critical Linux, or the LKCD kernel patch.

Name : libxcb Relocations: (not relocatable)
Version : 1.5 Vendor: CentOS
Release : 1.el6 Build Date: Sat 21 Aug 2010 06:28:14 AM EDT
Install Date: Sun 24 Feb 2013 10:33:50 PM EST Build Host: c6b1.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: libxcb-1.5-1.el6.src.rpm
Size : 478656 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:41:32 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://xcb.freedesktop.org/>
Summary : A C binding to the X11 protocol
Description :
The X protocol C-language Binding (XCB) is a replacement for Xlib featuring a small footprint, latency hiding, direct access to the protocol, improved threading support, and extensibility.

Name : PackageKit-yum-plugin Relocations: (not relocatable)

Version : 0.5.8 Vendor: CentOS
Release : 19.el6.centos Build Date: Fri 02 Dec 2011
05:27:06 AM EST
Install Date: Sun 24 Feb 2013 10:36:09 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Base Source RPM: PackageKit-0.5.8-
19.el6.centos.src.rpm
Size : 227036 License: GPLv2+
Signature : RSA/SHA1, Fri 02 Dec 2011 07:22:43 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.packagekit.org>
Summary : Tell PackageKit to check for updates when yum exits
Description :
PackageKit-yum-plugin tells PackageKit to check for updates when yum
exits.
This way, if you run 'yum update' and install all available updates,
puplet
will almost instantly update itself to reflect this.

Name : libcanberra Relocations: (not relocatable)
Version : 0.22 Vendor: CentOS
Release : 1.el6.centos Build Date: Fri 02 Dec 2011
04:56:08 AM EST
Install Date: Sun 24 Feb 2013 10:34:49 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libcanberra-
0.22-1.el6.centos.src.rpm
Size : 179160 License: LGPLv2+
Signature : RSA/SHA1, Fri 02 Dec 2011 07:46:09 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://git.0pointer.de/?p=libcanberra.git;a=summary>
Summary : Portable Sound Event Library
Description :
A small and lightweight implementation of the XDG Sound Theme
Specification
(<http://0pointer.de/public/sound-theme-spec.html>).

Name : libXi Relocations: (not relocatable)
Version : 1.3 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
08:38:49 PM EST
Install Date: Sun 24 Feb 2013 10:33:51 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXi-1.3-
3.el6.src.rpm
Size : 64154 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:42:01 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXi runtime library
Description :

X.Org X11 libXi runtime library

Name : anaconda-yum-plugins Relocations: (not relocatable)
Version : 1.0 Vendor: CentOS
Release : 5.1.el6 Build Date: Wed 18 Aug 2010
04:34:54 PM EDT
Install Date: Sun 24 Feb 2013 10:36:10 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : Applications/System Source RPM: anaconda-yum-
plugins-1.0-5.1.el6.src.rpm
Size : 21843 License: GPLv2+
Signature : RSA/8, Sat 02 Jul 2011 11:59:41 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedoraproject.org/wiki/Anaconda>
Summary : Installation-related yum plugins
Description :
The anaconda yum-plugins package contains yum plugins that are useful for
anaconda and other system installation-related programs.

Name : MAKEDEV Relocations: (not relocatable)
Version : 3.24 Vendor: CentOS
Release : 6.el6 Build Date: Wed 10 Nov 2010
04:37:37 PM EST
Install Date: Sun 24 Feb 2013 10:34:51 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Base Source RPM: MAKEDEV-3.24-
6.el6.src.rpm
Size : 227290 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:44:39 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.lanana.org/docs/device-list/>
Summary : A program used for creating device files in /dev
Description :
This package contains the MAKEDEV program, which makes it easier to
create
and maintain the files in the /dev directory. /dev directory files
correspond to a particular device supported by Linux (serial or printer
ports, scanners, sound cards, tape drives, CD-ROM drives, hard drives,
etc.) and interface with the drivers in the kernel.

You should install the MAKEDEV package because the MAKEDEV utility makes
it easy to manage the /dev directory device files.

Name : libXt Relocations: (not relocatable)
Version : 1.0.7 Vendor: CentOS
Release : 1.el6 Build Date: Mon 16 Aug 2010
05:52:12 PM EDT
Install Date: Sun 24 Feb 2013 10:33:51 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXt-1.0.7-
1.el6.src.rpm
Size : 441748 License: MIT

Signature : RSA/8, Sun 03 Jul 2011 12:42:40 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXt runtime library
Description :
X.Org X11 libXt runtime library

Name : libproxy-bin Relocations: (not relocatable)
Version : 0.3.0 Vendor: CentOS
Release : 2.el6 Build Date: Fri 12 Nov 2010
04:58:34 AM EST
Install Date: Sun 24 Feb 2013 10:36:11 PM EST Build Host:
c5b2.bsys.dev.centos.org
Group : Applications/System Source RPM: libproxy-0.3.0-
2.el6.src.rpm
Size : 6800 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:38:02 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/libproxy/>
Summary : Binary to test libproxy
Description :
The libproxy-bin package contains the proxy binary for libproxy

Name : polkit Relocations: (not relocatable)
Version : 0.96 Vendor: CentOS
Release : 2.el6_0.1 Build Date: Sat 25 Jun 2011
08:49:09 AM EDT
Install Date: Sun 24 Feb 2013 10:34:52 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: polkit-0.96-
2.el6_0.1.src.rpm
Size : 615283 License: LGPLv2+
Signature : RSA/8, Tue 05 Jul 2011 09:44:59 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/wiki/Software/PolicyKit>
Summary : PolicyKit Authorization Framework
Description :
PolicyKit is a toolkit for defining and handling authorizations.
It is used for allowing unprivileged processes to speak to privileged
processes.

Name : libXv Relocations: (not relocatable)
Version : 1.0.5 Vendor: CentOS
Release : 1.el6 Build Date: Mon 16 Aug 2010
05:46:32 PM EDT
Install Date: Sun 24 Feb 2013 10:33:51 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXv-1.0.5-
1.el6.src.rpm
Size : 36639 License: MIT

Signature : RSA/8, Sun 03 Jul 2011 12:42:45 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXv runtime library
Description :
X.Org X11 libXv runtime library

Name : libgweather Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 4.el6 Build Date: Thu 11 Nov 2010
10:24:47 PM EST
Install Date: Sun 24 Feb 2013 10:36:12 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libgweather-
2.28.0-4.el6.src.rpm
Size : 18160125 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:35:15 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : A library for weather information
Description :
libgweather is a library to access weather information from online
services for numerous locations.

Name : libcroco Relocations: (not relocatable)
Version : 0.6.2 Vendor: CentOS
Release : 5.el6 Build Date: Sat 21 Aug 2010
12:15:00 AM EDT
Install Date: Sun 24 Feb 2013 10:34:52 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libcroco-0.6.2-
5.el6.src.rpm
Size : 322816 License: LGPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:32:46 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : A CSS2 parsing library
Description :
CSS2 parsing and manipulation library for GNOME

Name : dbus-x11 Relocations: (not relocatable)
Version : 1.2.24 Vendor: CentOS
Release : 5.el6_1 Build Date: Fri 23 Sep 2011
11:48:08 AM EDT
Install Date: Sun 24 Feb 2013 10:33:51 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: dbus-1.2.24-
5.el6_1.src.rpm
Size : 28915 License: GPLv2+ or AFL
Signature : RSA/SHA1, Mon 26 Sep 2011 12:17:34 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.freedesktop.org/software/dbus/>
Summary : X11-requiring add-ons for D-BUS
Description :
D-BUS contains some tools that require Xlib to be installed, those are in this separate package so server systems need not install X.

Name : python-nose Relocations: (not relocatable)
Version : 0.10.4 Vendor: CentOS
Release : 3.1.el6 Build Date: Wed 18 Aug 2010
09:52:11 PM EDT
Install Date: Sun 24 Feb 2013 10:36:17 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Development/Languages Source RPM: python-nose-
0.10.4-3.1.el6.src.rpm
Size : 924670 License: LGPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:42:53 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://somethingaboutorange.com/mrl/projects/nose/>
Summary : A discovery-based unittest extension for Python
Description :
nose: a discovery-based unittest extension.

nose provides an alternate test discovery and running process for unittest, one that is intended to mimic the behavior of py.test as much as is reasonably possible without resorting to too much magic.

Name : m17n-contrib-bengali Relocations: (not relocatable)
Version : 1.1.10 Vendor: CentOS
Release : 4.el6_1.1 Build Date: Fri 23 Sep 2011
06:12:49 AM EDT
Install Date: Sun 24 Feb 2013 10:34:52 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-contrib-
1.1.10-4.el6_1.1.src.rpm
Size : 9220 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:32 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : Contributed input maps for Bengali
Description :
This package provides contributed multilingualization (m17n) input maps for Bengali.

Name : shared-mime-info Relocations: (not relocatable)
Version : 0.70 Vendor: CentOS
Release : 4.el6 Build Date: Thu 11 Nov 2010
12:06:52 PM EST
Install Date: Sun 24 Feb 2013 10:33:52 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Base Source RPM: shared-mime-info-
0.70-4.el6.src.rpm

Size : 1411492 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:02:02 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://freedesktop.org/Software/shared-mime-info>
Summary : Shared MIME information database
Description :
This is the freedesktop.org shared MIME info database.

Many programs and desktops use the MIME system to represent the types of files. Frequently, it is necessary to work out the correct MIME type for a file. This is generally done by examining the file's name or contents, and looking up the correct MIME type in a database.

Name : SDL Relocations: (not relocatable)
Version : 1.2.14 Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010
10:20:47 PM EST
Install Date: Sun 24 Feb 2013 10:36:21 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: SDL-1.2.14-
2.el6.src.rpm
Size : 480296 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:01:43 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.libsdl.org/>
Summary : A cross-platform multimedia library
Description :
Simple DirectMedia Layer (SDL) is a cross-platform multimedia library designed to provide fast access to the graphics frame buffer and audio device.

Name : m17n-contrib-assamese Relocations: (not relocatable)
Version : 1.1.10 Vendor: CentOS
Release : 4.el6_1.1 Build Date: Fri 23 Sep 2011
06:12:49 AM EDT
Install Date: Sun 24 Feb 2013 10:34:52 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-contrib-
1.1.10-4.el6_1.1.src.rpm
Size : 12605 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:31 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : Contributed input maps for Assamese
Description :
This package provides contributed multilingualization (m17n) input maps for Assamese.

Name : bzip2 Relocations: (not relocatable)
Version : 1.0.5 Vendor: CentOS

Release : 7.el6_0 Build Date: Fri 24 Jun 2011
09:45:55 PM EDT
Install Date: Sun 24 Feb 2013 10:33:53 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Applications/File Source RPM: bzip2-1.0.5-
7.el6_0.src.rpm
Size : 79087 License: BSD
Signature : RSA/8, Tue 05 Jul 2011 09:37:17 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.bzip.org/>
Summary : A file compression utility
Description :
Bzip2 is a freely available, patent-free, high quality data compressor.
Bzip2 compresses files to within 10 to 15 percent of the capabilities
of the best techniques available. However, bzip2 has the added benefit
of being approximately two times faster at compression and six times
faster at decompression than those techniques. Bzip2 is not the
fastest compression utility, but it does strike a balance between speed
and compression capability.

Install bzip2 if you need a compression utility.

Name : khmeros-fonts-common Relocations: (not relocatable)
Version : 5.0 Vendor: CentOS
Release : 9.el6 Build Date: Wed 25 Aug 2010
05:18:48 PM EDT
Install Date: Sun 24 Feb 2013 10:36:22 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : User Interface/X Source RPM: khmeros-fonts-
5.0-9.el6.src.rpm
Size : 0 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:21:20 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.khmeros.info/drupal/?q=en/download/fonts>
Summary : Common files of khmeros-fonts
Description :

The Khmer OS fonts include Khmer and Latin alphabets, and they have
equivalent
sizes for Khmer and English alphabets, so that when texts mix both it is
not
necessary to have different point sizes for the text in each language.

They were created by Danh Hong of the Cambodian Open Institute.

This package consists of files used by other khmeros-fonts packages.

Name : m17n-contrib-kannada Relocations: (not relocatable)
Version : 1.1.10 Vendor: CentOS
Release : 4.el6_1.1 Build Date: Fri 23 Sep 2011
06:12:49 AM EDT

Install Date: Sun 24 Feb 2013 10:34:52 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ml7n-contrib-
1.1.10-4.el6_1.1.src.rpm
Size : 9535 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:36 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.ml7n.org/ml7n-lib/index.html>
Summary : Contributed input maps for Kannada
Description :
This package provides contributed multilingualization (ml7n) input maps
for Kannada.

Name : xmlrpc-c Relocations: (not relocatable)
Version : 1.16.24 Vendor: CentOS
Release : 1200.1840.el6_1.4 Build Date: Fri 23 Sep 2011
03:45:03 PM EDT
Install Date: Sun 24 Feb 2013 10:33:53 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: xmlrpc-c-
1.16.24-1200.1840.el6_1.4.src.rpm
Size : 269113 License: BSD and MIT
Signature : RSA/SHA1, Mon 26 Sep 2011 12:26:15 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://xmlrpc-c.sourceforge.net/>
Summary : A lightweight RPC library based on XML and HTTP
Description :
XML-RPC is a quick-and-easy way to make procedure calls over the
Internet. It converts the procedure call into XML document, sends it
to a remote server using HTTP, and gets back the response as XML.

This library provides a modular implementation of XML-RPC for C.

Name : dmz-cursor-themes Relocations: (not relocatable)
Version : 0.4 Vendor: CentOS
Release : 4.el6 Build Date: Wed 10 Nov 2010
11:29:46 PM EST
Install Date: Sun 24 Feb 2013 10:36:22 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: dmz-cursor-
themes-0.4-4.el6.src.rpm
Size : 6526975 License: CC-BY-SA
Signature : RSA/8, Sun 03 Jul 2011 12:04:45 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://jimmac.musichall.cz/themes.php?skin=7>
Summary : X cursors themes
Description :
An X cursors theme by Jakub Steiner used by OpenSUSE.

Name : ml7n-contrib-hindi Relocations: (not relocatable)
Version : 1.1.10 Vendor: CentOS

Release : 4.el6_1.1 Build Date: Fri 23 Sep 2011
06:12:49 AM EDT
Install Date: Sun 24 Feb 2013 10:34:53 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ml7n-contrib-
1.1.10-4.el6_1.1.src.rpm
Size : 15817 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:35 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.ml7n.org/ml7n-lib/index.html>
Summary : Contributed input maps for Hindi
Description :
This package provides contributed multilingualization (ml7n) input maps
for Hindi.

Name : libgfortran Relocations: (not relocatable)
Version : 4.4.6 Vendor: CentOS
Release : 3.el6 Build Date: Tue 06 Dec 2011
01:43:45 PM EST
Install Date: Sun 24 Feb 2013 10:33:54 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: gcc-4.4.6-
3.el6.src.rpm
Size : 988064 License: GPLv3+ and GPLv3+
with exceptions and GPLv2+ with exceptions
Signature : RSA/SHA1, Thu 08 Dec 2011 03:02:18 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gcc.gnu.org>
Summary : Fortran runtime
Description :
This package contains Fortran shared library which is needed to run
Fortran dynamically linked programs.

Name : poppler-utils Relocations: (not relocatable)
Version : 0.12.4 Vendor: CentOS
Release : 3.el6_0.1 Build Date: Fri 24 Jun 2011
09:17:31 PM EDT
Install Date: Sun 24 Feb 2013 10:36:25 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/Text Source RPM: poppler-0.12.4-
3.el6_0.1.src.rpm
Size : 193170 License: GPLv2
Signature : RSA/8, Tue 05 Jul 2011 09:45:04 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://poppler.freedesktop.org/>
Summary : Command line utilities for converting PDF files
Description :
Poppler, a PDF rendering library, is a fork of the xpdf PDF
viewer developed by Derek Noonburg of Glyph and Cog, LLC.

This utils package installs a number of command line tools for

converting PDF files to a number of other formats.

Name : ml7n-contrib-malayalam Relocations: (not relocatable)
Version : 1.1.10 Vendor: CentOS
Release : 4.el6_1.1 Build Date: Fri 23 Sep 2011
06:12:49 AM EDT
Install Date: Sun 24 Feb 2013 10:34:53 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ml7n-contrib-
1.1.10-4.el6_1.1.src.rpm
Size : 64575 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:38 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.ml7n.org/ml7n-lib/index.html>
Summary : Contributed input maps for Malayalam
Description :
This package provides contributed multilingualization (ml7n) input maps
for Malayalam.

Name : gdbm Relocations: (not relocatable)
Version : 1.8.0 Vendor: CentOS
Release : 36.el6 Build Date: Thu 11 Nov 2010
03:21:31 AM EST
Install Date: Sun 24 Feb 2013 10:33:54 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: gdbm-1.8.0-
36.el6.src.rpm
Size : 48586 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:16:05 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/gdbm/>
Summary : A GNU set of database routines which use extensible hashing
Description :
Gdbm is a GNU database indexing library, including routines which use
extensible hashing. Gdbm works in a similar way to standard UNIX dbm
routines. Gdbm is useful for developers who write C applications and
need access to a simple and efficient database or who are building C
applications which will use such a database.

If you're a C developer and your programs need access to simple
database routines, you should install gdbm. You'll also need to
install gdbm-devel.

Name : regexp Relocations: (not relocatable)
Version : 1.5 Vendor: CentOS
Release : 4.4.el6 Build Date: Fri 20 Aug 2010
10:53:38 PM EDT
Install Date: Sun 24 Feb 2013 10:36:33 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Development/Libraries/Java Source RPM: regexp-1.5-
4.4.el6.src.rpm
Size : 253985 License: ASL 2.0

Signature : RSA/8, Sun 03 Jul 2011 01:00:18 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://jakarta.apache.org/regexp/>
Summary : Simple regular expressions API
Description :
Regexp is a 100% Pure Java Regular Expression package that was
graciously donated to the Apache Software Foundation by Jonathan Locke.
He originally wrote this software back in 1996 and it has stood up quite
well to the test of time.
It includes complete Javadoc documentation as well as a simple Applet
for visual debugging and testing suite for compatibility.

Name : m17n-contrib-sinhala Relocations: (not relocatable)
Version : 1.1.10 Vendor: CentOS
Release : 4.el6_1.1 Build Date: Fri 23 Sep 2011
06:12:49 AM EDT
Install Date: Sun 24 Feb 2013 10:34:53 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-contrib-
1.1.10-4.el6_1.1.src.rpm
Size : 18588 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:43 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : Contributed input maps for Sinhala
Description :
This package provides contributed multilingualization (m17n) input maps
for Sinhala.

Name : perl-Module-Pluggable Relocations: (not relocatable)
Version : 3.90 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:33:54 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size : 31031 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 05:58:46 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Automatically give your module the ability to have plugins
Description :
Provides a simple but, hopefully, extensible way of having 'plugins' for
your module.

Name : mx4j Relocations: (not relocatable)
Version : 3.0.1 Vendor: CentOS
Release : 9.13.el6 Build Date: Sat 21 Aug 2010
12:46:57 PM EDT

Install Date: Sun 24 Feb 2013 10:36:37 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: mx4j-3.0.1-
9.13.el6.src.rpm
Size : 1777643 License: ASL 1.1
Signature : RSA/8, Sun 03 Jul 2011 12:30:44 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://mx4j.sourceforge.net/>
Summary : Open source implementation of JMX Java API
Description :
OpenJMX is an open source implementation of the
Java(TM) Management Extensions (JMX).

Name : openldap Relocations: (not relocatable)
Version : 2.4.23 Vendor: CentOS
Release : 20.el6 Build Date: Wed 07 Dec 2011
04:48:38 PM EST
Install Date: Sun 24 Feb 2013 10:34:54 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: openldap-2.4.23-
20.el6.src.rpm
Size : 779076 License: OpenLDAP
Signature : RSA/SHA1, Thu 08 Dec 2011 03:46:57 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.openldap.org/>
Summary : LDAP support libraries
Description :
OpenLDAP is an open source suite of LDAP (Lightweight Directory Access
Protocol) applications and development tools. LDAP is a set of
protocols for accessing directory services (usually phone book style
information, but other information is possible) over the Internet,
similar to the way DNS (Domain Name System) information is propagated
over the Internet. The openldap package contains configuration files,
libraries, and documentation for OpenLDAP.

Name : perl-Params-Check Relocations: (not relocatable)
Version : 0.26 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:33:59 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size : 25639 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 05:59:09 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Generic input parsing/checking mechanism
Description :
Params::Check is a generic input parsing/checking mechanism.

Name : compat-glibc-headers Relocations: (not relocatable)
Version : 2.5 Vendor: CentOS
Release : 46.2 Build Date: Wed 10 Nov 2010
10:40:36 PM EST
Install Date: Sun 24 Feb 2013 10:36:41 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Development/Libraries Source RPM: compat-glibc-2.5-
46.2.src.rpm
Size : 2036507 License: LGPLv2+ and
LGPLv2+ with exceptions and GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:07:35 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : Header files for development using standard C libraries.
Description :
The compat-glibc-headers package contains the header files from
Red Hat Enterprise Linux 5.

Name : xmlrpc-c-client Relocations: (not relocatable)
Version : 1.16.24 Vendor: CentOS
Release : 1200.1840.el6_1.4 Build Date: Fri 23 Sep 2011
03:45:03 PM EDT
Install Date: Sun 24 Feb 2013 10:34:55 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: xmlrpc-c-
1.16.24-1200.1840.el6_1.4.src.rpm
Size : 44336 License: BSD and MIT
Signature : RSA/SHA1, Mon 26 Sep 2011 12:26:17 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://xmlrpc-c.sourceforge.net/>
Summary : C client libraries for xmlrpc-c
Description :
XML-RPC is a quick-and-easy way to make procedure calls over the
Internet. It converts the procedure call into XML document, sends it
to a remote server using HTTP, and gets back the response as XML.

This library provides a modular implementation of XML-RPC for C
clients.

Name : perl-ExtUtils-ParseXS Relocations: (not relocatable)
Version : 2.2003.0 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:00 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size : 62206 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 05:59:16 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Module and a script for converting Perl XS code into C code

Description :

ExtUtils::ParseXS will compile XS code into C code by embedding the constructs necessary to let C functions manipulate Perl values and creates the glue necessary to let Perl access those functions.

Name : iputils Relocations: (not relocatable)
Version : 20071127 Vendor: CentOS
Release : 16.el6 Build Date: Tue 19 Jul 2011
02:57:17 AM EDT
Install Date: Sun 24 Feb 2013 10:36:42 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: iputils-20071127-
16.el6.src.rpm
Size : 299349 License: BSD with
advertising and GPLv2+ and Rdisc
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:31 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.skbuff.net/iputils>
Summary : Network monitoring tools including ping
Description :
The iputils package contains basic utilities for monitoring a network,
including ping. The ping command sends a series of ICMP protocol
ECHO_REQUEST packets to a specified network host to discover whether
the target machine is alive and receiving network traffic.

Name : passwd Relocations: (not relocatable)
Version : 0.77 Vendor: CentOS
Release : 4.el6 Build Date: Sat 21 Aug 2010
11:02:14 PM EDT
Install Date: Sun 24 Feb 2013 10:34:56 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Base Source RPM: passwd-0.77-
4.el6.src.rpm
Size : 352186 License: BSD or GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:54:07 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/passwd>
Summary : An utility for setting or changing passwords using PAM
Description :
This package contains a system utility (passwd) which sets
or changes passwords, using PAM (Pluggable Authentication
Modules) library.

Name : perl-Log-Message Relocations: (not relocatable)
Version : 0.02 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:00 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size : 42567 License: GPL+ or Artistic

Signature : RSA/SHA1, Tue 15 Nov 2011 05:58:56 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Generic message storage mechanism
Description :
Log::Message is a generic message storage mechanism. It allows you to
store messages on a stack -- either shared or private -- and assign meta-
data
to it. Some meta-data will automatically be added for you, like a
timestamp
and a stack trace, but some can be filled in by the user, like a tag by
which to identify it or group it, and a level at which to handle the
message (for example, log it, or die with it).

Name : usermode Relocations: (not relocatable)
Version : 1.102 Vendor: CentOS
Release : 3.el6 Build Date: Sun 22 Aug 2010
03:00:06 PM EDT
Install Date: Sun 24 Feb 2013 10:36:46 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/System Source RPM: usermode-1.102-
3.el6.src.rpm
Size : 798347 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:04:37 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/usermode/>
Summary : Tools for certain user account management tasks
Description :
The usermode package contains the userhelper program, which can be
used to allow configured programs to be run with superuser privileges
by ordinary users.

Name : tcp_wrappers Relocations: (not relocatable)
Version : 7.6 Vendor: CentOS
Release : 57.el6 Build Date: Wed 07 Dec 2011
12:45:47 PM EST
Install Date: Sun 24 Feb 2013 10:34:56 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: tcp_wrappers-7.6-
57.el6.src.rpm
Size : 149750 License: BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 04:20:05 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.porcupine.org/pub/security/index.html>
Summary : A security tool which acts as a wrapper for TCP daemons
Description :
The tcp_wrappers package provides small daemon programs which can
monitor and filter incoming requests for systat, finger, FTP, telnet,
rlogin, rsh, exec, tftp, talk and other network services.

Install the tcp_wrappers program if you need a security tool for

filtering incoming network services requests.

This version also supports IPv6.

Name : perl-IO-Compress-Base Relocations: (not relocatable)
Version : 2.020 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:00 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size : 137453 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 05:59:46 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Base Class for IO::Compress modules
Description :
This module is the base class for all IO::Compress and IO::Uncompress
modules. This module is not intended for direct use in application
code. Its sole purpose is to to be sub-classed by IO::Compress
modules.

Name : device-mapper-event-libs Relocations: (not relocatable)
Version : 1.02.66 Vendor: CentOS
Release : 6.el6 Build Date: Wed 07 Dec 2011
05:49:14 PM EST
Install Date: Sun 24 Feb 2013 10:36:48 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: lvm2-2.02.87-
6.el6.src.rpm
Size : 20224 License: LGPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 03:29:00 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sources.redhat.com/lvm2>
Summary : Device-mapper event daemon shared library
Description :
This package contains the device-mapper event daemon shared library,
libdevmapper-event.

Name : db4-utils Relocations: (not relocatable)
Version : 4.7.25 Vendor: CentOS
Release : 16.el6 Build Date: Fri 12 Nov 2010
08:46:13 AM EST
Install Date: Sun 24 Feb 2013 10:34:57 PM EST Build Host:
c5b2.bsys.dev.centos.org
Group : Applications/Databases Source RPM: db4-4.7.25-
16.el6.src.rpm
Size : 415206 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:09:26 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.oracle.com/database/berkeley-db/>
Summary : Command line tools for managing Berkeley DB (version 4) databases

Description :

The Berkeley Database (Berkeley DB) is a programmatic toolkit that provides embedded database support for both traditional and client/server applications. Berkeley DB includes B+tree, Extended Linear Hashing, Fixed and Variable-length record access methods, transactions, locking, logging, shared memory caching, and database recovery. DB supports C, C++, Java and Perl APIs.

Name : iproute Relocations: (not relocatable)
Version : 2.6.32 Vendor: CentOS
Release : 17.el6 Build Date: Wed 07 Dec 2011 02:08:16 PM EST

Install Date: Sun 24 Feb 2013 10:34:00 PM EST Build Host: c6b4.bsys.dev.centos.org

Group : Applications/System Source RPM: iproute-2.6.32-17.el6.src.rpm

Size : 866723 License: GPLv2+ and Public Domain

Signature : RSA/SHA1, Thu 08 Dec 2011 03:10:34 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://linux-net.osdl.org/index.php/Iproute2>

Summary : Advanced IP routing and network device configuration tools

Description :

The iproute package contains networking utilities (ip and rtmon, for example) which are designed to use the advanced networking capabilities of the Linux 2.4.x and 2.6.x kernel.

Name : kpartx Relocations: (not relocatable)
Version : 0.4.9 Vendor: CentOS
Release : 46.el6 Build Date: Wed 07 Dec 2011 07:05:42 PM EST

Install Date: Sun 24 Feb 2013 10:36:49 PM EST Build Host: c6b18n2.bsys.dev.centos.org

Group : System Environment/Base Source RPM: device-mapper-multipath-0.4.9-46.el6.src.rpm

Size : 38776 License: GPL+

Signature : RSA/SHA1, Thu 08 Dec 2011 02:54:10 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://christophe.varoqui.free.fr/>

Summary : Partition device manager for device-mapper devices

Description :

kpartx manages partition creation and removal for device-mapper devices.

Name : deltarpm Relocations: (not relocatable)
Version : 3.5 Vendor: CentOS
Release : 0.5.20090913git.el6 Build Date: Sat 21 Aug 2010 02:40:23 AM EDT

Install Date: Sun 24 Feb 2013 10:34:58 PM EST Build Host: c6b1.bsys.dev.centos.org

Group : System Environment/Base Source RPM: deltarpm-3.5-0.5.20090913git.el6.src.rpm
Size : 192738 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:09:49 AM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gitorious.org/deltarpm/deltarpm>
Summary : Create deltas between rpms
Description :

A deltarpm contains the difference between an old and a new version of a rpm, which makes it possible to recreate the new rpm from the deltarpm and the old one. You don't have to have a copy of the old rpm, deltarpms can also work with installed rpms.

Name : libutempter Relocations: (not relocatable)
Version : 1.1.5 Vendor: CentOS
Release : 4.1.el6 Build Date: Wed 18 Aug 2010 12:14:02 PM EDT

Install Date: Sun 24 Feb 2013 10:34:02 PM EST Build Host: c6b3.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM: libutempter-1.1.5-4.1.el6.src.rpm
Size : 40785 License: LGPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:40:33 AM EDT, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.altlinux.org/pub/people/ldv/utempter>
Summary : A privileged helper for utmp/wtmp updates
Description :

This library provides interface for terminal emulators such as screen and xterm to record user sessions to utmp and wtmp files.

Name : pyparted Relocations: (not relocatable)
Version : 3.4 Vendor: CentOS
Release : 3.el6 Build Date: Wed 07 Dec 2011 12:15:08 PM EST

Install Date: Sun 24 Feb 2013 10:36:50 PM EST Build Host: c6b18n1.dev.centos.org

Group : System Environment/Libraries Source RPM: pyparted-3.4-3.el6.src.rpm
Size : 659264 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:59:13 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/pyparted>
Summary : Python module for GNU parted
Description :

Python module for the parted library. It is used for manipulating partition tables.

Name : pinentry Relocations: (not relocatable)
Version : 0.7.6 Vendor: CentOS

Release : 6.el6 Build Date: Fri 23 Sep 2011
09:22:05 AM EDT
Install Date: Sun 24 Feb 2013 10:34:58 PM EST Build Host:
c6b18n1.dev.centos.org
Group : Applications/System Source RPM: pinentry-0.7.6-
6.el6.src.rpm
Size : 143708 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:23:37 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnupg.org/aegypten/>
Summary : Collection of simple PIN or passphrase entry dialogs
Description :
Pinentry is a collection of simple PIN or passphrase entry dialogs which
utilize the Assuan protocol as described by the aegypten project; see
<http://www.gnupg.org/aegypten/> for details.
This package contains the curses (text) based version of the PIN entry
dialog.

Name : hunspell Relocations: (not relocatable)
Version : 1.2.8 Vendor: CentOS
Release : 16.el6 Build Date: Thu 11 Nov 2010
03:17:38 PM EST
Install Date: Sun 24 Feb 2013 10:34:03 PM EST Build Host:
c6b4.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: hunspell-1.2.8-
16.el6.src.rpm
Size : 428940 License: (LGPLv2+ or
GPLv2+ or MPLv1.1) and (LGPLv2+ or SISSL)
Signature : RSA/8, Sun 03 Jul 2011 12:22:03 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://hunspell.sourceforge.net/>
Summary : A spell checker and morphological analyzer library
Description :
Hunspell is a spell checker and morphological analyzer library and
program
designed for languages with rich morphology and complex word compounding
or
character encoding. Hunspell interfaces: Ispell-like terminal interface
using
Curses library, Ispell pipe interface, OpenOffice.org UNO module.

Name : cyrus-sasl Relocations: (not relocatable)
Version : 2.1.23 Vendor: CentOS
Release : 13.el6 Build Date: Wed 07 Dec 2011
05:02:22 PM EST
Install Date: Sun 24 Feb 2013 10:36:52 PM EST Build Host:
c6b18n3.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: cyrus-sasl-
2.1.23-13.el6.src.rpm
Size : 132742 License: BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 02:53:11 PM EST, Key ID
0946fca2c105b9de


```

Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           : http://asg.web.cmu.edu/sasl/sasl-library.html
Summary       : The Cyrus SASL library
Description   :
The cyrus-sasl package contains the Cyrus implementation of SASL.
SASL is the Simple Authentication and Security Layer, a method for
adding authentication support to connection-based protocols.

Name          : ed                      Relocations: (not relocatable)
Version       : 1.1                    Vendor: CentOS
Release       : 3.3.el6                 Build Date: Thu 11 Nov 2010
01:28:19 AM EST
Install Date: Sun 24 Feb 2013 10:34:59 PM EST      Build Host:
c6b5.bsys.dev.centos.org
Group         : Applications/Text          Source RPM: ed-1.1-
3.3.el6.src.rpm
Size          : 119832                  License: GPLv3+ and GFDL
Signature     : RSA/8, Sun 03 Jul 2011 12:12:33 AM EDT, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           : http://www.gnu.org/software/ed/
Summary       : The GNU line editor
Description   :
Ed is a line-oriented text editor, used to create, display, and modify
text files (both interactively and via shell scripts). For most
purposes, ed has been replaced in normal usage by full-screen editors
(emacs and vi, for example).

Ed was the original UNIX editor, and may be used by some programs. In
general, however, you probably don't need to install it and you probably
won't use it.

Name          : libXdmcp                 Relocations: (not relocatable)
Version       : 1.0.3                    Vendor: CentOS
Release       : 1.el6                     Build Date: Mon 16 Aug 2010
06:04:17 PM EDT
Install Date: Sun 24 Feb 2013 10:34:03 PM EST      Build Host:
c6b3.bsys.dev.centos.org
Group         : System Environment/Libraries Source RPM: libXdmcp-1.0.3-
1.el6.src.rpm
Size          : 36463                     License: MIT
Signature     : RSA/8, Sun 03 Jul 2011 12:41:45 AM EDT, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           : http://www.x.org
Summary       : X.Org X11 libXdmcp runtime library
Description   :
X.Org X11 libXdmcp runtime library

Name          : zenity                   Relocations: (not relocatable)
Version       : 2.28.0                    Vendor: CentOS
Release       : 1.el6                     Build Date: Mon 16 Aug 2010
07:12:21 PM EDT

```

Install Date: Sun 24 Feb 2013 10:36:56 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : Applications/System Source RPM: zenity-2.28.0-
1.el6.src.rpm
Size : 4338271 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:07:05 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://directory.fsf.org/zenity.html>
Summary : Display dialog boxes from shell scripts
Description :
Zenity lets you display Gtk+ dialog boxes from the command line and
through
shell scripts. It is similar to gdialog, but is intended to be saner. It
comes
from the same family as dialog, Xdialog, and cdialog.

Name : m4 Relocations: (not relocatable)
Version : 1.4.13 Vendor: CentOS
Release : 5.el6 Build Date: Thu 11 Nov 2010
12:17:34 PM EST
Install Date: Sun 24 Feb 2013 10:35:00 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Applications/Text Source RPM: m4-1.4.13-
5.el6.src.rpm
Size : 560949 License: GPLv3+
Signature : RSA/8, Sun 03 Jul 2011 12:44:33 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/m4/>
Summary : The GNU macro processor
Description :
A GNU implementation of the traditional UNIX macro processor. M4 is
useful for writing text files which can be logically parsed, and is used
by many programs as part of their build process. M4 has built-in
functions for including files, running shell commands, doing arithmetic,
etc. The autoconf program needs m4 for generating configure scripts, but
not for running configure scripts.

Install m4 if you need a macro processor.

Name : dmidecode Relocations: (not relocatable)
Version : 2.11 Vendor: CentOS
Release : 2.el6 Build Date: Wed 07 Dec 2011
09:57:49 AM EST
Install Date: Sun 24 Feb 2013 10:34:04 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : System Environment/Base Source RPM: dmidecode-2.11-
2.el6.src.rpm
Size : 192620 License: GPLv2+
Signature : RSA/SHA1, Sat 10 Dec 2011 06:00:51 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.nongnu.org/dmidecode/>

Summary : Tool to analyse BIOS DMI data
Description :
dmidecode reports information about x86 & ia64 hardware as described in the system BIOS according to the SMBIOS/DMI standard. This information typically includes system manufacturer, model name, serial number, BIOS version, asset tag as well as a lot of other details of varying level of interest and reliability depending on the manufacturer.

This will often include usage status for the CPU sockets, expansion slots (e.g. AGP, PCI, ISA) and memory module slots, and the list of I/O ports (e.g. serial, parallel, USB).

Name : hal-info Relocations: (not relocatable)
Version : 20090716 Vendor: CentOS
Release : 3.1.el6 Build Date: Thu 11 Nov 2010 08:56:50 AM EST
Install Date: Sun 24 Feb 2013 10:36:58 PM EST Build Host: c6b3.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: hal-info-20090716-3.1.el6.src.rpm
Size : 317340 License: AFL or GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:13:07 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/Software/hal>
Summary : Device information files for HAL
Description :
The hal-info package contains various device information files (also known as .fdi files) for the hal package.

Name : compat-db43 Relocations: (not relocatable)
Version : 4.3.29 Vendor: CentOS
Release : 15.el6 Build Date: Wed 10 Nov 2010 10:07:20 PM EST
Install Date: Sun 24 Feb 2013 10:35:04 PM EST Build Host: c6b1.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: compat-db-4.6.21-15.el6.src.rpm
Size : 2527721 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:07:28 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.oracle.com/database/berkeley-db/>
Summary : The Berkeley DB database 4.3.29 compatibility library
Description :
The Berkeley Database (Berkeley DB) is a programmatic toolkit that provides embedded database support for both traditional and client/server applications.
This package contains Berkeley DB library version 4.3.29 used for compatibility.

Name : libtool-ltdl Relocations: (not relocatable)

Version : 2.2.6 Vendor: CentOS
Release : 15.5.el6 Build Date: Tue 24 Aug 2010
03:42:49 PM EDT
Install Date: Sun 24 Feb 2013 10:34:04 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libtool-2.2.6-
15.5.el6.src.rpm
Size : 64948 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:40:12 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/libtool/>
Summary : Runtime libraries for GNU Libtool Dynamic Module Loader
Description :
The libtool-ltdl package contains the GNU Libtool Dynamic Module Loader,
a
library that provides a consistent, portable interface which simplifies
the
process of using dynamic modules.

These runtime libraries are needed by programs that link directly to the
system-installed ltdl libraries; they are not needed by software built
using
the rest of the GNU Autotools (including GNU Autoconf and GNU Automake).

Name : system-setup-keyboard Relocations: (not relocatable)
Version : 0.7 Vendor: CentOS
Release : 4.el6 Build Date: Thu 11 Nov 2010
01:47:45 PM EST
Install Date: Sun 24 Feb 2013 10:37:01 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Applications/System Source RPM: system-setup-
keyboard-0.7-4.el6.src.rpm
Size : 14409 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 01:02:47 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://git.fedorahosted.org/git/system-setup-keyboard.git/>
Summary : Hal keyboard layout callout
Description :
system-setup-keyboard gets invoked by hal to apply the keyboard layout
defined in /etc/sysconfig/keyboard.

Name : taglib Relocations: (not relocatable)
Version : 1.6.1 Vendor: CentOS
Release : 1.1.el6 Build Date: Fri 20 Aug 2010
09:26:03 AM EDT
Install Date: Sun 24 Feb 2013 10:35:05 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: taglib-1.6.1-
1.1.el6.src.rpm
Size : 620342 License: LGPLv2
Signature : RSA/8, Sun 03 Jul 2011 01:02:54 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://developer.kde.org/~wheeler/taglib.html>
Summary : Audio Meta-Data Library
Description :
TagLib is a library for reading and editing the meta-data of several popular audio formats. Currently it supports both ID3v1 and ID3v2 for MP3 files, Ogg Vorbis comments and ID3 tags and Vorbis comments in FLAC, MPC, Speex, WavPack, TrueAudio files, as well as APE Tags.

Name : perl-Compress-Zlib Relocations: (not relocatable)
Version : 2.020 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:05 PM EST Build Host:
c6b5.bsyz.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size : 52167 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 05:59:44 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : A module providing Perl interfaces to the zlib compression library
Description :
The Compress::Zlib module provides a Perl interface to the zlib compression library. Most of the functionality provided by zlib is available in Compress::Zlib.

The module can be split into two general areas of functionality, namely in-memory compression/decompression and read/write access to gzip files.

Name : openldap-devel Relocations: (not relocatable)
Version : 2.4.23 Vendor: CentOS
Release : 20.el6 Build Date: Wed 07 Dec 2011
04:48:38 PM EST
Install Date: Sun 24 Feb 2013 10:37:08 PM EST Build Host:
c6b18n3.bsyz.dev.centos.org
Group : Development/Libraries Source RPM: openldap-2.4.23-
20.el6.src.rpm
Size : 5291997 License: OpenLDAP
Signature : RSA/SHA1, Thu 08 Dec 2011 03:46:55 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.openldap.org/>
Summary : LDAP development libraries and header files
Description :
The openldap-devel package includes the development libraries and header files needed for compiling applications that use LDAP (Lightweight Directory Access Protocol) internals. LDAP is a set of protocols for enabling directory services over the Internet. Install this package only if you plan to develop or will need to compile customized LDAP clients.

Name : squashfs-tools Relocations: (not relocatable)
Version : 4.0 Vendor: CentOS
Release : 5.el6 Build Date: Mon 18 Jul 2011
11:02:56 PM EDT
Install Date: Sun 24 Feb 2013 10:35:06 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: squashfs-tools-
4.0-5.el6.src.rpm
Size : 204494 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:25:27 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://squashfs.sf.net>
Summary : Utility for the creation of squashfs filesystems
Description :
Squashfs is a highly compressed read-only filesystem for Linux. This
package
contains the utilities for manipulating squashfs filesystems.

Name : perl-Log-Message-Simple Relocations: (not relocatable)
Version : 0.04 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:05 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size : 10808 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 05:58:38 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Simplified frontend to Log::Message
Description :
This module provides standardized logging facilities using the
Log::Message module.

Name : dmraid-events Relocations: (not relocatable)
Version : 1.0.0.rc16 Vendor: CentOS
Release : 10.el6 Build Date: Wed 10 Nov 2010
05:22:54 PM EST
Install Date: Sun 24 Feb 2013 10:37:09 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Base Source RPM: dmraid-
1.0.0.rc16-10.el6.src.rpm
Size : 8988 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:10:15 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://people.redhat.com/heinzm/sw/dmraid>
Summary : dmevent_tool (Device-mapper event tool) and DSO
Description :
Provides a dmeventd DSO and the dmevent_tool to register devices with it

for device monitoring. All active RAID sets should be manually registered with dmevent_tool.

Name : cdparanoia-libs Relocations: (not relocatable)
Version : 10.2 Vendor: CentOS
Release : 5.1.el6 Build Date: Wed 10 Nov 2010 09:25:55 PM EST
Install Date: Sun 24 Feb 2013 10:35:11 PM EST Build Host: c6b3.bsys.dev.centos.org
Group : Development/Libraries Source RPM: cdparanoia-10.2-5.1.el6.src.rpm
Size : 135344 License: LGPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:06:39 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.xiph.org/paranoia/index.html>
Summary : Libraries for libcdca_paranoia (Paranoia III).
Description :
The cdparanoia-libs package contains the dynamic libraries needed for applications which read CD Digital Audio disks.

Name : perl-Test-Simple Relocations: (not relocatable)
Version : 0.92 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011 08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:05 PM EST Build Host: c6b5.bsys.dev.centos.org
Group : Development/Languages Source RPM: perl-5.10.1-119.el6_1.1.src.rpm
Size : 188830 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 05:58:33 AM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Basic utilities for writing tests
Description :
Basic utilities for writing tests.

Name : openssh-clients Relocations: (not relocatable)
Version : 5.3p1 Vendor: CentOS
Release : 70.el6 Build Date: Wed 07 Dec 2011 03:25:12 PM EST
Install Date: Sun 24 Feb 2013 10:37:09 PM EST Build Host: c6b18n2.bsys.dev.centos.org
Group : Applications/Internet Source RPM: openssh-5.3p1-70.el6.src.rpm
Size : 1066149 License: BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 03:49:48 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.openssh.com/portable.html>
Summary : An open source SSH client applications
Description :

OpenSSH is a free version of SSH (Secure SHell), a program for logging into and executing commands on a remote machine. This package includes the clients necessary to make encrypted connections to SSH servers.

Name : pax Relocations: (not relocatable)
Version : 3.4 Vendor: CentOS
Release : 10.1.el6 Build Date: Thu 19 Aug 2010
12:47:37 AM EDT
Install Date: Sun 24 Feb 2013 10:35:13 PM EST Build Host:
c6b3.bsyzs.dev.centos.org
Group : Applications/Archiving Source RPM: pax-3.4-
10.1.el6.src.rpm
Size : 137868 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:54:09 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.suse.com/pub/people/kukuk/pax/>
Summary : POSIX File System Archiver
Description :
'pax' is the POSIX standard archive tool. It supports the two most
common forms of standard Unix archive (backup) files - CPIO and TAR.

Name : perl-DBI Relocations: (not relocatable)
Version : 1.609 Vendor: CentOS
Release : 4.el6 Build Date: Thu 19 Aug 2010
08:34:23 PM EDT
Install Date: Sun 24 Feb 2013 10:34:05 PM EST Build Host:
c6b1.bsyzs.dev.centos.org
Group : Development/Libraries Source RPM: perl-DBI-1.609-
4.el6.src.rpm
Size : 1733598 License: GPL+ or Artistic
Signature : RSA/8, Sun 03 Jul 2011 12:55:01 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://dbi.perl.org/>
Summary : A database access API for perl
Description :
DBI is a database access Application Programming Interface (API) for
the Perl Language. The DBI API Specification defines a set of
functions, variables and conventions that provide a consistent
database interface independent of the actual database being used.

Name : device-mapper-multipath Relocations: (not relocatable)
Version : 0.4.9 Vendor: CentOS
Release : 46.el6 Build Date: Wed 07 Dec 2011
07:05:42 PM EST
Install Date: Sun 24 Feb 2013 10:37:10 PM EST Build Host:
c6b18n2.bsyzs.dev.centos.org
Group : System Environment/Base Source RPM: device-mapper-
multipath-0.4.9-46.el6.src.rpm
Size : 184931 License: GPL+
Signature : RSA/SHA1, Thu 08 Dec 2011 02:54:13 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://christophe.varoqui.free.fr/>
Summary : Tools to manage multipath devices using device-mapper
Description :
device-mapper-multipath provides tools to manage multipath devices by
instructing the device-mapper multipath kernel module what to do.
The tools are :
* multipath - Scan the system for multipath devices and assemble them.
* multipathd - Detects when paths fail and execs multipath to update
things.

Name : btparser Relocations: (not relocatable)
Version : 0.13 Vendor: CentOS
Release : 1.el6 Build Date: Wed 07 Dec 2011
10:58:29 AM EST
Install Date: Sun 24 Feb 2013 10:35:13 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: btparser-0.13-
1.el6.src.rpm
Size : 112211 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 02:46:56 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/btparser>
Summary : Parser and analyzer for backtraces produced by GDB
Description :
Btparser is a backtrace parser and analyzer, which works with
backtraces produced by the GNU Project Debugger. It can parse a text
file with a backtrace to a tree of C structures, allowing to analyze
the threads and frames of the backtrace and work with them.

Btparser also contains some backtrace manipulation and extraction
routines:

- it can find a frame in the crash-time backtrace where the program
most likely crashed (a chance is that the function described in that
frame is buggy)
- it can produce a duplication hash of the backtrace, which helps to
discover that two crash-time backtraces are duplicates, triggered by
the same flaw of the code
- it can "rate" the backtrace quality, which depends on the number of
frames with and without the function name known (missing function
name is caused by missing debugging symbols)

Name : perl-URI Relocations: (not relocatable)
Version : 1.40 Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010
09:39:33 AM EST
Install Date: Sun 24 Feb 2013 10:34:05 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-URI-1.40-
2.el6.src.rpm
Size : 256097 License: GPL+ or Artistic
Signature : RSA/8, Sun 03 Jul 2011 12:39:35 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://search.cpan.org/dist/URI/>
Summary : A Perl module implementing URI parsing and manipulation
Description :
This module implements the URI class. Objects of this class represent
"Uniform Resource Identifier references" as specified in RFC 2396 (and
updated by RFC 2732).

Name : redhat-lsb-printing Relocations: (not relocatable)
Version : 4.0 Vendor: CentOS
Release : 3.el6.centos Build Date: Sun 20 Nov 2011
04:46:24 PM EST
Install Date: Sun 24 Feb 2013 10:37:21 PM EST Build Host:
c6b5.bsyz.dev.centos.org
Group : System Environment/Base Source RPM: redhat-lsb-4.0-
3.el6.centos.src.rpm
Size : 0 License: GPL
Signature : RSA/SHA1, Mon 21 Nov 2011 07:54:40 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.linuxfoundation.org/collaborate/workgroups/lsb>
Summary : LSB printing libraries support for CentOS
Description :
The Linux Standard Base (LSB) Printing Specifications define components
that are required
to be present on an LSB conforming system.

Name : libchewing Relocations: (not relocatable)
Version : 0.3.2 Vendor: CentOS
Release : 27.el6 Build Date: Sun 22 Aug 2010
07:20:47 PM EDT
Install Date: Sun 24 Feb 2013 10:35:14 PM EST Build Host:
c6b6.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: libchewing-
0.3.2-27.el6.src.rpm
Size : 5025892 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:32:31 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://chewing.csie.net/>
Summary : Intelligent phonetic input method library for Traditional
Chinese
Description :
libchewing is an intelligent phonetic input method library for Chinese.

It provides the core algorithm and logic that can be used by various
input methods. The Chewing input method is a smart bopomofo phonetics
input method that is useful for inputting Mandarin Chinese.

Name : libXvMC Relocations: (not relocatable)
Version : 1.0.4 Vendor: CentOS
Release : 8.1.el6 Build Date: Thu 19 Aug 2010
02:45:32 AM EDT
Install Date: Sun 24 Feb 2013 10:34:05 PM EST Build Host:
c6b3.bsyz.dev.centos.org

Group : System Environment/Libraries Source RPM: libXvMC-1.0.4-8.1.el6.src.rpm
Size : 40386 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:42:48 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXvMC runtime library
Description :
X.Org X11 libXvMC runtime library

Name : crda Relocations: (not relocatable)
Version : 1.1.1_2010.11.22 Vendor: CentOS
Release : 1.el6 Build Date: Tue 19 Jul 2011 01:48:02 PM EDT
Install Date: Sun 24 Feb 2013 10:37:22 PM EST Build Host: c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: crda-1.1.1_2010.11.22-1.el6.src.rpm
Size : 31721 License: ISC
Signature : RSA/SHA1, Mon 26 Sep 2011 12:17:21 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.linuxwireless.org/en/developers/Regulatory/CRDA>
Summary : Regulatory compliance daemon for 802.11 wireless networking
Description :
CRDA acts as the udev helper for communication between the kernel and userspace for regulatory compliance. It relies on nl80211 for communication. CRDA is intended to be run only through udev communication from the kernel.

Name : libevent Relocations: (not relocatable)
Version : 1.4.13 Vendor: CentOS
Release : 1.el6 Build Date: Fri 20 Aug 2010 08:09:10 AM EDT
Install Date: Sun 24 Feb 2013 10:35:15 PM EST Build Host: c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libevent-1.4.13-1.el6.src.rpm
Size : 232728 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:33:34 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://monkey.org/~provos/libevent/>
Summary : Abstract asynchronous event notification library
Description :
The libevent API provides a mechanism to execute a callback function when a specific event occurs on a file descriptor or after a timeout has been reached. libevent is meant to replace the asynchronous event loop found in event driven network servers. An application just needs to call `event_dispatch()` and can then add or remove events dynamically without having to change the event loop.

Name : libxkbfile Relocations: (not relocatable)

Version : 1.0.6 Vendor: CentOS
Release : 1.1.el6 Build Date: Mon 16 Aug 2010
06:01:23 PM EDT
Install Date: Sun 24 Feb 2013 10:34:06 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libxkbfile-
1.0.6-1.1.el6.src.rpm
Size : 164979 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:42:06 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libxkbfile runtime library
Description :
X.Org X11 libxkbfile runtime library

Name : sane-backends-libs-gphoto2 Relocations: (not relocatable)
Version : 1.0.21 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
04:59:36 PM EST
Install Date: Sun 24 Feb 2013 10:37:23 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: sane-backends-
1.0.21-3.el6.src.rpm
Size : 41088 License: GPLv2+ and GPLv2+
with exceptions and Public Domain
Signature : RSA/8, Sun 03 Jul 2011 01:01:08 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.sane-project.org>
Summary : SANE libraries for gphoto2
Description :
This package contains the SANE libraries which are needed by applications
that
want to access digital cameras.

Name : libgcj Relocations: (not relocatable)
Version : 4.4.6 Vendor: CentOS
Release : 3.el6 Build Date: Tue 06 Dec 2011
01:43:45 PM EST
Install Date: Sun 24 Feb 2013 10:35:23 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: gcc-4.4.6-
3.el6.src.rpm
Size : 64993229 License: GPLv3+ and GPLv3+
with exceptions and GPLv2+ with exceptions
Signature : RSA/SHA1, Thu 08 Dec 2011 03:02:38 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gcc.gnu.org>
Summary : Java runtime library for gcc
Description :
The Java(tm) runtime library. You will need this package to run your Java

programs compiled using the Java compiler from GNU Compiler Collection (gcj).

Name : startup-notification Relocations: (not relocatable)
Version : 0.10 Vendor: CentOS
Release : 2.1.el6 Build Date: Thu 11 Nov 2010
09:17:43 AM EST
Install Date: Sun 24 Feb 2013 10:34:06 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: startup-
notification-0.10-2.1.el6.src.rpm
Size : 88089 License: LGPLv2
Signature : RSA/8, Sun 03 Jul 2011 01:02:26 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/software/startup-notification/>
Summary : Library for tracking application startup
Description :
This package contains libstartup-notification which implements a
startup notification protocol. Using this protocol a desktop
environment can track the launch of an application and provide
feedback such as a busy cursor, among other features.

Name : polycoreutils Relocations: (not relocatable)
Version : 2.0.83 Vendor: CentOS
Release : 19.18.el6 Build Date: Wed 07 Dec 2011
08:02:39 PM EST
Install Date: Sun 24 Feb 2013 10:37:25 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : System Environment/Base Source RPM: polycoreutils-
2.0.83-19.18.el6.src.rpm
Size : 3639473 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:58:18 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.selinuxproject.org>
Summary : SELinux policy core utilities
Description :
Security-enhanced Linux is a feature of the Linux kernel and a number
of utilities with enhanced security functionality designed to add
mandatory access controls to Linux. The Security-enhanced Linux
kernel contains new architectural components originally developed to
improve the security of the Flask operating system. These
architectural components provide general support for the enforcement
of many kinds of mandatory access control policies, including those
based on the concepts of Type Enforcement, Role-based Access
Control, and Multi-level Security.

polycoreutils contains the policy core utilities that are required
for basic operation of a SELinux system. These utilities include
load_policy to load policies, setfiles to label filesystems, newrole
to switch roles, and run_init to run /etc/init.d scripts in the proper
context.

Name : gnome-keyring Relocations: (not relocatable)
Version : 2.28.2 Vendor: CentOS
Release : 6.el6 Build Date: Thu 11 Nov 2010
06:11:25 AM EST
Install Date: Sun 24 Feb 2013 10:35:26 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: gnome-keyring-
2.28.2-6.el6.src.rpm
Size : 4766603 License: GPLv2+ and
LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:18:04 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : Framework for managing passwords and other secrets
Description :
The gnome-keyring session daemon manages passwords and other types of
secrets for the user, storing them encrypted with a main password.
Applications can use the gnome-keyring library to integrate with the
keyring.

Name : elfutils-libs Relocations: (not relocatable)
Version : 0.152 Vendor: CentOS
Release : 1.el6 Build Date: Tue 19 Jul 2011
11:14:19 AM EDT
Install Date: Sun 24 Feb 2013 10:34:07 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Tools Source RPM: elfutils-0.152-
1.el6.src.rpm
Size : 488752 License: GPLv2 with
exceptions
Signature : RSA/SHA1, Mon 26 Sep 2011 12:18:02 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/elfutils/>
Summary : Libraries to handle compiled objects
Description :
The elfutils-libs package contains libraries which implement DWARF, ELF,
and machine-specific ELF handling. These libraries are used by the
programs
in the elfutils package. The elfutils-devel package enables building
other programs using these libraries.

Name : oddjob Relocations: (not relocatable)
Version : 0.30 Vendor: CentOS
Release : 5.el6 Build Date: Sat 25 Jun 2011
07:15:38 AM EDT
Install Date: Sun 24 Feb 2013 10:37:29 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: oddjob-0.30-
5.el6.src.rpm
Size : 141168 License: BSD
Signature : RSA/8, Tue 05 Jul 2011 09:42:01 PM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.fedorahosted.org/oddjob>
Summary : A D-Bus service which runs odd jobs on behalf of client applications
Description :
oddjob is a D-BUS service which performs particular tasks for clients which connect to it and issue requests using the system-wide message bus.

Name : unique Relocations: (not relocatable)
Version : 1.1.4 Vendor: CentOS
Release : 2.el6 Build Date: Tue 24 Aug 2010 04:11:15 PM EDT
Install Date: Sun 24 Feb 2013 10:35:27 PM EST Build Host: c6b2.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: unique-1.1.4-2.el6.src.rpm
Size : 157328 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:04:30 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/~ebassi/source/>
Summary : Single instance support for applications
Description :
Unique is a library for writing single instance applications, that is applications that are run once and every further call to the same binary either exits immediately or sends a command to the running instance.

Name : ORBit2 Relocations: (not relocatable)
Version : 2.14.17 Vendor: CentOS
Release : 3.1.el6 Build Date: Wed 10 Nov 2010 06:54:20 PM EST
Install Date: Sun 24 Feb 2013 10:34:08 PM EST Build Host: c6b4.bsyzs.dev.centos.org
Group : System Environment/Daemons Source RPM: ORBit2-2.14.17-3.1.el6.src.rpm
Size : 594594 License: LGPLv2+ and GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:52:55 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/projects/ORBit2>
Summary : A high-performance CORBA Object Request Broker
Description :
ORBit is a high-performance CORBA (Common Object Request Broker Architecture) ORB (object request broker). It allows programs to send requests and receive replies from other programs, regardless of the locations of the two programs. CORBA is an architecture that enables communication between program objects, regardless of the programming language they're written in or the operating system they run on.

You will need to install this package and ORBit-devel if you want to write programs that use CORBA technology.

Name : cronie Relocations: (not relocatable)
Version : 1.4.4 Vendor: CentOS
Release : 7.el6 Build Date: Tue 19 Jul 2011
12:55:56 AM EDT
Install Date: Sun 24 Feb 2013 10:37:30 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: cronie-1.4.4-
7.el6.src.rpm
Size : 169834 License: MIT and BSD and
ISC and GPLv2
Signature : RSA/SHA1, Mon 26 Sep 2011 12:17:22 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/cronie>
Summary : Cron daemon for executing programs at set times
Description :
Cronie contains the standard UNIX daemon crond that runs specified
programs at
scheduled times and related tools. It is a fork of the original vixie-
cron and
has security and configuration enhancements like the ability to use pam
and
SELinux.

Name : xml-commons-resolver Relocations: (not relocatable)
Version : 1.1 Vendor: CentOS
Release : 4.18.el6 Build Date: Sat 21 Aug 2010
01:20:17 AM EDT
Install Date: Sun 24 Feb 2013 10:35:34 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : Development/Libraries Source RPM: xml-commons-
resolver-1.1-4.18.el6.src.rpm
Size : 425519 License: ASL 1.1
Signature : RSA/8, Sun 03 Jul 2011 01:05:52 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://xml.apache.org/commons/>
Summary : Resolver subproject of xml-commons
Description :
Resolver subproject of xml-commons.

Name : libselinux-utils Relocations: (not relocatable)
Version : 2.0.94 Vendor: CentOS
Release : 5.2.el6 Build Date: Wed 07 Dec 2011
07:24:17 PM EST
Install Date: Sun 24 Feb 2013 10:34:08 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: libselinux-
2.0.94-5.2.el6.src.rpm
Size : 62593 License: Public Domain
Signature : RSA/SHA1, Thu 08 Dec 2011 03:24:03 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.selinuxproject.org>
Summary : SELinux libselinux utilities
Description :
The libselinux-utils package contains the utilities

Name : ypbind Relocations: (not relocatable)
Version : 1.20.4 Vendor: CentOS
Release : 29.el6 Build Date: Thu 11 Nov 2010
03:42:46 PM EST
Install Date: Sun 24 Feb 2013 10:37:32 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: ypbind-1.20.4-
29.el6.src.rpm
Size : 93545 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 01:06:53 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.linux-nis.org/nis/ypbind-mt/index.html>
Summary : The NIS daemon which binds NIS clients to an NIS domain
Description :
The Network Information Service (NIS) is a system that provides
network information (login names, passwords, home directories, group
information) to all of the machines on a network. NIS can allow users
to log in on any machine on the network, as long as the machine has
the NIS client programs running and the user's password is recorded in
the NIS passwd database. NIS was formerly known as Sun Yellow Pages
(YP).

This package provides the ypbind daemon. The ypbind daemon binds NIS
clients to an NIS domain. Ypbind must be running on any machines
running NIS client programs.

Install the ypbind package on any machines running NIS client programs
(included in the yp-tools package). If you need an NIS server, you
also need to install the ypserv package to a machine on your network.

Name : at-spi Relocations: (not relocatable)
Version : 1.28.1 Vendor: CentOS
Release : 2.el6.centos Build Date: Fri 02 Dec 2011
04:45:53 AM EST
Install Date: Sun 24 Feb 2013 10:35:36 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: at-spi-1.28.1-
2.el6.centos.src.rpm
Size : 894826 License: LGPLv2+
Signature : RSA/SHA1, Fri 02 Dec 2011 07:47:36 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://developer.gnome.org/projects/gap/>
Summary : Assistive Technology Service Provider Interface
Description :
at-spi allows assistive technologies to access GTK-based
applications. Essentially it exposes the internals of applications for
automation, so tools such as screen readers, magnifiers, or even

scripting interfaces can query and interact with GUI controls.

```
Name           : libss                      Relocations: (not relocatable)
Version        : 1.41.12                  Vendor: CentOS
Release       : 11.el6                    Build Date: Wed 07 Dec 2011
03:46:21 PM EST
Install Date: Sun 24 Feb 2013 10:34:09 PM EST      Build Host:
c6b6.bsys.dev.centos.org
Group         : Development/Libraries          Source RPM: e2fsprogs-
1.41.12-11.el6.src.rpm
Size          : 71689                      License: MIT
Signature     : RSA/SHA1, Thu 08 Dec 2011 02:56:53 PM EST, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           : http://e2fsprogs.sourceforge.net/
Summary       : Command line interface parsing library
Description   :
This is libss, a command line interface parsing library, part of
e2fsprogs.
```

This package includes a tool that parses a command table to generate a simple command-line interface parser, the include files needed to compile and use it, and the static libs.

It was originally inspired by the Multics SubSystem library.

```
Name           : avahi                      Relocations: (not relocatable)
Version        : 0.6.25                    Vendor: CentOS
Release       : 11.el6                    Build Date: Tue 19 Jul 2011
08:21:55 AM EDT
Install Date: Sun 24 Feb 2013 10:37:34 PM EST      Build Host:
c6b5.bsys.dev.centos.org
Group         : System Environment/Base          Source RPM: avahi-0.6.25-
11.el6.src.rpm
Size          : 799931                      License: LGPLv2
Signature     : RSA/SHA1, Mon 26 Sep 2011 12:16:19 AM EDT, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           : http://avahi.org
Summary       : Local network service discovery
Description   :
Avahi is a system which facilitates service discovery on
a local network -- this means that you can plug your laptop or
computer into a network and instantly be able to view other people who
you can chat with, find printers to print to or find files being
shared. This kind of technology is already found in MacOS X (branded
'Rendezvous', 'Bonjour' and sometimes 'ZeroConf') and is very
convenient.
```

```
Name           : gtkmm24                      Relocations: (not relocatable)
Version        : 2.18.2                    Vendor: CentOS
Release       : 1.el6                    Build Date: Fri 20 Aug 2010
02:45:11 AM EDT
```

Install Date: Sun 24 Feb 2013 10:35:38 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: gtkmm24-2.18.2-
1.el6.src.rpm
Size : 5573311 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:20:41 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gtkmm.sourceforge.net/>
Summary : C++ interface for GTK2 (a GUI library for X)
Description :
gtkmm provides a C++ interface to the GTK+ GUI library. gtkmm2 wraps GTK+
2.
Highlights include typesafe callbacks, widgets extensible via inheritance
and a comprehensive set of widget classes that can be freely combined to
quickly create complex user interfaces.

Name : libfontenc Relocations: (not relocatable)
Version : 1.0.5 Vendor: CentOS
Release : 2.el6 Build Date: Tue 17 Aug 2010
03:40:00 AM EDT
Install Date: Sun 24 Feb 2013 10:34:09 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libfontenc-
1.0.5-2.el6.src.rpm
Size : 40605 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:33:41 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libfontenc runtime library
Description :
X.Org X11 libfontenc runtime library

Name : libbonoboui Relocations: (not relocatable)
Version : 2.24.2 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
03:54:51 PM EST
Install Date: Sun 24 Feb 2013 10:37:36 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libbonoboui-
2.24.2-3.el6.src.rpm
Size : 1264946 License: GPLv2+ and
LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:32:04 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : Bonobo user interface components
Description :

Bonobo is a component system based on CORBA, used by the GNOME
desktop. libbonoboui contains the user interface related components
that come with Bonobo.

Name : gnome-keyring-pam Relocations: (not relocatable)
Version : 2.28.2 Vendor: CentOS
Release : 6.el6 Build Date: Thu 11 Nov 2010
06:11:25 AM EST
Install Date: Sun 24 Feb 2013 10:35:38 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Development/Libraries Source RPM: gnome-keyring-
2.28.2-6.el6.src.rpm
Size : 39936 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:18:07 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : Pam module for unlocking keyrings
Description :
The gnome-keyring-pam package contains a pam module that can
automatically unlock the "login" keyring when the user logs in.

Name : ncurses Relocations: (not relocatable)
Version : 5.7 Vendor: CentOS
Release : 3.20090208.el6 Build Date: Wed 18 Aug 2010
11:42:34 AM EDT
Install Date: Sun 24 Feb 2013 10:34:10 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Base Source RPM: ncurses-5.7-
3.20090208.el6.src.rpm
Size : 386379 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:46:59 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://invisible-island.net/ncurses/ncurses.html>
Summary : Ncurses support utilities
Description :
The curses library routines are a terminal-independent method of
updating character screens with reasonable optimization. The ncurses
(new curses) library is a freely distributable replacement for the
discontinued 4.4 BSD classic curses library.

This package contains support utilities, including a terminfo compiler
tic, a decompiler infocmp, clear, tput, tset, and a termcap conversion
tool captainfo.

Name : gvfs Relocations: (not relocatable)
Version : 1.4.3 Vendor: CentOS
Release : 12.el6 Build Date: Mon 18 Jul 2011
07:51:20 PM EDT
Install Date: Sun 24 Feb 2013 10:37:37 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: gvfs-1.4.3-
12.el6.src.rpm
Size : 4857449 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:08 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gtk.org>
Summary : Backends for the gio framework in GLib
Description :
The gvfs package provides backend implementations for the gio framework in GLib. It includes ftp, sftp, cifs.

Name : libgxim Relocations: (not relocatable)
Version : 0.3.3 Vendor: CentOS
Release : 3.1.el6 Build Date: Thu 11 Nov 2010 09:01:19 AM EST
Install Date: Sun 24 Feb 2013 10:35:39 PM EST Build Host: c6b5.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: libgxim-0.3.3-3.1.el6.src.rpm
Size : 412847 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:35:18 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/libgxim/>
Summary : GObject-based XIM protocol library
Description :
libgxim is a X Input Method protocol library that is implemented by GObject.
this library helps you to implement XIM servers or client applications to communicate through XIM protocol without using Xlib API directly, particularly
if your application uses GObject-based main loop.

This package contains the shared library.

Name : gzip Relocations: (not relocatable)
Version : 1.3.12 Vendor: CentOS
Release : 18.el6 Build Date: Thu 11 Nov 2010 05:25:09 PM EST
Install Date: Sun 24 Feb 2013 10:34:11 PM EST Build Host: c6b6.bsyz.dev.centos.org
Group : Applications/File Source RPM: gzip-1.3.12-18.el6.src.rpm
Size : 225845 License: GPLv2+ and GFDL
Signature : RSA/8, Sun 03 Jul 2011 12:21:28 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gzip.org/>
Summary : The GNU data compression program
Description :
The gzip package contains the popular GNU gzip data compression program. Gzipped files have a .gz extension.

Gzip should be installed on your system, because it is a very commonly used data compression program.

Name : gnome-disk-utility-ui-libs Relocations: (not relocatable)
Version : 2.30.1 Vendor: CentOS

Release : 2.el6 Build Date: Thu 11 Nov 2010
05:42:24 AM EST
Install Date: Sun 24 Feb 2013 10:37:44 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: gnome-disk-
utility-2.30.1-2.el6.src.rpm
Size : 312496 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:17:55 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://git.gnome.org/cgit/gnome-disk-utility>
Summary : Shared libraries used by Palimpsest
Description :
This package contains libraries that are used by the Palimpsest
disk management application. The libraries in this package contain
disk-related widgets for use in GTK+ applications.

Name : gnome-media Relocations: (not relocatable)
Version : 2.29.91 Vendor: CentOS
Release : 6.el6 Build Date: Thu 11 Nov 2010
06:30:23 AM EST
Install Date: Sun 24 Feb 2013 10:35:39 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Applications/Multimedia Source RPM: gnome-media-
2.29.91-6.el6.src.rpm
Size : 1207587 License: GPLv2+ and GFDL
Signature : RSA/8, Sun 03 Jul 2011 12:18:10 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : GNOME media programs
Description :
This package contains a few media utilities for the GNOME desktop,
including a volume control and a configuration utility for audio
profiles.

Name : pam Relocations: (not relocatable)
Version : 1.1.1 Vendor: CentOS
Release : 10.el6 Build Date: Wed 07 Dec 2011
02:20:59 PM EST
Install Date: Sun 24 Feb 2013 10:34:13 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : System Environment/Base Source RPM: pam-1.1.1-
10.el6.src.rpm
Size : 2400651 License: BSD and GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:52:19 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.us.kernel.org/pub/linux/libs/pam/index.html>
Summary : An extensible library which provides authentication for
applications
Description :
PAM (Pluggable Authentication Modules) is a system security tool that
allows system administrators to set authentication policy without

having to recompile programs that handle authentication.

Name : system-config-users-docs Relocations: (not relocatable)
Version : 1.0.8 Vendor: CentOS
Release : 1.el6 Build Date: Thu 11 Nov 2010
06:01:59 PM EST
Install Date: Sun 24 Feb 2013 10:37:45 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Documentation Source RPM: system-config-
users-docs-1.0.8-1.el6.src.rpm
Size : 1610018 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:48:55 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/system-config-users-docs>
Summary : Documentation for administering users and groups
Description :
This package contains the online documentation for system-config-users
which is
a graphical utility for administrating users and groups.

Name : jakarta-commons-httpclient Relocations: (not relocatable)
Version : 3.1 Vendor: CentOS
Release : 0.6.el6 Build Date: Thu 11 Nov 2010
08:46:50 AM EST
Install Date: Sun 24 Feb 2013 10:35:41 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries/Java Source RPM: jakarta-commons-
httpclient-3.1-0.6.el6.src.rpm
Size : 1832491 License: ASL 2.0
Signature : RSA/8, Sun 03 Jul 2011 12:25:37 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://jakarta.apache.org/commons/httpclient/>
Summary : Jakarta Commons HTTPClient implements the client side of
HTTP standards
Description :
The Hyper-Text Transfer Protocol (HTTP) is perhaps the most significant
protocol used on the Internet today. Web services, network-enabled
appliances and the growth of network computing continue to expand the
role of the HTTP protocol beyond user-driven web browsers, and increase
the number of applications that may require HTTP support.
Although the java.net package provides basic support for accessing
resources via HTTP, it doesn't provide the full flexibility or
functionality needed by many applications. The Jakarta Commons HTTP
Client component seeks to fill this void by providing an efficient,
up-to-date, and feature-rich package implementing the client side of the
most recent HTTP standards and recommendations.
Designed for extension while providing robust support for the base HTTP
protocol, the HTTP Client component may be of interest to anyone
building HTTP-aware client applications such as web browsers, web
service clients, or systems that leverage or extend the HTTP protocol
for distributed communication.

Name : alsa-lib Relocations: (not relocatable)
Version : 1.0.22 Vendor: CentOS
Release : 3.el6 Build Date: Wed 07 Dec 2011
01:22:40 PM EST
Install Date: Sun 24 Feb 2013 10:34:16 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: alsa-lib-1.0.22-
3.el6.src.rpm
Size : 1195285 License: LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 02:42:35 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.alsa-project.org/>
Summary : The Advanced Linux Sound Architecture (ALSA) library
Description :
The Advanced Linux Sound Architecture (ALSA) provides audio and MIDI
functionality to the Linux operating system.

This package includes the ALSA runtime libraries to simplify application
programming and provide higher level functionality as well as support for
the older OSS API, providing binary compatibility for most OSS programs.

Name : firstboot Relocations: (not relocatable)
Version : 1.110.11 Vendor: CentOS
Release : 1.el6 Build Date: Wed 07 Dec 2011
11:58:51 AM EST
Install Date: Sun 24 Feb 2013 10:37:46 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : System Environment/Base Source RPM: firstboot-
1.110.11-1.el6.src.rpm
Size : 664074 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:00:05 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedoraproject.org/wiki/FirstBoot>
Summary : Initial system configuration utility
Description :
The firstboot utility runs after installation. It guides the user
through
a series of steps that allows for easier configuration of the machine.

Name : kasumi Relocations: (not relocatable)
Version : 2.5 Vendor: CentOS
Release : 1.1.el6 Build Date: Thu 11 Nov 2010
08:57:44 AM EST
Install Date: Sun 24 Feb 2013 10:35:43 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Applications/Text Source RPM: kasumi-2.5-
1.1.el6.src.rpm
Size : 183183 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:27:01 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://kasumi.sourceforge.jp/>

Summary : An anthy dictionary management tool.
Description :
Kasumi is a dictionary management tool for Anthy.

Name : hwdata Relocations: (not relocatable)
Version : 0.233 Vendor: CentOS
Release : 7.6.el6 Build Date: Wed 07 Dec 2011
08:14:48 PM EST
Install Date: Sun 24 Feb 2013 10:34:17 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: hwdata-0.233-
7.6.el6.src.rpm
Size : 4119971 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:07:13 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://git.fedorahosted.org/git/hwdata.git>
Summary : Hardware identification and configuration data
Description :
hwdata contains various hardware identification and configuration data,
such as the pci.ids database and MonitorsDb databases.

Name : nano Relocations: (not relocatable)
Version : 2.0.9 Vendor: CentOS
Release : 7.el6 Build Date: Fri 12 Nov 2010
02:18:36 AM EST
Install Date: Sun 24 Feb 2013 10:40:39 PM EST Build Host:
c5b2.bsys.dev.centos.org
Group : Applications/Editors Source RPM: nano-2.0.9-
7.el6.src.rpm
Size : 1588347 License: GPLv3+
Signature : RSA/8, Sun 03 Jul 2011 12:46:50 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.nano-editor.org>
Summary : A small text editor
Description :
GNU nano is a small and friendly text editor.

Name : wqy-zenhei-fonts Relocations: (not relocatable)
Version : 0.9.45 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
01:55:32 PM EST
Install Date: Sun 24 Feb 2013 10:40:44 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : User Interface/X Source RPM: wqy-zenhei-fonts-
0.9.45-3.el6.src.rpm
Size : 16794196 License: GPLv2 with
exceptions
Signature : RSA/8, Sun 03 Jul 2011 12:53:02 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://wenq.org/enindex.cgi>
Summary : WenQuanYi Zen Hei CJK Font

Description :

WenQuanYi Zen Hei is a Hei-Ti style (sans-serif type) Chinese outline font. It is designed for general purpose text formatting and on-screen display of Chinese characters and symbols from many other languages. The embolden strokes of the font glyphs produces enhanced screen contrast, making it easier to read recognize. The embedded bitmap glyphs further enhance on-screen performance, which can be enabled with the provided configuration files. WenQuanYi Zen Hei provides a rather complete coverage to Chinese Hanzi glyphs, including both simplified and traditional forms. The total glyph number in this font is over 35,000, including over 21,000 Chinese Hanzi. This font has full coverage to GBK(CP936) charset, CJK Unified Ideographs, as well as the code-points needed for zh_cn, zh_sg, zh_tw, zh_hk, zh_mo, ja (Japanese) and ko (Korean) locales for fontconfig. Starting from version 0.8, this font package has contained two font families, i.e. the proportionally-spaced Zen Hei, and a mono-spaced face named "WenQuanYi Zen Hei Mono".

Name : gnome-settings-daemon Relocations: (not relocatable)
Version : 2.28.2 Vendor: CentOS
Release : 11.el6 Build Date: Thu 11 Nov 2010
06:53:10 AM EST
Install Date: Sun 24 Feb 2013 10:37:55 PM EST Build Host:
c6b5.bsyz.dev.centos.org
Group : System Environment/Daemons Source RPM: gnome-settings-
daemon-2.28.2-11.el6.src.rpm
Size : 2706340 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:18:40 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/gnome-settings-daemon>
Summary : The daemon sharing settings from GNOME to GTK+/KDE
applications
Description :
A daemon to share settings from GNOME to other applications. It also
handles global keybindings, as well as a number of desktop-wide settings.

Name : lklug-fonts Relocations: (not relocatable)
Version : 0.6 Vendor: CentOS
Release : 4.20090803cvs.el6 Build Date: Tue 24 Aug 2010
02:51:19 PM EDT
Install Date: Sun 24 Feb 2013 10:40:54 PM EST Build Host:
c6b3.bsyz.dev.centos.org
Group : User Interface/X Source RPM: lklug-fonts-0.6-
4.20090803cvs.el6.src.rpm
Size : 327891 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:28:05 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sinhala.sourceforge.net/>
Summary : Fonts for Sinhala language
Description :

The lklug-fonts package contains fonts for the display of Sinhala. The original font for TeX/LaTeX is developed by Yannis Haralambous and are in GPL. OTF tables are added by Anuradha Ratnaweera and Harshani Devadithya.

Name : gnome-panel Relocations: (not relocatable)
Version : 2.30.2 Vendor: CentOS
Release : 14.el6 Build Date: Tue 19 Jul 2011
12:37:01 AM EDT
Install Date: Sun 24 Feb 2013 10:38:00 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: gnome-panel-
2.30.2-14.el6.src.rpm
Size : 10968670 License: GPLv2+ and
LGPLv2+ and GFDL
Signature : RSA/SHA1, Mon 26 Sep 2011 12:18:52 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : GNOME panel
Description :
The GNOME panel provides the window list, workspace switcher, menus, and
other
features for the GNOME desktop.

Name : liberation-sans-fonts Relocations: (not relocatable)
Version : 1.05.1.20090721 Vendor: CentOS
Release : 4.el6 Build Date: Sat 21 Aug 2010
06:22:37 AM EDT
Install Date: Sun 24 Feb 2013 10:41:03 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : User Interface/X Source RPM: liberation-fonts-
1.05.1.20090721-4.el6.src.rpm
Size : 578780 License: Liberation
Signature : RSA/8, Sun 03 Jul 2011 12:23:00 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/liberation-fonts/>
Summary : Sans-serif fonts to replace commonly used Microsoft Arial
Description :

The Liberation Fonts are intended to be replacements for the three most commonly used fonts on Microsoft systems: Times New Roman, Arial, and Courier New.

This is Sans-serif TrueType fonts that replaced commonly used Microsoft Arial.

Name : gnome-python2-applet Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 4.el6 Build Date: Thu 11 Nov 2010
07:11:34 AM EST

Install Date: Sun 24 Feb 2013 10:38:08 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Languages Source RPM: gnome-python2-
desktop-2.28.0-4.el6.src.rpm
Size : 21705 License: LGPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:18:28 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : Python bindings for GNOME Panel applets.
Description :
This module contains a wrapper that allows GNOME Panel applets to be
written in Python.

Name : lohit-devanagari-fonts Relocations: (not relocatable)
Version : 2.4.3 Vendor: CentOS
Release : 7.el6 Build Date: Sat 25 Jun 2011
02:31:22 AM EDT
Install Date: Sun 24 Feb 2013 10:41:11 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : User Interface/X Source RPM: lohit-devanagari-
fonts-2.4.3-7.el6.src.rpm
Size : 113695 License: GPLv2 with
exceptions
Signature : RSA/8, Tue 05 Jul 2011 09:40:40 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/lohit/>
Summary : Free Devanagari Script Font
Description :
This package provides a free Devanagari Script TrueType/OpenType font.

Name : NetworkManager Relocations: (not relocatable)
Version : 0.8.1 Vendor: CentOS
Release : 15.el6 Build Date: Wed 07 Dec 2011
07:28:42 PM EST
Install Date: Sun 24 Feb 2013 10:38:09 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : System Environment/Base Source RPM: NetworkManager-
0.8.1-15.el6.src.rpm
Size : 5415827 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:42:55 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/projects/NetworkManager/>
Summary : Network connection manager and user applications
Description :
NetworkManager is a system network service that manages your network
devices
and connections, attempting to keep active network connectivity when
available.
It manages ethernet, WiFi, mobile broadband (WWAN), and PPPoE devices,
and
provides VPN integration with a variety of different VPN services.

Name : lohit-punjabi-fonts Relocations: (not relocatable)
Version : 2.4.4 Vendor: CentOS
Release : 2.el6 Build Date: Fri 23 Sep 2011
11:36:44 AM EDT
Install Date: Sun 24 Feb 2013 10:41:20 PM EST Build Host:
c6b18n1.dev.centos.org
Group : User Interface/X Source RPM: lohit-punjabi-
fonts-2.4.4-2.el6.src.rpm
Size : 56070 License: GPLv2 with
exceptions
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:27 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/lohit/>
Summary : Free Punjabi font
Description :
This package provides a free Punjabi truetype/opentype font.

Name : plymouth Relocations: (not relocatable)
Version : 0.8.3 Vendor: CentOS
Release : 24.el6.centos Build Date: Thu 08 Dec 2011
01:38:06 PM EST
Install Date: Sun 24 Feb 2013 10:38:11 PM EST Build Host:
c6b4.bsyzs.dev.centos.org
Group : System Environment/Base Source RPM: plymouth-0.8.3-
24.el6.centos.src.rpm
Size : 193924 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:57:15 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://freedesktop.org/software/plymouth/releases>
Summary : Graphical Boot Animation and Logger
Description :
Plymouth provides an attractive graphical boot animation in
place of the text messages that normally get shown. Text
messages are instead redirected to a log file for viewing
after boot.

Name : madan-fonts Relocations: (not relocatable)
Version : 2.000 Vendor: CentOS
Release : 3.el6 Build Date: Wed 25 Aug 2010
03:18:17 PM EDT
Install Date: Sun 24 Feb 2013 10:41:28 PM EST Build Host:
c6b3.bsyzs.dev.centos.org
Group : User Interface/X Source RPM: madan-fonts-
2.000-3.el6.src.rpm
Size : 255911 License: GPL+
Signature : RSA/8, Sun 03 Jul 2011 12:29:31 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://madanpuraskar.org/>
Summary : Font for Nepali language
Description :
This package provides the Madan font for Nepali made by the

Madan Puraskar Pustakalaya project.

Name : xorg-x11-drv-void Relocations: (not relocatable)
Version : 1.4.0 Vendor: CentOS
Release : 1.el6 Build Date: Wed 07 Dec 2011
10:12:28 AM EST
Install Date: Sun 24 Feb 2013 10:38:18 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-void-1.4.0-1.el6.src.rpm
Size : 10830 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:41:55 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 void input driver
Description :
X.Org X11 void input driver.

Name : telnet Relocations: (not relocatable)
Version : 0.17 Vendor: CentOS
Release : 47.el6 Build Date: Fri 23 Sep 2011
06:26:22 AM EDT
Install Date: Sun 24 Feb 2013 10:41:33 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Applications/Internet Source RPM: telnet-0.17-
47.el6.src.rpm
Size : 112016 License: BSD
Signature : RSA/SHA1, Mon 26 Sep 2011 12:25:51 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : The client program for the Telnet remote login protocol
Description :
Telnet is a popular protocol for logging into remote systems over the
Internet. The package provides a command line Telnet client

Name : xorg-x11-drv-wacom Relocations: (not relocatable)
Version : 0.10.5 Vendor: CentOS
Release : 14.el6 Build Date: Wed 07 Dec 2011
04:03:19 PM EST
Install Date: Sun 24 Feb 2013 10:38:18 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-wacom-0.10.5-14.el6.src.rpm
Size : 336836 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 04:42:26 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 wacom input driver
Description :
X.Org X11 wacom input driver for Wacom tablets.

Name : cpufrequtils Relocations: (not relocatable)

Version : 007 Vendor: CentOS
Release : 6.el6 Build Date: Fri 23 Sep 2011
12:57:21 PM EDT
Install Date: Sun 24 Feb 2013 10:41:33 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: cpufrequtils-007-
6.el6.src.rpm
Size : 119214 License: GPLv2
Signature : RSA/SHA1, Mon 26 Sep 2011 12:17:19 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL :
<http://www.kernel.org/pub/linux/utils/kernel/cpufreq/cpufrequtils.html>
Summary : CPU Frequency changing related utilities
Description :
cpufrequtils contains several utilities that can be used to control
the cpufreq interface provided by the kernel on hardware that
supports CPU frequency scaling.

Name : qt-x11 Relocations: (not relocatable)
Version : 4.6.2 Vendor: CentOS
Release : 20.el6 Build Date: Sun 25 Sep 2011
11:11:35 PM EDT
Install Date: Sun 24 Feb 2013 10:38:24 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: qt-4.6.2-
20.el6.src.rpm
Size : 31247196 License: (LGPLv2 with
exceptions or GPLv3 with exceptions) and ASL 2.0 and BSD and FLT and MIT
Signature : RSA/SHA1, Tue 27 Sep 2011 08:35:12 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.qtsoftware.com/>
Summary : Qt GUI-related libraries
Description :
Qt libraries used for drawing widgets and OpenGL items.

Name : traceroute Relocations: (not relocatable)
Version : 2.0.14 Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010
10:30:39 AM EST
Install Date: Sun 24 Feb 2013 10:41:34 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Applications/Internet Source RPM: traceroute-
2.0.14-2.el6.src.rpm
Size : 81494 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:04:15 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://traceroute.sourceforge.net>
Summary : Traces the route taken by packets over an IPv4/IPv6 network
Description :
The traceroute utility displays the route used by IP packets on their
way to a specified network (or Internet) host. Traceroute displays

the IP number and host name (if possible) of the machines along the route taken by the packets. Traceroute is used as a network debugging tool. If you're having network connectivity problems, traceroute will show you where the trouble is coming from along the route.

Install traceroute if you need a tool for diagnosing network connectivity problems.

```
Name       : tigervnc-server           Relocations: (not relocatable)
Version    : 1.0.90                   Vendor: CentOS
Release    : 0.17.20110314svn4359.el6 Build Date: Wed 07 Dec 2011
08:43:54 PM EST
Install Date: Sun 24 Feb 2013 10:38:26 PM EST   Build Host:
c6b18n2.bsys.dev.centos.org
Group      : User Interface/X           Source RPM: tigervnc-1.0.90-
0.17.20110314svn4359.el6.src.rpm
Size       : 2923071                   License: GPLv2+
Signature  : RSA/SHA1, Thu 08 Dec 2011 04:24:33 PM EST, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://www.tigervnc.com
Summary    : A TigerVNC server
Description:
The VNC system allows you to access the same desktop from a wide
variety of platforms. This package is a TigerVNC server, allowing
others to access the desktop on your machine.
```

```
Name       : rdate                     Relocations: (not relocatable)
Version    : 1.4                       Vendor: CentOS
Release    : 16.el6                   Build Date: Thu 11 Nov 2010
02:20:51 PM EST
Install Date: Sun 24 Feb 2013 10:41:34 PM EST   Build Host:
c6b4.bsys.dev.centos.org
Group      : Applications/System        Source RPM: rdate-1.4-
16.el6.src.rpm
Size       : 29675                     License: GPLv2+
Signature  : RSA/8, Sun 03 Jul 2011 01:00:07 AM EDT, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : ftp://people.redhat.com/sopwith/
Summary    : Tool for getting the date/time from a remote machine
Description:
The rdate utility retrieves the date and time from another machine on
your network, using the protocol described in RFC 868. If you run
rdate as root, it will set your machine's local time to the time of
the machine that you queried.
```

```
Name       : xorg-x11-drv-vmmouse      Relocations: (not relocatable)
Version    : 12.7.0                   Vendor: CentOS
Release    : 1.el6                   Build Date: Wed 07 Dec 2011
10:18:39 AM EST
Install Date: Sun 24 Feb 2013 10:38:26 PM EST   Build Host:
c6b5.bsys.dev.centos.org
```


Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-vmmouse-12.7.0-1.el6.src.rpm
Size : 22768 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:41:29 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 vmmouse input driver
Description :
X.Org X11 vmmouse input driver.

Name : b43-fwcutter Relocations: (not relocatable)
Version : 012 Vendor: CentOS
Release : 2.2.el6 Build Date: Wed 10 Nov 2010 07:59:08 PM EST
Install Date: Sun 24 Feb 2013 10:41:35 PM EST Build Host: c6b1.bsyz.dev.centos.org
Group : System Environment/Base Source RPM: b43-fwcutter-012-2.2.el6.src.rpm
Size : 29806 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:04:15 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://bu3sch.de/b43/fwcutter/>
Summary : Firmware extraction tool for Broadcom wireless driver
Description :
This package contains the 'b43-fwcutter' tool which is used to extract firmware for the Broadcom network devices.

See the README.Fedora file shipped in the package's documentation for instructions on using this tool.

Name : xorg-x11-drv-synaptics Relocations: (not relocatable)
Version : 1.4.1 Vendor: CentOS
Release : 3.el6 Build Date: Wed 07 Dec 2011 10:59:10 AM EST
Install Date: Sun 24 Feb 2013 10:38:26 PM EST Build Host: c6b18n2.bsyz.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-synaptics-1.4.1-3.el6.src.rpm
Size : 100127 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:40:18 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 Synaptics touchpad input driver
Description :
This is the Synaptics touchpad driver for the X.Org X server. The following touchpad models are supported:
* Synaptics
* appletouch (Post February 2005 and October 2005 Apple Aluminium Powerbooks)
* Elantech (EeePC)

* bcm5974 (Macbook Air (Jan 2008), Macbook Pro Penryn (Feb 2008), iPhone (2007), iPod Touch (2008)

Note that support for appletouch, elantech and bcm5974 requires the respective kernel module.

A touchpad by default operates in compatibility mode by emulating a standard mouse. However, by using a dedicated driver, more advanced features of the touchpad become available.

Features:

- * Movement with adjustable, non-linear acceleration and speed.
- * Button events through short touching of the touchpad ("tapping").
- * Double-Button events through double short touching of the touchpad.
- * Dragging through short touching and holding down the finger on the touchpad.
- * Middle and right button events on the upper and lower corner of the touchpad.
- * Vertical scrolling (button four and five events) through moving the finger on the right side of the touchpad.
- * The up/down button sends button four/five events.
- * Horizontal scrolling (button six and seven events) through moving the finger on the lower side of the touchpad.
- * The multi-buttons send button four/five events, and six/seven events for horizontal scrolling.
- * Adjustable finger detection.
Multifinger taps: two finger for middle button and three finger for right button events. (Needs hardware support. Not all models implement this feature.)
- * Run-time configuration using shared memory. This means you can change parameter settings without restarting the X server.

```
Name       : compat-expat1           Relocations: (not relocatable)
Version    : 1.95.8                 Vendor: CentOS
Release    : 8.el6                  Build Date: Wed 10 Nov 2010
09:58:01 PM EST
Install Date: Sun 24 Feb 2013 10:41:35 PM EST      Build Host:
c6b4.bsyz.dev.centos.org
Group      : System Environment/Libraries   Source RPM: compat-expat1-
1.95.8-8.el6.src.rpm
Size       : 165158                  License: MIT
Signature  : RSA/8, Sun 03 Jul 2011 12:07:30 AM EDT, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://www.libexpat.org/
Summary    : A library for parsing XML documents
```

Description :

This is expat, the C library for parsing XML, written by James Clark. Expat is a stream oriented XML parser. This means that you register handlers with the parser prior to starting the parse. These handlers are called when the parser discovers the associated structures in the document being parsed. A start tag is an example of the kind of structures for which you may register handlers.

Name : xorg-x11-drv-savage Relocations: (not relocatable)
Version : 2.3.2 Vendor: CentOS
Release : 1.el6 Build Date: Wed 07 Dec 2011
10:37:08 AM EST
Install Date: Sun 24 Feb 2013 10:38:27 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-savage-2.3.2-1.el6.src.rpm
Size : 152309 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:39:22 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 savage video driver
Description :
X.Org X11 savage video driver.

Name : trace-cmd Relocations: (not relocatable)
Version : 1.0.4 Vendor: CentOS
Release : 7.el6 Build Date: Thu 11 Nov 2010
06:57:20 PM EST
Install Date: Sun 24 Feb 2013 10:41:37 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Development/Tools Source RPM: trace-cmd-1.0.4-7.el6.src.rpm
Size : 270468 License: GPLv2 and
LGPLv2.1
Signature : RSA/8, Sun 03 Jul 2011 01:04:15 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.kernel.org/pub/linux/analysis/trace-cmd/>
Summary : trace-cmd is a user interface to Ftrace
Description :
trace-cmd is a user interface to Ftrace. Instead of needing to use the debugfs directly, trace-cmd will handle of setting of options and tracers and will record into a data file.

Name : xorg-x11-drv-qxl Relocations: (not relocatable)
Version : 0.0.14 Vendor: CentOS
Release : 10.el6 Build Date: Wed 07 Dec 2011
04:41:01 PM EST

Install Date: Sun 24 Feb 2013 10:38:27 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-qxl-0.0.14-10.el6.src.rpm
Size : 128692 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:38:29 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 qxl video driver
Description :
xorg-x11-qxl-drv is an X11 video driver for the QEMU QXL video
accelerator. This driver makes it possible to use Red Hat Enterprise
Linux 6 as a guest operating system under KVM and QEMU, using the
SPICE protocol.

Name : words Relocations: (not relocatable)
Version : 3.0 Vendor: CentOS
Release : 17.el6 Build Date: Fri 20 Aug 2010
09:35:18 PM EDT
Install Date: Sun 24 Feb 2013 10:41:40 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: words-3.0-
17.el6.src.rpm
Size : 4959484 License: Public Domain
Signature : RSA/8, Sun 03 Jul 2011 12:53:00 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : http://en.wikipedia.org/wiki/Moby_Project
Summary : A dictionary of English words for the /usr/share/dict
directory
Description :
The words file is a dictionary of English words for the
/usr/share/dict directory. Some programs use this database of
words to check spelling. Password checkers use it to look for bad
passwords.

Name : xorg-x11-drv-nouveau Relocations: (not relocatable)
Version : 0.0.16 Vendor: CentOS
Release : 13.20110719gitde9d1ba.el6 Build Date: Wed 07 Dec 2011
11:29:56 AM EST
Install Date: Sun 24 Feb 2013 10:38:28 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-nouveau-0.0.16-13.20110719gitde9d1ba.el6.src.rpm
Size : 248925 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:37:31 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 nouveau video driver for NVIDIA graphics chipsets
Description :
X.Org X11 nouveau video driver.

Name : ivtv-firmware Relocations: (not relocatable)
 Version : 20080701 Vendor: CentOS
 Release : 20.2 Build Date: Tue 24 Aug 2010
 11:34:52 AM EDT
 Install Date: Sun 24 Feb 2013 10:41:43 PM EST Build Host:
 c6b3.bsys.dev.centos.org
 Group : System Environment/Kernel Source RPM: ivtv-firmware-
 20080701-20.2.src.rpm
 Size : 857256 License: Redistributable,
 no modification permitted
 Signature : RSA/8, Sun 03 Jul 2011 12:16:26 AM EDT, Key ID
 0946fca2c105b9de
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>
 URL : <http://dl.ivtvdriver.org/ivtv/firmware/>
 Summary : Firmware for the Hauppauge PVR 250/350/150/500/USB2 model
 series
 Description :
 This package contains the firmware for WinTV Hauppauge PVR
 250/350/150/500/USB2 cards.

Name : xorg-x11-drv-mach64 Relocations: (not relocatable)
 Version : 6.9.0 Vendor: CentOS
 Release : 1.el6 Build Date: Wed 07 Dec 2011
 10:20:33 AM EST
 Install Date: Sun 24 Feb 2013 10:38:28 PM EST Build Host:
 c6b6.bsys.dev.centos.org
 Group : User Interface/X Hardware Support Source RPM: xorg-x11-
 drv-mach64-6.9.0-1.el6.src.rpm
 Size : 196073 License: MIT
 Signature : RSA/SHA1, Thu 08 Dec 2011 04:36:22 PM EST, Key ID
 0946fca2c105b9de
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>
 URL : <http://www.x.org>
 Summary : Xorg X11 mach64 video driver
 Description :
 X.Org X11 mach64 video driver.

Name : atmel-firmware Relocations: (not relocatable)
 Version : 1.3 Vendor: CentOS
 Release : 7.el6 Build Date: Wed 10 Nov 2010
 07:28:12 PM EST
 Install Date: Sun 24 Feb 2013 10:41:43 PM EST Build Host:
 c6b5.bsys.dev.centos.org
 Group : System Environment/Kernel Source RPM: atmel-firmware-
 1.3-7.el6.src.rpm
 Size : 728154 License: Redistributable,
 no modification permitted
 Signature : RSA/8, Sun 03 Jul 2011 12:00:05 AM EDT, Key ID
 0946fca2c105b9de
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>
 URL : <http://at76c503a.berlios.de/>
 Summary : Firmware for Atmel at76c50x wireless network chips
 Description :

The drivers for Atmel at76c50x wireless network chips in the Linux 2.6.x kernel but do not include the firmware. This firmware needs to be loaded by the host on most cards using these chips.

Name : xorg-x11-drv-*i128* Relocations: (not relocatable)
Version : 1.3.4 Vendor: CentOS
Release : 1.el6 Build Date: Wed 07 Dec 2011 10:17:45 AM EST
Install Date: Sun 24 Feb 2013 10:38:28 PM EST Build Host: c6b18n3.bsyz.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-*i128*-1.3.4-1.el6.src.rpm
Size : 59683 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:34:59 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 *i128* video driver
Description :
X.Org X11 *i128* video driver.

Name : iwl3945-firmware Relocations: (not relocatable)
Version : 15.32.2.9 Vendor: CentOS
Release : 4.el6 Build Date: Sat 21 Aug 2010 12:19:21 AM EDT
Install Date: Sun 24 Feb 2013 10:41:44 PM EST Build Host: c6b1.bsyz.dev.centos.org
Group : System Environment/Kernel Source RPM: iwl3945-firmware-15.32.2.9-4.el6.src.rpm
Size : 457396 License: Redistributable, no modification permitted
Signature : RSA/8, Sun 03 Jul 2011 12:16:28 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://intellinuxwireless.org/>
Summary : Firmware for Intel® PRO/Wireless 3945 A/B/G network adaptors
Description :
This package contains the firmware required by the iwl3945 driver for Linux.
Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : xorg-x11-drv-fbdev Relocations: (not relocatable)
Version : 0.4.2 Vendor: CentOS
Release : 2.el6 Build Date: Wed 07 Dec 2011 10:28:24 AM EST
Install Date: Sun 24 Feb 2013 10:38:29 PM EST Build Host: c6b18n2.bsyz.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-fbdev-0.4.2-2.el6.src.rpm
Size : 22369 License: MIT

Signature : RSA/SHA1, Thu 08 Dec 2011 04:33:52 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 fbdev video driver
Description :
X.Org X11 fbdev video driver.

Name : ql23xx-firmware Relocations: (not relocatable)
Version : 3.03.27 Vendor: CentOS
Release : 3.1.el6 Build Date: Wed 18 Aug 2010
10:59:16 AM EDT
Install Date: Sun 24 Feb 2013 10:41:44 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: ql23xx-firmware-
3.03.27-3.1.el6.src.rpm
Size : 262821 License: Redistributable,
no modification permitted
Signature : RSA/8, Sun 03 Jul 2011 12:44:00 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.qlogic.com/outgoing/linux/firmware/>
Summary : Firmware for qlogic 23xx devices
Description :
Firmware for qlogic 2300 and 2322 devices.

Name : xorg-x11-drv-ati Relocations: (not relocatable)
Version : 6.14.2 Vendor: CentOS
Release : 7.el6 Build Date: Wed 07 Dec 2011
06:46:14 PM EST
Install Date: Sun 24 Feb 2013 10:38:29 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-ati-6.14.2-7.el6.src.rpm
Size : 1328084 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:32:40 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 ati video driver
Description :
X.Org X11 ati video driver.

Name : glibc Relocations: (not relocatable)
Version : 2.12 Vendor: CentOS
Release : 1.47.el6 Build Date: Tue 06 Dec 2011
09:47:26 AM EST
Install Date: Sun 24 Feb 2013 10:41:47 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: glibc-2.12-
1.47.el6.src.rpm
Size : 13647743 License: LGPLv2+ and
LGPLv2+ with exceptions and GPLv2+

Signature : RSA/SHA1, Sat 10 Dec 2011 05:58:33 PM EST, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://sources.redhat.com/glibc/>

Summary : The GNU libc libraries

Description :

The glibc package contains standard libraries which are used by multiple programs on the system. In order to save disk space and memory, as well as to make upgrading easier, common system code is kept in one place and shared between programs. This particular package contains the most important sets of shared libraries: the standard C library and the standard math library. Without these two libraries, a Linux system will not function.

Name : xorg-x11-drv-acecad Relocations: (not relocatable)

Version : 1.5.0 Vendor: CentOS

Release : 3.el6 Build Date: Wed 07 Dec 2011

11:13:26 AM EST

Install Date: Sun 24 Feb 2013 10:38:29 PM EST Build Host:

c6b18n3.bsyzs.dev.centos.org

Group : User Interface/X Hardware Support Source RPM: xorg-x11-

drv-acecad-1.5.0-3.el6.src.rpm

Size : 18868 License: MIT

Signature : RSA/SHA1, Thu 08 Dec 2011 04:31:42 PM EST, Key ID

0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.x.org>

Summary : Xorg X11 acecad input driver

Description :

X.Org X11 acecad input driver.

Name : perl-File-NCopy Relocations: (not relocatable)

Version : 0.36 Vendor: Dag Apt

Repository, <http://dag.wieers.com/apt/>

Release : 1.el6.rf Build Date: Wed 10 Nov 2010

11:48:50 PM EST

Install Date: Sun 24 Feb 2013 10:44:22 PM EST Build Host:

lisse.hasselt.wieers.com

Group : Applications/CPAN Source RPM: perl-File-NCopy-

0.36-1.el6.rf.src.rpm

Size : 26947 License: Artistic/GPL

Signature : DSA/SHA1, Thu 11 Nov 2010 01:30:02 AM EST, Key ID

a20e52146b8d79e6

Packager : Dries Verachtert <dries@ulyssis.org>

URL : <http://search.cpan.org/dist/File-NCopy/>

Summary : Copy files

Description :

Easy functions for copying files.

Name : fcoe-utils Relocations: (not relocatable)

Version : 1.0.20 Vendor: CentOS

Release : 5.el6 Build Date: Wed 07 Dec 2011

08:01:46 PM EST

Install Date: Sun 24 Feb 2013 10:38:30 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : Applications/System Source RPM: fcoe-utils-
1.0.20-5.el6.src.rpm
Size : 215241 License: GPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 02:57:30 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.open-fcoe.org>
Summary : Fibre Channel over Ethernet utilities
Description :
Fibre Channel over Ethernet utilities
fcoeadm - command line tool for configuring FCoE interfaces
fcoemon - service to configure DCB Ethernet QOS filters, works with dcbd
or
lldpad

Name : perl-HTML-Template Relocations: (not relocatable)
Version : 2.9 Vendor: Dag Apt
Repository, <http://dag.wieers.com/apt/>
Release : 1.el6.rf Build Date: Wed 10 Nov 2010
11:56:59 PM EST
Install Date: Sun 24 Feb 2013 10:44:24 PM EST Build Host:
lisse.hasselt.wieers.com
Group : Applications/CPAN Source RPM: perl-HTML-
Template-2.9-1.el6.rf.src.rpm
Size : 164807 License: Artistic/GPL
Signature : DSA/SHA1, Thu 11 Nov 2010 01:30:07 AM EST, Key ID
a20e52146b8d79e6
Packager : Dries Verachtert <dries@ulyssis.org>
URL : <http://search.cpan.org/dist/HTML-Template/>
Summary : HTML Templates for CGI scripts
Description :
With this module, you can use HTML templates in CGI scripts.

Name : plymouth-gdm-hooks Relocations: (not relocatable)
Version : 0.8.3 Vendor: CentOS
Release : 24.el6.centos Build Date: Thu 08 Dec 2011
01:38:06 PM EST
Install Date: Sun 24 Feb 2013 10:38:34 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Applications/System Source RPM: plymouth-0.8.3-
24.el6.centos.src.rpm
Size : 171 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:57:13 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://freedesktop.org/software/plymouth/releases>
Summary : Plymouth GDM integration
Description :
This package contains support files for integrating Plymouth with GDM

Namely, it adds hooks to show boot messages at the login screen in the
event start-up services fail.

```

Name       : perl-Proc-ProcessTable      Relocations: (not relocatable)
Version    : 0.45                        Vendor: Dag Apt
Repository, http://dag.wieers.com/apt/
Release    : 1.el6.rf                    Build Date: Thu 11 Nov 2010
12:32:30 AM EST
Install Date: Sun 24 Feb 2013 10:44:26 PM EST      Build Host:
lisse.hasselt.wieers.com
Group      : Applications/CPAN            Source RPM: perl-Proc-
ProcessTable-0.45-1.el6.rf.src.rpm
Size       : 187806                      License: Artistic/GPL
Signature  : DSA/SHA1, Thu 11 Nov 2010 01:29:46 AM EST, Key ID
a20e52146b8d79e6
Packager   : Dag Wieers <dag@wieers.com>
URL        : http://search.cpan.org/dist/Proc-ProcessTable/
Summary    : Perl interface to the UNIX process table
Description :
This module is a first crack at providing a consistent interface to
Unix (and maybe other multitasking OS's) process table information.
The impetus for this came about with my frustration at having to parse
the output of various systems' ps commands to check whether specific
processes were running on different boxes at a larged mixed UNIX site.
The output format of ps was different on each OS, and sometimes
changed with each new release of an OS. Also, running a ps subprocess
from within a perl or shell script and parsing the output was not a
very efficient or aesthetic way to do things.

```

```

Name       : gdm-plugin-fingerprint      Relocations: (not relocatable)
Version    : 2.30.4                      Vendor: CentOS
Release    : 32.el6                      Build Date: Wed 07 Dec 2011
03:23:06 PM EST
Install Date: Sun 24 Feb 2013 10:38:38 PM EST      Build Host:
c6b5.bsyzs.dev.centos.org
Group      : User Interface/Desktops      Source RPM: gdm-2.30.4-
32.el6.src.rpm
Size       : 80797                       License: GPLv2+
Signature  : RSA/SHA1, Thu 08 Dec 2011 03:04:53 PM EST, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://download.gnome.org/sources/gdm
Summary    : GDM fingerprint plugin
Description :
The GDM fingerprint plugin provides functionality necessary to use a
fingerprint reader with GDM.

```

```

Name       : perl-XML-Writer             Relocations: (not relocatable)
Version    : 0.606                       Vendor: CentOS
Release    : 6.el6                       Build Date: Sun 22 Aug 2010
04:30:05 PM EDT
Install Date: Sun 24 Feb 2013 10:44:29 PM EST      Build Host:
c6b3.bsyzs.dev.centos.org
Group      : Development/Libraries       Source RPM: perl-XML-Writer-
0.606-6.el6.src.rpm
Size       : 54744                       License: MIT

```

Signature : RSA/8, Sun 03 Jul 2011 12:56:43 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://search.cpan.org/dist/XML-Writer/>

Summary : A simple Perl module for writing XML documents

Description :

XML::Writer is a simple Perl module for writing XML documents: it takes care of constructing markup and escaping data correctly, and by default, it also performs a significant amount of well-formedness checking on the output, to make certain (for example) that start and end tags match, that there is exactly one document element, and that there are not duplicate attribute names.

Name : systemtap-grapher

Relocations: (not relocatable)

Version : 1.6

Vendor: CentOS

Release : 4.el6

Build Date: Wed 07 Dec 2011

06:09:14 PM EST

Install Date: Sun 24 Feb 2013 10:38:39 PM EST

Build Host:

c6b5.bsys.dev.centos.org

Group : Development/System

Source RPM: systemtap-1.6-

4.el6.src.rpm

Size : 293762

License: GPLv2+

Signature : RSA/SHA1, Thu 08 Dec 2011 04:19:21 PM EST, Key ID

0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://sourceware.org/systemtap/>

Summary : Instrumentation System Grapher

Description :

SystemTap grapher is a utility for real-time visualization of data from SystemTap instrumentation scripts.

Name : perl-Text-Autoformat

Relocations: (not relocatable)

Version : 1.14.0

Vendor: CentOS

Release : 5.el6

Build Date: Fri 12 Nov 2010

09:02:16 AM EST

Install Date: Sun 24 Feb 2013 10:44:31 PM EST

Build Host:

c6b6.bsys.dev.centos.org

Group : Development/Libraries

Source RPM: perl-Text-

Autoformat-1.14.0-5.el6.src.rpm

Size : 53285

License: GPL+ or Artistic

Signature : RSA/8, Sun 03 Jul 2011 12:39:24 AM EDT, Key ID

0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://search.cpan.org/dist/Text-Autoformat/>

Summary : Automatic text wrapping and reformatting

Description :

Text::Autoformat provides intelligent formatting of plaintext without the need for any kind of embedded mark-up. The module recognizes Internet quoting conventions, a wide range of bulleting and number schemes, centered

text, and block quotations, and reformats each appropriately. Other options

allow the user to adjust inter-word and inter-paragraph spacing, justify text, and impose various capitalization schemes.

The module also supplies a re-entrant, highly configurable replacement for the built-in Perl format() mechanism.

Name : glx-utils Relocations: (not relocatable)
Version : 7.11 Vendor: CentOS
Release : 3.el6 Build Date: Wed 07 Dec 2011
05:56:04 PM EST
Install Date: Sun 24 Feb 2013 10:38:42 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : Development/Libraries Source RPM: mesa-7.11-
3.el6.src.rpm
Size : 51510 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 03:31:26 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mesa3d.org>
Summary : GLX utilities
Description :
The glx-utils package provides the glxinfo and glxgears utilities.

Name : perl-Tk-GBARR Relocations: (not relocatable)
Version : 2.08 Vendor: (none)
Release : 1 Build Date: Thu 15 Jul 2010
08:44:47 AM EDT
Install Date: Sun 24 Feb 2013 10:44:36 PM EST Build Host: lorax
Group : Applications/CPAN Source RPM: perl-Tk-GBARR-
2.08-1.src.rpm
Size : 48283 License: Artistic/GPL
Signature : (none)
Packager : Jason Messmer <Jason.Messmer@xerox.com>
URL : <http://search.cpan.org/dist/Tk-GBARR/>
Summary : A collection of Tk Widgets
Description :
A collection of Tk Widgets.

Name : firefox Relocations: (not relocatable)
Version : 3.6.24 Vendor: CentOS
Release : 3.el6.centos Build Date: Wed 09 Nov 2011
11:45:46 AM EST
Install Date: Sun 24 Feb 2013 10:38:46 PM EST Build Host:
c6b18n1.dev.centos.org
Group : Applications/Internet Source RPM: firefox-3.6.24-
3.el6.centos.src.rpm
Size : 18269880 License: MPLv1.1 or GPLv2+
or LGPLv2+
Signature : RSA/SHA1, Mon 14 Nov 2011 08:32:54 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mozilla.org/projects/firefox/>
Summary : Mozilla Firefox Web browser
Description :
Mozilla Firefox is an open-source web browser, designed for standards

compliance, performance and portability.

Name : perl-IO-Stty Relocations: (not relocatable)
Version : .02 Vendor: Dag Apt
Repository, <http://dag.wieers.com/apt/>
Release : 1.2.el6.rf Build Date: Thu 11 Nov 2010
12:00:58 AM EST
Install Date: Sun 24 Feb 2013 10:44:38 PM EST Build Host:
lisse.hasselt.wieers.com
Group : Applications/CPAN Source RPM: perl-IO-Stty-.02-
1.2.el6.rf.src.rpm
Size : 15894 License: Artistic/GPL
Signature : DSA/SHA1, Thu 11 Nov 2010 01:31:07 AM EST, Key ID
a20e52146b8d79e6
Packager : Dries Verachtert <dries@ulyssis.org>
URL : <http://search.cpan.org/dist/IO-Stty/>
Summary : Setting terminal parameters
Description :
The two perl items in this package are an stty shell script and a
module for setting terminal parameters.

Name : file-roller Relocations: (not relocatable)
Version : 2.28.2 Vendor: CentOS
Release : 6.el6 Build Date: Thu 11 Nov 2010
02:42:08 AM EST
Install Date: Sun 24 Feb 2013 10:38:57 PM EST Build Host:
c6b5.bsyzs.dev.centos.org
Group : Applications/Archiving Source RPM: file-roller-
2.28.2-6.el6.src.rpm
Size : 4842078 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:14:31 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/file-roller/>
Summary : Tool for viewing and creating archives
Description :
File Roller is an application for creating and viewing archives files,
such as tar or zip files.

Name : fuse-ntfs-3g Relocations: (not relocatable)
Version : 2010.10.2 Vendor: Dag Apt
Repository, <http://dag.wieers.com/apt/>
Release : 1.el6.rf Build Date: Thu 11 Nov 2010
04:35:35 PM EST
Install Date: Sun 24 Feb 2013 10:45:00 PM EST Build Host:
lisse.hasselt.wieers.com
Group : System Environment/Kernel Source RPM: fuse-ntfs-3g-
2010.10.2-1.el6.rf.src.rpm
Size : 1655169 License: GPL
Signature : DSA/SHA1, Thu 11 Nov 2010 10:50:00 PM EST, Key ID
a20e52146b8d79e6
Packager : Dag Wieers <dag@wieers.com>
URL : <http://www.ntfs-3g.org/>
Summary : Linux NTFS userspace driver

Description :

The ntfs-3g driver is an open source, GPL licensed, third generation Linux NTFS driver. It provides full read-write access to NTFS, excluding access to encrypted files, writing compressed files, changing file ownership, access right.

Technically it,ÇÖs based on and a major improvement to the third generation Linux NTFS driver, ntfsmount. The improvements include functionality, quality and performance enhancements.

ntfs-3g features are being merged to ntfsmount. In the meanwhile, ntfs-3g is currently the only free, as in either speech or beer, NTFS driver for Linux that supports unlimited file creation and deletion.

Name : orca Relocations: (not relocatable)
Version : 2.28.2 Vendor: CentOS
Release : 1.el6 Build Date: Fri 20 Aug 2010
04:15:28 PM EDT
Install Date: Sun 24 Feb 2013 10:38:59 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: orca-2.28.2-
1.el6.src.rpm
Size : 9129325 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:52:57 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://projects.gnome.org/orca/>
Summary : Assistive technology for people with visual impairments
Description :
Orca is a flexible, extensible, and powerful assistive technology for people with visual impairments. Using various combinations of speech synthesis, braille, and magnification, Orca helps provide access to applications and toolkits that support AT-SPI (e.g. the GNOME desktop).

Name : XRXTOOLS Relocations: (not relocatable)
Version : 1.0.0.17 Vendor: Xerox Corporation
Release : 1 Build Date: Tue 19 Jun 2012
02:53:01 PM EDT
Install Date: Sun 24 Feb 2013 10:46:11 PM EST Build Host: decaf
Group : Applications/Xerox Source RPM: XRXTOOLS-
1.0.0.17-1.src.rpm
Size : 330525 License: Copyright 1996-
2010 Xerox Corporation
Signature : (none)
Packager : scmt
Summary : Xerox Print Engine Tools
Description :

Xerox Print Engine Tools for Development and Debugging

Name : ibus-sayura Relocations: (not relocatable)
Version : 1.2.99.20100209 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
07:54:36 PM EST
Install Date: Sun 24 Feb 2013 10:39:04 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ibus-sayura-
1.2.99.20100209-3.el6.src.rpm
Size : 34201 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:24:08 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/ibus-sayura>
Summary : The Sinhala engine for IBus input platform
Description :
The Sayura engine for IBus platform. It provides Sinhala input method.

Name : libX11 Relocations: (not relocatable)
Version : 1.3 Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010
05:16:37 PM EST
Install Date: Sun 24 Feb 2013 10:46:46 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libX11-1.3-
2.el6.src.rpm
Size : 1275592 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:27:20 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Core X11 protocol client library
Description :
Core X11 protocol client library.

Name : ibus-hangul Relocations: (not relocatable)
Version : 1.3.0.20100329 Vendor: CentOS
Release : 4.el6 Build Date: Mon 18 Jul 2011
08:52:42 PM EDT
Install Date: Sun 24 Feb 2013 10:39:07 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ibus-hangul-
1.3.0.20100329-4.el6.src.rpm
Size : 107330 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:21 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/ibus/>
Summary : The Hangul engine for IBus input platform
Description :
The Hangul engine for IBus platform. It provides Korean input method from
libhangul.

Name : libgtksourceview-2_0-0 Relocations: (not relocatable)
Version : 2.10.5 Vendor: openSUSE
Release : 4.1 Build Date: Sat 19 Feb 2011
06:31:25 AM EST
Install Date: Sun 24 Feb 2013 10:46:48 PM EST Build Host: build34
Group : System/GUI/GNOME Source RPM: gtksourceview-
2.10.5-4.1.src.rpm
Size : 1454613 License: GPLv2+
Signature : RSA/8, Sat 19 Feb 2011 06:31:45 AM EST, Key ID
b88b2fd43dbdc284
Packager : <http://bugs.opensuse.org>
URL : <http://www.gnome.org/>
Summary : GTK+ Source Editing Widget
Description :
GtkSourceView is a text widget that extends GtkTextView, the standard
GTK+ text widget.

It improves GtkTextView by implementing syntax highlighting and other
features typical of a source editor.

Name : gnome-power-manager Relocations: (not relocatable)
Version : 2.28.3 Vendor: CentOS
Release : 5.el6 Build Date: Tue 19 Jul 2011
10:23:29 PM EDT
Install Date: Sun 24 Feb 2013 10:39:08 PM EST Build Host:
c6b6.bsyz.dev.centos.org
Group : Applications/System Source RPM: gnome-power-
manager-2.28.3-5.el6.src.rpm
Size : 7711667 License: GPLv2+ and GFDL
Signature : RSA/SHA1, Mon 26 Sep 2011 12:18:54 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://projects.gnome.org/gnome-power-manager/>
Summary : GNOME power management service
Description :
GNOME Power Manager uses the information and facilities provided by HAL
displaying icons and handling user callbacks in an interactive GNOME
session.
GNOME Power Preferences allows authorised users to set policy and
change preferences.

Name : poppler-glib Relocations: (not relocatable)
Version : 0.12.4 Vendor: CentOS
Release : 3.el6_0.1 Build Date: Fri 24 Jun 2011
09:17:31 PM EDT
Install Date: Sun 24 Feb 2013 10:46:56 PM EST Build Host:
c6b6.bsyz.dev.centos.org
Group : Development/Libraries Source RPM: poppler-0.12.4-
3.el6_0.1.src.rpm
Size : 209832 License: GPLv2
Signature : RSA/8, Tue 05 Jul 2011 09:45:02 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://poppler.freedesktop.org/>

Summary : Glib wrapper for poppler
Description :
Glib wrapper for poppler.

Name : webalizer Relocations: (not relocatable)
Version : 2.21_02 Vendor: CentOS
Release : 3.3.el6 Build Date: Thu 11 Nov 2010
03:57:27 PM EST
Install Date: Sun 24 Feb 2013 10:39:14 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Applications/Internet Source RPM: webalizer-
2.21_02-3.3.el6.src.rpm
Size : 331765 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:05:10 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mrunix.net/webalizer/>
Summary : A flexible Web server log file analysis program
Description :
The Webalizer is a Web server log analysis program. It is designed to scan Web server log files in various formats and produce usage statistics in HTML format for viewing through a browser. It produces professional looking graphs which make analyzing when and where your Web traffic is coming from easy.

Name : nedit Relocations: (not relocatable)
Version : 5.5 Vendor: Fedora Project
<<http://bugzilla.redhat.com/bugzilla>>
Release : 16.el5 Build Date: Tue 22 Jan 2008
08:15:15 AM EST
Install Date: Sun 24 Feb 2013 10:47:01 PM EST Build Host:
xenbuilder2.fedora.redhat.com
Group : Applications/Editors Source RPM: nedit-5.5-
16.el5.src.rpm
Size : 1614890 License: GPLv2
Signature : DSA/SHA1, Wed 23 Jan 2008 06:47:32 PM EST, Key ID
119cc036217521f6
Packager : Fedora Project <<http://bugzilla.redhat.com/bugzilla>>
URL : <http://nedit.org>
Summary : A GUI text editor for systems with X
Description :
NEdit is a GUI text editor for the X Window System. NEdit is very easy to use, especially if you are familiar with the Macintosh(TM) or Microsoft(TM) Windows(TM) style of interface.

Name : gnome-packagekit Relocations: (not relocatable)
Version : 2.28.3 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
06:15:49 AM EST
Install Date: Sun 24 Feb 2013 10:39:16 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Applications/System Source RPM: gnome-packagekit-
2.28.3-3.el6.src.rpm
Size : 8250749 License: GPLv2+

Signature : RSA/8, Sun 03 Jul 2011 12:18:16 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.packagekit.org>
Summary : Session applications to manage packages
Description :
gnome-packagekit provides session applications for the PackageKit API.
There are several utilities designed for installing, updating and
removing packages on your system.

Name : libICE Relocations: (not relocatable)
Version : 1.0.6 Vendor: CentOS
Release : 1.el6 Build Date: Mon 16 Aug 2010
06:20:02 PM EDT
Install Date: Sun 24 Feb 2013 10:47:04 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libICE-1.0.6-
1.el6.src.rpm
Size : 114135 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:24:20 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 ICE runtime library
Description :
The X.Org X11 ICE (Inter-Client Exchange) runtime library.

Name : rsh-server Relocations: (not relocatable)
Version : 0.17 Vendor: CentOS
Release : 60.el6 Build Date: Sun 22 Aug 2010
07:17:39 AM EDT
Install Date: Sun 24 Feb 2013 10:39:22 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: rsh-0.17-
60.el6.src.rpm
Size : 65500 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 01:00:36 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.uk.linux.org/pub/linux/Networking/netkit>
Summary : Servers for remote access commands (rsh, rlogin, rcp)
Description :
The rsh-server package contains a set of programs which allow users
to run commands on remote machines, login to other machines and copy
files between machines (rsh, rlogin and rcp). All three of these
commands use rhosts style authentication. This package contains the
servers needed for all of these services. It also contains a server
for rexec, an alternate method of executing remote commands.
All of these servers are run by xinetd and configured using
/etc/xinet.d/ and PAM.

The rsh-server package should be installed to enable remote access
from other machines

Name : libXmu Relocations: (not relocatable)
Version : 1.0.5 Vendor: CentOS
Release : 1.el6 Build Date: Mon 16 Aug 2010
05:56:09 PM EDT
Install Date: Sun 24 Feb 2013 10:47:06 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXmu-1.0.5-
1.el6.src.rpm
Size : 125502 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:27:44 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXmu/libXmuu runtime libraries
Description :
X.Org X11 libXmu/libXmuu runtime libraries

Name : mod_perl Relocations: (not relocatable)
Version : 2.0.4 Vendor: CentOS
Release : 10.el6 Build Date: Thu 19 Aug 2010
09:05:15 PM EDT
Install Date: Sun 24 Feb 2013 10:39:25 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: mod_perl-2.0.4-
10.el6.src.rpm
Size : 6400866 License: ASL 2.0
Signature : RSA/8, Sun 03 Jul 2011 12:45:41 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://perl.apache.org/>
Summary : An embedded Perl interpreter for the Apache HTTP Server
Description :
Mod_perl incorporates a Perl interpreter into the Apache web server,
so that the Apache web server can directly execute Perl code.
Mod_perl links the Perl runtime library into the Apache web server and
provides an object-oriented Perl interface for Apache's C language
API. The end result is a quicker CGI script turnaround process, since
no external Perl interpreter has to be started.

Install mod_perl if you're installing the Apache web server and you'd
like for it to directly incorporate a Perl interpreter.

Name : iwl6000g2b-firmware Relocations: (not relocatable)
Version : 17.168.5.2 Vendor: CentOS
Release : 1.el6 Build Date: Mon 18 Jul 2011
10:38:42 PM EDT
Install Date: Sun 24 Feb 2013 10:39:25 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: iwl6000g2b-
firmware-17.168.5.2-1.el6.src.rpm
Size : 467757 License: Redistributable,
no modification permitted
Signature : RSA/SHA1, Mon 26 Sep 2011 12:10:54 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://intellinuxwireless.org/>
Summary : Firmware for Intel(R) Wireless WiFi Link 6030 Series
Adapters
Description :

This package contains the firmware required by the iwlagn driver for Linux to support the iwl6000g2b hardware. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : iwl6050-firmware Relocations: (not relocatable)
Version : 41.28.5.1 Vendor: CentOS
Release : 2.el6 Build Date: Mon 18 Jul 2011
09:03:35 PM EDT
Install Date: Sun 24 Feb 2013 10:39:26 PM EST Build Host:
c6b5.bsyz.dev.centos.org
Group : System Environment/Kernel Source RPM: iwl6050-firmware-
41.28.5.1-2.el6.src.rpm
Size : 940307 License: Redistributable,
no modification permitted
Signature : RSA/SHA1, Mon 26 Sep 2011 12:10:54 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://intellinuxwireless.org/>
Summary : Firmware for Intel(R) Wireless WiFi Link 6050 Series
Adapters
Description :

This package contains the firmware required by the iwlagn driver for Linux to support the iwl6050 hardware. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : iwl6000-firmware Relocations: (not relocatable)
Version : 9.221.4.1 Vendor: CentOS
Release : 1.el6 Build Date: Wed 20 Jul 2011
08:24:35 AM EDT
Install Date: Sun 24 Feb 2013 10:39:26 PM EST Build Host:
c6b6.bsyz.dev.centos.org
Group : System Environment/Kernel Source RPM: iwl6000-firmware-
9.221.4.1-1.el6.src.rpm
Size : 461443 License: Redistributable,
no modification permitted
Signature : RSA/SHA1, Mon 26 Sep 2011 12:10:53 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://intellinuxwireless.org/>
Summary : Firmware for Intel(R) Wireless WiFi Link 6000 Series AGN
Adapter
Description :

This package contains the firmware required by the iwlagn driver for Linux to support the iwl6000 hardware. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

```

Name           : virt-what           Relocations: (not relocatable)
Version        : 1.11                Vendor: CentOS
Release        : 1.1.el6             Build Date: Wed 07 Dec 2011
09:57:40 AM EST
Install Date: Sun 24 Feb 2013 10:39:27 PM EST   Build Host:
c6b18n2.bsys.dev.centos.org
Group          : Applications/Emulators        Source RPM: virt-what-1.11-
1.1.el6.src.rpm
Size           : 37234                 License: GPLv2+
Signature      : RSA/SHA1, Thu 08 Dec 2011 04:29:11 PM EST, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://people.redhat.com/~rjones/virt-what/
Summary        : Detect if we are running in a virtual machine
Description    :
virt-what is a shell script which can be used to detect if the program
is running in a virtual machine.

```

The program prints out a list of "facts" about the virtual machine, derived from heuristics. One fact is printed per line.

If nothing is printed and the script exits with code 0 (no error), then it can mean either that the program is running on bare-metal or the program is running inside a type of virtual machine which we don't know about or cannot detect.

Current types of virtualization detected:

```

- hyperv       Microsoft Hyper-V
- kvm          Linux Kernel Virtual Machine (KVM)
- openvz       OpenVZ or Virtuozzo
- powervm_lx86 IBM PowerVM Lx86 Linux/x86 emulator
- qemu        QEMU (unaccelerated)
- uml          User-Mode Linux (UML)
- virtage      Hitachi Virtualization Manager (HVM) Virtage LPAR
- virtualbox   VirtualBox
- virtualpc    Microsoft VirtualPC
- vmware       VMware
- xen          Xen
- xen-dom0     Xen dom0 (privileged domain)
- xen-domU     Xen domU (paravirtualized guest domain)
- xen-hvm      Xen guest fully virtualized (HVM)

```

```

Name           : quota           Relocations: (not relocatable)
Version        : 3.17            Vendor: CentOS
Release        : 16.el6          Build Date: Tue 19 Jul 2011
04:28:14 AM EDT
Install Date: Sun 24 Feb 2013 10:39:34 PM EST   Build Host:
c6b5.bsys.dev.centos.org
Group          : System Environment/Base        Source RPM: quota-3.17-
16.el6.src.rpm
Size           : 1013057           License: BSD and GPLv2+
Signature      : RSA/SHA1, Mon 26 Sep 2011 12:24:25 AM EDT, Key ID
0946fca2c105b9de

```

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceforge.net/projects/linuxquota/>
Summary : System administration tools for monitoring users' disk usage
Description :
The quota package contains system administration tools for monitoring and limiting user and or group disk usage per filesystem.

Name : cpuspeed Relocations: (not relocatable)
Version : 1.5 Vendor: CentOS
Release : 15.el6 Build Date: Wed 10 Nov 2010 10:44:52 PM EST
Install Date: Sun 24 Feb 2013 10:39:35 PM EST Build Host: c6b6.bsys.dev.centos.org
Group : System Environment/Base Source RPM: cpuspeed-1.5-15.el6.src.rpm
Size : 65153 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:08:16 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://carlthompson.net/Software/CPUSpeed>
Summary : CPU frequency adjusting daemon
Description :
cpuspeed is a daemon that dynamically changes the speed of your processor(s) depending upon its current workload if it is capable (needs Intel Speedstep, AMD PowerNow!, or similar support).

This package also supports enabling cpu frequency scaling via in-kernel governors on Intel Centrino and AMD Athlon64/Opteron platforms.

Name : compat-glibc Relocations: (not relocatable)
Version : 2.5 Vendor: CentOS
Release : 46.2 Build Date: Wed 10 Nov 2010 10:40:36 PM EST
Install Date: Sun 24 Feb 2013 10:39:37 PM EST Build Host: c6b1.bsys.dev.centos.org
Group : Development/Libraries Source RPM: compat-glibc-2.5-46.2.src.rpm
Size : 6693646 License: LGPLv2+ and
LGPLv2+ with exceptions and GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:07:35 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : Compatibility C library
Description :
This package contains stub shared libraries and static libraries from Red Hat Enterprise Linux 5.
To compile and link against these compatibility libraries, use
gcc34 -I /usr/lib/x86_64-redhat-linux5E/include \
-B /usr/lib/x86_64-redhat-linux5E/lib64/
or
gcc -fgnu89-inline \

```
-I /usr/lib/x86_64-redhat-linux5E/include \
-B /usr/lib/x86_64-redhat-linux5E/lib64/
```

```
Name       : thai-scalable-waree-fonts      Relocations: (not relocatable)
Version    : 0.4.12                          Vendor: CentOS
Release    : 2.1.el6                          Build Date: Thu 11 Nov 2010
09:33:51 AM EST
Install Date: Sun 24 Feb 2013 10:39:46 PM EST      Build Host:
c6b1.bsys.dev.centos.org
Group      : User Interface/X                  Source RPM: thai-scalable-
fonts-0.4.12-2.1.el6.src.rpm
Size       : 342320                            License: GPLv2+
Signature  : RSA/8, Sun 03 Jul 2011 12:50:48 AM EDT, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://linux.thai.net/projects/thaifonts-scalable
Summary    : Thai Waree fonts
Description:
```

thaifonts-scalable provides a collection of free scalable Thai fonts.

This package provides the Waree family of Thai fonts.

```
Name       : yum-plugin-security           Relocations: (not relocatable)
Version    : 1.1.30                       Vendor: CentOS
Release    : 10.el6                       Build Date: Wed 07 Dec 2011
04:07:42 PM EST
Install Date: Sun 24 Feb 2013 10:39:51 PM EST      Build Host:
c6b18n2.bsyzs.dev.centos.org
Group      : System Environment/Base           Source RPM: yum-utils-1.1.30-
10.el6.src.rpm
Size       : 80575                           License: GPLv2+
Signature  : RSA/SHA1, Thu 08 Dec 2011 04:47:20 PM EST, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://yum.baseurl.org/download/yum-utils/
Summary    : Yum plugin to enable security filters
Description:
This plugin adds the options --security, --cve, --bz and --advisory flags
to yum and the list-security and info-security commands.
The options make it possible to limit list/upgrade of packages to
specific
security relevant ones. The commands give you the security information.
```

```
Name       : compat-openmpi           Relocations: (not relocatable)
Version    : 1.4.3                   Vendor: CentOS
Release    : 1.el6                   Build Date: Wed 07 Dec 2011
06:40:37 PM EST
Install Date: Sun 24 Feb 2013 10:39:52 PM EST      Build Host:
c6b5.bsys.dev.centos.org
Group      : Development/Libraries       Source RPM: compat-openmpi-
1.4.3-1.el6.src.rpm
Size       : 4585229                   License: BSD, MIT and
Romio
```

Signature : RSA/SHA1, Thu 08 Dec 2011 02:49:21 PM EST, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.open-mpi.org/>

Summary : Open Message Passing Interface

Description :

Open MPI is an open source, freely available implementation of both the MPI-1 and MPI-2 standards, combining technologies and resources from several other projects (FT-MPI, LA-MPI, LAM/MPI, and PACX-MPI) in order to build the best MPI library available. A completely new MPI-2 compliant implementation, Open MPI offers advantages for system and software vendors, application developers, and computer science researchers. For more information, see <http://www.open-mpi.org/> .

Name : libipa_hbac-python Relocations: (not relocatable)

Version : 1.5.1 Vendor: CentOS

Release : 66.el6 Build Date: Wed 07 Dec 2011
07:48:17 PM EST

Install Date: Sun 24 Feb 2013 10:39:56 PM EST Build Host:

c6b4.bsys.dev.centos.org

Group : Development/Libraries Source RPM: sssd-1.5.1-

66.el6.src.rpm

Size : 38288 License: LGPLv3+

Signature : RSA/SHA1, Thu 08 Dec 2011 04:18:00 PM EST, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://fedorahosted.org/sss/>

Summary : Python bindings for the FreeIPA HBAC Evaluator library

Description :

The libipa_hbac-python contains the bindings so that libipa_hbac can be used by Python applications.

Name : cups-pk-helper Relocations: (not relocatable)

Version : 0.0.4 Vendor: CentOS

Release : 12.el6 Build Date: Wed 10 Nov 2010
11:00:36 PM EST

Install Date: Sun 24 Feb 2013 10:39:57 PM EST Build Host:

c6b4.bsys.dev.centos.org

Group : System Environment/Base Source RPM: cups-pk-helper-

0.0.4-12.el6.src.rpm

Size : 77400 License: GPLv2+

Signature : RSA/8, Sun 03 Jul 2011 12:08:54 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.vuntz.net/download/cups-pk-helper/>

Summary : A helper that makes system-config-printer use PolicyKit

Description :

cups-pk-helper is an application which makes cups configuration interfaces available under control of PolicyKit.

Name : iptstate Relocations: (not relocatable)

Version : 2.2.2 Vendor: CentOS

Release : 4.el6 Build Date: Tue 17 Aug 2010

08:33:20 AM EDT

Install Date: Sun 24 Feb 2013 10:39:58 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Base Source RPM: iptstate-2.2.2-
4.el6.src.rpm
Size : 77676 License: zlib
Signature : RSA/8, Sun 03 Jul 2011 12:24:57 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.phildev.net/iptstate/>
Summary : A top-like display of IP Tables state table entries
Description :
IP Tables State (iptstate) was originally written to implement
the "state top" feature of IP Filter in IP Tables. "State top"
displays the states held by your stateful firewall in a top-like
manner.

Since IP Tables doesn't have a built in way to easily display
this information even once, an option was added to just have it
display the state table once.

Features include:

- Top-like realtime state table information
- Sorting by any field
- Reversible sorting
- Single display of state table
- Customizable refresh rate
- Display filtering
- Color-coding
- Open Source
- much more...

Name : junit Relocations: (not relocatable)
Version : 3.8.2 Vendor: CentOS
Release : 6.5.el6 Build Date: Thu 19 Aug 2010
05:13:44 AM EDT
Install Date: Sun 24 Feb 2013 10:39:58 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Tools Source RPM: junit-3.8.2-
6.5.el6.src.rpm
Size : 776490 License: CPL
Signature : RSA/8, Sun 03 Jul 2011 12:26:36 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.junit.org/>
Summary : Java regression test package
Description :
JUnit is a regression testing framework written by Erich Gamma and Kent
Beck. It is used by the developer who implements unit tests in Java.
JUnit is Open Source Software, released under the IBM Public License and
hosted on SourceForge.

Name : ctags-etags Relocations: (not relocatable)
Version : 5.8 Vendor: CentOS

Release : 2.el6 Build Date: Wed 10 Nov 2010
10:54:56 PM EST
Install Date: Sun 24 Feb 2013 10:40:02 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Development/Tools Source RPM: ctags-5.8-
2.el6.src.rpm
Size : 18007 License: GPLv2+ or Public
Domain
Signature : RSA/8, Sun 03 Jul 2011 12:08:31 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://ctags.sourceforge.net/>
Summary : Exuberant Ctags for emacs tag format
Description :
This package will generate tags in a format which GNU Emacs understand,
it's a alternativ implementation of the GNU etags program.
Note: some command line options is not compatible with GNU etags.

Name : man-pages-overrides Relocations: (not relocatable)
Version : 6.2.3 Vendor: CentOS
Release : 2.el6 Build Date: Wed 07 Dec 2011
05:18:04 PM EST
Install Date: Sun 24 Feb 2013 10:40:07 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Documentation Source RPM: man-pages-
overrides-6.2.3-2.el6.src.rpm
Size : 573612 License: GPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 03:29:26 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : Complementary and updated manual pages
Description :
A collection of manual ("man") pages to complement other packages or
update
those contained therein. Always have the latest version of this package
installed.

Name : cpp Relocations: (not relocatable)
Version : 4.4.6 Vendor: CentOS
Release : 3.el6 Build Date: Tue 06 Dec 2011
01:43:45 PM EST
Install Date: Sun 24 Feb 2013 10:40:08 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Languages Source RPM: gcc-4.4.6-
3.el6.src.rpm
Size : 9986658 License: GPLv3+ and GPLv3+
with exceptions and GPLv2+ with exceptions
Signature : RSA/SHA1, Thu 08 Dec 2011 03:02:54 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gcc.gnu.org>
Summary : The C Preprocessor
Description :
Cpp is the GNU C-Compatible Compiler Preprocessor.

Cpp is a macro processor which is used automatically by the C compiler to transform your program before actual compilation. It is called a macro processor because it allows you to define macros, abbreviations for longer constructs.

The C preprocessor provides four separate functionalities: the inclusion of header files (files of declarations that can be substituted into your program); macro expansion (you can define macros, and the C preprocessor will replace the macros with their definitions throughout the program); conditional compilation (using special preprocessing directives, you can include or exclude parts of the program according to various conditions); and line control (if you use a program to combine or rearrange source files into an intermediate file which is then compiled, you can use line control to inform the compiler about where each source line originated).

You should install this package if you are a C programmer and you use macros.

```
Name           : perl-XML-Twig           Relocations: (not relocatable)
Version        : 3.34                   Vendor: CentOS
Release       : 1.el6                   Build Date: Sat 21 Aug 2010
09:33:35 PM EDT
Install Date: Sun 24 Feb 2013 10:40:09 PM EST   Build Host:
c6b1.bsyzs.dev.centos.org
Group         : Development/Libraries       Source RPM: perl-XML-Twig-
3.34-1.el6.src.rpm
Size          : 619078                   License: GPL+ or Artistic
Signature     : RSA/8, Sun 03 Jul 2011 12:39:47 AM EDT, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           : http://search.cpan.org/dist/XML-Twig/
Summary       : A perl module for processing huge XML documents in tree
mode
Description   :
This module provides a way to process XML documents. It is build on
top of XML::Parser. XML::Twig offers a tree interface to the
document, while allowing you to output the parts of it that have been
completely processed. It allows minimal resource (CPU and memory)
usage by building the tree only for the parts of the documents that
need actual processing, through the use of the twig_roots and
twig_print_outside_roots options.
```

```
Name           : usbutils               Relocations: (not relocatable)
Version        : 003                   Vendor: CentOS
Release       : 4.el6                   Build Date: Wed 07 Dec 2011
03:45:22 PM EST
Install Date: Sun 24 Feb 2013 10:40:09 PM EST   Build Host:
c6b4.bsyzs.dev.centos.org
Group         : Applications/System       Source RPM: usbutils-003-
4.el6.src.rpm
Size          : 179745                   License: GPLv2+
```

Signature : RSA/SHA1, Thu 08 Dec 2011 04:26:44 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.linux-usb.org/>
Summary : Linux USB utilities
Description :
This package contains utilities for inspecting devices connected to a
USB bus.

Name : wget Relocations: (not relocatable)
Version : 1.12 Vendor: CentOS
Release : 1.4.el6 Build Date: Wed 25 Aug 2010
04:53:32 AM EDT
Install Date: Sun 24 Feb 2013 10:40:13 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Applications/Internet Source RPM: wget-1.12-
1.4.el6.src.rpm
Size : 1877597 License: GPLv3+ and GFDL
Signature : RSA/8, Sun 03 Jul 2011 01:05:14 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://wget.sunsite.dk/>
Summary : A utility for retrieving files using the HTTP or FTP
protocols
Description :
GNU Wget is a file retrieval utility which can use either the HTTP or
FTP protocols. Wget features include the ability to work in the
background while you are logged out, recursive retrieval of
directories, file name wildcard matching, remote file timestamp
storage and comparison, use of Rest with FTP servers and Range with
HTTP servers to retrieve files over slow or unstable connections,
support for Proxy servers, and configurability.

Name : pam_krb5 Relocations: (not relocatable)
Version : 2.3.11 Vendor: CentOS
Release : 9.el6 Build Date: Wed 07 Dec 2011
07:47:41 PM EST
Install Date: Sun 24 Feb 2013 10:40:16 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: pam_krb5-2.3.11-
9.el6.src.rpm
Size : 324768 License: BSD or LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:52:33 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : https://fedorahosted.org/pam_krb5/
Summary : A Pluggable Authentication Module for Kerberos 5
Description :
This is pam_krb5, a pluggable authentication module that can be used with
Linux-PAM and Kerberos 5. This module supports password checking, ticket
creation, and optional TGT verification and conversion to Kerberos IV
tickets.
The included pam_krb5afs module also gets AFS tokens if so configured.

```

Name           : memtest86+                      Relocations: (not relocatable)
Version        : 4.10                             Vendor: CentOS
Release        : 2.el6                           Build Date: Wed 20 Jul 2011
12:13:28 AM EDT
Install Date: Sun 24 Feb 2013 10:40:18 PM EST      Build Host:
c6b5.bsys.dev.centos.org
Group          : System Environment/Base           Source RPM: memtest86+-4.10-
2.el6.src.rpm
Size           : 362963                           License: GPLv2
Signature      : RSA/SHA1, Mon 26 Sep 2011 12:21:54 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.memtest.org
Summary        : Stand-alone memory tester for x86 and x86-64 computers
Description    :
Memtest86+ is a thorough stand-alone memory test for x86 and x86-64
architecture computers. BIOS based memory tests are only a quick
check and often miss many of the failures that are detected by
Memtest86+.

```

The ELF version should be used for booting from grub,
and avoids the following errors:

```

"Error 7: Loading below 1MB is not supported"
"Error 13: Invalid or unsupported executable format"
"Error 28: Selected item cannot fit into memory"

```

The script '/usr/sbin/memtest-setup' can be run (as root)
to add the memtest86+ entry to your GRUB boot menu.

```

Name           : openssl098e                      Relocations: (not relocatable)
Version        : 0.9.8e                           Vendor: CentOS
Release        : 17.el6.centos                     Build Date: Wed 06 Jul 2011
06:43:39 PM EDT
Install Date: Sun 24 Feb 2013 10:40:19 PM EST      Build Host:
c6b4.bsys.dev.centos.org
Group          : System Environment/Libraries       Source RPM: openssl098e-
0.9.8e-17.el6.centos.src.rpm
Size           : 2340428                           License: OpenSSL
Signature      : RSA/8, Wed 06 Jul 2011 08:08:47 PM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.openssl.org/
Summary        : A compatibility version of a general cryptography and TLS
library
Description    :
The OpenSSL toolkit provides support for secure communications between
machines. OpenSSL includes a certificate management tool and shared
libraries which provide various cryptographic algorithms and
protocols. This version of OpenSSL package is provided for compatibility
with the previous CentOS Linux release.

```

```

Name           : gnutls-utils                      Relocations: (not relocatable)
Version        : 2.8.5                             Vendor: CentOS

```

Release : 4.el6 Build Date: Thu 11 Nov 2010
07:56:30 AM EST
Install Date: Sun 24 Feb 2013 10:40:20 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Applications/System Source RPM: gnutls-2.8.5-
4.el6.src.rpm
Size : 309650 License: GPLv3+
Signature : RSA/8, Sun 03 Jul 2011 12:19:15 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnutls.org/>
Summary : Command line tools for TLS protocol
Description :
GnuTLS is a project that aims to develop a library which provides a
secure
layer, over a reliable transport layer. Currently the GnuTLS library
implements
the proposed standards by the IETF's TLS working group.
This package contains command line TLS client and server and certificate
manipulation tools.

Name : perl-XML-Dumper Relocations: (not relocatable)
Version : 0.81 Vendor: CentOS
Release : 6.el6 Build Date: Thu 11 Nov 2010
09:40:44 AM EST
Install Date: Sun 24 Feb 2013 10:40:32 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-XML-Dumper-
0.81-6.el6.src.rpm
Size : 41749 License: GPL+ or Artistic
Signature : RSA/8, Sun 03 Jul 2011 12:39:38 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://search.cpan.org/dist/XML-Dumper/>
Summary : Perl module for dumping Perl objects from/to XML
Description :
XML::Dumper dumps Perl data to XML format. XML::Dumper can also read
XML data that was previously dumped by the module and convert it back
to Perl. Perl objects are blessed back to their original packaging;
if the modules are installed on the system where the perl objects are
reconstituted from xml, they will behave as expected. Intuitively, if
the perl objects are converted and reconstituted in the same
environment, all should be well.

Name : irqbalance Relocations: (not relocatable)
Version : 0.55 Vendor: CentOS
Release : 29.el6 Build Date: Tue 19 Jul 2011
02:44:34 PM EDT
Install Date: Sun 24 Feb 2013 10:40:33 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Base Source RPM: irqbalance-0.55-
29.el6.src.rpm
Size : 34387 License: GPLv2

Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:32 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://irqbalance.org/>
Summary : IRQ balancing daemon
Description :
irqbalance is a daemon that evenly distributes IRQ load across
multiple CPUs for enhanced performance.

Name : cyrus-sasl-plain Relocations: (not relocatable)
Version : 2.1.23 Vendor: CentOS
Release : 13.el6 Build Date: Wed 07 Dec 2011
05:02:22 PM EST
Install Date: Sun 24 Feb 2013 10:40:37 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: cyrus-sasl-
2.1.23-13.el6.src.rpm
Size : 37616 License: BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 02:53:00 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://asg.web.cmu.edu/sasl/sasl-library.html>
Summary : PLAIN and LOGIN authentication support for Cyrus SASL
Description :
The cyrus-sasl-plain package contains the Cyrus SASL plugins which
support
PLAIN and LOGIN authentication schemes.

Name : m17n-contrib-maithili Relocations: (not relocatable)
Version : 1.1.10 Vendor: CentOS
Release : 4.el6_1.1 Build Date: Fri 23 Sep 2011
06:12:49 AM EDT
Install Date: Sun 24 Feb 2013 10:40:37 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-contrib-
1.1.10-4.el6_1.1.src.rpm
Size : 3486 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:37 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : Contributed input maps for Maithili
Description :
This package provides contributed multilingualization (m17n) input maps
for Maithili.

Name : tftpd Relocations: (not relocatable)
Version : 0.49 Vendor: CentOS
Release : 7.el6 Build Date: Fri 23 Sep 2011
08:33:54 AM EDT
Install Date: Sun 24 Feb 2013 10:40:37 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Applications/Internet Source RPM: tftpd-0.49-
7.el6.src.rpm

Size : 46554 License: BSD
Signature : RSA/SHA1, Mon 26 Sep 2011 12:25:52 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.kernel.org/pub/software/network/tftp/>
Summary : The client for the Trivial File Transfer Protocol (TFTP)
Description :
The Trivial File Transfer Protocol (TFTP) is normally used only for
booting diskless workstations. The tftp package provides the user
interface for TFTP, which allows users to transfer files to and from a
remote machine. This program and TFTP provide very little security,
and should not be enabled unless it is expressly needed.

Name : ibus-gtk Relocations: (not relocatable)
Version : 1.3.4 Vendor: CentOS
Release : 6.el6 Build Date: Wed 07 Dec 2011
12:23:43 PM EST
Install Date: Sun 24 Feb 2013 10:37:49 PM EST Build Host:
c6b18n3.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: ibus-1.3.4-
6.el6.src.rpm
Size : 24120 License: LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:07:45 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/ibus/>
Summary : IBus im module for gtk2
Description :
This package contains ibus im module for gtk2

Name : libgcc Relocations: (not relocatable)
Version : 4.4.6 Vendor: CentOS
Release : 3.el6 Build Date: Tue 06 Dec 2011
01:43:45 PM EST
Install Date: Sun 24 Feb 2013 10:33:26 PM EST Build Host:
c6b5.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: gcc-4.4.6-
3.el6.src.rpm
Size : 117224 License: GPLv3+ and GPLv3+
with exceptions and GPLv2+ with exceptions
Signature : RSA/SHA1, Thu 08 Dec 2011 03:03:00 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gcc.gnu.org>
Summary : GCC version 4.4 shared support library
Description :
This package contains GCC shared support library which is needed
e.g. for exception handling support.

Name : libpciaccess Relocations: (not relocatable)
Version : 0.12.1 Vendor: CentOS
Release : 1.el6 Build Date: Wed 07 Dec 2011
10:05:46 AM EST

Install Date: Sun 24 Feb 2013 10:34:20 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libpciaccess-
0.12.1-1.el6.src.rpm
Size : 95156 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 03:21:42 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gitweb.freedesktop.org/?p=xorg/lib/libpciaccess.git>
Summary : PCI access library
Description :
libpciaccess is a library for portable PCI access routines across
multiple
operating systems.

Name : gnome-themes Relocations: (not relocatable)
Version : 2.28.1 Vendor: CentOS
Release : 6.el6 Build Date: Thu 11 Nov 2010
07:22:28 AM EST
Install Date: Sun 24 Feb 2013 10:35:46 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: gnome-themes-
2.28.1-6.el6.src.rpm
Size : 13215383 License: LGPLv2 and GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:11:36 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/gnome-themes/>
Summary : Themes for GNOME
Description :
The gnome-themes package contains a collection of desktop themes for
GNOME.
These themes can change the appearance of application widgets, icons,
window
borders, cursors, etc.

Name : filesystem Relocations: (not relocatable)
Version : 2.4.30 Vendor: CentOS
Release : 3.el6 Build Date: Fri 23 Sep 2011
07:51:34 AM EDT
Install Date: Sun 24 Feb 2013 10:33:26 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Base Source RPM: filesystem-
2.4.30-3.el6.src.rpm
Size : 0 License: Public Domain
Signature : RSA/SHA1, Mon 26 Sep 2011 12:18:23 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/filesystem>
Summary : The basic directory layout for a Linux system
Description :
The filesystem package is one of the basic packages that is installed
on a Linux system. Filesystem contains the basic directory layout
for a Linux operating system, including the correct permissions for

the directories.

Name : plymouth-scripts Relocations: (not relocatable)
Version : 0.8.3 Vendor: CentOS
Release : 24.el6.centos Build Date: Thu 08 Dec 2011
01:38:06 PM EST
Install Date: Sun 24 Feb 2013 10:34:21 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Applications/System Source RPM: plymouth-0.8.3-
24.el6.centos.src.rpm
Size : 11006 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:57:31 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://freedesktop.org/software/plymouth/releases>
Summary : Plymouth related scripts
Description :
This package contains scripts that help integrate Plymouth with
the system.

Name : plymouth-theme-rings Relocations: (not relocatable)
Version : 0.8.3 Vendor: CentOS
Release : 24.el6.centos Build Date: Thu 08 Dec 2011
01:33:59 PM EST
Install Date: Sun 24 Feb 2013 10:35:47 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Base Source RPM: plymouth-0.8.3-
24.el6.centos.src.rpm
Size : 4245 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:57:10 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://freedesktop.org/software/plymouth/releases>
Summary : Plymouth "Rings" plugin
Description :
This package contains the "rings" boot splash theme for
Plymouth. It features a large header, and slick spinner
concentric with a circular progress indicator.

Name : tzdata Relocations: (not relocatable)
Version : 2011l Vendor: CentOS
Release : 4.el6 Build Date: Wed 02 Nov 2011
11:32:11 AM EDT
Install Date: Sun 24 Feb 2013 10:33:28 PM EST Build Host:
c6b18n1.dev.centos.org
Group : System Environment/Base Source RPM: tzdata-2011l-
4.el6.src.rpm
Size : 1827973 License: Public Domain
Signature : RSA/SHA1, Tue 15 Nov 2011 06:03:35 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://muninari.oz.au/pub/>
Summary : Timezone data
Description :

This package contains data files with rules for various timezones around the world.

Name : ConsoleKit-libs Relocations: (not relocatable)
Version : 0.4.1 Vendor: CentOS
Release : 3.el6 Build Date: Wed 10 Nov 2010
05:09:29 PM EST
Install Date: Sun 24 Feb 2013 10:34:21 PM EST Build Host:
c5b2.bsys.dev.centos.org
Group : Development/Libraries Source RPM: ConsoleKit-0.4.1-
3.el6.src.rpm
Size : 22125 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:07:55 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/wiki/Software/ConsoleKit>
Summary : ConsoleKit libraries
Description :
This package contains libraries and a PAM module for interacting
with ConsoleKit.

Name : c-ares Relocations: (not relocatable)
Version : 1.7.0 Vendor: CentOS
Release : 5.el6 Build Date: Wed 10 Nov 2010
09:18:24 PM EST
Install Date: Sun 24 Feb 2013 10:35:47 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: c-ares-1.7.0-
5.el6.src.rpm
Size : 110085 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:06:33 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://c-ares.haxx.se/>
Summary : A library that performs asynchronous DNS operations
Description :
c-ares is a C library that performs DNS requests and name resolves
asynchronously. c-ares is a fork of the library named 'ares', written
by Greg Hudson at MIT.

Name : jakarta-commons-collections Relocations: (not relocatable)
Version : 3.2.1 Vendor: CentOS
Release : 3.4.el6 Build Date: Sun 22 Aug 2010
08:12:26 AM EDT
Install Date: Sun 24 Feb 2013 10:33:29 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries/Java Source RPM: jakarta-commons-
collections-3.2.1-3.4.el6.src.rpm
Size : 609360 License: ASL 2.0
Signature : RSA/8, Sun 03 Jul 2011 12:16:36 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://jakarta.apache.org/commons/collections/>

Summary : Provides new interfaces, implementations and utilities for Java Collections

Description :

The introduction of the Collections API by Sun in JDK 1.2 has been a boon to quick and effective Java programming. Ready access to powerful data structures has accelerated development by reducing the need for custom container classes around each core object. Most Java2 APIs are significantly easier to use because of the Collections API.

However, there are certain holes left unfilled by Sun's implementations, and the Jakarta-Commons Collections Component strives to fulfill them. Among the features of this package are:

- special-purpose implementations of Lists and Maps for fast access
- adapter classes from Java1-style containers (arrays, enumerations) to Java2-style collections.
- methods to test or create typical set-theory properties of collections such as union, intersection, and closure.

Name : sgml-common Relocations: (not relocatable)

Version : 0.6.3 Vendor: CentOS

Release : 32.el6 Build Date: Thu 11 Nov 2010

02:34:28 PM EST

Install Date: Sun 24 Feb 2013 10:34:23 PM EST Build Host:

c6b4.bsys.dev.centos.org

Group : Applications/Text Source RPM: sgml-common-

0.6.3-32.el6.src.rpm

Size : 135735 License: GPL+

Signature : RSA/8, Sun 03 Jul 2011 12:47:47 AM EDT, Key ID

0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.w3.org/2003/entities/>

Summary : Common SGML catalog and DTD files

Description :

The sgml-common package contains a collection of entities and DTDs that are useful for processing SGML, but that don't need to be included in multiple packages. Sgml-common also includes an up-to-date Open Catalog file.

Name : tcl Relocations: (not relocatable)

Version : 8.5.7 Vendor: CentOS

Release : 6.el6 Build Date: Thu 11 Nov 2010

01:51:33 PM EST

Install Date: Sun 24 Feb 2013 10:35:48 PM EST Build Host:

c6b4.bsys.dev.centos.org

Group : Development/Languages Source RPM: tcl-8.5.7-

6.el6.src.rpm

Size : 4565158 License: TCL

Signature : RSA/8, Sun 03 Jul 2011 01:02:59 AM EDT, Key ID

0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://tcl.sourceforge.net/>

Summary : Tool Command Language, pronounced tickle

Description :

The Tcl (Tool Command Language) provides a powerful platform for creating integration applications that tie together diverse

applications, protocols, devices, and frameworks. When paired with the Tk toolkit, Tcl provides a fastest and powerful way to create cross-platform GUI applications. Tcl can also be used for a variety of web-related tasks and for creating powerful command languages for applications.

```
Name      : mozilla-filesystem      Relocations: (not relocatable)
Version    : 1.9                    Vendor: CentOS
Release    : 5.1.el6                Build Date: Wed 18 Aug 2010
11:44:21 AM EDT
Install Date: Sun 24 Feb 2013 10:33:29 PM EST    Build Host:
c6b3.bsys.dev.centos.org
Group      : Applications/Internet      Source RPM: mozilla-
filesystem-1.9-5.1.el6.src.rpm
Size       : 0                        License: MPLv1.1
Signature  : RSA/8, Sun 03 Jul 2011 12:45:46 AM EDT, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Summary    : Mozilla filesystem layout
Description :
This package provides some directories required by packages which use
Mozilla technologies such as NPAPI plugins or toolkit extensions.
```

```
Name      : plpa-libs                Relocations: (not relocatable)
Version    : 1.3.2                    Vendor: CentOS
Release    : 2.1.el6                Build Date: Mon 23 Aug 2010
06:22:21 PM EDT
Install Date: Sun 24 Feb 2013 10:34:23 PM EST    Build Host:
c6b3.bsys.dev.centos.org
Group      : Development/System      Source RPM: plpa-1.3.2-
2.1.el6.src.rpm
Size       : 52163                    License: BSD and AMDPLPA
Signature  : RSA/8, Sun 03 Jul 2011 12:57:13 AM EDT, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://www.open-mpi.org/projects/plpa/
Summary    : Portable Linux Processor Affinity Libraries
Description :
PLPA is an attempt to solve the problem that there are multiple API's for
processor affinity within Linux. Specifically, the functions
sched_setaffinity()
and sched_getaffinity() have numbers and types of parameters depending on
your
Linux vendor and/or version of GLibc. This is quite problematic for
applications
attempting to use processor affinity in Linux for compile-time, link-
time,
and run-time reasons.
```

plpa-libs contains runtime libraries.

```
Name      : wavpack                  Relocations: (not relocatable)
Version    : 4.60                    Vendor: CentOS
```

Release : 1.1.el6 Build Date: Wed 18 Aug 2010
10:34:01 AM EDT
Install Date: Sun 24 Feb 2013 10:35:50 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Applications/Multimedia Source RPM: wavpack-4.60-
1.1.el6.src.rpm
Size : 276798 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 01:05:09 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.wavpack.com/>
Summary : A completely open audiocodec
Description :
WavPack is a completely open audio compression format providing lossless,
high-quality lossy, and a unique hybrid compression mode. Although the
technology is loosely based on previous versions of WavPack, the new
version 4 format has been designed from the ground up to offer
unparalleled
performance and functionality.

Name : dhcp-common Relocations: (not relocatable)
Version : 4.1.1 Vendor: CentOS
Release : 25.P1.el6 Build Date: Wed 07 Dec 2011
05:14:52 PM EST
Install Date: Sun 24 Feb 2013 10:33:29 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: dhcp-4.1.1-
25.P1.el6.src.rpm
Size : 197630 License: ISC
Signature : RSA/SHA1, Thu 08 Dec 2011 02:54:42 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://isc.org/products/DHCP/>
Summary : Common files used by ISC dhcp client and server
Description :
DHCP (Dynamic Host Configuration Protocol) is a protocol which allows
individual devices on an IP network to get their own network
configuration information (IP address, subnetmask, broadcast address,
etc.) from a DHCP server. The overall purpose of DHCP is to make it
easier to administer a large network.

This package provides common files used by dhcp and dhclient package.

Name : libcollection Relocations: (not relocatable)
Version : 0.6.0 Vendor: CentOS
Release : 6.el6 Build Date: Tue 19 Jul 2011
07:17:05 AM EDT
Install Date: Sun 24 Feb 2013 10:34:25 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: ding-libs-0.1.2-
6.el6.src.rpm
Size : 87910 License: LGPLv3+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:20:17 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/sssd/>
Summary : Collection data-type for C
Description :
A data-type to collect data in a hierarchical structure for easy
iteration
and serialization

Name : libini_config Relocations: (not relocatable)
Version : 0.6.1 Vendor: CentOS
Release : 6.el6 Build Date: Tue 19 Jul 2011
07:17:05 AM EDT
Install Date: Sun 24 Feb 2013 10:35:50 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: ding-libs-0.1.2-
6.el6.src.rpm
Size : 74918 License: LGPLv3+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:20:44 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/sssd/>
Summary : INI file parser for C
Description :
Library to process config files in INI format into a libcollection data
structure

Name : glibc Relocations: (not relocatable)
Version : 2.12 Vendor: CentOS
Release : 1.47.el6 Build Date: Tue 06 Dec 2011
10:42:51 AM EST
Install Date: Sun 24 Feb 2013 10:33:39 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: glibc-2.12-
1.47.el6.src.rpm
Size : 13014603 License: LGPLv2+ and
LGPLv2+ with exceptions and GPLv2+
Signature : RSA/SHA1, Sat 10 Dec 2011 05:58:48 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sources.redhat.com/glibc/>
Summary : The GNU libc libraries
Description :
The glibc package contains standard libraries which are used by
multiple programs on the system. In order to save disk space and
memory, as well as to make upgrading easier, common system code is
kept in one place and shared between programs. This particular package
contains the most important sets of shared libraries: the standard C
library and the standard math library. Without these two libraries, a
Linux system will not function.

Name : speex Relocations: (not relocatable)
Version : 1.2 Vendor: CentOS
Release : 0.12.rc1.1.el6 Build Date: Wed 18 Aug 2010
10:46:37 AM EDT

Install Date: Sun 24 Feb 2013 10:34:26 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: speex-1.2-
0.12.rc1.1.el6.src.rpm
Size : 186732 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 01:02:18 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.speex.org/>
Summary : A voice compression format (codec)
Description :
Speex is a patent-free compression format designed especially for
speech. It is specialized for voice communications at low bit-rates in
the 2-45 kbps range. Possible applications include Voice over IP
(VoIP), Internet audio streaming, audio books, and archiving of speech
data (e.g. voice mail).

Name : libsemanage Relocations: (not relocatable)
Version : 2.0.43 Vendor: CentOS
Release : 4.1.el6 Build Date: Wed 07 Dec 2011
06:44:22 PM EST

Install Date: Sun 24 Feb 2013 10:35:50 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libsemanage-
2.0.43-4.1.el6.src.rpm
Size : 203590 License: LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:24:28 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.selinuxproject.org>
Summary : SELinux binary policy manipulation library
Description :

Security-enhanced Linux is a feature of the Linux® kernel and a number
of utilities with enhanced security functionality designed to add
mandatory access controls to Linux. The Security-enhanced Linux
kernel contains new architectural components originally developed to
improve the security of the Flask operating system. These
architectural components provide general support for the enforcement
of many kinds of mandatory access control policies, including those
based on the concepts of Type Enforcement®, Role-based Access
Control, and Multi-level Security.

libsemanage provides an API for the manipulation of SELinux binary
policies.
It is used by checkpolicy (the policy compiler) and similar tools, as
well
as by programs like load_policy that need to perform specific
transformations
on binary policies such as customizing policy boolean settings.

Name : libcap Relocations: (not relocatable)
Version : 2.16 Vendor: CentOS
Release : 5.5.el6 Build Date: Wed 07 Dec 2011
03:04:01 PM EST

Install Date: Sun 24 Feb 2013 10:33:40 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libcap-2.16-
5.5.el6.src.rpm
Size : 64437 License: LGPLv2+ or BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 03:15:52 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://ftp.kernel.org/pub/linux/libs/security/linux-privs/kernel-2.6/>
Summary : Library for getting and setting POSIX.1e capabilities
Description :
libcap is a library for getting and setting POSIX.1e (formerly POSIX 6)
draft 15 capabilities.

Name : pulseaudio-libs Relocations: (not relocatable)
Version : 0.9.21 Vendor: CentOS
Release : 13.el6 Build Date: Fri 12 Nov 2010
01:55:18 AM EST
Install Date: Sun 24 Feb 2013 10:34:26 PM EST Build Host:
c5b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: pulseaudio-
0.9.21-13.el6.src.rpm
Size : 2700372 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:58:04 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://pulseaudio.org/>
Summary : Libraries for PulseAudio clients
Description :
This package contains the runtime libraries for any application that
wishes
to interface with a PulseAudio sound server.

Name : xorg-x11-xinit Relocations: (not relocatable)
Version : 1.0.9 Vendor: CentOS
Release : 13.el6 Build Date: Mon 16 Aug 2010
07:15:59 PM EDT
Install Date: Sun 24 Feb 2013 10:35:51 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : User Interface/X Source RPM: xorg-x11-xinit-
1.0.9-13.el6.src.rpm
Size : 72314 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 01:06:37 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 X Window System xinit startup scripts
Description :
X.Org X11 X Window System xinit startup scripts

Name : libstdc++ Relocations: (not relocatable)
Version : 4.4.6 Vendor: CentOS

Release : 3.el6 Build Date: Tue 06 Dec 2011
01:43:45 PM EST
Install Date: Sun 24 Feb 2013 10:33:40 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: gcc-4.4.6-
3.el6.src.rpm
Size : 987096 License: GPLv3+ and GPLv3+
with exceptions and GPLv2+ with exceptions
Signature : RSA/SHA1, Thu 08 Dec 2011 03:02:07 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gcc.gnu.org>
Summary : GNU Standard C++ Library
Description :
The libstdc++ package contains a rewritten standard compliant GCC
Standard
C++ Library.

Name : libieee1284 Relocations: (not relocatable)
Version : 0.2.11 Vendor: CentOS
Release : 9.el6 Build Date: Thu 11 Nov 2010
03:34:53 PM EST
Install Date: Sun 24 Feb 2013 10:34:27 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libieee1284-
0.2.11-9.el6.src.rpm
Size : 75477 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:36:07 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://cyberelk.net/tim/libieee1284/>
Summary : A library for interfacing IEEE 1284-compatible devices
Description :
The libieee1284 library is for communicating with parallel port devices.

Name : python-libs Relocations: (not relocatable)
Version : 2.6.6 Vendor: CentOS
Release : 29.el6 Build Date: Wed 07 Dec 2011
03:51:08 PM EST
Install Date: Sun 24 Feb 2013 10:35:53 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : Applications/System Source RPM: python-2.6.6-
29.el6.src.rpm
Size : 1817828 License: Python
Signature : RSA/SHA1, Thu 08 Dec 2011 03:59:41 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.python.org/>
Summary : The libraries for python runtime
Description :
The python interpreter can be embedded into applications wanting to
use python as an embedded scripting language. The python-libs package
provides the libraries needed for this.

```

Name           : popt                               Relocations: (not relocatable)
Version        : 1.13                               Vendor: CentOS
Release        : 7.el6                             Build Date: Sat 21 Aug 2010
01:30:58 AM EDT
Install Date: Sun 24 Feb 2013 10:33:41 PM EST      Build Host:
c6b2.bsys.dev.centos.org
Group          : System Environment/Libraries      Source RPM: popt-1.13-
7.el6.src.rpm
Size           : 83420                               License: MIT
Signature      : RSA/8, Sun 03 Jul 2011 12:57:35 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.rpm5.org/
Summary        : C library for parsing command line parameters
Description    :
Popt is a C library for parsing command line parameters. Popt was
heavily influenced by the getopt() and getopt_long() functions, but
it improves on them by allowing more powerful argument expansion.
Popt can parse arbitrary argv[] style arrays and automatically set
variables based on command line arguments. Popt allows command line
arguments to be aliased via configuration files and includes utility
functions for parsing arbitrary strings into argv[] arrays using
shell-like rules.

```

```

Name           : festival                           Relocations: (not relocatable)
Version        : 1.96                               Vendor: CentOS
Release        : 18.el6                             Build Date: Thu 11 Nov 2010
02:43:14 AM EST
Install Date: Sun 24 Feb 2013 10:34:28 PM EST      Build Host:
c6b4.bsys.dev.centos.org
Group          : Applications/Multimedia           Source RPM: festival-1.96-
18.el6.src.rpm
Size           : 9219750                             License: MIT and GPL+ and
TCL
Signature      : RSA/8, Sun 03 Jul 2011 12:14:07 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.cstr.ed.ac.uk/projects/festival/
Summary        : Speech synthesis and text-to-speech system
Description    :
Festival is a general multi-lingual speech synthesis system developed
at CSTR. It offers a full text to speech system with various APIs, as
well as an environment for development and research of speech synthesis
techniques. It is written in C++ with a Scheme-based command interpreter
for general control.

```

```

Name           : newt-python                         Relocations: (not relocatable)
Version        : 0.52.11                           Vendor: CentOS
Release        : 3.el6                             Build Date: Fri 23 Sep 2011
12:24:28 PM EDT
Install Date: Sun 24 Feb 2013 10:35:57 PM EST      Build Host:
c6b5.bsys.dev.centos.org
Group          : Development/Libraries             Source RPM: newt-0.52.11-
3.el6.src.rpm

```

Size : 111017 License: LGPLv2
Signature : RSA/SHA1, Mon 26 Sep 2011 12:22:14 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/newt/>
Summary : Python bindings for newt
Description :
The newt-python package contains the Python bindings for the newt library
providing a python API for creating text mode ionterfaces.

Name : libpng Relocations: (not relocatable)
Version : 1.2.46 Vendor: CentOS
Release : 1.el6_1 Build Date: Fri 23 Sep 2011
09:29:50 AM EDT
Install Date: Sun 24 Feb 2013 10:33:41 PM EST Build Host:
c6b18n1.dev.centos.org
Group : System Environment/Libraries Source RPM: libpng-1.2.46-
1.el6_1.src.rpm
Size : 659012 License: zlib
Signature : RSA/SHA1, Mon 26 Sep 2011 12:20:52 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.libpng.org/pub/png/>
Summary : A library of functions for manipulating PNG image format
files
Description :
The libpng package contains a library of functions for creating and
manipulating PNG (Portable Network Graphics) image format files. PNG
is a bit-mapped graphics format similar to the GIF format. PNG was
created to replace the GIF format, since GIF uses a patented data
compression algorithm.

Libpng should be installed if you need to manipulate PNG format image
files.

Name : device-mapper-multipath-libs Relocations: (not
relocatable)
Version : 0.4.9 Vendor: CentOS
Release : 46.el6 Build Date: Wed 07 Dec 2011
07:05:42 PM EST
Install Date: Sun 24 Feb 2013 10:34:30 PM EST Build Host:
c6b18n2.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: device-mapper-
multipath-0.4.9-46.el6.src.rpm
Size : 457333 License: GPL+
Signature : RSA/SHA1, Thu 08 Dec 2011 02:54:15 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://christophe.varoqui.free.fr/>
Summary : The device-mapper-multipath modules and shared library
Description :
The device-mapper-multipath-libs provides the path checker
and prioritizer modules. It also contains the multipath shared library,
libmultipath.

Name : libxml2-python Relocations: (not relocatable)
Version : 2.7.6 Vendor: CentOS
Release : 4.el6 Build Date: Wed 07 Dec 2011
04:50:02 PM EST
Install Date: Sun 24 Feb 2013 10:35:59 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: libxml2-2.7.6-
4.el6.src.rpm
Size : 1976700 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 03:27:12 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://xmlsoft.org/>
Summary : Python bindings for the libxml2 library
Description :
The libxml2-python package contains a module that permits applications
written in the Python programming language to use the interface
supplied by the libxml2 library to manipulate XML files.

This library allows to manipulate XML files. It includes support
to read, modify and write XML and HTML files. There is DTDs support
this includes parsing and validation even with complex DTDs, either
at parse time or later once the document has been modified.

Name : bzip2-libs Relocations: (not relocatable)
Version : 1.0.5 Vendor: CentOS
Release : 7.el6_0 Build Date: Fri 24 Jun 2011
09:45:55 PM EDT
Install Date: Sun 24 Feb 2013 10:33:42 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: bzip2-1.0.5-
7.el6_0.src.rpm
Size : 67592 License: BSD
Signature : RSA/8, Tue 05 Jul 2011 09:37:18 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.bzip.org/>
Summary : Libraries for applications using bzip2
Description :

Libraries for applications using the bzip2 compression format.

Name : qt3 Relocations: (not relocatable)
Version : 3.3.8b Vendor: CentOS
Release : 30.el6 Build Date: Fri 23 Sep 2011
12:44:21 PM EDT
Install Date: Sun 24 Feb 2013 10:34:31 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: qt3-3.3.8b-
30.el6.src.rpm
Size : 11556133 License: QPL or GPLv2 or
GPLv3

Signature : RSA/SHA1, Mon 26 Sep 2011 12:24:08 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.troll.no>
Summary : The shared library for the Qt 3 GUI toolkit
Description :
Qt is a GUI software toolkit which simplifies the task of writing and
maintaining GUI (Graphical User Interface) applications
for the X Window System.

Qt is written in C++ and is fully object-oriented.

This package contains the shared library needed to run Qt 3
applications, as well as the README files for Qt 3.

Name : authconfig Relocations: (not relocatable)
Version : 6.1.12 Vendor: CentOS
Release : 5.el6 Build Date: Tue 19 Jul 2011
03:04:12 AM EDT
Install Date: Sun 24 Feb 2013 10:35:59 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: authconfig-
6.1.12-5.el6.src.rpm
Size : 1840804 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:16:16 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/authconfig>
Summary : Command line tool for setting up authentication from
network services
Description :
Authconfig is a command line utility which can configure a workstation
to use shadow (more secure) passwords. Authconfig can also configure a
system to be a client for certain networked user information and
authentication schemes.

Name : libacl Relocations: (not relocatable)
Version : 2.2.49 Vendor: CentOS
Release : 6.el6 Build Date: Wed 07 Dec 2011
11:53:55 AM EST
Install Date: Sun 24 Feb 2013 10:33:42 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: acl-2.2.49-
6.el6.src.rpm
Size : 31280 License: LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 02:42:15 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://acl.bestbits.at/>
Summary : Dynamic library for access control list support
Description :
This package contains the libacl.so dynamic library which contains
the POSIX 1003.1e draft standard 17 functions for manipulating access
control lists.

Name : httpd-tools Relocations: (not relocatable)
Version : 2.2.15 Vendor: CentOS
Release : 15.el6.centos Build Date: Thu 08 Dec 2011
01:12:01 PM EST
Install Date: Sun 24 Feb 2013 10:34:32 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: httpd-2.2.15-
15.el6.centos.src.rpm
Size : 140449 License: ASL 2.0
Signature : RSA/SHA1, Thu 08 Dec 2011 03:06:53 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://httpd.apache.org/>
Summary : Tools for use with the Apache HTTP Server
Description :
The httpd-tools package contains tools which can be used with
the Apache HTTP Server.

Name : yum-metadata-parser Relocations: (not relocatable)
Version : 1.1.2 Vendor: CentOS
Release : 16.el6 Build Date: Tue 19 Jul 2011
02:50:44 PM EDT
Install Date: Sun 24 Feb 2013 10:36:00 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: yum-metadata-
parser-1.1.2-16.el6.src.rpm
Size : 58327 License: GPLv2
Signature : RSA/SHA1, Mon 26 Sep 2011 12:26:27 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://linux.duke.edu/projects/yum/>
Summary : A fast metadata parser for yum
Description :
Fast metadata parser for yum implemented in C.

Name : readline Relocations: (not relocatable)
Version : 6.0 Vendor: CentOS
Release : 3.el6 Build Date: Mon 16 Aug 2010
08:02:38 PM EDT
Install Date: Sun 24 Feb 2013 10:33:42 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: readline-6.0-
3.el6.src.rpm
Size : 433925 License: GPLv3+
Signature : RSA/8, Sun 03 Jul 2011 01:00:10 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://cnswww.cns.cwru.edu/php/chet/readline/rltop.html>
Summary : A library for editing typed command lines
Description :
The Readline library provides a set of functions that allow users to
edit command lines. Both Emacs and vi editing modes are available. The
Readline library includes additional functions for maintaining a list

of previously-entered command lines for recalling or editing those lines, and for performing csh-like history expansion on previous commands.

Name : xorg-x11-fonts-misc Relocations: (not relocatable)
Version : 7.2 Vendor: CentOS
Release : 9.1.el6 Build Date: Thu 11 Nov 2010
09:24:29 AM EST
Install Date: Sun 24 Feb 2013 10:34:34 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : User Interface/X Source RPM: xorg-x11-fonts-
7.2-9.1.el6.src.rpm
Size : 7134279 License: MIT and Lucida
and Public Domain
Signature : RSA/8, Sun 03 Jul 2011 12:54:47 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : misc bitmap fonts for the X Window System
Description :
This package contains misc bitmap Chinese, Japanese, Korean, Indic, and
Arabic
fonts for use with X Window System.

Name : pygtk2-libglade Relocations: (not relocatable)
Version : 2.16.0 Vendor: CentOS
Release : 3.el6 Build Date: Fri 20 Aug 2010
11:03:41 PM EDT
Install Date: Sun 24 Feb 2013 10:36:00 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Development/Languages Source RPM: pygtk2-2.16.0-
3.el6.src.rpm
Size : 21384 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:58:15 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.pygtk.org/>
Summary : A wrapper for the libglade library for use with PyGTK
Description :
This module contains a wrapper for the libglade library. Libglade allows
a program to construct its user interface from an XML description, which
allows the programmer to keep the UI and program logic separate.

Name : libart_lgpl Relocations: (not relocatable)
Version : 2.3.20 Vendor: CentOS
Release : 5.1.el6 Build Date: Wed 18 Aug 2010
12:47:13 PM EDT
Install Date: Sun 24 Feb 2013 10:33:43 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libart_lgpl-
2.3.20-5.1.el6.src.rpm
Size : 129211 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:31:41 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/>
Summary : Library of graphics routines used by libgnomecanvas
Description :

Graphics routines used by the GnomeCanvas widget and some other applications. libart renders vector paths and the like.

Name : sssd-client Relocations: (not relocatable)
Version : 1.5.1 Vendor: CentOS
Release : 66.el6 Build Date: Wed 07 Dec 2011
07:48:17 PM EST
Install Date: Sun 24 Feb 2013 10:34:43 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Applications/System Source RPM: sssd-1.5.1-
66.el6.src.rpm
Size : 101409 License: LGPLv3+
Signature : RSA/SHA1, Thu 08 Dec 2011 04:17:55 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/sss/>
Summary : SSSD Client libraries for NSS and PAM
Description :
Provides the libraries needed by the PAM and NSS stacks to connect to the
SSSD
service.

Name : python-slip-dbus Relocations: (not relocatable)
Version : 0.2.11 Vendor: CentOS
Release : 1.el6 Build Date: Thu 11 Nov 2010
06:44:21 PM EST
Install Date: Sun 24 Feb 2013 10:36:01 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: python-slip-
0.2.11-1.el6.src.rpm
Size : 81098 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:43:20 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/python-slip>
Summary : Convenience functions for dbus services
Description :
The Simple Library for Python packages contain miscellaneous code for
convenience, extension and workaround purposes.

This package provides slip.dbus.service.Object, which is a
dbus.service.Object
derivative that ends itself after a certain time without being used
and/or if
there are no clients anymore on the message bus, as well as convenience
functions and decorators for integrating a dbus service with PolicyKit.

Name : gamin Relocations: (not relocatable)
Version : 0.1.10 Vendor: CentOS

Release : 9.el6 Build Date: Thu 11 Nov 2010
03:03:58 AM EST
Install Date: Sun 24 Feb 2013 10:33:43 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: gamin-0.1.10-
9.el6.src.rpm
Size : 416440 License: LGPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:15:37 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/~veillard/gamin/>
Summary : Library providing the FAM File Alteration Monitor API
Description :
This C library provides an API and ABI compatible file alteration
monitor mechanism compatible with FAM but not dependent on a system wide
daemon.

Name : jline Relocations: (not relocatable)
Version : 0.9.94 Vendor: CentOS
Release : 0.8.el6 Build Date: Sat 21 Aug 2010
09:50:25 PM EDT
Install Date: Sun 24 Feb 2013 10:34:43 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Development/Libraries Source RPM: jline-0.9.94-
0.8.el6.src.rpm
Size : 86235 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:17:27 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://jline.sf.net/>
Summary : Java library for reading and editing user input in console
applications
Description :
JLine is a java library for reading and editing user input in console
applications. It features tab-completion, command history, password
masking, customizable keybindings, and pass-through handlers to use to
chain to other console applications.

Name : python-slip-gtk Relocations: (not relocatable)
Version : 0.2.11 Vendor: CentOS
Release : 1.el6 Build Date: Thu 11 Nov 2010
06:44:21 PM EST
Install Date: Sun 24 Feb 2013 10:36:01 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: python-slip-
0.2.11-1.el6.src.rpm
Size : 3920 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:43:20 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/python-slip>
Summary : Code to make auto-wrapping gtk labels
Description :
The Simple Library for Python packages contain miscellaneous code for

convenience, extension and workaround purposes.

This package provides `slip.gtk.set_autowrap()`, a convenience function which lets gtk labels be automatically re-wrapped upon resizing.

```
Name           : shadow-utils           Relocations: (not relocatable)
Version        : 4.1.4.2                Vendor: CentOS
Release        : 13.el6                 Build Date: Wed 07 Dec 2011
12:17:13 PM EST
Install Date: Sun 24 Feb 2013 10:33:44 PM EST   Build Host:
c6b4.bsys.dev.centos.org
Group          : System Environment/Base       Source RPM: shadow-utils-
4.1.4.2-13.el6.src.rpm
Size           : 2777471                  License: BSD and GPLv2+
Signature      : RSA/SHA1, Thu 08 Dec 2011 04:15:05 PM EST, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://pkg-shadow.alioth.debian.org/
Summary        : Utilities for managing accounts and shadow password files
Description    :
The shadow-utils package includes the necessary programs for
converting UNIX password files to the shadow password format, plus
programs for managing user and group accounts. The pwconv command
converts passwords to the shadow password format. The pwunconv command
unconverts shadow passwords and generates a passwd file (a standard
UNIX password file). The pwck command checks the integrity of password
and shadow files. The lastlog command prints out the last login times
for all users. The useradd, userdel, and usermod commands are used for
managing user accounts. The groupadd, groupdel, and groupmod commands
are used for managing group accounts.
```

```
Name           : elfutils              Relocations: (not relocatable)
Version        : 0.152                 Vendor: CentOS
Release        : 1.el6                 Build Date: Tue 19 Jul 2011
11:14:19 AM EDT
Install Date: Sun 24 Feb 2013 10:34:44 PM EST   Build Host:
c6b6.bsys.dev.centos.org
Group          : Development/Tools        Source RPM: elfutils-0.152-
1.el6.src.rpm
Size           : 556527                  License: GPLv2 with
exceptions
Signature      : RSA/SHA1, Mon 26 Sep 2011 12:17:59 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : https://fedorahosted.org/elfutils/
Summary        : A collection of utilities and DSOs to handle compiled
objects
Description    :
Elfutils is a collection of utilities, including ld (a linker),
nm (for listing symbols from object files), size (for listing the
section sizes of an object or archive file), strip (for discarding
symbols), readelf (to see the raw ELF file structures), and elflint
(to check for well-formed ELF files).
```

Name : gnome-python2-libwnck Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 4.el6 Build Date: Thu 11 Nov 2010
07:11:34 AM EST
Install Date: Sun 24 Feb 2013 10:36:03 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Languages Source RPM: gnome-python2-
desktop-2.28.0-4.el6.src.rpm
Size : 71120 License: LGPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:18:36 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : Python bindings for interacting with libwnck
Description :
This module contains a wrapper that allows the use of libwnck via
Python.

Name : libgudev1 Relocations: (not relocatable)
Version : 147 Vendor: CentOS
Release : 2.40.el6 Build Date: Wed 07 Dec 2011
04:17:21 PM EST
Install Date: Sun 24 Feb 2013 10:33:45 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : Development/Libraries Source RPM: udev-147-
2.40.el6.src.rpm
Size : 48491 License: LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 04:26:03 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL :
<http://www.kernel.org/pub/linux/utils/kernel/hotplug/udev.html>
Summary : Libraries for adding libudev support to applications that
use glib
Description :
This package contains the libraries that make it easier to use libudev
functionality from applications that use glib.

Name : perl-DBD-SQLite Relocations: (not relocatable)
Version : 1.27 Vendor: CentOS
Release : 3.el6 Build Date: Sat 21 Aug 2010
01:40:25 AM EDT
Install Date: Sun 24 Feb 2013 10:34:45 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-DBD-SQLite-
1.27-3.el6.src.rpm
Size : 225953 License: GPL+ or Artistic
Signature : RSA/8, Sun 03 Jul 2011 12:55:00 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://search.cpan.org/dist/DBD-SQLite/>
Summary : Self Contained RDBMS in a DBI Driver
Description :
SQLite is a public domain RDBMS database engine that you can find at

<http://www.hwaci.com/sw/sqlite/>.

Rather than ask you to install SQLite first, because SQLite is public domain,
DBD::SQLite includes the entire thing in the distribution. So in order to get
a fast transaction capable RDBMS working for your perl project you simply have
to install this module, and nothing else.

Name : gamin-python Relocations: (not relocatable)
Version : 0.1.10 Vendor: CentOS
Release : 9.el6 Build Date: Thu 11 Nov 2010
03:03:58 AM EST
Install Date: Sun 24 Feb 2013 10:36:04 PM EST Build Host:
c6b5.bsyz.dev.centos.org
Group : Development/Libraries Source RPM: gamin-0.1.10-
9.el6.src.rpm
Size : 89039 License: LGPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:15:40 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/~veillard/gamin/>
Summary : Python bindings for the gamin library
Description :
The gamin-python package contains a module that allow monitoring of
files and directories from the Python language based on the support
of the gamin package.

Name : cyrus-sasl-lib Relocations: (not relocatable)
Version : 2.1.23 Vendor: CentOS
Release : 13.el6 Build Date: Wed 07 Dec 2011
05:02:22 PM EST
Install Date: Sun 24 Feb 2013 10:33:45 PM EST Build Host:
c6b18n3.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: cyrus-sasl-
2.1.23-13.el6.src.rpm
Size : 357710 License: BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 02:53:13 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://asg.web.cmu.edu/sasl/sasl-library.html>
Summary : Shared libraries needed by applications which use Cyrus
SASL
Description :
The cyrus-sasl-lib package contains shared libraries which are needed by
applications which use the Cyrus SASL library.

Name : libiec61883 Relocations: (not relocatable)
Version : 1.2.0 Vendor: CentOS
Release : 4.el6 Build Date: Sat 21 Aug 2010
12:13:20 AM EDT
Install Date: Sun 24 Feb 2013 10:34:45 PM EST Build Host:
c6b2.bsyz.dev.centos.org

Group : System Environment/Libraries Source RPM: libiec61883-1.2.0-4.el6.src.rpm
Size : 80265 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:36:05 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL :
<http://ieee1394.wiki.kernel.org/index.php/Libraries#libiec61883>
Summary : Streaming library for IEEE1394
Description :

The libiec61883 library provides an higher level API for streaming DV, MPEG-2 and audio over IEEE1394. Based on the libraw1394 isochronous functionality, this library acts as a filter that accepts DV-frames, MPEG-2 frames or audio samples from the application and breaks these down to isochronous packets, which are transmitted using libraw1394.

Name : pyxdg Relocations: (not relocatable)
Version : 0.18 Vendor: CentOS
Release : 1.el6 Build Date: Fri 20 Aug 2010 07:54:34 AM EDT
Install Date: Sun 24 Feb 2013 10:36:04 PM EST Build Host: c6b1.bsyz.dev.centos.org
Group : Development/Libraries Source RPM: pyxdg-0.18-1.el6.src.rpm
Size : 305876 License: LGPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:43:51 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://freedesktop.org/Software/pyxdg>
Summary : Python library to access freedesktop.org standards
Description :
PyXDG is a python library to access freedesktop.org standards

Name : libXau Relocations: (not relocatable)
Version : 1.0.5 Vendor: CentOS
Release : 1.el6 Build Date: Mon 16 Aug 2010 06:10:54 PM EDT
Install Date: Sun 24 Feb 2013 10:33:45 PM EST Build Host: c6b3.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: libXau-1.0.5-1.el6.src.rpm
Size : 34347 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:41:27 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Sample Authorization Protocol for X
Description :
This is a very simple mechanism for providing individual access to an X Window System display. It uses existing core protocol and library hooks for specifying

authorization data in the connection setup block to restrict use of the display to only those clients that show that they know a server-specific key called a "magic cookie".

Name : perl-CGI Relocations: (not relocatable)
Version : 3.51 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:46 PM EST Build Host:
c6b5.bsyz.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size : 444336 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 05:58:31 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Handle Common Gateway Interface requests and responses
Description :
CGI.pm is a stable, complete and mature solution for processing and
preparing HTTP requests and responses. Major features including
processing
form submissions, file uploads, reading and writing cookies, query string
generation and manipulation, and processing and preparing HTTP headers.
Some HTML generation utilities are included as well.

Name : libreport Relocations: (not relocatable)
Version : 2.0.5 Vendor: CentOS
Release : 20.el6 Build Date: Wed 07 Dec 2011
07:15:10 PM EST
Install Date: Sun 24 Feb 2013 10:36:04 PM EST Build Host:
c6b18n2.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: libreport-2.0.5-
20.el6.src.rpm
Size : 941351 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:23:15 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : Generic library for reporting various problems
Description :
Libraries providing API for reporting different problems in applications
to different bug targets like Bugzilla, ftp, trac, etc...

Name : which Relocations: (not relocatable)
Version : 2.19 Vendor: CentOS
Release : 6.el6 Build Date: Fri 23 Sep 2011
06:47:56 AM EDT
Install Date: Sun 24 Feb 2013 10:33:46 PM EST Build Host:
c6b18n1.dev.centos.org
Group : Applications/System Source RPM: which-2.19-
6.el6.src.rpm
Size : 73004 License: GPLv3

Signature : RSA/SHA1, Mon 26 Sep 2011 12:26:13 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.xs4all.nl/~carlo17/which/>
Summary : Displays where a particular program in your path is located
Description :
The which command shows the full pathname of a specified program, if
the specified program is in your PATH.

Name : perl-Time-HiRes Relocations: (not relocatable)
Version : 1.9721 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:46 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size : 57405 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 06:00:02 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : High resolution alarm, sleep, gettimeofday, interval timers
Description :
The Time::HiRes module implements a Perl interface to the usleep,
nanosleep,
ualarm, gettimeofday, and setitimer/getitimer system calls, in other
words,
high resolution time and timers. See the "EXAMPLES" section below and the
test
scripts for usage; see your system documentation for the description of
the
underlying nanosleep or usleep, ualarm, gettimeofday, and
setitimer/getitimer
calls.

Name : abrt-addon-python Relocations: (not relocatable)
Version : 2.0.4 Vendor: CentOS
Release : 14.el6.centos Build Date: Tue 13 Dec 2011
10:50:57 PM EST
Install Date: Sun 24 Feb 2013 10:36:05 PM EST Build Host:
c6b18n1.dev.centos.org
Group : System Environment/Libraries Source RPM: abrt-2.0.4-
14.el6.centos.src.rpm
Size : 16489 License: GPLv2+
Signature : RSA/SHA1, Wed 14 Dec 2011 11:28:46 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : abrt's addon for catching and analyzing Python exceptions
Description :
This package contains python hook and python analyzer plugin for handling
uncaught exception in python programs.

Name : libgpg-error Relocations: (not relocatable)
Version : 1.7 Vendor: CentOS
Release : 4.el6 Build Date: Wed 07 Dec 2011
12:37:21 PM EST
Install Date: Sun 24 Feb 2013 10:33:47 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libgpg-error-
1.7-4.el6.src.rpm
Size : 214321 License: LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:17:43 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.gnupg.org/gcrypt/libgpg-error/>
Summary : Library for error values used by GnuPG components
Description :
This is a library that defines common error values for all GnuPG
components. Among these are GPG, GPGSM, GPGME, GPG-Agent, libgcrypt,
pinentry, SmartCard Daemon and possibly more in the future.

Name : perl-HTML-Parser Relocations: (not relocatable)
Version : 3.64 Vendor: CentOS
Release : 2.el6 Build Date: Thu 19 Aug 2010
07:50:17 PM EDT
Install Date: Sun 24 Feb 2013 10:34:46 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-HTML-Parser-
3.64-2.el6.src.rpm
Size : 226598 License: GPL+ or Artistic
Signature : RSA/8, Sun 03 Jul 2011 12:55:33 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://search.cpan.org/dist/HTML-Parser/>
Summary : Perl module for parsing HTML
Description :
The HTML-Parser module for perl to parse and extract information from
HTML documents, including the HTML::Entities, HTML::HeadParser,
HTML::LinkExtor, HTML::PullParser, and HTML::TokenParser modules.

Name : abrt-gui Relocations: (not relocatable)
Version : 2.0.4 Vendor: CentOS
Release : 14.el6.centos Build Date: Tue 13 Dec 2011
10:50:57 PM EST
Install Date: Sun 24 Feb 2013 10:36:05 PM EST Build Host:
c6b18n1.dev.centos.org
Group : User Interface/Desktops Source RPM: abrt-2.0.4-
14.el6.centos.src.rpm
Size : 217739 License: GPLv2+
Signature : RSA/SHA1, Wed 14 Dec 2011 11:28:41 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : abrt's gui
Description :
GTK+ wizard for convenient bug reporting.

Name : file-libs Relocations: (not relocatable)
Version : 5.04 Vendor: CentOS
Release : 11.el6 Build Date: Fri 23 Sep 2011
04:00:37 PM EDT
Install Date: Sun 24 Feb 2013 10:33:47 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/File Source RPM: file-5.04-
11.el6.src.rpm
Size : 2512680 License: BSD
Signature : RSA/SHA1, Mon 26 Sep 2011 12:18:21 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.darwinsys.com/file/>
Summary : Libraries for applications using libmagic
Description :

Libraries for applications using libmagic.

Name : cyrus-sasl-gssapi Relocations: (not relocatable)
Version : 2.1.23 Vendor: CentOS
Release : 13.el6 Build Date: Wed 07 Dec 2011
05:02:22 PM EST
Install Date: Sun 24 Feb 2013 10:34:46 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: cyrus-sasl-
2.1.23-13.el6.src.rpm
Size : 31256 License: BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 02:53:03 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://asg.web.cmu.edu/sasl/sasl-library.html>
Summary : GSSAPI authentication support for Cyrus SASL
Description :
The cyrus-sasl-gssapi package contains the Cyrus SASL plugins which
support GSSAPI authentication. GSSAPI is commonly used for Kerberos
authentication.

Name : libreport-newt Relocations: (not relocatable)
Version : 2.0.5 Vendor: CentOS
Release : 20.el6 Build Date: Wed 07 Dec 2011
07:15:10 PM EST
Install Date: Sun 24 Feb 2013 10:36:06 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: libreport-2.0.5-
20.el6.src.rpm
Size : 15400 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:23:22 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : libreport's newt interface
Description :
This package contains a simple newt application for reporting

bugs

Name : apr Relocations: (not relocatable)
Version : 1.3.9 Vendor: CentOS
Release : 3.el6_1.2 Build Date: Mon 26 Sep 2011
09:40:26 PM EDT
Install Date: Sun 24 Feb 2013 10:33:48 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: apr-1.3.9-
3.el6_1.2.src.rpm
Size : 303237 License: ASL 2.0
Signature : RSA/SHA1, Tue 27 Sep 2011 08:33:51 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://apr.apache.org/>
Summary : Apache Portable Runtime library
Description :
The mission of the Apache Portable Runtime (APR) is to provide a
free library of C data structures and routines, forming a system
portability layer to as many operating systems as possible,
including Unices, MS Win32, BeOS and OS/2.

Name : xz-lzma-compat Relocations: (not relocatable)
Version : 4.999.9 Vendor: CentOS
Release : 0.3.beta.20091007git.el6 Build Date: Sun 22 Aug 2010
01:12:38 PM EDT
Install Date: Sun 24 Feb 2013 10:34:48 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: xz-4.999.9-
0.3.beta.20091007git.el6.src.rpm
Size : 21154 License: GPLv2+ and
LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:06:49 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://tukaani.org/xz/>
Summary : Older LZMA format compatibility binaries
Description :
The lzma-compat package contains compatibility links for older
commands that deal with the older LZMA format.

Name : python-paramiko Relocations: (not relocatable)
Version : 1.7.5 Vendor: CentOS
Release : 2.1.el6 Build Date: Tue 17 Aug 2010
07:57:25 AM EDT
Install Date: Sun 24 Feb 2013 10:36:07 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Libraries Source RPM: python-paramiko-
1.7.5-2.1.el6.src.rpm
Size : 7998304 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:42:55 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.lag.net/paramiko/>

Summary : A SSH2 protocol library for python
Description :
Paramiko (a combination of the esperanto words for "paranoid" and "friend") is a module for python 2.3 or greater that implements the SSH2 protocol for secure (encrypted and authenticated) connections to remote machines. Unlike SSL (aka TLS), the SSH2 protocol does not require heirarchical certificates signed by a powerful central authority. You may know SSH2 as the protocol that replaced telnet and rsh for secure access to remote shells, but the protocol also includes the ability to open arbitrary channels to remote services across an encrypted tunnel. (This is how sftp works, for example.)

Name : jakarta-commons-logging Relocations: (not relocatable)
Version : 1.0.4 Vendor: CentOS
Release : 10.el6 Build Date: Sun 22 Aug 2010 04:55:43 AM EDT
Install Date: Sun 24 Feb 2013 10:33:49 PM EST Build Host: c6b1.bsys.dev.centos.org
Group : Development/Libraries Source RPM: jakarta-commons-logging-1.0.4-10.el6.src.rpm
Size : 89412 License: ASL 2.0
Signature : RSA/8, Sun 03 Jul 2011 12:16:52 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://jakarta.apache.org/commons/logging/>
Summary : Jakarta Commons Logging Package
Description :
The commons-logging package provides a simple, component oriented interface (org.apache.commons.logging.Log) together with wrappers for logging systems. The user can choose at runtime which system they want to use. In addition, a small number of basic implementations are provided to allow users to use the package standalone. commons-logging was heavily influenced by Avalon's Logkit and Log4J. The commons-logging abstraction is meant to minimize the differences between the two, and to allow a developer to not tie himself to a particular logging implementation.

Name : libXres Relocations: (not relocatable)
Version : 1.0.4 Vendor: CentOS
Release : 1.el6 Build Date: Mon 16 Aug 2010 05:50:23 PM EDT
Install Date: Sun 24 Feb 2013 10:34:48 PM EST Build Host: c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXres-1.0.4-1.el6.src.rpm
Size : 19691 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:42:31 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.x.org>
Summary : X-Resource extension client library
Description :
X-Resource is an extension that allows a client to query
the X server about its usage of various resources.

Name : yum Relocations: (not relocatable)
Version : 3.2.29 Vendor: CentOS
Release : 22.el6.centos Build Date: Thu 08 Dec 2011
01:18:46 PM EST
Install Date: Sun 24 Feb 2013 10:36:08 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : System Environment/Base Source RPM: yum-3.2.29-
22.el6.centos.src.rpm
Size : 4708191 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 04:45:05 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://yum.baseurl.org/>
Summary : RPM package installer/updater/manager
Description :
Yum is a utility that can check for and automatically download and
install updated RPM packages. Dependencies are obtained and downloaded
automatically, prompting the user for permission as necessary.

Name : glibmm24 Relocations: (not relocatable)
Version : 2.22.1 Vendor: CentOS
Release : 1.el6 Build Date: Thu 11 Nov 2010
05:16:17 AM EST
Install Date: Sun 24 Feb 2013 10:33:50 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: glibmm24-2.22.1-
1.el6.src.rpm
Size : 1169944 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:17:27 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gtkmm.sourceforge.net/>
Summary : C++ interface for GTK2 (a GUI library for X)
Description :
glibmm provides a C++ interface to the GTK+ GLib low-level core
library. Highlights include typesafe callbacks, widgets extensible via
inheritance and a comprehensive set of widget classes that can be
freely combined to quickly create complex user interfaces.

Name : mpfr Relocations: (not relocatable)
Version : 2.4.1 Vendor: CentOS
Release : 6.el6 Build Date: Thu 11 Nov 2010
03:30:26 PM EST
Install Date: Sun 24 Feb 2013 10:34:49 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: mpfr-2.4.1-
6.el6.src.rpm

Size : 377376 License: LGPLv2+ and
GPLv2+ and GFDL

Signature : RSA/8, Sun 03 Jul 2011 12:45:47 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.mpfr.org/>

Summary : A C library for multiple-precision floating-point
computations

Description :

The MPFR library is a C library for multiple-precision floating-point
computations with "correct rounding". The MPFR is efficient and
also has a well-defined semantics. It copies the good ideas from the
ANSI/IEEE-754 standard for double-precision floating-point arithmetic
(53-bit mantissa). MPFR is based on the GMP multiple-precision library.

Name : PackageKit-gtk-module Relocations: (not relocatable)

Version : 0.5.8 Vendor: CentOS

Release : 19.el6.centos Build Date: Fri 02 Dec 2011
05:27:06 AM EST

Install Date: Sun 24 Feb 2013 10:36:09 PM EST Build Host:

c6b6.bsyz.dev.centos.org

Group : Development/Libraries Source RPM: PackageKit-0.5.8-
19.el6.centos.src.rpm

Size : 236507 License: GPLv2+

Signature : RSA/SHA1, Fri 02 Dec 2011 07:22:45 PM EST, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.packagekit.org>

Summary : Install fonts automatically using PackageKit

Description :

The PackageKit GTK+ module allows any Pango application to install
fonts from configured repositories using PackageKit.

Name : libXrender Relocations: (not relocatable)

Version : 0.9.5 Vendor: CentOS

Release : 1.el6 Build Date: Mon 16 Aug 2010
05:51:19 PM EDT

Install Date: Sun 24 Feb 2013 10:33:51 PM EST Build Host:

c6b3.bsyz.dev.centos.org

Group : System Environment/Libraries Source RPM: libXrender-
0.9.5-1.el6.src.rpm

Size : 50720 License: MIT

Signature : RSA/8, Sun 03 Jul 2011 12:42:28 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.x.org>

Summary : X.Org X11 libXrender runtime library

Description :

X.Org X11 libXrender runtime library

Name : iw Relocations: (not relocatable)

Version : 0.9.17 Vendor: CentOS

Release : 4.el6 Build Date: Sun 22 Aug 2010
05:07:08 PM EDT

Install Date: Sun 24 Feb 2013 10:34:49 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Base Source RPM: iw-0.9.17-
4.el6.src.rpm
Size : 75619 License: ISC
Signature : RSA/8, Sun 03 Jul 2011 12:25:17 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.linuxwireless.org/en/users/Documentation/iw>
Summary : A nl80211 based wireless configuration tool
Description :
iw is a new nl80211 based CLI configuration utility for wireless devices.
Currently you can only use this utility to configure devices which
use a mac80211 driver as these are the new drivers being written -
only because most new wireless devices being sold are now SoftMAC.

Name : PackageKit-device-rebind Relocations: (not relocatable)
Version : 0.5.8 Vendor: CentOS
Release : 19.el6.centos Build Date: Fri 02 Dec 2011
05:27:06 AM EST
Install Date: Sun 24 Feb 2013 10:36:10 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: PackageKit-0.5.8-
19.el6.centos.src.rpm
Size : 236490 License: GPLv2+
Signature : RSA/SHA1, Fri 02 Dec 2011 07:22:58 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.packagekit.org>
Summary : Device rebind functionality for PackageKit
Description :
The device rebind functionality offer the ability to re-initialize
devices
after firmware has been installed by PackageKit. This removes the need
for the
user to restart the computer or remove and re-insert the device.

Name : libXfixes Relocations: (not relocatable)
Version : 4.0.4 Vendor: CentOS
Release : 1.el6 Build Date: Mon 16 Aug 2010
06:05:16 PM EDT
Install Date: Sun 24 Feb 2013 10:33:51 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXfixes-4.0.4-
1.el6.src.rpm
Size : 33827 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:41:53 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X Fixes library
Description :
X Fixes library.

Name : lockdev Relocations: (not relocatable)
Version : 1.0.1 Vendor: CentOS
Release : 18.el6 Build Date: Thu 19 Aug 2010
02:35:50 AM EDT
Install Date: Sun 24 Feb 2013 10:34:51 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: lockdev-1.0.1-
18.el6.src.rpm
Size : 51000 License: LGPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:43:12 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://packages.debian.org/unstable/source/lockdev>
Summary : A library for locking devices
Description :
Lockdev provides a reliable way to put an exclusive lock to devices
using both FSSTND and SVr4 methods.

Name : createrepo Relocations: (not relocatable)
Version : 0.9.8 Vendor: CentOS
Release : 4.el6 Build Date: Wed 10 Nov 2010
10:50:00 PM EST
Install Date: Sun 24 Feb 2013 10:36:11 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Base Source RPM: createrepo-0.9.8-
4.el6.src.rpm
Size : 250797 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:03:22 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://createrepo.baseurl.org/>
Summary : Creates a common metadata repository
Description :
This utility will generate a common metadata repository from a directory
of rpm
packages.

Name : libXcursor Relocations: (not relocatable)
Version : 1.1.10 Vendor: CentOS
Release : 2.el6 Build Date: Wed 25 Aug 2010
04:56:18 AM EDT
Install Date: Sun 24 Feb 2013 10:33:51 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXcursor-
1.1.10-2.el6.src.rpm
Size : 56053 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:41:39 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXcursor runtime library
Description :
X.Org X11 libXcursor runtime library

Name : ConsoleKit Relocations: (not relocatable)
Version : 0.4.1 Vendor: CentOS
Release : 3.el6 Build Date: Wed 10 Nov 2010
05:09:29 PM EST
Install Date: Sun 24 Feb 2013 10:34:52 PM EST Build Host:
c5b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ConsoleKit-
0.4.1-3.el6.src.rpm
Size : 268885 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:07:52 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/wiki/Software/ConsoleKit>
Summary : System daemon for tracking users, sessions and seats
Description :
ConsoleKit is a system daemon for tracking what users are logged
into the system and how they interact with the computer (e.g.
which keyboard and mouse they use).

It provides asynchronous notification via the system message bus.

Name : libsoup Relocations: (not relocatable)
Version : 2.28.2 Vendor: CentOS
Release : 1.el6_1.1 Build Date: Fri 23 Sep 2011
08:47:27 AM EDT
Install Date: Sun 24 Feb 2013 10:36:11 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: libsoup-2.28.2-
1.el6_1.1.src.rpm
Size : 443357 License: LGPLv2
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:07 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://live.gnome.org/LibSoup>
Summary : Soup, an HTTP library implementation
Description :
Libsoup is an HTTP library implementation in C. It was originally part
of a SOAP (Simple Object Access Protocol) implementation called Soup, but
the SOAP and non-SOAP parts have now been split into separate packages.

libsoup uses the Glib main loop and is designed to work well with GTK
applications. This enables GNOME applications to access HTTP servers
on the network in a completely asynchronous fashion, very similar to
the Gtk+ programming model (a synchronous operation mode is also
supported for those who want it).

Name : libXxf86vm Relocations: (not relocatable)
Version : 1.1.0 Vendor: CentOS
Release : 1.el6 Build Date: Tue 17 Aug 2010
02:08:37 AM EDT
Install Date: Sun 24 Feb 2013 10:33:51 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXxf86vm-
1.1.0-1.el6.src.rpm

Size : 30948 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:42:56 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXxf86vm runtime library
Description :
X.Org X11 libXxf86vm runtime library

Name : checkpolicy Relocations: (not relocatable)
Version : 2.0.22 Vendor: CentOS
Release : 1.el6 Build Date: Wed 10 Nov 2010
09:31:50 PM EST
Install Date: Sun 24 Feb 2013 10:34:52 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/System Source RPM: checkpolicy-
2.0.22-1.el6.src.rpm
Size : 870239 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:06:47 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : SELinux policy compiler
Description :
Security-enhanced Linux is a feature of the Linux kernel and a number
of utilities with enhanced security functionality designed to add
mandatory access controls to Linux. The Security-enhanced Linux
kernel contains new architectural components originally developed to
improve the security of the Flask operating system. These
architectural components provide general support for the enforcement
of many kinds of mandatory access control policies, including those
based on the concepts of Type Enforcement, Role-based Access
Control, and Multi-level Security.

This package contains checkpolicy, the SELinux policy compiler.
Only required for building policies.

Name : python-setuptools Relocations: (not relocatable)
Version : 0.6.10 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
07:38:28 PM EST
Install Date: Sun 24 Feb 2013 10:36:17 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/System Source RPM: python-
setuptools-0.6.10-3.el6.src.rpm
Size : 1532593 License: Python or ZPLv2.0
Signature : RSA/8, Sun 03 Jul 2011 12:43:17 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://pypi.python.org/pypi/distribute>
Summary : Easily build and distribute Python packages
Description :
Setuptools is a collection of enhancements to the Python distutils that
allow

you to more easily build and distribute Python packages, especially ones that have dependencies on other packages.

This package contains the runtime components of setuptools, necessary to execute the software that requires pkg_resources.py.

Name : abrt-libs Relocations: (not relocatable)
Version : 2.0.4 Vendor: CentOS
Release : 14.el6.centos Build Date: Tue 13 Dec 2011
10:50:57 PM EST
Install Date: Sun 24 Feb 2013 10:33:52 PM EST Build Host:
c6b18n1.dev.centos.org
Group : System Environment/Libraries Source RPM: abrt-2.0.4-
14.el6.centos.src.rpm
Size : 9304 License: GPLv2+
Signature : RSA/SHA1, Wed 14 Dec 2011 11:28:38 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : Libraries for abrt
Description :
Libraries for abrt.

Name : m17n-db-punjabi Relocations: (not relocatable)
Version : 1.5.5 Vendor: CentOS
Release : 1.1.el6 Build Date: Thu 19 Aug 2010
02:00:34 AM EDT
Install Date: Sun 24 Feb 2013 10:34:52 PM EST Build Host:
c6b3.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-db-1.5.5-
1.1.el6.src.rpm
Size : 6298 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:29:18 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : m17n-db input maps for Punjabi
Description :
This package contains m17n-db input maps for Punjabi.

Name : gdb Relocations: (not relocatable)
Version : 7.2 Vendor: CentOS
Release : 50.el6 Build Date: Wed 07 Dec 2011
01:17:56 PM EST
Install Date: Sun 24 Feb 2013 10:36:21 PM EST Build Host:
c6b6.bsyzs.dev.centos.org
Group : Development/Debuggers Source RPM: gdb-7.2-
50.el6.src.rpm
Size : 5498442 License: GPLv3+ and GPLv3+
with exceptions and GPLv2+ and GPLv2+ with exceptions and GPLv2+ and
LGPLv2+ and GFDL and BSD and Public Domain
Signature : RSA/SHA1, Thu 08 Dec 2011 03:04:19 PM EST, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gnu.org/software/gdb/>
Summary : A GNU source-level debugger for C, C++, Java and other languages
Description :
GDB, the GNU debugger, allows you to debug programs written in C, C++, Java, and other languages, by executing them in a controlled fashion and printing their data.

Name : xkeyboard-config Relocations: (not relocatable)
Version : 2.3 Vendor: CentOS
Release : 1.el6 Build Date: Wed 07 Dec 2011 10:13:30 AM EST
Install Date: Sun 24 Feb 2013 10:33:53 PM EST Build Host: c6b18n2.bsys.dev.centos.org
Group : User Interface/X Source RPM: xkeyboard-config-2.3-1.el6.src.rpm
Size : 4852665 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:31:34 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/wiki/Software/XKeyboardConfig>
Summary : X Keyboard Extension configuration data
Description :
This package contains configuration data used by the X Keyboard Extension (XKB), which allows selection of keyboard layouts when using a graphical interface.

Name : m17n-db-oriya Relocations: (not relocatable)
Version : 1.5.5 Vendor: CentOS
Release : 1.1.el6 Build Date: Thu 19 Aug 2010 02:00:34 AM EDT
Install Date: Sun 24 Feb 2013 10:34:52 PM EST Build Host: c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-db-1.5.5-1.1.el6.src.rpm
Size : 6082 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:29:18 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : m17n-db input maps for Oriya
Description :
This package contains m17n-db input maps for Oriya.

Name : sg3_utils-libs Relocations: (not relocatable)
Version : 1.28 Vendor: CentOS
Release : 4.el6 Build Date: Fri 23 Sep 2011 03:00:33 PM EDT
Install Date: Sun 24 Feb 2013 10:36:21 PM EST Build Host: c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: sg3_utils-1.28-4.el6.src.rpm
Size : 156912 License: GPLv2+ and BSD

Signature : RSA/SHA1, Mon 26 Sep 2011 12:25:23 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : http://sg.danny.cz/sg/sg3_utils.html

Summary : Shared library for sg3_utils

Description :

This package contains the shared library for sg3_utils.

Name : libidn Relocations: (not relocatable)

Version : 1.18 Vendor: CentOS

Release : 2.el6 Build Date: Mon 23 Aug 2010

08:51:25 PM EDT

Install Date: Sun 24 Feb 2013 10:33:53 PM EST Build Host:

c6b2.bsyz.dev.centos.org

Group : System Environment/Libraries Source RPM: libidn-1.18-

2.el6.src.rpm

Size : 567612 License: LGPLv2+ and

GPLv3+ and GFDL

Signature : RSA/8, Sun 03 Jul 2011 12:36:02 AM EDT, Key ID

0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.gnu.org/software/libidn/>

Summary : Internationalized Domain Name support library

Description :

GNU Libidn is an implementation of the Stringprep, Punycode and
IDNA specifications defined by the IETF Internationalized Domain

Names (IDN) working group, used for internationalized domain
names.

Name : m17n-db-telugu Relocations: (not relocatable)

Version : 1.5.5 Vendor: CentOS

Release : 1.1.el6 Build Date: Thu 19 Aug 2010

02:00:34 AM EDT

Install Date: Sun 24 Feb 2013 10:34:52 PM EST Build Host:

c6b3.bsyz.dev.centos.org

Group : System Environment/Libraries Source RPM: m17n-db-1.5.5-

1.1.el6.src.rpm

Size : 6593 License: LGPLv2+

Signature : RSA/8, Sun 03 Jul 2011 12:29:25 AM EDT, Key ID

0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.m17n.org/m17n-lib/index.html>

Summary : m17n-db input maps for Telugu

Description :

This package contains m17n-db input maps for Telugu.

Name : vlgothic-fonts-common Relocations: (not relocatable)

Version : 20091202 Vendor: CentOS

Release : 2.el6 Build Date: Thu 11 Nov 2010

10:06:07 AM EST

Install Date: Sun 24 Feb 2013 10:36:22 PM EST Build Host:

c5b2.bsyz.dev.centos.org

Group : User Interface/X Source RPM: vlgothic-fonts-20091202-2.el6.src.rpm
Size : 25527 License: mplus and BSD
Signature : RSA/8, Sun 03 Jul 2011 12:52:33 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://dicey.org/vlgothic>
Summary : Common files for VLGothic Japanese TrueType fonts
Description :

VLGothic provides Japanese TrueType fonts from the Vine Linux project. Most of the glyphs are taken from the M+ and Sazanami Gothic fonts, but some have also been improved by the project.

This package consists of files used by other vlgothic-fonts packages.

Name : libibverbs Relocations: (not relocatable)
Version : 1.1.5 Vendor: CentOS
Release : 3.el6 Build Date: Wed 07 Dec 2011 12:20:43 PM EST
Install Date: Sun 24 Feb 2013 10:33:54 PM EST Build Host: c6b6.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: libibverbs-1.1.5-3.el6.src.rpm
Size : 101707 License: GPLv2 or BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 03:19:50 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://openfabrics.org/>
Summary : A library for direct userspace use of RDMA (InfiniBand/iWARP) hardware
Description :
libibverbs is a library that allows userspace processes to use RDMA "verbs" as described in the InfiniBand Architecture Specification and the RDMA Protocol Verbs Specification. This includes direct hardware access from userspace to InfiniBand/iWARP adapters (kernel bypass) for fast path operations.

For this library to be useful, a device-specific plug-in module should also be installed.

Name : m17n-db-tamil Relocations: (not relocatable)
Version : 1.5.5 Vendor: CentOS
Release : 1.1.el6 Build Date: Thu 19 Aug 2010 02:00:34 AM EDT
Install Date: Sun 24 Feb 2013 10:34:53 PM EST Build Host: c6b3.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-db-1.5.5-1.1.el6.src.rpm
Size : 20098 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:29:24 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>

Summary : m17n-db input maps for Tamil
Description :
This package contains m17n-db input maps for Tamil.

Name : poppler Relocations: (not relocatable)
Version : 0.12.4 Vendor: CentOS
Release : 3.el6_0.1 Build Date: Fri 24 Jun 2011
09:17:31 PM EDT
Install Date: Sun 24 Feb 2013 10:36:25 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: poppler-0.12.4-
3.el6_0.1.src.rpm
Size : 1964853 License: GPLv2
Signature : RSA/8, Tue 05 Jul 2011 09:45:01 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://poppler.freedesktop.org/>
Summary : PDF rendering library
Description :
Poppler, a PDF rendering library, is a fork of the xpdf PDF
viewer developed by Derek Noonburg of Glyph and Cog, LLC.

Name : krb5-libs Relocations: (not relocatable)
Version : 1.9 Vendor: CentOS
Release : 22.el6 Build Date: Wed 07 Dec 2011
05:36:00 PM EST
Install Date: Sun 24 Feb 2013 10:33:54 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: krb5-1.9-
22.el6.src.rpm
Size : 2007144 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 03:14:10 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://web.mit.edu/kerberos/www/>
Summary : The shared libraries used by Kerberos 5
Description :
Kerberos is a network authentication system. The krb5-libs package
contains the shared libraries needed by Kerberos 5. If you are using
Kerberos, you need to install this package.

Name : m17n-db-gujarati Relocations: (not relocatable)
Version : 1.5.5 Vendor: CentOS
Release : 1.1.el6 Build Date: Thu 19 Aug 2010
02:00:34 AM EDT
Install Date: Sun 24 Feb 2013 10:34:53 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-db-1.5.5-
1.1.el6.src.rpm
Size : 6692 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:29:10 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>

Summary : ml7n-db input maps for Gujarati
Description :
This package contains ml7n-db input maps for Gujarati.

Name : classpathx-mail Relocations: (not relocatable)
Version : 1.1.1 Vendor: CentOS
Release : 9.4.el6 Build Date: Wed 10 Nov 2010
09:43:20 PM EST
Install Date: Sun 24 Feb 2013 10:36:33 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: classpathx-mail-
1.1.1-9.4.el6.src.rpm
Size : 842081 License: GPLv2+ with
exceptions
Signature : RSA/8, Sun 03 Jul 2011 12:02:24 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/classpathx/>
Summary : GNU JavaMail(tm)
Description :
GNU JavaMail(tm) is a free implementation of the JavaMail API.

Name : perl-version Relocations: (not relocatable)
Version : 0.77 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:33:54 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size : 51960 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 05:59:57 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Perl extension for Version Objects
Description :
Perl extension for Version Objects

Name : nss-softokn Relocations: (not relocatable)
Version : 3.12.9 Vendor: CentOS
Release : 11.el6 Build Date: Wed 07 Dec 2011
07:27:01 PM EST
Install Date: Sun 24 Feb 2013 10:34:53 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: nss-softokn-
3.12.9-11.el6.src.rpm
Size : 444772 License: MPLv1.1 or GPLv2+
or LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:45:21 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mozilla.org/projects/security/pki/nss/>
Summary : Network Security Services Softoken Module

Description :

Network Security Services Softoken Cryptographic Module

Name : axis Relocations: (not relocatable)
Version : 1.2.1 Vendor: CentOS
Release : 7.2.el6 Build Date: Wed 10 Nov 2010
08:03:43 PM EST
Install Date: Sun 24 Feb 2013 10:36:37 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: axis-1.2.1-
7.2.el6.src.rpm
Size : 1695171 License: ASL 2.0
Signature : RSA/8, Sun 03 Jul 2011 12:00:37 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://ws.apache.org/axis/>
Summary : A SOAP implementation in Java
Description :
Apache AXIS is an implementation of the SOAP ("Simple Object Access
Protocol")
submission to W3C.

From the draft W3C specification:

SOAP is a lightweight protocol for exchange of information in a
decentralized,
distributed environment. It is an XML based protocol that consists of
three
parts: an envelope that defines a framework for describing what is in a
message
and how to process it, a set of encoding rules for expressing instances
of
application-defined datatypes, and a convention for representing remote
procedure calls and responses.

This project is a follow-on to the Apache SOAP project.

Name : perl-Locale-Maketext-Simple Relocations: (not relocatable)
Version : 0.18 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:33:59 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size : 13684 License: MIT
Signature : RSA/SHA1, Tue 15 Nov 2011 05:59:59 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Simple interface to Locale::Maketext::Lexicon
Description :
This module is a simple wrapper around Locale::Maketext::Lexicon,
designed

to alleviate the need of creating Language Classes for module authors.

Name : GConf2 Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 6.el6 Build Date: Mon 23 Aug 2010
03:49:14 AM EDT
Install Date: Sun 24 Feb 2013 10:34:54 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Base Source RPM: GConf2-2.28.0-
6.el6.src.rpm
Size : 6076946 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:15:56 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://projects.gnome.org/gconf/>
Summary : A process-transparent configuration system
Description :
GConf is a process-transparent configuration database API used to
store user preferences. It has pluggable backends and features to
support workgroup administration.

Name : kernel-headers Relocations: (not relocatable)
Version : 2.6.32 Vendor: CentOS
Release : 220.el6 Build Date: Tue 06 Dec 2011
04:48:35 PM EST
Install Date: Sun 24 Feb 2013 10:36:40 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : Development/System Source RPM: kernel-2.6.32-
220.el6.src.rpm
Size : 2478048 License: GPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 07:10:03 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.kernel.org/>
Summary : Header files for the Linux kernel for use by glibc
Description :
Kernel-headers includes the C header files that specify the interface
between the Linux kernel and userspace libraries and programs. The
header files define structures and constants that are needed for
building most standard programs and are also needed for rebuilding the
glibc package.

Name : perl-devel Relocations: (not relocatable)
Version : 5.10.1 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:00 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Languages Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size : 1868400 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 05:59:29 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.perl.org/>
Summary : Header files for use in perl development
Description :
This package contains header files and development modules.
Most perl packages will need to install perl-devel to build.

Name : libuser Relocations: (not relocatable)
Version : 0.56.13 Vendor: CentOS
Release : 4.el6_0.1 Build Date: Sat 25 Jun 2011
01:58:41 AM EDT
Install Date: Sun 24 Feb 2013 10:34:55 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: libuser-0.56.13-
4.el6_0.1.src.rpm
Size : 1876935 License: LGPLv2+
Signature : RSA/8, Tue 05 Jul 2011 09:41:11 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/libuser/>
Summary : A user and group account administration library
Description :
The libuser library implements a standardized interface for manipulating
and administering user and group accounts. The library uses pluggable
back-ends to interface to its data sources.

Sample applications modeled after those included with the shadow password
suite are included.

Name : centos-release Relocations: (not relocatable)
Version : 6 Vendor: CentOS
Release : 2.el6.centos.7 Build Date: Thu 08 Dec 2011
10:05:54 PM EST
Install Date: Sun 24 Feb 2013 10:36:42 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : System Environment/Base Source RPM: centos-release-6-
2.el6.centos.7.src.rpm
Size : 28930 License: GPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 10:40:50 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : CentOS release file
Description :
CentOS release files

Name : perl-IPC-Cmd Relocations: (not relocatable)
Version : 0.56 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:00 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size : 58674 License: GPL+ or Artistic

Signature : RSA/SHA1, Tue 15 Nov 2011 05:58:36 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Finding and running system commands made easy
Description :
IPC::Cmd allows you to run commands, interactively if desired, in a
platform independent way, but have them still work.

Name : libgsf Relocations: (not relocatable)
Version : 1.14.15 Vendor: CentOS
Release : 5.el6 Build Date: Thu 11 Nov 2010
02:06:19 PM EST
Install Date: Sun 24 Feb 2013 10:34:56 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libgsf-1.14.15-
5.el6.src.rpm
Size : 346396 License: LGPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:34:55 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/projects/libgsf/>
Summary : GNOME Structured File library
Description :
A library for reading and writing structured files (eg MS OLE and Zip)

Name : udev Relocations: (not relocatable)
Version : 147 Vendor: CentOS
Release : 2.40.el6 Build Date: Wed 07 Dec 2011
04:17:21 PM EST
Install Date: Sun 24 Feb 2013 10:36:45 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : System Environment/Base Source RPM: udev-147-
2.40.el6.src.rpm
Size : 1323702 License: GPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 04:26:09 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL :
<http://www.kernel.org/pub/linux/utils/kernel/hotplug/udev.html>
Summary : A userspace implementation of devfs
Description :
The udev package contains an implementation of devfs in
userspace using sysfs and netlink.

Name : perl-Package-Constants Relocations: (not relocatable)
Version : 0.02 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:00 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size : 4758 License: GPL+ or Artistic

Signature : RSA/SHA1, Tue 15 Nov 2011 05:59:24 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : List all constants declared in a package
Description :
Package::Constants lists all the constants defined in a certain package.
This can be useful for, among others, setting up an autogenerated
@EXPORT/@EXPORT_OK for a Constants.pm file.

Name : infinipath-psm Relocations: /usr
Version : 2.9 Vendor: CentOS
Release : 926.1005_open.1.el6 Build Date: Wed 07 Dec 2011
11:46:10 AM EST
Install Date: Sun 24 Feb 2013 10:34:56 PM EST Build Host:
c6b18n1.dev.centos.org
Group : System Environment/Libraries Source RPM: infinipath-psm-
2.9-926.1005_open.1.el6.src.rpm
Size : 373872 License: BSD or GPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 03:08:57 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.qlogic.com/>
Summary : QLogic PSM Libraries
Description :
The PSM Messaging API, or PSM API, is QLogic's low-level
user-level communications interface for the Truescale
family of products. PSM users are enabled with mechanisms
necessary to implement higher level communications
interfaces in parallel environments.

Name : device-mapper Relocations: (not relocatable)
Version : 1.02.66 Vendor: CentOS
Release : 6.el6 Build Date: Wed 07 Dec 2011
05:49:14 PM EST
Install Date: Sun 24 Feb 2013 10:36:48 PM EST Build Host:
c6b4.bsyzs.dev.centos.org
Group : System Environment/Base Source RPM: lvm2-2.02.87-
6.el6.src.rpm
Size : 154213 License: GPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 03:28:45 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sources.redhat.com/dm>
Summary : Device mapper utility
Description :
This package contains the supporting userspace utility, dmsetup,
for the kernel device-mapper.

Name : libtirpc Relocations: (not relocatable)
Version : 0.2.1 Vendor: CentOS
Release : 5.el6 Build Date: Wed 07 Dec 2011
02:32:04 PM EST

Install Date: Sun 24 Feb 2013 10:34:00 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libtirpc-0.2.1-
5.el6.src.rpm
Size : 172487 License: SISSL and BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 03:25:16 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://nfsv4.bullopenSource.org/>
Summary : Transport Independent RPC Library
Description :
This package contains SunLib's implementation of transport-independent
RPC (TI-RPC) documentation. This library forms a piece of the base of
Open Network Computing (ONC), and is derived directly from the
Solaris 2.3 source.

TI-RPC is an enhanced version of TS-RPC that requires the UNIX System V
Transport Layer Interface (TLI) or an equivalent X/Open Transport
Interface
(XTI). TI-RPC is on-the-wire compatible with the TS-RPC, which is
supported
by almost 70 vendors on all major operating systems. TS-RPC source code
(RPCSRC 4.0) remains available from several internet sites.

Name : rpm Relocations: (not relocatable)
Version : 4.8.0 Vendor: CentOS
Release : 19.el6 Build Date: Wed 07 Dec 2011
04:34:07 PM EST
Install Date: Sun 24 Feb 2013 10:34:57 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Base Source RPM: rpm-4.8.0-
19.el6.src.rpm
Size : 2031079 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 04:06:45 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.rpm.org/>
Summary : The RPM package management system
Description :
The RPM Package Manager (RPM) is a powerful command line driven
package management system capable of installing, uninstalling,
verifying, querying, and updating software packages. Each software
package consists of an archive of files along with information about
the package like its version, a description, etc.

Name : parted Relocations: (not relocatable)
Version : 2.1 Vendor: CentOS
Release : 17.el6 Build Date: Wed 07 Dec 2011
06:33:17 PM EST
Install Date: Sun 24 Feb 2013 10:36:49 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/System Source RPM: parted-2.1-
17.el6.src.rpm
Size : 2263635 License: GPLv3+

Signature : RSA/SHA1, Thu 08 Dec 2011 03:53:24 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/parted>
Summary : The GNU disk partition manipulation program
Description :
The GNU Parted program allows you to create, destroy, resize, move,
and copy hard disk partitions. Parted can be used for creating space
for new operating systems, reorganizing disk usage, and copying data
to new hard disks.

Name : libatasmart Relocations: (not relocatable)
Version : 0.17 Vendor: CentOS
Release : 3.el6 Build Date: Sat 21 Aug 2010
06:25:18 AM EDT
Install Date: Sun 24 Feb 2013 10:34:00 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libatasmart-
0.17-3.el6.src.rpm
Size : 96299 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:31:48 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://git.0pointer.de/?p=libatasmart.git;a=summary>
Summary : ATA S.M.A.R.T. Disk Health Monitoring Library
Description :
A small and lightweight parser library for ATA S.M.A.R.T. hard disk
health monitoring.

Name : man Relocations: (not relocatable)
Version : 1.6f Vendor: CentOS
Release : 29.el6 Build Date: Thu 11 Nov 2010
03:46:18 PM EST
Install Date: Sun 24 Feb 2013 10:34:58 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Base Source RPM: man-1.6f-
29.el6.src.rpm
Size : 398460 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:44:42 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://primates.ximian.com/~flucifredi/man/>
Summary : A set of documentation tools: man, apropos and whatis
Description :
The man package includes three tools for finding information and/or
documentation about your Linux system: man, apropos, and whatis. The
man system formats and displays on-line manual pages about commands or
functions on your system. Apropos searches the whatis database
(containing short descriptions of system commands) for a string.
Whatis searches its own database for a complete word.

The man package should be installed on your system because it is the
primary way to find documentation on a Linux system.

Name : xinetd Relocations: (not relocatable)
Version : 2.3.14 Vendor: CentOS
Release : 33.el6 Build Date: Wed 07 Dec 2011
04:09:37 PM EST
Install Date: Sun 24 Feb 2013 10:36:50 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: xinetd-2.3.14-
33.el6.src.rpm
Size : 265405 License: xinetd
Signature : RSA/SHA1, Thu 08 Dec 2011 04:31:21 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.xinetd.org>
Summary : A secure replacement for inetd
Description :
Xinetd is a secure replacement for inetd, the Internet services
daemon. Xinetd provides access control for all services based on the
address of the remote host and/or on time of access and can prevent
denial-of-access attacks. Xinetd provides extensive logging, has no
limit on the number of server arguments, and lets you bind specific
services to specific IP addresses on your host machine. Each service
has its own specific configuration file for Xinetd; the files are
located in the /etc/xinetd.d directory.

Name : libunistring Relocations: (not relocatable)
Version : 0.9.3 Vendor: CentOS
Release : 4.el6 Build Date: Wed 07 Dec 2011
03:35:54 PM EST
Install Date: Sun 24 Feb 2013 10:34:03 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libunistring-
0.9.3-4.el6.src.rpm
Size : 1145049 License: LGPLv3+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:25:37 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/libunistring/>
Summary : GNU Unicode string library
Description :
This portable C library implements Unicode string types in three
flavours:
(UTF-8, UTF-16, UTF-32), together with functions for character processing
(names, classifications, properties) and functions for string processing
(iteration, formatted output, width, word breaks, line breaks,
normalization,
case folding and regular expressions).

Name : gnupg2 Relocations: (not relocatable)
Version : 2.0.14 Vendor: CentOS
Release : 4.el6 Build Date: Thu 11 Nov 2010
07:50:42 AM EST
Install Date: Sun 24 Feb 2013 10:34:59 PM EST Build Host:
c6b5.bsys.dev.centos.org

Group : Applications/System Source RPM: gnupg2-2.0.14-4.el6.src.rpm
Size : 6088924 License: GPLv3+
Signature : RSA/8, Sun 03 Jul 2011 12:19:05 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnupg.org/>
Summary : Utility for secure communication and data storage
Description :
GnuPG is GNU's tool for secure communication and data storage. It can be used to encrypt data and to create digital signatures. It includes an advanced key management facility and is compliant with the proposed OpenPGP Internet standard as described in RFC2440 and the S/MIME standard as described by several RFCs.

GnuPG 2.0 is a newer version of GnuPG with additional support for S/MIME. It has a different design philosophy that splits functionality up into several modules. The S/MIME and smartcard functionality is provided by the gnupg2-smime package.

Name : cryptsetup-luks Relocations: (not relocatable)
Version : 1.2.0 Vendor: CentOS
Release : 6.el6 Build Date: Wed 07 Dec 2011 03:14:38 PM EST
Install Date: Sun 24 Feb 2013 10:36:50 PM EST Build Host: c6b18n3.bsdev.centos.org
Group : Applications/System Source RPM: cryptsetup-luks-1.2.0-6.el6.src.rpm
Size : 302712 License: GPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 02:51:27 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://cryptsetup.googlecode.com/>
Summary : A utility for setting up encrypted filesystems
Description :
This package contains cryptsetup, a utility for setting up encrypted filesystems using Device Mapper and the dm-crypt target.

Name : newt Relocations: (not relocatable)
Version : 0.52.11 Vendor: CentOS
Release : 3.el6 Build Date: Fri 23 Sep 2011 12:24:28 PM EDT
Install Date: Sun 24 Feb 2013 10:34:03 PM EST Build Host: c6b5.bsdev.centos.org
Group : System Environment/Libraries Source RPM: newt-0.52.11-3.el6.src.rpm
Size : 174037 License: LGPLv2
Signature : RSA/SHA1, Mon 26 Sep 2011 12:22:13 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/newt/>
Summary : A library for text mode user interfaces
Description :

Newt is a programming library for color text mode, widget based user interfaces. Newt can be used to add stacked windows, entry widgets, checkboxes, radio buttons, labels, plain text fields, scrollbars, etc., to text mode user interfaces. This package also contains the shared library needed by programs built with newt, as well as a /usr/bin/dialog replacement called whiptail. Newt is based on the slang library.

Name : time Relocations: (not relocatable)
Version : 1.7 Vendor: CentOS
Release : 37.1.el6 Build Date: Wed 18 Aug 2010
05:41:03 PM EDT
Install Date: Sun 24 Feb 2013 10:34:59 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Applications/System Source RPM: time-1.7-
37.1.el6.src.rpm
Size : 39759 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:03:55 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/time/>
Summary : A GNU utility for monitoring a program's use of system
resources
Description :
The GNU time utility runs another program, collects information about
the resources used by that program while it is running, and displays
the results.

Name : rarian-compat Relocations: (not relocatable)
Version : 0.8.1 Vendor: CentOS
Release : 5.1.el6 Build Date: Wed 18 Aug 2010
07:01:23 PM EDT
Install Date: Sun 24 Feb 2013 10:36:55 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Base Source RPM: rarian-0.8.1-
5.1.el6.src.rpm
Size : 246289 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:00:04 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://rarian.freedesktop.org/>
Summary : Extra files for compatibility with scrollkeeper
Description :
This package contains files needed to maintain backward-compatibility
with
scrollkeeper.

Name : cups-libs Relocations: (not relocatable)
Version : 1.4.2 Vendor: CentOS
Release : 44.el6 Build Date: Wed 07 Dec 2011
05:35:39 PM EST
Install Date: Sun 24 Feb 2013 10:34:04 PM EST Build Host:
c6b4.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM: cups-1.4.2-44.el6.src.rpm
Size : 664648 License: LGPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 02:52:26 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.cups.org/>
Summary : Common Unix Printing System - libraries
Description :
The Common UNIX Printing System provides a portable printing layer for UNIX operating systems. It has been developed by Easy Software Products to promote a standard printing solution for all UNIX vendors and users. CUPS provides the System V and Berkeley command-line interfaces. The cups-libs package provides libraries used by applications to use CUPS natively, without needing the lp/lpr commands.

Name : libgomp Relocations: (not relocatable)
Version : 4.4.6 Vendor: CentOS
Release : 3.el6 Build Date: Tue 06 Dec 2011 01:43:45 PM EST
Install Date: Sun 24 Feb 2013 10:35:00 PM EST Build Host: c6b5.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: gcc-4.4.6-3.el6.src.rpm
Size : 95730 License: GPLv3+ and GPLv3+ with exceptions and GPLv2+ with exceptions
Signature : RSA/SHA1, Thu 08 Dec 2011 03:02:43 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gcc.gnu.org>
Summary : GCC OpenMP v3.0 shared support library
Description :
This package contains GCC shared support library which is needed for OpenMP v3.0 support.

Name : pm-utils Relocations: (not relocatable)
Version : 1.2.5 Vendor: CentOS
Release : 9.el6 Build Date: Thu 11 Nov 2010 07:37:51 PM EST
Install Date: Sun 24 Feb 2013 10:36:58 PM EST Build Host: c5b2.bsyzs.dev.centos.org
Group : System Environment/Base Source RPM: pm-utils-1.2.5-9.el6.src.rpm
Size : 260295 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:57:22 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://pm-utils.freedesktop.org>
Summary : Power management utilities and scripts for Fedora
Description :
The pm-utils package contains utilities and scripts useful for tasks related to power management.

Name : libraw1394 Relocations: (not relocatable)
Version : 2.0.4 Vendor: CentOS
Release : 1.el6 Build Date: Mon 16 Aug 2010
09:03:52 PM EDT
Install Date: Sun 24 Feb 2013 10:34:04 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libraw1394-
2.0.4-1.el6.src.rpm
Size : 123381 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:38:19 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.dennedy.org/libraw1394/>
Summary : Library providing low-level IEEE-1394 access
Description :
The libraw1394 library provides direct access to the IEEE-1394 bus
through
the Linux 1394 subsystem's raw1394 user space interface. Support for both
the classic ieee1394 and new firewire linux driver stacks is included,
with
run-time detection of the active stack. Fedora comes with the firewire
stack
by default.

Name : compat-db42 Relocations: (not relocatable)
Version : 4.2.52 Vendor: CentOS
Release : 15.el6 Build Date: Wed 10 Nov 2010
10:07:20 PM EST
Install Date: Sun 24 Feb 2013 10:35:04 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: compat-db-
4.6.21-15.el6.src.rpm
Size : 2344707 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:07:26 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.oracle.com/database/berkeley-db/>
Summary : The Berkeley DB database 4.2.52 compatibility library
Description :
The Berkeley Database (Berkeley DB) is a programmatic toolkit that
provides
embedded database support for both traditional and client/server
applications.
This package contains Berkeley DB library version 4.2.52 used for
compatibility.

Name : dhclient Relocations: (not relocatable)
Version : 4.1.1 Vendor: CentOS
Release : 25.P1.el6 Build Date: Wed 07 Dec 2011
05:14:52 PM EST
Install Date: Sun 24 Feb 2013 10:37:00 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: dhcp-4.1.1-
25.P1.el6.src.rpm

Size : 630514 License: ISC
Signature : RSA/SHA1, Thu 08 Dec 2011 02:54:37 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://isc.org/products/DHCP/>
Summary : Provides the dhclient ISC DHCP client daemon and dhclient-
script
Description :
DHCP (Dynamic Host Configuration Protocol) is a protocol which allows
individual devices on an IP network to get their own network
configuration information (IP address, subnetmask, broadcast address,
etc.) from a DHCP server. The overall purpose of DHCP is to make it
easier to administer a large network.

To use DHCP on your network, install a DHCP service (or relay agent),
and on clients run a DHCP client daemon. The dhclient package
provides the ISC DHCP client daemon.

Name : perl-IO-Compress-Zlib Relocations: (not relocatable)
Version : 2.020 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:05 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size : 369723 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 06:00:09 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Perl interface to allow reading and writing of gzip and zip
data
Description :
This module provides an "IO::"-style Perl interface to "Compress::Zlib"

Name : libconfig Relocations: (not relocatable)
Version : 1.3.2 Vendor: CentOS
Release : 1.1.el6 Build Date: Thu 19 Aug 2010
04:47:11 AM EDT
Install Date: Sun 24 Feb 2013 10:35:05 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libconfig-1.3.2-
1.1.el6.src.rpm
Size : 170181 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:32:43 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.hyperrealm.com/libconfig/>
Summary : C/C++ configuration file library
Description :
Libconfig is a simple library for manipulating structured configuration
files. This file format is more compact and more readable than XML. And
unlike XML, it is type-aware, so it is not necessary to do string parsing

in application code.

Name : cyrus-sasl-devel Relocations: (not relocatable)
Version : 2.1.23 Vendor: CentOS
Release : 13.el6 Build Date: Wed 07 Dec 2011
05:02:22 PM EST
Install Date: Sun 24 Feb 2013 10:37:08 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : Development/Libraries Source RPM: cyrus-sasl-
2.1.23-13.el6.src.rpm
Size : 1005740 License: BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 02:53:08 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://asg.web.cmu.edu/sasl/sasl-library.html>
Summary : Files needed for developing applications with Cyrus SASL
Description :
The cyrus-sasl-devel package contains files needed for developing and
compiling applications which use the Cyrus SASL library.

Name : plymouth-graphics-libs Relocations: (not relocatable)
Version : 0.8.3 Vendor: CentOS
Release : 24.el6.centos Build Date: Thu 08 Dec 2011
01:38:06 PM EST
Install Date: Sun 24 Feb 2013 10:34:05 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Development/Libraries Source RPM: plymouth-0.8.3-
24.el6.centos.src.rpm
Size : 32648 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:57:25 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://freedesktop.org/software/plymouth/releases>
Summary : Plymouth graphics libraries
Description :
This package contains the libply-splash-graphics library
used by graphical Plymouth splashes.

Name : dejavu-sans-fonts Relocations: (not relocatable)
Version : 2.30 Vendor: CentOS
Release : 2.el6 Build Date: Wed 10 Nov 2010
11:23:58 PM EST
Install Date: Sun 24 Feb 2013 10:35:06 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : User Interface/X Source RPM: dejavu-fonts-
2.30-2.el6.src.rpm
Size : 4636295 License: Bitstream Vera
and Public Domain
Signature : RSA/8, Sun 03 Jul 2011 12:04:23 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://dejavu-fonts.org/>
Summary : Variable-width sans-serif font faces
Description :

The DejaVu font set is based on the ,ÇfBitstream Vera,Ç¥ fonts, release 1.10. Its purpose is to provide a wider range of characters, while maintaining the original style, using an open collaborative development process.

This package consists of the DejaVu sans-serif variable-width font faces, in their unabridged version.

```
Name           : dmraid                      Relocations: (not relocatable)
Version        : 1.0.0.rc16                  Vendor: CentOS
Release        : 10.el6                      Build Date: Wed 10 Nov 2010
05:22:54 PM EST
Install Date: Sun 24 Feb 2013 10:37:09 PM EST      Build Host:
c6b4.bsys.dev.centos.org
Group          : System Environment/Base          Source RPM: dmraid-
1.0.0.rc16-10.el6.src.rpm
Size           : 338503                        License: GPLv2+
Signature      : RSA/8, Sun 03 Jul 2011 12:10:14 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://people.redhat.com/heinzm/sw/dmraid
Summary        : dmraid (Device-mapper RAID tool and library)
Description    :
DMRAID supports RAID device discovery, RAID set activation, creation,
removal, rebuild and display of properties for ATARAID/DDF1 metadata on
Linux >= 2.4 using device-mapper.
```

```
Name           : perl-Archive-Extract          Relocations: (not relocatable)
Version        : 0.38                          Vendor: CentOS
Release        : 119.el6_1.1                    Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:05 PM EST      Build Host:
c6b5.bsys.dev.centos.org
Group          : Development/Libraries          Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size           : 53746                          License: GPL+ or Artistic
Signature      : RSA/SHA1, Tue 15 Nov 2011 05:59:04 AM EST, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.perl.org/
Summary        : Generic archive extracting mechanism
Description    :
Archive::Extract is a generic archive extraction mechanism.
```

```
Name           : compat-readline5              Relocations: (not relocatable)
Version        : 5.2                            Vendor: CentOS
Release        : 17.1.el6                      Build Date: Wed 10 Nov 2010
10:19:39 PM EST
Install Date: Sun 24 Feb 2013 10:35:11 PM EST      Build Host:
c6b6.bsys.dev.centos.org
Group          : System Environment/Libraries    Source RPM: compat-
readline5-5.2-17.1.el6.src.rpm
```

Size : 363944 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:07:46 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://cnswww.cns.cwru.edu/php/chet/readline/rltop.html>
Summary : A library for editing typed command lines
Description :

The Readline library provides a set of functions that allow users to edit command lines. Both Emacs and vi editing modes are available. The Readline library includes additional functions for maintaining a list of previously-entered command lines for recalling or editing those lines, and for performing csh-like history expansion on previous commands.

Name : lvm2 Relocations: (not relocatable)
Version : 2.02.87 Vendor: CentOS
Release : 6.el6 Build Date: Wed 07 Dec 2011
05:49:14 PM EST
Install Date: Sun 24 Feb 2013 10:37:09 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Base Source RPM: lvm2-2.02.87-
6.el6.src.rpm

Size : 1164480 License: GPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 03:29:10 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sources.redhat.com/lvm2>
Summary : Userland logical volume management tools
Description :

LVM2 includes all of the support for handling read/write operations on physical volumes (hard disks, RAID-Systems, magneto optical, etc., multiple devices (MD), see mdadd(8) or even loop devices, see losetup(8)), creating volume groups (kind of virtual disks) from one or more physical volumes and creating one or more logical volumes (kind of logical partitions) in volume groups.

Name : numactl Relocations: (not relocatable)
Version : 2.0.3 Vendor: CentOS
Release : 9.el6 Build Date: Thu 11 Nov 2010
02:32:41 PM EST
Install Date: Sun 24 Feb 2013 10:34:05 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Base Source RPM: numactl-2.0.3-
9.el6.src.rpm

Size : 133429 License: LGPLv2/GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:48:10 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://oss.sgi.com/www/projects/libnuma/download>
Summary : Library for tuning for Non Uniform Memory Access machines
Description :

Simple NUMA policy support. It consists of a numactl program to run other programs with a specific NUMA policy and a libnuma to do allocations with NUMA policy in applications.

Name : sgpio Relocations: (not relocatable)
Version : 1.2.0.10 Vendor: CentOS
Release : 5.el6 Build Date: Sun 22 Aug 2010
01:59:21 PM EDT
Install Date: Sun 24 Feb 2013 10:35:13 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Base Source RPM: sgpio-1.2.0.10-
5.el6.src.rpm
Size : 34278 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:02:01 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : http://sources.redhat.com/lvm2/wiki/DMRAID_Eventing
Summary : SGPIO captive backplane tool
Description :
Intel SGPIO enclosure management utility

Name : gnome-disk-utility-libs Relocations: (not relocatable)
Version : 2.30.1 Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010
05:42:24 AM EST
Install Date: Sun 24 Feb 2013 10:37:10 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: gnome-disk-
utility-2.30.1-2.el6.src.rpm
Size : 6398590 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:17:53 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://git.gnome.org/cgit/gnome-disk-utility>
Summary : Shared libraries used by Palimpsest
Description :
This package contains libraries that are used by the Palimpsest
disk management application. The libraries in this package do not
contain UI-related code.

Name : perl-Digest-SHA Relocations: (not relocatable)
Version : 5.47 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:05 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size : 86641 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 05:59:39 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Perl extension for SHA-1/224/256/384/512
Description :
Digest::SHA is a complete implementation of the NIST Secure Hash
Standard. It gives Perl programmers a convenient way to calculate

SHA-1, SHA-224, SHA-256, SHA-384, and SHA-512 message digests. The module can handle all types of input, including partial-byte data.

```
Name           : hesiod                      Relocations: (not relocatable)
Version        : 3.1.0                      Vendor: CentOS
Release       : 19.el6                      Build Date: Sun 22 Aug 2010
05:01:01 PM EDT
Install Date: Sun 24 Feb 2013 10:35:13 PM EST      Build Host:
c6b3.bsys.dev.centos.org
Group         : System Environment/Libraries   Source RPM: hesiod-3.1.0-
19.el6.src.rpm
Size          : 22171                        License: MIT
Signature     : RSA/8, Sun 03 Jul 2011 12:21:39 AM EDT, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
Summary       : Shared libraries for querying the Hesiod naming service
Description   :
Hesiod is a system which uses existing DNS functionality to provide
access
to databases of information that changes infrequently. It is often used
to
distribute information kept in the /etc/passwd, /etc/group, and
/etc/printcap
files, among others.
```

```
Name           : foomatic                    Relocations: (not relocatable)
Version        : 4.0.4                      Vendor: CentOS
Release       : 1.el6_1.1                  Build Date: Fri 23 Sep 2011
11:53:47 AM EDT
Install Date: Sun 24 Feb 2013 10:37:20 PM EST      Build Host:
c6b18n1.dev.centos.org
Group         : System Environment/Libraries   Source RPM: foomatic-4.0.4-
1.el6_1.1.src.rpm
Size          : 761581                      License: GPLv2+
Signature     : RSA/SHA1, Mon 26 Sep 2011 12:18:27 AM EDT, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           : http://www.linuxprinting.org
Summary       : Database of printers and printer drivers
Description   :
Foomatic is a comprehensive, spooler-independent database of printers,
printer drivers, and driver descriptions. It contains utilities to
generate driver description files and printer queues for CUPS, LPD,
LPRng, and PDQ using the database. There is also the possibility to
read the PDL options out of PDL-capable laser printers and take them
into account at the driver description file generation.
```

There are spooler-independent command line interfaces to manipulate queues (foomatic-configure) and to print files/manipulate jobs (foomatic printjob).

The site <http://www.linuxprinting.org/> is based on this database.

```
Name           : libibcm                    Relocations: (not relocatable)
```

Version : 1.0.5 Vendor: CentOS
Release : 2.el6 Build Date: Sat 21 Aug 2010
02:06:18 AM EDT
Install Date: Sun 24 Feb 2013 10:34:05 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libibcm-1.0.5-
2.el6.src.rpm
Size : 36032 License: GPLv2 or BSD
Signature : RSA/8, Sun 03 Jul 2011 12:35:30 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.openfabrics.org/>
Summary : Userspace InfiniBand Connection Manager
Description :
libibcm provides a userspace library that handles the majority of the low
level work required to open an RDMA connection between two machines.

Name : libhangul Relocations: (not relocatable)
Version : 0.0.10 Vendor: CentOS
Release : 1.el6 Build Date: Tue 24 Aug 2010
09:08:43 PM EDT
Install Date: Sun 24 Feb 2013 10:35:14 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libhangul-
0.0.10-1.el6.src.rpm
Size : 6597276 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:35:21 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://kldp.net/projects/hangul/>
Summary : Hangul input library
Description :
libhangul provides common features for Hangul input method programs.

Name : setuptool Relocations: (not relocatable)
Version : 1.19.9 Vendor: CentOS
Release : 3.el6 Build Date: Wed 25 Aug 2010
04:01:08 PM EDT
Install Date: Sun 24 Feb 2013 10:37:22 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : Applications/System Source RPM: setuptool-1.19.9-
3.el6.src.rpm
Size : 141644 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:01:59 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://git.fedorahosted.org/git/?p=setuptool.git>
Summary : A text mode system configuration tool
Description :
Setuptools is a user-friendly text mode menu utility which allows you
to access all of the text mode configuration programs included in the
operating system distribution.

Name : libXpm Relocations: (not relocatable)

Version : 3.5.8 Vendor: CentOS
Release : 2.el6 Build Date: Mon 16 Aug 2010
05:57:16 PM EDT
Install Date: Sun 24 Feb 2013 10:34:06 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXpm-3.5.8-
2.el6.src.rpm
Size : 125433 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:42:23 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXpm runtime library
Description :
X.Org X11 libXpm runtime library

Name : libthai Relocations: (not relocatable)
Version : 0.1.12 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
01:44:08 PM EST
Install Date: Sun 24 Feb 2013 10:35:15 PM EST Build Host:
c5b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libthai-0.1.12-
3.el6.src.rpm
Size : 694712 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:39:57 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://linux.thai.net>
Summary : Thai language support routines
Description :
LibThai is a set of Thai language support routines aimed to ease
developers' tasks to incorporate Thai language support in their
applications.
It includes important Thai-specific functions e.g. word breaking, input
and
output methods as well as basic character and string supports.

Name : hplip-common Relocations: (not relocatable)
Version : 3.10.9 Vendor: CentOS
Release : 3.el6 Build Date: Tue 19 Jul 2011
07:39:32 AM EDT
Install Date: Sun 24 Feb 2013 10:37:23 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: hplip-3.10.9-
3.el6.src.rpm
Size : 832106 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:15 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://hplip.sourceforge.net/>
Summary : Files needed by the HPLIP printer and scanner drivers
Description :
Files needed by the HPLIP printer and scanner drivers.

Name : xcb-util Relocations: (not relocatable)
Version : 0.3.6 Vendor: CentOS
Release : 1.el6 Build Date: Tue 17 Aug 2010
06:52:27 AM EDT
Install Date: Sun 24 Feb 2013 10:34:06 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: xcb-util-0.3.6-
1.el6.src.rpm
Size : 110213 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 01:05:34 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://xcb.freedesktop.org>
Summary : Convenience libraries sitting on top of libxcb
Description :
The xcb-util module provides a number of libraries which sit on top of
libxcb, the core X protocol library, and some of the extension
libraries. These experimental libraries provide convenience functions
and interfaces which make the raw X protocol more usable. Some of the
libraries also provide client-side code which is not strictly part of
the X protocol but which have traditionally been provided by Xlib.

Name : java-1.5.0-gcj Relocations: (not relocatable)
Version : 1.5.0.0 Vendor: CentOS
Release : 29.1.el6 Build Date: Thu 11 Nov 2010
09:36:07 AM EST
Install Date: Sun 24 Feb 2013 10:35:24 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Languages Source RPM: java-1.5.0-gcj-
1.5.0.0-29.1.el6.src.rpm
Size : 143079 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:25:54 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sources.redhat.com/rhug/java-gcj-compat.html>
Summary : JPackage runtime compatibility layer for GCJ
Description :
This package installs directory structures, shell scripts and symbolic
links to simulate a JPackage-compatible runtime environment with GCJ.

Name : hplip-libs Relocations: (not relocatable)
Version : 3.10.9 Vendor: CentOS
Release : 3.el6 Build Date: Tue 19 Jul 2011
07:39:32 AM EDT
Install Date: Sun 24 Feb 2013 10:37:24 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: hplip-3.10.9-
3.el6.src.rpm
Size : 343248 License: GPLv2+ and MIT
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:16 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://hplip.sourceforge.net/>

Summary : HPLIP libraries
Description :
Libraries needed by HPLIP.

Name : libxslt Relocations: /usr
Version : 1.1.26 Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010
07:22:53 PM EST
Install Date: Sun 24 Feb 2013 10:34:07 PM EST Build Host:
c6b6.bsyz.dev.centos.org
Group : Development/Libraries Source RPM: libxslt-1.1.26-
2.el6.src.rpm
Size : 2220497 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:42:38 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://xmlsoft.org/XSLT/>
Summary : Library providing the Gnome XSLT engine
Description :
This C library allows to transform XML files into other XML files
(or HTML, text, ...) using the standard XSLT stylesheet transformation
mechanism. To use it you need to have a version of libxml2 >= 2.6.27
installed. The xsltproc command is a command line interface to the XSLT
engine

Name : libglade2 Relocations: (not relocatable)
Version : 2.6.4 Vendor: CentOS
Release : 3.1.el6 Build Date: Thu 19 Aug 2010
11:34:09 AM EDT
Install Date: Sun 24 Feb 2013 10:35:26 PM EST Build Host:
c6b3.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: libglade2-2.6.4-
3.1.el6.src.rpm
Size : 148718 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:34:09 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : The libglade library for loading user interfaces
Description :
Libglade is a small library that allows a program to load its user
interface from an XML description at runtime. Libglade uses the XML
file format used by the GLADE user interface builder GLADE, so
libglade acts as an alternative to GLADE's code generation
approach. Libglade also provides a simple interface for connecting
handlers to the various signals in the interface (on platforms where
the gmodule library works correctly, it is possible to connect all the
handlers with a single function call). Once the interface has been
instantiated, libglade gives no overhead, so other than the short
initial interface loading time, there is no performance tradeoff.

Name : dnsmasq Relocations: (not relocatable)
Version : 2.48 Vendor: CentOS

Release : 5.el6 Build Date: Wed 07 Dec 2011
02:30:02 PM EST
Install Date: Sun 24 Feb 2013 10:37:29 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: dnsmasq-2.48-
5.el6.src.rpm
Size : 299278 License: GPLv2 or GPLv3
Signature : RSA/SHA1, Thu 08 Dec 2011 02:55:12 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.thekelleys.org.uk/dnsmasq/>
Summary : A lightweight DHCP/caching DNS server
Description :
Dnsmasq is lightweight, easy to configure DNS forwarder and DHCP server.
It is designed to provide DNS and, optionally, DHCP, to a small network.
It can serve the names of local machines which are not in the global
DNS. The DHCP server integrates with the DNS server and allows machines
with DHCP-allocated addresses to appear in the DNS with names configured
either in each host or in a central configuration file. Dnsmasq supports
static and dynamic DHCP leases and BOOTP for network booting of diskless
machines.

Name : libIDL Relocations: (not relocatable)
Version : 0.8.13 Vendor: CentOS
Release : 2.1.el6 Build Date: Thu 19 Aug 2010
11:17:34 AM EDT
Install Date: Sun 24 Feb 2013 10:34:07 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libIDL-0.8.13-
2.1.el6.src.rpm
Size : 214847 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:35:59 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : Library for parsing IDL (Interface Definition Language)
Description :
libIDL is a library for parsing IDL (Interface Definition Language).
It can be used for both COM-style and CORBA-style IDL.

Name : gnome-icon-theme Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010
05:57:38 AM EST
Install Date: Sun 24 Feb 2013 10:35:31 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: gnome-icon-theme-
2.28.0-2.el6.src.rpm
Size : 11781508 License: GPL+
Signature : RSA/8, Sun 03 Jul 2011 12:10:54 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : GNOME icon theme
Description :
This package contains the default icon theme used by the GNOME desktop.

Name : cronie-anacron Relocations: (not relocatable)
Version : 1.4.4 Vendor: CentOS
Release : 7.el6 Build Date: Tue 19 Jul 2011
12:55:56 AM EDT
Install Date: Sun 24 Feb 2013 10:37:30 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: cronie-1.4.4-
7.el6.src.rpm
Size : 44018 License: MIT and BSD and
ISC and GPLv2
Signature : RSA/SHA1, Mon 26 Sep 2011 12:17:22 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/cronie>
Summary : Utility for running regular jobs
Description :
Anacron became part of cronie. Anacron is used only for running regular
jobs.
The default settings execute regular jobs by anacron, however this could
be
overloaded in settings.

Name : net-tools Relocations: (not relocatable)
Version : 1.60 Vendor: CentOS
Release : 109.el6 Build Date: Wed 07 Dec 2011
03:09:56 PM EST
Install Date: Sun 24 Feb 2013 10:34:08 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : System Environment/Base Source RPM: net-tools-1.60-
109.el6.src.rpm
Size : 778108 License: GPL+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:42:29 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://net-tools.berlios.de/>
Summary : Basic networking tools
Description :
The net-tools package contains basic networking tools,
including ifconfig, netstat, route, and others.
Most of them are obsolete. For replacement check iproute package.

Name : libgnomekbd Relocations: (not relocatable)
Version : 2.28.2 Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010
10:50:26 AM EST
Install Date: Sun 24 Feb 2013 10:35:34 PM EST Build Host:
c5b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libgnomekbd-
2.28.2-2.el6.src.rpm
Size : 537707 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:34:28 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://gswitchit.sourceforge.net>
Summary : A keyboard configuration library
Description :
The libgnomekbd package contains a GNOME library which manages keyboard configuration and offers various widgets related to keyboard configuration.

Name : yp-tools Relocations: (not relocatable)
Version : 2.9 Vendor: CentOS
Release : 12.el6 Build Date: Wed 07 Dec 2011
02:34:15 PM EST
Install Date: Sun 24 Feb 2013 10:37:32 PM EST Build Host:
c6b4.bsyz.dev.centos.org
Group : System Environment/Base Source RPM: yp-tools-2.9-
12.el6.src.rpm
Size : 171212 License: GPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 04:44:49 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.linux-nis.org/nis/yp-tools/index.html>
Summary : NIS (or YP) client programs
Description :
The Network Information Service (NIS) is a system which provides network information (login names, passwords, home directories, group information) to all of the machines on a network. NIS can enable users to login on any machine on the network, as long as the machine has the NIS client programs running and the user's password is recorded in the NIS passwd database. NIS was formerly known as Sun Yellow Pages (YP).

This package's NIS implementation is based on FreeBSD's YP and is a special port for glibc 2.x and libc versions 5.4.21 and later. This package only provides the NIS client programs. In order to use the clients, you'll need to already have an NIS server running on your network. An NIS server is provided in the ypserv package.

Install the yp-tools package if you need NIS client programs for machines on your network. You will also need to install the ypbind package on every machine running NIS client programs. If you need an NIS server, you'll need to install the ypserv package on one machine on the network.

Name : exempi Relocations: (not relocatable)
Version : 2.1.0 Vendor: CentOS
Release : 5.el6 Build Date: Thu 11 Nov 2010
02:24:31 AM EST
Install Date: Sun 24 Feb 2013 10:34:09 PM EST Build Host:
c6b1.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: exempi-2.1.0-
5.el6.src.rpm
Size : 988256 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:13:45 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://libopenraw.freedesktop.org/wiki/Exempi>

Summary : Library for easy parsing of XMP metadata
Description :
Exempi provides a library for easy parsing of XMP metadata. It is a port of
of
Adobe XMP SDK to work on UNIX and to be build with GNU automake.
It includes XMPCore and XMPFiles.

Name : classpathx-jaf Relocations: (not relocatable)
Version : 1.0 Vendor: CentOS
Release : 15.4.el6 Build Date: Wed 10 Nov 2010
09:40:45 PM EST
Install Date: Sun 24 Feb 2013 10:35:36 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: classpathx-jaf-
1.0-15.4.el6.src.rpm
Size : 245293 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:06:59 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/classpathx/>
Summary : GNU JavaBeans(tm) Activation Framework
Description :
JAF provides a means to type data and locate components suitable for
performing various kinds of action on it. It extends the UNIX standard
mime.types and mailcap mechanisms for Java.

Name : iscsi-initiator-utils Relocations: (not relocatable)
Version : 6.2.0.872 Vendor: CentOS
Release : 34.el6 Build Date: Wed 07 Dec 2011
07:57:40 PM EST
Install Date: Sun 24 Feb 2013 10:37:33 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: iscsi-initiator-
utils-6.2.0.872-34.el6.src.rpm
Size : 2262823 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:10:55 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.open-iscsi.org>
Summary : iSCSI daemon and utility programs
Description :
The iscsi package provides the server daemon for the iSCSI protocol,
as well as the utility programs used to manage it. iSCSI is a protocol
for distributed disk access using SCSI commands sent over Internet
Protocol networks.

Name : mtools Relocations: (not relocatable)
Version : 4.0.12 Vendor: CentOS
Release : 1.el6 Build Date: Mon 16 Aug 2010
05:28:54 PM EDT
Install Date: Sun 24 Feb 2013 10:34:09 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Applications/System Source RPM: mtools-4.0.12-
1.el6.src.rpm

Size : 317815 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:45:59 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://mtools.linux.lu/>
Summary : Programs for accessing MS-DOS disks without mounting the
disks
Description :
Mtools is a collection of utilities for accessing MS-DOS files.
Mtools allow you to read, write and move around MS-DOS filesystem
files (normally on MS-DOS floppy disks). Mtools supports Windows95
style long file names, OS/2 XDF disks, and 2m disks

Mtools should be installed if you need to use MS-DOS disks

Name : jakarta-commons-dbcpl Relocations: (not relocatable)
Version : 1.2.1 Vendor: CentOS
Release : 13.8.el6 Build Date: Fri 20 Aug 2010
09:54:51 PM EDT
Install Date: Sun 24 Feb 2013 10:35:38 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: jakarta-commons-
dbcp-1.2.1-13.8.el6.src.rpm
Size : 127715 License: ASL 2.0
Signature : RSA/8, Sun 03 Jul 2011 12:16:42 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://jakarta.apache.org/commons/dbcp>
Summary : Jakarta Commons DataBase Pooling Package
Description :
Many Jakarta projects support interaction with a relational
database. Creating a new connection for each user can be time
consuming (often requiring multiple seconds of clock time),
in order to perform a database transaction that might take
milliseconds. Opening a connection per user can be unfeasible
in a publicly-hosted Internet application where the number of
simultaneous users can be very large. Accordingly, developers
often wish to share a "pool" of open connections between all
of the application's current users. The number of users actually
performing a request at any given time is usually a very small
percentage of the total number of active users, and during
request processing is the only time that a database connection
is required. The application itself logs into the DBMS, and
handles any user account issues internally.

Name : libgnome Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 11.el6 Build Date: Thu 11 Nov 2010
08:04:22 PM EST
Install Date: Sun 24 Feb 2013 10:37:35 PM EST Build Host:
c5b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libgnome-2.28.0-
11.el6.src.rpm
Size : 2860946 License: LGPLv2+

Signature : RSA/8, Sun 03 Jul 2011 12:34:17 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : GNOME base library
Description :

GNOME (GNU Network Object Model Environment) is a user-friendly set of GUI applications and desktop tools to be used in conjunction with a window manager for the X Window System. The libgnome package includes non-GUI-related libraries that are needed to run GNOME. The libgnomeui package contains X11-dependent GNOME library features.

Name : libtar Relocations: (not relocatable)
Version : 1.2.11 Vendor: CentOS
Release : 16.el6 Build Date: Thu 11 Nov 2010
12:02:38 PM EST
Install Date: Sun 24 Feb 2013 10:34:10 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libtar-1.2.11-
16.el6.src.rpm
Size : 65398 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:39:40 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.feep.net/libtar/>
Summary : Tar file manipulation API
Description :
libtar is a C library for manipulating tar archives. It supports both
the strict POSIX tar format and many of the commonly-used GNU
extensions.

Name : polkit-gnome Relocations: (not relocatable)
Version : 0.96 Vendor: CentOS
Release : 3.el6 Build Date: Wed 25 Aug 2010
11:50:13 AM EDT
Install Date: Sun 24 Feb 2013 10:35:38 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Applications/System Source RPM: polkit-gnome-
0.96-3.el6.src.rpm
Size : 384963 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:57:27 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/wiki/Software/PolicyKit>
Summary : PolicyKit integration for the GNOME desktop
Description :
polkit-gnome provides an authentication agent for PolicyKit
that matches the look and feel of the GNOME desktop.

Name : gnome-python2-bonobo Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
06:32:37 AM EST

Install Date: Sun 24 Feb 2013 10:37:36 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Languages Source RPM: gnome-python2-
2.28.0-3.el6.src.rpm
Size : 371311 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:18:28 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/gnome-python/>
Summary : Python bindings for interacting with Bonobo
Description :
This module contains a wrapper that allows the creation of bonobo
components and the embedding of bonobo components in Python.

Name : coreutils-libs Relocations: (not relocatable)
Version : 8.4 Vendor: CentOS
Release : 16.el6 Build Date: Wed 07 Dec 2011
04:54:01 PM EST
Install Date: Sun 24 Feb 2013 10:34:11 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: coreutils-8.4-
16.el6.src.rpm
Size : 5576 License: GPLv3+
Signature : RSA/SHA1, Thu 08 Dec 2011 02:50:18 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/coreutils/>
Summary : Libraries for coreutils
Description :
Libraries for coreutils package.

Name : imsettings-libs Relocations: (not relocatable)
Version : 0.108.0 Vendor: CentOS
Release : 3.5.el6 Build Date: Mon 18 Jul 2011
06:51:45 PM EDT
Install Date: Sun 24 Feb 2013 10:35:39 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: imsettings-
0.108.0-3.5.el6.src.rpm
Size : 320435 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:27 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/imsettings/>
Summary : Libraries for imsettings
Description :
IMSettings is a framework that delivers Input Method
settings and applies the changes so they take effect
immediately without any need to restart applications
or the desktop.

This package contains the shared library for imsettings.

Name : avahi-ui Relocations: (not relocatable)

Version : 0.6.25 Vendor: CentOS
Release : 11.el6 Build Date: Tue 19 Jul 2011
08:21:55 AM EDT
Install Date: Sun 24 Feb 2013 10:37:44 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: avahi-0.6.25-
11.el6.src.rpm
Size : 50704 License: LGPLv2
Signature : RSA/SHA1, Mon 26 Sep 2011 12:16:30 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://avahi.org>
Summary : Gtk user interface library for Avahi
Description :
This library contains a Gtk widget for browsing services.

Name : coreutils Relocations: (not relocatable)
Version : 8.4 Vendor: CentOS
Release : 16.el6 Build Date: Wed 07 Dec 2011
04:54:01 PM EST
Install Date: Sun 24 Feb 2013 10:34:13 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : System Environment/Base Source RPM: coreutils-8.4-
16.el6.src.rpm
Size : 12836729 License: GPLv3+
Signature : RSA/SHA1, Thu 08 Dec 2011 02:50:15 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/coreutils/>
Summary : A set of basic GNU tools commonly used in shell scripts
Description :
These are the GNU core utilities. This package is the combination of
the old GNU fileutils, sh-utils, and textutils packages.

Name : gnome-media-libs Relocations: (not relocatable)
Version : 2.29.91 Vendor: CentOS
Release : 6.el6 Build Date: Thu 11 Nov 2010
06:30:23 AM EST
Install Date: Sun 24 Feb 2013 10:35:40 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Libraries Source RPM: gnome-media-
2.29.91-6.el6.src.rpm
Size : 2766593 License: GPLv2+ and GFDL
Signature : RSA/8, Sun 03 Jul 2011 12:18:14 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : Libraries for gnome-media
Description :
This package contains the libraries required for using encoding profiles
in GNOME media applications.

Name : system-config-users Relocations: (not relocatable)
Version : 1.2.106 Vendor: CentOS

Release : 5.el6 Build Date: Wed 20 Jul 2011
06:38:57 AM EDT
Install Date: Sun 24 Feb 2013 10:37:44 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/System Source RPM: system-config-
users-1.2.106-5.el6.src.rpm
Size : 1796269 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:15:17 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/system-config-users>
Summary : A graphical interface for administering users and groups
Description :
system-config-users is a graphical utility for administrating
users and groups. It depends on the libuser library.

Name : openssl Relocations: (not relocatable)
Version : 1.0.0 Vendor: CentOS
Release : 20.el6 Build Date: Wed 07 Dec 2011
07:49:22 PM EST
Install Date: Sun 24 Feb 2013 10:34:16 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: openssl-1.0.0-
20.el6.src.rpm
Size : 3764299 License: OpenSSL
Signature : RSA/SHA1, Thu 08 Dec 2011 03:50:18 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.openssl.org/>
Summary : A general purpose cryptography library with TLS
implementation
Description :
The OpenSSL toolkit provides support for secure communications between
machines. OpenSSL includes a certificate management tool and shared
libraries which provide various cryptographic algorithms and
protocols.

Name : ecj Relocations: (not relocatable)
Version : 3.4.2 Vendor: CentOS
Release : 6.el6 Build Date: Wed 10 Nov 2010
11:56:49 PM EST
Install Date: Sun 24 Feb 2013 10:35:42 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Development/Languages Source RPM: ecj-3.4.2-
6.el6.src.rpm
Size : 7695823 License: EPL
Signature : RSA/8, Sun 03 Jul 2011 12:10:52 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.eclipse.org>
Summary : Eclipse Compiler for Java
Description :
ECJ is the Java bytecode compiler of the Eclipse Platform. It is also
known as

the JDT Core batch compiler.

Name : system-config-keyboard Relocations: (not relocatable)
Version : 1.3.1 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
08:38:05 PM EST
Install Date: Sun 24 Feb 2013 10:37:46 PM EST Build Host:
c5b2.bsys.dev.centos.org
Group : System Environment/Base Source RPM: system-config-
keyboard-1.3.1-3.el6.src.rpm
Size : 503444 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:02:42 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/system-config-keyboard/>
Summary : A graphical interface for modifying the keyboard
Description :
system-config-keyboard is a graphical user interface that allows
the user to change the default keyboard of the system.

Name : module-init-tools Relocations: (not relocatable)
Version : 3.9 Vendor: CentOS
Release : 17.el6 Build Date: Fri 12 Nov 2010
01:13:38 AM EST
Install Date: Sun 24 Feb 2013 10:34:17 PM EST Build Host:
c5b2.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: module-init-
tools-3.9-17.el6.src.rpm
Size : 1145175 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:45:43 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : Kernel module management utilities.
Description :
The module-init-tools package includes various programs needed for
automatic
loading and unloading of modules under 2.6 and later kernels, as well
as other module management programs. Device drivers and filesystems
are two examples of loaded and unloaded modules.

Name : totem-pl-parser Relocations: (not relocatable)
Version : 2.28.3 Vendor: CentOS
Release : 1.el6 Build Date: Thu 11 Nov 2010
12:17:38 PM EST
Install Date: Sun 24 Feb 2013 10:35:43 PM EST Build Host:
c5b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: totem-pl-parser-
2.28.3-1.el6.src.rpm
Size : 790734 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:04:11 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/projects/totem/>
Summary : Totem Playlist Parser library

Description :

A library to parse and save playlists, as used in music and movie players.

Name : im-chooser Relocations: (not relocatable)
Version : 1.3.1 Vendor: CentOS
Release : 3.el6 Build Date: Mon 18 Jul 2011
08:18:38 PM EDT
Install Date: Sun 24 Feb 2013 10:37:47 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Applications/System Source RPM: im-chooser-1.3.1-
3.el6.src.rpm
Size : 340768 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:25 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/im-chooser/>
Summary : Desktop Input Method configuration tool
Description :
im-chooser is a GUI configuration tool to choose the Input Method
to be used or disable Input Method usage on the desktop.

Name : unzip Relocations: (not relocatable)
Version : 6.0 Vendor: CentOS
Release : 1.el6 Build Date: Thu 11 Nov 2010
10:43:45 AM EST
Install Date: Sun 24 Feb 2013 10:40:38 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Applications/Archiving Source RPM: unzip-6.0-
1.el6.src.rpm
Size : 320358 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 01:04:34 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.info-zip.org/UnZip.html>
Summary : A utility for unpacking zip files
Description :
The unzip utility is used to list, test, or extract files from a zip
archive. Zip archives are commonly found on MS-DOS systems. The zip
utility, included in the zip package, creates zip archives. Zip and
unzip are both compatible with archives created by PKWARE(R)'s PKZIP
for MS-DOS, but the programs' options and default behaviors do differ
in some respects.

Install the unzip package if you need to list, test or extract files from
a zip archive.

Name : gnome-python2-gnomevfs Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
06:32:37 AM EST
Install Date: Sun 24 Feb 2013 10:37:52 PM EST Build Host:
c6b5.bsys.dev.centos.org

Group : Development/Languages Source RPM: gnome-python2-2.28.0-3.el6.src.rpm
Size : 336197 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:18:33 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/gnome-python/>
Summary : Python bindings for interacting with gnome-vfs
Description :
This module contains a wrapper that allows the use of gnome-vfs via python.

Name : jomolhari-fonts Relocations: (not relocatable)
Version : 0.003 Vendor: CentOS
Release : 8.1.el6 Build Date: Thu 19 Aug 2010 05:28:48 AM EDT
Install Date: Sun 24 Feb 2013 10:40:39 PM EST Build Host: c6b3.bsys.dev.centos.org
Group : User Interface/X Source RPM: jomolhari-fonts-0.003-8.1.el6.src.rpm
Size : 2293163 License: OFL
Signature : RSA/8, Sun 03 Jul 2011 12:17:29 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://chris.fynn.googlepages.com/jomolhari>
Summary : Jomolhari a Bhutanese style font for Tibetan and Dzongkha
Description :
Jomolhari is an TrueType OpenType Bhutanese style font for Dzongkha and Tibetan text. It is based on Bhutanese manuscript examples, supports the Unicode and the Chinese encoding for Tibetan.
The font supports the standard combinations used in most texts.

Name : control-center Relocations: (not relocatable)
Version : 2.28.1 Vendor: CentOS
Release : 25.el6 Build Date: Wed 10 Nov 2010 10:54:49 PM EST
Install Date: Sun 24 Feb 2013 10:37:57 PM EST Build Host: c6b3.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: control-center-2.28.1-25.el6.src.rpm
Size : 8246301 License: GPLv2+ and GFDL
Signature : RSA/8, Sun 03 Jul 2011 12:07:58 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : Utilities to configure the GNOME desktop
Description :
This package contains configuration utilities for the GNOME desktop, which allow to configure accessibility options, desktop fonts, keyboard and mouse properties, sound setup, desktop theme and background, user interface properties, screen resolution, and other settings.

Name : lohit-bengali-fonts Relocations: (not relocatable)
Version : 2.4.3 Vendor: CentOS
Release : 6.el6 Build Date: Fri 23 Sep 2011
09:15:08 AM EDT
Install Date: Sun 24 Feb 2013 10:40:52 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : User Interface/X Source RPM: lohit-bengali-
fonts-2.4.3-6.el6.src.rpm
Size : 170948 License: GPLv2
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:25 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/lohit/>
Summary : Free Bengali font
Description :
This package provides a free Bengali truetype/opentype font.

Name : nautilus-extensions Relocations: (not relocatable)
Version : 2.28.4 Vendor: CentOS
Release : 18.el6 Build Date: Fri 23 Sep 2011
11:59:02 AM EDT
Install Date: Sun 24 Feb 2013 10:38:02 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: nautilus-2.28.4-
18.el6.src.rpm
Size : 35936 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:22:01 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://projects.gnome.org/nautilus/>
Summary : Nautilus extensions library
Description :
This package provides the libraries used by nautilus extensions.

Name : abyssinica-fonts Relocations: (not relocatable)
Version : 1.0 Vendor: CentOS
Release : 5.1.el6 Build Date: Wed 10 Nov 2010
06:59:04 PM EST
Install Date: Sun 24 Feb 2013 10:41:00 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : User Interface/X Source RPM: abyssinica-fonts-
1.0-5.1.el6.src.rpm
Size : 649794 License: OFL
Signature : RSA/8, Sat 02 Jul 2011 11:59:30 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : http://scripts.sil.org/AbyssinicaSIL_Download
Summary : SIL Abyssinica fonts
Description :

SIL Abyssinica is a Unicode typeface family containing glyphs for the
Ethiopic script.

The Ethiopic script is used for writing many of the languages of Ethiopia and Eritrea. Abyssinica SIL supports all Ethiopic characters which are in Unicode including the Unicode 4.1 extensions. Some languages of Ethiopia are not yet able to be fully represented in Unicode and, where necessary, we have included non-Unicode characters in the Private Use Area (see Private-use (PUA) characters supported by Abyssinica SIL).

Abyssinica SIL is based on Ethiopic calligraphic traditions. This release is a regular typeface, with no bold or italic version available or planned.

Name : redhat-bookmarks Relocations: (not relocatable)
Version : 6 Vendor: CentOS
Release : 1.el6.centos Build Date: Tue 28 Jun 2011
07:25:55 PM EDT
Install Date: Sun 24 Feb 2013 10:38:08 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Applications/Internet Source RPM: redhat-bookmarks-
6-1.el6.centos.src.rpm
Size : 1144 License: GFDL
Signature : RSA/8, Sun 03 Jul 2011 12:45:01 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.centos.org>
Summary : CentOS Linux bookmarks
Description :
This package contains the default bookmarks for CentOS Linux

Name : liberation-mono-fonts Relocations: (not relocatable)
Version : 1.05.1.20090721 Vendor: CentOS
Release : 4.el6 Build Date: Sat 21 Aug 2010
06:22:37 AM EDT
Install Date: Sun 24 Feb 2013 10:41:09 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : User Interface/X Source RPM: liberation-fonts-
1.05.1.20090721-4.el6.src.rpm
Size : 464440 License: Liberation
Signature : RSA/8, Sun 03 Jul 2011 12:23:00 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/liberation-fonts/>
Summary : Monospace fonts to replace commonly used Microsoft Courier
New
Description :

The Liberation Fonts are intended to be replacements for the three most commonly used fonts on Microsoft systems: Times New Roman, Arial, and Courier New.

This is Monospace TrueType fonts that replaced commonly used Microsoft Courier \ New.

Name : centos-indexhtml Relocations: (not relocatable)
Version : 6 Vendor: CentOS
Release : 1.el6.centos Build Date: Tue 28 Jun 2011
07:55:27 PM EDT
Install Date: Sun 24 Feb 2013 10:38:09 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Documentation Source RPM: centos-indexhtml-
6-1.el6.centos.src.rpm
Size : 70748 License: Distributable
Signature : RSA/8, Sun 03 Jul 2011 12:02:08 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : Browser default start page for CentOS
Description :
The indexhtml package contains the welcome page shown by your Web
browser,
which you'll see after you've successfully installed CentOS Linux

Name : sil-padauk-fonts Relocations: (not relocatable)
Version : 2.6.1 Vendor: CentOS
Release : 1.el6 Build Date: Sun 22 Aug 2010
09:35:07 AM EDT
Install Date: Sun 24 Feb 2013 10:41:18 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : User Interface/X Source RPM: sil-padauk-fonts-
2.6.1-1.el6.src.rpm
Size : 829447 License: OFL
Signature : RSA/8, Sun 03 Jul 2011 12:47:50 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://scripts.sil.org/Padauk>
Summary : A font for Burmese and the Myanmar script
Description :
Padauk is a Myanmar font covering all currently used characters
in the Myanmar block. The font aims to cover all minority language needs.
At the moment, these do not extend to stylistic variation needs.
The font is a smart font using a Graphite description.

Name : dracut Relocations: (not relocatable)
Version : 004 Vendor: CentOS
Release : 256.el6 Build Date: Wed 07 Dec 2011
07:59:53 PM EST
Install Date: Sun 24 Feb 2013 10:38:11 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Base Source RPM: dracut-004-
256.el6.src.rpm
Size : 237690 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 02:55:58 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://apps.sourceforge.net/trac/dracut/wiki>
Summary : Initramfs generator using udev
Description :
dracut is a new, event-driven initramfs infrastructure based around udev.

Name : lohit-telugu-fonts Relocations: (not relocatable)
Version : 2.4.5 Vendor: CentOS
Release : 5.el6 Build Date: Fri 23 Sep 2011
01:39:17 PM EDT
Install Date: Sun 24 Feb 2013 10:41:26 PM EST Build Host:
c6b18n1.dev.centos.org
Group : User Interface/X Source RPM: lohit-telugu-
fonts-2.4.5-5.el6.src.rpm
Size : 193301 License: GPLv2 with
exceptions
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:28 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/lohit/>
Summary : Free Telugu font
Description :
This package provides a free Telugu truetype/opentype font.

Name : xorg-x11-drv-vesa Relocations: (not relocatable)
Version : 2.3.0 Vendor: CentOS
Release : 2.el6 Build Date: Wed 07 Dec 2011
10:45:11 AM EST
Install Date: Sun 24 Feb 2013 10:38:18 PM EST Build Host:
c6b4.bsyzs.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-vesa-2.3.0-2.el6.src.rpm
Size : 26596 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:41:15 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 vesa video driver
Description :
X.Org X11 vesa video driver.

Name : wdaemon Relocations: (not relocatable)
Version : 0.17 Vendor: CentOS
Release : 2.el6 Build Date: Wed 07 Dec 2011
11:57:15 AM EST
Install Date: Sun 24 Feb 2013 10:41:33 PM EST Build Host:
c6b18n3.bsyzs.dev.centos.org
Group : User Interface/X Source RPM: wdaemon-0.17-
2.el6.src.rpm
Size : 91291 License: GPLv3+
Signature : RSA/SHA1, Thu 08 Dec 2011 04:29:45 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://linuxwacom.sourceforge.net>
Summary : Hotplug helper for Wacom X.org driver

Description :

wdaemon is daemon to provide static input devices for devices that may be %hotplugged at runtime.

Name : mesa-dri-drivers Relocations: (not relocatable)
Version : 7.11 Vendor: CentOS
Release : 3.el6 Build Date: Wed 07 Dec 2011
05:56:04 PM EST
Install Date: Sun 24 Feb 2013 10:38:21 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: mesa-7.11-
3.el6.src.rpm
Size : 40006264 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 03:31:44 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mesa3d.org>
Summary : Mesa-based DRI drivers
Description :
Mesa-based DRI drivers.

Name : powertop Relocations: (not relocatable)
Version : 1.11 Vendor: CentOS
Release : 6.el6 Build Date: Fri 23 Sep 2011
03:55:21 PM EDT
Install Date: Sun 24 Feb 2013 10:41:33 PM EST Build Host:
c6b18n1.dev.centos.org
Group : Applications/System Source RPM: powertop-1.11-
6.el6.src.rpm
Size : 256978 License: GPLv2
Signature : RSA/SHA1, Mon 26 Sep 2011 12:23:44 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.lesswatts.org/>
Summary : Power consumption monitor
Description :
PowerTOP is a tool that finds the software component(s) that make your
computer use more power than necessary while it is idle.

Name : phonon-backend-gstreamer Relocations: (not relocatable)
Version : 4.6.2 Vendor: CentOS
Release : 20.el6 Build Date: Sun 25 Sep 2011
11:11:35 PM EDT
Install Date: Sun 24 Feb 2013 10:38:25 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Applications/Multimedia Source RPM: qt-4.6.2-
20.el6.src.rpm
Size : 246136 License: (LGPLv2 with
exceptions or GPLv3 with exceptions) and ASL 2.0 and BSD and FLT and MIT
Signature : RSA/SHA1, Tue 27 Sep 2011 08:34:48 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.qtsoftware.com/>
Summary : Gstreamer phonon backend

Description :
Gstreamer phonon backend.

Name : x86info Relocations: (not relocatable)
Version : 1.25 Vendor: CentOS
Release : 1.32.el6 Build Date: Thu 11 Nov 2010
11:23:38 AM EST
Install Date: Sun 24 Feb 2013 10:41:34 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Base Source RPM: x86info-1.25-
1.32.el6.src.rpm
Size : 160925 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:05:29 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.codemonkey.org.uk/projects/x86info>
Summary : x86 processor information tool.
Description :
x86info displays diagnostic information about x86 processors, such
as cache configuration and supported features.

Name : xorg-x11-drv-xgi Relocations: (not relocatable)
Version : 1.6.0 Vendor: CentOS
Release : 11.el6 Build Date: Wed 07 Dec 2011
03:38:40 PM EST
Install Date: Sun 24 Feb 2013 10:38:26 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-xgi-1.6.0-11.el6.src.rpm
Size : 282422 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:42:40 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 xgi video driver
Description :
X.Org X11 xgi video driver.

Name : rfkill Relocations: (not relocatable)
Version : 0.3 Vendor: CentOS
Release : 4.el6 Build Date: Sun 22 Aug 2010
05:07:42 PM EDT
Install Date: Sun 24 Feb 2013 10:41:34 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Base Source RPM: rfkill-0.3-
4.el6.src.rpm
Size : 10728 License: ISC
Signature : RSA/8, Sun 03 Jul 2011 01:00:22 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.linuxwireless.org/en/users/Documentation/rfkill>
Summary : A tool for enabling and disabling wireless devices
Description :
rfkill is a simple tool for accessing the Linux rfkill device interface,

which is used to enable and disable wireless networking devices,
typically
WLAN, Bluetooth and mobile broadband.

```
Name       : xorg-x11-drv-v4l           Relocations: (not relocatable)
Version    : 0.2.0                     Vendor: CentOS
Release    : 4.el6                     Build Date: Wed 07 Dec 2011
10:39:33 AM EST
Install Date: Sun 24 Feb 2013 10:38:26 PM EST   Build Host:
c6b4.bsys.dev.centos.org
Group      : User Interface/X Hardware Support   Source RPM: xorg-x11-
drv-v4l-0.2.0-4.el6.src.rpm
Size       : 18017                       License: MIT
Signature  : RSA/SHA1, Thu 08 Dec 2011 04:41:02 PM EST, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://www.x.org
Summary    : Xorg X11 v4l video driver
Description :
X.Org X11 v4l video driver.
```

```
Name       : strace                     Relocations: (not relocatable)
Version    : 4.5.19                     Vendor: CentOS
Release    : 1.10.el6                   Build Date: Sat 25 Jun 2011
07:11:33 AM EDT
Install Date: Sun 24 Feb 2013 10:41:34 PM EST   Build Host:
c6b5.bsys.dev.centos.org
Group      : Development/Debuggers           Source RPM: strace-4.5.19-
1.10.el6.src.rpm
Size       : 546156                       License: BSD
Signature  : RSA/8, Tue 05 Jul 2011 09:46:22 PM EDT, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://sourceforge.net/projects/strace/
Summary    : Tracks and displays system calls associated with a running
process
Description :
The strace program intercepts and records the system calls called and
received by a running process. Strace can print a record of each
system call, its arguments and its return value. Strace is useful for
diagnosing problems and debugging, as well as for instructional
purposes.
```

Install strace if you need a tool to track the system calls made and
received by a process.

```
Name       : xorg-x11-drv-sisusb        Relocations: (not relocatable)
Version    : 0.9.4                     Vendor: CentOS
Release    : 1.el6                     Build Date: Wed 07 Dec 2011
10:33:42 AM EST
Install Date: Sun 24 Feb 2013 10:38:26 PM EST   Build Host:
c6b4.bsys.dev.centos.org
Group      : User Interface/X Hardware Support   Source RPM: xorg-x11-
drv-sisusb-0.9.4-1.el6.src.rpm
```

Size : 76053 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:40:02 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 sisusb video driver
Description :
X.Org X11 sisusb video driver.

Name : compat-libf2c-34 Relocations: (not relocatable)
Version : 3.4.6 Vendor: CentOS
Release : 19.el6 Build Date: Tue 22 Mar 2011
03:47:34 PM EDT
Install Date: Sun 24 Feb 2013 10:41:35 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: compat-gcc-34-
3.4.6-19.el6.src.rpm
Size : 120472 License: GPLv2+ and GPLv2+
with exceptions
Signature : RSA/8, Sun 03 Jul 2011 12:07:39 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gcc.gnu.org>
Summary : Fortran 77 compatibility runtime
Description :
This package contains Fortran 77 shared library which is needed to run
Fortran 77 dynamically linked programs.

Name : xorg-x11-drv-s3virge Relocations: (not relocatable)
Version : 1.10.4 Vendor: CentOS
Release : 2.el6 Build Date: Wed 07 Dec 2011
10:36:39 AM EST
Install Date: Sun 24 Feb 2013 10:38:27 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-s3virge-1.10.4-2.el6.src.rpm
Size : 81366 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:39:09 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 s3virge video driver
Description :
X.Org X11 s3virge video driver.

Name : latrace Relocations: (not relocatable)
Version : 0.5.9 Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010
12:47:45 PM EST
Install Date: Sun 24 Feb 2013 10:41:35 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Development/Debuggers Source RPM: latrace-0.5.9-
2.el6.src.rpm
Size : 357434 License: GPLv3+

Signature : RSA/8, Sun 03 Jul 2011 12:31:20 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://people.redhat.com/jolsa/latrace>
Summary : LD_AUDIT feature frontend for glibc 2.4+
Description :
allows you to trace library calls and get their statistics in a
manner similar to the strace utility (syscall tracing)

Name : xorg-x11-drv-penmount Relocations: (not relocatable)
Version : 1.5.0 Vendor: CentOS
Release : 2.el6 Build Date: Wed 07 Dec 2011
11:23:56 AM EST
Install Date: Sun 24 Feb 2013 10:38:28 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-penmount-1.5.0-2.el6.src.rpm
Size : 15945 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:38:16 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 penmount input driver
Description :
X.Org X11 penmount input driver.

Name : man-pages Relocations: (not relocatable)
Version : 3.22 Vendor: CentOS
Release : 17.el6 Build Date: Tue 19 Jul 2011
02:12:41 AM EDT
Install Date: Sun 24 Feb 2013 10:41:40 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Documentation Source RPM: man-pages-3.22-
17.el6.src.rpm
Size : 4540379 License: GPLv2+ and GPL+
and BSD and MIT and Copyright only and IEEE
Signature : RSA/SHA1, Mon 26 Sep 2011 12:12:21 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.kernel.org/pub/linux/docs/manpages/>
Summary : Man (manual) pages from the Linux Documentation Project
Description :
A large collection of man pages (documentation) from the Linux
Documentation Project (LDP).

Name : xorg-x11-drv-mutouch Relocations: (not relocatable)
Version : 1.3.0 Vendor: CentOS
Release : 2.el6 Build Date: Wed 07 Dec 2011
11:14:49 AM EST
Install Date: Sun 24 Feb 2013 10:38:28 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-mutouch-1.3.0-2.el6.src.rpm
Size : 20158 License: MIT

Signature : RSA/SHA1, Thu 08 Dec 2011 04:37:09 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 mutouch input driver
Description :
X.Org X11 mutouch input driver.

Name : ql2100-firmware Relocations: (not relocatable)
Version : 1.19.38 Vendor: CentOS
Release : 3.1.el6 Build Date: Wed 18 Aug 2010
11:03:16 AM EDT
Install Date: Sun 24 Feb 2013 10:41:43 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: ql2100-firmware-
1.19.38-3.1.el6.src.rpm
Size : 78639 License: Redistributable,
no modification permitted
Signature : RSA/8, Sun 03 Jul 2011 12:43:59 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.qlogic.com/outgoing/linux/firmware/>
Summary : Firmware for qlogic 2100 devices
Description :
Firmware for qlogic 2100 devices.

Name : xorg-x11-drv-keyboard Relocations: (not relocatable)
Version : 1.6.0 Vendor: CentOS
Release : 1.el6 Build Date: Wed 07 Dec 2011
10:45:57 AM EST
Install Date: Sun 24 Feb 2013 10:38:28 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-keyboard-1.6.0-1.el6.src.rpm
Size : 25244 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:36:06 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 keyboard input driver
Description :
X.Org X11 keyboard input driver.

Name : ql2500-firmware Relocations: (not relocatable)
Version : 5.06.02 Vendor: CentOS
Release : 1.el6 Build Date: Wed 07 Dec 2011
05:46:03 PM EST
Install Date: Sun 24 Feb 2013 10:41:43 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: ql2500-firmware-
5.06.02-1.el6.src.rpm
Size : 254071 License: Redistributable,
no modification permitted

Signature : RSA/SHA1, Thu 08 Dec 2011 04:02:26 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.qlogic.com/outgoing/linux/firmware/>
Summary : Firmware for qlogic 2500 devices
Description :
Firmware for qlogic 2500 devices.

Name : xorg-x11-drv-hyperpen Relocations: (not relocatable)
Version : 1.4.1 Vendor: CentOS
Release : 2.el6 Build Date: Wed 07 Dec 2011
11:20:09 AM EST
Install Date: Sun 24 Feb 2013 10:38:28 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-hyperpen-1.4.1-2.el6.src.rpm
Size : 18320 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:34:44 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 hyperpen input driver
Description :
X.Org X11 hyperpen input driver.

Name : rt61pci-firmware Relocations: (not relocatable)
Version : 1.2 Vendor: CentOS
Release : 7.el6 Build Date: Fri 20 Aug 2010
09:38:30 PM EDT
Install Date: Sun 24 Feb 2013 10:41:44 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: rt61pci-firmware-
1.2-7.el6.src.rpm
Size : 26679 License: Redistributable,
no modification permitted
Signature : RSA/8, Sun 03 Jul 2011 12:45:49 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.ralinktech.com>
Summary : Firmware for Ralink® RT2561/RT2661 A/B/G network adaptors
Description :
This package contains the firmware required by the rt61pci driver for
Linux.
Usage of the firmware is subject to the terms and conditions contained
inside the provided LICENSE.ralink-firmware.txt file.
Please read it carefully.

Name : xorg-x11-drv-elographics Relocations: (not relocatable)
Version : 1.3.0 Vendor: CentOS
Release : 2.el6 Build Date: Wed 07 Dec 2011
11:17:48 AM EST
Install Date: Sun 24 Feb 2013 10:38:29 PM EST Build Host:
c6b18n2.bsys.dev.centos.org

Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-elographics-1.3.0-2.el6.src.rpm
Size : 18380 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:33:20 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 elographics input driver
Description :
X.Org X11 elographics input driver.

Name : ipw2100-firmware Relocations: (not relocatable)
Version : 1.3 Vendor: CentOS
Release : 11.el6 Build Date: Fri 20 Aug 2010 10:01:16 PM EDT
Install Date: Sun 24 Feb 2013 10:41:44 PM EST Build Host: c6b5.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: ipw2100-firmware-1.3-11.el6.src.rpm
Size : 618666 License: Redistributable, no modification permitted
Signature : RSA/8, Sun 03 Jul 2011 12:16:15 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://ipw2100.sourceforge.net/firmware.php>
Summary : Firmware for Intel® PRO/Wireless 2100 network adaptors
Description :
This package contains the firmware files required by the ipw2100 driver for Linux. Usage of the firmware is subject to the terms and conditions contained in /lib/firmware/LICENSE.ipw2100. Please read it carefully.

Name : xorg-x11-drv-ast Relocations: (not relocatable)
Version : 0.91.10 Vendor: CentOS
Release : 1.el6 Build Date: Wed 07 Dec 2011 10:44:25 AM EST
Install Date: Sun 24 Feb 2013 10:38:29 PM EST Build Host: c6b5.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-ast-0.91.10-1.el6.src.rpm
Size : 54028 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:32:22 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 ast video driver
Description :
X.Org X11 ast video driver.

Name : nss-softoken-freebl Relocations: (not relocatable)
Version : 3.12.9 Vendor: CentOS
Release : 11.el6 Build Date: Wed 07 Dec 2011 07:24:02 PM EST

Install Date: Sun 24 Feb 2013 10:41:44 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Base Source RPM: nss-softokn-
3.12.9-11.el6.src.rpm
Size : 301154 License: MPLv1.1 or GPLv2+
or LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:45:09 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mozilla.org/projects/security/pki/nss/>
Summary : Freebl library for the Network Security Services
Description :
NSS Softoken Cryptographic Module Freebl Library

Install the nss-softokn-freebl package if you need the freebl
library.

Name : systemtap-runtime Relocations: (not relocatable)
Version : 1.6 Vendor: CentOS
Release : 4.el6 Build Date: Wed 07 Dec 2011
06:09:14 PM EST
Install Date: Sun 24 Feb 2013 10:38:30 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/System Source RPM: systemtap-1.6-
4.el6.src.rpm
Size : 512107 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 04:19:19 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceware.org/systemtap/>
Summary : Instrumentation System Runtime
Description :
SystemTap runtime is the runtime component of an instrumentation
system for systems running Linux. Developers can write
instrumentation to collect data on the operation of the system.

Name : perl-AppConfig Relocations: (not relocatable)
Version : 1.66 Vendor: CentOS
Release : 6.el6 Build Date: Fri 12 Nov 2010
08:11:34 AM EST
Install Date: Sun 24 Feb 2013 10:44:21 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-AppConfig-
1.66-6.el6.src.rpm
Size : 227866 License: GPL+ or Artistic
Signature : RSA/8, Sun 03 Jul 2011 12:36:56 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://search.cpan.org/dist/AppConfig/>
Summary : Perl module for reading configuration files
Description :
AppConfig has a powerful but easy to use module for parsing
configuration files. It also has a simple and efficient module for
parsing command line arguments. For fully-featured command line

parsing, a module is provided for interfacing AppConfig to Johan Vromans' extensive Getopt::Long module. Johan will continue to develop the functionality of this package and its features will automatically become available through AppConfig.

Name : anaconda Relocations: (not relocatable)
Version : 13.21.149 Vendor: CentOS
Release : 1.el6.centos Build Date: Thu 08 Dec 2011
10:24:50 PM EST
Install Date: Sun 24 Feb 2013 10:38:32 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : Applications/System Source RPM: anaconda-
13.21.149-1.el6.centos.src.rpm
Size : 12990532 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 10:39:59 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedoraproject.org/wiki/Anaconda>
Summary : Graphical system installer
Description :
The anaconda package contains the program which was used to install your
system. These files are of little use on an already installed system.

Name : perl-Filesys-DiskFree Relocations: (not relocatable)
Version : 0.06 Vendor: Dag Apt
Repository, <http://dag.wieers.com/apt/>
Release : 1.2.el6.rf Build Date: Wed 10 Nov 2010
11:50:05 PM EST
Install Date: Sun 24 Feb 2013 10:44:23 PM EST Build Host:
lisse.hasselt.wieers.com
Group : Applications/CPAN Source RPM: perl-Filesys-
DiskFree-0.06-1.2.el6.rf.src.rpm
Size : 16297 License: Artistic/GPL
Signature : DSA/SHA1, Thu 11 Nov 2010 01:29:39 AM EST, Key ID
a20e52146b8d79e6
Packager : Dries Verachtert <dries@ulyssis.org>
URL : <http://search.cpan.org/dist/Filesys-DiskFree/>
Summary : Perform the Unix command df in a portable fashion
Description :
Filesys::DiskFree does about what the unix command df(1) does, listing
the mounted disks, and the amount of free space used and available.

Name : gdm Relocations: (not relocatable)
Version : 2.30.4 Vendor: CentOS
Release : 32.el6 Build Date: Wed 07 Dec 2011
03:23:06 PM EST
Install Date: Sun 24 Feb 2013 10:38:37 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : User Interface/X Source RPM: gdm-2.30.4-
32.el6.src.rpm
Size : 4795642 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:04:58 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://download.gnome.org/sources/gdm>
Summary : The GNOME Display Manager
Description :
GDM provides the graphical login screen, shown shortly after boot up, log out, and when user-switching.

Name : perl-Pod-POM Relocations: (not relocatable)
Version : 0.25 Vendor: CentOS
Release : 2.el6 Build Date: Fri 12 Nov 2010
08:22:38 AM EST
Install Date: Sun 24 Feb 2013 10:44:25 PM EST Build Host:
c6b6.bsyz.dev.centos.org
Group : Development/Libraries Source RPM: perl-Pod-POM-
0.25-2.el6.src.rpm
Size : 155772 License: GPL+ or Artistic
Signature : RSA/8, Sun 03 Jul 2011 12:38:46 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://search.cpan.org/dist/Pod-POM/>
Summary : Object-oriented interface to Perl POD documents
Description :
This module implements a parser to convert Pod documents into a simple object model form known hereafter as the Pod Object Model. The object model is generated as a hierarchical tree of nodes, each of which represents a different element of the original document. The tree can be walked manually and the nodes examined, printed or otherwise manipulated. In addition, Pod::POM supports and provides view objects which can automatically traverse the tree, or section thereof, and generate an output representation in one form or another.

Name : system-config-kdump Relocations: (not relocatable)
Version : 2.0.2.2 Vendor: CentOS
Release : 2.el6 Build Date: Fri 12 Nov 2010
01:13:40 AM EST
Install Date: Sun 24 Feb 2013 10:38:38 PM EST Build Host:
c6b3.bsyz.dev.centos.org
Group : System Environment/Base Source RPM: system-config-
kdump-2.0.2.2-2.el6.src.rpm
Size : 1190816 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:48:46 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/system-config-kdump/>
Summary : A graphical interface for configuring kernel crash dumping
Description :
system-config-kdump is a graphical tool for configuring kernel crash dumping via kdump and kexec.

Name : perl-XML-Simple Relocations: (not relocatable)
Version : 2.18 Vendor: CentOS
Release : 6.el6 Build Date: Fri 12 Nov 2010
08:29:42 AM EST
Install Date: Sun 24 Feb 2013 10:44:28 PM EST Build Host:
c6b4.bsyz.dev.centos.org

Group : Development/Libraries Source RPM: perl-XML-Simple-2.18-6.el6.src.rpm
Size : 158675 License: GPL+ or Artistic
Signature : RSA/8, Sun 03 Jul 2011 12:39:44 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://search.cpan.org/dist/XML-Simple/>
Summary : Easy API to maintain XML in Perl
Description :
The XML::Simple module provides a simple API layer on top of an underlying XML parsing module (either XML::Parser or one of the SAX2 parser modules).

Name : xorg-x11-drivers Relocations: (not relocatable)
Version : 7.3 Vendor: CentOS
Release : 13.3.el6 Build Date: Wed 20 Jul 2011 06:20:35 AM EDT
Install Date: Sun 24 Feb 2013 10:38:39 PM EST Build Host: c6b5.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drivers-7.3-13.3.el6.src.rpm
Size : 0 License: MIT
Signature : RSA/SHA1, Mon 26 Sep 2011 12:26:19 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : X.Org X11 driver installation package
Description :
The purpose of this package is to require all of the individual X.Org driver rpms, to allow the OS installation software to install all drivers all at once, without having to track which individual drivers are present on each architecture. By installing this package, it forces all of the individual driver packages to be installed.

Name : perl-Text-Reform Relocations: (not relocatable)
Version : 1.20 Vendor: Dag Apt
Repository, <http://dag.wieers.com/apt/>
Release : 1.el6.rfx Build Date: Wed 17 Nov 2010 01:19:54 PM EST
Install Date: Sun 24 Feb 2013 10:44:31 PM EST Build Host: lisse.hasselt.wieers.com
Group : Applications/CPAN Source RPM: perl-Text-Reform-1.20-1.el6.rfx.src.rpm
Size : 77765 License: Artistic/GPL
Signature : DSA/SHA1, Wed 17 Nov 2010 05:52:03 PM EST, Key ID a20e52146b8d79e6
Packager : Dries Verachtert <dries@ulyssis.org>
URL : <http://search.cpan.org/dist/Text-Reform/>
Summary : Manual text wrapping and reformatting
Description :
The module supplies a re-entrant, highly configurable replacement for the built-in Perl format() mechanism.

This package contains the following Perl module:

Text::Reform

Name : wacomexpresskeys Relocations: (not relocatable)
Version : 0.4.2 Vendor: CentOS
Release : 3.el6 Build Date: Tue 17 Aug 2010
12:10:21 AM EDT
Install Date: Sun 24 Feb 2013 10:38:42 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Base Source RPM: wacomexpresskeys-
0.4.2-3.el6.src.rpm
Size : 152792 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:05:08 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://expresskeys.ruivo.org/>
Summary : Wacom ExpressKeys and Touch Strips configuration utility
Description :
Configuration utility to bind Wacom tablet's ExpressKeys and Touch Strips
to
generate other input events.

Name : perl-perlindex Relocations: (not relocatable)
Version : 1.605 Vendor: (none)
Release : 1 Build Date: Thu 15 Jul 2010
09:36:33 AM EDT
Install Date: Sun 24 Feb 2013 10:44:35 PM EST Build Host: lorax
Group : Applications/CPAN Source RPM: perl-perlindex-
1.605-1.src.rpm
Size : 29214 License: Artistic/GPL
Signature : (none)
Packager : Jason Messmer <Jason.Messmer@xerox.com>
URL : <http://search.cpan.org/dist/perlindex/>
Summary : Index and query perl manual pages
Description :
Index and query perl manual pages.

Name : NetworkManager-gnome Relocations: (not relocatable)
Version : 0.8.1 Vendor: CentOS
Release : 15.el6 Build Date: Wed 07 Dec 2011
07:28:42 PM EST
Install Date: Sun 24 Feb 2013 10:38:46 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : Applications/Internet Source RPM: NetworkManager-
0.8.1-15.el6.src.rpm
Size : 1588956 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:43:03 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/projects/NetworkManager/>
Summary : GNOME applications for use with NetworkManager
Description :
This package contains GNOME utilities and applications for use with
NetworkManager, including a panel applet for wireless networks.

Name : perl-Tk-Pod Relocations: (not relocatable)
Version : 0.9939 Vendor: (none)
Release : 1 Build Date: Thu 15 Jul 2010
08:59:16 AM EDT
Install Date: Sun 24 Feb 2013 10:44:37 PM EST Build Host: lorax
Group : Applications/CPAN Source RPM: perl-Tk-Pod-
0.9939-1.src.rpm
Size : 204585 License: Artistic/GPL
Signature : (none)
Packager : Jason Messmer <Jason.Messmer@xerox.com>
URL : <http://search.cpan.org/dist/Tk-Pod/>
Summary : Pod browser widget
Description :
Pod browser widget.

Name : nautilus-open-terminal Relocations: (not relocatable)
Version : 0.17 Vendor: CentOS
Release : 4.el6 Build Date: Fri 23 Sep 2011
11:46:06 AM EDT
Install Date: Sun 24 Feb 2013 10:38:57 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: nautilus-open-
terminal-0.17-4.el6.src.rpm
Size : 207144 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:22:02 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/nautilus-open-terminal/>
Summary : Nautilus extension for an open terminal shortcut
Description :
The nautilus-open-terminal extension provides a right-click "Open
Terminal" option for nautilus users who prefer that option.

Name : flash-plugin Relocations: (not relocatable)
Version : 11.2.202.238 Vendor: Dag Apt
Repository, <http://dag.wieers.com/apt/>
Release : 0.2.el6.rf Build Date: Sat 22 Sep 2012
07:59:28 PM EDT
Install Date: Sun 24 Feb 2013 10:44:58 PM EST Build Host:
lisse.hasselt.wieers.com
Group : Applications/Internet Source RPM: flash-plugin-
11.2.202.238-0.2.el6.rf.src.rpm
Size : 20353580 License: Commercial
Signature : DSA/SHA1, Sat 22 Sep 2012 08:04:53 PM EDT, Key ID
a20e52146b8d79e6
Packager : Dag Wieers <dag@wieers.com>
URL : <http://www.macromedia.com/downloads/>
Summary : Macromedia Flash Player
Description :
Macromedia Flash Player

By downloading and installing this package you agree to the included
LICENSE.

Name : gnome-screensaver Relocations: (not relocatable)
Version : 2.28.3 Vendor: CentOS
Release : 18.el6 Build Date: Wed 07 Dec 2011
08:36:17 PM EST
Install Date: Sun 24 Feb 2013 10:39:00 PM EST Build Host:
c6b18n1.dev.centos.org
Group : Amusements/Graphics Source RPM: gnome-
screensaver-2.28.3-18.el6.src.rpm
Size : 6150333 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:05:13 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : GNOME Screensaver
Description :
gnome-screensaver is a screen saver and locker that aims to have
simple, sane, secure defaults and be well integrated with the desktop.

Name : XRXTPM Relocations: (not relocatable)
Version : 1.0.0.17 Vendor: Xerox Corporation
Release : 1 Build Date: Tue 19 Jun 2012
02:48:18 PM EDT
Install Date: Sun 24 Feb 2013 10:46:10 PM EST Build Host: decaf
Group : Applications/Xerox Source RPM: XRXTPM-1.0.0.17-
1.src.rpm
Size : 155828 License: Copyright 1996-
2010 Xerox Corporation
Signature : (none)
Packager : scmt
Summary : Xerox Print Engine Tools Perl Modules
Description :
Xerox Print Engine Tools Perl Modules for Development and Debugging

Name : ibus-pinyin Relocations: (not relocatable)
Version : 1.3.8 Vendor: CentOS
Release : 1.el6 Build Date: Thu 11 Nov 2010
12:03:38 PM EST
Install Date: Sun 24 Feb 2013 10:39:05 PM EST Build Host:
c5b2.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: ibus-pinyin-
1.3.8-1.el6.src.rpm
Size : 4775050 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:24:01 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/ibus>
Summary : The Chinese Pinyin and Bopomofo engines for IBus input
platform
Description :
The Chinese Pinyin and Bopomofo input methods for IBus platform.

Name : libxcb Relocations: (not relocatable)
Version : 1.5 Vendor: CentOS

Release : 1.el6 Build Date: Sat 21 Aug 2010
06:22:57 AM EDT
Install Date: Sun 24 Feb 2013 10:46:45 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libxcb-1.5-
1.el6.src.rpm
Size : 471252 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:27:24 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://xcb.freedesktop.org/>
Summary : A C binding to the X11 protocol
Description :
The X protocol C-language Binding (XCB) is a replacement for Xlib
featuring a
small footprint, latency hiding, direct access to the protocol, improved
threading support, and extensibility.

Name : ibus-rawcode Relocations: (not relocatable)
Version : 1.3.0.20100421 Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010
02:29:33 PM EST
Install Date: Sun 24 Feb 2013 10:39:07 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ibus-rawcode-
1.3.0.20100421-2.el6.src.rpm
Size : 36344 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:24:07 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/ibus-rawcode/>
Summary : The Rawcode engine for IBus input platform
Description :
The Rawcode engine for IBus platform.

Name : libXtst Relocations: (not relocatable)
Version : 1.0.99.2 Vendor: CentOS
Release : 3.el6 Build Date: Mon 16 Aug 2010
08:51:11 PM EDT
Install Date: Sun 24 Feb 2013 10:46:48 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXtst-
1.0.99.2-3.el6.src.rpm
Size : 35885 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:27:56 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXtst runtime library
Description :
X.Org X11 libXtst runtime library

Name : vino Relocations: (not relocatable)
Version : 2.28.1 Vendor: CentOS

Release : 3.el6 Build Date: Thu 11 Nov 2010
05:58:36 PM EST
Install Date: Sun 24 Feb 2013 10:39:09 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: vino-2.28.1-
3.el6.src.rpm
Size : 1999063 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:04:59 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : A remote desktop system for GNOME
Description :
Vino is a VNC server for GNOME. It allows remote users to
connect to a running GNOME session using VNC.

Name : libspectre Relocations: (not relocatable)
Version : 0.2.4 Vendor: CentOS
Release : 1.el6 Build Date: Mon 23 Aug 2010
12:31:44 AM EDT
Install Date: Sun 24 Feb 2013 10:46:55 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libspectre-
0.2.4-1.el6.src.rpm
Size : 84276 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:39:17 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://libspectre.freedesktop.org>
Summary : A library for rendering PostScript(TM) documents
Description :
libspectre is a small library for rendering PostScript(TM) documents.
It provides a convenient easy to use API for handling and rendering
PostScript documents.

Name : oddjob-mkhomedir Relocations: (not relocatable)
Version : 0.30 Vendor: CentOS
Release : 5.el6 Build Date: Sat 25 Jun 2011
07:15:38 AM EDT
Install Date: Sun 24 Feb 2013 10:39:14 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: oddjob-0.30-
5.el6.src.rpm
Size : 52617 License: BSD
Signature : RSA/8, Tue 05 Jul 2011 09:42:02 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.fedorahosted.org/oddjob>
Summary : An oddjob helper which creates and populates home
directories
Description :
This package contains the oddjob helper which can be used by the
pam_oddjob_mkhomedir module to create a home directory for a user
at login-time.

```

Name           : vnc                               Relocations: (not relocatable)
Version        : 4.1.2                             Vendor: CentOS
Release        : 14.el5_6.6                         Build Date: Wed 20 Apr 2011
12:13:55 PM EDT
Install Date: Sun 24 Feb 2013 10:47:00 PM EST      Build Host:
builder10.centos.org
Group          : User Interface/Desktops           Source RPM: vnc-4.1.2-
14.el5_6.6.src.rpm
Size           : 343724                             License: GPL
Signature      : DSA/SHA1, Wed 20 Apr 2011 12:27:58 PM EDT, Key ID
a8a447dce8562897
URL            : http://www.realvnc.com
Summary        : A remote display system.
Description    :
Virtual Network Computing (VNC) is a remote display system which
allows you to view a computing 'desktop' environment not only on the
machine where it is running, but from anywhere on the Internet and
from a wide variety of machine architectures. This package contains a
client which will allow you to connect to other desktops running a VNC
server.

```

```

Name           : gok                               Relocations: (not relocatable)
Version        : 2.28.1                             Vendor: CentOS
Release        : 5.el6                             Build Date: Thu 11 Nov 2010
08:14:11 AM EST
Install Date: Sun 24 Feb 2013 10:39:18 PM EST      Build Host:
c6b1.bsyzs.dev.centos.org
Group          : User Interface/Desktops           Source RPM: gok-2.28.1-
5.el6.src.rpm
Size           : 9411129                             License: LGPLv2+
Signature      : RSA/8, Sun 03 Jul 2011 12:19:16 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.gok.ca/
Summary        : GNOME Onscreen Keyboard
Description    :
The gok project aims to enable users to control their computer without
having to rely on a standard keyboard or mouse, leveraging GNOME's
built-in accessibility framework.

```

```

Name           : ncurses-libs                       Relocations: (not relocatable)
Version        : 5.7                               Vendor: CentOS
Release        : 3.20090208.el6                     Build Date: Wed 18 Aug 2010
11:34:04 AM EDT
Install Date: Sun 24 Feb 2013 10:47:03 PM EST      Build Host:
c6b3.bsyzs.dev.centos.org
Group          : System Environment/Libraries       Source RPM: ncurses-5.7-
3.20090208.el6.src.rpm
Size           : 706896                             License: MIT
Signature      : RSA/8, Sun 03 Jul 2011 12:31:25 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://invisible-island.net/ncurses/ncurses.html

```


Summary : Ncurses libraries

Description :

The curses library routines are a terminal-independent method of updating character screens with reasonable optimization. The ncurses (new curses) library is a freely distributable replacement for the discontinued 4.4 BSD classic curses library.

This package contains the ncurses libraries.

Name : tftp-server Relocations: (not relocatable)

Version : 0.49 Vendor: CentOS

Release : 7.el6 Build Date: Fri 23 Sep 2011

08:33:54 AM EDT

Install Date: Sun 24 Feb 2013 10:39:22 PM EST Build Host:

c6b5.bsyz.dev.centos.org

Group : System Environment/Daemons Source RPM: tftp-0.49-

7.el6.src.rpm

Size : 58742 License: BSD

Signature : RSA/SHA1, Mon 26 Sep 2011 12:25:52 AM EDT, Key ID

0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.kernel.org/pub/software/network/tftp/>

Summary : The server for the Trivial File Transfer Protocol (TFTP)

Description :

The Trivial File Transfer Protocol (TFTP) is normally used only for booting diskless workstations. The tftp-server package provides the server for TFTP, which allows users to transfer files to and from a remote machine. TFTP provides very little security, and should not be enabled unless it is expressly needed. The TFTP server is run from /etc/xinetd.d/tftp, and is disabled by default.

Name : libXt Relocations: (not relocatable)

Version : 1.0.7 Vendor: CentOS

Release : 1.el6 Build Date: Mon 16 Aug 2010

05:47:42 PM EDT

Install Date: Sun 24 Feb 2013 10:47:06 PM EST Build Host:

c6b1.bsyz.dev.centos.org

Group : System Environment/Libraries Source RPM: libXt-1.0.7-

1.el6.src.rpm

Size : 401852 License: MIT

Signature : RSA/8, Sun 03 Jul 2011 12:27:55 AM EDT, Key ID

0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.x.org>

Summary : X.Org X11 libXt runtime library

Description :

X.Org X11 libXt runtime library

Name : mod_ssl Relocations: (not relocatable)

Version : 2.2.15 Vendor: CentOS

Release : 15.el6.centos Build Date: Thu 08 Dec 2011

01:12:01 PM EST

Install Date: Sun 24 Feb 2013 10:39:25 PM EST Build Host:

c6b6.bsyz.dev.centos.org

Group : System Environment/Daemons Source RPM: httpd-2.2.15-15.el6.centos.src.rpm
Size : 187265 License: ASL 2.0
Signature : RSA/SHA1, Thu 08 Dec 2011 03:06:48 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://httpd.apache.org/>
Summary : SSL/TLS module for the Apache HTTP Server
Description :
The mod_ssl module provides strong cryptography for the Apache Web server via the Secure Sockets Layer (SSL) and Transport Layer Security (TLS) protocols.

Name : bfa-firmware Relocations: (not relocatable)
Version : 3.0.0.0 Vendor: CentOS
Release : 1.el6 Build Date: Wed 07 Dec 2011 03:35:54 PM EST
Install Date: Sun 24 Feb 2013 10:39:26 PM EST Build Host: c6b4.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: bfa-firmware-3.0.0.0-1.el6.src.rpm
Size : 1330202 License: Redistributable, no modification permitted
Signature : RSA/SHA1, Thu 08 Dec 2011 02:44:59 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.brocade.com/sites/dotcom/services-support/drivers-downloads/CNA/Linux.page>
Summary : Brocade Fibre Channel HBA Firmware
Description :
Brocade Fibre Channel HBA Firmware.

Name : b43-openfwfw Relocations: (not relocatable)
Version : 5.2 Vendor: CentOS
Release : 4.el6 Build Date: Wed 10 Nov 2010 08:00:52 PM EST
Install Date: Sun 24 Feb 2013 10:39:26 PM EST Build Host: c6b1.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: b43-openfwfw-5.2-4.el6.src.rpm
Size : 31549 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:00:38 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.ing.unibs.it/openfwfw/>
Summary : Open firmware for some Broadcom 43xx series WLAN chips
Description :
Open firmware for some Broadcom 43xx series WLAN chips.
Currently supported models are 4306, 4311(rev1), 4318 and 4320.

Name : iwl1000-firmware Relocations: (not relocatable)
Version : 39.31.5.1 Vendor: CentOS
Release : 1.el6 Build Date: Wed 07 Dec 2011 10:00:46 AM EST

Install Date: Sun 24 Feb 2013 10:39:26 PM EST Build Host:
c6b18n2.bsyz.dev.centos.org
Group : System Environment/Kernel Source RPM: iwl1000-firmware-
39.31.5.1-1.el6.src.rpm
Size : 679399 License: Redistributable,
no modification permitted
Signature : RSA/SHA1, Thu 08 Dec 2011 03:11:11 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://intellinuxwireless.org/>
Summary : Firmware for Intel® PRO/Wireless 1000 B/G/N network
adaptors
Description :
This package contains the firmware required by the iwlagn driver
for Linux to support the iwl1000 hardware. Usage of the firmware
is subject to the terms and conditions contained inside the provided
LICENSE file. Please read it carefully.

Name : prelink Relocations: (not relocatable)
Version : 0.4.6 Vendor: CentOS
Release : 3.el6 Build Date: Wed 07 Dec 2011
06:36:38 PM EST
Install Date: Sun 24 Feb 2013 10:39:27 PM EST Build Host:
c6b18n2.bsyz.dev.centos.org
Group : System Environment/Base Source RPM: prelink-0.4.6-
3.el6.src.rpm
Size : 2050786 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:58:38 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : An ELF prelinking utility
Description :
The prelink package contains a utility which modifies ELF shared
libraries
and executables, so that far fewer relocations need to be resolved at
runtime
and thus programs come up faster.

Name : acpid Relocations: (not relocatable)
Version : 1.0.10 Vendor: CentOS
Release : 2.1.el6 Build Date: Wed 18 Aug 2010
04:39:10 PM EDT
Install Date: Sun 24 Feb 2013 10:39:34 PM EST Build Host:
c6b3.bsyz.dev.centos.org
Group : System Environment/Daemons Source RPM: acpid-1.0.10-
2.1.el6.src.rpm
Size : 74381 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:01:31 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://acpid.sourceforge.net/>
Summary : ACPI Event Daemon
Description :
acpid is a daemon that dispatches ACPI events to user-space programs.

```

Name           : smartmontools           Relocations: (not relocatable)
Version        : 5.39.1                  Vendor: CentOS
Release        : 5.el6                   Build Date: Fri 23 Sep 2011
11:38:37 AM EDT
Install Date: Sun 24 Feb 2013 10:39:35 PM EST      Build Host:
c6b5.bsys.dev.centos.org
Group          : System Environment/Base          Source RPM: smartmontools-
5.39.1-5.el6.src.rpm
Size           : 1143636                   License: GPLv2+
Signature      : RSA/SHA1, Mon 26 Sep 2011 12:25:24 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://smartmontools.sourceforge.net/
Summary        : Tools for monitoring SMART capable hard disks
Description    :
The smartmontools package contains two utility programs (smartctl
and smartd) to control and monitor storage systems using the Self-
Monitoring, Analysis and Reporting Technology System (SMART) built
into most modern ATA and SCSI hard disks. In many cases, these
utilities will provide advanced warning of disk degradation and
failure.

```

```

Name           : ant                     Relocations: (not relocatable)
Version        : 1.7.1                   Vendor: CentOS
Release        : 13.el6                   Build Date: Tue 24 Aug 2010
12:19:11 PM EDT
Install Date: Sun 24 Feb 2013 10:39:38 PM EST      Build Host:
c6b3.bsys.dev.centos.org
Group          : Development/Tools          Source RPM: ant-1.7.1-
13.el6.src.rpm
Size           : 7837475                   License: ASL 2.0 and W3C
Signature      : RSA/8, Sun 03 Jul 2011 12:02:02 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://ant.apache.org/
Summary        : Ant build tool for java
Description    :
Ant is a platform-independent build tool for java. It's used by apache
jakarta and xml projects.

```

```

Name           : khmeros-base-fonts       Relocations: (not relocatable)
Version        : 5.0                     Vendor: CentOS
Release        : 9.el6                   Build Date: Wed 25 Aug 2010
05:18:48 PM EDT
Install Date: Sun 24 Feb 2013 10:39:49 PM EST      Build Host:
c6b3.bsys.dev.centos.org
Group          : User Interface/X          Source RPM: khmeros-fonts-
5.0-9.el6.src.rpm
Size           : 733014                   License: LGPLv2+
Signature      : RSA/8, Sun 03 Jul 2011 12:21:18 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.khmeros.info/drupal/?q=en/download/fonts

```

Summary : Base KhmerOS font
Description :

The Khmer OS fonts include Khmer and Latin alphabets, and they have equivalent sizes for Khmer and English alphabets, so that when texts mix both it is not necessary to have different point sizes for the text in each language.

They were created by Danh Hong of the Cambodian Open Institute.

Base KhmerOS fonts.

Name : cas Relocations: (not relocatable)
Version : 0.15 Vendor: CentOS
Release : 1.el6.1 Build Date: Wed 10 Nov 2010
09:25:01 PM EST
Install Date: Sun 24 Feb 2013 10:39:51 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Development/Libraries Source RPM: cas-0.15-
1.el6.1.src.rpm
Size : 393817 License: GPLv3+
Signature : RSA/8, Sun 03 Jul 2011 12:01:57 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/cas>
Summary : Tool to analyze and configure core file environment
Description :
CAS provides a user the ability to configure an environment for core
analysis
quickly. All the hassles of matching kernel versions and machine
architecture
types to core dumps are automatically detected and processed.

Name : system-config-firewall Relocations: (not relocatable)
Version : 1.2.27 Vendor: CentOS
Release : 5.el6 Build Date: Fri 23 Sep 2011
01:04:13 PM EDT
Install Date: Sun 24 Feb 2013 10:39:52 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: system-config-
firewall-1.2.27-5.el6.src.rpm
Size : 590870 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:25:38 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/system-config-firewall>
Summary : A graphical interface for basic firewall setup
Description :
system-config-firewall is a graphical user interface for basic firewall
setup.

Name : grub Relocations: (not relocatable)
Version : 0.97 Vendor: CentOS

Release : 75.el6 Build Date: Wed 07 Dec 2011
05:26:02 PM EST
Install Date: Sun 24 Feb 2013 10:39:56 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Base Source RPM: grub-0.97-
75.el6.src.rpm
Size : 2453381 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:06:24 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/grub/>
Summary : Grand Unified Boot Loader.
Description :
GRUB (Grand Unified Boot Loader) is an experimental boot loader
capable of booting into most free operating systems - Linux, FreeBSD,
NetBSD, GNU Mach, and others as well as most commercial operating
systems.

Name : vim-enhanced Relocations: (not relocatable)
Version : 7.2.411 Vendor: CentOS
Release : 1.6.el6 Build Date: Sat 25 Jun 2011
04:43:46 AM EDT
Install Date: Sun 24 Feb 2013 10:39:57 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Applications/Editors Source RPM: vim-7.2.411-
1.6.el6.src.rpm
Size : 1936950 License: Vim and GPLv2+
and BSD and LGPLv2+ and Open Publication
Signature : RSA/8, Tue 05 Jul 2011 09:46:36 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.vim.org/>
Summary : A version of the VIM editor which includes recent
enhancements
Description :
VIM (VISual editor iMproved) is an updated and improved version of the
vi editor. Vi was the first real screen-based editor for UNIX, and is
still very popular. VIM improves on vi by adding new features:
multiple windows, multi-level undo, block highlighting and more. The
vim-enhanced package contains a version of VIM with extra, recently
introduced features like Python and Perl interpreters.

Install the vim-enhanced package if you'd like to use a version of the
VIM editor which includes recently added enhancements like
interpreters for the Python and Perl scripting languages. You'll also
need to install the vim-common package.

Name : totem-mozplugin Relocations: (not relocatable)
Version : 2.28.6 Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010
09:26:49 PM EST
Install Date: Sun 24 Feb 2013 10:39:58 PM EST Build Host:
c5b2.bsys.dev.centos.org

Group : Applications/Internet Source RPM: totem-2.28.6-2.el6.src.rpm
Size : 586776 License: GPLv2+ with exceptions
Signature : RSA/8, Sun 03 Jul 2011 01:04:10 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://projects.gnome.org/totem/>
Summary : Mozilla plugin for Totem
Description :
Totem is simple movie player for the GNOME desktop.
The mozilla plugin for Totem allows it to be embedded into a web browser.

Name : gtk2-imodule-xim Relocations: (not relocatable)
Version : 2.18.9 Vendor: CentOS
Release : 6.el6.centos Build Date: Wed 30 Nov 2011 12:07:22 PM EST
Install Date: Sun 24 Feb 2013 10:39:59 PM EST Build Host: c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: gtk2-2.18.9-6.el6.centos.src.rpm
Size : 30416 License: LGPLv2+
Signature : RSA/SHA1, Wed 30 Nov 2011 09:12:17 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gtk.org>
Summary : XIM support for GTK+
Description :
The gtk2-imodule-xim package contains XIM support for GTK+.

Name : ruby-irb Relocations: (not relocatable)
Version : 1.8.7.352 Vendor: CentOS
Release : 3.el6 Build Date: Wed 07 Dec 2011 01:31:21 PM EST
Install Date: Sun 24 Feb 2013 10:40:02 PM EST Build Host: c6b18n2.bsys.dev.centos.org
Group : Development/Languages Source RPM: ruby-1.8.7.352-3.el6.src.rpm
Size : 1064178 License: Ruby or GPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 04:08:22 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.ruby-lang.org/>
Summary : The Interactive Ruby
Description :
The irb is acronym for Interactive Ruby. It evaluates ruby expression from the terminal.

Name : sudo Relocations: (not relocatable)
Version : 1.7.4p5 Vendor: CentOS
Release : 7.el6 Build Date: Fri 23 Sep 2011 12:02:04 PM EDT
Install Date: Sun 24 Feb 2013 10:40:07 PM EST Build Host: c6b18n1.dev.centos.org

Group : Applications/System Source RPM: sudo-1.7.4p5-7.el6.src.rpm
Size : 1098902 License: ISC
Signature : RSA/SHA1, Mon 26 Sep 2011 12:25:33 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.courtesan.com/sudo/>
Summary : Allows restricted root access for specified users
Description :
Sudo (superuser do) allows a system administrator to give certain users (or groups of users) the ability to run some (or all) commands as root while logging all commands and arguments. Sudo operates on a per-command basis. It is not a replacement for the shell. Features include: the ability to restrict what commands a user may run on a per-host basis, copious logging of each command (providing a clear audit trail of who did what), a configurable timeout of the sudo command, and the ability to use the same configuration file (sudoers) on many different machines.

Name : xorg-x11-utils Relocations: (not relocatable)
Version : 7.4 Vendor: CentOS
Release : 8.el6 Build Date: Thu 11 Nov 2010 02:09:34 PM EST
Install Date: Sun 24 Feb 2013 10:40:08 PM EST Build Host: c6b1.bsyz.dev.centos.org
Group : User Interface/X Source RPM: xorg-x11-utils-7.4-8.el6.src.rpm
Size : 210237 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 01:06:36 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 X client utilities
Description :
A collection of client utilities which can be used to query the X server for various information.

Name : perl-core Relocations: (not relocatable)
Version : 5.10.1 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011 08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:40:09 PM EST Build Host: c6b5.bsyz.dev.centos.org
Group : Development/Languages Source RPM: perl-5.10.1-119.el6_1.1.src.rpm
Size : 0 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 05:59:41 AM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Base perl metapackage
Description :
A metapackage which requires all of the perl bits and modules in the upstream tarball from perl.org.

Signature : RSA/8, Sun 03 Jul 2011 12:53:48 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.openwall.com/passwdqc/>
Summary : Pluggable password quality-control module
Description :
pam_passwdqc is a simple password strength checking module for
PAM-aware password changing programs, such as passwd(1). In addition
to checking regular passwords, it offers support for passphrases and
can provide randomly generated passwords. All features are optional
and can be (re-)configured without rebuilding.

Name : audit Relocations: (not relocatable)
Version : 2.1.3 Vendor: CentOS
Release : 3.el6 Build Date: Wed 07 Dec 2011
08:14:37 PM EST
Install Date: Sun 24 Feb 2013 10:40:18 PM EST Build Host:
c6b18n3.bsdev.centos.org
Group : System Environment/Daemons Source RPM: audit-2.1.3-
3.el6.src.rpm
Size : 917665 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 02:44:07 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://people.redhat.com/sgrubb/audit/>
Summary : User space tools for 2.6 kernel auditing
Description :
The audit package contains the user space utilities for
storing and searching the audit records generated by
the audit subsystem in the Linux 2.6 kernel.

Name : compat-libtermcap Relocations: (not relocatable)
Version : 2.0.8 Vendor: CentOS
Release : 49.el6 Build Date: Wed 10 Nov 2010
10:18:12 PM EST
Install Date: Sun 24 Feb 2013 10:40:19 PM EST Build Host:
c6b6.bsdev.centos.org
Group : System Environment/Libraries Source RPM: compat-
libtermcap-2.0.8-49.el6.src.rpm
Size : 15064 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:07:43 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://metalab.unc.edu/pub/Linux/GCC/>
Summary : A basic system library for accessing the termcap database
Description :
The libtermcap package contains a basic system library needed to
access the termcap database. The termcap library supports easy access
to the termcap database, so that programs can output character-based
displays in a terminal-independent manner.

Name : ntsysv Relocations: (not relocatable)
Version : 1.3.47 Vendor: CentOS

Release : 1.el6 Build Date: Wed 10 Nov 2010
09:33:15 PM EST
Install Date: Sun 24 Feb 2013 10:40:20 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Base Source RPM: chkconfig-1.3.47-
1.el6.src.rpm
Size : 26385 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:48:09 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : A tool to set the stop/start of system services in a
runlevel
Description :

Ntsysv provides a simple interface for setting which system services
are started or stopped in various runlevels (instead of directly
manipulating the numerous symbolic links in /etc/rc.d). Unless you
specify a runlevel or runlevels on the command line (see the man
page), ntsysv configures the current runlevel (5 if you're using X).

Name : enscript Relocations: (not relocatable)
Version : 1.6.4 Vendor: CentOS
Release : 15.el6 Build Date: Thu 11 Nov 2010
01:44:36 AM EST
Install Date: Sun 24 Feb 2013 10:40:33 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Applications/Publishing Source RPM: enscript-1.6.4-
15.el6.src.rpm
Size : 1865199 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:13:11 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/enscript>
Summary : A plain ASCII to PostScript converter
Description :
GNU enscript is a free replacement for Adobe's Enscript
program. Enscript converts ASCII files to PostScript(TM) and spools
generated PostScript output to the specified printer or saves it to a
file. Enscript can be extended to handle different output media and
includes many options for customizing printouts

Name : oprofile Relocations: (not relocatable)
Version : 0.9.6 Vendor: CentOS
Release : 21.el6 Build Date: Wed 07 Dec 2011
02:24:40 PM EST
Install Date: Sun 24 Feb 2013 10:40:36 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/System Source RPM: oprofile-0.9.6-
21.el6.src.rpm
Size : 9351800 License: GPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 03:51:08 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://oprofile.sf.net>
Summary : System wide profiler

Description :

OProfile is a profiling system for systems running Linux. The profiling runs transparently during the background, and profile data can be collected at any time. OProfile makes use of the hardware performance counters provided on Intel P6, and AMD Athlon family processors, and can use the RTC for profiling on other x86 processor types.

See the HTML documentation for further details.

Name : ltrace Relocations: (not relocatable)
Version : 0.5 Vendor: CentOS
Release : 16.45svn.1.el6 Build Date: Thu 11 Nov 2010
10:21:57 AM EST
Install Date: Sun 24 Feb 2013 10:40:37 PM EST Build Host:
c5b2.bsyzs.dev.centos.org
Group : Development/Debuggers Source RPM: ltrace-0.5-
16.45svn.1.el6.src.rpm
Size : 128102 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:43:33 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://ltrace.alioth.debian.org/>
Summary : Tracks runtime library calls from dynamically linked
executables

Description :

Ltrace is a debugging program which runs a specified command until the command exits. While the command is executing, ltrace intercepts and records both the dynamic library calls called by the executed process and the signals received by the executed process. Ltrace can also intercept and print system calls executed by the process.

You should install ltrace if you need a sysadmin tool for tracking the execution of processes.

Name : m17n-contrib-marathi Relocations: (not relocatable)
Version : 1.1.10 Vendor: CentOS
Release : 4.el6_1.1 Build Date: Fri 23 Sep 2011
06:12:49 AM EDT
Install Date: Sun 24 Feb 2013 10:40:37 PM EST Build Host:
c6b5.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-contrib-
1.1.10-4.el6_1.1.src.rpm
Size : 14253 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:38 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : Contributed input maps for Marathi
Description :
This package provides contributed multilingualization (m17n) input maps for Marathi.

Name : rsync Relocations: (not relocatable)
Version : 3.0.6 Vendor: CentOS
Release : 5.el6_0.1 Build Date: Sat 25 Jun 2011
06:58:57 AM EDT
Install Date: Sun 24 Feb 2013 10:40:38 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/Internet Source RPM: rsync-3.0.6-
5.el6_0.1.src.rpm
Size : 699126 License: GPLv3+
Signature : RSA/8, Tue 05 Jul 2011 09:45:52 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://rsync.samba.org/>
Summary : A program for synchronizing files over a network
Description :
Rsync uses a reliable algorithm to bring remote and host files into
sync very quickly. Rsync is fast because it just sends the differences
in the files over the network instead of sending the complete
files. Rsync is often used as a very powerful mirroring process or
just as a more capable replacement for the rcp command. A technical
report which describes the rsync algorithm is included in this
package.

Name : gtk2-engines Relocations: (not relocatable)
Version : 2.18.4 Vendor: CentOS
Release : 5.el6.centos Build Date: Fri 02 Dec 2011
03:43:08 AM EST
Install Date: Sun 24 Feb 2013 10:35:44 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: gtk2-engines-
2.18.4-5.el6.centos.src.rpm
Size : 1157734 License: LGPLv2+
Signature : RSA/SHA1, Fri 02 Dec 2011 07:10:05 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/gtk-engines>
Summary : Theme engines for GTK+ 2.0
Description :
The gtk2-engines package contains shared objects and configuration
files that implement a number of GTK+ theme engines. Theme engines
provide different looks for GTK+, some of which resemble other
toolkits or operating systems.

Name : setup Relocations: (not relocatable)
Version : 2.8.14 Vendor: CentOS
Release : 13.el6 Build Date: Fri 23 Sep 2011
08:53:17 AM EDT
Install Date: Sun 24 Feb 2013 10:33:26 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: setup-2.8.14-
13.el6.src.rpm
Size : 665338 License: Public Domain
Signature : RSA/SHA1, Mon 26 Sep 2011 12:25:21 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/setup/>
Summary : A set of system configuration and setup files
Description :

The setup package contains a set of important system configuration and setup files, such as passwd, group, and profile.

Name : gnome-python2-gnome Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
06:32:37 AM EST

Install Date: Sun 24 Feb 2013 10:37:54 PM EST Build Host:
c6b5.bsys.dev.centos.org

Group : Development/Languages Source RPM: gnome-python2-
2.28.0-3.el6.src.rpm

Size : 360122 License: LGPLv2+

Signature : RSA/8, Sun 03 Jul 2011 12:18:32 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/gnome-python/>
Summary : Python bindings for libgnome

Description :
This module contains a wrapper that makes libgnome functionality
available
from Python.

Name : libsndfile Relocations: (not relocatable)
Version : 1.0.20 Vendor: CentOS
Release : 5.el6 Build Date: Fri 23 Sep 2011
01:44:39 PM EDT

Install Date: Sun 24 Feb 2013 10:34:21 PM EST Build Host:
c6b5.bsys.dev.centos.org

Group : System Environment/Libraries Source RPM: libsndfile-
1.0.20-5.el6.src.rpm

Size : 770762 License: LGPLv2+ and
GPLv2+ and BSD

Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:05 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mega-nerd.com/libsndfile/>
Summary : Library for reading and writing sound files

Description :
libsndfile is a C library for reading and writing sound files such as
AIFF, AU, WAV, and others through one standard interface. It can
currently read/write 8, 16, 24 and 32-bit PCM files as well as 32 and
64-bit floating point WAV files and a number of compressed formats. It
compiles and runs on *nix, MacOS, and Win32.

Name : lohit-assamese-fonts Relocations: (not relocatable)
Version : 2.4.3 Vendor: CentOS
Release : 5.el6 Build Date: Fri 23 Sep 2011
09:06:05 AM EDT

Install Date: Sun 24 Feb 2013 10:40:49 PM EST Build Host:
c6b5.bsys.dev.centos.org

Group : User Interface/X Source RPM: lohit-assamese-fonts-2.4.3-5.el6.src.rpm
Size : 170890 License: GPLv2 with exceptions
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:25 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/lohit/>
Summary : Free Assamese font
Description :
This package provides a free Assamese truetype/opentype font.

Name : libdhash Relocations: (not relocatable)
Version : 0.4.2 Vendor: CentOS
Release : 6.el6 Build Date: Tue 19 Jul 2011 07:17:05 AM EDT
Install Date: Sun 24 Feb 2013 10:35:47 PM EST Build Host: c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: ding-libs-0.1.2-6.el6.src.rpm
Size : 53582 License: LGPLv3+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:20:25 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/sssd/>
Summary : Dynamic hash table
Description :
A hash table which will dynamically resize to achieve optimal storage & access time properties

Name : control-center-filesystem Relocations: (not relocatable)
Version : 2.28.1 Vendor: CentOS
Release : 25.el6 Build Date: Wed 10 Nov 2010 10:54:49 PM EST
Install Date: Sun 24 Feb 2013 10:33:28 PM EST Build Host: c6b3.bsys.dev.centos.org
Group : Development/Libraries Source RPM: control-center-2.28.1-25.el6.src.rpm
Size : 0 License: GPLv2+ and GFDL
Signature : RSA/8, Sun 03 Jul 2011 12:08:00 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : GNOME Control Center directories
Description :
The GNOME control-center provides a number of extension points for applications. This package contains directories where applications can install configuration files that are picked up by the control-center utilities.

Name : nautilus Relocations: (not relocatable)
Version : 2.28.4 Vendor: CentOS

Release : 18.el6 Build Date: Fri 23 Sep 2011
11:59:02 AM EDT
Install Date: Sun 24 Feb 2013 10:38:04 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: nautilus-2.28.4-
18.el6.src.rpm
Size : 17622703 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:22:00 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://projects.gnome.org/nautilus/>
Summary : File manager for GNOME
Description :
Nautilus is the file manager and graphical shell for the GNOME desktop
that makes it easy to manage your files and the rest of your system.
It allows to browse directories on local and remote filesystems, preview
files and launch applications associated with them.
It is also responsible for handling the icons on the GNOME desktop.

Name : libedit Relocations: (not relocatable)
Version : 2.11 Vendor: CentOS
Release : 4.20080712cvs.1.el6 Build Date: Thu 19 Aug 2010
04:42:00 AM EDT
Install Date: Sun 24 Feb 2013 10:34:23 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libedit-2.11-
4.20080712cvs.1.el6.src.rpm
Size : 185648 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:33:24 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.thrysoee.dk/editline/>
Summary : The NetBSD Editline library
Description :
Libedit is an autotool- and libtoolized port of the NetBSD Editline
library.
It provides generic line editing, history, and tokenization functions,
similar
to those found in GNU Readline.

Name : paktype-tehreer-fonts Relocations: (not relocatable)
Version : 2.0 Vendor: CentOS
Release : 8.el6 Build Date: Tue 24 Aug 2010
08:33:49 PM EDT
Install Date: Sun 24 Feb 2013 10:41:07 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : User Interface/X Source RPM: paktype-fonts-
2.0-8.el6.src.rpm
Size : 305011 License: GPLv2 with
exceptions
Signature : RSA/8, Sun 03 Jul 2011 12:36:23 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://sourceforge.net/projects/paktype/>

Summary : Tehreer Fonts for Arabic from PakType
Description :
The paktype-tehreer-fonts package contains fonts for the display of\
Arabic from the PakType by Lateef Sagar.

Name : gstreamer-plugins-base Relocations: (not relocatable)
Version : 0.10.29 Vendor: CentOS
Release : 1.el6 Build Date: Tue 22 Mar 2011
04:16:25 PM EDT
Install Date: Sun 24 Feb 2013 10:35:49 PM EST Build Host:
c5b2.bsys.dev.centos.org
Group : Applications/Multimedia Source RPM: gstreamer-
plugins-base-0.10.29-1.el6.src.rpm
Size : 3236773 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:20:06 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gstreamer.freedesktop.org/>
Summary : GStreamer streaming media framework base plug-ins
Description :
GStreamer is a streaming media framework, based on graphs of filters
which
operate on media data. Applications using this library can do anything
from real-time sound processing to playing videos, and just about
anything
else media-related. Its plugin-based architecture means that new data
types or processing capabilities can be added simply by installing new
plug-ins.

This package contains a set of well-maintained base plug-ins.

Name : foomatic-db-filesystem Relocations: (not relocatable)
Version : 4.0 Vendor: CentOS
Release : 7.20091126.el6 Build Date: Thu 11 Nov 2010
02:54:20 AM EST
Install Date: Sun 24 Feb 2013 10:33:29 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Base Source RPM: foomatic-db-4.0-
7.20091126.el6.src.rpm
Size : 0 License: Public Domain
Signature : RSA/8, Sun 03 Jul 2011 12:08:56 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.openprinting.org>
Summary : Directory layout for the foomatic package
Description :

Directory layout for the foomatic package.

Name : kernel-firmware Relocations: (not relocatable)
Version : 2.6.32 Vendor: CentOS
Release : 220.el6 Build Date: Tue 06 Dec 2011
12:18:31 PM EST

Install Date: Sun 24 Feb 2013 10:38:10 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : Development/System Source RPM: kernel-2.6.32-
220.el6.src.rpm
Size : 9200890 License: GPL+ and GPLv2+
and MIT and Redistributable, no modification permitted
Signature : RSA/SHA1, Thu 08 Dec 2011 07:13:47 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.kernel.org/>
Summary : Firmware files used by the Linux kernel
Description :
Kernel-firmware includes firmware files required for some devices to
operate.

Name : libusb1 Relocations: (not relocatable)
Version : 1.0.3 Vendor: CentOS
Release : 1.el6 Build Date: Mon 16 Aug 2010
08:58:20 PM EDT
Install Date: Sun 24 Feb 2013 10:34:25 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libusb1-1.0.3-
1.el6.src.rpm
Size : 129660 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:40:24 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://libusb.wiki.sourceforge.net/Libusb1.0>
Summary : A library which allows userspace access to USB devices
Description :
This package provides a way for applications to access USB devices. Note
that
this library is not compatible with the original libusb-0.1 series.

Name : stix-fonts Relocations: (not relocatable)
Version : 0.9 Vendor: CentOS
Release : 13.1.el6 Build Date: Thu 11 Nov 2010
09:29:29 AM EST
Install Date: Sun 24 Feb 2013 10:41:24 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : User Interface/X Source RPM: stix-fonts-0.9-
13.1.el6.src.rpm
Size : 775068 License: STIX
Signature : RSA/8, Sun 03 Jul 2011 12:48:24 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.stixfonts.org/>
Summary : STIX scientific and engineering fonts
Description :

The mission of the Scientific and Technical Information Exchange (STIX)
font
creation project is the preparation of a comprehensive set of fonts that
serve

the scientific and engineering community in the process from manuscript creation through final publication, both in electronic and print formats.

This package includes base Unicode fonts containing most glyphs for standard use.

```
Name           : ustr                      Relocations: (not relocatable)
Version        : 1.0.4                    Vendor: CentOS
Release        : 9.1.el6                  Build Date: Wed 18 Aug 2010
10:57:46 AM EDT
Install Date: Sun 24 Feb 2013 10:35:50 PM EST      Build Host:
c6b1.bsyz.dev.centos.org
Group          : System Environment/Libraries    Source RPM: ustr-1.0.4-
9.1.el6.src.rpm
Size           : 273983                    License: MIT or LGPLv2+ or
BSD
Signature      : RSA/8, Sun 03 Jul 2011 01:04:38 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.and.org/ustr/
Summary        : String library, very low memory overhead, simple to import
Description    :
  Micro string library, very low overhead from plain strdup() (Ave. 44%
  for
  0-20B strings). Very easy to use in existing C code. At it's simplest you
  can
  just include a single header file into your .c and start using it.
  This package also distributes pre-built shared libraries.
```

```
Name           : libattr                  Relocations: (not relocatable)
Version        : 2.4.44                   Vendor: CentOS
Release        : 7.el6                    Build Date: Fri 23 Sep 2011
02:54:00 PM EDT
Install Date: Sun 24 Feb 2013 10:33:40 PM EST      Build Host:
c6b5.bsyz.dev.centos.org
Group          : System Environment/Libraries    Source RPM: attr-2.4.44-
7.el6.src.rpm
Size           : 18712                    License: LGPLv2+
Signature      : RSA/SHA1, Mon 26 Sep 2011 12:20:08 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://acl.bestbits.at/
Summary        : Dynamic library for extended attribute support
Description    :
  This package contains the libattr.so dynamic library which contains
  the extended attribute system calls and library functions.
```

```
Name           : xorg-x11-drv-evdev       Relocations: (not relocatable)
Version        : 2.6.0                    Vendor: CentOS
Release        : 2.el6                    Build Date: Wed 07 Dec 2011
11:20:31 AM EST
Install Date: Sun 24 Feb 2013 10:38:18 PM EST      Build Host:
c6b6.bsyz.dev.centos.org
```

Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-evdev-2.6.0-2.el6.src.rpm
Size : 45759 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:33:39 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 evdev input driver
Description :
X.Org X11 evdev input driver.

Name : pulseaudio-libs-glib2 Relocations: (not relocatable)
Version : 0.9.21 Vendor: CentOS
Release : 13.el6 Build Date: Fri 12 Nov 2010
01:55:18 AM EST
Install Date: Sun 24 Feb 2013 10:34:26 PM EST Build Host:
c5b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: pulseaudio-
0.9.21-13.el6.src.rpm
Size : 15384 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:58:06 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://pulseaudio.org/>
Summary : GLIB 2.x bindings for PulseAudio clients
Description :
This package contains bindings to integrate the PulseAudio client library
with
a GLIB 2.x based application.

Name : mtr Relocations: (not relocatable)
Version : 0.75 Vendor: CentOS
Release : 5.el6 Build Date: Mon 16 Aug 2010
05:38:10 PM EDT
Install Date: Sun 24 Feb 2013 10:41:33 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Applications/Internet Source RPM: mtr-0.75-
5.el6.src.rpm
Size : 98413 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:46:00 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.BitWizard.nl/mtr>
Summary : A network diagnostic tool
Description :
Mtr is a network diagnostic tool that combines ping and traceroute
into one program. Mtr provides two interfaces: an ncurses interface,
useful for using Mtr from a telnet session; and a GTK+ interface for X
(provided in the mtr-gtk package).

Name : libffi Relocations: (not relocatable)
Version : 3.0.5 Vendor: CentOS
Release : 3.2.el6 Build Date: Thu 11 Nov 2010
03:25:12 PM EST

Install Date: Sun 24 Feb 2013 10:35:53 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libffi-3.0.5-
3.2.el6.src.rpm
Size : 42881 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:33:39 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceware.org/libffi>
Summary : A portable foreign function interface library
Description :
Compilers for high level languages generate code that follow certain
conventions. These conventions are necessary, in part, for separate
compilation to work. One such convention is the "calling convention".
The calling convention is a set of assumptions made by the compiler
about where function arguments will be found on entry to a function. A
calling convention also specifies where the return value for a function
is found.

Some programs may not know at the time of compilation what arguments
are to be passed to a function. For instance, an interpreter may be
told at run-time about the number and types of arguments used to call a
given function. 'Libffi' can be used in such programs to provide a
bridge from the interpreter program to compiled code.

The 'libffi' library provides a portable, high level programming
interface to various calling conventions. This allows a programmer to
call any function specified by a call interface description at run time.

FFI stands for Foreign Function Interface. A foreign function
interface is the popular name for the interface that allows code
written in one language to call code written in another language. The
'libffi' library really only provides the lowest, machine dependent
layer of a fully featured foreign function interface. A layer must
exist above 'libffi' that handles type conversions for values passed
between the two languages.

Name : libICE Relocations: (not relocatable)
Version : 1.0.6 Vendor: CentOS
Release : 1.el6 Build Date: Mon 16 Aug 2010
06:21:28 PM EDT
Install Date: Sun 24 Feb 2013 10:33:41 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libICE-1.0.6-
1.el6.src.rpm
Size : 117691 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:35:50 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 ICE runtime library
Description :
The X.Org X11 ICE (Inter-Client Exchange) runtime library.

Name : redhat-lsb-graphics Relocations: (not relocatable)
Version : 4.0 Vendor: CentOS
Release : 3.el6.centos Build Date: Sun 20 Nov 2011
04:46:24 PM EST
Install Date: Sun 24 Feb 2013 10:38:25 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: redhat-lsb-4.0-
3.el6.centos.src.rpm
Size : 0 License: GPL
Signature : RSA/SHA1, Mon 21 Nov 2011 07:54:37 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.linuxfoundation.org/collaborate/workgroups/lsb>
Summary : LSB graphics libraries support for CentOS
Description :
The Linux Standard Base (LSB) Graphics Specifications define components
that are required
to be present on an LSB conforming system.

Name : gnome-speech Relocations: (not relocatable)
Version : 0.4.25 Vendor: CentOS
Release : 3.1.el6 Build Date: Thu 11 Nov 2010
06:55:49 AM EST
Install Date: Sun 24 Feb 2013 10:34:29 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Desktop/Accessibility Source RPM: gnome-speech-
0.4.25-3.1.el6.src.rpm
Size : 137994 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:18:44 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/>
Summary : GNOME Text to Speech
Description :
The GNOME Speech library provides a simple general API for
producing text-to-speech output.

Name : vconfig Relocations: (not relocatable)
Version : 1.9 Vendor: CentOS
Release : 8.1.el6 Build Date: Wed 18 Aug 2010
10:34:42 AM EDT
Install Date: Sun 24 Feb 2013 10:41:34 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Base Source RPM: vconfig-1.9-
8.1.el6.src.rpm
Size : 182082 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:04:52 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.candelatech.com/~greear/vlan.html>
Summary : Linux 802.1q VLAN configuration utility
Description :
The vconfig program configures and adjusts 802.1q VLAN parameters.

Name : libuser-python Relocations: (not relocatable)
Version : 0.56.13 Vendor: CentOS
Release : 4.el6_0.1 Build Date: Sat 25 Jun 2011
01:58:41 AM EDT
Install Date: Sun 24 Feb 2013 10:35:58 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: libuser-0.56.13-
4.el6_0.1.src.rpm
Size : 68280 License: LGPLv2+
Signature : RSA/8, Tue 05 Jul 2011 09:41:13 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/libuser/>
Summary : Python bindings for the libuser library
Description :
The libuser-python package contains the Python bindings for
the libuser library, which provides a Python API for manipulating and
administering user and group accounts.

Name : db4 Relocations: (not relocatable)
Version : 4.7.25 Vendor: CentOS
Release : 16.el6 Build Date: Fri 12 Nov 2010
08:46:13 AM EST
Install Date: Sun 24 Feb 2013 10:33:42 PM EST Build Host:
c5b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: db4-4.7.25-
16.el6.src.rpm
Size : 1532103 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:09:18 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.oracle.com/database/berkeley-db/>
Summary : The Berkeley DB database library (version 4) for C
Description :
The Berkeley Database (Berkeley DB) is a programmatic toolkit that
provides embedded database support for both traditional and
client/server applications. The Berkeley DB includes B+tree, Extended
Linear Hashing, Fixed and Variable-length record access methods,
transactions, locking, logging, shared memory caching, and database
recovery. The Berkeley DB supports C, C++, Java, and Perl APIs. It is
used by many applications, including Python and Perl, so this should
be installed on all systems.

Name : xorg-x11-drv-trident Relocations: (not relocatable)
Version : 1.3.4 Vendor: CentOS
Release : 1.el6 Build Date: Wed 07 Dec 2011
10:40:48 AM EST
Install Date: Sun 24 Feb 2013 10:38:26 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-trident-1.3.4-1.el6.src.rpm
Size : 168175 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:40:49 PM EST, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 trident video driver
Description :
X.Org X11 trident video driver.

Name : pciutils Relocations: (not relocatable)
Version : 3.1.4 Vendor: CentOS
Release : 11.el6 Build Date: Wed 07 Dec 2011
05:06:51 PM EST
Install Date: Sun 24 Feb 2013 10:34:32 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Applications/System Source RPM: pciutils-3.1.4-
11.el6.src.rpm
Size : 181204 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:53:47 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://atrey.karlin.mff.cuni.cz/~mj/pciutils.shtml>
Summary : PCI bus related utilities
Description :
The pciutils package contains various utilities for inspecting and
setting devices connected to the PCI bus. The utilities provided
require kernel version 2.1.82 or newer (which support the
/proc/bus/pci interface).

Name : compat-libstdc++-33 Relocations: (not relocatable)
Version : 3.2.3 Vendor: CentOS
Release : 69.el6 Build Date: Tue 22 Mar 2011
03:44:21 PM EDT
Install Date: Sun 24 Feb 2013 10:41:35 PM EST Build Host:
c5b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: compat-gcc-32-
3.2.3-69.el6.src.rpm
Size : 825480 License: GPLv2+ with
exceptions
Signature : RSA/8, Sun 03 Jul 2011 12:07:42 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gcc.gnu.org>
Summary : Compatibility standard C++ libraries
Description :
The compat-libstdc++ package contains compatibility standard C++ library
from GCC 3.3.4.

Name : cracklib-python Relocations: (not relocatable)
Version : 2.8.16 Vendor: CentOS
Release : 4.el6 Build Date: Sat 25 Jun 2011
02:39:10 AM EDT
Install Date: Sun 24 Feb 2013 10:36:00 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: cracklib-2.8.16-
4.el6.src.rpm
Size : 17908 License: LGPLv2+

Signature : RSA/8, Tue 05 Jul 2011 09:37:33 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceforge.net/projects/cracklib/>
Summary : Python bindings for applications which use cracklib
Description :
The cracklib-python package contains a module which permits applications
written in the Python programming language to use cracklib.

Name : tcp_wrappers-libs Relocations: (not relocatable)
Version : 7.6 Vendor: CentOS
Release : 57.el6 Build Date: Wed 07 Dec 2011
12:45:47 PM EST
Install Date: Sun 24 Feb 2013 10:33:42 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: tcp_wrappers-
7.6-57.el6.src.rpm
Size : 131475 License: BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 04:20:08 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.porcupine.org/pub/security/index.html>
Summary : Libraries for tcp_wrappers
Description :
tcp_wrappers-libs contains the libraries of the tcp_wrappers package.

Name : xorg-x11-drv-rendition Relocations: (not relocatable)
Version : 4.2.4 Vendor: CentOS
Release : 1.el6 Build Date: Wed 07 Dec 2011
10:34:05 AM EST
Install Date: Sun 24 Feb 2013 10:38:27 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-rendition-4.2.4-1.el6.src.rpm
Size : 46955 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:38:56 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 rendition video driver
Description :
X.Org X11 rendition video driver.

Name : urw-fonts Relocations: (not relocatable)
Version : 2.4 Vendor: CentOS
Release : 10.el6 Build Date: Sun 22 Aug 2010
12:02:26 PM EDT
Install Date: Sun 24 Feb 2013 10:34:37 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : User Interface/X Source RPM: urw-fonts-2.4-
10.el6.src.rpm
Size : 4389400 License: GPL+ with
exceptions

Signature : RSA/8, Sun 03 Jul 2011 12:51:58 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://svn.ghostscript.com/ghostscript/tags/urw-fonts-1.0.7pre44/>
Summary : Free versions of the 35 standard PostScript fonts
Description :
Free, good quality versions of the 35 standard PostScript(TM) fonts,
donated under the GPL by URW++ Design and Development GmbH.

Install the urw-fonts package if you need free versions of standard
PostScript fonts.

Name : m17n-db-thai Relocations: (not relocatable)
Version : 1.5.5 Vendor: CentOS
Release : 1.1.el6 Build Date: Thu 19 Aug 2010
02:00:34 AM EDT
Install Date: Sun 24 Feb 2013 10:41:37 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-db-1.5.5-
1.1.el6.src.rpm
Size : 29371 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:29:25 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : m17n-db input maps for Thai
Description :
This package contains m17n-db input maps for Thai.

Name : python-decorator Relocations: (not relocatable)
Version : 3.0.1 Vendor: CentOS
Release : 3.1.el6 Build Date: Wed 18 Aug 2010
10:32:06 PM EDT
Install Date: Sun 24 Feb 2013 10:36:01 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Development/Languages Source RPM: python-decorator-
3.0.1-3.1.el6.src.rpm
Size : 27912 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:42:24 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL :
<http://www.phyast.pitt.edu/~micheles/python/documentation.html>
Summary : Module to simplify usage of decorators
Description :
The aim of the decorator module is to simplify the usage of decorators
for
the average programmer, and to popularize decorators usage giving
examples
of useful decorators, such as memoize, tracing, redirecting_stdout,
locked,
etc. The core of this module is a decorator factory called decorator.

```

Name           : libselinux                      Relocations: (not relocatable)
Version        : 2.0.94                          Vendor: CentOS
Release        : 5.2.el6                         Build Date: Wed 07 Dec 2011
07:24:17 PM EST
Install Date: Sun 24 Feb 2013 10:33:43 PM EST      Build Host:
c6b5.bsys.dev.centos.org
Group          : System Environment/Libraries      Source RPM: libselinux-
2.0.94-5.2.el6.src.rpm
Size           : 130088                          License: Public Domain
Signature      : RSA/SHA1, Thu 08 Dec 2011 03:24:06 PM EST, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.selinuxproject.org
Summary        : SELinux library and simple utilities
Description    :
Security-enhanced Linux is a feature of the Linux kernel and a number
of utilities with enhanced security functionality designed to add
mandatory access controls to Linux. The Security-enhanced Linux
kernel contains new architectural components originally developed to
improve the security of the Flask operating system. These
architectural components provide general support for the enforcement
of many kinds of mandatory access control policies, including those
based on the concepts of Type Enforcement, Role-based Access
Control, and Multi-level Security.

```

libselinux provides an API for SELinux applications to get and set process and file security contexts and to obtain security policy decisions. Required for any applications that use the SELinux API.

```

Name           : xorg-x11-drv-mouse              Relocations: (not relocatable)
Version        : 1.7.0                          Vendor: CentOS
Release        : 4.el6                         Build Date: Wed 07 Dec 2011
10:40:01 AM EST
Install Date: Sun 24 Feb 2013 10:38:28 PM EST      Build Host:
c6b18n2.bsys.dev.centos.org
Group          : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-mouse-1.7.0-4.el6.src.rpm
Size           : 55298                          License: MIT
Signature      : RSA/SHA1, Thu 08 Dec 2011 04:36:56 PM EST, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.x.org
Summary        : Xorg X11 mouse input driver
Description    :
X.Org X11 mouse input driver.

```

```

Name           : rhino                          Relocations: (not relocatable)
Version        : 1.7                            Vendor: CentOS
Release        : 0.7.r2.2.el6                  Build Date: Sat 21 Aug 2010
05:59:06 PM EDT
Install Date: Sun 24 Feb 2013 10:34:44 PM EST      Build Host:
c6b1.bsys.dev.centos.org
Group          : Development/Libraries/Java      Source RPM: rhino-1.7-
0.7.r2.2.el6.src.rpm

```

Size : 826259 License: GPL+ and LGPL+
and Netscape and MPLv1.0 and (MPLv1.1 or GPLv2+)
Signature : RSA/8, Sun 03 Jul 2011 12:45:20 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mozilla.org/rhino/>
Summary : JavaScript for Java
Description :
Rhino is an open-source implementation of JavaScript written entirely
in Java. It is typically embedded into Java applications to provide
scripting to end users.

Name : xorg-x11-drv-ati-firmware Relocations: (not relocatable)
Version : 6.14.2 Vendor: CentOS
Release : 7.el6 Build Date: Wed 07 Dec 2011
06:41:50 PM EST
Install Date: Sun 24 Feb 2013 10:41:43 PM EST Build Host:
c6b18n2.bsyzs.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-ati-6.14.2-7.el6.src.rpm
Size : 246318 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:32:38 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : ATI firmware for R600/700/Evergreen/Ni/PALM
Description :
Firmware for ATI R600/R700 IRQs + Evergreen/Northern Islands + Fusion

Name : compat-openmpi-psm Relocations: (not relocatable)
Version : 1.4.3 Vendor: CentOS
Release : 1.el6 Build Date: Wed 07 Dec 2011
06:40:37 PM EST
Install Date: Sun 24 Feb 2013 10:36:02 PM EST Build Host:
c6b5.bsyzs.dev.centos.org
Group : Development/Libraries Source RPM: compat-openmpi-
1.4.3-1.el6.src.rpm
Size : 4602133 License: BSD, MIT and
Romio
Signature : RSA/SHA1, Thu 08 Dec 2011 02:49:19 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.open-mpi.org/>
Summary : Open Message Passing Interface using InfiniPath
Description :
Open MPI is an open source, freely available implementation of both the
MPI-1 and MPI-2 standards, combining technologies and resources from
several other projects (FT-MPI, LA-MPI, LAM/MPI, and PACX-MPI) in
order to build the best MPI library available. A completely new MPI-2
compliant implementation, Open MPI offers advantages for system and
software vendors, application developers, and computer science
researchers. For more information, see <http://www.open-mpi.org/>.

Name : libudev Relocations: (not relocatable)

```

Version      : 147                               Vendor: CentOS
Release      : 2.40.el6                           Build Date: Wed 07 Dec 2011
04:17:21 PM EST
Install Date: Sun 24 Feb 2013 10:33:45 PM EST      Build Host:
c6b18n2.bsys.dev.centos.org
Group        : System Environment/Libraries        Source RPM: udev-147-
2.40.el6.src.rpm
Size         : 77179                               License: LGPLv2+
Signature    : RSA/SHA1, Thu 08 Dec 2011 04:26:01 PM EST, Key ID
0946fca2c105b9de
Packager     : CentOS BuildSystem <http://bugs.centos.org>
URL          :
http://www.kernel.org/pub/linux/utils/kernel/hotplug/udev.html
Summary      : Dynamic library to access udev device information
Description  :
This package contains the dynamic library libudev, which provides access
to udev device information, and an interface to search devices in sysfs.

Name         : xorg-x11-drv-glint                 Relocations: (not relocatable)
Version      : 1.2.5                               Vendor: CentOS
Release      : 1.el6                               Build Date: Wed 07 Dec 2011
10:27:11 AM EST
Install Date: Sun 24 Feb 2013 10:38:28 PM EST      Build Host:
c6b4.bsys.dev.centos.org
Group        : User Interface/X Hardware Support    Source RPM: xorg-x11-
drv-glint-1.2.5-1.el6.src.rpm
Size         : 285661                              License: MIT
Signature    : RSA/SHA1, Thu 08 Dec 2011 04:34:27 PM EST, Key ID
0946fca2c105b9de
Packager     : CentOS BuildSystem <http://bugs.centos.org>
URL          : http://www.x.org
Summary      : Xorg X11 glint video driver
Description  :
X.Org X11 glint video driver.

Name         : perl-DBIx-Simple                   Relocations: (not relocatable)
Version      : 1.32                               Vendor: CentOS
Release      : 3.el6                               Build Date: Sun 22 Aug 2010
10:45:31 AM EDT
Install Date: Sun 24 Feb 2013 10:34:45 PM EST      Build Host:
c6b6.bsys.dev.centos.org
Group        : Development/Libraries                Source RPM: perl-DBIx-Simple-
1.32-3.el6.src.rpm
Size         : 63132                               License: Public Domain
Signature    : RSA/8, Sun 03 Jul 2011 12:37:28 AM EDT, Key ID
0946fca2c105b9de
Packager     : CentOS BuildSystem <http://bugs.centos.org>
URL          : http://search.cpan.org/dist/DBIx-Simple/
Summary      : Easy-to-use OO interface to DBI
Description  :
DBIx::Simple provides a simplified interface to DBI, Perl's powerful
database module.

Name         : rt73usb-firmware                   Relocations: (not relocatable)

```

Version : 1.8 Vendor: CentOS
Release : 7.el6 Build Date: Fri 20 Aug 2010
09:37:13 PM EDT
Install Date: Sun 24 Feb 2013 10:41:44 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: rt73usb-firmware-
1.8-7.el6.src.rpm
Size : 4151 License: Redistributable,
no modification permitted
Signature : RSA/8, Sun 03 Jul 2011 12:45:49 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.ralinktech.com>
Summary : Firmware for Ralink® RT2571W/RT2671 A/B/G network adaptors
Description :
This package contains the firmware required by the rt73usb driver for
Linux.
Usage of the firmware is subject to the terms and conditions contained
inside the provided LICENSE.ralink-firmware.txt file.
Please read it carefully.

Name : python-nss Relocations: (not relocatable)
Version : 0.11 Vendor: CentOS
Release : 3.el6 Build Date: Wed 20 Jul 2011
05:07:13 AM EDT
Install Date: Sun 24 Feb 2013 10:36:04 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Languages Source RPM: python-nss-0.11-
3.el6.src.rpm
Size : 644532 License: MPLv1.1 or GPLv2+
or LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:23:52 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.mozilla.org/pub/mozilla.org/security/python-nss>
Summary : Python bindings for Network Security Services (NSS)
Description :
This package provides Python bindings for Network Security Services
(NSS) and the Netscape Portable Runtime (NSPR).

NSS is a set of libraries supporting security-enabled client and
server applications. Applications built with NSS can support SSL v2
and v3, TLS, PKCS #5, PKCS #7, PKCS #11, PKCS #12, S/MIME, X.509 v3
certificates, and other security standards. Specific NSS
implementations have been FIPS-140 certified.

Name : xz-libs Relocations: (not relocatable)
Version : 4.999.9 Vendor: CentOS
Release : 0.3.beta.20091007git.el6 Build Date: Sun 22 Aug 2010
01:12:38 PM EDT
Install Date: Sun 24 Feb 2013 10:33:45 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: xz-4.999.9-
0.3.beta.20091007git.el6.src.rpm

Size : 214490 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:06:49 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://tukaani.org/xz/>
Summary : Libraries for decoding LZMA compression
Description :
Libraries for decoding files compressed with LZMA or XZ utils.

Name : xorg-x11-drv-apm Relocations: (not relocatable)
Version : 1.2.3 Vendor: CentOS
Release : 2.el6 Build Date: Wed 07 Dec 2011
10:51:29 AM EST
Install Date: Sun 24 Feb 2013 10:38:29 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-apm-1.2.3-2.el6.src.rpm
Size : 135654 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:32:09 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 apm video driver
Description :
X.Org X11 apm video driver.

Name : perl-BSD-Resource Relocations: (not relocatable)
Version : 1.29.03 Vendor: CentOS
Release : 3.el6 Build Date: Thu 19 Aug 2010
08:46:30 PM EDT
Install Date: Sun 24 Feb 2013 10:34:46 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-BSD-
Resource-1.29.03-3.el6.src.rpm
Size : 64358 License: GPL+ or Artistic
Signature : RSA/8, Sun 03 Jul 2011 12:54:35 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://search.cpan.org/dist/BSD-Resource/>
Summary : BSD process resource limit and priority functions
Description :
A module providing an interface for testing and setting process limits
and priorities.

Name : compat-libstdc++-296 Relocations: (not relocatable)
Version : 2.96 Vendor: CentOS
Release : 144.el6 Build Date: Wed 10 Nov 2010
10:03:30 PM EST
Install Date: Sun 24 Feb 2013 10:41:47 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: compat-gcc-296-
2.96-144.el6.src.rpm
Size : 262024 License: GPLv2+

Signature : RSA/8, Sun 03 Jul 2011 12:02:51 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gcc.gnu.org>
Summary : Compatibility 2.96-RH standard C++ libraries
Description :
The compat-libstdc++-296 package contains 2.96-RH compatibility standard
C++ libraries.

Name : abrt-addon-ccpp Relocations: (not relocatable)
Version : 2.0.4 Vendor: CentOS
Release : 14.el6.centos Build Date: Tue 13 Dec 2011
10:50:57 PM EST
Install Date: Sun 24 Feb 2013 10:36:05 PM EST Build Host:
c6b18n1.dev.centos.org
Group : System Environment/Libraries Source RPM: abrt-2.0.4-
14.el6.centos.src.rpm
Size : 127192 License: GPLv2+
Signature : RSA/SHA1, Wed 14 Dec 2011 11:28:54 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : abrt's C/C++ addon
Description :
This package contains hook for C/C++ crashed programs and abrt's C/C++
analyzer plugin.

Name : grep Relocations: (not relocatable)
Version : 2.6.3 Vendor: CentOS
Release : 2.el6 Build Date: Wed 25 Aug 2010
03:22:26 AM EDT
Install Date: Sun 24 Feb 2013 10:33:47 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Applications/Text Source RPM: grep-2.6.3-
2.el6.src.rpm
Size : 802925 License: GPLv3+
Signature : RSA/8, Sun 03 Jul 2011 12:19:42 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/grep/>
Summary : Pattern matching utilities
Description :
The GNU versions of commonly used grep utilities. Grep searches through
textual input for lines which contain a match to a specified pattern and
then
prints the matching lines. GNU's grep utilities include grep, egrep and
fgrep.

GNU grep is needed by many scripts, so it shall be installed on every
system.

Name : kexec-tools Relocations: (not relocatable)
Version : 2.0.0 Vendor: CentOS

Release : 209.el6 Build Date: Wed 07 Dec 2011
08:17:18 PM EST
Install Date: Sun 24 Feb 2013 10:38:34 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : Applications/System Source RPM: kexec-tools-
2.0.0-209.el6.src.rpm
Size : 670397 License: GPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 03:13:16 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : The kexec/kdump userspace component.
Description :
kexec-tools provides /sbin/kexec binary that facilitates a new
kernel to boot using the kernel's kexec feature either on a
normal or a panic reboot. This package contains the /sbin/kexec
binary and ancillary utilities that together form the userspace
component of the kernel's kexec feature.

Name : perl-libwww-perl Relocations: (not relocatable)
Version : 5.833 Vendor: CentOS
Release : 2.el6 Build Date: Thu 19 Aug 2010
07:31:10 PM EDT
Install Date: Sun 24 Feb 2013 10:34:46 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-libwww-perl-
5.833-2.el6.src.rpm
Size : 896924 License: GPL+ or Artistic
Signature : RSA/8, Sun 03 Jul 2011 12:38:09 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://search.cpan.org/dist/libwww-perl/>
Summary : A Perl interface to the World-Wide Web
Description :
The libwww-perl collection is a set of Perl modules which provides a
simple and consistent application programming interface to the
World-Wide Web. The main focus of the library is to provide classes
and functions that allow you to write WWW clients. The library also
contain modules that are of more general use and even classes that
help you implement simple HTTP servers.

Name : perl-Net-Telnet Relocations: (not relocatable)
Version : 3.03 Vendor: CentOS
Release : 11.el6 Build Date: Wed 25 Aug 2010
07:51:56 AM EDT
Install Date: Sun 24 Feb 2013 10:44:25 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-Net-Telnet-
3.03-11.el6.src.rpm
Size : 157714 License: GPL+ or Artistic
Signature : RSA/8, Sun 03 Jul 2011 12:38:32 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://search.cpan.org/dist/Net-Telnet/>
Summary : Net-Telnet Perl module

Description :

Net::Telnet allows you to make client connections to a TCP port and do network I/O, especially to a port using the TELNET protocol. Simple I/O methods such as print, get, and getline are provided. More sophisticated interactive features are provided because connecting to a TELNET port ultimately means communicating with a program designed for human interaction.

These interactive features include the ability to specify a time-out and to wait for patterns to appear in the input stream, such as the prompt from a shell.

Name : libreport-cli Relocations: (not relocatable)
Version : 2.0.5 Vendor: CentOS
Release : 20.el6 Build Date: Wed 07 Dec 2011
07:15:10 PM EST
Install Date: Sun 24 Feb 2013 10:36:06 PM EST Build Host:
c6b18n2.bsyzs.dev.centos.org
Group : User Interface/Desktops Source RPM: libreport-2.0.5-
20.el6.src.rpm
Size : 24694 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:22:57 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>
Summary : libreport's command line interface
Description :
This package contains simple command line tool for working
with problem dump reports

Name : redhat-menus Relocations: (not relocatable)
Version : 14.0.0 Vendor: CentOS
Release : 3.el6 Build Date: Wed 25 Aug 2010
03:25:30 AM EDT
Install Date: Sun 24 Feb 2013 10:33:48 PM EST Build Host:
c6b3.bsyzs.dev.centos.org
Group : User Interface/Desktops Source RPM: redhat-menus-
14.0.0-3.el6.src.rpm
Size : 776276 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:45:07 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.redhat.com>
Summary : Configuration and data files for the desktop menus
Description :

This package contains the XML files that describe the menu layout for GNOME and KDE, and the .desktop files that define the names and icons of "subdirectories" in the menus.

Name : system-config-kickstart Relocations: (not relocatable)
Version : 2.8.6.4 Vendor: CentOS

Release : 1.el6 Build Date: Wed 07 Dec 2011
12:36:01 PM EST
Install Date: Sun 24 Feb 2013 10:38:39 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : System Environment/Base Source RPM: system-config-
kickstart-2.8.6.4-1.el6.src.rpm
Size : 2684120 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 04:18:17 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedoraproject.org/wiki/SystemConfig/Tools>
Summary : A graphical interface for making kickstart files
Description :
Kickstart Configurator is a graphical tool for creating kickstart files.

Name : libXp Relocations: (not relocatable)
Version : 1.0.0 Vendor: CentOS
Release : 15.1.el6 Build Date: Thu 19 Aug 2010
02:53:33 AM EDT
Install Date: Sun 24 Feb 2013 10:34:48 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXp-1.0.0-
15.1.el6.src.rpm
Size : 39653 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:42:20 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXp runtime library
Description :
X.Org X11 libXp runtime library

Name : perl-XML-DOM Relocations: (not relocatable)
Version : 1.44 Vendor: CentOS
Release : 7.el6 Build Date: Thu 11 Nov 2010
09:41:53 AM EST
Install Date: Sun 24 Feb 2013 10:44:30 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-XML-DOM-
1.44-7.el6.src.rpm
Size : 281157 License: GPL+ or Artistic
Signature : RSA/8, Sun 03 Jul 2011 12:39:37 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://search.cpan.org/dist/XML-DOM/>
Summary : DOM extension to XML::Parser
Description :
This is a Perl extension to XML::Parser. It adds a new 'Style' to
XML::Parser, called 'Dom', that allows XML::Parser to build an Object
Oriented datastructure with a DOM Level 1 compliant interface. For a
description of the DOM (Document Object Model), see
<http://www.w3.org/DOM/>

Name : yum-plugin-fastestmirror Relocations: (not relocatable)

Version : 1.1.30 Vendor: CentOS
Release : 10.el6 Build Date: Wed 07 Dec 2011
04:07:42 PM EST
Install Date: Sun 24 Feb 2013 10:36:07 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : System Environment/Base Source RPM: yum-utils-1.1.30-
10.el6.src.rpm
Size : 53961 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 04:46:34 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://yum.baseurl.org/download/yum-utils/>
Summary : Yum plugin which chooses fastest repository from a
mirrorlist
Description :
This plugin sorts each repository's mirrorlist by connection speed
prior to downloading packages.

Name : hal-libs Relocations: (not relocatable)
Version : 0.5.14 Vendor: CentOS
Release : 11.el6 Build Date: Tue 19 Jul 2011
02:29:14 PM EDT
Install Date: Sun 24 Feb 2013 10:33:50 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: hal-0.5.14-
11.el6.src.rpm
Size : 108320 License: AFL or GPLv2
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:12 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/Software/hal>
Summary : Libraries for accessing HAL
Description :
Libraries for accessing HAL.

Name : pcmciautils Relocations: (not relocatable)
Version : 015 Vendor: CentOS
Release : 4.2.el6 Build Date: Thu 11 Nov 2010
05:19:56 PM EST
Install Date: Sun 24 Feb 2013 10:38:42 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: pcmciautils-015-
4.2.el6.src.rpm
Size : 105885 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:54:15 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL :
<http://www.kernel.org/pub/linux/utils/kernel/pcmcia/pcmcia.html>
Summary : PCMCIA utilities and initialization programs
Description :
The pcmciautils package contains utilities for initializing and
debugging PCMCIA and Cardbus sockets.

```

Name           : gstreamer-tools                      Relocations: (not relocatable)
Version        : 0.10.29                               Vendor: CentOS
Release        : 1.el6                                 Build Date: Thu 11 Nov 2010
03:01:36 PM EST
Install Date: Sun 24 Feb 2013 10:34:49 PM EST      Build Host:
c6b1.bsys.dev.centos.org
Group          : Applications/Multimedia             Source RPM: gstreamer-
0.10.29-1.el6.src.rpm
Size           : 69024                                License: LGPLv2+
Signature      : RSA/8, Sun 03 Jul 2011 12:20:15 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://gstreamer.freedesktop.org/
Summary        : common tools and files for GStreamer streaming media
framework
Description    :
GStreamer is a streaming media framework, based on graphs of filters
which
operate on media data. Applications using this library can do anything
from real-time sound processing to playing videos, and just about
anything
else media-related. Its plugin-based architecture means that new data
types or processing capabilities can be added simply by installing new
plugins.

```

This package contains wrapper scripts for the command-line tools that work with different major/minor versions of GStreamer.

```

Name           : perl-Tk-JComboBox                    Relocations: (not relocatable)
Version        : 1.14                                 Vendor: (none)
Release        : 1                                    Build Date: Thu 15 Jul 2010
08:46:11 AM EDT
Install Date: Sun 24 Feb 2013 10:44:37 PM EST      Build Host: lorax
Group          : Applications/CPAN                   Source RPM: perl-Tk-
JComboBox-1.14-1.src.rpm
Size           : 162855                               License: Artistic/GPL
Signature      : (none)
Packager       : Jason Messmer <Jason.Messmer@xerox.com>
URL            : http://search.cpan.org/dist/Tk-JComboBox/
Summary        : Provides various Combo Box implementations
Description    :
Provides various Combo Box implementations.

```

```

Name           : PackageKit                           Relocations: (not relocatable)
Version        : 0.5.8                               Vendor: CentOS
Release        : 19.el6.centos                       Build Date: Fri 02 Dec 2011
05:27:06 AM EST
Install Date: Sun 24 Feb 2013 10:36:09 PM EST      Build Host:
c6b6.bsys.dev.centos.org
Group          : System Environment/Libraries        Source RPM: PackageKit-
0.5.8-19.el6.centos.src.rpm
Size           : 2377682                             License: GPLv2+

```

Signature : RSA/SHA1, Fri 02 Dec 2011 07:22:53 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.packagekit.org>
Summary : Package management service
Description :
PackageKit is a D-Bus abstraction layer that allows the session user
to manage packages in a secure way using a cross-distro,
cross-architecture API.

Name : libXrandr Relocations: (not relocatable)
Version : 1.3.0 Vendor: CentOS
Release : 4.el6 Build Date: Mon 16 Aug 2010
05:53:52 PM EDT
Install Date: Sun 24 Feb 2013 10:33:51 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXrandr-1.3.0-
4.el6.src.rpm
Size : 57415 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:42:25 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXrandr runtime library
Description :
X.Org X11 libXrandr runtime library

Name : gnome-disk-utility Relocations: (not relocatable)
Version : 2.30.1 Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010
05:42:24 AM EST
Install Date: Sun 24 Feb 2013 10:38:58 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: gnome-disk-
utility-2.30.1-2.el6.src.rpm
Size : 465420 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:17:51 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://git.gnome.org/cgiit/gnome-disk-utility>
Summary : Disk management application
Description :
This package contains the Palimpsest disk management application.
Palimpsest supports partitioning, file system creation, encryption,
RAID, SMART monitoring, etc.

Name : libgphoto2 Relocations: (not relocatable)
Version : 2.4.7 Vendor: CentOS
Release : 4.el6 Build Date: Thu 11 Nov 2010
12:10:55 PM EST
Install Date: Sun 24 Feb 2013 10:34:51 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: libgphoto2-2.4.7-
4.el6.src.rpm

Size : 4522998 License: GPLv2+ and GPLv2
and LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:34:49 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gphoto.org/>
Summary : Library for accessing digital cameras
Description :
libgphoto2 is a library that can be used by applications to access
various digital cameras. libgphoto2 itself is not a GUI application,
opposed to gphoto. There are GUI frontends for the gphoto2 library,
however, such as gtkam for example.

Name : MCRInstaller Relocations: (not relocatable)
Version : 1.0.3 Vendor: (none)
Release : 1 Build Date: Mon 19 Sep 2011
08:04:18 AM EDT
Install Date: Sun 24 Feb 2013 10:45:19 PM EST Build Host: lorax
Group : Application/Xerox Source RPM: MCRInstaller-
1.0.3-1.src.rpm
Size : 223484683 License: Copyright 1996-
2010 Xerox Corporation
Signature : (none)
Summary : Matlab Install Tool
Description :
Matlab Install tool

BuildArch: noarch

Name : libproxy-python Relocations: (not relocatable)
Version : 0.3.0 Vendor: CentOS
Release : 2.el6 Build Date: Fri 12 Nov 2010
04:58:34 AM EST
Install Date: Sun 24 Feb 2013 10:36:11 PM EST Build Host:
c5b2.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: libproxy-0.3.0-
2.el6.src.rpm
Size : 8320 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:38:06 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/libproxy/>
Summary : Binding for libproxy and python
Description :
The libproxy-python package contains the python binding for libproxy

Name : libXinerama Relocations: (not relocatable)
Version : 1.1 Vendor: CentOS
Release : 1.el6 Build Date: Tue 17 Aug 2010
02:12:45 AM EDT
Install Date: Sun 24 Feb 2013 10:33:51 PM EST Build Host:
c6b3.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: libXinerama-1.1-
1.el6.src.rpm

Size : 20345 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:42:04 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXinerama runtime library
Description :
X.Org X11 libXinerama runtime library

Name : ibus-m17n Relocations: (not relocatable)
Version : 1.3.0 Vendor: CentOS
Release : 2.el6 Build Date: Mon 18 Jul 2011
06:43:10 PM EDT
Install Date: Sun 24 Feb 2013 10:39:06 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ibus-m17n-1.3.0-
2.el6.src.rpm
Size : 53705 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:22 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/ibus/>
Summary : The M17N engine for IBus platform
Description :
M17N engine for IBus input platform. It allows input of many languages
using
the input table maps from m17n-db.

Name : patch Relocations: (not relocatable)
Version : 2.6 Vendor: CentOS
Release : 6.el6 Build Date: Fri 12 Nov 2010
02:57:36 AM EST
Install Date: Sun 24 Feb 2013 10:34:52 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : Development/Tools Source RPM: patch-2.6-
6.el6.src.rpm
Size : 175662 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:54:08 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/patch/patch.html>
Summary : Utility for modifying/upgrading files
Description :
The patch program applies diff files to originals. The diff command
is used to compare an original to a changed file. Diff lists the
changes made to the file. A person who has the original file can then
use the patch command with the diff file to add the changes to their
original file (patching the file).

Patch should be installed because it is a common way of upgrading
applications.

Name : libXi Relocations: (not relocatable)
Version : 1.3 Vendor: CentOS

Release : 3.el6 Build Date: Thu 11 Nov 2010
08:30:09 PM EST
Install Date: Sun 24 Feb 2013 10:46:47 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXi-1.3-
3.el6.src.rpm
Size : 58726 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:27:37 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXi runtime library
Description :
X.Org X11 libXi runtime library

Name : python-matplotlib Relocations: (not relocatable)
Version : 0.99.1.2 Vendor: CentOS
Release : 1.el6 Build Date: Thu 11 Nov 2010
09:37:41 PM EST
Install Date: Sun 24 Feb 2013 10:36:20 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: python-
matplotlib-0.99.1.2-1.el6.src.rpm
Size : 13704773 License: Python
Signature : RSA/8, Sun 03 Jul 2011 12:58:46 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceforge.net/projects/matplotlib>
Summary : Python plotting library
Description :
Matplotlib is a pure python plotting library with the goal of making
publication quality plots using a syntax familiar to matlab users. The
library uses Numeric for handling large data sets and supports a variety
of output backends

Name : lua Relocations: (not relocatable)
Version : 5.1.4 Vendor: CentOS
Release : 4.1.el6 Build Date: Thu 19 Aug 2010
02:15:47 AM EDT
Install Date: Sun 24 Feb 2013 10:33:52 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Languages Source RPM: lua-5.1.4-
4.1.el6.src.rpm
Size : 617799 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:43:34 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.lua.org/>
Summary : Powerful light-weight programming language
Description :
Lua is a powerful light-weight programming language designed for
extending applications. Lua is also frequently used as a
general-purpose, stand-alone language. Lua is free software.
Lua combines simple procedural syntax with powerful data description

constructs based on associative arrays and extensible semantics. Lua is dynamically typed, interpreted from bytecodes, and has automatic memory management with garbage collection, making it ideal for configuration, scripting, and rapid prototyping.

Name : hpijs Relocations: (not relocatable)
Version : 3.10.9 Vendor: CentOS
Release : 3.el6 Build Date: Tue 19 Jul 2011
07:39:32 AM EDT
Install Date: Sun 24 Feb 2013 10:39:11 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Applications/Publishing Source RPM: hplip-3.10.9-
3.el6.src.rpm
Size : 9505062 License: BSD
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:14 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://hplip.sourceforge.net/>
Summary : HP Printer Drivers
Description :
hpijs is a collection of optimized drivers for HP printers.
hpijs supports the DeskJet 350C, 600C, 600C Photo, 630C, Apollo 2000,
Apollo 2100, Apollo 2560, DeskJet 800C, DeskJet 825, DeskJet 900,
PhotoSmart, DeskJet 990C, and PhotoSmart 100 series.

Name : m17n-contrib-oriya Relocations: (not relocatable)
Version : 1.1.10 Vendor: CentOS
Release : 4.el6_1.1 Build Date: Fri 23 Sep 2011
06:12:49 AM EDT
Install Date: Sun 24 Feb 2013 10:34:52 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-contrib-
1.1.10-4.el6_1.1.src.rpm
Size : 8127 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:40 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : Contributed input maps for Oriya
Description :
This package provides contributed multilingualization (m17n) input maps
for Oriya.

Name : evince Relocations: (not relocatable)
Version : 2.28.2 Vendor: CentOS
Release : 14.el6_0.1 Build Date: Sat 25 Jun 2011
12:18:36 AM EDT
Install Date: Sun 24 Feb 2013 10:46:58 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/Publishing Source RPM: evince-2.28.2-
14.el6_0.1.src.rpm
Size : 3766126 License: GPLv2+ and GFDL
Signature : RSA/8, Tue 05 Jul 2011 09:38:06 PM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://projects.gnome.org/evince/>
Summary : Document viewer
Description :
Evince is simple multi-page document viewer. It can display and print Portable Document Format (PDF), PostScript (PS) and Encapsulated PostScript (EPS) files. When supported by the document format, evince allows searching for text, copying text to the clipboard, hypertext navigation, table-of-contents bookmarks and editing of forms.

Support for other document formats such as DVI can be added by installing additional backends.

Name : un-core-fonts-common Relocations: (not relocatable)
Version : 1.0.2 Vendor: CentOS
Release : 0.15.080608.el6 Build Date: Thu 11 Nov 2010 10:53:56 AM EST
Install Date: Sun 24 Feb 2013 10:36:22 PM EST Build Host: c5b2.bsys.dev.centos.org
Group : User Interface/X Source RPM: un-core-fonts-1.0.2-0.15.080608.el6.src.rpm
Size : 19115 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:51:46 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://kldp.net/projects/unfonts/>
Summary : Common files of Un Core fonts
Description :

The UN set of Korean TrueType fonts is derived from the HLaTeX Typel fonts made by Koaunghi Un in 1998. They were converted to TrueType with FontForge(PfaEdit) by Won-kyu Park in 2003.
The Un Core set is composed of:

- UnBatang: serif
- UnDinaru: fantasy
- UnDotum: sans-serif
- UnGraphic: sans-serif style
- UnGungseo: cursive, brush-stroke
- UnPilgi: script

This package consists of files used by other un-core-fonts packages.

Name : pciutils-libs Relocations: (not relocatable)
Version : 3.1.4 Vendor: CentOS
Release : 11.el6 Build Date: Wed 07 Dec 2011 05:06:51 PM EST
Install Date: Sun 24 Feb 2013 10:33:54 PM EST Build Host: c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: pciutils-3.1.4-11.el6.src.rpm

Size : 48992 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:53:45 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://atrey.karlin.mff.cuni.cz/~mj/pciutils.shtml>
Summary : Linux PCI library
Description :
This package contains a library for inspecting and setting
devices connected to the PCI bus.

Name : arpwatch Relocations: (not relocatable)
Version : 2.1a15 Vendor: CentOS
Release : 14.el6 Build Date: Mon 23 Aug 2010
03:18:20 PM EDT
Install Date: Sun 24 Feb 2013 10:39:22 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Applications/System Source RPM: arpwatch-2.1a15-
14.el6.src.rpm
Size : 462477 License: BSD with
advertising
Signature : RSA/8, Sun 03 Jul 2011 12:02:34 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://ee.lbl.gov/>
Summary : Network monitoring tools for tracking IP addresses on a
network
Description :
The arpwatch package contains arpwatch and arpsnmp. Arpwatch and
arpsnmp are both network monitoring tools. Both utilities monitor
Ethernet or FDDI network traffic and build databases of Ethernet/IP
address pairs, and can report certain changes via email.

Install the arpwatch package if you need networking monitoring devices
which will automatically keep track of the IP addresses on your
network.

Name : m17n-contrib-tamil Relocations: (not relocatable)
Version : 1.1.10 Vendor: CentOS
Release : 4.el6_1.1 Build Date: Fri 23 Sep 2011
06:12:49 AM EDT
Install Date: Sun 24 Feb 2013 10:34:53 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-contrib-
1.1.10-4.el6_1.1.src.rpm
Size : 54529 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:44 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : Contributed input maps for Tamil
Description :
This package provides contributed multilingualization (m17n) input maps
for Tamil.

Name : libSM Relocations: (not relocatable)
Version : 1.1.0 Vendor: CentOS
Release : 7.1.el6 Build Date: Thu 19 Aug 2010
11:03:25 AM EDT
Install Date: Sun 24 Feb 2013 10:47:05 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libSM-1.1.0-
7.1.el6.src.rpm
Size : 42159 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:26:05 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 SM runtime library
Description :
The X.Org X11 SM (Session Management) runtime library.

Name : java-1.6.0-openjdk Relocations: (not relocatable)
Version : 1.6.0.0 Vendor: CentOS
Release : 1.41.1.10.4.el6 Build Date: Thu 08 Dec 2011
11:03:04 PM EST
Install Date: Sun 24 Feb 2013 10:36:32 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : Development/Languages Source RPM: java-1.6.0-
openjdk-1.6.0.0-1.41.1.10.4.el6.src.rpm
Size : 84409412 License: ASL 1.1, ASL 2.0,
GPL+, GPLv2, GPLv2 with exceptions, LGPL+, LGPLv2, MPLv1.0, MPLv1.1,
Public Domain, W3C
Signature : RSA/SHA1, Sat 10 Dec 2011 06:04:43 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://icedtea.classpath.org/>
Summary : OpenJDK Runtime Environment
Description :
The OpenJDK runtime environment.

Name : perl-libs Relocations: (not relocatable)
Version : 5.10.1 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:33:54 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Languages Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size : 1485896 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 05:58:44 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : The libraries for the perl runtime
Description :
The libraries for the perl runtime

Name : httpd-manual Relocations: (not relocatable)

Version : 2.2.15 Vendor: CentOS
Release : 15.el6.centos Build Date: Thu 08 Dec 2011
01:08:42 PM EST
Install Date: Sun 24 Feb 2013 10:39:25 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Documentation Source RPM: httpd-2.2.15-
15.el6.centos.src.rpm
Size : 3714080 License: ASL 2.0
Signature : RSA/SHA1, Thu 08 Dec 2011 03:06:51 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://httpd.apache.org/>
Summary : Documentation for the Apache HTTP server
Description :
The httpd-manual package contains the complete manual and
reference guide for the Apache HTTP server. The information can
also be found at <http://httpd.apache.org/docs/2.2/>.

Name : nss-sysinit Relocations: (not relocatable)
Version : 3.12.10 Vendor: CentOS
Release : 16.el6 Build Date: Wed 07 Dec 2011
08:54:14 PM EST
Install Date: Sun 24 Feb 2013 10:34:53 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Base Source RPM: nss-3.12.10-
16.el6.src.rpm
Size : 32814 License: MPLv1.1 or GPLv2+
or LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:44:40 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mozilla.org/projects/security/pki/nss/>
Summary : System NSS Initialization
Description :
Default Operating System module that manages applications loading
NSS globally on the system. This module loads the system defined
PKCS #11 modules for NSS and chains with other NSS modules to load
any system or user configured modules.

Name : java-1.6.0-openjdk-devel Relocations: (not relocatable)
Version : 1.6.0.0 Vendor: CentOS
Release : 1.41.1.10.4.el6 Build Date: Thu 08 Dec 2011
11:03:04 PM EST
Install Date: Sun 24 Feb 2013 10:36:40 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : Development/Tools Source RPM: java-1.6.0-
openjdk-1.6.0.0-1.41.1.10.4.el6.src.rpm
Size : 35075061 License: ASL 1.1, ASL 2.0,
GPL+, GPLv2, GPLv2 with exceptions, LGPL+, LGPLv2, MPLv1.0, MPLv1.1,
Public Domain, W3C
Signature : RSA/SHA1, Sat 10 Dec 2011 06:04:47 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://icedtea.classpath.org/>

Summary : OpenJDK Development Environment
Description :
The OpenJDK development tools.

Name : perl-Test-Harness Relocations: (not relocatable)
Version : 3.17 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:33:59 PM EST Build Host:
c6b5.bsyzs.dev.centos.org
Group : Development/Languages Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size : 408792 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 05:59:34 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Run Perl standard test scripts with statistics
Description :
Run Perl standard test scripts with statistics.
Use TAP::Parser, Test::Harness package was whole rewritten.

Name : iwl6000g2a-firmware Relocations: (not relocatable)
Version : 17.168.5.3 Vendor: CentOS
Release : 1.el6 Build Date: Wed 07 Dec 2011
12:44:17 PM EST
Install Date: Sun 24 Feb 2013 10:39:26 PM EST Build Host:
c6b6.bsyzs.dev.centos.org
Group : System Environment/Kernel Source RPM: iwl6000g2a-
firmware-17.168.5.3-1.el6.src.rpm
Size : 450973 License: Redistributable,
no modification permitted
Signature : RSA/SHA1, Thu 08 Dec 2011 03:11:19 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://intellinuxwireless.org/>
Summary : Firmware for Intel(R) Wireless WiFi Link 6005 Series
Adapters
Description :
This package contains the firmware required by the iwlagn driver
for Linux to support the iwl6000g2a hardware. Usage of the firmware
is subject to the terms and conditions contained inside the provided
LICENSE file. Please read it carefully.

Name : NetworkManager-glib Relocations: (not relocatable)
Version : 0.8.1 Vendor: CentOS
Release : 15.el6 Build Date: Wed 07 Dec 2011
07:28:42 PM EST
Install Date: Sun 24 Feb 2013 10:34:55 PM EST Build Host:
c6b18n2.bsyzs.dev.centos.org
Group : Development/Libraries Source RPM: NetworkManager-
0.8.1-15.el6.src.rpm
Size : 504080 License: GPLv2+

Signature : RSA/SHA1, Thu 08 Dec 2011 03:42:58 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/projects/NetworkManager/>
Summary : Libraries for adding NetworkManager support to applications
that use glib.
Description :
This package contains the libraries that make it easier to use some
NetworkManager
functionality from applications that use glib.

Name : util-linux-ng Relocations: (not relocatable)
Version : 2.17.2 Vendor: CentOS
Release : 12.4.el6 Build Date: Wed 07 Dec 2011
03:57:13 PM EST
Install Date: Sun 24 Feb 2013 10:36:44 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Base Source RPM: util-linux-ng-
2.17.2-12.4.el6.src.rpm
Size : 5879213 License: GPLv1+ and GPLv2
and GPLv2+ and LGPLv2+ and MIT and BSD with advertising and Public Domain
Signature : RSA/SHA1, Thu 08 Dec 2011 04:27:16 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.kernel.org/pub/linux/utils/util-linux-ng>
Summary : A collection of basic system utilities
Description :
The util-linux-ng package contains a large variety of low-level system
utilities that are necessary for a Linux system to function. Among
others, Util-linux contains the fdisk configuration tool and the login
program.

Name : libtdb Relocations: (not relocatable)
Version : 1.2.1 Vendor: CentOS
Release : 3.el6 Build Date: Tue 19 Jul 2011
08:36:39 PM EDT
Install Date: Sun 24 Feb 2013 10:34:00 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: libtdb-1.2.1-
3.el6.src.rpm
Size : 57512 License: LGPLv3+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:12 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://tdb.samba.org/>
Summary : The tdb library
Description :
A library that implements a trivial database.

Name : sssd Relocations: (not relocatable)
Version : 1.5.1 Vendor: CentOS
Release : 66.el6 Build Date: Wed 07 Dec 2011
07:48:17 PM EST

Install Date: Sun 24 Feb 2013 10:39:27 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Applications/System Source RPM: sssd-1.5.1-
66.el6.src.rpm
Size : 3628521 License: GPLv3+
Signature : RSA/SHA1, Thu 08 Dec 2011 04:17:58 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/sss/>
Summary : System Security Services Daemon
Description :
Provides a set of daemons to manage access to remote directories and
authentication mechanisms. It provides an NSS and PAM interface toward
the system and a pluggable backend system to connect to multiple
different
account sources. It is also the basis to provide client auditing and
policy
services for projects like FreeIPA.

Name : expat-devel Relocations: (not relocatable)
Version : 2.0.1 Vendor: CentOS
Release : 9.1.el6 Build Date: Thu 11 Nov 2010
02:20:30 AM EST
Install Date: Sun 24 Feb 2013 10:34:56 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Development/Libraries Source RPM: expat-2.0.1-
9.1.el6.src.rpm
Size : 486842 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:13:52 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.libexpat.org/>
Summary : Libraries and header files to develop applications using
expat
Description :
The expat-devel package contains the libraries, include files and
documentation
to develop XML applications with expat.

Name : cups Relocations: (not relocatable)
Version : 1.4.2 Vendor: CentOS
Release : 44.el6 Build Date: Wed 07 Dec 2011
05:35:39 PM EST
Install Date: Sun 24 Feb 2013 10:36:49 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: cups-1.4.2-
44.el6.src.rpm
Size : 11213638 License: GPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 02:52:18 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.cups.org/>
Summary : Common Unix Printing System
Description :

The Common UNIX Printing System provides a portable printing layer for UNIX® operating systems. It has been developed by Easy Software Products to promote a standard printing solution for all UNIX vendors and users. CUPS provides the System V and Berkeley command-line interfaces.

Name : libXxf86misc Relocations: (not relocatable)
Version : 1.0.2 Vendor: CentOS
Release : 1.el6 Build Date: Mon 16 Aug 2010
05:42:51 PM EDT
Install Date: Sun 24 Feb 2013 10:34:00 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXxf86misc-
1.0.2-1.el6.src.rpm
Size : 20962 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:42:53 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXxf86misc runtime library
Description :
X.Org X11 libXxf86misc runtime library

Name : vsftpd Relocations: (not relocatable)
Version : 2.2.2 Vendor: CentOS
Release : 11.el6 Build Date: Fri 22 Jun 2012
03:55:02 AM EDT
Install Date: Sun 24 Feb 2013 10:39:36 PM EST Build Host:
c6b8.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: vsftpd-2.2.2-
11.el6.src.rpm
Size : 339284 License: GPLv2 with
exceptions
Signature : RSA/SHA1, Sun 24 Jun 2012 06:19:03 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://vsftpd.beasts.org/>
Summary : Very Secure Ftp Daemon
Description :
vsftpd is a Very Secure FTP daemon. It was written completely from
scratch.

Name : jasper-libs Relocations: (not relocatable)
Version : 1.900.1 Vendor: CentOS
Release : 15.el6 Build Date: Sun 22 Aug 2010
06:39:39 PM EDT
Install Date: Sun 24 Feb 2013 10:34:58 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: jasper-1.900.1-
15.el6.src.rpm
Size : 341232 License: JasPer
Signature : RSA/8, Sun 03 Jul 2011 12:25:53 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.ece.uvic.ca/~mdadams/jasper/>

Summary : Runtime libraries for jasper
Description :
Runtime libraries for jasper.

Name : cryptsetup-luks-libs Relocations: (not relocatable)
Version : 1.2.0 Vendor: CentOS
Release : 6.el6 Build Date: Wed 07 Dec 2011
03:14:38 PM EST
Install Date: Sun 24 Feb 2013 10:36:50 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: cryptsetup-luks-
1.2.0-6.el6.src.rpm
Size : 94218 License: GPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 02:51:32 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://cryptsetup.googlecode.com/>
Summary : Cryptsetup shared library
Description :
This package contains the cryptsetup shared library, libcryptsetup.

Name : slang Relocations: (not relocatable)
Version : 2.2.1 Vendor: CentOS
Release : 1.el6 Build Date: Mon 16 Aug 2010
07:46:40 PM EDT
Install Date: Sun 24 Feb 2013 10:34:03 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: slang-2.2.1-
1.el6.src.rpm
Size : 1800725 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:02:05 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.jedsoft.org/slang/>
Summary : The shared library for the S-Lang extension language
Description :
S-Lang is an interpreted language and a programming library. The
S-Lang language was designed so that it can be easily embedded into
a program to provide the program with a powerful extension language.
The S-Lang library, provided in this package, provides the S-Lang
extension language. S-Lang's syntax resembles C, which makes it easy
to recode S-Lang procedures in C if you need to.

Name : seekwatcher Relocations: (not relocatable)
Version : 0.12 Vendor: CentOS
Release : 5.el6 Build Date: Fri 23 Sep 2011
08:39:30 AM EDT
Install Date: Sun 24 Feb 2013 10:39:51 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/System Source RPM: seekwatcher-0.12-
5.el6.src.rpm
Size : 54888 License: GPLv2
Signature : RSA/SHA1, Mon 26 Sep 2011 12:25:13 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://oss.oracle.com/~mason/seekwatcher/>
Summary : Utility for visualizing block layer IO patterns and performance
Description :
Seekwatcher generates graphs from blktrace runs to help visualize IO patterns and performance. It can plot multiple blktrace runs together, making it easy to compare the differences between different benchmark runs.

You should install the seekwatcher package if you need to visualize detailed information about IO patterns.

Name : libcdio Relocations: (not relocatable)
Version : 0.81 Vendor: CentOS
Release : 3.1.el6 Build Date: Wed 18 Aug 2010 12:50:21 PM EDT
Install Date: Sun 24 Feb 2013 10:34:59 PM EST Build Host: c6b2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libcdio-0.81-3.1.el6.src.rpm
Size : 620291 License: GPLv3+
Signature : RSA/8, Sun 03 Jul 2011 12:32:23 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/libcdio/>
Summary : CD-ROM input and control library
Description :
This library provides an interface for CD-ROM access. It can be used by applications that need OS- and device-independent access to CD-ROM devices.

Name : kbd Relocations: (not relocatable)
Version : 1.15 Vendor: CentOS
Release : 11.el6 Build Date: Thu 11 Nov 2010 03:45:43 PM EST
Install Date: Sun 24 Feb 2013 10:36:58 PM EST Build Host: c5b2.bsys.dev.centos.org
Group : System Environment/Base Source RPM: kbd-1.15-11.el6.src.rpm
Size : 991792 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:27:01 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://ftp.altlinux.org/pub/people/legion/kbd>
Summary : Tools for configuring the console (keyboard, virtual terminals, etc.)
Description :
The kbd package contains tools for managing a Linux system's console's behavior, including the keyboard, the screen fonts, the virtual terminals and font files.

Name : libv4l Relocations: (not relocatable)
 Version : 0.6.3 Vendor: CentOS
 Release : 2.el6 Build Date: Sat 21 Aug 2010
 09:47:40 PM EDT
 Install Date: Sun 24 Feb 2013 10:34:04 PM EST Build Host:
 c6b1.bsys.dev.centos.org
 Group : System Environment/Libraries Source RPM: libv4l-0.6.3-
 2.el6.src.rpm
 Size : 287613 License: LGPLv2+ and GPLv2
 Signature : RSA/8, Sun 03 Jul 2011 12:40:38 AM EDT, Key ID
 0946fca2c105b9de
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>
 URL : <http://hansdegoede.livejournal.com/3636.html>
 Summary : Collection of video4linux support libraries
 Description :
 libv4l is a collection of libraries which adds a thin abstraction layer
 on
 top of video4linux2 devices. The purpose of this (thin) layer is to make
 it
 easy for application writers to support a wide variety of devices without
 having to write separate code for different devices in the same class.
 libv4l
 consists of 3 different libraries: libv4lconvert, libv4l1 and libv4l2.

libv4lconvert offers functions to convert from any (known) pixelformat
 to V4l2_PIX_FMT_BGR24 or V4l2_PIX_FMT_YUV420.

libv4l1 offers the (deprecated) v4l1 API on top of v4l2 devices,
 independent
 of the drivers for those devices supporting v4l1 compatibility (which
 many
 v4l2 drivers do not).

libv4l2 offers the v4l2 API on top of v4l2 devices, while adding for the
 application transparent libv4lconvert conversion where necessary.

Name : sos Relocations: (not relocatable)
 Version : 2.2 Vendor: CentOS
 Release : 17.el6 Build Date: Wed 07 Dec 2011
 07:55:07 PM EST
 Install Date: Sun 24 Feb 2013 10:39:53 PM EST Build Host:
 c6b18n2.bsys.dev.centos.org
 Group : Applications/System Source RPM: sos-2.2-
 17.el6.src.rpm
 Size : 702679 License: GPLv2+
 Signature : RSA/SHA1, Thu 08 Dec 2011 04:15:51 PM EST, Key ID
 0946fca2c105b9de
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>
 URL : <http://fedorahosted.org/sos>
 Summary : A set of tools to gather troubleshooting information from a
 system
 Description :
 Sos is a set of tools that gathers information about system
 hardware and configuration. The information can then be used for

diagnostic purposes and debugging. Sos is commonly used to help support technicians and developers.

Name : libicu Relocations: (not relocatable)
Version : 4.2.1 Vendor: CentOS
Release : 9.el6 Build Date: Thu 11 Nov 2010
11:56:39 AM EST
Install Date: Sun 24 Feb 2013 10:35:05 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: icu-4.2.1-
9.el6.src.rpm
Size : 19501864 License: MIT and UCD and
Public Domain
Signature : RSA/8, Sun 03 Jul 2011 12:35:54 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.icu-project.org/>
Summary : International Components for Unicode - libraries
Description :
The International Components for Unicode (ICU) libraries provide robust and full-featured Unicode services on a wide variety of platforms. ICU supports the most current version of the Unicode standard, and they provide support for supplementary Unicode characters (needed for GB 18030 repertoire support).
As computing environments become more heterogeneous, software portability becomes more important. ICU lets you produce the same results across all the various platforms you support, without sacrificing performance. It offers great flexibility to extend and customize the supplied services.

Name : gnome-user-docs Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 4.el6 Build Date: Thu 11 Nov 2010
07:52:35 AM EST
Install Date: Sun 24 Feb 2013 10:37:06 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Documentation Source RPM: gnome-user-docs-
2.28.0-4.el6.src.rpm
Size : 34066892 License: GFDL
Signature : RSA/8, Sun 03 Jul 2011 12:11:38 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : GNOME User Documentation
Description :
This package contains end user documentation for the GNOME desktop environment.

Name : perl-Archive-Tar Relocations: (not relocatable)
Version : 1.58 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:05 PM EST Build Host:
c6b5.bsys.dev.centos.org

Group : Development/Libraries Source RPM: perl-5.10.1-119.el6_1.1.src.rpm
Size : 115622 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 05:59:19 AM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : A module for Perl manipulation of .tar files
Description :
Archive::Tar provides an object oriented mechanism for handling tar files. It provides class methods for quick and easy files handling while also allowing for the creation of tar file objects for custom manipulation. If you have the IO::Zlib module installed, Archive::Tar will also support compressed or gzipped tar files.

Name : perf Relocations: (not relocatable)
Version : 2.6.32 Vendor: CentOS
Release : 220.el6 Build Date: Tue 06 Dec 2011 04:48:35 PM EST
Install Date: Sun 24 Feb 2013 10:39:57 PM EST Build Host: c6b18n3.bsyzs.dev.centos.org
Group : Development/System Source RPM: kernel-2.6.32-220.el6.src.rpm
Size : 849461 License: GPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 07:09:51 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.kernel.org/>
Summary : Performance monitoring for the Linux kernel
Description :
This package provides the perf tool and the supporting documentation.

Name : portreserve Relocations: (not relocatable)
Version : 0.0.4 Vendor: CentOS
Release : 4.el6_1.1 Build Date: Fri 23 Sep 2011 05:18:47 PM EDT
Install Date: Sun 24 Feb 2013 10:35:08 PM EST Build Host: c6b18n1.dev.centos.org
Group : System Environment/Daemons Source RPM: portreserve-0.0.4-4.el6_1.1.src.rpm
Size : 35566 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:23:38 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://cyberelk.net/tim/portreserve/>
Summary : TCP port reservation utility
Description :
The portreserve program aims to help services with well-known ports that lie in the portmap range. It prevents portmap from a real service's port by occupying it itself, until the real service tells it to release the port (generally in the init script).

Name : lvm2-libs Relocations: (not relocatable)
Version : 2.02.87 Vendor: CentOS

Release : 6.el6 Build Date: Wed 07 Dec 2011
05:49:14 PM EST
Install Date: Sun 24 Feb 2013 10:37:09 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: lvm2-2.02.87-
6.el6.src.rpm
Size : 1458040 License: LGPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 03:28:50 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sources.redhat.com/lvm2>
Summary : Shared libraries for lvm2
Description :
This package contains shared lvm2 libraries for applications.

Name : perl-Object-Accessor Relocations: (not relocatable)
Version : 0.34 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:05 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size : 29959 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 05:59:11 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Perl module that allows per object accessors
Description :
Object::Accessor provides an interface to create per object accessors
(as opposed to per Class accessors, as, for example, Class::Accessor
provides).

Name : latencytop Relocations: (not relocatable)
Version : 0.5 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
11:20:30 AM EST
Install Date: Sun 24 Feb 2013 10:40:01 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Applications/System Source RPM: latencytop-0.5-
3.el6.src.rpm
Size : 51696 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:31:18 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.latencytop.org/>
Summary : System latency monitor
Description :
LatencyTOP is a tool for software developers (both kernel and userspace),
aimed
at identifying where in the system latency is happening, and what kind of
operation/action is causing the latency to happen so that the code can be
changed to avoid the worst latency hiccups.


```

Name           : zip                      Relocations: (not relocatable)
Version        : 3.0                      Vendor: CentOS
Release        : 1.el6                    Build Date: Thu 11 Nov 2010
10:26:40 AM EST
Install Date: Sun 24 Feb 2013 10:35:13 PM EST      Build Host:
c6b3.bsys.dev.centos.org
Group          : Applications/Archiving          Source RPM: zip-3.0-
1.el6.src.rpm
Size           : 823612                     License: BSD
Signature      : RSA/8, Sun 03 Jul 2011 01:07:05 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.info-zip.org/Zip.html
Summary        : A file compression and packaging utility compatible with
PKZIP
Description    :
The zip program is a compression and file packaging utility. Zip is
analogous to a combination of the UNIX tar and compress commands and
is compatible with PKZIP (a compression and file packaging utility for
MS-DOS systems).

```

Install the zip package if you need to compress files using the zip program.

```

Name           : foomatic-db              Relocations: (not relocatable)
Version        : 4.0                      Vendor: CentOS
Release        : 7.20091126.el6            Build Date: Thu 11 Nov 2010
02:54:20 AM EST
Install Date: Sun 24 Feb 2013 10:37:20 PM EST      Build Host:
c6b1.bsys.dev.centos.org
Group          : System Environment/Libraries      Source RPM: foomatic-db-4.0-
7.20091126.el6.src.rpm
Size           : 9070134                     License: GPLv2+
Signature      : RSA/8, Sun 03 Jul 2011 12:08:56 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.openprinting.org
Summary        : Database of printers and printer drivers
Description    :
This is the database of printers, printer drivers, and driver options
for Foomatic.

```

The site <http://www.openprinting.org/> is based on this database.

```

Name           : librdmacm                Relocations: (not relocatable)
Version        : 1.0.14.1                 Vendor: CentOS
Release        : 3.el6                    Build Date: Wed 07 Dec 2011
12:22:24 PM EST
Install Date: Sun 24 Feb 2013 10:34:05 PM EST      Build Host:
c6b18n2.bsys.dev.centos.org
Group          : System Environment/Libraries      Source RPM: librdmacm-
1.0.14.1-3.el6.src.rpm
Size           : 53396                       License: GPLv2 or BSD

```

Signature : RSA/SHA1, Thu 08 Dec 2011 03:22:03 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.openfabrics.org/>
Summary : Userspace RDMA Connection Manager
Description :
librdmacm provides a userspace RDMA Communication Managment API.

Name : compat-openldap Relocations: (not relocatable)
Version : 2.3.43 Vendor: CentOS
Release : 2.el6 Build Date: Tue 19 Jul 2011
03:06:59 PM EDT
Install Date: Sun 24 Feb 2013 10:40:07 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: compat-openldap-
2.3.43-2.el6.src.rpm
Size : 581285 License: OpenLDAP
Signature : RSA/SHA1, Mon 26 Sep 2011 12:17:16 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.openldap.org/>
Summary : OpenLDAP compatibility shared libraries
Description :
OpenLDAP is an open source suite of LDAP (Lightweight Directory Access
Protocol) applications and development tools. The compat-openldap package
includes older versions of the OpenLDAP shared libraries which may be
required by some applications.

Name : m17n-lib Relocations: (not relocatable)
Version : 1.5.5 Vendor: CentOS
Release : 2.el6_1.1 Build Date: Fri 23 Sep 2011
07:12:17 AM EDT
Install Date: Sun 24 Feb 2013 10:35:15 PM EST Build Host:
c6b18n1.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-lib-1.5.5-
2.el6_1.1.src.rpm
Size : 362868 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:47 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : Multilingual text library
Description :
m17n-lib is a multilingual text library used primarily to allow
the input of many languages with the input table maps from m17n-db.

Name : python-iwlib Relocations: (not relocatable)
Version : 0.1 Vendor: CentOS
Release : 1.2.el6 Build Date: Sat 21 Aug 2010
10:03:39 AM EDT
Install Date: Sun 24 Feb 2013 10:37:23 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: python-iwlib-
0.1-1.2.el6.src.rpm

Size : 27300 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:58:40 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://git.fedorahosted.org/git/python-iwlib.git>
Summary : Wireless settings python bindings
Description :
Python bindings for the iwlib kernel interface,
that provides functions to examine the wireless network devices
installed on the system.

Name : xorg-x11-xkb-utils Relocations: (not relocatable)
Version : 7.4 Vendor: CentOS
Release : 6.el6 Build Date: Mon 16 Aug 2010
07:11:59 PM EDT
Install Date: Sun 24 Feb 2013 10:34:06 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : User Interface/X Source RPM: xorg-x11-xkb-
utils-7.4-6.el6.src.rpm
Size : 195450 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 01:06:38 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 xkb utilities
Description :
X.Org X11 xkb core utilities

Name : xterm Relocations: (not relocatable)
Version : 253 Vendor: CentOS
Release : 1.el6 Build Date: Fri 20 Aug 2010
01:07:24 AM EDT
Install Date: Sun 24 Feb 2013 10:40:09 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : User Interface/X Source RPM: xterm-253-
1.el6.src.rpm
Size : 953116 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 01:06:43 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://dickey.his.com/xterm>
Summary : Terminal emulator for the X Window System
Description :
The xterm program is a terminal emulator for the X Window System. It
provides DEC VT102 and Tektronix 4014 compatible terminals for
programs that can't use the window system directly.

Name : java_cup Relocations: (not relocatable)
Version : 0.10k Vendor: CentOS
Release : 5.el6 Build Date: Sat 21 Aug 2010
02:13:06 AM EDT
Install Date: Sun 24 Feb 2013 10:35:24 PM EST Build Host:
c6b5.bsys.dev.centos.org

Group : Development/Tools Source RPM: java_cup-0.10k-5.el6.src.rpm
Size : 556580 License: BSD and LGPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:26:12 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.cs.princeton.edu/%7Eappel/modern/java/CUP/>
Summary : Java source interpreter
Description :
java_cup is a LALR Parser Generator for Java

Name : nfs-utils Relocations: (not relocatable)
Version : 1.2.3 Vendor: CentOS
Release : 15.el6 Build Date: Wed 07 Dec 2011 06:53:10 PM EST
Install Date: Sun 24 Feb 2013 10:37:29 PM EST Build Host: c6b18n2.bsyzs.dev.centos.org
Group : System Environment/Daemons Source RPM: nfs-utils-1.2.3-15.el6.src.rpm
Size : 829865 License: MIT and GPLv2 and GPLv2+ and BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 03:43:31 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceforge.net/projects/nfs>
Summary : NFS utilities and supporting clients and daemons for the kernel NFS server
Description :
The nfs-utils package provides a daemon for the kernel NFS server and related tools, which provides a much higher level of performance than the traditional Linux NFS server used by most users.

This package also contains the showmount program. Showmount queries the mount daemon on a remote host for information about the NFS (Network File System) server on the remote host. For example, showmount can display the clients which are mounted on that host.

This package also contains the mount.nfs and umount.nfs program.

Name : flac Relocations: (not relocatable)
Version : 1.2.1 Vendor: CentOS
Release : 6.1.el6 Build Date: Thu 11 Nov 2010 02:54:50 AM EST
Install Date: Sun 24 Feb 2013 10:34:07 PM EST Build Host: c6b3.bsyzs.dev.centos.org
Group : Applications/Multimedia Source RPM: flac-1.2.1-6.1.el6.src.rpm
Size : 722670 License: BSD and GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:14:53 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://flac.sourceforge.net/>
Summary : An encoder/decoder for the Free Lossless Audio Codec

Description :

FLAC stands for Free Lossless Audio Codec. Grossly oversimplified, FLAC is similar to Ogg Vorbis, but lossless. The FLAC project consists of the stream format, reference encoders and decoders in library form, flac, a command-line program to encode and decode FLAC files, metaflac, a command-line metadata editor for FLAC files and input plugins for various music players.

Name : perl-Crypt-SSLeay Relocations: (not relocatable)
Version : 0.57 Vendor: CentOS
Release : 16.el6 Build Date: Sat 21 Aug 2010
12:15:58 PM EDT
Install Date: Sun 24 Feb 2013 10:40:16 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-Crypt-
SSLeay-0.57-16.el6.src.rpm
Size : 366357 License: GPL+ or Artistic
Signature : RSA/8, Sun 03 Jul 2011 12:54:53 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://search.cpan.org/dist/Crypt-SSLeay/>
Summary : Crypt::SSLeay - OpenSSL glue that provides LWP https
support

Description :

This perl module provides support for the https protocol under LWP, so that a LWP::UserAgent can make https GET & HEAD & POST requests. Please see perldoc LWP for more information on POST requests.

The Crypt::SSLeay package contains Net::SSL, which is automatically loaded by LWP::Protocol::https on https requests, and provides the necessary SSL glue for that module to work.

Name : xml-commons-apis Relocations: (not relocatable)
Version : 1.3.04 Vendor: CentOS
Release : 3.6.el6 Build Date: Wed 18 Aug 2010
05:16:05 PM EDT
Install Date: Sun 24 Feb 2013 10:35:32 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Text Processing/Markup/XML Source RPM: xml-commons-apis-
1.3.04-3.6.el6.src.rpm
Size : 1672816 License: ASL 2.0 and W3C
and Public Domain
Signature : RSA/8, Sun 03 Jul 2011 01:05:51 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://xml.apache.org/commons/>
Summary : APIs for DOM, SAX, and JAXP
Description :

xml-commons-apis is designed to organize and have common packaging for the various externally-defined standard interfaces for XML. This includes the DOM, SAX, and JAXP.

Name : ntp Relocations: (not relocatable)

```

Version      : 4.2.4p8                      Vendor: CentOS
Release      : 2.el6.centos                 Build Date: Mon 28 Nov 2011
07:09:23 PM EST
Install Date: Sun 24 Feb 2013 10:37:32 PM EST   Build Host:
c6b4.bsys.dev.centos.org
Group        : System Environment/Daemons      Source RPM: ntp-4.2.4p8-
2.el6.centos.src.rpm
Size         : 1220680                       License: (MIT and BSD and
BSD with advertising) and GPLv2
Signature    : RSA/SHA1, Mon 28 Nov 2011 08:47:01 PM EST, Key ID
0946fca2c105b9de
Packager     : CentOS BuildSystem <http://bugs.centos.org>
URL          : http://www.ntp.org
Summary      : The NTP daemon and utilities
Description  :
The Network Time Protocol (NTP) is used to synchronize a computer's
time with another reference time source. This package includes ntpd
(a daemon which continuously adjusts system time) and utilities used
to query and configure the ntpd daemon.

```

Perl scripts ntp-wait and ntptrace are in the ntp-perl package and the ntpdate program is in the ntpdate package. The documentation is in the ntp-doc package.

```

Name         : acl                          Relocations: (not relocatable)
Version      : 2.2.49                      Vendor: CentOS
Release      : 6.el6                       Build Date: Wed 07 Dec 2011
11:53:55 AM EST
Install Date: Sun 24 Feb 2013 10:34:08 PM EST   Build Host:
c6b6.bsys.dev.centos.org
Group        : System Environment/Base        Source RPM: acl-2.2.49-
6.el6.src.rpm
Size         : 193226                       License: GPLv2+
Signature    : RSA/SHA1, Thu 08 Dec 2011 02:42:13 PM EST, Key ID
0946fca2c105b9de
Packager     : CentOS BuildSystem <http://bugs.centos.org>
URL          : http://acl.bestbits.at/
Summary      : Access control list utilities
Description  :
This package contains the getfacl and setfacl utilities needed for
manipulating access control lists.

```

```

Name         : psacct                       Relocations: (not relocatable)
Version      : 6.3.2                      Vendor: CentOS
Release      : 63.el6                     Build Date: Tue 24 Aug 2010
08:10:25 AM EDT
Install Date: Sun 24 Feb 2013 10:40:18 PM EST   Build Host:
c6b2.bsys.dev.centos.org
Group        : Applications/System          Source RPM: psacct-6.3.2-
63.el6.src.rpm
Size         : 141091                       License: GPLv2+ and Public
Domain
Signature    : RSA/8, Sun 03 Jul 2011 12:57:56 AM EDT, Key ID
0946fca2c105b9de

```

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : Utilities for monitoring process activities
Description :
The psacct package contains several utilities for monitoring process activities, including ac, lastcomm, accton and sa. The ac command displays statistics about how long users have been logged on. The lastcomm command displays information about previous executed commands. The accton command turns process accounting on or off. The sa command summarizes information about previously executed commands.

Name : jakarta-commons-pool Relocations: (not relocatable)
Version : 1.3 Vendor: CentOS
Release : 12.7.el6 Build Date: Sat 21 Aug 2010
12:18:54 AM EDT
Install Date: Sun 24 Feb 2013 10:35:37 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries/Java Source RPM: jakarta-commons-
pool-1.3-12.7.el6.src.rpm
Size : 377228 License: ASL 2.0
Signature : RSA/8, Sun 03 Jul 2011 12:25:46 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://jakarta.apache.org/commons/pool/>
Summary : Jakarta Commons Pool Package
Description :
The goal of Pool package is to create and maintain an object (instance) pooling package to be distributed under the ASF license. The package should support a variety of pool implementations, but encourage support of an interface that makes these implementations interchangeable.

Name : gnome-vfs2 Relocations: (not relocatable)
Version : 2.24.2 Vendor: CentOS
Release : 6.el6 Build Date: Thu 11 Nov 2010
07:50:13 AM EST
Install Date: Sun 24 Feb 2013 10:37:34 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: gnome-vfs2-
2.24.2-6.el6.src.rpm
Size : 3583277 License: LGPLv2+ and
GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:18:58 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/>
Summary : The GNOME virtual file-system libraries
Description :
GNOME VFS is the GNOME virtual file system. It is the foundation of the Nautilus file manager. It provides a modular architecture and ships with several modules that implement support for file systems, http, ftp, and others. It provides a URI-based API, backend supporting asynchronous file operations, a MIME type manipulation library, and other features.

Name : xorg-x11-font-utils Relocations: (not relocatable)
Version : 7.2 Vendor: CentOS
Release : 11.el6 Build Date: Wed 07 Dec 2011
10:04:33 AM EST
Install Date: Sun 24 Feb 2013 10:34:10 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : User Interface/X Source RPM: xorg-x11-font-
utils-7.2-11.el6.src.rpm
Size : 300562 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:42:58 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 font utilities
Description :
X.Org X11 font utilities required for font installation, conversion,
and generation.

Name : hunspell-en Relocations: (not relocatable)
Version : 0.20090216 Vendor: CentOS
Release : 7.1.el6 Build Date: Thu 19 Aug 2010
06:47:01 AM EDT
Install Date: Sun 24 Feb 2013 10:40:21 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Applications/Text Source RPM: hunspell-en-
0.20090216-7.1.el6.src.rpm
Size : 1652534 License: LGPLv2+ and BSD
Signature : RSA/8, Sun 03 Jul 2011 12:13:47 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://wordlist.sourceforge.net/>
Summary : English hunspell dictionaries
Description :
English (US, UK, etc.) hunspell dictionaries

Name : nspluginwrapper Relocations: (not relocatable)
Version : 1.3.0 Vendor: CentOS
Release : 14.el6 Build Date: Thu 11 Nov 2010
06:00:08 PM EST
Install Date: Sun 24 Feb 2013 10:35:39 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/Internet Source RPM: nspluginwrapper-
1.3.0-14.el6.src.rpm
Size : 460917 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:47:41 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://gwenole.beauchesne.info/projects/nspluginwrapper/>
Summary : A compatibility layer for Netscape 4 plugins
Description :
nspluginwrapper makes it possible to use Netscape 4 compatible plugins
compiled for x86_64 into Mozilla for another architecture, e.g. x86_64.

This package consists in:

- * npviewer: the plugin viewer
- * npwrapper.so: the browser-side plugin
- * nspluginplayer: stand-alone NPAPI plugin player
- * mozilla-plugin-config: a tool to manage plugins installation and update

Name : yelp Relocations: (not relocatable)
Version : 2.28.1 Vendor: CentOS
Release : 8.el6 Build Date: Fri 12 Nov 2010
04:31:14 AM EST
Install Date: Sun 24 Feb 2013 10:37:43 PM EST Build Host:
c6b4.bsyz.dev.centos.org
Group : Applications/System Source RPM: yelp-2.28.1-
8.el6.src.rpm
Size : 3751842 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:06:53 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://live.gnome.org/Yelp>
Summary : Help browser for the GNOME desktop
Description :
Yelp is the help browser for the GNOME desktop. It is designed
to help you browse all the documentation on your system in
one central tool, including traditional man pages, info pages and
documentation written in DocBook.

Name : cracklib-dicts Relocations: (not relocatable)
Version : 2.8.16 Vendor: CentOS
Release : 4.el6 Build Date: Sat 25 Jun 2011
02:39:10 AM EDT
Install Date: Sun 24 Feb 2013 10:34:12 PM EST Build Host:
c6b6.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: cracklib-2.8.16-
4.el6.src.rpm
Size : 9327207 License: LGPLv2+
Signature : RSA/8, Tue 05 Jul 2011 09:37:32 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://sourceforge.net/projects/cracklib/>
Summary : The standard CrackLib dictionaries
Description :
The cracklib-dicts package includes the CrackLib dictionaries.
CrackLib will need to use the dictionary appropriate to your system,
which is normally put in /usr/share/dict/words. Cracklib-dicts also
contains the utilities necessary for the creation of new dictionaries.

If you are installing CrackLib, you should also install cracklib-dicts.

Name : mlocate Relocations: (not relocatable)
Version : 0.22.2 Vendor: CentOS
Release : 3.el6 Build Date: Mon 23 Aug 2010
03:13:40 PM EDT

Install Date: Sun 24 Feb 2013 10:40:37 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Applications/System Source RPM: mlocate-0.22.2-
3.el6.src.rpm
Size : 285850 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:45:33 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/mlocate/>
Summary : An utility for finding files by name
Description :
mlocate is a locate/updatedb implementation. It keeps a database of
all existing files and allows you to lookup files by name.

The 'm' stands for "merging": updatedb reuses the existing database to
avoid
rereading most of the file system, which makes updatedb faster and does
not
trash the system caches as much as traditional locate implementations.

Name : iok Relocations: (not relocatable)
Version : 1.3.10 Vendor: CentOS
Release : 3.el6 Build Date: Mon 18 Jul 2011
07:59:00 PM EDT
Install Date: Sun 24 Feb 2013 10:35:40 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Applications/System Source RPM: iok-1.3.10-
3.el6.src.rpm
Size : 314161 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:28 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://iok.sourceforge.net>
Summary : Indic Onscreen Virtual Keyboard
Description :
iok is Indic Onscreen Keyboard. It provides virtual Keyboard
functionality.
It currently works with Inscript and xkb keymaps for Indian languages.
iok
can even try to parse non-inscript keymaps and show them in iok.

Name : system-config-date-docs Relocations: (not relocatable)
Version : 1.0.9 Vendor: CentOS
Release : 1.el6 Build Date: Thu 11 Nov 2010
06:01:42 PM EST
Install Date: Sun 24 Feb 2013 10:37:46 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Documentation Source RPM: system-config-
date-docs-1.0.9-1.el6.src.rpm
Size : 1551166 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:48:43 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/system-config-date-docs>

Summary : Documentation for setting the system date and time
Description :
This package contains the online documentation for system-config-date,
with
which you can configure date, time and the use of timeservers on your
system.

Name : hicolor-icon-theme Relocations: (not relocatable)
Version : 0.11 Vendor: CentOS
Release : 1.1.el6 Build Date: Wed 18 Aug 2010
02:52:21 PM EDT
Install Date: Sun 24 Feb 2013 10:34:16 PM EST Build Host:
c6b2.bsyzs.dev.centos.org
Group : User Interface/Desktops Source RPM: hicolor-icon-
theme-0.11-1.1.el6.src.rpm
Size : 45406 License: GPL+
Signature : RSA/8, Sun 03 Jul 2011 12:13:15 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://icon-theme.freedesktop.org/wiki/HicolorTheme>
Summary : Basic requirement for icon themes
Description :
Contains the basic directories and files needed for icon theme support.

Name : m17n-contrib-urdu Relocations: (not relocatable)
Version : 1.1.10 Vendor: CentOS
Release : 4.el6_1.1 Build Date: Fri 23 Sep 2011
06:12:49 AM EDT
Install Date: Sun 24 Feb 2013 10:40:37 PM EST Build Host:
c6b5.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-contrib-
1.1.10-4.el6_1.1.src.rpm
Size : 3608 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:45 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : Contributed input maps for Urdu
Description :
This package provides contributed multilingualization (m17n) input maps
for Urdu.

Name : libfprint Relocations: (not relocatable)
Version : 0.1.0 Vendor: CentOS
Release : 19.pre2.el6 Build Date: Fri 12 Nov 2010
04:36:44 AM EST
Install Date: Sun 24 Feb 2013 10:35:43 PM EST Build Host:
c6b1.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: libfprint-0.1.0-
19.pre2.el6.src.rpm
Size : 266950 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:33:46 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : http://www.reactivated.net/fprint/wiki/Main_Page
Summary : Tool kit for fingerprint scanner
Description :
libfprint offers support for consumer fingerprint reader devices.

Name : ibus-table Relocations: (not relocatable)
Version : 1.2.0.20100111 Vendor: CentOS
Release : 4.el6 Build Date: Sun 22 Aug 2010
06:05:42 AM EDT
Install Date: Sun 24 Feb 2013 10:37:51 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ibus-table-
1.2.0.20100111-4.el6.src.rpm
Size : 593230 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:15:37 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/ibus/>
Summary : Table engine for IBus
Description :
The package contains Table engine for IBus.

Name : attr Relocations: (not relocatable)
Version : 2.4.44 Vendor: CentOS
Release : 7.el6 Build Date: Fri 23 Sep 2011
02:54:00 PM EDT
Install Date: Sun 24 Feb 2013 10:40:39 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: attr-2.4.44-
7.el6.src.rpm
Size : 142313 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:16:12 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://acl.bestbits.at/>
Summary : Utilities for managing filesystem extended attributes
Description :
A set of tools for manipulating extended attributes on filesystem
objects, in particular getfattr(1) and setfattr(1).
An attr(1) command is also provided which is largely compatible
with the SGI IRIX tool of the same name.

Name : cairomm Relocations: (not relocatable)
Version : 1.8.0 Vendor: CentOS
Release : 2.1.el6 Build Date: Wed 10 Nov 2010
09:25:10 PM EST
Install Date: Sun 24 Feb 2013 10:34:20 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: cairomm-1.8.0-
2.1.el6.src.rpm
Size : 160422 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:06:30 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://www.cairographics.org>
Summary : C++ API for the cairo graphics library
Description :
Caiomm is the C++ API for the cairo graphics library. It offers all the power of cairo with an interface familiar to C++ developers, including use of the Standard Template Library where it makes sense.

Name : plymouth-plugin-label Relocations: (not relocatable)
Version : 0.8.3 Vendor: CentOS
Release : 24.el6.centos Build Date: Thu 08 Dec 2011 01:38:06 PM EST
Install Date: Sun 24 Feb 2013 10:35:46 PM EST Build Host: c6b4.bsyz.dev.centos.org
Group : System Environment/Base Source RPM: plymouth-0.8.3-24.el6.centos.src.rpm
Size : 9328 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:57:28 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://freedesktop.org/software/plymouth/releases>
Summary : Plymouth label plugin
Description :
This package contains the label control plugin for Plymouth. It provides the ability to render text on graphical boot splashes using pango and cairo.

Name : iso-codes Relocations: (not relocatable)
Version : 3.16 Vendor: CentOS
Release : 2.el6 Build Date: Fri 12 Nov 2010 12:11:40 AM EST
Install Date: Sun 24 Feb 2013 10:33:27 PM EST Build Host: c6b1.bsyz.dev.centos.org
Group : System Environment/Base Source RPM: iso-codes-3.16-2.el6.src.rpm
Size : 11276426 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:16:23 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://alioth.debian.org/projects/pkg-isocodes/>
Summary : ISO code lists and translations
Description :
This package provides the ISO 639 Language code list, the ISO 4217 Currency code list, the ISO 3166 Territory code list, and ISO 3166-2 sub-territory lists, and all their translations in gettext format.

Name : gnome-session-xsession Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 18.el6 Build Date: Wed 07 Dec 2011 12:54:27 PM EST
Install Date: Sun 24 Feb 2013 10:37:59 PM EST Build Host: c6b18n2.bsyz.dev.centos.org

Group : User Interface/Desktop Source RPM: gnome-session-
2.28.0-18.el6.src.rpm
Size : 6041 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:05:34 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : gnome-session desktop file
Description :
Desktop file to add GNOME to display manager session menu.

Name : dejavu-sans-mono-fonts Relocations: (not relocatable)
Version : 2.30 Vendor: CentOS
Release : 2.el6 Build Date: Wed 10 Nov 2010
11:23:58 PM EST
Install Date: Sun 24 Feb 2013 10:40:56 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : User Interface/X Source RPM: dejavu-fonts-
2.30-2.el6.src.rpm
Size : 1078519 License: Bitstream Vera
and Public Domain
Signature : RSA/8, Sun 03 Jul 2011 12:04:24 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://dejavu-fonts.org/>
Summary : Monospace sans-serif font faces
Description :

The DejaVu font set is based on the ,ÇfBitstream Vera,Ç¥ fonts, release 1.10. Its purpose is to provide a wider range of characters, while maintaining the original style, using an open collaborative development process.

This package consists of the DejaVu sans-serif monospace font faces, in their unabridged version.

Name : rpcbind Relocations: (not relocatable)
Version : 0.2.0 Vendor: CentOS
Release : 8.el6 Build Date: Fri 12 Nov 2010
02:47:21 AM EST
Install Date: Sun 24 Feb 2013 10:34:23 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: rpcbind-0.2.0-
8.el6.src.rpm
Size : 97045 License: GPL
Signature : RSA/8, Sun 03 Jul 2011 01:00:28 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://nfsv4.bullopenSource.org>
Summary : Universal Addresses to RPC Program Number Mapper
Description :
The rpcbind utility is a server that converts RPC program numbers into universal addresses. It must be running on the host to be able to make

RPC calls on a server on that machine.

```
Name           : makebootfat           Relocations: (not relocatable)
Version        : 1.4                   Vendor: CentOS
Release       : 10.el6                 Build Date: Thu 11 Nov 2010
02:46:04 PM EST
Install Date: Sun 24 Feb 2013 10:35:47 PM EST   Build Host:
c6b4.bsys.dev.centos.org
Group          : Applications/System          Source RPM: makebootfat-1.4-
10.el6.src.rpm
Size           : 71964                   License: GPLv2+
Signature      : RSA/8, Sun 03 Jul 2011 12:44:38 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://advancename.sourceforge.net/doc-makebootfat.html
Summary        : Utility for creation bootable FAT disk
Description    :
This utility creates a bootable FAT filesystem and populates it
with files and boot tools.
```

It was mainly designed to create bootable USB and Fixed disk for the AdvanceCD project (<http://advancename.sourceforge.net>), but can be successfully used separately for any purposes.

```
Name           : paktype-fonts-common    Relocations: (not relocatable)
Version        : 2.0                     Vendor: CentOS
Release       : 8.el6                     Build Date: Tue 24 Aug 2010
08:33:49 PM EDT
Install Date: Sun 24 Feb 2013 10:33:29 PM EST   Build Host:
c6b2.bsys.dev.centos.org
Group          : User Interface/X          Source RPM: paktype-fonts-
2.0-8.el6.src.rpm
Size           : 28567                     License: GPLv2 with
exceptions
Signature      : RSA/8, Sun 03 Jul 2011 12:36:22 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : https://sourceforge.net/projects/paktype/
Summary        : Common files for paktype-fonts
Description    :
```

The paktype-fonts package contains fonts for the display of Arabic from the PakType by Lateef Sagar.

```
Name           : mobile-broadband-provider-info Relocations: (not
relocatable)
Version        : 1.20100122              Vendor: CentOS
Release       : 1.el6                     Build Date: Sat 21 Aug 2010
03:34:49 PM EDT
Install Date: Sun 24 Feb 2013 10:38:08 PM EST   Build Host:
c6b5.bsys.dev.centos.org
Group          : System Environment/Base      Source RPM: mobile-broadband-
provider-info-1.20100122-1.el6.src.rpm
Size           : 141009                     License: Public Domain
```

Signature : RSA/8, Sun 03 Jul 2011 12:30:21 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL :
<http://live.gnome.org/NetworkManager/MobileBroadband/ServiceProviders>
Summary : Mobile broadband provider database
Description :
The mobile-broadband-provider-info package contains listings of mobile
broadband (3G) providers and associated network and plan information.

Name : lohit-gujarati-fonts Relocations: (not relocatable)
Version : 2.4.4 Vendor: CentOS
Release : 4.el6 Build Date: Fri 23 Sep 2011
11:28:07 AM EDT
Install Date: Sun 24 Feb 2013 10:41:13 PM EST Build Host:
c6b18n1.dev.centos.org
Group : User Interface/X Source RPM: lohit-gujarati-
fonts-2.4.4-4.el6.src.rpm
Size : 109904 License: GPLv2 with
exceptions
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:25 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/lohit/>
Summary : Free Gujarati font
Description :
This package provides a free Gujarati truetype/opentype font.

Name : pth Relocations: (not relocatable)
Version : 2.0.7 Vendor: CentOS
Release : 9.3.el6 Build Date: Thu 11 Nov 2010
02:48:33 PM EST
Install Date: Sun 24 Feb 2013 10:34:24 PM EST Build Host:
c6b6.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: pth-2.0.7-
9.3.el6.src.rpm
Size : 261931 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:57:59 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/pth/>
Summary : The GNU Portable Threads library
Description :
Pth is a very portable POSIX/ANSI-C based library for Unix platforms
which provides non-preemptive priority-based scheduling for multiple
threads of execution ("multithreading") inside server applications.
All threads run in the same address space of the server application,
but each thread has it's own individual program-counter, run-time
stack, signal mask and errno variable.

Name : libref_array Relocations: (not relocatable)
Version : 0.1.1 Vendor: CentOS
Release : 6.el6 Build Date: Tue 19 Jul 2011
07:17:05 AM EDT

Install Date: Sun 24 Feb 2013 10:35:50 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: ding-libs-0.1.2-
6.el6.src.rpm
Size : 50582 License: LGPLv3+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:20:56 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/sssd/>
Summary : A refcounted array for C
Description :
A dynamically-growing, reference-counted array

Name : nss-softokn-freebl Relocations: (not relocatable)
Version : 3.12.9 Vendor: CentOS
Release : 11.el6 Build Date: Wed 07 Dec 2011
07:27:01 PM EST
Install Date: Sun 24 Feb 2013 10:33:29 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Base Source RPM: nss-softokn-
3.12.9-11.el6.src.rpm
Size : 383982 License: MPLv1.1 or GPLv2+
or LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:45:19 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.mozilla.org/projects/security/pki/nss/>
Summary : Freebl library for the Network Security Services
Description :
NSS Softoken Cryptographic Module Freebl Library

Install the nss-softokn-freebl package if you need the freebl
library.

Name : kernel Relocations: (not relocatable)
Version : 2.6.32 Vendor: CentOS
Release : 220.el6 Build Date: Tue 06 Dec 2011
04:48:35 PM EST
Install Date: Sun 24 Feb 2013 10:38:17 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: kernel-2.6.32-
220.el6.src.rpm
Size : 117131310 License: GPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 07:09:48 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.kernel.org/>
Summary : The Linux kernel
Description :
The kernel package contains the Linux kernel (vmlinuz), the core of any
Linux operating system. The kernel handles the basic functions
of the operating system: memory allocation, process allocation, device
input and output, etc.

Name : lohit-oriya-fonts Relocations: (not relocatable)
Version : 2.4.3 Vendor: CentOS
Release : 6.el6 Build Date: Fri 23 Sep 2011
11:11:14 AM EDT
Install Date: Sun 24 Feb 2013 10:41:30 PM EST Build Host:
c6b18n1.dev.centos.org
Group : User Interface/X Source RPM: lohit-oriya-
fonts-2.4.3-6.el6.src.rpm
Size : 128757 License: GPLv2 with
exceptions
Signature : RSA/SHA1, Mon 26 Sep 2011 12:21:27 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/lohit/>
Summary : Free Oriya Font
Description :
This package provides a free Oriya truetype/opentype font.

Name : openjpeg-libs Relocations: (not relocatable)
Version : 1.3 Vendor: CentOS
Release : 7.el6 Build Date: Thu 11 Nov 2010
06:59:57 PM EST
Install Date: Sun 24 Feb 2013 10:34:26 PM EST Build Host:
c6b4.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: openjpeg-1.3-
7.el6.src.rpm
Size : 123008 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:49:35 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.openjpeg.org/>
Summary : JPEG 2000 codec library
Description :
The openjpeg-libs package contains runtime libraries for applications
that use
OpenJPEG.

Name : mcpp Relocations: (not relocatable)
Version : 2.7.2 Vendor: CentOS
Release : 4.1.el6 Build Date: Wed 18 Aug 2010
11:52:52 AM EDT
Install Date: Sun 24 Feb 2013 10:35:51 PM EST Build Host:
c6b3.bsyzs.dev.centos.org
Group : Development/Languages Source RPM: mcpp-2.7.2-
4.1.el6.src.rpm
Size : 49783 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:44:57 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://mcpp.sourceforge.net/>
Summary : Alternative C/C++ preprocessor
Description :
C/C++ preprocessor defines and expands macros and processes '#if',
'#include' and some other directives.

MCPP is an alternative C/C++ preprocessor with the highest conformance. It supports multiple standards: K&R, ISO C90, ISO C99, and ISO C++98. MCPP is especially useful for debugging a source program which uses complicated macros and also useful for checking portability of a source.

Though mcpp could be built as a replacement of GCC's resident preprocessor or as a stand-alone program without using library build of mcpp, this package installs only a program named 'mcpp' which links shared library of mcpp and behaves independent from GCC.

```
Name           : dbus-libs                      Relocations: (not relocatable)
Version        : 1.2.24                        Vendor: CentOS
Release        : 5.el6_1                      Build Date: Fri 23 Sep 2011
11:48:08 AM EDT
Install Date: Sun 24 Feb 2013 10:33:40 PM EST    Build Host:
c6b5.bsys.dev.centos.org
Group          : Development/Libraries          Source RPM: dbus-1.2.24-
5.el6_1.src.rpm
Size           : 265696                        License: GPLv2+ or AFL
Signature      : RSA/SHA1, Mon 26 Sep 2011 12:17:33 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.freedesktop.org/software/dbus/
Summary        : Libraries for accessing D-BUS
Description    :
This package contains lowlevel libraries for accessing D-BUS.
```

```
Name           : mesa-libGLU                    Relocations: (not relocatable)
Version        : 7.11                          Vendor: CentOS
Release        : 3.el6                        Build Date: Wed 07 Dec 2011
05:56:04 PM EST
Install Date: Sun 24 Feb 2013 10:38:21 PM EST    Build Host:
c6b18n3.bsys.dev.centos.org
Group          : System Environment/Libraries    Source RPM: mesa-7.11-
3.el6.src.rpm
Size           : 452312                        License: MIT
Signature      : RSA/SHA1, Thu 08 Dec 2011 03:31:36 PM EST, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.mesa3d.org
Summary        : Mesa libGLU runtime library
Description    :
Mesa libGLU runtime library
```

```
Name           : rsh                            Relocations: (not relocatable)
Version        : 0.17                          Vendor: CentOS
Release        : 60.el6                      Build Date: Sun 22 Aug 2010
07:17:39 AM EDT
Install Date: Sun 24 Feb 2013 10:41:33 PM EST    Build Host:
c6b4.bsys.dev.centos.org
Group          : Applications/Internet          Source RPM: rsh-0.17-
60.el6.src.rpm
Size           : 79374                        License: BSD
```

Signature : RSA/8, Sun 03 Jul 2011 01:00:36 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://ftp.uk.linux.org/pub/linux/Networking/netkit>
Summary : Clients for remote access commands (rsh, rlogin, rcp)
Description :
The rsh package contains a set of programs which allow users to run
commands on remote machines, login to other machines and copy files
between machines (rsh, rlogin and rcp). All three of these commands
use rhosts style authentication. This package contains the clients
needed for all of these services.
The rsh package should be installed to enable remote access to other
machines

Name : festival-lib Relocations: (not relocatable)
Version : 1.96 Vendor: CentOS
Release : 18.el6 Build Date: Thu 11 Nov 2010
02:43:14 AM EST
Install Date: Sun 24 Feb 2013 10:34:27 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: festival-1.96-
18.el6.src.rpm
Size : 1100862 License: MIT and GPL+ and
TCL
Signature : RSA/8, Sun 03 Jul 2011 12:14:10 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.cstr.ed.ac.uk/projects/festival/>
Summary : Library for the Festival speech synthesis system
Description :
The shared library used by the Festival text-to-speech and speech
synthesis
system.

Name : rpm-python Relocations: (not relocatable)
Version : 4.8.0 Vendor: CentOS
Release : 19.el6 Build Date: Wed 07 Dec 2011
04:34:07 PM EST
Install Date: Sun 24 Feb 2013 10:35:56 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: rpm-4.8.0-
19.el6.src.rpm
Size : 119746 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 04:06:42 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.rpm.org/>
Summary : Python bindings for apps which will manipulate RPM packages
Description :
The rpm-python package contains a module that permits applications
written in the Python programming language to use the interface
supplied by RPM Package Manager libraries.

This package should be installed if you want to develop Python

programs that will manipulate RPM packages and databases.

```
Name       : libcom_err                      Relocations: (not relocatable)
Version    : 1.41.12                        Vendor: CentOS
Release    : 11.el6                         Build Date: Wed 07 Dec 2011
03:46:21 PM EST
Install Date: Sun 24 Feb 2013 10:33:41 PM EST      Build Host:
c6b6.bsys.dev.centos.org
Group      : Development/Libraries            Source RPM: e2fsprogs-
1.41.12-11.el6.src.rpm
Size       : 59233                           License: MIT
Signature  : RSA/SHA1, Thu 08 Dec 2011 02:56:38 PM EST, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://e2fsprogs.sourceforge.net/
Summary    : Common error description library
Description:
This is the common error description library, part of e2fsprogs.
```

libcom_err is an attempt to present a common error-handling mechanism.

```
Name       : xorg-x11-drv-vmware            Relocations: (not relocatable)
Version    : 11.0.3                         Vendor: CentOS
Release    : 1.el6                         Build Date: Wed 07 Dec 2011
10:54:05 AM EST
Install Date: Sun 24 Feb 2013 10:38:26 PM EST      Build Host:
c6b18n3.bsys.dev.centos.org
Group      : User Interface/X Hardware Support    Source RPM: xorg-x11-
drv-vmware-11.0.3-1.el6.src.rpm
Size       : 58460                           License: MIT
Signature  : RSA/SHA1, Thu 08 Dec 2011 04:41:42 PM EST, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://www.x.org
Summary    : Xorg X11 vmware video driver
Description:
X.Org X11 vmware video driver.
```

```
Name       : bridge-utils                   Relocations: (not relocatable)
Version    : 1.2                           Vendor: CentOS
Release    : 9.el6                         Build Date: Wed 10 Nov 2010
09:06:21 PM EST
Install Date: Sun 24 Feb 2013 10:41:34 PM EST      Build Host:
c6b1.bsys.dev.centos.org
Group      : System Environment/Base           Source RPM: bridge-utils-1.2-
9.el6.src.rpm
Size       : 58263                           License: GPLv2+
Signature  : RSA/8, Sun 03 Jul 2011 12:06:13 AM EDT, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://bridge.sourceforge.net/
Summary    : Utilities for configuring the linux ethernet bridge
Description:
This package contains utilities for configuring the linux ethernet
```

bridge. The linux ethernet bridge can be used for connecting multiple ethernet devices together. The connecting is fully transparent: hosts connected to one ethernet device see hosts connected to the other ethernet devices directly.

Install bridge-utils if you want to use the linux ethernet bridge.

```
Name           : ppp                               Relocations: (not relocatable)
Version        : 2.4.5                             Vendor: CentOS
Release        : 5.el6                             Build Date: Sun 22 Aug 2010
07:22:23 PM EDT
Install Date: Sun 24 Feb 2013 10:34:31 PM EST      Build Host:
c6b6.bsys.dev.centos.org
Group          : System Environment/Daemons        Source RPM: ppp-2.4.5-
5.el6.src.rpm
Size           : 777793                             License: BSD and LGPLv2+
and GPLv2+ and Public Domain
Signature      : RSA/8, Sun 03 Jul 2011 12:57:52 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.samba.org/ppp
Summary        : The Point-to-Point Protocol daemon
Description    :
The ppp package contains the PPP (Point-to-Point Protocol) daemon and
documentation for PPP support. The PPP protocol provides a method for
transmitting datagrams over serial point-to-point links. PPP is
usually used to dial in to an ISP (Internet Service Provider) or other
organization over a modem and phone line.
```

```
Name           : python-slip                       Relocations: (not relocatable)
Version        : 0.2.11                           Vendor: CentOS
Release        : 1.el6                             Build Date: Thu 11 Nov 2010
06:44:21 PM EST
Install Date: Sun 24 Feb 2013 10:35:59 PM EST      Build Host:
c6b4.bsys.dev.centos.org
Group          : System Environment/Libraries      Source RPM: python-slip-
0.2.11-1.el6.src.rpm
Size           : 56039                             License: GPLv2+
Signature      : RSA/8, Sun 03 Jul 2011 12:43:19 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://fedorahosted.org/python-slip
Summary        : Miscellaneous convenience, extension and workaround code
for Python
Description    :
The Simple Library for Python packages contain miscellaneous code for
convenience, extension and workaround purposes.
```

This package provides the "slip" and the "slip.util" modules.

```
Name           : expat                             Relocations: (not relocatable)
Version        : 2.0.1                             Vendor: CentOS
Release        : 9.1.el6                           Build Date: Thu 11 Nov 2010
02:20:30 AM EST
```

Install Date: Sun 24 Feb 2013 10:33:42 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: expat-2.0.1-
9.1.el6.src.rpm
Size : 197306 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:13:50 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.libexpat.org/>
Summary : An XML parser library
Description :
This is expat, the C library for parsing XML, written by James Clark.
Expat
is a stream oriented XML parser. This means that you register handlers
with
the parser prior to starting the parse. These handlers are called when
the
parser discovers the associated structures in the document being parsed.
A
start tag is an example of the kind of structures for which you may
register handlers.

Name : xorg-x11-drv-siliconmotion Relocations: (not relocatable)
Version : 1.7.5 Vendor: CentOS
Release : 1.el6 Build Date: Wed 07 Dec 2011
10:16:59 AM EST
Install Date: Sun 24 Feb 2013 10:38:27 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-siliconmotion-1.7.5-1.el6.src.rpm
Size : 125358 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:39:35 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 siliconmotion video driver
Description :
X.Org X11 siliconmotion video driver.

Name : compat-libcap1 Relocations: (not relocatable)
Version : 1.10 Vendor: CentOS
Release : 1 Build Date: Fri 12 Nov 2010
03:56:59 AM EST
Install Date: Sun 24 Feb 2013 10:41:35 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: compat-libcap1-
1.10-1.src.rpm
Size : 29650 License: BSD-like and LGPL
Signature : RSA/8, Sun 03 Jul 2011 12:07:37 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Summary : Library for getting and setting POSIX.1e capabilities
Description :
libcap is a library for getting and setting POSIX.1e (formerly POSIX 6)

draft 15 capabilities.

Name : fipscheck-lib Relocations: (not relocatable)
Version : 1.2.0 Vendor: CentOS
Release : 7.el6 Build Date: Wed 07 Dec 2011
02:13:53 PM EST
Install Date: Sun 24 Feb 2013 10:34:33 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: fipscheck-1.2.0-
7.el6.src.rpm
Size : 10353 License: BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 02:58:46 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/fipscheck/>
Summary : Library files for fipscheck
Description :
This package contains the FIPSCheck library.

Name : pygobject2 Relocations: (not relocatable)
Version : 2.20.0 Vendor: CentOS
Release : 5.el6 Build Date: Thu 11 Nov 2010
03:41:10 PM EST
Install Date: Sun 24 Feb 2013 10:36:00 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Languages Source RPM: pygobject2-
2.20.0-5.el6.src.rpm
Size : 676356 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:58:11 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.pygtk.org/>
Summary : Python bindings for GObject
Description :
The pygobject2 package provides a convenient wrapper for the GObject
library
for use in Python programs.

Name : gawk Relocations: (not relocatable)
Version : 3.1.7 Vendor: CentOS
Release : 6.el6 Build Date: Thu 11 Nov 2010
03:04:12 AM EST
Install Date: Sun 24 Feb 2013 10:33:43 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Applications/Text Source RPM: gawk-3.1.7-
6.el6.src.rpm
Size : 2036632 License: GPLv3+
Signature : RSA/8, Sun 03 Jul 2011 12:15:40 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/gawk/gawk.html>
Summary : The GNU version of the awk text processing utility
Description :
The gawk package contains the GNU version of awk, a text processing

utility. Awk interprets a special-purpose programming language to do quick and easy text pattern matching and reformatting jobs.

Install the gawk package if you need a text processing utility. Gawk is considered to be a standard Linux tool for processing text.

```
Name       : xorg-x11-drv-nv           Relocations: (not relocatable)
Version    : 2.1.18                   Vendor: CentOS
Release    : 2.el6                   Build Date: Wed 07 Dec 2011
10:10:42 AM EST
Install Date: Sun 24 Feb 2013 10:38:28 PM EST   Build Host:
c6b6.bsys.dev.centos.org
Group      : User Interface/X Hardware Support   Source RPM: xorg-x11-
drv-nv-2.1.18-2.el6.src.rpm
Size       : 219158                   License: MIT
Signature  : RSA/SHA1, Thu 08 Dec 2011 04:37:44 PM EST, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://www.x.org
Summary    : Xorg X11 nv video driver
Description:
X.Org X11 nv video driver.
```

```
Name       : ql2400-firmware           Relocations: (not relocatable)
Version    : 5.06.02                   Vendor: CentOS
Release    : 1.el6                   Build Date: Wed 07 Dec 2011
05:41:28 PM EST
Install Date: Sun 24 Feb 2013 10:41:42 PM EST   Build Host:
c6b4.bsys.dev.centos.org
Group      : System Environment/Kernel   Source RPM: ql2400-firmware-
5.06.02-1.el6.src.rpm
Size       : 257155                   License: Redistributable,
no modification permitted
Signature  : RSA/SHA1, Thu 08 Dec 2011 04:02:18 PM EST, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : ftp://ftp.qlogic.com/outgoing/linux/firmware/
Summary    : Firmware for qlogic 2400 devices
Description:
Firmware for qlogic 2400 devices.
```

```
Name       : cvs                       Relocations: (not relocatable)
Version    : 1.11.23                   Vendor: CentOS
Release    : 11.el6_0.1               Build Date: Sat 25 Jun 2011
12:04:14 AM EDT
Install Date: Sun 24 Feb 2013 10:34:43 PM EST   Build Host:
c6b5.bsys.dev.centos.org
Group      : Development/Tools         Source RPM: cvs-1.11.23-
11.el6_0.1.src.rpm
Size       : 1595158                   License: GPL+ and GPLv2+
and LGPL+
Signature  : RSA/8, Tue 05 Jul 2011 09:37:36 PM EDT, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
```

URL : <http://www.cvshome.org/>
Summary : A version control system
Description :
CVS (Concurrent Versions System) is a version control system that can record the history of your files (usually, but not always, source code). CVS only stores the differences between versions, instead of every version of every file you have ever created. CVS also keeps a log of who, when, and why changes occurred.

CVS is very helpful for managing releases and controlling the concurrent editing of source files among multiple authors. Instead of providing version control for a collection of files in a single directory, CVS provides version control for a hierarchical collection of directories consisting of revision controlled files. These directories and files can then be combined together to form a software release.

Name : gnome-python2-gconf Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
06:32:37 AM EST
Install Date: Sun 24 Feb 2013 10:36:01 PM EST Build Host:
c6b5.bsyz.dev.centos.org
Group : Development/Languages Source RPM: gnome-python2-
2.28.0-3.el6.src.rpm
Size : 137914 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:18:32 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/gnome-python/>
Summary : Python bindings for interacting with GConf
Description :
This module contains a wrapper that allows the use of GConf via Python.

Name : atk Relocations: (not relocatable)
Version : 1.28.0 Vendor: CentOS
Release : 2.el6 Build Date: Wed 10 Nov 2010
07:26:49 PM EST
Install Date: Sun 24 Feb 2013 10:33:44 PM EST Build Host:
c6b6.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: atk-1.28.0-
2.el6.src.rpm
Size : 933858 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:02:42 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://developer.gnome.org/projects/gap/>
Summary : Interfaces for accessibility support
Description :
The ATK library provides a set of interfaces for adding accessibility support to applications and graphical user interface toolkits. By supporting the ATK interfaces, an application or toolkit can be used with tools such as screen readers, magnifiers, and alternative input devices.

Name : xorg-x11-drv-i740 Relocations: (not relocatable)
Version : 1.3.2 Vendor: CentOS
Release : 2.el6 Build Date: Wed 07 Dec 2011
10:23:48 AM EST
Install Date: Sun 24 Feb 2013 10:38:28 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-i740-1.3.2-2.el6.src.rpm
Size : 51513 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:35:16 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 i740 video driver
Description :
X.Org X11 i740 video driver.

Name : zd1211-firmware Relocations: (not relocatable)
Version : 1.4 Vendor: CentOS
Release : 4.el6 Build Date: Fri 20 Aug 2010
09:31:47 PM EDT
Install Date: Sun 24 Feb 2013 10:41:43 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: zd1211-firmware-
1.4-4.el6.src.rpm
Size : 65337 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:55:47 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://zd1211.wiki.sourceforge.net>
Summary : Firmware for wireless devices based on zd1211 chipset
Description :
This package contains the firmware required to work with the zd1211
chipset.

Name : libXaw Relocations: (not relocatable)
Version : 1.0.6 Vendor: CentOS
Release : 4.1.el6 Build Date: Thu 19 Aug 2010
03:04:50 AM EDT
Install Date: Sun 24 Feb 2013 10:34:45 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXaw-1.0.6-
4.1.el6.src.rpm
Size : 443737 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:41:29 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X Athena Widget Set
Description :
Xaw is a widget set based on the X Toolkit Intrinsics (Xt) Library.

Name : python-enchaut Relocations: (not relocatable)

Version : 1.3.1 Vendor: CentOS
Release : 5.2.el6 Build Date: Sat 21 Aug 2010
08:58:48 AM EDT
Install Date: Sun 24 Feb 2013 10:36:03 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : Development/Languages Source RPM: python-enchanted-
1.3.1-5.2.el6.src.rpm
Size : 379111 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:58:35 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://pyenchant.sourceforge.net/>
Summary : Python bindings for Enchant spellchecking library
Description :
PyEnchant is a spellchecking library for Python, based on the Enchant
library by Dom Lachowicz.

Name : desktop-file-utils Relocations: (not relocatable)
Version : 0.15 Vendor: CentOS
Release : 9.el6 Build Date: Wed 25 Aug 2010
11:37:06 AM EDT
Install Date: Sun 24 Feb 2013 10:33:45 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Tools Source RPM: desktop-file-
utils-0.15-9.el6.src.rpm
Size : 143573 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:09:50 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/software/desktop-file-utils>
Summary : Utilities for manipulating .desktop files
Description :
.desktop files are used to describe an application for inclusion in
GNOME or KDE menus. This package contains desktop-file-validate which
checks whether a .desktop file complies with the specification at
<http://www.freedesktop.org/standards/>, and desktop-file-install
which installs a desktop file to the standard directory, optionally
fixing it up in the process.

Name : xorg-x11-drv-cirrus Relocations: (not relocatable)
Version : 1.3.2 Vendor: CentOS
Release : 2.el6 Build Date: Wed 07 Dec 2011
10:30:05 AM EST
Install Date: Sun 24 Feb 2013 10:38:29 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : User Interface/X Hardware Support Source RPM: xorg-x11-
drv-cirrus-1.3.2-2.el6.src.rpm
Size : 82496 License: MIT
Signature : RSA/SHA1, Thu 08 Dec 2011 04:32:54 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Xorg X11 cirrus video driver
Description :

X.Org X11 cirrus video driver.

Name : ipw2200-firmware Relocations: (not relocatable)
Version : 3.1 Vendor: CentOS
Release : 4.el6 Build Date: Fri 20 Aug 2010
10:00:27 PM EDT
Install Date: Sun 24 Feb 2013 10:41:44 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Kernel Source RPM: ipw2200-firmware-
3.1-4.el6.src.rpm
Size : 576425 License: Redistributable,
no modification permitted
Signature : RSA/8, Sun 03 Jul 2011 12:16:16 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://ipw2200.sourceforge.net/firmware.php>
Summary : Firmware for Intel® PRO/Wireless 2200 network adaptors
Description :
This package contains the firmware files required by the ipw2200 driver
for
Linux. Usage of the firmware is subject to the terms and conditions
contained
in /lib/firmware/LICENSE.ipw2200. Please read it carefully.

Name : enchant Relocations: (not relocatable)
Version : 1.5.0 Vendor: CentOS
Release : 4.el6 Build Date: Thu 11 Nov 2010
01:42:24 AM EST
Install Date: Sun 24 Feb 2013 10:34:45 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: enchant-1.5.0-
4.el6.src.rpm
Size : 114990 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:13:08 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.abisource.com/>
Summary : An Enchanting Spell Checking Library
Description :
A library that wraps other spell checking backends.

Name : libreport-plugin-rhtsupport Relocations: (not relocatable)
Version : 2.0.5 Vendor: CentOS
Release : 20.el6 Build Date: Wed 07 Dec 2011
07:15:10 PM EST
Install Date: Sun 24 Feb 2013 10:36:04 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libreport-2.0.5-
20.el6.src.rpm
Size : 47459 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:23:17 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>

Summary : libreport's RHTSupport plugin
Description :
Plugin to report bugs into RH support system.

Name : procps Relocations: (not relocatable)
Version : 3.2.8 Vendor: CentOS
Release : 21.el6 Build Date: Wed 07 Dec 2011
03:45:42 PM EST
Install Date: Sun 24 Feb 2013 10:33:46 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Applications/System Source RPM: procps-3.2.8-
21.el6.src.rpm
Size : 465856 License: GPLv2+ and
LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:58:51 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://procps.sourceforge.net>
Summary : System and process monitoring utilities
Description :
The procps package contains a set of system utilities that provide
system information. Procps includes ps, free, skill, pkill, pgrep,
snice, tload, top, uptime, vmstat, w, watch and pdwx. The ps command
displays a snapshot of running processes. The top command provides
a repetitive update of the statuses of running processes. The free
command displays the amounts of free and used memory on your
system. The skill command sends a terminate command (or another
specified signal) to a specified set of processes. The snice
command is used to change the scheduling priority of specified
processes. The tload command prints a graph of the current system
load average to a specified tty. The uptime command displays the
current time, how long the system has been running, how many users
are logged on, and system load averages for the past one, five,
and fifteen minutes. The w command displays a list of the users
who are currently logged on and what they are running. The watch
program watches a running program. The vmstat command displays
virtual memory statistics about processes, memory, paging, block
I/O, traps, and CPU activity. The pdwx command reports the current
working directory of a process or processes.

Name : lldpad Relocations: (not relocatable)
Version : 0.9.43 Vendor: CentOS
Release : 12.el6 Build Date: Wed 07 Dec 2011
08:23:54 PM EST
Install Date: Sun 24 Feb 2013 10:38:30 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: lldpad-0.9.43-
12.el6.src.rpm
Size : 490137 License: GPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 03:27:36 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://open-lldp.org>
Summary : Intel LLDP Agent

Description :

This package contains the Linux user space daemon and configuration tool for

Intel LLDP Agent with Enhanced Ethernet support for the Data Center.

Name : perl-File-NFSLock Relocations: (not relocatable)
Version : 1.20 Vendor: Dag Apt
Repository, <http://dag.wieers.com/apt/>
Release : 1.el6.rf Build Date: Wed 10 Nov 2010
11:48:54 PM EST
Install Date: Sun 24 Feb 2013 10:44:22 PM EST Build Host:
lisse.hasselt.wieers.com
Group : Applications/CPAN Source RPM: perl-File-
NFSLock-1.20-1.el6.rf.src.rpm
Size : 38837 License: Artistic
Signature : DSA/SHA1, Thu 11 Nov 2010 01:29:16 AM EST, Key ID
a20e52146b8d79e6
Packager : Dag Wieers <dag@wieers.com>
URL : <http://search.cpan.org/dist/File-NFSLock/>
Summary : Perl module to do NFS (or not) locking
Description :
File-NFSLock is a Perl module to do NFS (or not) locking.

Name : perl-CPANPLUS Relocations: (not relocatable)
Version : 0.88 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:46 PM EST Build Host:
c6b5.bsyz.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size : 785256 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 05:58:54 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : API & CLI access to the CPAN mirrors
Description :
The CPANPLUS library is an API to the CPAN mirrors and a collection of
interactive shells, commandline programs, etc, that use this API.

Name : libreport-plugin-logger Relocations: (not relocatable)
Version : 2.0.5 Vendor: CentOS
Release : 20.el6 Build Date: Wed 07 Dec 2011
07:15:10 PM EST
Install Date: Sun 24 Feb 2013 10:36:05 PM EST Build Host:
c6b18n2.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: libreport-2.0.5-
20.el6.src.rpm
Size : 21271 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:22:55 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/abrt/>

Summary : libreport's logger reporter plugin
Description :
The simple reporter plugin which writes a report to a specified file.

Name : libtiff Relocations: (not relocatable)
Version : 3.9.4 Vendor: CentOS
Release : 1.el6_0.3 Build Date: Sat 25 Jun 2011
09:36:13 AM EDT
Install Date: Sun 24 Feb 2013 10:33:47 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libtiff-3.9.4-
1.el6_0.3.src.rpm
Size : 962291 License: libtiff
Signature : RSA/8, Tue 05 Jul 2011 09:41:07 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.remotesensing.org/libtiff/>
Summary : Library of functions for manipulating TIFF format image
files

Description :
The libtiff package contains a library of functions for manipulating
TIFF (Tagged Image File Format) image format files. TIFF is a widely
used file format for bitmapped images. TIFF files usually end in the
.tif extension and they are often quite large.

The libtiff package should be installed if you need to manipulate TIFF
format image files.

Name : gdm-user-switch-applet Relocations: (not relocatable)
Version : 2.30.4 Vendor: CentOS
Release : 32.el6 Build Date: Wed 07 Dec 2011
03:23:06 PM EST
Install Date: Sun 24 Feb 2013 10:38:38 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : User Interface/Desktops Source RPM: gdm-2.30.4-
32.el6.src.rpm
Size : 122438 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:04:48 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/gdm>
Summary : GDM User Switcher Panel Applet
Description :
The GDM user switcher applet provides a mechanism for changing among
multiple simultaneous logged in users.

Name : perl-Stat-lsMode Relocations: (not relocatable)
Version : 0.50 Vendor: Dag Apt
Repository, <http://dag.wieers.com/apt/>
Release : 1.2.el6.rf Build Date: Thu 11 Nov 2010
12:36:50 AM EST
Install Date: Sun 24 Feb 2013 10:44:27 PM EST Build Host:
lisse.hasselt.wieers.com

Group : Applications/CPAN Source RPM: perl-Stat-lsMode-0.50-1.2.el6.rf.src.rpm
Size : 10450 License: Artistic/GPL
Signature : DSA/SHA1, Thu 11 Nov 2010 01:29:29 AM EST, Key ID a20e52146b8d79e6
Packager : Dries Verachtert <dries@ulyssis.org>
URL : http://search.cpan.org/dist/Stat-lsMode/
Summary : Format file modes like the ls -l command does
Description :
This module is for formatting file modes and permissions the way that ls -l does.

Name : iptables-ipv6 Relocations: (not relocatable)
Version : 1.4.7 Vendor: CentOS
Release : 4.el6 Build Date: Tue 19 Jul 2011 03:21:59 PM EDT
Install Date: Sun 24 Feb 2013 10:34:47 PM EST Build Host: c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: iptables-1.4.7-4.el6.src.rpm
Size : 187870 License: GPLv2
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:31 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <http://bugs.centos.org>
URL : http://www.netfilter.org/
Summary : IPv6 support for iptables
Description :
The iptables package contains IPv6 (the next version of the IP protocol) support for iptables. Iptables controls the Linux kernel network packet filtering code, allowing you to set up firewalls and IP masquerading.

Install iptables-ipv6 if you need to set up firewalling for your network and you are using ipv6.

Name : python-dateutil Relocations: (not relocatable)
Version : 1.4.1 Vendor: CentOS
Release : 6.el6 Build Date: Thu 11 Nov 2010 07:27:45 PM EST
Install Date: Sun 24 Feb 2013 10:36:06 PM EST Build Host: c6b4.bsys.dev.centos.org
Group : Development/Languages Source RPM: python-dateutil-1.4.1-6.el6.src.rpm
Size : 350476 License: Python
Signature : RSA/8, Sun 03 Jul 2011 12:42:24 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <http://bugs.centos.org>
URL : http://labix.org/python-dateutil
Summary : Powerful extensions to the standard datetime module
Description :
The dateutil module provides powerful extensions to the standard datetime module available in Python 2.3+.

Name : cpio Relocations: (not relocatable)

Version : 2.10 Vendor: CentOS
Release : 9.el6 Build Date: Wed 10 Nov 2010
10:43:45 PM EST
Install Date: Sun 24 Feb 2013 10:33:48 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/Archiving Source RPM: cpio-2.10-
9.el6.src.rpm
Size : 650610 License: GPLv3+
Signature : RSA/8, Sun 03 Jul 2011 12:08:07 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/cpio/>
Summary : A GNU archiving program

Description :

GNU cpio copies files into or out of a cpio or tar archive. Archives are files which contain a collection of other files plus information about them, such as their file name, owner, timestamps, and access permissions. The archive can be another file on the disk, a magnetic tape, or a pipe. GNU cpio supports the following archive formats: binary, old ASCII, new ASCII, crc, HPUX binary, HPUX old ASCII, old tar and POSIX.1 tar. By default, cpio creates binary format archives, so that they are compatible with older cpio programs. When it is extracting files from archives, cpio automatically recognizes which kind of archive it is reading and can read archives created on machines with a different byte-order.

Install cpio if you need a program to manage file archives.

Name : ibus-qt Relocations: (not relocatable)
Version : 1.3.0 Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010
09:55:00 PM EST
Install Date: Sun 24 Feb 2013 10:38:42 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ibus-qt-1.3.0-
2.el6.src.rpm
Size : 468352 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:24:05 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/ibus/>
Summary : Qt IBus library and Qt input method plugin
Description :

Qt IBus library and Qt input method plugin.

Name : perl-Template-Toolkit Relocations: (not relocatable)
Version : 2.22 Vendor: Dag Apt
Repository, <http://dag.wieers.com/apt/>
Release : 1.el6.rfx Build Date: Wed 17 Nov 2010
12:58:20 PM EST
Install Date: Sun 24 Feb 2013 10:44:32 PM EST Build Host:
lisse.hasselt.wieers.com

Group : Applications/CPAN Source RPM: perl-Template-Toolkit-2.22-1.el6.rfx.src.rpm
Size : 1669991 License: Artistic/GPL
Signature : DSA/SHA1, Wed 17 Nov 2010 05:51:57 PM EST, Key ID a20e52146b8d79e6
Packager : Dries Verachtert <dries@ulyssis.org>
URL : http://search.cpan.org/dist/Template-Toolkit/
Summary : Comprehensive template processing system
Description :
The Template Toolkit is a collection of modules which implement a fast, flexible, powerful and extensible template processing system. It was originally designed and remains primarily useful for generating dynamic web content, but it can be used equally well for processing any other kind of text based documents: HTML, XML, POD, PostScript, LaTeX, and so on.

Name : jakarta-commons-discovery Relocations: (not relocatable)
Version : 0.4 Vendor: CentOS
Release : 5.4.el6 Build Date: Thu 11 Nov 2010 08:45:49 AM EST
Install Date: Sun 24 Feb 2013 10:34:48 PM EST Build Host: c5b2.bsyz.dev.centos.org
Group : Development/Libraries Source RPM: jakarta-commons-discovery-0.4-5.4.el6.src.rpm
Size : 88339 License: ASL 2.0
Signature : RSA/8, Sun 03 Jul 2011 12:16:45 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <http://bugs.centos.org>
URL : http://jakarta.apache.org/commons/discovery/
Summary : Jakarta Commons Discovery
Description :
The Discovery component is about discovering, or finding, implementations for pluggable interfaces. Pluggable interfaces are specified with the intent that multiple implementations are, or will be, available to provide the service described by the interface. Discovery provides facilities for finding and instantiating classes, and for lifecycle management of singleton (factory) classes.

Name : yum-utils Relocations: (not relocatable)
Version : 1.1.30 Vendor: CentOS
Release : 10.el6 Build Date: Wed 07 Dec 2011 04:07:42 PM EST
Install Date: Sun 24 Feb 2013 10:36:09 PM EST Build Host: c6b18n2.bsyz.dev.centos.org
Group : Development/Tools Source RPM: yum-utils-1.1.30-10.el6.src.rpm
Size : 293001 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 04:46:27 PM EST, Key ID 0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://yum.baseurl.org/download/yum-utils/>
Summary : Utilities based around the yum package manager
Description :
yum-utils is a collection of utilities and examples for the yum package manager. It includes utilities by different authors that make yum easier and more powerful to use. These tools include: debuginfo-install, find-repos-of-install, needs-restarting, package-cleanup, repoclosure, repodiff, repo-graph, repomanage, repoquery, repo-rss, reposync, repotrack, verifytree, yumdownloader, yum-builddep, yum-complete-transaction, yum-config-manager, yum-debug-dump, yum-debug-restore and yum-groups-manager.

Name : libX11 Relocations: (not relocatable)
Version : 1.3 Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010 05:19:47 PM EST
Install Date: Sun 24 Feb 2013 10:33:51 PM EST Build Host: c6b4.bsyzs.dev.centos.org
Group : System Environment/Libraries Source RPM: libX11-1.3-2.el6.src.rpm
Size : 1310184 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:41:23 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : Core X11 protocol client library
Description :
Core X11 protocol client library.

Name : gnome-applets Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 7.el6.centos Build Date: Sun 25 Sep 2011 05:51:50 PM EDT
Install Date: Sun 24 Feb 2013 10:38:55 PM EST Build Host: c6b18n1.dev.centos.org
Group : User Interface/Desktops Source RPM: gnome-applets-2.28.0-7.el6.centos.src.rpm
Size : 15712605 License: GPLv2+ and GFDL
Signature : RSA/SHA1, Mon 26 Sep 2011 12:18:51 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/>
Summary : Small applications for the GNOME panel
Description :
The gnome-applets package contains small applications which generally run in the background and display their output to the GNOME panel. It includes a clock, a character palette, load monitors, little toys, and more.

Name : perl-IO-Tty Relocations: (not relocatable)

Version : 1.08 Vendor: Dag Apt
Repository, <http://dag.wieers.com/apt/>
Release : 2.el6.rfx Build Date: Sat 30 Jul 2011
01:59:43 PM EDT
Install Date: Sun 24 Feb 2013 10:44:40 PM EST Build Host:
lisse.hasselt.wieers.com
Group : Applications/CPAN Source RPM: perl-IO-Tty-1.08-
2.el6.rfx.src.rpm
Size : 126309 License: Artistic
Signature : DSA/SHA1, Sat 30 Jul 2011 04:46:08 PM EDT, Key ID
a20e52146b8d79e6
Packager : Dries Verachtert <dries@ulyssis.org>
URL : <http://search.cpan.org/dist/IO-Tty/>
Summary : Interface to pseudo Tty
Description :
IO::Tty and IO::Pty provide an interface to pseudo ttys.

Name : polkit-desktop-policy Relocations: (not relocatable)
Version : 0.96 Vendor: CentOS
Release : 2.el6_0.1 Build Date: Sat 25 Jun 2011
08:49:09 AM EDT
Install Date: Sun 24 Feb 2013 10:34:50 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: polkit-0.96-
2.el6_0.1.src.rpm
Size : 965 License: LGPLv2+
Signature : RSA/8, Tue 05 Jul 2011 09:44:26 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/wiki/Software/PolicyKit>
Summary : Roles and default policy for desktop usage
Description :
Roles and default policy for desktop usage.

Name : gettext Relocations: (not relocatable)
Version : 0.17 Vendor: CentOS
Release : 16.el6 Build Date: Thu 11 Nov 2010
04:06:25 AM EST
Install Date: Sun 24 Feb 2013 10:36:10 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Tools Source RPM: gettext-0.17-
16.el6.src.rpm
Size : 6371313 License: GPLv3 and LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:16:26 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/gettext/>
Summary : GNU libraries and utilities for producing multi-lingual
messages
Description :
The GNU gettext package provides a set of tools and documentation for
producing multi-lingual messages in programs. Tools include a set of
conventions about how programs should be written to support message
catalogs, a directory and file naming organization for the message

catalogs, a runtime library which supports the retrieval of translated messages, and stand-alone programs for handling the translatable and the already translated strings. Gettext provides an easy to use library and tools for creating, using, and modifying natural language catalogs and is a powerful and simple method for internationalizing programs.

Name : ibus-libs Relocations: (not relocatable)
Version : 1.3.4 Vendor: CentOS
Release : 6.el6 Build Date: Wed 07 Dec 2011
12:23:43 PM EST
Install Date: Sun 24 Feb 2013 10:33:51 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ibus-1.3.4-
6.el6.src.rpm
Size : 271936 License: LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:07:50 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/ibus/>
Summary : IBus libraries
Description :
This package contains the libraries for IBus

Name : ibus-table-additional Relocations: (not relocatable)
Version : 1.2.0.20100111 Vendor: CentOS
Release : 4.el6 Build Date: Sun 22 Aug 2010
06:05:42 AM EDT
Install Date: Sun 24 Feb 2013 10:39:04 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ibus-table-
1.2.0.20100111-4.el6.src.rpm
Size : 300534 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:15:38 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://code.google.com/p/ibus/>
Summary : Additional tables for general table engine of IBus
Description :
This package contains additional tables for Ibus-Table.

Name : XRXOSTOOLS Relocations: (not relocatable)
Version : 1.0.0.1 Vendor: Xerox Corporation
Release : 1 Build Date: Mon 18 Jun 2012
09:49:09 AM EDT
Install Date: Sun 24 Feb 2013 10:46:12 PM EST Build Host: chicory
Group : Applications/Xerox Source RPM: XRXOSTOOLS-
1.0.0.1-1.src.rpm
Size : 32756 License: Copyright 1996-
2010 Xerox Corporation
Signature : (none)
Packager : sdonnell
Summary : Xerox OS Tools
Description :

Xerox OS Tools for System Monitoring and Debugging

Name : libgtop2 Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
05:50:23 PM EST
Install Date: Sun 24 Feb 2013 10:34:52 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libgtop2-2.28.0-
3.el6.src.rpm
Size : 362541 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:35:04 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/libgtop/2.28>
Summary : libgtop library (version 2)
Description :
libgtop is a library for portably obtaining information about processes,
such as their PID, memory usage, etc.

Name : evolution-data-server Relocations: (not relocatable)
Version : 2.28.3 Vendor: CentOS
Release : 15.el6 Build Date: Tue 19 Jul 2011
09:07:20 PM EDT
Install Date: Sun 24 Feb 2013 10:36:16 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: evolution-data-
server-2.28.3-15.el6.src.rpm
Size : 12529959 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:18:08 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://projects.gnome.org/evolution/>
Summary : Backend data server for Evolution
Description :
The evolution-data-server package provides a unified backend
for programs that work with contacts, tasks, and calendar information.

It was originally developed for Evolution (hence the name), but is now
used
by other packages.

Name : xz Relocations: (not relocatable)
Version : 4.999.9 Vendor: CentOS
Release : 0.3.beta.20091007git.el6 Build Date: Sun 22 Aug 2010
01:12:38 PM EDT
Install Date: Sun 24 Feb 2013 10:33:51 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/File Source RPM: xz-4.999.9-
0.3.beta.20091007git.el6.src.rpm
Size : 487887 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:06:47 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://tukaani.org/xz/>
Summary : LZMA compression utilities
Description :
XZ Utils are an attempt to make LZMA compression easy to use on free (as in freedom) operating systems. This is achieved by providing tools and libraries which are similar to use than the equivalents of the most popular existing compression algorithms.

LZMA is a general purpose compression algorithm designed by Igor Pavlov as part of 7-Zip. It provides high compression ratio while keeping the decompression speed fast.

Name : gvfs-archive Relocations: (not relocatable)
Version : 1.4.3 Vendor: CentOS
Release : 12.el6 Build Date: Mon 18 Jul 2011 07:51:20 PM EDT
Install Date: Sun 24 Feb 2013 10:39:07 PM EST Build Host: c6b5.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: gvfs-1.4.3-12.el6.src.rpm
Size : 143743 License: LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:08 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gtk.org>
Summary : Archiving support for gvfs
Description :
This package provides support for accessing files inside Zip and Tar archives, as well as ISO images, to applications using gvfs.

Name : pygtksourceview Relocations: (not relocatable)
Version : 2.8.0 Vendor: CentOS
Release : 1.el6 Build Date: Mon 16 Aug 2010 08:34:54 PM EDT
Install Date: Sun 24 Feb 2013 10:46:50 PM EST Build Host: c6b1.bsyz.dev.centos.org
Group : Development/Languages Source RPM: pygtksourceview-2.8.0-1.el6.src.rpm
Size : 124746 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:58:16 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://download.gnome.org/sources/pygtksourceview/>
Summary : Python bindings for gtksourceview
Description :
The pygtksourceview package contains Python bindings for the gtksourceview library.

Name : ml7n-db-assamese Relocations: (not relocatable)
Version : 1.5.5 Vendor: CentOS
Release : 1.1.el6 Build Date: Thu 19 Aug 2010
02:00:34 AM EDT
Install Date: Sun 24 Feb 2013 10:34:52 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: ml7n-db-1.5.5-
1.1.el6.src.rpm
Size : 6079 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:29:00 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.ml7n.org/ml7n-lib/index.html>
Summary : ml7n-db input maps for Assamese
Description :
This package contains ml7n-db input maps for Assamese.

Name : theora-tools Relocations: (not relocatable)
Version : 1.1.0 Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010
03:56:21 PM EST
Install Date: Sun 24 Feb 2013 10:36:21 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/Multimedia Source RPM: libtheora-1.1.0-
2.el6.src.rpm
Size : 97474 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 01:03:49 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.theora.org>
Summary : Command line tools for Theora videos
Description :
The theora-tools package contains simple command line tools for use
with theora bitstreams.

Name : e2fsprogs-libs Relocations: (not relocatable)
Version : 1.41.12 Vendor: CentOS
Release : 11.el6 Build Date: Wed 07 Dec 2011
03:46:21 PM EST
Install Date: Sun 24 Feb 2013 10:33:53 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: e2fsprogs-
1.41.12-11.el6.src.rpm
Size : 274473 License: GPLv2 and LGPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 02:56:41 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://e2fsprogs.sourceforge.net/>
Summary : Ext2/3/4 filesystem-specific shared libraries
Description :
E2fsprogs-libs contains libe2p and libext2fs, the libraries of the
e2fsprogs package.

These libraries are used to directly access ext2/3/4 filesystems

from userspace.

```
Name           : httpd-devel                      Relocations: (not relocatable)
Version        : 2.2.15                          Vendor: CentOS
Release       : 15.el6.centos                    Build Date: Thu 08 Dec 2011
01:12:01 PM EST
Install Date: Sun 24 Feb 2013 10:39:15 PM EST    Build Host:
c6b6.bsys.dev.centos.org
Group         : Development/Libraries            Source RPM: httpd-2.2.15-
15.el6.centos.src.rpm
Size          : 537531                            License: ASL 2.0
Signature     : RSA/SHA1, Thu 08 Dec 2011 03:06:56 PM EST, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           : http://httpd.apache.org/
Summary       : Development interfaces for the Apache HTTP server
Description   :
The httpd-devel package contains the APXS binary and other files
that you need to build Dynamic Shared Objects (DSOs) for the
Apache HTTP Server.
```

If you are installing the Apache HTTP server and you want to be able to compile or develop additional modules for Apache, you need to install this package.

```
Name           : libXinerama                      Relocations: (not relocatable)
Version        : 1.1                            Vendor: CentOS
Release       : 1.el6                          Build Date: Tue 17 Aug 2010
02:10:45 AM EDT
Install Date: Sun 24 Feb 2013 10:47:02 PM EST    Build Host:
c6b3.bsys.dev.centos.org
Group         : System Environment/Libraries     Source RPM: libXinerama-1.1-
1.el6.src.rpm
Size          : 18817                            License: MIT
Signature     : RSA/8, Sun 03 Jul 2011 12:27:38 AM EDT, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
URL           : http://www.x.org
Summary       : X.Org X11 libXinerama runtime library
Description   :
X.Org X11 libXinerama runtime library
```

```
Name           : m17n-db-hindi                   Relocations: (not relocatable)
Version        : 1.5.5                          Vendor: CentOS
Release       : 1.1.el6                        Build Date: Thu 19 Aug 2010
02:00:34 AM EDT
Install Date: Sun 24 Feb 2013 10:34:52 PM EST    Build Host:
c6b3.bsys.dev.centos.org
Group         : System Environment/Libraries     Source RPM: m17n-db-1.5.5-
1.1.el6.src.rpm
Size          : 12908                            License: LGPLv2+
Signature     : RSA/8, Sun 03 Jul 2011 12:29:11 AM EDT, Key ID
0946fca2c105b9de
Packager      : CentOS BuildSystem <http://bugs.centos.org>
```

URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : m17n-db input maps for Hindi
Description :
This package contains m17n-db input maps for Hindi.

Name : system-gnome-theme Relocations: (not relocatable)
Version : 60.0.2 Vendor: CentOS
Release : 1.el6 Build Date: Thu 11 Nov 2010
08:42:44 PM EST
Install Date: Sun 24 Feb 2013 10:36:23 PM EST Build Host:
c5b2.bsyz.dev.centos.org
Group : User Interface/Desktops Source RPM: system-gnome-
theme-60.0.2-1.el6.src.rpm
Size : 18401 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:48:57 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.redhat.com>
Summary : System GNOME theme
Description :
This package contains the system GNOME meta theme.

Name : lcms-libs Relocations: (not relocatable)
Version : 1.19 Vendor: CentOS
Release : 1.el6 Build Date: Fri 20 Aug 2010
08:15:46 AM EDT
Install Date: Sun 24 Feb 2013 10:33:54 PM EST Build Host:
c6b1.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: lcms-1.19-
1.el6.src.rpm
Size : 225550 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:31:24 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.littlecms.com/>
Summary : Library for lcms
Description :
The lcms-libs package contains library for lcms.

Name : openssh-askpass Relocations: (not relocatable)
Version : 5.3p1 Vendor: CentOS
Release : 70.el6 Build Date: Wed 07 Dec 2011
03:25:12 PM EST
Install Date: Sun 24 Feb 2013 10:39:24 PM EST Build Host:
c6b18n2.bsyz.dev.centos.org
Group : Applications/Internet Source RPM: openssh-5.3p1-
70.el6.src.rpm
Size : 12880 License: BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 03:49:40 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.openssh.com/portable.html>
Summary : A passphrase dialog for OpenSSH and X
Description :

OpenSSH is a free version of SSH (Secure SHell), a program for logging into and executing commands on a remote machine. This package contains an X11 passphrase dialog for OpenSSH.

Name : libXp Relocations: (not relocatable)
Version : 1.0.0 Vendor: CentOS
Release : 15.1.el6 Build Date: Thu 19 Aug 2010
02:51:43 AM EDT
Install Date: Sun 24 Feb 2013 10:47:07 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libXp-1.0.0-
15.1.el6.src.rpm
Size : 34165 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:27:45 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 libXp runtime library
Description :
X.Org X11 libXp runtime library

Name : m17n-db-sinhala Relocations: (not relocatable)
Version : 1.5.5 Vendor: CentOS
Release : 1.1.el6 Build Date: Thu 19 Aug 2010
02:00:34 AM EDT
Install Date: Sun 24 Feb 2013 10:34:53 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: m17n-db-1.5.5-
1.1.el6.src.rpm
Size : 14255 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:29:21 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.m17n.org/m17n-lib/index.html>
Summary : m17n-db input maps for Sinhala
Description :
This package contains m17n-db input maps for Sinhala.

Name : bcel Relocations: (not relocatable)
Version : 5.2 Vendor: CentOS
Release : 7.2.el6 Build Date: Wed 10 Nov 2010
08:31:34 PM EST
Install Date: Sun 24 Feb 2013 10:36:35 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Libraries/Java Source RPM: bcel-5.2-
7.2.el6.src.rpm
Size : 16256730 License: ASL 2.0
Signature : RSA/8, Sun 03 Jul 2011 12:04:46 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://jakarta.apache.org/bcel/>
Summary : Byte Code Engineering Library
Description :
The Byte Code Engineering Library (formerly known as JavaClass) is

intended to give users a convenient possibility to analyze, create, and manipulate (binary) Java class files (those ending with .class). Classes are represented by objects which contain all the symbolic information of the given class: methods, fields and byte code instructions, in particular. Such objects can be read from an existing file, be transformed by a program (e.g. a class loader at run-time) and dumped to a file again. An even more interesting application is the creation of classes from scratch at run-time. The Byte Code Engineering Library (BCEL) may be also useful if you want to learn about the Java Virtual Machine (JVM) and the format of Java .class files. BCEL is already being used successfully in several projects such as compilers, optimizers, obfuscators and analysis tools, the most popular probably being the Xalan XSLT processor at Apache.

```
Name       : perl-Pod-Simple           Relocations: (not relocatable)
Version    : 3.13                     Vendor: CentOS
Release    : 119.el6_1.1              Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:33:55 PM EST   Build Host:
c6b5.bsys.dev.centos.org
Group      : Development/Libraries         Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size       : 476721                     License: GPL+ or Artistic
Signature  : RSA/SHA1, Tue 15 Nov 2011 05:58:59 AM EST, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://www.perl.org/
Summary    : Framework for parsing POD documentation
Description :
Pod::Simple is a Perl library for parsing text in the Pod ("plain old
documentation") markup language that is typically used for writing
documentation for Perl and for Perl modules.
```

```
Name       : iwl100-firmware           Relocations: (not relocatable)
Version    : 39.31.5.1                 Vendor: CentOS
Release    : 1.el6                     Build Date: Tue 19 Jul 2011
11:54:30 PM EDT
Install Date: Sun 24 Feb 2013 10:39:26 PM EST   Build Host:
c6b5.bsys.dev.centos.org
Group      : System Environment/Kernel         Source RPM: iwl100-firmware-
39.31.5.1-1.el6.src.rpm
Size       : 344388                     License: Redistributable,
no modification permitted
Signature  : RSA/SHA1, Mon 26 Sep 2011 12:10:53 AM EDT, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://intellinuxwireless.org/
Summary    : Firmware for Intel(R) Wireless WiFi Link 100 Series
Adapters
Description :
This package contains the firmware required by the iwlagn driver
for Linux to support the iwl100 hardware. Usage of the firmware
is subject to the terms and conditions contained inside the provided
LICENSE file. Please read it carefully.
```

```

Name       : curl                      Relocations: (not relocatable)
Version    : 7.19.7                  Vendor: CentOS
Release    : 26.el6_1.2              Build Date: Fri 23 Sep 2011
03:29:54 PM EDT
Install Date: Sun 24 Feb 2013 10:34:55 PM EST    Build Host:
c6b6.bsys.dev.centos.org
Group      : Applications/Internet          Source RPM: curl-7.19.7-
26.el6_1.2.src.rpm
Size       : 354619                    License: MIT
Signature  : RSA/SHA1, Mon 26 Sep 2011 12:17:30 AM EDT, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://curl.haxx.se/
Summary    : A utility for getting files from remote servers (FTP, HTTP,
and others)
Description :
cURL is a tool for getting files from HTTP, FTP, FILE, LDAP, LDAPS,
DICT, TELNET and TFTP servers, using any of the supported protocols.
cURL is designed to work without user interaction or any kind of
interactivity. cURL offers many useful capabilities, like proxy support,
user authentication, FTP upload, HTTP post, and file transfer resume.

```

```

Name       : busybox                  Relocations: (not relocatable)
Version    : 1.15.1                  Vendor: CentOS
Release    : 11.el6                  Build Date: Mon 18 Jul 2011
09:26:56 PM EDT
Install Date: Sun 24 Feb 2013 10:36:41 PM EST    Build Host:
c6b5.bsys.dev.centos.org
Group      : System Environment/Shells          Source RPM: busybox-1.15.1-
11.el6.src.rpm
Size       : 1120108                    License: GPLv2
Signature  : RSA/SHA1, Mon 26 Sep 2011 12:17:03 AM EDT, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://www.busybox.net
Summary    : Statically linked binary providing simplified versions of
system commands
Description :
Busybox is a single binary which includes versions of a large number
of system commands, including a shell. This package can be very
useful for recovering from certain types of system failures,
particularly those involving broken shared libraries.

```

```

Name       : perl-Module-Load          Relocations: (not relocatable)
Version    : 0.16                     Vendor: CentOS
Release    : 119.el6_1.1              Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:00 PM EST    Build Host:
c6b5.bsys.dev.centos.org
Group      : Development/Libraries          Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size       : 7492                      License: GPL+ or Artistic

```

Signature : RSA/SHA1, Tue 15 Nov 2011 05:59:36 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Runtime require of both modules and files
Description :
Module::Load eliminates the need to know whether you are trying to
require either a file or a module.

Name : readahead Relocations: (not relocatable)
Version : 1.5.6 Vendor: CentOS
Release : 1.el6 Build Date: Mon 23 Aug 2010
05:36:24 AM EDT
Install Date: Sun 24 Feb 2013 10:39:27 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Base Source RPM: readahead-1.5.6-
1.el6.src.rpm
Size : 114714 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 01:00:09 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/readahead/>
Summary : Read a preset list of files into memory
Description :
readahead reads the contents of a list of files into memory,
which causes them to be read from cache when they are actually
needed. Its goal is to speed up the boot process.

Name : libldb Relocations: (not relocatable)
Version : 0.9.10 Vendor: CentOS
Release : 23.el6 Build Date: Thu 11 Nov 2010
01:53:57 PM EST
Install Date: Sun 24 Feb 2013 10:34:56 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: samba4-4.0.0-
23.alpha11.el6.src.rpm
Size : 213624 License: GPLv3+ and
LGPLv3+
Signature : RSA/8, Sun 03 Jul 2011 12:36:32 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.samba.org/>
Summary : A schema-less, ldap like, API and database
Description :
An extensible library that implements and LDAP like API to access remote
LDAP
servers, or use local tdb databases.

Name : httpd Relocations: (not relocatable)
Version : 2.2.15 Vendor: CentOS
Release : 15.el6.centos Build Date: Thu 08 Dec 2011
01:12:01 PM EST
Install Date: Sun 24 Feb 2013 10:36:47 PM EST Build Host:
c6b6.bsys.dev.centos.org

Group : System Environment/Daemons Source RPM: httpd-2.2.15-15.el6.centos.src.rpm
Size : 3062384 License: ASL 2.0
Signature : RSA/SHA1, Thu 08 Dec 2011 03:06:58 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://httpd.apache.org/>
Summary : Apache HTTP Server
Description :
The Apache HTTP Server is a powerful, efficient, and extensible web server.

Name : perl-Compress-Raw-Zlib Relocations: (not relocatable)
Version : 2.023 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011 08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:00 PM EST Build Host: c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-119.el6_1.1.src.rpm
Size : 146483 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 05:58:51 AM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Low-Level Interface to the zlib compression library
Description :
This module provides a Perl interface to the zlib compression library. It is used by IO::Compress::Zlib.

Name : microcode_ctl Relocations: (not relocatable)
Version : 1.17 Vendor: CentOS
Release : 9.el6 Build Date: Wed 07 Dec 2011 04:32:11 PM EST
Install Date: Sun 24 Feb 2013 10:39:35 PM EST Build Host: c6b4.bsys.dev.centos.org
Group : System Environment/Base Source RPM: microcode_ctl-1.17-9.el6.src.rpm
Size : 1416863 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:32:32 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.urbanmyth.org/microcode/>
Summary : Tool to update x86/x86-64 CPU microcode.
Description :
microcode_ctl - updates the microcode on Intel x86/x86-64 CPU's

Name : net-snmp-libs Relocations: (not relocatable)
Version : 5.5 Vendor: CentOS
Release : 37.el6 Build Date: Wed 07 Dec 2011 03:44:38 PM EST
Install Date: Sun 24 Feb 2013 10:34:57 PM EST Build Host: c6b18n3.bsys.dev.centos.org

Group : Development/Libraries Source RPM: net-snmp-5.5-37.el6.src.rpm
Size : 5683829 License: BSD
Signature : RSA/SHA1, Thu 08 Dec 2011 03:42:01 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://net-snmp.sourceforge.net/>
Summary : The NET-SNMP runtime libraries
Description :
The net-snmp-libs package contains the runtime libraries for shared binaries and applications.

Name : mdadm Relocations: (not relocatable)
Version : 3.2.2 Vendor: CentOS
Release : 9.el6 Build Date: Wed 07 Dec 2011 08:08:15 PM EST
Install Date: Sun 24 Feb 2013 10:36:49 PM EST Build Host: c6b18n2.bsyzs.dev.centos.org
Group : System Environment/Base Source RPM: mdadm-3.2.2-9.el6.src.rpm
Size : 818423 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:30:43 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.kernel.org/pub/linux/utils/raid/mdadm/>
Summary : The mdadm program controls Linux md devices (software RAID arrays)
Description :
The mdadm program is used to create, manage, and monitor Linux MD (software RAID) devices. As such, it provides similar functionality to the raidtools package. However, mdadm is a single program, and it can perform almost all functions without a configuration file, though a configuration file can be used to help with some common tasks.

Name : tar Relocations: (not relocatable)
Version : 1.23 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010 07:25:04 PM EST
Install Date: Sun 24 Feb 2013 10:34:02 PM EST Build Host: c6b4.bsyzs.dev.centos.org
Group : Applications/Archiving Source RPM: tar-1.23-3.el6.src.rpm
Size : 2607486 License: GPLv3+
Signature : RSA/8, Sun 03 Jul 2011 01:02:57 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/tar/>
Summary : A GNU file archiving program
Description :
The GNU tar program saves many files together in one archive and can restore individual files (or all of the files) from that archive. Tar

can also be used to add supplemental files to an archive and to update or list files in the archive. Tar includes multivolume support, automatic archive compression/decompression, the ability to perform remote archives, and the ability to perform incremental and full backups.

If you want to use tar for remote backups, you also need to install the rmt package.

```
Name       : un-core-dotum-fonts           Relocations: (not relocatable)
Version    : 1.0.2                         Vendor: CentOS
Release    : 0.15.080608.el6               Build Date: Thu 11 Nov 2010
10:53:56 AM EST
Install Date: Sun 24 Feb 2013 10:39:44 PM EST   Build Host:
c5b2.bsys.dev.centos.org
Group      : User Interface/X               Source RPM: un-core-fonts-
1.0.2-0.15.080608.el6.src.rpm
Size       : 7750439                        License: GPLv2
Signature  : RSA/8, Sun 03 Jul 2011 12:51:45 AM EDT, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://kldp.net/projects/unfonts/
Summary    : Un Core fonts - UnDotum
Description :
```

The UN set of Korean TrueType fonts is derived from the HLaTeX Typel fonts made by Koaunghi Un in 1998. They were converted to TrueType with FontForge(PfaEdit) by Won-kyu Park in 2003. The Un Core set is composed of:

- UnBatang: serif
- UnDinaru: fantasy
- UnDotum: sans-serif
- UnGraphic: sans-serif style
- UnGungseo: cursive, brush-stroke
- UnPilgi: script

This package includes UnDotum, a sans-serif font.

```
Name       : isomd5sum                     Relocations: (not relocatable)
Version    : 1.0.6                         Vendor: CentOS
Release    : 1.el6                         Build Date: Tue 24 Aug 2010
02:38:46 PM EDT
Install Date: Sun 24 Feb 2013 10:34:59 PM EST   Build Host:
c6b2.bsys.dev.centos.org
Group      : Applications/System            Source RPM: isomd5sum-1.0.6-
1.el6.src.rpm
Size       : 48459                          License: GPLv2+
Signature  : RSA/8, Sun 03 Jul 2011 12:25:14 AM EDT, Key ID
0946fca2c105b9de
Packager   : CentOS BuildSystem <http://bugs.centos.org>
URL        : http://git.fedorahosted.org/git/?p=isomd5sum.git;a=summary
Summary    : Utilities for working with md5sum implanted in ISO images
```

Description :

The isomd5sum package contains utilities for implanting and verifying an md5sum implanted into an ISO9660 image.

Name : postfix Relocations: (not relocatable)
Version : 2.6.6 Vendor: CentOS
Release : 2.2.el6_1 Build Date: Sat 03 Dec 2011
12:01:00 AM EST
Install Date: Sun 24 Feb 2013 10:36:54 PM EST Build Host:
c6b18n3.bsys.dev.centos.org
Group : System Environment/Daemons Source RPM: postfix-2.6.6-
2.2.el6_1.src.rpm
Size : 10144904 License: IBM
Signature : RSA/SHA1, Wed 07 Dec 2011 01:15:02 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.postfix.org>
Summary : Postfix Mail Transport Agent
Description :
Postfix is a Mail Transport Agent (MTA), supporting LDAP, SMTP AUTH
(SASL),
TLS

Name : libtasn1 Relocations: (not relocatable)
Version : 2.3 Vendor: CentOS
Release : 3.el6 Build Date: Sat 21 Aug 2010
11:30:07 PM EDT
Install Date: Sun 24 Feb 2013 10:34:04 PM EST Build Host:
c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libtasn1-2.3-
3.el6.src.rpm
Size : 442692 License: GPLv3+ and
LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:39:43 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnu.org/software/libtasn1/>
Summary : The ASN.1 library used in GNUTLS
Description :
This is the ASN.1 library used in GNUTLS. More up to date information
can
be found at <http://www.gnu.org/software/gnutls> and <http://www.gnutls.org>

Name : rpmlint Relocations: (not relocatable)
Version : 0.94 Vendor: CentOS
Release : 2.el6 Build Date: Thu 11 Nov 2010
05:24:59 PM EST
Install Date: Sun 24 Feb 2013 10:39:52 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Tools Source RPM: rpmlint-0.94-
2.el6.src.rpm
Size : 689338 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:45:34 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://rpmlint.zarb.org/>
Summary : Tool for checking common errors in RPM packages
Description :
rpmlint is a tool for checking common errors in RPM packages. Binary and source packages as well as spec files can be checked.

Name : db4-devel Relocations: (not relocatable)
Version : 4.7.25 Vendor: CentOS
Release : 16.el6 Build Date: Fri 12 Nov 2010 08:46:13 AM EST
Install Date: Sun 24 Feb 2013 10:35:03 PM EST Build Host: c5b2.bsyz.dev.centos.org
Group : Development/Libraries Source RPM: db4-4.7.25-16.el6.src.rpm
Size : 25205069 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:09:22 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.oracle.com/database/berkeley-db/>
Summary : C development files for the Berkeley DB (version 4) library
Description :
The Berkeley Database (Berkeley DB) is a programmatic toolkit that provides embedded database support for both traditional and client/server applications. This package contains the header files, libraries, and documentation for building programs which use the Berkeley DB.

Name : hal Relocations: (not relocatable)
Version : 0.5.14 Vendor: CentOS
Release : 11.el6 Build Date: Tue 19 Jul 2011 02:29:14 PM EDT
Install Date: Sun 24 Feb 2013 10:37:00 PM EST Build Host: c6b6.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: hal-0.5.14-11.el6.src.rpm
Size : 1288767 License: AFL or GPLv2
Signature : RSA/SHA1, Mon 26 Sep 2011 12:19:11 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.freedesktop.org/Software/hal>
Summary : Hardware Abstraction Layer
Description :
HAL is a daemon for collecting and maintaining information from several sources about the hardware on the system.

Name : libtevent Relocations: (not relocatable)
Version : 0.9.8 Vendor: CentOS
Release : 8.el6 Build Date: Wed 10 Nov 2010 07:10:08 PM EST
Install Date: Sun 24 Feb 2013 10:34:04 PM EST Build Host: c6b4.bsyz.dev.centos.org
Group : System Environment/Daemons Source RPM: libtevent-0.9.8-8.el6.src.rpm

Size : 37888 License: LGPLv3+
Signature : RSA/8, Sun 03 Jul 2011 12:39:51 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://tevent.samba.org/>
Summary : The tevent library
Description :
Tevent is an event system based on the talloc memory management library.
Tevent has support for many event types, including timers, signals, and
the classic file descriptor events.
Tevent also provide helpers to deal with asynchronous code providing the
tevent_req (Tevent Request) functions.

Name : dstat Relocations: (not relocatable)
Version : 0.7.0 Vendor: CentOS
Release : 1.el6 Build Date: Fri 01 Jul 2011
03:31:40 PM EDT
Install Date: Sun 24 Feb 2013 10:39:57 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Base Source RPM: dstat-0.7.0-
1.el6.src.rpm
Size : 675354 License: GPLv2
Signature : RSA/8, Sun 03 Jul 2011 12:05:05 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://dag.wieers.com/home-made/dstat/>
Summary : Versatile resource statistics tool
Description :
Dstat is a versatile replacement for vmstat, iostat, netstat and ifstat.
Dstat overcomes some of their limitations and adds some extra features,
more counters and flexibility. Dstat is handy for monitoring systems
during performance tuning tests, benchmarks or troubleshooting.

Dstat allows you to view all of your system resources instantly, you
can eg. compare disk usage in combination with interrupts from your
IDE controller, or compare the network bandwidth numbers directly
with the disk throughput (in the same interval).

Dstat gives you detailed selective information in columns and clearly
indicates in what magnitude and unit the output is displayed. Less
confusion, less mistakes.

Name : upstart Relocations: (not relocatable)
Version : 0.6.5 Vendor: CentOS
Release : 10.el6 Build Date: Mon 18 Jul 2011
11:56:15 PM EDT
Install Date: Sun 24 Feb 2013 10:35:06 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: upstart-0.6.5-
10.el6.src.rpm
Size : 553652 License: GPLv2 and LGPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:26:02 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://upstart.ubuntu.com>
Summary : An event-driven init system
Description :
Upstart is an event-based replacement for the /sbin/init daemon which handles starting of tasks and services during boot, stopping them during shutdown and supervising them while the system is running.

Name : apr-util-devel Relocations: (not relocatable)
Version : 1.3.9 Vendor: CentOS
Release : 3.el6_0.1 Build Date: Sat 25 Jun 2011
12:38:40 AM EDT
Install Date: Sun 24 Feb 2013 10:37:08 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: apr-util-1.3.9-
3.el6_0.1.src.rpm
Size : 266230 License: ASL 2.0
Signature : RSA/8, Tue 05 Jul 2011 09:37:03 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://apr.apache.org/>
Summary : APR utility library development kit
Description :
This package provides the support files which can be used to build applications using the APR utility library. The mission of the Apache Portable Runtime (APR) is to provide a free library of C data structures and routines.

Name : perl-Term-UI Relocations: (not relocatable)
Version : 0.20 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:05 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-5.10.1-
119.el6_1.1.src.rpm
Size : 31546 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 05:59:06 AM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Term::ReadLine UI made easy
Description :
Term::UI is a transparent way of eliminating the overhead of having to format a question and then validate the reply, informing the user if the answer was not proper and re-issuing the question.

Name : plymouth-system-theme Relocations: (not relocatable)
Version : 0.8.3 Vendor: CentOS
Release : 24.el6.centos Build Date: Thu 08 Dec 2011
01:33:59 PM EST
Install Date: Sun 24 Feb 2013 10:39:58 PM EST Build Host:
c6b4.bsys.dev.centos.org
Group : System Environment/Base Source RPM: plymouth-0.8.3-
24.el6.centos.src.rpm

Size : 0 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:57:41 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://freedesktop.org/software/plymouth/releases>
Summary : Plymouth default theme
Description :
This metapackage tracks the current distribution default theme.

Name : ruby Relocations: (not relocatable)
Version : 1.8.7.352 Vendor: CentOS
Release : 3.el6 Build Date: Wed 07 Dec 2011
01:31:21 PM EST
Install Date: Sun 24 Feb 2013 10:35:13 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : Development/Languages Source RPM: ruby-1.8.7.352-
3.el6.src.rpm
Size : 1896076 License: Ruby or GPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 04:08:30 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.ruby-lang.org/>
Summary : An interpreter of object-oriented scripting language
Description :
Ruby is the interpreted scripting language for quick and easy
object-oriented programming. It has many features to process text
files and to do system management tasks (as in Perl). It is simple,
straight-forward, and extensible.

Name : python-meh Relocations: (not relocatable)
Version : 0.11 Vendor: CentOS
Release : 3.el6 Build Date: Wed 07 Dec 2011
07:35:11 PM EST
Install Date: Sun 24 Feb 2013 10:37:10 PM EST Build Host:
c6b18n2.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: python-meh-0.11-
3.el6.src.rpm
Size : 186126 License: GPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 04:00:40 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://git.fedorahosted.org/git/?p=python-meh.git>
Summary : A python library for handling exceptions
Description :
The python-meh package is a python library for handling, saving, and
reporting
exceptions.

Name : perl-Module-Loaded Relocations: (not relocatable)
Version : 0.02 Vendor: CentOS
Release : 119.el6_1.1 Build Date: Sat 05 Nov 2011
08:51:56 PM EDT
Install Date: Sun 24 Feb 2013 10:34:05 PM EST Build Host:
c6b5.bsys.dev.centos.org

Group : Development/Libraries Source RPM: perl-5.10.1-119.el6_1.1.src.rpm
Size : 6025 License: GPL+ or Artistic
Signature : RSA/SHA1, Tue 15 Nov 2011 05:59:26 AM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.perl.org/>
Summary : Mark modules as loaded or unloaded
Description :
When testing applications, often you find yourself needing to provide functionality in your test environment that would usually be provided by external modules. Rather than munging the %INC by hand to mark these external modules as loaded, so they are not attempted to be loaded by perl, this module offers you a very simple way to mark modules as loaded and/or unloaded.

Name : compat-db Relocations: (not relocatable)
Version : 4.6.21 Vendor: CentOS
Release : 15.el6 Build Date: Wed 10 Nov 2010 10:07:20 PM EST
Install Date: Sun 24 Feb 2013 10:40:06 PM EST Build Host: c6b1.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: compat-db-4.6.21-15.el6.src.rpm
Size : 0 License: BSD
Signature : RSA/8, Sun 03 Jul 2011 12:07:29 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.oracle.com/database/berkeley-db/>
Summary : The Berkeley DB database compatibility library
Description :
The Berkeley Database (Berkeley DB) is a programmatic toolkit that provides embedded database support for both traditional and client/server applications.
This package contains various versions of Berkeley DB which were included in previous releases of Red Hat Linux.

Name : fuse-libs Relocations: (not relocatable)
Version : 2.8.3 Vendor: CentOS
Release : 4.el6 Build Date: Wed 07 Dec 2011 07:56:46 PM EST
Install Date: Sun 24 Feb 2013 10:35:13 PM EST Build Host: c6b4.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: fuse-2.8.3-4.el6.src.rpm
Size : 256835 License: LGPLv2+
Signature : RSA/SHA1, Thu 08 Dec 2011 03:00:21 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fuse.sf.net>
Summary : File System in Userspace (FUSE) libraries
Description :

Devel With FUSE it is possible to implement a fully functional filesystem in a userspace program. This package contains the FUSE libraries.

Name : authconfig-gtk Relocations: (not relocatable)
Version : 6.1.12 Vendor: CentOS
Release : 5.el6 Build Date: Tue 19 Jul 2011
03:04:12 AM EDT
Install Date: Sun 24 Feb 2013 10:37:21 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Base Source RPM: authconfig-
6.1.12-5.el6.src.rpm
Size : 150220 License: GPLv2+
Signature : RSA/SHA1, Mon 26 Sep 2011 12:16:17 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <https://fedorahosted.org/authconfig>
Summary : Graphical tool for setting up authentication from network
services
Description :
Authconfig-gtk is a GUI program which can configure a workstation
to use shadow (more secure) passwords. Authconfig-gtk can also configure
a system to be a client for certain networked user information and
authentication schemes.

Name : xorg-x11-xauth Relocations: (not relocatable)
Version : 1.0.2 Vendor: CentOS
Release : 7.1.el6 Build Date: Wed 18 Aug 2010
04:53:29 PM EDT
Install Date: Sun 24 Feb 2013 10:34:06 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : User Interface/X Source RPM: xorg-x11-xauth-
1.0.2-7.1.el6.src.rpm
Size : 63011 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 01:06:36 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : X.Org X11 X authority utilities
Description :
xauth is used to edit and display the authorization information
used in connecting to an X server.

Name : perl-XML-Grove Relocations: (not relocatable)
Version : 0.46alpha Vendor: CentOS
Release : 40.el6 Build Date: Thu 11 Nov 2010
09:42:31 AM EST
Install Date: Sun 24 Feb 2013 10:40:09 PM EST Build Host:
c6b3.bsys.dev.centos.org
Group : Development/Libraries Source RPM: perl-XML-Grove-
0.46alpha-40.el6.src.rpm
Size : 122444 License: GPL+ or Artistic
Signature : RSA/8, Sun 03 Jul 2011 12:39:39 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://search.cpan.org/dist/XML-Grove/>
Summary : Simple access to info set of parsed XML, HTML, or SGML instances
Description :
XML::Grove is a tree-based object model for accessing the information set of parsed or stored XML, HTML, or SGML instances. XML::Grove objects are Perl hashes and arrays where you access the properties of the objects using normal Perl syntax.

Name : gtk2 Relocations: (not relocatable)
Version : 2.18.9 Vendor: CentOS
Release : 6.el6.centos Build Date: Wed 30 Nov 2011 12:07:22 PM EST
Install Date: Sun 24 Feb 2013 10:35:18 PM EST Build Host: c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: gtk2-2.18.9-6.el6.centos.src.rpm
Size : 12984044 License: LGPLv2+
Signature : RSA/SHA1, Wed 30 Nov 2011 09:12:11 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gtk.org>
Summary : The GIMP ToolKit (GTK+), a library for creating GUIs for X
Description :
GTK+ is a multi-platform toolkit for creating graphical user interfaces. Offering a complete set of widgets, GTK+ is suitable for projects ranging from small one-off tools to complete application suites.

Name : sane-backends Relocations: (not relocatable)
Version : 1.0.21 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010 04:59:36 PM EST
Install Date: Sun 24 Feb 2013 10:37:24 PM EST Build Host: c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: sane-backends-1.0.21-3.el6.src.rpm
Size : 4629301 License: GPLv2+ and GPLv2+ with exceptions and Public Domain
Signature : RSA/8, Sun 03 Jul 2011 01:01:05 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.sane-project.org>
Summary : Scanner access software
Description :
Scanner Access Now Easy (SANE) is a universal scanner interface. The SANE application programming interface (API) provides standardized access to any raster image scanner hardware (flatbed scanner, hand-held scanner, video and still cameras, frame-grabbers, etc.).

Name : apr-devel Relocations: (not relocatable)
Version : 1.3.9 Vendor: CentOS

Release : 3.el6_1.2 Build Date: Mon 26 Sep 2011
09:40:26 PM EDT
Install Date: Sun 24 Feb 2013 10:34:06 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: apr-1.3.9-
3.el6_1.2.src.rpm
Size : 733900 License: ASL 2.0
Signature : RSA/SHA1, Tue 27 Sep 2011 08:33:51 PM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://apr.apache.org/>
Summary : APR library development kit
Description :
This package provides the support files which can be used to
build applications using the APR library. The mission of the
Apache Portable Runtime (APR) is to provide a free library of
C data structures and routines.

Name : alsa-utils Relocations: (not relocatable)
Version : 1.0.21 Vendor: CentOS
Release : 3.el6 Build Date: Wed 10 Nov 2010
07:09:21 PM EST
Install Date: Sun 24 Feb 2013 10:40:12 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Applications/Multimedia Source RPM: alsa-utils-
1.0.21-3.el6.src.rpm
Size : 1779069 License: GPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:01:54 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.alsa-project.org/>
Summary : Advanced Linux Sound Architecture (ALSA) utilities
Description :
This package contains command line utilities for the Advanced Linux Sound
Architecture (ALSA).

Name : libgnomecanvas Relocations: (not relocatable)
Version : 2.26.0 Vendor: CentOS
Release : 4.el6 Build Date: Thu 11 Nov 2010
03:38:39 PM EST
Install Date: Sun 24 Feb 2013 10:35:27 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libgnomecanvas-
2.26.0-4.el6.src.rpm
Size : 926463 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:34:18 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org/>
Summary : GnomeCanvas widget
Description :
The canvas widget allows you to create custom displays using stock items
such as circles, lines, text, and so on. It was originally a port of the
Tk canvas widget but has evolved quite a bit over time.

Name : rsyslog Relocations: (not relocatable)
 Version : 4.6.2 Vendor: CentOS
 Release : 12.el6 Build Date: Wed 07 Dec 2011
 04:40:21 PM EST
 Install Date: Sun 24 Feb 2013 10:37:29 PM EST Build Host:
 c6b4.bsys.dev.centos.org
 Group : System Environment/Daemons Source RPM: rsyslog-4.6.2-
 12.el6.src.rpm
 Size : 1560043 License: GPLv3+
 Signature : RSA/SHA1, Thu 08 Dec 2011 04:07:22 PM EST, Key ID
 0946fca2c105b9de
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>
 URL : <http://www.rsyslog.com/>
 Summary : Enhanced system logging and kernel message trapping daemons
 Description :
 Rsyslog is an enhanced, multi-threaded syslog daemon. It supports MySQL,
 syslog/TCP, RFC 3195, permitted sender lists, filtering on any message
 part,
 and fine grain output format control. It is compatible with stock
 syslogd
 and can be used as a drop-in replacement. Rsyslog is simple to set up,
 with
 advanced features suitable for enterprise-class, encryption-protected
 syslog
 relay chains.

Name : libbonobo Relocations: (not relocatable)
 Version : 2.24.2 Vendor: CentOS
 Release : 4.el6 Build Date: Thu 11 Nov 2010
 03:44:17 PM EST
 Install Date: Sun 24 Feb 2013 10:34:08 PM EST Build Host:
 c6b5.bsys.dev.centos.org
 Group : System Environment/Libraries Source RPM: libbonobo-
 2.24.2-4.el6.src.rpm
 Size : 1952765 License: GPLv2+ and
 LGPLv2+
 Signature : RSA/8, Sun 03 Jul 2011 12:32:00 AM EDT, Key ID
 0946fca2c105b9de
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>
 URL : <http://ftp.gnome.org>
 Summary : Bonobo component system
 Description :
 Bonobo is a component system based on CORBA, used by the GNOME desktop.

Name : zsh Relocations: (not relocatable)
 Version : 4.3.10 Vendor: CentOS
 Release : 4.1.el6 Build Date: Fri 01 Jul 2011
 03:11:21 PM EDT
 Install Date: Sun 24 Feb 2013 10:40:17 PM EST Build Host:
 c6b5.bsys.dev.centos.org
 Group : System Environment/Shells Source RPM: zsh-4.3.10-
 4.1.el6.src.rpm
 Size : 5010822 License: BSD

Signature : RSA/8, Sun 03 Jul 2011 01:07:08 AM EDT, Key ID
0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://zsh.sunsite.dk/>

Summary : A powerful interactive shell

Description :

The zsh shell is a command interpreter usable as an interactive login shell and as a shell script command processor. Zsh resembles the ksh shell (the Korn shell), but includes many enhancements. Zsh supports command line editing, built-in spelling correction, programmable command completion, shell functions (with autoloading), a history mechanism, and more.

Name : log4j

Relocations: (not relocatable)

Version : 1.2.14

Vendor: CentOS

Release : 6.4.el6

Build Date: Thu 11 Nov 2010

09:17:47 AM EST

Install Date: Sun 24 Feb 2013 10:35:35 PM EST

Build Host:

c6b4.bsys.dev.centos.org

Group : System/Logging

Source RPM: log4j-1.2.14-

6.4.el6.src.rpm

Size : 2071216

License: ASL 2.0

Signature : RSA/8, Sun 03 Jul 2011 12:43:17 AM EDT, Key ID

0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://logging.apache.org/log4j>

Summary : Java logging package

Description :

Log4j is a tool to help the programmer output log statements to a variety of output targets.

Name : vte

Relocations: (not relocatable)

Version : 0.25.1

Vendor: CentOS

Release : 7.el6

Build Date: Fri 23 Sep 2011

11:31:51 AM EDT

Install Date: Sun 24 Feb 2013 10:37:32 PM EST

Build Host:

c6b5.bsys.dev.centos.org

Group : User Interface/X

Source RPM: vte-0.25.1-

7.el6.src.rpm

Size : 1019734

License: LGPLv2+

Signature : RSA/SHA1, Mon 26 Sep 2011 12:26:12 AM EDT, Key ID

0946fca2c105b9de

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : http://bugzilla.gnome.org/enter_bug.cgi?product=vte

Summary : A terminal emulator

Description :

VTE is a terminal emulator widget for use with GTK+ 2.0.

Name : e2fsprogs

Relocations: (not relocatable)

Version : 1.41.12

Vendor: CentOS

Release : 11.el6

Build Date: Wed 07 Dec 2011

03:46:21 PM EST

Install Date: Sun 24 Feb 2013 10:34:09 PM EST

Build Host:

c6b6.bsys.dev.centos.org

Group : System Environment/Base Source RPM: e2fsprogs-1.41.12-11.el6.src.rpm
Size : 2016038 License: GPLv2
Signature : RSA/SHA1, Thu 08 Dec 2011 02:56:46 PM EST, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://e2fsprogs.sourceforge.net/>
Summary : Utilities for managing ext2, ext3, and ext4 filesystems
Description :
The e2fsprogs package contains a number of utilities for creating, checking, modifying, and correcting any inconsistencies in second, third and fourth extended (ext2/ext3/ext4) filesystems. E2fsprogs contains e2fsck (used to repair filesystem inconsistencies after an unclean shutdown), mke2fs (used to initialize a partition to contain an empty ext2 filesystem), debugfs (used to examine the internal structure of a filesystem, to manually repair a corrupted filesystem, or to create test cases for e2fsck), tune2fs (used to modify filesystem parameters), and most of the other core ext2fs filesystem utilities.

You should install the e2fsprogs package if you need to manage the performance of an ext2, ext3, or ext4 filesystem.

Name : xorg-x11-fonts-ISO8859-1-100dpi Relocations: (not relocatable)
Version : 7.2 Vendor: CentOS
Release : 9.1.el6 Build Date: Thu 11 Nov 2010 09:24:29 AM EST
Install Date: Sun 24 Feb 2013 10:40:20 PM EST Build Host: c6b4.bsyz.dev.centos.org
Group : User Interface/X Source RPM: xorg-x11-fonts-7.2-9.1.el6.src.rpm
Size : 1070826 License: MIT and Lucida and Public Domain
Signature : RSA/8, Sun 03 Jul 2011 12:54:40 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.x.org>
Summary : A set of 100dpi ISO-8859-1 fonts for X.
Description :
Contains a set of 100dpi fonts for ISO-8859-1.

Name : libnotify Relocations: (not relocatable)
Version : 0.5.0 Vendor: CentOS
Release : 1.el6 Build Date: Thu 11 Nov 2010 05:41:32 PM EST
Install Date: Sun 24 Feb 2013 10:35:38 PM EST Build Host: c6b5.bsyz.dev.centos.org
Group : System Environment/Libraries Source RPM: libnotify-0.5.0-1.el6.src.rpm
Size : 79987 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:37:22 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

URL : <http://live.gnome.org/libnotify>
Summary : Desktop notification library
Description :
libnotify is a library for sending desktop notifications to a notification daemon, as defined in the freedesktop.org Desktop Notifications spec. These notifications can be used to inform the user about an event or display some form of information without getting in the user's way.

Name : libgnomeui Relocations: (not relocatable)
Version : 2.24.1 Vendor: CentOS
Release : 4.el6 Build Date: Thu 11 Nov 2010 03:38:03 PM EST
Install Date: Sun 24 Feb 2013 10:37:36 PM EST Build Host: c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: libgnomeui-2.24.1-4.el6.src.rpm
Size : 3207721 License: LGPLv2+
Signature : RSA/8, Sun 03 Jul 2011 12:34:40 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://www.gnome.org>
Summary : GNOME base GUI library
Description :

GNOME (GNU Network Object Model Environment) is a user-friendly set of GUI applications and desktop tools to be used in conjunction with a window manager for the X Window System. The libgnomeui package includes GUI-related libraries that are needed to run GNOME. (The libgnome package includes the library features that don't use the X Window System.)

Name : groff Relocations: (not relocatable)
Version : 1.18.1.4 Vendor: CentOS
Release : 21.el6 Build Date: Thu 11 Nov 2010 05:23:53 PM EST
Install Date: Sun 24 Feb 2013 10:34:11 PM EST Build Host: c6b5.bsys.dev.centos.org
Group : Applications/Publishing Source RPM: groff-1.18.1.4-21.el6.src.rpm
Size : 5318766 License: GPLv2 and GFDL
Signature : RSA/8, Sun 03 Jul 2011 12:19:43 AM EDT, Key ID 0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://groff.ffii.org>
Summary : A document formatting system
Description :
Groff is a document formatting system. Groff takes standard text and formatting commands as input and produces formatted output. The created documents can be shown on a display or printed on a printer. Groff's formatting commands allow you to specify font type and size, bold type, italic type, the number and size of columns on a page, and

more.

Groff can also be used to format man pages. If you are going to use groff with the X Window System, you will also need to install the groff-gxditview package.

```
Name           : xvattr                      Relocations: (not relocatable)
Version        : 1.3                        Vendor: CentOS
Release       : 18.el6                      Build Date: Sun 22 Aug 2010
04:52:57 PM EDT
Install Date: Sun 24 Feb 2013 10:40:33 PM EST      Build Host:
c6b3.bsys.dev.centos.org
Group          : User Interface/X             Source RPM: xvattr-1.3-
18.el6.src.rpm
Size           : 31245                       License: GPLv2+
Signature      : RSA/8, Sun 03 Jul 2011 01:06:47 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.dtek.chalmers.se/groups/dvd/
Summary        : Utility for getting and setting Xv attributes
Description    :
This program is used for getting and setting Xv attributes such as
XV_BRIGHTNESS, XV_CONTRAST, XV_SATURATION, XV_HUE, XV_COLORKEY, etc.
```

```
Name           : gnome-mag                      Relocations: (not relocatable)
Version        : 0.15.9                      Vendor: CentOS
Release       : 2.el6                        Build Date: Thu 11 Nov 2010
06:07:04 AM EST
Install Date: Sun 24 Feb 2013 10:35:39 PM EST      Build Host:
c6b5.bsys.dev.centos.org
Group          : Desktop/Accessibility          Source RPM: gnome-mag-0.15.9-
2.el6.src.rpm
Size           : 732600                      License: LGPLv2+
Signature      : RSA/8, Sun 03 Jul 2011 12:18:08 AM EDT, Key ID
0946fca2c105b9de
Packager       : CentOS BuildSystem <http://bugs.centos.org>
URL            : http://www.gnome.org/
Summary        : Screen magnifier for GNOME
Description    :
This package includes a screen magnifier, which allows you to zoom in on
portions of the desktop. The magnifier is provided as a service for use
by other applicaitons and assistive technologies.
```

```
Name           : system-config-services          Relocations: (not relocatable)
Version        : 0.99.45                      Vendor: CentOS
Release       : 1.el6.3                      Build Date: Thu 11 Nov 2010
11:57:23 PM EST
Install Date: Sun 24 Feb 2013 10:37:44 PM EST      Build Host:
c6b1.bsys.dev.centos.org
Group          : Applications/System            Source RPM: system-config-
services-0.99.45-1.el6.3.src.rpm
Size           : 701759                      License: GPLv2+
Signature      : RSA/8, Sun 03 Jul 2011 12:48:53 AM EDT, Key ID
0946fca2c105b9de
```


Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fedorahosted.org/system-config-services>
Summary : Utility to start and stop system services
Description :
system-config-services is a utility which allows you to configure which services should be enabled on your machine.

Name : fontconfig Relocations: (not relocatable)
Version : 2.8.0 Vendor: CentOS
Release : 3.el6 Build Date: Thu 11 Nov 2010
02:53:10 AM EST
Install Date: Sun 24 Feb 2013 10:34:13 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : System Environment/Libraries Source RPM: fontconfig-
2.8.0-3.el6.src.rpm
Size : 450629 License: MIT
Signature : RSA/8, Sun 03 Jul 2011 12:14:58 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://fontconfig.org>
Summary : Font configuration and customization library
Description :
Fontconfig is designed to locate fonts within the system and select them according to requirements specified by applications.

Name : lsof Relocations: (not relocatable)
Version : 4.82 Vendor: CentOS
Release : 2.el6 Build Date: Wed 07 Dec 2011
03:02:05 PM EST
Install Date: Sun 24 Feb 2013 10:40:37 PM EST Build Host:
c6b5.bsys.dev.centos.org
Group : Development/Debuggers Source RPM: lsof-4.82-
2.el6.src.rpm
Size : 911379 License: zlib
Signature : RSA/SHA1, Thu 08 Dec 2011 03:27:52 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <ftp://lsof.itap.purdue.edu/pub/tools/unix/lsof>
Summary : A utility which lists open files on a Linux/UNIX system
Description :
Lsof stands for LiSt Open Files, and it does just that: it lists information about files that are open by the processes running on a UNIX system.

Name : GConf2-gtk Relocations: (not relocatable)
Version : 2.28.0 Vendor: CentOS
Release : 6.el6 Build Date: Mon 23 Aug 2010
03:49:14 AM EDT
Install Date: Sun 24 Feb 2013 10:35:43 PM EST Build Host:
c6b2.bsys.dev.centos.org
Group : System Environment/Base Source RPM: GConf2-2.28.0-
6.el6.src.rpm
Size : 12784 License: LGPLv2+

Signature : RSA/8, Sun 03 Jul 2011 12:15:58 AM EDT, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://projects.gnome.org/gconf/>
Summary : Graphical GConf utilities
Description :
The GConf2-gtk package contains graphical GConf utilities
which require GTK+.

Name : at-spi-python Relocations: (not relocatable)
Version : 1.28.1 Vendor: CentOS
Release : 2.el6.centos Build Date: Fri 02 Dec 2011
04:45:53 AM EST
Install Date: Sun 24 Feb 2013 10:37:46 PM EST Build Host:
c6b6.bsys.dev.centos.org
Group : Development/Libraries Source RPM: at-spi-1.28.1-
2.el6.centos.src.rpm
Size : 174655 License: LGPLv2+
Signature : RSA/SHA1, Fri 02 Dec 2011 07:47:41 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://developer.gnome.org/projects/gap/>
Summary : Python bindings for at-spi
Description :
This package contains Python bindings allowing to use at-spi in Python
programs.

Name : redhat-logos Relocations: (not relocatable)
Version : 60.0.14 Vendor: CentOS
Release : 10.el6.centos Build Date: Wed 14 Dec 2011
03:56:25 PM EST
Install Date: Sun 24 Feb 2013 10:34:19 PM EST Build Host:
c6b18n1.dev.centos.org
Group : System Environment/Base Source RPM: redhat-logos-
60.0.14-10.el6.centos.src.rpm
Size : 11591453 License: Copyright 1999-
2010 the CentOS Project. All rights reserved.
Signature : RSA/SHA1, Thu 15 Dec 2011 01:00:04 PM EST, Key ID
0946fca2c105b9de
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
URL : <http://centos.org>
Summary : CentOS-related icons and pictures
Description :
The redhat-logos package (the "Package") contains files created by the
CentOS Project to replace the Red Hat "Shadow Man" logo and RPM logo.
The Red Hat "Shadow Man" logo, RPM, and the RPM logo are trademarks or
registered trademarks of Red Hat, Inc.

The Package and CentOS logos (the "Marks") can only be used as outlined in
the included COPYING file. Please see that file for information on
copying

and redistribution of the CentOS Marks.

COMPLETE LIST OF CENTOS 6.2 RPM PACKAGES INSTALLED ON PSIP; SOURCE RPMS
CAN BE FOUND AND DOWNLOADED FROM <http://vault.centos.org/6.2/>

