

Recommended Materials List for DocuColor 2060/2045/5252

Review Date: 6/24/2005

Last review 2/1/2005

Important Note:

Media recommendations made in this publication are based on qualification tests conducted using standard test images with moderate to heavy image area coverage. Test machines are maintained within specifications defined by user documentation.

* Testing Environment temperature range of 60-75 deg. F, Relative Humidity range 20-50%.

Reliability is based on your operating environment and application mix.

Machine reliability specifications may be affected by high usage of heavy weight and specialty stocks. In addition, variances in machine reliability may occur due to extended use of some media types.

Warranty disclaimer

Xerox makes no guarantees or warranties, either expressed or implied, concerning the performance, use, or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure their expectations are met. The quality of Xerox supplies is consistent from ream to ream and is backed by a 100% guarantee. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best - Xerox Supplies. To learn more about the benefits of using Xerox Supplies, please contact your Supplies Representative or call in the US 1-800-822-2200 and in Canada 1-800-668-0133.

© 2005 Xerox Corporation. All rights reserved.

Xerox®, The Document Company®, the stylized X®, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

For the most recent Recommended Materials Lists access www.Xerox.com and do a search on DocuColor 2060, the downloadable files are attached to the product description page.

XEROX RECOMMENDED MATERIALS LIST- DOCUCOLOR 2045/2060/5252

	Standard Cut Sizes	Basis Weight (lb)	Grammage Weight (gsm)	Docucolor 2000 Series Trays/ Weight Selection and Best Practices for Operation																		
				Standard Cut Sizes				Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)		Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)		Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)		Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)		Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)		High Capacity Stacker Compatible?				
				8.5X11 216x279 mm	8.5X14 216x356 mm	Short Grain 17x11 432x279 mm	Short Grain 18x12 457x305 mm	64-80 gsm		81-105 gsm		106-135 gsm		136-150 gsm		151-220 gsm		221- 280 gsm				
Instructions for Printing one (Simplex) or two (Duplex) sides				Simplex		Duplex		Simplex		Duplex		Simplex		Duplex		Simplex		Duplex				
Business Papers (Bond, xerographic, and laser grades)	Decurler Setting paper type	Xerographic/ Bond																				
Xerox Digital Color Xpressions +, 24 LB 8.5 x 11, 3-Hole Drilled (SEF)*	A	3R11380				24	90														Yes	
		3R11381				24	90															Top Tray Only
		3R11382				24	90															Yes
Xerox Digital Color Xpressions 98, 24 LB 8.5 x 11, 3-Hole Drilled (SEF)*	A			3R11383		24	90															Yes
		3R11152				24	90															Yes
		3R11153				24	90															Top Tray Only
Xerox Digital Color Xpressions +, 28 LB 8.5 x 11, 3-Hole Drilled (SEF)*	A			3R11154		24	90															Yes
		3R11385				28	105															Yes
		3R11392				28	105															Top Tray Only
Xerox Digital Color Xpressions 98, 28 LB	B			3R11386		28	105															Yes
		3R5529				28	105															Yes
				3R5530		28	105															Yes
Xerox Digital Color Xpressions +, 32 LB	A			3R5531		28	105															Yes
		3R11387				32	120															Yes
				3R11388		32	120															Yes
		3R11389		32	120																	Yes
Uncoated Cover Stocks	Decurler Setting paper type	Cover Weight																				
Xerox Digital Color Xpressions +, 60 LB	A	3R11390				60	163															Yes
				3R11391		60	163															Yes
				3R11384		60	163															Yes
Xerox Digital Color Xpressions 98, 65 LB Cover	A	3R5533				65	176															Yes
				3R5534		65	176															Yes
				3R5535		65	176															Yes
Xerox Digital Color Xpressions +, 80 LB Cover	A	3R11395				80	216															Yes
				3R11396		80	216															Yes
				3R11397		80	216															Yes
Xerox Digital Color Xpressions 98, 80 LB Cover	A	3R5537				80	216															Yes
				3R5538		80	216															Yes
				3R5539		80	216															Yes
Xerox Digital Color Xpressions 98, 100 LB Cover	A	3R11160				100	270															Yes
				3R11161		100	270															Yes
				3R11162		100	270															Yes
Coated Text or Book Stock C2S	Decurler Setting paper type	Text Weight																				
Xerox Digital Color Elite Gloss 80# Text	A	3R11450				80	120															Yes
				3R11451		80	120															Yes
				3R11452		80	120															Yes
Xerox Digital Color Select Gloss 80# Text	A			3R11503		80	120															Yes
				3R11504		80	120															Yes
		3R11454				100	140															Yes
Xerox Digital Color Elite Gloss 100# Text	A			3R11455		100	140															Yes
				3R11456		100	140															Yes
		3R11470				80	120															Yes
Xerox Digital Color Elite Silk 80# Text	A			3R11471		80	120															Yes
				3R11472		80	120															Yes
		3R11474				100	140															Yes
Xerox Digital Color Elite Silk 100# Text	A			3R11475		100	140															Yes
				3R11476		100	140															Yes
						100	140															Yes
Coated Cover Stock C2S	Decurler Setting paper type	Cover Weight																				
Xerox Digital Color Elite Gloss 80# Cover	A	3R11458				80	210															Yes
				3R11459		80	210															Yes
				3R11460		80	210															Yes
Xerox Digital Color Select Gloss 80# Cover	A			3R11506		80	210															Yes
				3R11507		80	210															Yes
		3R11462				100	280															Yes
Xerox Digital Color Elite Gloss 100# Cover	A			3R11463		100	280															Yes
				3R11464		100	280															Yes
		3R11478				80	210															Yes
Xerox Digital Color Elite Silk 80# Cover	A			3R11479		80	210															Yes
				3R11480		80	210															Yes
		3R11482				100	280															Yes
Xerox Digital Color Elite Silk 100# Cover	A			3R11483		100	280															Yes
				3R11484		100	280															Yes
						100	280															Yes

* SEF- Short Edge Feeding is Recommended
 For the most recent Recommended Materials Lists access our www.Xerox.com and do a search on DocuColor 2060, the downloadable files are attached to the product description page.

XEROX RECOMMENDED MATERIALS LIST- DOCUCOLOR 2045/2060/5252

	Standard Cut Sizes	Basis Weight (lb)	Grammage Weight (gsm)	Docucolor 2000 Series Trays/ Weight Selection and Best Practices for Operation																									
				8.5X11 216x279 mm		8.5X14 216x356 mm		Short Grain 17x11 432x279 mm		Short Grain 18x12 457x305 mm		Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)		Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)		Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)		Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)		Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)		High Capacity Stacker Compatible?							
				Weight Range Specification												64-80 gsm		81-105 gsm		106-135 gsm		136-150 gsm		151-220 gsm		221- 280 gsm			
Instructions for Printing one (Simplex) or two (Duplex) sides													Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	
Gloss Coated 1 Side Cover Stock C1S	Decurler Setting paper type	Load coated side up. Image quality will be best on first side.				No weight equiv. Trade unit is caliper																							
Xerox Digital Color Supreme Gloss 8 pt. Cover C1S	A	3R11430			3R11431	8 pt	160																				Yes		
						8 pt	160																				Yes		
					3R11432	8 pt	160																				Yes		
Xerox Digital Color Supreme Gloss 10 pt. Cover C1S	A	3R11434				10 pt	210																				Yes		
					3R11435	10 pt	210																				Yes		
					3R11436	10 pt	210																				Yes		
Xerox Digital Color Supreme Gloss 12 pt. Cover C1S	A	3R11438				12 pt	250																				Yes		
					3R11439	12 pt	250																				Yes		
					3R11440	12 pt	250																				Yes		
Xerox Digital Color Supreme Gloss Recycled 8 pt. Cover C1S	A	3R11189				8 pt	160																				Yes		
					3R11190	8 pt	160																				Yes		
					3R11191	8 pt	160																				Yes		
Xerox Digital Color Supreme Gloss Recycled 10 pt. Cover C1S	A	3R11192				10 pt	210																				Yes		
					3R11193	10 pt	210																				Yes		
					3R11194	10 pt	210																				Yes		
Xerox Digital Color Supreme Gloss Recycled 12 pt. Cover C1S	A	3R11195				12 pt	250																				Yes		
					3R11196	12 pt	250																				Yes		
					3R11197	12 pt	250																				Yes		
Transparencies	Decurler Setting paper type					Transparencies																							
Xerox Digital Color Transparencies	Default	3R5765				OHP*	NA																						
Xerox High Speed Paper Backed Transparencies	A	3R5764				NA	NA																						
Xerox Digital Production Color Transparencies	A	3R12338				NA	NA																						
Specialties	Decurler Setting paper type					Various Categories	Approximately																						
Xerox Digital Color SuperGloss Greeting Cards, 10 pt. Cover C1S Folds to 8.5"x5.5"	A	3R6340				10 pt	210																				Yes		
Xerox Digital Color Trifold Brochures	A	3R12310				32lb. Xero / Bond	120																						
Xerox Digital Color SuperGloss Trifold Brochures, 8 pt. Cover C1S	A	3R6348				8 pt	160																				Yes		
Xerox Window Decals, Clear	B	3R6339				NA	NA																						
Xerox Window Decals, Opaque	B	3R12059				NA	NA																						
					3R12315	NA	NA																						
Xerox DocuPac Folders (9.3 x 11.7")	A	3R4885				NA	160																						
Xerox High Gloss Coated Presentation Folders (9" x 11")	A	3R5570				8 pt	160																						
Xerox Docupac Laser Folders	A	3R5105				NA	160																						
Xerox Digital Color Premium Business Cards (10 UP)	A	3R12321				NA	250																						
Xerox DuraPaper	A	3R12064				10 pt	200																						
8.5 x 11, 3-Hole Drilled** (SEF)	A	3R12065				10 pt	200																						
					3R12063	10 pt	200																						
Xerox Nevertear	A	3R3118				NA	NA																						
8.5 x 11, 3-Hole Drilled** (SEF)		3R3109				NA	NA																						
Xerox DocuCard ID Card (1-UP)*** (50 sheet stacks maximum)	A	3R12348				NA	165																						
Xerox One-Step Transfer Paper	A	3R5811				NA	NA																						
					3R5812	NA	NA																						
Xpressions Tabs - 5 Bank; Single reverse collated (SEF)**	A	3R12366(SEF)				60 lb. Cover	163																						
Xpressions Tabs - 5 Bank; Single straight collated (SEF)**	A	3R12368(SEF)				60 lb. Cover	163																						
Xerox Digital Metallic Cover, Silver	A	3R12311				10 pt	213																				Yes		

* OHP Refers to Overhead projector

**SEF- Short Edge Feeding Recommended

*** Maximum of 50 sheet stacks in tray 3

For the most recent Recommended Materials Lists access our www.Xerox.com and do a search on DocuColor 2060, the downloadable files are attached to the product description page.

XEROX RECOMMENDED MATERIALS LIST- DOCUCOLOR 2045/2060/5252

		Standard Cut Sizes				Basis Weight (lb)	Grammage Weight (gsm)	Docucolor 2000 Series Trays/ Weight Selection and Best Practices for Operation											
		8.5X11 216x279 mm	8.5X14 216x356 mm	17x11 432x279 mm	18x12 457x305 mm	Weight of 500 sheets of the paper specific to trade type	Weight of the paper in grams per square meter	Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)	Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)	Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)	Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)	Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)	Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)	Tray 1+2 Tray 3 (SMH) Tray 4 (HCF)	High Capacity Stacker Compatible?				
Weight Range Specification		64-80 gsm						81-105 gsm		106-135 gsm		136-150 gsm		151-220 gsm		221- 280 gsm			
Instructions for Printing one (Simplex) or two (Duplex) sides		Simplex						Duplex		Simplex		Duplex		Simplex		Duplex			
Tinted and textured stocks		Decurler Setting paper type		When printing solid colors or photographs, the inherent properties of these stocks may affect image quality. Please ensure output meets your requirements.				Xerographic/ Bond											
Offset/ Text weights		A		3R11244				24		90		OK Trays 1, 2 and 3		OK Trays 1, 2 and 3				Yes	
Xerox Digital Color Parchment White, 24 LB.		A		3R11245				24		90		OK Trays 1, 2 and 3		OK Trays 1, 2 and 3				Yes	
Xerox Digital Color Parchment Gold, 24 LB.		A		3R11164				28		105		OK Trays 1, 2 and 3		OK Trays 1, 2 and 3				Yes	
Xerox Digital Color Graphics Cream White, 28/ 70 LB.		A		3R11168				28		105		OK Trays 1, 2 and 3		OK Trays 1, 2 and 3				Yes	
Xerox Digital Color Graphics Warm White, 28/ 70 LB.		A		3R11172				28		105		OK Trays 1, 2 and 3		OK Trays 1, 2 and 3				Yes	
Xerox Digital Color Graphics Warm White, 28/ 70 LB.		A		3R11165				28		105		OK Trays 1, 2 and 3		OK Trays 1, 2 and 3				Yes	
Xerox Digital Color Graphics Warm White, 28/ 70 LB.		A		3R11169				28		105		OK Trays 1, 2 and 3		OK Trays 1, 2 and 3				Yes	
Xerox Digital Color Graphics Warm White, 28/ 70 LB.		A		3R11173				28		105		OK Trays 1, 2 and 3		OK Trays 1, 2 and 3				Yes	
Tinted and textured stocks		Decurler Setting paper type		When printing solid colors or photographs, the inherent properties of these stocks may affect image quality. Please ensure output meets your requirements.				Cover Weight											
Cover weights		A		3R11176				80		216		OK Trays 1, 2 and 3		OK Trays 1, 2 and 3				Yes	
Xerox Digital Color Graphics Cream White, 80 LB. Cover		A		3R11180				80		216		OK Trays 1, 2 and 3		OK Trays 1, 2 and 3				Yes	
Xerox Digital Color Graphics Cream White, 80 LB. Cover		A		3R11184				80		216		OK Trays 1, 2 and 3		OK Trays 1, 2 and 3				Yes	
Xerox Digital Color Graphics Warm White, 80 LB. Cover		A		3R11177				80		216		OK Trays 1, 2 and 3		OK Trays 1, 2 and 3				Yes	
Xerox Digital Color Graphics Warm White, 80 LB. Cover		A		3R11181				80		216		OK Trays 1, 2 and 3		OK Trays 1, 2 and 3				Yes	
Xerox Digital Color Graphics Warm White, 80 LB. Cover		A		3R11185				80		216		OK Trays 1, 2 and 3		OK Trays 1, 2 and 3				Yes	
Label Stock		Decurler Setting paper type		Label Stocks				Approximately											
Xerox Digital Color Xpressions Gloss Coated Labels		C		3R5770				NA		190		Tray 3 Only		Tray 3 Only				Top Tray Only	
1 UP 8.5 x 11 (die cut face)		C		3R12370				NA		190		Tray 3 Only		Tray 3 Only				Top Tray Only	
1 UP 8.5 x 11 (full sheet)		C		3R5771				NA		190		Tray 3 Only		Tray 3 Only				Top Tray Only	
4 UP 8.5 x 11		C		3R6324				NA		190		Tray 3 Only		Tray 3 Only				Top Tray Only	
10 UP 8.5 x 11		C		3R6325				NA		190		Tray 3 Only		Tray 3 Only				Top Tray Only	
30 UP 8.5 x 11		C		3R6322				NA		190		Tray 3 Only		Tray 3 Only				Top Tray Only	
CD-ROM 8.5 x 11		C		3R12372				NA		190		Tray 3 Only		Tray 3 Only				Top Tray Only	
6 UP CD-ROM 11 x 17		C						NA		190		Tray 3 Only		Tray 3 Only				Top Tray Only	
Xerox Digital Color Xpressions Matte Coated Labels		C		3R5772				NA		190		Tray 3 Only		Tray 3 Only				Top Tray Only	
1 UP 8.5 x 11 (die cut face)		C		3R12371				NA		190		Tray 3 Only		Tray 3 Only				Top Tray Only	
1 UP 8.5 x 11 (full sheet)		C		3R5773				NA		190		Tray 3 Only		Tray 3 Only				Top Tray Only	
4 UP 8.5 x 11		C		3R6332				NA		190		Tray 3 Only		Tray 3 Only				Top Tray Only	
10 UP 8.5 x 11		C		3R6333				NA		190		Tray 3 Only		Tray 3 Only				Top Tray Only	
30 UP 8.5 x 11		C		3R6330				NA		190		Tray 3 Only		Tray 3 Only				Top Tray Only	
CD-ROM 8.5 x 11		C		3R12373				NA		190		Tray 3 Only		Tray 3 Only				Top Tray Only	
6 UP CD-ROM 11 x 17		C						NA		190		Tray 3 Only		Tray 3 Only				Top Tray Only	
Carbonless Paper		Decurler Setting		When printing solid colors or photographs, the inherent properties of these stocks may affect image quality. Please ensure output meets your requirements.				Bond Weight											
Note: IOT Common Software V 6.27 (DC2045, DC2060) and V 7.1.2 (DC5252) must be installed, and fan disabled, prior to use.*								Approximately											
Xerox Premium Digital Carbonless Paper		A		3R12389				22		82		Tray 3 only		Tray 3 only				Yes	
Singles		A		3R12390				23		86		Tray 3 only		Tray 3 only				Yes	
CB Singles White (W)		A		3R12391				23		86		Tray 3 only		Tray 3 only				Yes	
CFB Singles White (Mini carton)		A		3R12392				23		86		Tray 3 only		Tray 3 only				Yes	
CFB Singles Canary (C)		A		3R12393				22		82		Tray 3 only		Tray 3 only				Yes	
CF Singles Canary (C)		A		3R12394				22		82		Tray 3 only		Tray 3 only				Yes	
CF Singles Pink (P)		A		3R12395				22		82		Tray 3 only		Tray 3 only				Yes	
CF Singles White (W)		A		3R12374				22/22		82/82		Tray 3 only		Tray 3 only				Yes	
2 Part Straight/Reverse W/C		A		3R12375				22/22		82/82		Tray 3 only		Tray 3 only				Yes	
2 Part Straight/Reverse W/P		A		3R12376				22/22		82/82		Tray 3 only		Tray 3 only				Yes	
2 Part Straight/Reverse W/C (Mini carton)		A		3R12377				22/22		82/82		Tray 3 only		Tray 3 only				Yes	
2 Part Straight/Reverse W/C		A		3R12378				22/22		82/82		Tray 3 only		Tray 3 only				Yes	
2 Part Straight/Reverse W/C		A						22/22		82/82		Tray 3 only		Tray 3 only				Yes	
3 Part Reverse P/C/W		A		3R12379				22/23/22		82/86/82		Tray 3 only		Tray 3 only				Yes	
3 Part Straight W/C/P		A		3R12380				22/23/22		82/86/82		Tray 3 only		Tray 3 only				Yes	
3 Part Straight W/C/P (Mini carton)		A		3R12381				22/23/22		82/86/82		Tray 3 only		Tray 3 only				Yes	
3 Part Straight W/C/P		A		3R12382				22/23/22		82/86/82		Tray 3 only		Tray 3 only				Yes	
3 Part Straight W/C/P		A		3R12383				22/23/22		82/86/82		Tray 3 only		Tray 3 only				Yes	
4 Part Reverse G/P/C/W		A		3R12384				22/23/23/22		82/86/86/82		Tray 3 only		Tray 3 only				Yes	
4 Part Straight W/C/P/G		A		3R12385				22/23/23/22		82/86/86/82		Tray 3 only		Tray 3 only				Yes	
4 Part Straight W/C/P/G		A		3R12386				22/23/23/22		82/86/86/82		Tray 3 only		Tray 3 only				Yes	
Perf		A		3R12387				22/23/22		82/86/82		Tray 3 only		Tray 3 only				Yes	
1/2 Vertical Pre-Perfed 3 Part Straight W/C/P (9" x 11")		A		3R12388				22/23/22		82/86/82		Tray 3 only		Tray 3 only				Yes	
1/2 Vertical Pre-Perfed 3 Part Straight W/C/P		A						22/23/22		82/86/82		Tray 3 only		Tray 3 only				Yes	

* Contact your local Service representative and refer to the System Administration Guide for details