

Recommended Materials for DocuColor 40/30 Family

For use in the USA and Canada

Revision 2.4, Publish Date: Sept.27th, 2002

Last Revision 2.3 was published on July 3rd, 2002

For the most recent version of this quarterly published document, visit www.xdss.com, select "Free Downloads", then "Color".

Important Note:

Media recommendations made in this publication are based on qualification tests* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.

* Testing Environment temperature range of 60-75 deg. F, Relative Humidity range 20-40%.

Machine reliability specifications may be affected by increased usage of Thick Paper mode. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox Sales or Service representative can advise you on using Thick Paper mode or special application media types for long duration copy/print runs.

For specifications and a description of the various media types discussed in this publication, please refer to the Color Material Usage Guide (reorder number 701P34322) that comes with your equipment.

© 2001 Xerox Corporation. All rights reserved.

Xerox®, The Document Company®, the stylized X®, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

Xerox Recommended Material List (US and Canada)

For the most recent version of this document, visit www.xdss.com/ select "Free Downloads", then "Color".

| Internal Trays : Normal (Plain) Mode (64-105 gsm) <input type="checkbox"/> | | | DC40/ 30 Family | | | A= Auto Duplex M=Manual Duplex S=Simplex PCW=Post Consumer Waste ECF=Elemental Chlorine Free | | | |
|---|--------------------------|---------------|------------------------|----------|----------|---|-------------|---|---|
| Bypass Tray and Hi Capacity Feeder (HCF): Normal Mode (64-105gsm) <input type="checkbox"/> , Heavyweight (Thick) Mode (106-220gsm) <input type="checkbox"/> | | | | | | | | | |
| Transparency Mode <input type="checkbox"/> | | | | | | | | | |
| Media | Mode | Weight | Re-Order # | Type | Size | Internal | Bypass/ HCF | Additional Information | |
| Xerox Premium Multipurpose 4024 | Normal (Plain) Mode | 75 gsm / 20lb | 3R721 | | 8.5 x 11 | A | M | Black/ White copies only. | |
| | | | 3R727 | | 8.5 x 14 | A | M | | |
| | | | 3R2193 (3-Hole) | | 8.5 x 11 | A | M | | |
| | | | 3R729 | | 11 x 17 | A | M | | |
| Xerox Recycled | Normal (Plain) Mode | 75 gsm/ 20lb | 3R6296 | | 8.5 x 11 | A | M | Black/ White copies only. PCW=30% | |
| | | | 3R6299 | | 11 x 17 | A | M | | |
| Xerox Digital Color Xpressions + | Normal (Plain) Mode | 90 gsm / 24lb | 3R11380 | | 8.5 x 11 | A | M | | |
| | | | 3R11381(3 Hole) | | 8.5 x 11 | A | M | | |
| | | | 3R11382 | | 8.5 x 14 | A | M | | |
| | | | 3R11383 | | 17 x 11 | | M | | |
| | 105gsm/ 28lb | 3R11385 | | 8.5 x 11 | A | M | | | |
| | | 3R11386 | | 17 x 11 | A | M | | | |
| | Heavyweight (Thick) Mode | 120gsm/ 32lb | 3R11387 | | 8.5 x 11 | | M | | |
| | | | 3R11388 | | 17 x 11 | | M | | |
| | | | 3R11389 | | 18 x 12 | | M | | |
| | Heavyweight (Thick) Mode | 163gsm/ 60lb | 3R11390 | | 8.5 x 11 | | M | | |
| 3R11391 | | | | 17 x 11 | | M | | | |
| 3R11384 | | | | 18 x 12 | | M | | | |
| Xerox Digital Color Xpressions 98' (Ultra White) | Normal (Plain) Mode | 105gsm/ 28lb | 3R5529 | | 8.5 x 11 | A | M | Color Xpressions-Ultra White should only be used with DC40 finishing accessories. PCW=30% | |
| | | | 3R5530 | | 17 x 11 | A | M | | |
| | | | 3R5531 | | 18 x 12 | | M | | |
| | Heavyweight (Thick) Mode | 163gsm/ 60lb | 3R6385 | | 8.5 x 11 | | M | PCW=30% | |
| | | | 3R6386 | | 17 x 11 | | M | | |
| | | | 3R6387 | | 18 x 12 | | M | | |
| | | 175gsm/ 65lb | 3R5533 | | 8.5 x 11 | | M | PCW=30% | |
| | | | 3R5534 | | 17 x 11 | | M | | |
| | | | 3R5535 | | 18 x 12 | | M | | |
| | | | 215gsm/ 80lb | 3R5537 | | 8.5 x 11 | | | M |
| | | | | 3R5538 | | 17 x 11 | | | M |
| | | | | 3R5539 | | 18 x 12 | | | M |

Xerox Recommended Material List (US and Canada)

For the most recent version of this document, visit www.xdss.com/ select "Free Downloads", then "Color".

Internal Trays : Normal (Plain) Mode (64-105 gsm)
 Bypass Tray and Hi Capacity Feeder (HCF): Normal Mode (64-105gsm) , Heavyweight (Thick) Mode (106-220gsm)
 Transparency Mode

DC40/ 30 Family

**A= Auto Duplex M=Manual Duplex
 S=Simplex
 PCW=Post Consumer Waste
 ECF=Elemental Chlorine Free**

| Media | Mode | Weight | Re-Order # | Type | Size | Internal | Bypass/ HCF | Additional Information |
|-------------------------------|--------------------------|--------------|------------|-------------|----------|----------|-------------|---|
| Xerox Digital Color Parchment | Normal (Plain) Mode | 90gsm/ 24lb | 3R11244 | White | 8.5 x 11 | A | M | Due to the unique surface patterns in Parchment paper, this product will exhibit image mottle as a design feature. PCW=30% |
| | | | 3R11248 | | 17 x 11 | A | M | |
| | | | 3R11245 | Gold | 8.5 x 11 | A | M | |
| | | | 3R11249 | | 17 x 11 | A | M | |
| | | | 3R11246 | Orchid | 8.5 x 11 | A | M | |
| | | | 3R11250 | | 17 x 11 | A | M | |
| | 3R11247 | Pewter | 8.5 x 11 | A | M | | | |
| | 3R11251 | | 17 x 11 | A | M | | | |
| | Heavyweight (Thick) Mode | 175gsm/ 65lb | 3R11252 | White | 8.5 x 11 | | M | |
| | | | 3R11256 | | 17 x 11 | | M | |
| | | | 3R11253 | Gold | 8.5 x 11 | | M | |
| | | | 3R11257 | | 17 x 11 | | M | |
| | | | 3R11254 | Orchid | 8.5 x 11 | | M | |
| | | | 3R11258 | | 17 x 11 | | M | |
| 3R11255 | Pewter | 8.5 x 11 | | M | | | | |
| 3R11259 | | 17 x 11 | | M | | | | |
| Xerox Digital Color Graphics | Normal (Plain) Mode | 105gsm/ 28lb | 3R11164 | Cream White | 8.5 x 11 | A | M | PCW=30% |
| | | | 3R11168 | | 17 x 11 | A | M | |
| | | | 3R11172 | | 18 x 12 | | M | |
| | | | 3R11165 | Warm White | 8.5 x 11 | A | M | |
| | | | 3R11169 | | 17 x 11 | A | M | |
| | | | 3R11173 | | 18 x 12 | | M | |
| | | | 3R11166 | White Fiber | 8.5 x 11 | A | M | |
| | | | 3R11170 | | 17 x 11 | A | M | |
| | | | 3R11174 | | 18 x 12 | | M | |
| | | | 3R11167 | Cream Fiber | 8.5 x 11 | A | M | |
| | | | 3R11171 | | 17 x 11 | A | M | |
| | | | 3R11175 | | 18 x 12 | | M | |

Xerox Recommended Material List (US and Canada)

For the most recent version of this document, visit www.xdss.com/ select "Free Downloads", then "Color".

Internal Trays : Normal (Plain) Mode (64-105 gsm)
 Bypass Tray and Hi Capacity Feeder (HCF): Normal Mode (64-105gsm) , Heavyweight (Thick) Mode (106-220gsm)
 Transparency Mode

DC40/ 30 Family

**A= Auto Duplex M=Manual Duplex
 S=Simplex
 PCW=Post Consumer Waste
 ECF=Elemental Chlorine Free**

| Media | Mode | Weight | Re-Order # | Type | Size | Internal | Bypass/ HCF | Additional Information |
|--|--------------------------|---------------|------------|-------------|----------|----------|-------------|--|
| Xerox Digital Color Graphics | Heavyweight (Thick) Mode | 215gsm/ 80lb | 3R11176 | Cream White | 8.5 x 11 | | M | PCW=30% |
| | | | 3R11180 | | 17 x 11 | | M | |
| | | | 3R11184 | | 18 x 12 | | M | |
| | | | 3R11177 | Warm White | 8.5 x 11 | | M | |
| | | | 3R11181 | | 17 x 11 | | M | |
| | | | 3R11185 | | 18 x 12 | | M | |
| | | | 3R11178 | White Fiber | 8.5 x 11 | | M | |
| | | | 3R11182 | | 17 x 11 | | M | |
| | | | 3R11186 | | 18 x 12 | | M | |
| | | | 3R11179 | Cream Fiber | 8.5 x 11 | | M | |
| | | | 3R11183 | | 17 x 11 | | M | |
| | | | 3R11187 | | 18 x 12 | | M | |
| Xerox Digital Color Silk Coated Text and Covers (C2S) | Heavyweight (Thick) Mode | 120gsm/ 80lb | 3R11354 | Silk Text | 8.5 x 11 | | M | Bypass Only. <u>Limited duplex</u> , print text or low area coverage image first. Replaced Color Xpressions Matte Coated Text. ECF |
| | | | 3R11355 | | 17 x 11 | | M | |
| | | | 3R11356 | | 18 x 12 | | M | |
| | | 3R11360 | Silk Text | 8.5 x 11 | | M | | |
| | | 3R11361 | | 17 x 11 | | M | | |
| | | 3R11362 | | 18 x 12 | | M | | |
| | | 210gsm/ 80lb | Silk Cover | 3R11357 | 8.5 x 11 | | M | |
| | | | | 3R11358 | 17 x 11 | | M | |
| | | | | 3R11359 | 18 x 12 | | M | |
| Xerox Digital Color Gloss Coated Text and Covers (C2S) | Heavyweight (Thick) Mode | 120gsm/ 80lb | 3R11330 | Gloss Text | 8.5 x 11 | | M | Bypass Only. <u>Limited duplex</u> , print text or low area coverage image first. Replaced Color Xpressions Gloss Coated Text. ECF |
| | | | 3R11331 | | 17 x 11 | | M | |
| | | | 3R11332 | | 18 x 12 | | M | |
| | Heavyweight (Thick) Mode | 140gsm/ 100lb | 3R11336 | Gloss Text | 8.5 x 11 | | M | |
| | | | 3R11337 | | 17 x 11 | | M | |
| | | | 3R11338 | | 18 x 12 | | M | |
| | Heavyweight (Thick) Mode | 210gsm/ 80lb | 3R11333 | Gloss Cover | 8.5 x 11 | | M | |
| | | | 3R11334 | | 17 x 11 | | M | |
| | | | 3R11335 | | 18 x 12 | | M | |

Xerox Recommended Material List (US and Canada)

For the most recent version of this document, visit www.xdss.com/ select "Free Downloads", then "Color".

| Internal Trays : Normal (Plain) Mode (64-105 gsm) <input type="checkbox"/> | | | DC40/ 30 Family | | | A= Auto Duplex M=Manual Duplex S=Simplex PCW=Post Consumer Waste ECF=Elemental Chlorine Free | | |
|---|--------------------------|---------------|------------------------|------|----------|---|-------------|--|
| Bypass Tray and Hi Capacity Feeder (HCF): Normal Mode (64-105gsm) <input type="checkbox"/> , Heavyweight (Thick) Mode (106-220gsm) <input type="checkbox"/> | | | | | | | | Transparency Mode <input type="checkbox"/> |
| Media | Mode | Weight | Re-Order # | Type | Size | Internal | Bypass/ HCF | Additional Information |
| Xerox Digital Color Super Gloss Coated Covers (C1S) | Heavyweight (Thick) Mode | 8pt./ 160gsm | 3R6290 | | 8.5 x 11 | <input type="checkbox"/> | M | Simplex is preferred. For limited duplex, print the uncoated side <u>first</u> with text or light area coverage. See Appendix I: Suggestions for optimizing 8pt. and 10pt. Super Gloss Media. ECF |
| | | | 3R6291 | | 17 x 11 | <input type="checkbox"/> | M | |
| | | | 3R6292 | | 18 x 12 | <input type="checkbox"/> | M | |
| | | 10pt./ 210gsm | 3R6293 | | 8.5 x 11 | <input type="checkbox"/> | M | |
| | | | 3R6294 | | 17 x 11 | <input type="checkbox"/> | M | |
| | | | 3R6295 | | 18 x 12 | <input type="checkbox"/> | M | |
| Xerox Digital Colour Coated Cover (C1S)- Xerox Canada <u>Only</u> | Heavyweight (Thick) Mode | 8pt./ 180gsm | 3R13031 | | 8.5 x 11 | <input type="checkbox"/> | M | Simplex is preferred. For limited duplex, print the uncoated side <u>first</u> with text or light area coverage. See Appendix I: Suggestions for optimizing 8pt. And 10pt. Super Gloss Media. |
| | | | 3R13032 | | 17 x 11 | <input type="checkbox"/> | M | |
| | | | 3R13033 | | 18 x 12 | <input type="checkbox"/> | M | |
| | | 10pt./ 220gsm | 3R13034 | | 8.5 x 11 | <input type="checkbox"/> | M | |
| | | | 3R13035 | | 17 x 11 | <input type="checkbox"/> | M | |
| | | | 3R13036 | | 18 x 12 | <input type="checkbox"/> | M | |
| Xerox Digital Color Dura Paper | Heavyweight (Thick) Mode | 10 mil | 3R12064 | | 8.5 X 11 | <input type="checkbox"/> | S | |
| | | | 3R12063 | | 17 x 11 | <input type="checkbox"/> | S | |
| | | | 3R12065 (3 Hole) | | 8.5 X 11 | <input type="checkbox"/> | S | |
| Xerox Digital Color Super Gloss Trifold Brochure (C1S) | Heavyweight (Thick) Mode | 8pt./ 160gsm | 3R6348 | | 8.5 X 11 | <input type="checkbox"/> | M | Short Edge Feed in the Bypass Tray. Long Edge Feed in the HCF. See Appendix I for instructions. |
| Xerox Digital Color Trifold Brochures | Heavyweight Mode | 120gsm / 32lb | 3R12310 | | 8.5 X 11 | <input type="checkbox"/> | M | Short Edge Feed in the Bypass Tray. |
| Xerox Digital Color Super Gloss Greeting Card (C1S) | Heavyweight (Thick) Mode | 10pt./ 210gsm | 3R6340 | | 8.5 X 11 | <input type="checkbox"/> | M | Short Edge Feed in the Bypass Tray. Long Edge Feed in the HCF. Duplex text or light area coverage areas only. Lighter image on 1st side, heavier image on 2nd side. See Appendix I for instructions. |

Xerox Recommended Material List (US and Canada)

For the most recent version of this document, visit www.xdss.com/ select "Free Downloads", then "Color".

| Internal Trays : Normal (Plain) Mode (64-105 gsm) <input type="checkbox"/> | | DC40/ 30 Family | | | | A= Auto Duplex M=Manual Duplex S=Simplex PCW=Post Consumer Waste ECF=Elemental Chlorine Free | | Additional Information | |
|---|--------------------------|------------------------|------------|--------|----------|---|-------------|----------------------------|--|
| Bypass Tray and Hi Capacity Feeder (HCF): Normal Mode (64-105gsm) <input type="checkbox"/> , Heavyweight (Thick) Mode (106-220gsm) <input type="checkbox"/> | | | | | | | | Additional Information | |
| Media | Mode | Weight | Re-Order # | Type | Size | Internal | Bypass/ HCF | | |
| Xerox Index Stock | Heavyweight (Thick) Mode | 163gsm/ 90lb | 3R3004 | | 8.5 X 11 | | M | Black & White Copies Only. | |
| | | | 3R5102 | | 11 X 17 | | M | | |
| Xerox One- Step Transfer Paper | Heavyweight (Thick) Mode | | 3R5811 | | 8.5 X 11 | | S | | |
| | | | 3R5812 | | 11 X 17 | | S | | |
| Xerox Digital Color Xpressions Gloss Coated Labels | Heavyweight (Thick) Mode | | 3R5770 | 1- up | 8.5 X 11 | | S | | |
| | | | 3R5771 | 4-up | 8.5 X 11 | | S | | |
| | | | 3R6324 | 10-up | 8.5 X 11 | | S | | |
| | | | 3R6325 | 30-up | 8.5 X 11 | | S | | |
| | | | 3R6320 | VCR | 8.5 X 11 | | S | | |
| | | | 3R6322 | CD-ROM | 8.5 X 11 | | S | | |
| Xerox Digital Color Xpressions Matte Coated Labels | Heavyweight (Thick) Mode | | 3R5772 | 1- up | 8.5 X 11 | | S | PCW=10% | |
| | | | 3R5773 | 4-up | 8.5 X 11 | | S | | |
| | | | 3R6332 | 10-up | 8.5 X 11 | | S | | |
| | | | 3R6333 | 30-up | 8.5 X 11 | | S | | |
| | | | 3R6328 | VCR | 8.5 X 11 | | S | | |
| | | | 3R6330 | CD-ROM | 8.5 X 11 | | S | | |
| Xerox Bright White Labels | Heavyweight (Thick) Mode | | 3R12177 | 1- up | 8.5 X 11 | | S | PCW=20% | |
| | | | 3R12179 | 30-up | 8.5 X 11 | | S | | |
| Xerox High Speed Labels | Heavyweight (Thick) Mode | | 3R4476 | 1- up | 8.5 X 11 | | S | Black & White Copies Only. | |
| | | | 3R3146 | 6-up | 8.5 X 11 | | S | | |
| | | | 3R4475 | 8-up | 8.5 X 11 | | S | | |
| | | | 3R5719 | 14-up | 8.5 X 11 | | S | | |
| | | | 3R4474 | 24-up | 8.5 X 11 | | S | | |
| | | | 3R3139 | 33-up | 8.5 X 11 | | S | | |
| Xerox High Speed Labels (Clear) | Heavyweight (Thick) Mode | | 3R5139 | 33-up | 8.5 X 11 | | S | Black & White Copies Only. | |

Xerox Recommended Material List (US and Canada)

For the most recent version of this document, visit www.xdss.com/ select "Free Downloads", then "Color".

| Internal Trays : Normal (Plain) Mode (64-105 gsm) | | | | | | DC40/ 30 Family | | A= Auto Duplex M=Manual Duplex S=Simplex PCW=Post Consumer Waste ECF=Elemental Chlorine Free | |
|---|--------------------------|---------------|------------|-------|----------|------------------------|-------------|---|--|
| Bypass Tray and Hi Capacity Feeder (HCF): Normal Mode (64-105gsm) , Heavyweight (Thick) Mode (106-220gsm) | | | | | | | | | |
| Transparency Mode | | | | | | | | | |
| Media | Mode | Weight | Re-Order # | Type | Size | Internal | Bypass/ HCF | Additional Information | |
| Xerox Digital Color Xpressions Glossy Coated Tabs | Heavyweight (Thick) Mode | | 3R6254 | | 9 x 11 | | M | Duplex text or light coverage areas only. Lighter image on the first side, heavier image on the second side. PCW=10% | |
| | | | 3R6255 | | 9 x 11 | | M | | |
| Xerox White Tabs | Heavyweight (Thick) Mode | | 3R4417 | | 9 x 11 | | M | Black & White Copies Only. | |
| | | | 3R4418 | | 9 X 11 | | M | | |
| | | | 3R4415 | | 9 X 11 | | M | | |
| | | | 3R4416 | | 9 X 11 | | M | | |
| Xerox Plastic Tabs | Heavyweight (Thick) Mode | | 3R5520 | | 9 X 11 | | M | Black & White Copies Only. | |
| | | | 3R5521 | | 9 X 11 | | M | | |
| Xerox Digital Color Transparency | Transparency Mode | | 3R5765 | | 8.5 x 11 | | S | Bypass Tray-Simplex Only PCW=30% | |
| Xerox High Speed Paper Backed Color Transparency | Heavyweight (Thick) Mode | | 3R5764 | | 8.5 x 11 | | S | Bypass Tray-Simplex Only PCW=30% minimum | |
| Xerox DocuPac Folders | Heavyweight (Thick) Mode | | 3R4885 | | 9 x 11 | | M | Black & White Copies Only. | |
| Xerox Presentation Folder (C2S) | Heavyweight (Thick) Mode | 8pt./ 200 gsm | 3R5570 | | 9 x 11 | | M | PCW=10% | |
| Xerox Digital Color Premium Business Cards | Heavyweight (Thick) Mode | 185 gsm | 3R12321 | 10-up | 8.5 x 11 | | M | Imaged area cannot extend beyond edges of each individual business card. Image quality may be impaired over the adhesive strip. Short Edge Feed in the Bypass Tray. | |
| Xerox Crisp Cut Business Card | Heavyweight (Thick) Mode | 215 gsm | 3R12193 | 10-up | 8.5 x 11 | | S | Long Edge Feed (LEF) in Bypass Tray. | |

Visit www.xdss.com/ select "Free Downloads", then "Color".

Internal Trays : Normal (Plain) Mode (64-105 gsm)
 Bypass Tray and Hi Capacity Feeder (HCF): Normal Mode (64-105gsm) , Heavyweight (Thick) Mode (106-220gsm) , Transparency Mode

DC40/30 Family

**A= Auto Duplex M=Manual Duplex
S=Simplex**

| Media | Mode | Weight | Size | Trays | | Additional Information |
|---|--------------------------|--------------|---------------------|----------|-------------|--|
| | | | | Internal | Bypass/ HCF | |
| Weyerhaeuser | Normal (Plain) Mode | 90gsm/ 24lb | 8.5 X 11 | A | M | |
| Hammermill Laser Print | Normal (Plain) Mode | 90gsm/ 24lb | 8.5 X 11 11 x 17 | A A | M M | |
| | Heavyweight (Thick) Mode | 120gsm/ 32lb | 8.5 X 11 11 x 17 | | M M | |
| Hammermill Color Copy - Photo White | Normal (Plain) Mode | 105gsm/ 28lb | 8.5 X 11 11 x 17 | A A | M M | |
| Georgia Pacific Microprint Laser 1000 | Normal (Plain) Mode | 90gsm/ 24lb | 8.5 X 11 11 x 17 | A A | M M | |
| | | 105gsm/ 28lb | 8.5 X 11 11 x 17 | A A | M M | |
| Georgia Pacific Microprint Color Copy | Normal (Plain) Mode | 105gsm/ 28lb | 8.5 X 11 | A | M | |
| Teslin SP 100 45% SPID (PPG Industries) | Heavyweight (Thick) Mode | 10 pt | 8.5 X 11 11 x 17 | | M M | |
| Neenah Classic Laid Laser | Normal (Plain) Mode | 90gsm/ 24lb | 8.5 X 11 | A | M | Writing Paper |
| Strathmore Writing 100 | Normal (Plain) Mode | 90gsm/ 24lb | 8.5 X 11 | A | M | Writing Paper |
| Consolidated Papers-Frostbrite Matte | Heavyweight (Thick) Mode | 105gsm/ 70lb | 8.5 X 11 | | M | For limited duplex, print text or low area coverage image first. |
| | | | 11 x 17 | | M | |
| | | | 12 x 18 | | M | |

| Media | Mode | Weight | Size | Trays | | Additional Information | |
|---------------------------------------|--------------------------|---------------|----------|----------|-------------|------------------------|--|
| | | | | Internal | Bypass/ HCF | | |
| Consolidated Papers-Futura Laser | Heavyweight (Thick) Mode | 105gsm/ 70lb | 8.5 X 11 | → | | M | For limited duplex, print text or low area coverage image first. |
| | | | 11 x 17 | → | | M | |
| | | | 12 x 18 | → | | M | |
| Consolidated Papers-Centura Gloss | Heavyweight (Thick) Mode | 120gsm/ 80lb | 8.5 X 11 | → | | M | For limited duplex, print text or low area coverage image first. |
| | | | 11 x 17 | → | | M | |
| | | | 12 x 18 | → | | M | |
| S.D. Warren- Lustro Gloss | Heavyweight (Thick) Mode | 80lb/ 120gsm | 8.5 X 11 | → | | M | For limited duplex, print text or low area coverage image first. |
| | | | 11 x 17 | → | | M | |
| | | | 12 x 18 | → | | M | |
| S.D. Warren- Lustro Dull | Heavyweight (Thick) Mode | 120gsm/ 80lb | 8.5 X 11 | → | | M | For limited duplex, print text or low area coverage image first. |
| | | | 11 x 17 | → | | M | |
| | | | 12 x 18 | → | | M | |
| Consolidated Papers-Reflections Gloss | Heavyweight (Thick) Mode | 135gsm/ 90lb | 8.5 X 11 | → | | M | For limited duplex, print text or low area coverage image first. |
| | | | 11 x 17 | → | | M | |
| | | | 12 x 18 | → | | M | |
| Mead Paper-Offset Enamel | Heavyweight (Thick) Mode | 150gsm/ 100lb | 8.5 X 11 | → | | M | For limited duplex, print text or low area coverage image first. |
| | | | 11 x 17 | → | | M | |
| | | | 12 x 18 | → | | M | |
| Mead Paper-Rich Gloss | Heavyweight (Thick) Mode | 150gsm/ 100lb | 8.5 X 11 | → | | M | For limited duplex, print text or low area coverage image first. |
| | | | 11 x 17 | → | | M | |
| | | | 12 x 18 | → | | M | |
| Mead Paper-Signature Gloss | Heavyweight (Thick) Mode | 150gsm/ 100lb | 8.5 X 11 | → | | M | For limited duplex, print text or low area coverage image first. |
| | | | 11 x 17 | → | | M | |
| | | | 12 x 18 | → | | M | |
| Hammermill Color Copy Cover | Heavyweight (Thick) Mode | 160gsm/ 60lb | 8.5 X 11 | → | | M | |
| | | | 11 x 17 | → | | M | |

Visit www.xdss.com/ select "Free Downloads", then "Color".

| Media | Mode | Weight | Size | Trays | | Additional Information |
|---|--------------------------|---------------|----------|----------|-------------|------------------------|
| | | | | Internal | Bypass/ HCF | |
| Jupiter Thinplate (Kirk Paper) | Heavyweight (Thick) Mode | 7pt. / 160gsm | 8.5 X 11 | | M | |
| Tempo Featherweight Bristol (Fox River) | Heavyweight (Thick) Mode | 165gsm/ 75lb | 8.5 X 11 | | M | |
| Pageantry (Champion International) | Heavyweight (Thick) Mode | 165gsm/ 75lb | 8.5 X 11 | | M | |
| | | 215gsm/ 80lb | 8.5 X 11 | | M | |
| Simpson Starwhite Vicksburg (Fox River) | Heavyweight (Thick) Mode | 165gsm/ 75lb | 8.5 X 11 | | M | |
| Superfine Ultra White Smooth (Mohawk Paper) | Heavyweight (Thick) Mode | 175gsm/ 65lb | 8.5 X 11 | | M | |
| | | 215gsm/ 80lb | 8.5 X 11 | | M | |
| Navajo (Mohawk Paper) | Heavyweight (Thick) Mode | 175gsm/ 65lb | 8.5 X 11 | | M | |
| | | | 12 x 18 | | M | |
| | | 215gsm/ 80lb | 8.5 X 11 | | M | |
| Options Bright White Smooth (Mohawk Paper) | Heavyweight (Thick) Mode | 175gsm/ 65lb | 8.5 X 11 | | M | |
| Simpson Starwhite Vicksburg (Mohawk Paper) | Heavyweight (Thick) Mode | 175gsm/ 65lb | 8.5 X 11 | | M | |
| Simpson Starwhite Vicksburg (Fox River) | Heavyweight (Thick) Mode | 215gsm/ 80lb | 8.5 X 11 | | M | |

| Media | Mode | Weight | Size | Trays | | Additional Information | |
|---|-----------------------------|------------------|----------|----------|-------------|--|--|
| | | | | Internal | Bypass/ HCF | | |
| Centura Dull (Consolidated Papers) | Heavyweight (Thick) Mode | 160gsm/ 60lb | 8.5 X 11 | | M | For limited Duplex, print text or low area coverage image first. | |
| | | | 11 x 17 | | M | | |
| | | | 12 x 18 | | M | | |
| | Heavyweight (Thick) Mode | 215gsm/ 80lb | 8.5 X 11 | | M | | |
| | | | 11 x 17 | | M | | |
| | | | 12 x 18 | | M | | |
| Lustro Gloss (S.D. Warren) | Heavyweight (Thick) Mode | 160gsm/ 60lb | 8.5 X 11 | | M | For limited Duplex, print text or low area coverage image first. | |
| | | | 11 x 17 | | M | | |
| | | | 12 x 18 | | M | | |
| | Heavyweight (Thick) Mode | 215gsm/ 80lb | 8.5 X 11 | | M | | |
| | | | 11 x 17 | | M | | |
| | | | 12 x 18 | | M | | |
| Frostbrite Matte (Consolidated Papers) | Heavyweight (Thick) Mode | 175gsm/ 65lb | 8.5 X 11 | | M | For limited Duplex, print text or low area coverage image first. | |
| | | | 11 x 17 | | M | | |
| | | | 12 x 18 | | M | | |
| | Heavyweight (Thick) Mode | 80lb / 215gsm | 8.5 X 11 | | M | | |
| | | | 11 x 17 | | M | | |
| | | | 12 x 18 | | M | | |
| Lustro Dull (S.D. Warren) | Heavyweight (Thick) Mode | 215gsm/ 80lb | 8.5 X 11 | | M | For limited Duplex, print text or low area coverage image first. | |
| | | | 11 x 17 | | M | | |
| | | | 12 x 18 | | M | | |
| Strobe Gloss (S.D. Warren) | Heavyweight (Thick) Mode | 215gsm/ 80lb | 8.5 X 11 | | M | | For limited Duplex, print text or low area coverage image first. |
| | | | 11 x 17 | | M | | |
| | | | 12 x 18 | | M | | |

| Media | Mode | Weight | Size | Trays | | Additional Information |
|-------------------------------------|--------------------------|----------------|----------|----------|-------------|---|
| | | | | Internal | Bypass/ HCF | |
| Kromekote (Champion International) | Heavyweight (Thick) Mode | 6pt./ 150gsm | 8.5 X 11 | | M | Simplex is preferred. For limited duplex, print on the uncoated side first with text or low area coverage image only. |
| | | | 11 x 17 | | M | |
| | | | 12 x 18 | | M | |
| | | 8pt./ 180gsm | 8.5 X 11 | | M | |
| | | | 11 x 17 | | M | |
| | | | 12 x 18 | | M | |
| | | 10pt. / 220gsm | 8.5 X 11 | | M | |
| | | | 11 x 17 | | M | |
| | | | 12 x 18 | | M | |
| Carolina (Carolina Printing Papers) | Heavyweight (Thick) Mode | 8pt./ 180gsm | 8.5 X 11 | | M | Simplex is preferred. For limited duplex, print on the uncoated side first with text or low area coverage image only. |
| | | | 11 x 17 | | M | |
| | | | 12 x 18 | | M | |
| | | 10pt. / 220gsm | 8.5 X 11 | | M | |
| | | | 11 x 17 | | M | |
| | | | 12 x 18 | | M | |
| Classic Linen (Neenah Paper) | Heavyweight (Thick) Mode | 24lb/ 90gsm | 8.5 X 11 | Writing | S | |
| | | 80lb/ 120gsm | 8.5 X 11 | Text | S | |
| | | 80lb/ 215gsm | 8.5 X 11 | Cover | S | |
| Photo Trans Plus | Heavyweight | | 8.5 X 11 | | S | |
| Joto Transfer Paper | Heavyweight | | 8.5 X 11 | | S | |
| Teslin sp (PPG Industries) | Heavyweight (Thick) Mode | 10mil | 8.5 X 11 | | M | Manual Duplex from Hi Capacity Feeder Only. |
| | | | 11 x 17 | | M | |
| | | 14mil | 8.5 X 11 | | M | |
| | | | 11 x 17 | | M | |

| Media | Mode | Weight | Size | Trays | | Additional Information |
|-------|------|--------|------|----------|-------------|------------------------|
| | | | | Internal | Bypass/ HCF | |

WARRANTY DISCLAIMER

Xerox makes no guarantees or warranties, either express or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure that their expectations are met.

The quality of Xerox supplies is consistent from ream to ream, carton to carton, and it is backed by a Xerox 100% guarantee. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best--Xerox Supplies.

© 2001 Xerox Corporation. All rights reserved.

Xerox®, The Document Company®, the stylized X®, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.