

Recommended Materials for Xerox DocuColor 4 LP/CP (EUROPE)

Revision 1.6, Publish Date: September, 2001

Last revision 1.5, Publish Date: February, 2001

Any additions or part number changes since the last publication are indicated in Blue print.

Important Note:

Media recommendations made in this publication are based on qualification tests* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.

* Testing environment Temperature 23 degreesC±2, Relative Humidity 50% ±5.

In the enclosed Recommended Materials List, green shaded areas marked with an "x" indicate approved product/media type configurations. Although these configurations are recommended, reliability will be based upon your operating environment and application mix.

Machine reliability specifications may be affected by increased usage of Cover mode and Transparency mode. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox Sales or Service representative can advise you on using Cover mode, Transparency mode or special application media types for long duration copy/print runs.

For specifications and a description of the various media types discussed in this publication, please refer to the Color Material Usage Guide that comes with your equipment.

© 2001 Xerox Corporation. All rights reserved.

Xerox®, The Document Company®, the stylized X®, and all Xerox product names and product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

	International Cut Sheet Size				Weight (g/m ²)	Output Selection		DocuColor 4 LP/CP					
	A4 (210x297mm)	A3 (297x420mm)	A3+ (457 x305mm)	SRA3 (450x320mm)		Black only	Full Colour	Internal trays	MSI (bypass) tray 64 - 220 g/m ²				
Weight range specification	→							64-105 g/m ²	64-105 g/m ²	106-220 g/m ²			90-220 g/m ²
Media selection	→							Plain paper mode	Plain paper mode	Cover mode (heavy weight)	Trans- parency mode	Label mode	Limited manual duplex from MSI**
Xerographic/Laser	for media marked # - colour print quality will not be as good as Colotech+ papers.												
Xerox Premier	3R91713				60	X	#	X	X				X
Xerox Digital Colour Colotech +	003R97386				70	X	X	X	X				X
		003R97387			70	X	X	X	X				X
				003R97388	70	X	X	oversize tray	X				X
Xerox Premier	3R91720				80	X	#	X	X				X
		3R91721			80	X	#	X	X				X
Xerox Business	3R91820				80	X	#	X	X				X
		3R91821			80	X	#	X	X				X
Xerox Digital Colour Colotech +	3R94641				90	x	x	x	x				x
		3R94642			90	x	x	x	x				x
				3R95838	90	x	x	oversize tray	x				x
Xerox Digital Colour Colotech +	3R94646				100	x	x	x	x				x
		3R94647			100	x	x	x	x				x
			3R94648		100	x	x	x	x				x
				3R93839	100	x	x	oversize tray	x				x
Xerox Digital Colour Colotech+ Natural White	3R97102				100	x	x	x	x				x
		3R97103			100	x	x	x	x				x
Xerox Digital Colour Colotech Pastels	blue 3R95192				100	x	x	x	x				x
	pink 3R95193				100	x	x	x	x				x
	green 3R95194				100	x	x	x	x				x
	yellow 3R95195				100	x	x	x	x				x
Xerox Digital Colour Colotech +	3R94651				120	x	x			x			x
		3R94652			120	x	x			x			x
			3R94653		120	x	x			x			x
				3R95840	120	x	x			x			x
Index/Cover - Uncoated													
Xerox Digital Colour Colotech +	3R94656				160	x	x			x			x
		3R94657			160	x	x			x			x
			3R94658		160	x	x			x			x
				3R95841	160	x	x			x			x

** No more than 100 duplex prints per day. See the Manual Duplex Recommended Guideline in Expectation Setting Document for DocuColor 4.

	International Cut Sheet Size				Weight (g/m ²)	Output Selection		DocuColor 4 LP/CP					
	A4 (210x297mm)	A3 (297x420mm)	A3+ (457 x305mm)	SRA3 (450x320mm)		Black only	Full Colour	Internal trays	MSI (bypass) tray 64 - 220 g/m ²				
Weight range specification	→							64-105 g/m ²	64-105 g/m ²	106-220 g/m ²			90-220 g/m ²
Media selection	→							Plain paper mode	Plain paper mode	Cover mode (heavy weight)	Trans- parency mode	Label mode	Limited manual duplex from MSI**
Xerox Digital Colour Colotech+ Natural White	3R95956				160	x	x			x			x
		3R95957			160	x	x			x			x
Xerox Digital Colour Colotech +	3R94661				200	x	x			x			x
		3R94662			200	x	x			x			x
			3R94663		200	x	x			x			x
				3R95842	200	x	x			x			x
Xerox Digital Colour Colotech+ Natural White	3R95958				200	x	x			x			x
		3R95959			200	x	x			x			x
Index/Cover													
Xerox Digital Colour Colotech +	3R94668				220	x	x			x			x
		3R94669			220	x	x			x			x
			3R94670		220	x	x			x			x
				3R95843	220	x	x			x			x
Coated Papers													
Xerox Digital Colour Colotech + Gloss Coated	3R97148				120	x	x			x			x
		3R97149			120	x	x			x			x
				3R97150	120	x	x			x			x
Xerox Digital Colour Colotech + Silk Coated	3R97166				120	x	x			x			x
		3R97167			120	x	x			x			x
				3R97168	120	x	x			x			x
Xerox Digital Colour Colotech + Gloss Coated	3R97151				140	x	x			x			x
		3R97152			140	x	x			x			x
				3R97153	140	x	x			x			x
Xerox Digital Colour Colotech + Silk Coated	3R97169				140	x	x			x			x
		3R97170			140	x	x			x			x
				3R97171	140	x	x			x			x

** No more than 100 duplex prints per day. See the Manual Duplex Recommended Guideline in Expectation Setting Document for DocuColor 4.

	International Cut Sheet Size				Weight (g/m ²)	Output Selection		DocuColor 4 LP/CP					
	A4 (210x297mm)	A3 (297x420mm)	A3+ (457 x305mm)	SRA3 (450x320mm)		Black only	Full Colour	Internal trays	MSI (bypass) tray 64 - 220 g/m ²				
Weight range specification	→							64-105 g/m ²	64-105 g/m ²	106-220 g/m ²			90-220 g/m ²
Media selection	→							Plain paper mode	Plain paper mode	Cover mode (heavy weight)	Trans- parency mode	Label mode	Limited manual duplex from MSI**
Index/Cover - Coated													
Xerox Digital Colour Colotech + Gloss Coated	3R97154				170	x	x			x			x
		3R97155			170	x	x			x			x
				3R97156	170	x	x			x			x
Xerox Digital Colour Colotech + Silk Coated	3R97172				170	x	x			x			x
		3R97173			170	x	x			x			x
				3R97174	170	x	x			x			x
Xerox Digital Colour Colotech + Gloss Coated	3R97157				210	x	x			x			x
		3R97158			210	x	x			x			x
				3R97159	210	x	x			x			x
Xerox Digital Colour Colotech + Silk Coated	3R97175				210	x	x			x			x
		3R97176			210	x	x			x			x
				3R97177	210	x	x			x			x
** No more than 100 duplex prints per day. See the Manual Duplex Recommended Guideline in Expectation Setting Document for DocuColor 4.													
Transparency													
Xerox Type CM--Removable stripe	3R93179					x	x				x		
Xerox Type CS--Printed Stripe	3R91520					x	x				x		
Xerox Type R--Removable Stripe	3R96023					x					x		
Xerox SRA3 Paperback transparency					3R97352	x	x			x			
Paper Label													
Xerox Colotech Supergloss label	3R97288				1-UP	x	x					x	
Xerox Labels	3R93872				1-UP	x	x					x	
	3R95813				4-UP	x	x					x	
	3R93874				8-UP	x	x					x	
	3R93875				14-UP	x	x					x	
	3R95815				21-UP	x	x					x	
	3R93876				24-UP	x	x					x	
Xerox Removeable label	3R96177				16-UP	x	#					x	
	3R96178				24-UP	x	#					x	
Xerox Permanent label	3R96284				10-UP	x	#					x	
Xerox Colotech Supergloss CD label	3R97287				2-UP	x	x					x	
Xerox CD label & CD insert Combi Box	3R97354				2-UP	x	x					x	

	International Cut Sheet Size				Weight (g/m ²)	Output Selection		DocuColor 4 LP/CP					
	A4 (210x297mm)	A3 (297x420mm)	A3+ (457 x305mm)	SRA3 (450x320mm)		Black only	Full Colour	Internal trays	MSI (bypass) tray 64 - 220 g/m ²				
Weight range specification	→							64-105 g/m ²	64-105 g/m ²	106-220 g/m ²			90-220 g/m ²
Media selection	→							Plain paper mode	Plain paper mode	Cover mode (heavy weight)	Trans- parency mode	Label mode	Limited manual duplex from MSI**
Synthetic Label													
Xerox Durapaper Label waterproof, oil, chemical resistant	3R97344				1-UP	x	x			x			
Xerox Glossy white self adhesive label	3R97245				1-UP	x	x			x			
Xerox Crystal Clear self adhesive label	3R97244				1-UP	x	x			x			
Synthetic media													
Xerox Nevertear	3R96094				100micron	x	x			x			
Special Application Media													
Xerox Drafting Film	3R98190				75micron	x	#			x			
Xerographic/Laser													
Non-Xerox Brand Papers													
Color Copy, Neusiedler AG, Austria	x				100	x	x	x	x			x	
		x			100	x	x	x	x			x	
Color Copy, Neusiedler AG, Austria	x				120	x	x			x		x	
		x			120	x	x			x		x	
Index/Cover													
Color Copy, Neusiedler AG, Austria	x				160	x	x			x		x	
		x			160	x	x			x		x	
Color Copy, Neusiedler AG, Austria	x				200	x	x			x		x	
		x			200	x	x			x		x	
Coated both sides Cover C2S													
Alterege, Arjo Wiggins					200	x	x			x		x	
** No more than 100 duplex prints per day. See the Manual Duplex Recommended Guideline in Expectation Setting Document for DocuColor 4.													
Paper label													
Avery Living Colour label	x				24-UP	x	x					x	
Avery Laser Video Face labels	x				12-UP	x	x					#	
Synthetic label													
Avery Polyfast	x				220	x	x			x			
		x			220	x	x			x			
Folex CLC PWO self adhesive label		x			1-UP	x	x			x			

	International Cut Sheet Size				Weight (g/m ²)	Output Selection		DocuColor 4 LP/CP					
	A4 (210x297mm)	A3 (297x420mm)	A3+ (457 x305mm)	SRA3 (450x320mm)		Black only	Full Colour	Internal trays	MSI (bypass) tray 64 - 220 g/m ²				
Weight range specification	→							64-105 g/m ²	64-105 g/m ²	106-220 g/m ²			90-220 g/m ²
Media selection	→							Plain paper mode	Plain paper mode	Cover mode (heavy weight)	Trans- parency mode	Label mode	Limited manual duplex from MSI**
Synthetic Media													
Teslin® SP1200	x				12ml	x	x			x			x
		x			12ml	x	x			x			x
** No more than 100 duplex prints per day. See the Manual Duplex Recommended Guideline in Expectation Setting Document for DocuColor 4.													
Synthetic Media													
Teslin® SP1400	x				14ml	x	x			x			x
		x			14ml	x	x			x			x
Special stocks													
Promaxx® Business cards 10-up	x				195	x	x			x			x
Magic Touch Textile Transfer TTC 3.1 - for white/pastel fabric eg T-Shirts	x				138	x	x			x			
		x			138	x	x			x			
Magic Touch Textile Transfer TTC 3.2 - for white/pastel fabric eg T-Shirts	x				115	x	x			x			
		x			115	x	x			x			
Magic Touch Transfer CPM 6.0 for non fabric smooth surfaces	x				135	x	x			x			
		x			135	x	x			x			
Magic Touch waterslide decal DCT 4.1	x				140	x	x			x			
Magic Touch waterslide decal DCT 4.6	x				140	x	x			x			
Business Letter Paper													
Conqueror High White Wove	x				80	x	x	x	x				

WARRANTY DISCLAIMER

Xerox makes no guarantees or warranties, either express or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure that their expectations are met.

The quality of Xerox supplies is consistent from ream to ream, carton to carton, and it is backed by a Xerox 100% guarantee. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best--Xerox Supplies.

© 2001 Xerox Corporation. All rights reserved.

Xerox®, The Document Company®, the stylized X®, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.