

Recommended Materials List for DocuColor 8000AP/ 8000 / 7000AP / 7000

Review Date: 12/10/2007

Important Note:

Media recommendations made in this publication are based on qualification tests conducted using standard test images with moderate to heavy image area coverage. Test machines are maintained within specifications defined by user documentation.

* Testing Environment temperature range of 60-75 deg. F, Relative Humidity range 20-50%.

Reliability is based on your operating environment and application mix.

Machine reliability specifications may be affected by high usage of heavy weight and specialty stocks. In addition, variances in machine reliability may occur due to extended use of some media types.

Warranty disclaimer

Xerox makes no guarantees or warranties, either expressed or implied, concerning the performance, use, or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure their expectations are met. The quality of Xerox supplies is consistent from ream to ream and is backed by a 100% guarantee. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best - Xerox Supplies. To learn more about the benefits of using Xerox Supplies, please contact your Supplies Representative or call in the US 1-800-822-2200 and in Canada 1-800-668-0133.

© 2007 Xerox Corporation. All rights reserved.

Xerox®, The Document Company®, the stylized X®, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

XEROX RECOMMENDED MATERIALS LIST- DocuColor 8000AP / 8000 / 7000AP / 7000

	Decurler Setting paper type	Standard Cut Sizes				Basis Weight (lb) Weight of 500 sheets of the paper specific to trade type	Grammage Weight (gsm) Weight of the paper in grams per square meter	DC7000 - 7000AP - 8000 - 8000AP Trays / Weight Selection and Best Practices for Operation											
		8.5X11 216x279 mm	8.5X14 216x356 mm	Short Grain 17x11 432x279 mm	Short Grain 18x12 457x305 mm			IOT: Trays 1, 2 SFM: Trays 3, 4	IOT: Trays 1, 2 SFM: Trays 3, 4	IOT: Trays 1, 2 SFM: Trays 3, 4	IOT: Trays 1, 2 SFM: Trays 3, 4	IOT: Trays 1, 2 SFM: Trays 3, 4	IOT: Trays 1, 2 SFM: Trays 3, 4	IOT: Trays 1, 2 SFM: Trays 3, 4	IOT: Trays 1, 2 SFM: Trays 3, 4	IOT: Trays 1, 2 SFM: Trays 3, 4			
Weight Range Specification								60-80 gsm		81-105 gsm		106-135 gsm		136-186 gsm		187-220 gsm		221- 300 gsm	
Instructions for Printing one (Simplex) or two (Duplex) sides								Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex
Business Papers (Bond, xerographic, and laser grades)						Xerographic/ Bond													
Xerox Color Xpressions +, 24 LB 8.5 x 11, 3-Hole Drilled*	A	3R11540				24	90			OK All Trays	OK All Trays								
		3R11541				24	90			OK All Trays	OK All Trays								
			3R11542			24	90			OK All Trays	OK All Trays								
				3R11543		24	90			OK All Trays	OK All Trays								
Xerox Graphic Xpressions (True White), 24 LB 8.5 x 11, 3-Hole Drilled*	A	3R11152				24	90			OK All Trays	OK All Trays								
		3R11153				24	90			OK All Trays	OK All Trays								
				3R11154		24	90			OK All Trays	OK All Trays								
Xerox Color Xpressions +, 28 LB 8.5 x 11, 3-Hole Drilled*	A	3R11545				28	105			OK All Trays	OK All Trays								
		3R11546				28	105			OK All Trays	OK All Trays								
				3R11549		28	105			OK All Trays	OK All Trays								
Xerox Graphic Xpressions (True White), 28 LB	A	3R5529			3R11548	28	105			OK All Trays	OK All Trays								
				3R5530		28	105			OK All Trays	OK All Trays								
					3R5531	28	105			OK All Trays	OK All Trays								
Xerox Color Xpressions +, 32 LB	B	3R11550				32	120					OK All Trays	OK All Trays						
					3R11551	32	120					OK All Trays	OK All Trays						
					3R11552	32	120					OK All Trays	OK All Trays						
Uncoated Cover Stocks						Cover Weight													
Xerox Color Xpressions +, 60 LB Cover	A	3R11553				60	163					OK All Trays	OK All Trays						
				3R11554		60	163					OK All Trays	OK All Trays						
					3R11555	60	163					OK All Trays	OK All Trays						
Xerox Graphic Xpressions (True White), 65 LB Cover	A	3R5533				65	176					OK All Trays	OK All Trays						
				3R5534		65	176					OK All Trays	OK All Trays						
					3R5535	65	176					OK All Trays	OK All Trays						
Xerox Color Xpressions +, 80 LB Cover	A	3R11556				80	216							OK All Trays	OK All Trays				
				3R11557		80	216							OK All Trays	OK All Trays				
					3R11558	80	216							OK All Trays	OK All Trays				
Xerox Graphic Xpressions (True White), 80 LB Cover	A	3R5537				80	216							OK All Trays	OK All Trays				
				3R5538		80	216							OK All Trays	OK All Trays				
					3R5539	80	216							OK All Trays	OK All Trays				
Xerox Graphic Xpressions (True White), 100 LB Cover	A	3R11160				100	270									OK All Trays	OK All Trays	Manual Duplex	
					3R11161	100	270									OK All Trays*	OK All Trays	Manual Duplex	
					3R11162	100	270									OK All Trays*	OK All Trays	Manual Duplex	
Coated Text or Book Stock C2S						Text Weight													
Xerox Digital Color Select Gloss 60# Text	A			3R11500		60	90			OK All Trays	OK All Trays								
					3R11501	60	90			OK All Trays	OK All Trays								
Xerox Digital Color Elite Gloss 80# Text	A	3R11450				80	120					OK All Trays	OK All Trays						
				3R11451		80	120					OK All Trays	OK All Trays						
					3R11452	80	120					OK All Trays	OK All Trays						
Xerox Digital Color Select Gloss 80# Text	A			3R11503		80	120					OK All Trays	OK All Trays						
					3R11504	80	120					OK All Trays	OK All Trays						
Xerox Digital Color Elite Gloss 100# Text	A	3R11454				100	140							OK All Trays	OK All Trays				
				3R11455		100	140							OK All Trays	OK All Trays				
					3R11456	100	140							OK All Trays	OK All Trays				
Xerox Digital Color Select Gloss 100# Text	A			3R11510		100	140							OK All Trays	OK All Trays				
					3R11511	100	140							OK All Trays	OK All Trays				
Xerox Digital Color Elite Silk 80# Text	A	3R11470				80	120					OK All Trays	OK All Trays						
				3R11471		80	120					OK All Trays	OK All Trays						
					3R11472	80	120					OK All Trays	OK All Trays						
Xerox Digital Color Elite Silk 100# Text	A	3R11474				100	140							OK All Trays	OK All Trays				
					3R11475	100	140							OK All Trays	OK All Trays				
					3R11476	100	140							OK All Trays	OK All Trays				
Coated Cover Stock C2S						Cover Weight													
Xerox Digital Color Elite Gloss 80# Cover	A	3R11458				80	210							OK All Trays	OK All Trays				
				3R11459		80	210							OK All Trays	OK All Trays				
					3R11460	80	210							OK All Trays	OK All Trays				
Xerox Digital Color Select Gloss 80# Cover	A			3R11506		80	210							OK All Trays	OK All Trays				
					3R11507	80	210							OK All Trays	OK All Trays				
Xerox Digital Color Elite Gloss 100# Cover	A	3R11462				100	280									OK All Trays	OK All Trays	Manual Duplex	
				3R11463		100	280									OK All Trays*	OK All Trays	Manual Duplex	
					3R11464	100	280									OK All Trays*	OK All Trays	Manual Duplex	
Xerox Digital Color Select Gloss 100# Cover	A			3R11513		100	280									OK All Trays*	OK All Trays	Manual Duplex	
					3R11514	100	280									OK All Trays*	OK All Trays	Manual Duplex	
Xerox Digital Color Elite Gloss 110# Cover	A	3R11466				110	300									OK All Trays	OK All Trays	Manual Duplex	
				3R11467		110	300									OK All Trays*	OK All Trays	Manual Duplex	
					3R11468	110	300									OK All Trays*	OK All Trays	Manual Duplex	
Xerox Digital Color Elite Silk 80# Cover	A	3R11478				80	210							OK All Trays	OK All Trays				
				3R11479		80	210							OK All Trays	OK All Trays				
					3R11480	80	210							OK All Trays	OK All Trays				
Xerox Digital Color Elite Silk 100# Cover	A	3R11482				100	280									OK All Trays	OK All Trays	Manual Duplex	
				3R11483		100	280									OK All Trays*	OK All Trays	Manual Duplex	
					3R11484	100	280									OK All Trays*	OK All Trays	Manual Duplex	
Xerox Digital Color Elite Silk 110# Cover	A	3R11486				110	300									OK All Trays	OK All Trays	Manual Duplex	
				3R11487		110	300									OK All Trays*	OK All Trays	Manual Duplex	
					3R11488	110	300									OK All Trays*	OK All Trays	Manual Duplex	

* See "Specialty Media Guide: hints and tips" document for special run instructions

XEROX RECOMMENDED MATERIALS LIST- DocuColor 8000AP / 8000 / 7000AP / 7000

	Standard Cut Sizes				Basis Weight (lb)	Grammage Weight (gsm)	DC7000 - 7000AP - 8000 - 8000AP Trays / Weight Selection and Best Practices for Operation												
	8.5X11 216x279 mm	8.5X14 216x356 mm	Short Grain 17x11 432x279 mm	Short Grain 18x12 457x305 mm	Weight of 500 sheets of the paper specific to trade type	Weight of the paper in grams per square meter	IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4				
Weight Range Specification Instructions for Printing one (Simplex) or two (Duplex) sides							60-80 gsm		81-105 gsm		106-135 gsm		136-186 gsm		187-220 gsm		221-300 gsm		
							Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	
Super Gloss Coated Cover Stock C1S	Decurler Setting paper type	Load coated side up. Image quality will be best on first side.				No weight equiv. Trade unit is caliper													
Xerox Digital Color Supreme Gloss 8pt. Cover C1S	A	3R11430			8 pt	160								OK All Trays	OK All Trays				
				3R11431	8 pt	160								OK All Trays	OK All Trays				
				3R11432	8 pt	160								OK All Trays	OK All Trays				
Xerox Digital Color Supreme Gloss 10pt. Cover C1S	A	3R11434			10 pt	210										OK All Trays	OK All Trays		
				3R11435	10 pt	210										OK All Trays	OK All Trays		
				3R11436	10 pt	210										OK All Trays	OK All Trays		
Xerox Digital Color Supreme Gloss 12pt. Cover C1S	A	3R11438			12 pt	250											OK All Trays	Manual Duplex	
				3R11439	12 pt	250											OK All Trays**	Manual Duplex	
				3R11440	12 pt	250											OK All Trays**	Manual Duplex	
Transparencies	Decurler Setting paper type					Transparencies													
Xerox Removable Stripe Transparency	Default	3R3108	Load with stripe down			OHP	NA												
Xerox Production Printer Transparency	A	3R5764	Image Quality will vary with productivity. 3R5766 is recommended for best results.			NA	NA												
Specialties	Decurler Setting paper type					Various Categories	Approximately												
Xerox Digital Color Supreme Gloss Greeting Cards, 10 pt Cover C1S Folds to 8.5"x5.5"	A	3R6340	Second side image quality is not as good as that obtainable on side one			10 pt	210									OK All Trays	OK All Trays		
Xerox Digital Color Trifold Brochures	A	3R12310			32lb. Xero / Bond	120				OK All Trays	OK All Trays								
Xerox Digital Color Supreme Gloss Trifold Brochures, 8 pt Cover C1S	A	3R6348	Second side image quality is not as good as that obtainable on side one			8 pt	160							OK All Trays	OK All Trays				
Xerox Window Decals, Clear	B	3R6339			NA	NA										OK All Trays			
Xerox Window Decals, Opaque	B	3R12059			NA	NA										OK All Trays			
				3R12315	NA	NA										OK All Trays			
Xerox DocuPac Folders (9.3" x 11.7")	A	3R4885			NA	160										OK All Trays			
Xerox High Gloss Coated Presentation Folders (9x11")	A	3R5570			8 pt	160										OK All Trays			
Xerox Docupac Laser Folders	A	3R5105			NA	160								OK All Trays					
Xerox Color Xpressions + Document Folder	A			3R12406	80 lb. Cover	216								OK All Trays	OK All Trays				
Xerox 10 pt. Supreme Gloss Document Folder	A			3R12407	10 pt.	210								OK All Trays	OK All Trays				
Xerox DocuCard ID Card (1-UP)** (50 sheet stacks maximum)	A	3R12348			NA	165										OK All Trays			
Xerox 1-up Uncoated DocuMagnet (Short Edge Feed)**	A	3R12418			60 lb. Cover	163											OK All Trays	Manual Duplex	
Xerox 1-up Coated DocuMagnet (Short Edge Feed)**	A	3R12419			8 pt	160											OK All Trays	Manual Duplex	
Xerox Digital Color Premium Business Cards (10 UP)	A	3R12321			NA	250											OK All Trays	Manual Duplex	
Xerox DuraPaper	A	3R12064			10 pt	200											OK All Trays	Manual Duplex	
8.5 x 11, 3-Hole Drilled**	A	3R12065			10 pt	200											OK All Trays	Manual Duplex	
				3R12063	10 pt	200											OK All Trays	Manual Duplex	
Xerox Polyester Papers	A	3R12414			3.7 mils	125										OK All Trays			
	A	3R12363	Run 25 sheets of plain paper at 200 sheet intervals to avoid gloss / oil streaks. Static may limit ability to stack neatly.			4.7 mils	160									OK All Trays			
8.5 x 11, 3-Hole Drilled**	A	3R12364			4.7 mils	160										OK All Trays			
Xerox Laser Transfer Paper	A	3R5811			NA	NA								OK All Trays					
				3R5812	NA	NA								OK All Trays					
Xerox Xpressions Tabs - 5 Bank; Single reverse collated**	A	3R12366	Load tabs LEF with tabs trailing			60 lb. Cover	163							OK All Trays					
Xerox Xpressions Tabs - 5 Bank; Single straight collated**	A	3R12368	Load tabs LEF with tabs trailing			60 lb. Cover	163							OK All Trays					
Xerox Digital Metallic Cover, Silver	A	3R12311	Color reproduction will be affected			10 pt	213										OK All Trays	Manual Duplex	

* OHP Refers to Overhead projector

** See "Specialty Media Guide: hints and tips" document for special run instructions

*** Maximum of 50 sheet stacks in tray 3

XEROX RECOMMENDED MATERIALS LIST- DocuColor 8000AP / 8000 / 7000AP / 7000

		Standard Cut Sizes				Basis Weight (lb)	Grammage Weight (gsm)	DC7000 - 7000AP - 8000 - 8000AP Trays / Weight Selection and Best Practices for Operation												
		8.5X11 216x279 mm	8.5X14 216x356 mm	17x11 432x279 mm	18x12 457x305 mm	Weight of 500 sheets of the paper specific to trade type	Weight of the paper in grams per square meter	IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4		IOT: Trays 1, 2 SFM: Trays 3, 4				
Weight Range Specification								60-80 gsm		81-105 gsm		106-135 gsm		136-186 gsm		187-220 gsm		221-300 gsm		
Instructions for Printing one (Simplex) or two (Duplex) sides								Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	
Tinted and textured stocks Offset/ Text weights		Decurler Setting paper type	When printing solid colors or photographs, the inherent properties of these stocks may affect image quality. Please ensure output meets your requirements.				Xerographic/ Bond													
Xerox Graphic Xpressions Cream White, 28/ 70 LB.		A	3R11164				28	105			OK All Trays	OK All Trays								
					3R11168		28	105			OK All Trays	OK All Trays								
						3R11172	28	105			OK All Trays	OK All Trays								
Xerox Graphic Xpressions Warm White, 28/ 70 LB.		A	3R11165				28	105			OK All Trays	OK All Trays								
					3R11169		28	105			OK All Trays	OK All Trays								
						3R11173	28	105			OK All Trays	OK All Trays								
Tinted and textured stocks Cover weights		Decurler Setting paper type	When printing solid colors or photographs, the inherent properties of these stocks may affect image quality. Please ensure output meets your requirements.				Cover Weight													
Xerox Graphic Xpressions Cream White, 80 LB. Cover		A	3R11176				80	216									OK All Trays	OK All Trays		
					3R11180		80	216									OK All Trays	OK All Trays		
						3R11184	80	216									OK All Trays	OK All Trays		
Xerox Graphic Xpressions Warm White, 80 LB. Cover		A	3R11177				80	216									OK All Trays	OK All Trays		
					3R11181		80	216									OK All Trays	OK All Trays		
						3R11185	80	216									OK All Trays	OK All Trays		
Label Stock		Decurler Setting paper type					Label Stocks	Approximately												
Xerox Digital Color Xpressions Gloss Coated Labels		A	3R5770				NA	190									OK All Trays			
1 UP 8.5 x 11 (die cut face)		A	3R12370														OK All Trays			
1 UP 8.5 x 11 (full sheet face)		A	3R5771				NA	190									OK All Trays			
4 UP 8.5 x 11		A	3R6322				NA	190									OK All Trays			
CD-ROM 8.5 x 11		A			3R12372		NA	190									OK All Trays			
6 UP CD-ROM 11 x 17																				
Xerox Digital Color Xpressions Matte Coated Labels		A	3R5772				NA	190									OK All Trays			
1 UP 8.5 x 11 (die cut face)		A	3R12371														OK All Trays			
1 UP 8.5 x 11 (full sheet face)		A	3R5773				NA	190									OK All Trays			
4 UP 8.5 x 11		A	3R6332				NA	190									OK All Trays			
10 UP 8.5 x 11		A	3R6333				NA	190									OK All Trays			
30 UP 8.5 x 11		A	3R6330				NA	190									OK All Trays			
CD-ROM 8.5 x 11		A			3R12373		NA	190									OK All Trays			
6 UP CD-ROM 11 x 17																				
Carbonless Paper DC8000 Note: IOT System Software V 2.0 (printer V 2.2.5) must be installed, and fan disabled, prior to use.*		Decurler Setting	When printing solid colors or photographs, the inherent properties of these stocks may affect image quality. Please ensure output meets your requirements.				Bond Weight	Approximately												
Xerox Premium Digital Carbonless Paper																				
Singles	CB Singles White (W)	A	3R12434				22	82			OK All Trays									
	CFB Singles White (W)		3R12435				23	86			OK All Trays									
	CFB Singles White (Mini carton)		3R12436				23	86			OK All Trays									
	CFB Singles Canary (C)		3R12437				23	86			OK All Trays									
	CF Singles Canary (C)		3R12438				22	82			OK All Trays									
	CF Singles Pink (P)		3R12439				22	82			OK All Trays									
	CF Singles White (W)		3R12440				22	82			OK All Trays									
2 Part	2 Part Straight/Reverse W/C	A	3R12420				22/22	82/82			OK All Trays									
	2 Part Straight/Reverse W/P		3R12421				22/22	82/82			OK All Trays									
	2 Part Straight/Reverse W/C				3R12422		22/22	82/82			OK All Trays									
	2 Part Straight/Reverse W/C					3R12423	22/22	82/82			OK All Trays									
3 Part	3 Part Reverse P/C/W	A	3R12424				22/23/22	82/86/82			OK All Trays									
	3 Part Straight W/C/P		3R12425				22/23/22	82/86/82			OK All Trays									
	3 Part Straight W/C/P (Mini carton)		3R12426				22/23/22	82/86/82			OK All Trays									
	3 Part Straight W/C/P				3R12427		22/23/22	82/86/82			OK All Trays									
4 Part	4 Part Reverse G/P/C/W	A	3R12429				22/23/23/22	82/86/86/82			OK All Trays									
	4 Part Straight W/C/P/G		3R12430				22/23/23/22	82/86/86/82			OK All Trays									
	4 Part Straight W/C/P/G				3R12431		22/23/23/22	82/86/86/82			OK All Trays									
Perf	1/2 Vertical Pre-Perfed 3 Part Straight W/C/P (9" x 11")	A	3R12432				22/23/22	82/86/82			OK All Trays									
	1/2 Vertical Pre-Perfed 3 Part Straight W/C/P		3R12433				22/23/22	82/86/82			OK All Trays									

* Contact your local Service representative and refer to the System Administration Guide for details