



Fiery Smart Estimator for iGen 5

Estimate 5th color dry ink costs before printing a single page

Available for the Xerox® EX-P 5 Print Server Powered by Fiery® for the Xerox iGen® 5 Press Version 2.0

Overview

The Fiery Smart Estimator for iGen 5 provides an estimation of 5th color dry ink cost before printing a job. Since 5th color dry ink is purchased separately and not part of the base CMYK click charge, this tool helps estimate the cost of jobs produced with 5th color dry inks (orange, green, blue, clear, and white).

How to download


The Fiery Smart Estimator can be downloaded by visiting the Fiery WebTools[™] page and manually checking for product updates.

Download steps are as follows:

1. Open a Web browser and type the IP address of the EX-P 5 Print Server

2. Select the Configure tab

3. Under Current Settings, select Check for Product Updates



4. This link will take you to the Fiery Product Update page, where you can download the Fiery Smart Estimator app.

IMPORTANT NOTES:

1. You must first download **FIT101779523.exe**, which must be installed prior to installing the Fiery Smart Estimator app. If this patch is not installed first, the Fiery Smart Estimator application will not connect to the Fiery server.

2. Prior to using the Fiery Smart Estimator, you must first manually enter the cost per carton for each type of 5th color dry ink shown on the Settings panel. If these values are not populated, the Fiery Smart Estimator will not provide cost estimations. Please contact your Xerox sales representative for pricing details.

Language Careray Tanguage Careray Res 60.5 Sor Orace	Currency:		
Auto • 050-5 • Cest • 0.000 • Nave Cost • • Orange 755 • • Bub 775 • • Orange 755 • • Whet 95 • •			
Cost Cost Orange 795 Green 795 Obser 795 Over 795 Write 995			
Nime Cot Orago 755 Grave 795 Ocar 795 </td <td></td> <td>•</td> <td></td>		•	
Oracje 795 Gren 129 Bie 725 Gerr 726 Wate 925	Cost		
Green [76] Bue 775 Cear 795 Whet 995 Deleter Is instructional a series for standard as a conset its address.			
Bue 775 Ceer 795 White 995			
Over 755 White 995			
White 995			
Discheiver: The First Stratt Estimator for Kinn 3 is only interreded as a referencer for estimation area coversos. This value is			
Bioleline: The law year to base to be only a strain or or at a shown for estimating one conversities where it is and the Higher factors by the hay perturbed at the Higher factors of by the hay perturbed at the Higher factors of the shown is the factor Higher factors of the shown in the	393		
laund on tRiped data unit by the Filey print server to the rises 3 Press.	Smart Estimator for Kien 5 is only inter-	nded as a reference for estimating area coverage. This value is	
	RPped data sent by the Flery print sets	ver to the Klen 5 Press.	-
		795 795 795 795 995 995 Snut Diffinator for Kin 3 is only inter	195 195 196 196 196 196 196





How it works

Designed to be installed directly on the Fiery server or a networked Windows computer, you can easily launch the Fiery Smart Estimator from the desktop by logging on to the Fiery server.

In Fiery Command WorkStation, select the job(s) in the Held queue that you wish to estimate the ink usage for. Enter the appropriate 5th color dry ink settings in *Job Properties*, then then *Process and Hold* the jobs.

Once the jobs have been processed in Command WorkStation, they will appear in the Fiery Smart Estimator. Click the *Estimate* button to the right of each job to start the estimation process.

After the estimation process completes, each line will populate with estimated 5th color dry ink cost information for that job. This is calculated using the cost per carton values entered in the Settings panel.

IMPORTANT NOTES:

- 1. The default number of copies per job is 1. The Fiery Smart Estimator will ignore any copy settings specified for the job in Fiery Command WorkStation. To get an estimate for a specific number of copies, please enter this amount in the *Copies* box in the Fiery Smart Estimator.
- 2. To use with automated multi-pass white, you will need to adjust the number of copies to account for the extra passes. For example, if you want one copy of a job and it uses 2 passes of white, enter 2 in the *Copies* box in the Fiery Smart Estimator.



HE	ELD (12)								
±	Import 🖷 Print	Properties	Q, Preview	New Job	亩	Delete	ай	Logs 👔) Paper
Job	Status	Job Title				User		Size	Page
₽	Processed	Xerox_iGen5_0	CDI_Ticket_PD	FVT.pdf.dbp		giselled	8	83.5 MB	6
₽	Processed	Xerox_iGen5_\	White_PaforK	RAFTmedia_r	3.pdf	giselled	5	5.3 MB	1
₽	Processed	Xerox_iGen5_0	Drange_testpag	e_20_5in.pdf		giselled	1	15.9 MB	2
₽	Processed	Xerox_iGen5_0	Green_testpage	_20_5in.pdf		giselled	4	21.5 MB	2
₽	Processed	Xerox_iGen5_l	Blue_testpage_	20_5in.pdf		giselled	- 1	7.9 MB	2





Disclaimer: The Fiery Smart Estimator for iGen 5 is only intended as a reference for estimating 5th station ink area coverage. This value is based on RIPped data sent by the Fiery print server to the iGen 5 Press. The average letter or A4 impression yield differs when printing with either Orange, Green and Blue or Clear or White based a single carton containing two 5th color dry ink bottles.

Please Note: actual yields may vary based upon factors including, but not limited to, job and press settings and environmental conditions. The above information is intended as and provided for approximating 5th color area coverage.





EFI fuels success.

We develop breakthrough technologies for the manufacturing of signage, packaging, textiles, ceramic tiles, and personalized documents, with a wide range of printers, inks, digital front ends, and a comprehensive business and production workflow suite that transforms and streamlines the entire production process, increasing your competitiveness and boosting productivity. Visit www.efi.com or call 650-357-3500 for more information.



Nothing herein should be construed as a warranty in addition to the express warranty statement provided with EFI products and services.

The APPS logo, AutoCal, Auto-Count, Balance, BESTColor, BioVu, BioWare, ColorPASS, Colorproof, ColorWise, Command WorkStation, CopyNet, Cretachrom, Cretaprint, the Cretaprint logo, Cretaprinter, Cretaroller, Digital StoreFront, DirectSmile, DocBuilder, DocBuilder Pro, DocKNet, DocStream, DSPdesign Studio, Dynamic Wedge, EDOX, EFI, the EFI logo, Electronics For Imaging, Entrac, EPCount, EPPhoto, EPRegister, EPStatus, Estimate, ExpressPay, FabriVU, Fast-4, Fiery, the Fiery Jogo, Fiery Driven, the Fiery Dor, Fiery Driven, the Fiery JobFlow, Fiery JohAster, Fiery Junk, Fiery Navigator, Fiery Prints, the Fiery Prints logo, Fiery Spark, FreeForm, Hagen, Inktensity, Inkware, Jetrion, the Jetrion logo, LapNet, Logic, Metrix, MicroPress, MiniNet, Monarch, OneFlow, Pace, Pecas, Pecas, Vision, PhotoXposure, PressVu, Printafe, PrinteFite, PrintFice, PrintFice, PrintFice, PrintSmith, PrintSmith, PrintSmith, PrintSmith, Prints, Print to Win, Prograph, PSI, PSI Flexo, Radius, Remoteproof, RIPChips, RIP-While-Print, Screenproof, SendMe, Sincrolor, Splash, Spot-On, TrackNet, UltraPress, UltraTex, UltraVu, UV Series 50, VisualCal, VUTEk, the VUTEk logo, and WebTools are trademarks of Electronics For Imaging, Inc. and/or its wholly owned subsidiaries in the U.S. and/or certain other countries.

All other terms and product names may be trademarks or registered trademarks of their respective owners, and are hereby acknowledged.

© 2018 ELECTRONICS FOR IMAGING, INC. ALL RIGHTS RESERVED. | WWW.EFI.COM