

**Name** : tzdata **Relocations:** (not relocatable)  
Version : 2009k Vendor: CentOS  
Release : 1.el5 Build Date: Mon 17 Aug 2009  
06:43:09 PM EDT  
Install Date: Mon 19 Dec 2011 12:32:58 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: tzdata-2009k-  
1.el5.src.rpm  
Size : 1855860 License: GPL  
Signature : DSA/SHA1, Mon 17 Aug 2009 06:48:07 PM EDT, Key ID  
a8a447dce8562897  
Summary : Timezone data  
Description :  
This package contains data files with rules for various timezones around  
the world.

**Name** : nash **Relocations:** (not relocatable)  
Version : 5.1.19.6 Vendor: CentOS  
Release : 54 Build Date: Thu 03 Sep 2009  
07:58:31 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:05 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: mkinitrd-5.1.19.6-  
54.src.rpm  
Size : 2400549 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:57 PM EDT, Key ID  
a8a447dce8562897  
Summary : nash shell  
Description :  
nash shell used by initrd

**Name** : kudzu-devel **Relocations:** (not relocatable)  
Version : 1.2.57.1.21 Vendor: CentOS  
Release : 1.el5.centos Build Date: Thu 22 Jan 2009  
05:36:39 AM EST  
Install Date: Mon 19 Dec 2011 12:33:06 PM EST Build Host:  
builder10.centos.org  
Group : Development/Libraries Source RPM: kudzu-1.2.57.1.21-  
1.el5.centos.src.rpm  
Size : 268256 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:46:41 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://fedora.redhat.com/projects/additional-projects/kudzu/>  
Summary : Development files needed for hardware probing using kudzu.  
Description :  
The kudzu-devel package contains the libkudzu library, which is used  
for hardware probing and configuration.

**Name** : words **Relocations:** (not relocatable)  
Version : 3.0 Vendor: CentOS  
Release : 9.1 Build Date: Thu 26 Feb 2009  
04:58:25 PM EST  
Install Date: Mon 19 Dec 2011 12:33:09 PM EST Build Host:  
chamkaur.karan.org  
Group : System Environment/Libraries Source RPM: words-3.0-  
9.1.src.rpm  
Size : 4956514 License: public domain

Signature : DSA/SHA1, Sun 08 Mar 2009 09:43:40 PM EDT, Key ID  
a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
URL : http://www.dcs.shef.ac.uk/research/ilash/Moby/  
Summary : A dictionary of English words for the /usr/share/dict  
directory.

Description :

The words file is a dictionary of English words for the  
/usr/share/dict directory. Some programs use this database of  
words to check spelling. Password checkers use it to look for bad  
passwords.

**Name** : **popt** **Relocations: (not relocatable)**  
Version : 1.10.2.3 Vendor: CentOS  
Release : 18.el5 Build Date: Thu 03 Sep 2009  
08:26:18 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:10 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: rpm-4.4.2.3-  
18.el5.src.rpm  
Size : 127466 License: GPLv2+  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:54:54 PM EDT, Key ID  
a8a447dce8562897

URL : http://www.rpm.org/

Summary : A C library for parsing command line parameters.

Description :

Popt is a C library for parsing command line parameters. Popt was  
heavily influenced by the getopt() and getopt\_long() functions, but it  
improves on them by allowing more powerful argument expansion. Popt  
can parse arbitrary argv[] style arrays and automatically set  
variables based on command line arguments. Popt allows command line  
arguments to be aliased via configuration files and includes utility  
functions for parsing arbitrary strings into argv[] arrays using  
shell-like rules.

**Name** : **mktemp** **Relocations: (not relocatable)**  
Version : 1.5 Vendor: CentOS  
Release : 23.2.2 Build Date: Sun 07 Jan 2007  
01:55:44 AM EST  
Install Date: Mon 19 Dec 2011 12:33:10 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Base Source RPM: mktemp-1.5-  
23.2.2.src.rpm  
Size : 13488 License: BSD  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:25:06 PM EDT, Key ID  
a8a447dce8562897

URL : http://www.mktemp.org

Summary : A small utility for safely making /tmp files.

Description :

The mktemp utility takes a given file name template and overwrites a  
portion of it to create a unique file name. This allows shell scripts  
and other programs to safely create and use /tmp files.  
Install the mktemp package if you need to use shell scripts or other  
programs which will create and use unique /tmp files.

**Name** : **libxml2** **Relocations: /usr**  
Version : 2.6.26 Vendor: CentOS

Release : 2.1.2.8 Build Date: Mon 10 Aug 2009  
06:02:24 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:11 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: libxml2-2.6.26-  
2.1.2.8.src.rpm  
Size : 1590241 License: MIT  
Signature : DSA/SHA1, Tue 11 Aug 2009 05:21:17 PM EDT, Key ID  
a8a447dce8562897  
URL : http://xmlsoft.org/  
Summary : Library providing XML and HTML support  
Description :

This library allows to manipulate XML files. It includes support to read, modify and write XML and HTML files. There is DTDs support this includes parsing and validation even with complex DTDs, either at parse time or later once the document has been modified. The output can be a simple SAX stream or and in-memory DOM like representations. In this case one can use the built-in XPath and XPointer implementation to select subnodes or ranges. A flexible Input/Output mechanism is available, with existing HTTP and FTP modules and combined to an URI library.

**Name : gawk Relocations: (not relocatable)**  
Version : 3.1.5 Vendor: CentOS  
Release : 14.el5 Build Date: Wed 14 Mar 2007  
10:48:16 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:14 PM EST Build Host:  
builder7.centos.org  
Group : Applications/Text Source RPM: gawk-3.1.5-  
14.el5.src.rpm  
Size : 4348327 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:01 PM EDT, Key ID  
a8a447dce8562897  
Summary : The GNU version of the awk text processing utility.  
Description :

The gawk packages contains the GNU version of awk, a text processing utility. Awk interprets a special-purpose programming language to do quick and easy text pattern matching and reformatting jobs. Install the gawk package if you need a text processing utility. Gawk is considered to be a standard Linux tool for processing text.

**Name : libattr Relocations: (not relocatable)**  
Version : 2.4.32 Vendor: CentOS  
Release : 1.1 Build Date: Sat 06 Jan 2007  
12:12:25 AM EST  
Install Date: Mon 19 Dec 2011 12:33:14 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: attr-2.4.32-  
1.1.src.rpm  
Size : 14296 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:22 PM EDT, Key ID  
a8a447dce8562897  
URL : http://oss.sgi.com/projects/xfs/  
Summary : Dynamic library for extended attribute support.  
Description :

This package contains the libattr.so dynamic library which contains the extended attribute system calls and library functions.

**Name** : libxslt **Relocations:** /usr  
Version : 1.1.17 Vendor: CentOS  
Release : 2.el5\_2.2 Build Date: Thu 31 Jul 2008  
02:49:33 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:15 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: libxslt-1.1.17-  
2.el5\_2.2.src.rpm  
Size : 1874090 License: MIT  
Signature : DSA/SHA1, Thu 31 Jul 2008 05:39:07 PM EDT, Key ID  
a8a447dce8562897  
URL : http://xmlsoft.org/XSLT/  
Summary : Library providing the Gnome XSLT engine  
Description :  
This C library allows to transform XML files into other XML files  
(or HTML, text, ...) using the standard XSLT stylesheet transformation  
mechanism. To use it you need to have a version of libxml2 >= 2.6.25  
installed. The xsltproc command is a command line interface to the XSLT  
engine

**Name** : pcre **Relocations:** /usr  
Version : 6.6 Vendor: CentOS  
Release : 2.el5\_1.7 Build Date: Fri 30 Nov 2007  
12:10:29 AM EST  
Install Date: Mon 19 Dec 2011 12:33:17 PM EST Build Host: builder6  
Group : System Environment/Libraries Source RPM: pcre-6.6-  
2.el5\_1.7.src.rpm  
Size : 223885 License: BSD  
Signature : DSA/SHA1, Sat 01 Dec 2007 08:10:37 PM EST, Key ID  
a8a447dce8562897  
URL : http://www.pcre.org/  
Summary : Perl-compatible regular expression library  
Description :  
Perl-compatible regular expression library.  
PCRE has its own native API, but a set of "wrapper" functions that are based  
on  
the POSIX API are also supplied in the library libpcreposix. Note that this  
just provides a POSIX calling interface to PCRE: the regular expressions  
themselves still follow Perl syntax and semantics. The header file  
for the POSIX-style functions is called pcreposix.h.

**Name** : aspell **Relocations:** (not relocatable)  
Version : 0.60.3 Vendor: CentOS  
Release : 7.1 Build Date: Sun 07 Jan 2007  
06:18:53 AM EST  
Install Date: Mon 19 Dec 2011 12:33:19 PM EST Build Host:  
builder1.centos.org  
Group : Applications/Text Source RPM: aspell-0.60.3-  
7.1.src.rpm  
Size : 2869921 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:19:59 PM EDT, Key ID  
a8a447dce8562897  
URL : http://aspell.net/  
Summary : A spelling checker.  
Description :  
GNU Aspell is a spell checker designed to eventually replace Ispell. It can

either be used as a library or as an independent spell checker. Its main feature is that it does a much better job of coming up with possible suggestions than just about any other spell checker out there for the English language, including Ispell and Microsoft Word. It also has many other technical enhancements over Ispell such as using shared memory for dictionaries and intelligently handling personal dictionaries when more than one Aspell process is open at once.

**Name** : libieee1284 **Relocations:** (not relocatable)  
Version : 0.2.9 Vendor: CentOS  
Release : 4.el5 Build Date: Wed 14 Mar 2007  
02:49:00 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:20 PM EST Build Host: builder6  
Group : System Environment/Libraries Source RPM: libieee1284-0.2.9-4.el5.src.rpm  
Size : 67506 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:35 PM EDT, Key ID a8a447dce8562897  
URL : http://cyberelk.net/tim/libieee1284/  
Summary : A library for interfacing IEEE 1284-compatible devices.  
Description :  
The libieee1284 library is for communicating with parallel port devices.

**Name** : libdrm **Relocations:** (not relocatable)  
Version : 2.0.2 Vendor: CentOS  
Release : 1.1 Build Date: Sat 06 Jan 2007  
10:17:20 AM EST  
Install Date: Mon 19 Dec 2011 12:33:23 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: libdrm-2.0.2-1.1.src.rpm  
Size : 28412 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:25 PM EDT, Key ID a8a447dce8562897  
URL : http://dri.sourceforge.net  
Summary : libdrm Direct Rendering Manager runtime library  
Description :  
libdrm Direct Rendering Manager runtime library

**Name** : iptables **Relocations:** /usr  
Version : 1.3.5 Vendor: CentOS  
Release : 5.3.el5 Build Date: Thu 03 Sep 2009  
05:31:54 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:24 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: iptables-1.3.5-5.3.el5.src.rpm  
Size : 565736 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:43 PM EDT, Key ID a8a447dce8562897  
URL : http://www.netfilter.org/  
Summary : Tools for managing Linux kernel packet filtering capabilities.  
Description :  
The iptables utility controls the network packet filtering code in the Linux kernel. If you need to set up firewalls and/or IP masquerading, you should install this package.

**Name** : perl-**Socket6** **Relocations:** (not relocatable)  
Version : 0.19 Vendor: CentOS  
Release : 3.fc6 Build Date: Mon 08 Jan 2007  
02:04:51 PM EST  
Install Date: Mon 19 Dec 2011 12:33:25 PM EST Build Host:  
builder6.centos.org  
Group : Development/Libraries Source RPM: perl-**Socket6**-0.19-  
3.fc6.src.rpm  
Size : 46121 License: BSD  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:55 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://search.cpan.org/dist/Socket6/>  
Summary : IPv6 related part of the C socket.h defines and structure  
manipulators  
Description :  
This module supports getaddrinfo() and getnameinfo() to intend to  
enable protocol independent programming.  
If your environment supports IPv6, IPv6 related defines such as  
AF\_INET6 are included.

**Name** : **cpp** **Relocations:** (not relocatable)  
Version : 4.1.2 Vendor: CentOS  
Release : 46.el5 Build Date: Thu 03 Sep 2009  
12:58:45 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:29 PM EST Build Host:  
builder16.centos.org  
Group : Development/Languages Source RPM: gcc-4.1.2-  
46.el5.src.rpm  
Size : 5976953 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:26 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://gcc.gnu.org>  
Summary : The C Preprocessor.  
Description :  
C**pp** is the GNU C-Compatible Compiler Preprocessor.  
C**pp** is a macro processor which is used automatically  
by the C compiler to transform your program before actual  
compilation. It is called a macro processor because it allows  
you to define macros, abbreviations for longer  
constructs.  
The C preprocessor provides four separate functionalities: the  
inclusion of header files (files of declarations that can be  
substituted into your program); macro expansion (you can define macros,  
and the C preprocessor will replace the macros with their definitions  
throughout the program); conditional compilation (using special  
preprocessing directives, you can include or exclude parts of the  
program according to various conditions); and line control (if you use  
a program to combine or rearrange source files into an intermediate  
file which is then compiled, you can use line control to inform the  
compiler about where each source line originated).  
You should install this package if you are a C programmer and you use  
macros.

**Name** : **patch** **Relocations:** (not relocatable)  
Version : 2.5.4 Vendor: CentOS  
Release : 29.2.3.el5 Build Date: Thu 26 Feb 2009  
05:41:41 PM EST



01:47:00 PM EST

Install Date: Mon 19 Dec 2011 12:33:36 PM EST      Build Host:  
builder1.centos.org  
Group       : Applications/Communications      Source RPM: pilot-link-0.11.8-  
16.src.rpm  
Size        : 952728                              License: GPL  
Signature   : DSA/SHA1, Tue 03 Apr 2007 08:26:59 PM EDT, Key ID  
a8a447dce8562897  
URL         : http://www.pilot-link.org/  
Summary     : File transfer utilities between Linux and PalmPilots.  
Description :

This suite of tools allows you to upload and download programs and data files between a Linux/UNIX machine and the PalmPilot. It has a few extra utilities that will allow for things like syncing the PalmPilot's calendar app with Ical. Note that you might still need to consult the sources for pilot-link if you would like the Python, Tcl, or Perl bindings.

Install pilot-link if you want to synchronize your Palm with your Red Hat Linux system.

**Name           : groff**                              **Relocations: (not relocatable)**  
Version       : 1.18.1.1                              Vendor: CentOS  
Release       : 11.1                                  Build Date: Sat 06 Jan 2007  
08:57:31 PM EST

Install Date: Mon 19 Dec 2011 12:33:38 PM EST      Build Host:  
builder5.centos.org  
Group        : Applications/Publishing              Source RPM: groff-1.18.1.1-  
11.1.src.rpm  
Size         : 5303717                                License: GPL  
Signature     : DSA/SHA1, Tue 03 Apr 2007 08:22:40 PM EDT, Key ID  
a8a447dce8562897  
URL           : ftp://ftp.gnu.org/gnu/groff/  
Summary       : A document formatting system.  
Description :

Groff is a document formatting system. Groff takes standard text and formatting commands as input and produces formatted output. The created documents can be shown on a display or printed on a printer. Groff's formatting commands allow you to specify font type and size, bold type, italic type, the number and size of columns on a page, and more.

Groff can also be used to format man pages. If you are going to use groff with the X Window System, you will also need to install the groff-gxditview package.

**Name           : libicu**                              **Relocations: (not relocatable)**  
Version       : 3.6                                    Vendor: CentOS  
Release       : 5.11.4                                Build Date: Thu 25 Jun 2009  
03:38:13 PM EDT

Install Date: Mon 19 Dec 2011 12:33:39 PM EST      Build Host:  
builder16.centos.org  
Group        : System Environment/Libraries        Source RPM: icu-3.6-  
5.11.4.src.rpm  
Size         : 13109644                               License: X License  
Signature     : DSA/SHA1, Fri 26 Jun 2009 09:56:57 AM EDT, Key ID  
a8a447dce8562897  
URL           : http://www.ibm.com/software/globalization/icu/  
Summary       : International Components for Unicode - libraries



Description :  
International Components for Unicode - libraries.

**Name** : **setarch** **Relocations:** (not relocatable)  
Version : 2.0 Vendor: CentOS  
Release : 1.1 Build Date: Sat 06 Jan 2007  
08:33:12 AM EST  
Install Date: Mon 19 Dec 2011 12:33:41 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Kernel Source RPM: setarch-2.0-  
1.1.src.rpm  
Size : 7067 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:39 PM EDT, Key ID  
a8a447dce8562897  
Summary : Personality setter  
Description :  
This utility tells the kernel to report a different architecture than the  
current one, then runs a program in that environment. It can also set various  
personality flags.

**Name** : **libevent** **Relocations:** (not relocatable)  
Version : 1.1a Vendor: CentOS  
Release : 3.2.1 Build Date: Sat 06 Jan 2007  
04:43:28 PM EST  
Install Date: Mon 19 Dec 2011 12:33:42 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: libevent-1.1a-  
3.2.1.src.rpm  
Size : 32069 License: BSD  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:25 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://monkey.org/~provos/libevent/>  
Summary : Abstract asynchronous event notification library  
Description :  
The libevent API provides a mechanism to execute a callback function  
when a specific event occurs on a file descriptor or after a timeout  
has been reached. libevent is meant to replace the asynchronous event  
loop found in event driven network servers. An application just needs  
to call event\_dispatch() and can then add or remove events dynamically  
without having to change the event loop.

**Name** : **redhat-menus** **Relocations:** (not relocatable)  
Version : 6.7.8 Vendor: CentOS  
Release : 3.el5 Build Date: Sun 08 Mar 2009  
07:52:44 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:43 PM EST Build Host:  
chamkaur.karan.org  
Group : User Interface/Desktops Source RPM: redhat-menus-6.7.8-  
3.el5.src.rpm  
Size : 748385 License: XFree86  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:49:01 PM EDT, Key ID  
a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
URL : <http://www.redhat.com>  
Summary : Configuration and data files for the desktop menus  
Description :  
This package contains the XML files that describe the menu layout for

GNOME and KDE, and the .desktop files that define the names and icons of "subdirectories" in the menus.

**Name** : **atk-devel** **Relocations:** (not relocatable)  
Version : 1.12.2 Vendor: CentOS  
Release : 1.fc6 Build Date: Sun 07 Jan 2007  
04:55:33 AM EST  
Install Date: Mon 19 Dec 2011 12:33:50 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries Source RPM: atk-1.12.2-  
1.fc6.src.rpm  
Size : 901758 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:15 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://developer.gnome.org/projects/gap/>  
Summary : System for layout and rendering of internationalized text.  
Description :  
The atk-devel package includes the static libraries, header files, and  
developer docs for the atk package.  
Install atk-devel if you want to develop programs which will use ATK.

**Name** : **slang-devel** **Relocations:** (not relocatable)  
Version : 2.0.6 Vendor: CentOS  
Release : 4.el5 Build Date: Wed 14 Mar 2007  
08:25:09 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:52 PM EST Build Host:  
builder4.centos.org  
Group : Development/Libraries Source RPM: slang-2.0.6-  
4.el5.src.rpm  
Size : 1757919 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:41 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.s-lang.org/>  
Summary : The static library and header files for development using S-  
Lang.  
Description :  
This package contains the S-Lang extension language static libraries  
and header files which you'll need if you want to develop S-Lang based  
applications. Documentation which may help you write S-Lang based  
applications is also included.  
Install the slang-devel package if you want to develop applications  
based on the S-Lang extension language.

**Name** : **sqlite-devel** **Relocations:** (not relocatable)  
Version : 3.3.6 Vendor: CentOS  
Release : 5 Build Date: Sat 19 Sep 2009  
10:35:38 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:54 PM EST Build Host:  
builder10.centos.org  
Group : Development/Libraries Source RPM: sqlite-3.3.6-  
5.src.rpm  
Size : 1054316 License: Public Domain  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:55:01 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.sqlite.org/>  
Summary : Development tools for the sqlite3 embeddable SQL database  
engine.

Description :

This package contains the header files, static libraries and development documentation for sqlite. If you like to develop programs using sqlite, you will need to install sqlite-devel.

**Name** : **bitstream-vera-fonts** **Relocations:** (not relocatable)  
Version : 1.10 Vendor: CentOS  
Release : 7 Build Date: Sun 07 Jan 2007  
01:50:56 AM EST  
Install Date: Mon 19 Dec 2011 12:33:54 PM EST Build Host:  
builder6.centos.org  
Group : User Interface/X Source RPM: bitstream-vera-fonts-  
1.10-7.src.rpm  
Size : 592758 License: Redistributable, with  
restrictions  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:23 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.gnome.org/fonts/>  
Summary : Bitstream Vera Fonts  
Description :  
The Vera fonts are high-quality Latin fonts donated by Bitstream.  
These fonts have been released under a liberal license, see  
the licensing FAQ in /usr/share/doc/bitstream-vera-fonts-1.10/COPYRIGHT.TXT  
or the  
online up-to-date version at <http://www.gnome.org/fonts/> for details.

**Name** : **libXext** **Relocations:** (not relocatable)  
Version : 1.0.1 Vendor: CentOS  
Release : 2.1 Build Date: Tue 30 Jan 2007  
09:06:19 AM EST  
Install Date: Mon 19 Dec 2011 12:33:56 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: libXext-1.0.1-  
2.1.src.rpm  
Size : 75351 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:43 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.x.org>  
Summary : X.Org X11 libXext runtime library  
Description :  
X.Org X11 libXext runtime library

**Name** : **libXaw** **Relocations:** (not relocatable)  
Version : 1.0.2 Vendor: CentOS  
Release : 8.1 Build Date: Sun 07 Jan 2007  
01:51:04 AM EST  
Install Date: Mon 19 Dec 2011 12:33:57 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: libXaw-1.0.2-  
8.1.src.rpm  
Size : 696449 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:43 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.x.org>  
Summary : X.Org X11 libXaw runtime library  
Description :  
X.Org X11 libXaw runtime library

**Name** : libXv **Relocations:** (not relocatable)  
Version : 1.0.1 Vendor: CentOS  
Release : 4.1 Build Date: Sat 06 Jan 2007  
02:15:50 AM EST  
Install Date: Mon 19 Dec 2011 12:33:58 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: libXv-1.0.1-  
4.1.src.rpm  
Size : 17047 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:47 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXv runtime library  
Description :  
X.Org X11 libXv runtime library

**Name** : libXTrap **Relocations:** (not relocatable)  
Version : 1.0.0 Vendor: CentOS  
Release : 3.1 Build Date: Tue 12 Dec 2006  
05:04:18 PM EST  
Install Date: Mon 19 Dec 2011 12:34:00 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: libXTrap-1.0.0-  
3.1.src.rpm  
Size : 36232 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:47 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXTrap runtime library  
Description :  
X.Org X11 libXTrap runtime library

**Name** : perl-HTML-Parser **Relocations:** (not relocatable)  
Version : 3.55 Vendor: CentOS  
Release : 1.fc6 Build Date: Sun 21 Jan 2007  
02:47:07 PM EST  
Install Date: Mon 19 Dec 2011 12:34:01 PM EST Build Host:  
builder6.centos.org  
Group : Development/Libraries Source RPM: perl-HTML-Parser-  
3.55-1.fc6.src.rpm  
Size : 162552 License: GPL or Artistic  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:54 PM EDT, Key ID  
a8a447dce8562897  
URL : http://search.cpan.org/dist/HTML-Parser/  
Summary : Perl module for parsing HTML  
Description :  
The HTML-Parser module for perl to parse and extract information from  
HTML documents, including the HTML::Entities, HTML::HeadParser,  
HTML::LinkExtor, HTML::PullParser, and HTML::TokeParser modules.

**Name** : gcc-c++ **Relocations:** (not relocatable)  
Version : 4.1.2 Vendor: CentOS  
Release : 46.el5 Build Date: Thu 03 Sep 2009  
12:58:45 AM EDT  
Install Date: Mon 19 Dec 2011 12:34:03 PM EST Build Host:  
builder16.centos.org

Group : Development/Languages Source RPM: gcc-4.1.2-46.el5.src.rpm  
Size : 6860849 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:36 PM EDT, Key ID a8a447dce8562897  
URL : http://gcc.gnu.org  
Summary : C++ support for GCC  
Description :  
This package adds C++ support to the GNU Compiler Collection. It includes support for most of the current C++ specification, including templates and exception handling.

**Name : bluez-hcidump Relocations: (not relocatable)**  
Version : 1.32 Vendor: CentOS  
Release : 1 Build Date: Sat 06 Jan 2007 08:20:19 AM EST  
Install Date: Mon 19 Dec 2011 12:34:04 PM EST Build Host: builder1.centos.org  
Group : Applications/System Source RPM: bluez-hcidump-1.32-1.src.rpm  
Size : 247469 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:24 PM EDT, Key ID a8a447dce8562897  
URL : http://www.bluez.org/  
Summary : Bluetooth HCI protocol analyser  
Description :  
Protocol analyser for Bluetooth traffic.  
The BLUETOOTH trademarks are owned by Bluetooth SIG, Inc., U.S.A.

**Name : patchutils Relocations: (not relocatable)**  
Version : 0.2.31 Vendor: CentOS  
Release : 2.2.2 Build Date: Sat 06 Jan 2007 08:35:53 AM EST  
Install Date: Mon 19 Dec 2011 12:34:06 PM EST Build Host: builder1.centos.org  
Group : Applications/System Source RPM: patchutils-0.2.31-2.2.2.src.rpm  
Size : 228760 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:50 PM EDT, Key ID a8a447dce8562897  
URL : http://cyberelk.net/tim/patchutils/  
Summary : A collection of programs for manipulating patch files  
Description :  
This is a collection of programs that can manipulate patch files in a variety of ways, such as interpolating between two pre-patches, combining two incremental patches, fixing line numbers in hand-edited patches, and simply listing the files modified by a patch.

**Name : udftools Relocations: (not relocatable)**  
Version : 1.0.0b3 Vendor: CentOS  
Release : 0.1.el5 Build Date: Sat 24 May 2008 05:03:39 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:07 PM EST Build Host: builder16.centos.org  
Group : Applications/Archiving Source RPM: udftools-1.0.0b3-0.1.el5.src.rpm  
Size : 167898 License: GPLv2+

Signature : DSA/SHA1, Sat 14 Jun 2008 07:41:35 PM EDT, Key ID  
a8a447dce8562897  
URL : http://sourceforge.net/projects/linux-udf/  
Summary : Linux UDF Filesystem userspace utilities  
Description :  
Linux UDF Filesystem userspace utilities.

**Name : texinfo Relocations: (not relocatable)**  
Version : 4.8 Vendor: CentOS  
Release : 14.el5 Build Date: Wed 14 Mar 2007  
09:46:00 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:08 PM EST Build Host: builder6  
Group : Applications/Publishing Source RPM: texinfo-4.8-  
14.el5.src.rpm  
Size : 1715410 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:06 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnu.org/software/texinfo/  
Summary : Tools needed to create Texinfo format documentation files.  
Description :  
Texinfo is a documentation system that can produce both online  
information and printed output from a single source file. The GNU  
Project uses the Texinfo file format for most of its documentation.  
Install texinfo if you want a documentation system for producing both  
online and print documentation from the same source file and/or if you  
are going to write documentation for the GNU Project.

**Name : swig Relocations: (not relocatable)**  
Version : 1.3.29 Vendor: CentOS  
Release : 2.el5 Build Date: Wed 14 Mar 2007  
08:49:55 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:09 PM EST Build Host:  
builder4.centos.org  
Group : Development/Tools Source RPM: swig-1.3.29-  
2.el5.src.rpm  
Size : 8572427 License: BSD  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:46 PM EDT, Key ID  
a8a447dce8562897  
URL : http://swig.sourceforge.net/  
Summary : Connects C/C++/Objective C to some high-level programming  
languages.  
Description :  
Simplified Wrapper and Interface Generator (SWIG) is a software  
development tool for connecting C, C++ and Objective C programs with a  
variety of high-level programming languages. SWIG is primarily used  
with Perl, Python and Tcl/TK, but it has also been extended to Java,  
Eiffel and Guile. SWIG is normally used to create high-level  
interpreted programming environments, systems integration, and as a  
tool for building user interfaces.

**Name : setserial Relocations: (not relocatable)**  
Version : 2.17 Vendor: CentOS  
Release : 19.2.2 Build Date: Tue 09 Jan 2007  
02:31:18 PM EST  
Install Date: Mon 19 Dec 2011 12:34:10 PM EST Build Host:  
builder4.centos.org  
Group : Applications/System Source RPM: setserial-2.17-

19.2.2.src.rpm

Size : 29674 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:39 PM EDT, Key ID  
a8a447dce8562897

URL : <http://setserial.sourceforge.net/>  
Summary : A utility for configuring serial ports.

Description :

Setserial is a basic system utility for displaying or setting serial port information. Setserial can reveal and allow you to alter the I/O port and IRQ that a particular serial device is using, and more.

**Name : dos2unix Relocations: (not relocatable)**

Version : 3.1 Vendor: CentOS  
Release : 27.2.el5 Build Date: Sun 27 Sep 2009

09:08:17 AM EDT

Install Date: Mon 19 Dec 2011 12:34:11 PM EST Build Host:

builder16.centos.org

Group : Applications/Text Source RPM: dos2unix-3.1-

27.2.el5.src.rpm

Size : 32142 License: Freely distributable

Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:05 PM EDT, Key ID

a8a447dce8562897

Summary : Text file format converter

Description :

Dos2unix converts DOS or MAC text files to UNIX format.

**Name : diffstat Relocations: (not relocatable)**

Version : 1.41 Vendor: CentOS  
Release : 1.2.3.el5 Build Date: Sat 21 Jun 2008

09:56:48 PM EDT

Install Date: Mon 19 Dec 2011 12:34:11 PM EST Build Host:

builder16.centos.org

Group : Development/Tools Source RPM: diffstat-1.41-

1.2.3.el5.src.rpm

Size : 20042 License: distributable

Signature : DSA/SHA1, Tue 24 Jun 2008 04:25:02 AM EDT, Key ID

a8a447dce8562897

URL : <http://invisible-island.net/diffstat>

Summary : A utility which provides statistics based on the output of diff.

Description :

The diff command compares files line by line. Diffstat reads the output of the diff command and displays a histogram of the insertions, deletions and modifications in each file. Diffstat is commonly used to provide a summary of the changes in large, complex patch files.

Install diffstat if you need a program which provides a summary of the diff command's output. You'll need to also install diffutils.

**Name : compat-libstdc++-296 Relocations: (not relocatable)**

Version : 2.96 Vendor: CentOS  
Release : 138 Build Date: Sat 06 Jan 2007

07:05:00 AM EST

Install Date: Mon 19 Dec 2011 12:34:12 PM EST Build Host:

builder1.centos.org

Group : System Environment/Libraries Source RPM: compat-gcc-296-2.96-

138.src.rpm

Size : 262092 License: GPL

Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:39 PM EDT, Key ID  
a8a447dce8562897  
URL : http://gcc.gnu.org  
Summary : Compatibility 2.96-RH standard C++ libraries  
Description :  
The compat-libstdc++-296 package contains 2.96-RH compatibility standard  
C++ libraries.

**Name : xorg-x11-xbitmaps Relocations: (not relocatable)**  
Version : 1.0.1 Vendor: CentOS  
Release : 4.1 Build Date: Sat 06 Jan 2007  
08:30:34 AM EST  
Install Date: Mon 19 Dec 2011 12:34:13 PM EST Build Host:  
builder5.centos.org  
Group : User Interface/X Source RPM: xorg-x11-xbitmaps-  
1.0.1-4.1.src.rpm  
Size : 360781 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:47 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 application bitmaps  
Description :  
X.Org X11 application bitmaps

**Name : libdrm-devel Relocations: (not relocatable)**  
Version : 2.0.2 Vendor: CentOS  
Release : 1.1 Build Date: Sat 06 Jan 2007  
10:17:20 AM EST  
Install Date: Mon 19 Dec 2011 12:34:16 PM EST Build Host:  
builder5.centos.org  
Group : Development/Libraries Source RPM: libdrm-2.0.2-  
1.1.src.rpm  
Size : 272480 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:25 PM EDT, Key ID  
a8a447dce8562897  
URL : http://dri.sourceforge.net  
Summary : libdrm-devel  
Description :  
libdrm Direct Rendering Manager development package

**Name : ncurses-devel Relocations: (not relocatable)**  
Version : 5.5 Vendor: CentOS  
Release : 24.20060715 Build Date: Sat 06 Jan 2007  
01:49:56 AM EST  
Install Date: Mon 19 Dec 2011 12:34:17 PM EST Build Host:  
builder5.centos.org  
Group : Development/Libraries Source RPM: ncurses-5.5-  
24.20060715.src.rpm  
Size : 5042428 License: distributable  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:25:13 PM EDT, Key ID  
a8a447dce8562897  
URL : http://invisible-island.net/ncurses/ncurses.html  
Summary : Development files for the ncurses library  
Description :  
The header files and libraries for developing applications that use  
the ncurses terminal handling library.  
Install the ncurses-devel package if you want to develop applications



which will use ncurses.

Use the following compiler flags to build against the ncurses library:

-lncurses

(compile and link against the regular ncurses library)

-I /usr/include/ncursesw -lncursesw

(compile and link against the wide-character, UTF-8, library)

**Name** : **libtiff-devel** **Relocations:** (not relocatable)  
Version : 3.8.2 Vendor: CentOS  
Release : 7.el5\_3.4 Build Date: Mon 27 Jul 2009  
05:57:42 AM EDT  
Install Date: Mon 19 Dec 2011 12:34:19 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: libtiff-3.8.2-  
7.el5\_3.4.src.rpm  
Size : 1239246 License: libtiff  
Signature : DSA/SHA1, Tue 28 Jul 2009 07:13:02 AM EDT, Key ID  
a8a447dce8562897  
URL : http://www.remotesensing.org/libtiff/  
Summary : Development tools for programs which will use the libtiff  
library  
Description :  
This package contains the header files and documentation necessary for  
developing programs which will manipulate TIFF format image files  
using the libtiff library.  
If you need to develop programs which will manipulate TIFF format  
image files, you should install this package. You'll also need to  
install the libtiff package.

**Name** : **perl-XML-Twig** **Relocations:** (not relocatable)  
Version : 3.26 Vendor: CentOS  
Release : 1.fc6 Build Date: Mon 08 Jan 2007  
02:08:42 PM EST  
Install Date: Mon 19 Dec 2011 12:34:22 PM EST Build Host:  
builder7.centos.org  
Group : Development/Libraries Source RPM: perl-XML-Twig-3.26-  
1.fc6.src.rpm  
Size : 558157 License: GPL or Artistic  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:56 PM EDT, Key ID  
a8a447dce8562897  
URL : http://search.cpan.org/dist/XML-Twig/  
Summary : A perl module for processing huge XML documents in tree mode  
Description :  
This module provides a way to process XML documents. It is build on  
top of XML::Parser. XML::Twig offers a tree interface to the  
document, while allowing you to output the parts of it that have been  
completely processed. It allows minimal resource (CPU and memory)  
usage by building the tree only for the parts of the documents that  
need actual processing, through the use of the twig\_roots and  
twig\_print\_outside\_roots options.

**Name** : **krb5-libs** **Relocations:** (not relocatable)  
Version : 1.6.1 Vendor: CentOS  
Release : 36.el5 Build Date: Thu 03 Sep 2009  
09:02:46 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:24 PM EST Build Host:  
builder16.centos.org

Group : System Environment/Libraries Source RPM: krb5-1.6.1-36.el5.src.rpm  
Size : 1429279 License: MIT, freely distributable.  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:48 PM EDT, Key ID a8a447dce8562897  
URL : http://web.mit.edu/kerberos/www/  
Summary : The shared libraries used by Kerberos 5.  
Description :  
Kerberos is a network authentication system. The krb5-libs package contains the shared libraries needed by Kerberos 5. If you are using Kerberos, you need to install this package.

**Name : pango Relocations: (not relocatable)**  
Version : 1.14.9 Vendor: CentOS  
Release : 6.el5.centos Build Date: Thu 03 Sep 2009 09:11:07 AM EDT  
Install Date: Mon 19 Dec 2011 12:34:28 PM EST Build Host: builder16.centos.org  
Group : System Environment/Libraries Source RPM: pango-1.14.9-6.el5.centos.src.rpm  
Size : 801563 License: LGPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:54:52 PM EDT, Key ID a8a447dce8562897  
URL : http://www.pango.org  
Summary : System for layout and rendering of internationalized text  
Description :  
Pango is a system for layout and rendering of internationalized text.

**Name : pygobject2 Relocations: (not relocatable)**  
Version : 2.12.1 Vendor: CentOS  
Release : 5.el5 Build Date: Wed 14 Mar 2007 06:48:50 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:31 PM EST Build Host: builder4.centos.org  
Group : Development/Languages Source RPM: pygobject2-2.12.1-5.el5.src.rpm  
Size : 276137 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:05 PM EDT, Key ID a8a447dce8562897  
URL : http://www.pygtk.org/  
Summary : Python bindings for GObject  
Description :  
pygobject2 provides a convenient wrapper for the GObject library for use in Python programs.

**Name : psmisc Relocations: (not relocatable)**  
Version : 22.2 Vendor: CentOS  
Release : 7 Build Date: Sat 26 Sep 2009 02:50:10 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:35 PM EST Build Host: builder16.centos.org  
Group : Applications/System Source RPM: psmisc-22.2-7.src.rpm  
Size : 152381 License: BSD/GPL  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:07 PM EDT, Key ID a8a447dce8562897  
URL : http://psmisc.sourceforge.net

Summary : Utilities for managing processes on your system.

Description :

The psmisc package contains utilities for managing processes on your system: pstree, killall and fuser. The pstree command displays a tree structure of all of the running processes on your system. The killall command sends a specified signal (SIGTERM if nothing is specified) to processes identified by name. The fuser command identifies the PIDs of processes that are using specified files or filesystems.

**Name** : lockdev **Relocations:** (not relocatable)  
Version : 1.0.1 Vendor: CentOS  
Release : 10 Build Date: Tue 09 Jan 2007  
02:08:11 PM EST  
Install Date: Mon 19 Dec 2011 12:34:36 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: lockdev-1.0.1-  
10.src.rpm  
Size : 21324 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:48 PM EDT, Key ID  
a8a447dce8562897  
Summary : A library for locking devices.  
Description :  
Lockdev provides a reliable way to put an exclusive lock to devices  
using both FSSTND and SVr4 methods.

**Name** : fontconfig-devel **Relocations:** (not relocatable)  
Version : 2.4.1 Vendor: CentOS  
Release : 7.el5 Build Date: Sat 12 Jan 2008  
09:04:29 AM EST  
Install Date: Mon 19 Dec 2011 12:34:38 PM EST Build Host: builder6  
Group : Development/Libraries Source RPM: fontconfig-2.4.1-  
7.el5.src.rpm  
Size : 567013 License: MIT  
Signature : DSA/SHA1, Sat 12 Jan 2008 10:31:20 PM EST, Key ID  
a8a447dce8562897  
URL : <http://fontconfig.org>  
Summary : Font configuration and customization library  
Description :  
The fontconfig-devel package includes the header files,  
and developer docs for the fontconfig package.  
Install fontconfig-devel if you want to develop programs which  
will use fontconfig.

**Name** : python-iniparse **Relocations:** (not relocatable)  
Version : 0.2.3 Vendor: CentOS  
Release : 4.el5 Build Date: Sun 25 May 2008  
05:07:57 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:46 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: python-iniparse-  
0.2.3-4.el5.src.rpm  
Size : 134565 License: MIT  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:40:10 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://code.google.com/p/iniparse/>  
Summary : Python Module for Accessing and Modifying Configuration Data in  
INI files

Description :

iniparse is an INI parser for Python which is API compatible with the standard library's ConfigParser, preserves structure of INI files (order of sections & options, indentation, comments, and blank lines are preserved when data is updated), and is more convenient to use.

**Name** : ntp **Relocations:** (not relocatable)  
Version : 4.2.2p1 Vendor: CentOS  
Release : 9.el5.centos.2 Build Date: Tue 19 May 2009  
09:58:19 AM EDT  
Install Date: Mon 19 Dec 2011 12:34:52 PM EST Build Host:  
builder10.centos.org  
Group : System Environment/Daemons Source RPM: ntp-4.2.2p1-  
9.el5.centos.2.src.rpm  
Size : 2540874 License: distributable  
Signature : DSA/SHA1, Tue 19 May 2009 11:06:02 AM EDT, Key ID  
a8a447dce8562897  
URL : http://www.ntp.org  
Summary : Synchronizes system time using the Network Time Protocol (NTP).

Description :

The Network Time Protocol (NTP) is used to synchronize a computer's time with another reference time source. The ntp package contains utilities and daemons that will synchronize your computer's time to Coordinated Universal Time (UTC) via the NTP protocol and NTP servers. The ntp package includes ntpdate (a program for retrieving the date and time from remote machines via a network) and ntpd (a daemon which continuously adjusts system time).  
Install the ntp package if you need tools for keeping your system's time synchronized via the NTP protocol.

**Name** : libgnomecanvas **Relocations:** (not relocatable)  
Version : 2.14.0 Vendor: CentOS  
Release : 4.1 Build Date: Sat 06 Jan 2007  
04:24:54 AM EST  
Install Date: Mon 19 Dec 2011 12:34:54 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: libgnomecanvas-  
2.14.0-4.1.src.rpm  
Size : 819419 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:28 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnome.org/  
Summary : GnomeCanvas widget

Description :

The canvas widget allows you to create custom displays using stock items such as circles, lines, text, and so on. It was originally a port of the Tk canvas widget but has evolved quite a bit over time.

**Name** : libwmf **Relocations:** (not relocatable)  
Version : 0.2.8.4 Vendor: CentOS  
Release : 10.2 Build Date: Fri 08 May 2009  
06:34:51 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:00 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: libwmf-0.2.8.4-  
10.2.src.rpm

Size : 1483989 License: LGPL  
Signature : DSA/SHA1, Tue 19 May 2009 10:36:32 AM EDT, Key ID  
a8a447dce8562897  
Summary : Windows Metafile Library  
Description :  
A library for reading and converting Windows MetaFile vector graphics (WMF)

**Name : audit-libs-python Relocations: (not relocatable)**  
Version : 1.7.13 Vendor: CentOS  
Release : 2.el5 Build Date: Thu 03 Sep 2009  
03:24:07 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:01 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: audit-1.7.13-  
2.el5.src.rpm  
Size : 249844 License: LGPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:25 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://people.redhat.com/sgrubb/audit/>  
Summary : Python bindings for libaudit  
Description :  
The audit-libs-python package contains the bindings so that libaudit  
and libauparse can be used by python.

**Name : vim-minimal Relocations: (not relocatable)**  
Version : 7.0.109 Vendor: CentOS  
Release : 6.el5 Build Date: Sat 19 Sep 2009  
05:24:40 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:04 PM EST Build Host:  
builder16.centos.org  
Group : Applications/Editors Source RPM: vim-7.0.109-  
6.el5.src.rpm  
Size : 594693 License: freeware  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:55:10 PM EDT, Key ID  
a8a447dce8562897  
Summary : A minimal version of the VIM editor.  
Description :  
VIM (VISual editor iMproved) is an updated and improved version of the  
vi editor. Vi was the first real screen-based editor for UNIX, and is  
still very popular. VIM improves on vi by adding new features:  
multiple windows, multi-level undo, block highlighting and more. The  
vim-minimal package includes a minimal version of VIM, which is  
installed into /bin/vi for use when only the root partition is  
present. NOTE: The online help is only available when the vim-common  
package is installed.

**Name : libgpod Relocations: (not relocatable)**  
Version : 0.4.0 Vendor: CentOS  
Release : 1.el5 Build Date: Wed 21 Mar 2007  
07:09:12 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:07 PM EST Build Host:  
builder4.centos.org  
Group : System Environment/Libraries Source RPM: libgpod-0.4.0-  
1.el5.src.rpm  
Size : 249575 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:31 PM EDT, Key ID  
a8a447dce8562897

URL : <http://www.gtkpod.org/libgpod.html>  
Summary : Library to access the contents of an iPod  
Description :  
Libgpod is a library to access the contents of an iPod. It supports  
playlists,  
smart playlists, playcounts, ratings, podcasts etc.

**Name** : **sox** **Relocations:** (not relocatable)  
Version : 12.18.1 Vendor: CentOS  
Release : 1 Build Date: Sun 07 Jan 2007  
06:32:00 AM EST  
Install Date: Mon 19 Dec 2011 12:35:09 PM EST Build Host:  
builder5.centos.org  
Group : Applications/Multimedia Source RPM: sox-12.18.1-1.src.rpm  
Size : 674507 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:41 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://sox.sourceforge.net/>  
Summary : A general purpose sound file conversion tool.  
Description :  
SoX (Sound eXchange) is a sound file format converter SoX can convert  
between many different digitized sound formats and perform simple  
sound manipulation functions, including sound effects.

**Name** : **python-elementtree** **Relocations:** (not relocatable)  
Version : 1.2.6 Vendor: CentOS  
Release : 5 Build Date: Sat 06 Jan 2007  
05:07:05 PM EST  
Install Date: Mon 19 Dec 2011 12:35:12 PM EST Build Host:  
builder5.centos.org  
Group : Development/Libraries Source RPM: python-elementtree-  
1.2.6-5.src.rpm  
Size : 306681 License: PSF  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:09 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://effbot.org/zone/element-index.htm>  
Summary : Fast XML parser and writer  
Description :  
The Element type is a simple but flexible container object, designed  
to store hierarchical data structures, such as simplified XML  
infosets, in memory. The element type can be described as a cross  
between a Python list and a Python dictionary.  
This package also includes the C implementation, cElementTree-1.0.5-20051216.

**Name** : **pam** **Relocations:** (not relocatable)  
Version : 0.99.6.2 Vendor: CentOS  
Release : 6.el5 Build Date: Thu 03 Sep 2009  
06:51:57 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:13 PM EST Build Host:  
builder10.centos.org  
Group : System Environment/Base Source RPM: pam-0.99.6.2-  
6.el5.src.rpm  
Size : 2541468 License: GPL or BSD  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:54:52 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.us.kernel.org/pub/linux/libs/pam/index.html>  
Summary : A security tool which provides authentication for applications

Description :

PAM (Pluggable Authentication Modules) is a system security tool that allows system administrators to set authentication policy without having to recompile programs that handle authentication.

**Name** : **usermode-gtk** **Relocations:** (not relocatable)  
Version : 1.88 Vendor: CentOS  
Release : 3.el5.2 Build Date: Thu 26 Feb 2009  
05:36:52 PM EST  
Install Date: Mon 19 Dec 2011 12:35:17 PM EST Build Host:  
chamkaur.karan.org  
Group : Applications/System Source RPM: usermode-1.88-  
3.el5.2.src.rpm  
Size : 186798 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:49:19 PM EDT, Key ID  
a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
Summary : Graphical tools for certain user account management tasks.  
Description :  
The usermode-gtk package contains several graphical tools for users:  
userinfo, usermount and userpasswd. Userinfo allows users to change  
their finger information. Usermount lets users mount, unmount, and  
format filesystems. Userpasswd allows users to change their  
passwords.  
Install the usermode-gtk package if you would like to provide users with  
graphical tools for certain account management tasks.

**Name** : **libsmi** **Relocations:** (not relocatable)  
Version : 0.4.5 Vendor: CentOS  
Release : 2.el5 Build Date: Sat 24 May 2008  
12:55:12 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:19 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: libsmi-0.4.5-  
2.el5.src.rpm  
Size : 14165069 License: BSD  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:36:21 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.ibr.cs.tu-bs.de/projects/libsmi/index.html>  
Summary : A library to access SMI MIB information  
Description :  
Libsmi is a C library to access MIB module information through  
a well defined API that hides the nasty details of locating  
and parsing SMIV1/v2 MIB modules.  
This package contains tools to check, dump, and convert MIB  
definitions and a steadily maintained and revised archive  
of all IETF and IANA maintained standard MIB modules.

**Name** : **apr-util** **Relocations:** (not relocatable)  
Version : 1.2.7 Vendor: CentOS  
Release : 7.el5\_3.2 Build Date: Mon 10 Aug 2009  
06:00:22 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:24 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: apr-util-1.2.7-  
7.el5\_3.2.src.rpm  
Size : 159484 License: Apache Software

License 2.0

Signature : DSA/SHA1, Tue 11 Aug 2009 05:19:03 PM EDT, Key ID  
a8a447dce8562897

URL : <http://apr.apache.org/>

Summary : Apache Portable Runtime Utility library

Description :

The mission of the Apache Portable Runtime (APR) is to provide a free library of C data structures and routines. This library contains additional utility interfaces for APR; including support for XML, LDAP, database interfaces, URI parsing and more.

**Name : pyparted Relocations: (not relocatable)**

Version : 1.8.1 Vendor: CentOS

Release : 4.el5 Build Date: Wed 28 Mar 2007

09:55:08 PM EDT

Install Date: Mon 19 Dec 2011 12:35:25 PM EST Build Host: builder6

Group : System Environment/Libraries Source RPM: pyparted-1.8.1-

4.el5.src.rpm

Size : 53292

License: GPL

Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:08 PM EDT, Key ID

a8a447dce8562897

Summary : Python module for GNU parted

Description :

Python modules for the parted library. It is used for manipulation partition tables.

**Name : httpd Relocations: (not relocatable)**

Version : 2.2.3 Vendor: CentOS

Release : 31.el5.centos Build Date: Thu 03 Sep 2009

05:43:06 PM EDT

Install Date: Mon 19 Dec 2011 12:35:30 PM EST Build Host:

builder16.centos.org

Group : System Environment/Daemons Source RPM: httpd-2.2.3-

31.el5.centos.src.rpm

Size : 3254910

License: Apache Software

License

Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:42 PM EDT, Key ID

a8a447dce8562897

URL : <http://httpd.apache.org/>

Summary : Apache HTTP Server

Description :

The Apache HTTP Server is a powerful, efficient, and extensible web server.

**Name : sysklogd Relocations: (not relocatable)**

Version : 1.4.1 Vendor: CentOS

Release : 44.el5 Build Date: Sat 24 May 2008

08:46:09 PM EDT

Install Date: Mon 19 Dec 2011 12:35:37 PM EST Build Host:

builder16.centos.org

Group : System Environment/Daemons Source RPM: sysklogd-1.4.1-

44.el5.src.rpm

Size : 120336

License: GPL

Signature : DSA/SHA1, Sat 14 Jun 2008 07:41:12 PM EDT, Key ID

a8a447dce8562897

Summary : System logging and kernel message trapping daemons.

Description :



The syslogd package contains two system utilities (syslogd and klogd) which provide support for system logging. Syslogd and klogd run as daemons (background processes) and log system messages to different places, like sendmail logs, security logs, error logs, etc.

**Name** : mcstrans **Relocations:** (not relocatable)  
Version : 0.2.11 Vendor: CentOS  
Release : 3.el5 Build Date: Wed 21 Jan 2009  
01:41:51 AM EST  
Install Date: Mon 19 Dec 2011 12:35:51 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Daemons Source RPM: mcstrans-0.2.11-  
3.el5.src.rpm  
Size : 20915 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:46:53 PM EDT, Key ID  
a8a447dce8562897  
Summary : SELinux Translation Daemon  
Description :  
Security-enhanced Linux is a feature of the Linux-« kernel and a number  
of utilities with enhanced security functionality designed to add  
mandatory access controls to Linux. The Security-enhanced Linux  
kernel contains new architectural components originally developed to  
improve the security of the Linux operating system. These  
architectural components provide general support for the enforcement  
of many kinds of mandatory access control policies, including those  
based on the concepts of Type Enforcement-«, Role-based Access  
Control, and Multi-level Security.  
mcstrans provides an translation daemon to translate SELinux categories  
from internal representations to user defined representation.

**Name** : yp-tools **Relocations:** (not relocatable)  
Version : 2.9 Vendor: CentOS  
Release : 0.1 Build Date: Sat 06 Jan 2007  
05:05:43 AM EST  
Install Date: Mon 19 Dec 2011 12:35:57 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Base Source RPM: yp-tools-2.9-  
0.1.src.rpm  
Size : 157759 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:49 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.linux-nis.org/nis/yp-tools/index.html>  
Summary : NIS (or YP) client programs.  
Description :  
The Network Information Service (NIS) is a system which provides  
network information (login names, passwords, home directories, group  
information) to all of the machines on a network. NIS can enable  
users to login on any machine on the network, as long as the machine  
has the NIS client programs running and the user's password is  
recorded in the NIS passwd database. NIS was formerly known as Sun  
Yellow Pages (YP).  
This package's NIS implementation is based on FreeBSD's YP and is a  
special port for glibc 2.x and libc versions 5.4.21 and later. This  
package only provides the NIS client programs. In order to use the  
clients, you'll need to already have an NIS server running on your  
network. An NIS server is provided in the ypserv package.  
Install the yp-tools package if you need NIS client programs for machines

on your network. You will also need to install the ypbind package on every machine running NIS client programs. If you need an NIS server, you'll need to install the ypserv package on one machine on the network.

**Name** : **mod\_ssl** **Relocations:** (not relocatable)  
Version : 2.2.3 Vendor: CentOS  
Release : 31.el5.centos Build Date: Thu 03 Sep 2009  
05:43:06 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:59 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Daemons Source RPM: httpd-2.2.3-  
31.el5.centos.src.rpm  
Size : 176733 License: Apache Software  
License  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:56 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://httpd.apache.org/>  
Summary : SSL/TLS module for the Apache HTTP server  
Description :  
The mod\_ssl module provides strong cryptography for the Apache Web  
server via the Secure Sockets Layer (SSL) and Transport Layer  
Security (TLS) protocols.

**Name** : **quota** **Relocations:** (not relocatable)  
Version : 3.13 Vendor: CentOS  
Release : 1.2.5.el5 Build Date: Thu 26 Feb 2009  
05:53:47 PM EST  
Install Date: Mon 19 Dec 2011 12:36:02 PM EST Build Host:  
chamkaur.karan.org  
Group : System Environment/Base Source RPM: quota-3.13-  
1.2.5.el5.src.rpm  
Size : 799783 License: BSD  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:49:00 PM EDT, Key ID  
a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
URL : <http://sourceforge.net/projects/linuxquota/>  
Summary : System administration tools for monitoring users' disk usage.  
Description :  
The quota package contains system administration tools for monitoring  
and limiting user and or group disk usage per filesystem.

**Name** : **vsftpd** **Relocations:** (not relocatable)  
Version : 2.0.5 Vendor: CentOS  
Release : 16.el5 Build Date: Thu 03 Sep 2009  
03:35:43 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:03 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Daemons Source RPM: vsftpd-2.0.5-  
16.el5.src.rpm  
Size : 291690 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:55:11 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://vsftpd.beasts.org/>  
Summary : vsftpd - Very Secure Ftp Daemon  
Description :  
vsftpd is a Very Secure FTP daemon. It was written completely from  
scratch.

**Name** : **samba-client** **Relocations: (not relocatable)**  
Version : 3.0.33 Vendor: CentOS  
Release : 3.14.el5 Build Date: Thu 03 Sep 2009  
03:20:34 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:08 PM EST Build Host:  
builder16.centos.org  
Group : Applications/System Source RPM: samba-3.0.33-  
3.14.el5.src.rpm  
Size : 15197874 License: GNU GPL Version 2  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:54:57 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.samba.org/  
Summary : Samba (SMB) client programs.  
Description :  
The samba-client package provides some SMB clients to compliment the  
built-in SMB filesystem in Linux. These clients allow access of SMB  
shares and printing to SMB printers.

**Name** : **squid** **Relocations: (not relocatable)**  
Version : 2.6.STABLE21 Vendor: CentOS  
Release : 3.el5 Build Date: Tue 20 Jan 2009  
11:15:13 PM EST  
Install Date: Mon 19 Dec 2011 12:36:11 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Daemons Source RPM: squid-2.6.STABLE21-  
3.el5.src.rpm  
Size : 3690075 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:49:14 PM EDT, Key ID  
a8a447dce8562897  
Summary : The Squid proxy caching server.  
Description :  
Squid is a high-performance proxy caching server for Web clients,  
supporting FTP, gopher, and HTTP data objects. Unlike traditional  
caching software, Squid handles all requests in a single,  
non-blocking, I/O-driven process. Squid keeps meta data and especially  
hot objects cached in RAM, caches DNS lookups, supports non-blocking  
DNS lookups, and implements negative caching of failed requests.  
Squid consists of a main server program squid, a Domain Name System  
lookup program (dnsserver), a program for retrieving FTP data  
(ftpget), and some management and client tools.

**Name** : **gnome-mag** **Relocations: (not relocatable)**  
Version : 0.13.1 Vendor: CentOS  
Release : 1.fc6 Build Date: Mon 08 Jan 2007  
10:55:47 PM EST  
Install Date: Mon 19 Dec 2011 12:36:14 PM EST Build Host:  
builder7.centos.org  
Group : Desktop/Accessibility Source RPM: gnome-mag-0.13.1-  
1.fc6.src.rpm  
Size : 253179 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:30 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnome.org/  
Summary : GNOME Magnifier  
Description :  
Magnification library for AT-SPI based apps.

**Name** : **vorbis-tools** **Relocations: (not relocatable)**  
Version : 1.1.1 Vendor: CentOS  
Release : 3.el5 Build Date: Wed 14 Mar 2007  
11:08:14 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:18 PM EST Build Host:  
builder7.centos.org  
Group : Applications/Multimedia Source RPM: vorbis-tools-1.1.1-  
3.el5.src.rpm  
Size : 519131 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:27 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.xiph.org/  
Summary : The Vorbis General Audio Compression Codec tools.  
Description :  
Ogg Vorbis is a fully open, non-proprietary, patent- and royalty-free,  
general-purpose compressed audio format for audio and music at fixed  
and variable bitrates from 16 to 128 kbps/channel.  
The vorbis package contains an encoder, a decoder, a playback tool, and a  
comment editor.

**Name** : **stunnel** **Relocations: (not relocatable)**  
Version : 4.15 Vendor: CentOS  
Release : 2.el5.1 Build Date: Thu 26 Feb 2009  
05:35:30 PM EST  
Install Date: Mon 19 Dec 2011 12:36:21 PM EST Build Host:  
chamkaur.karan.org  
Group : Applications/Internet Source RPM: stunnel-4.15-  
2.el5.1.src.rpm  
Size : 225306 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:49:15 PM EDT, Key ID  
a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
URL : http://stunnel.mirt.net/  
Summary : An SSL-encrypting socket wrapper.  
Description :  
Stunnel is a socket wrapper which can provide SSL (Secure Sockets  
Layer) support to ordinary applications. For example, it can be used  
in conjunction with imapd to create an SSL secure IMAP server.

**Name** : **ksh** **Relocations: (not relocatable)**  
Version : 20080202 Vendor: CentOS  
Release : 14.el5 Build Date: Thu 03 Sep 2009  
04:57:02 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:25 PM EST Build Host:  
builder10.centos.org  
Group : Applications/Shells Source RPM: ksh-20080202-  
14.el5.src.rpm  
Size : 2925462 License: Common Public License  
Version 1.0  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:48 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.kornshell.com/  
Summary : The Original ATT Korn Shell  
Description :  
KSH-93 is the most recent version of the KornShell by David Korn of  
AT&T Bell Laboratories.

KornShell is a shell programming language, which is upward compatible with "sh" (the Bourne Shell).

**Name** : **htmlview** **Relocations:** (not relocatable)  
Version : 4.0.0 Vendor: CentOS  
Release : 2.el5 Build Date: Sat 24 May 2008  
12:25:47 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:34 PM EST Build Host:  
builder10.centos.org  
Group : Applications/Internet Source RPM: htmlview-4.0.0-  
2.el5.src.rpm  
Size : 5545 License: Public Domain  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:32:55 PM EDT, Key ID  
a8a447dce8562897  
Summary : Launcher of Preferred Web Browser  
Description :  
htmlview and launchmail are tools for launching Preferred Applications.  
This package exists for compatibility reasons and is likely to be removed  
later when equivalent functionality is implemented elsewhere.

**Name** : **openssl-devel** **Relocations:** (not relocatable)  
Version : 0.9.8e Vendor: CentOS  
Release : 12.el5 Build Date: Thu 03 Sep 2009  
02:31:22 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:39 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: openssl-0.9.8e-  
12.el5.src.rpm  
Size : 4727562 License: BSDish  
Signature : DSA/SHA1, Wed 09 Sep 2009 11:56:46 AM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.openssl.org/>  
Summary : Files for development of applications which will use OpenSSL  
Description :  
OpenSSL is a toolkit for supporting cryptography. The openssl-devel  
package contains static libraries and include files needed to develop  
applications which support various cryptographic algorithms and  
protocols.

**Name** : **perl-SGMLSpm** **Relocations:** (not relocatable)  
Version : 1.03ii Vendor: CentOS  
Release : 16.2.1 Build Date: Mon 08 Jan 2007  
02:04:49 PM EST  
Install Date: Mon 19 Dec 2011 12:36:42 PM EST Build Host:  
builder6.centos.org  
Group : Development/Libraries Source RPM: perl-SGMLSpm-1.03ii-  
16.2.1.src.rpm  
Size : 51597 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:55 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://search.cpan.org/dist/SGMLSpm/>  
Summary : Perl library for parsing the output of nsgmls  
Description :  
Perl programs can use the SGMLSpm module to help convert SGML, HTML or XML  
documents into new formats.

**Name** : **system-config-services** **Relocations:** (not relocatable)

Version : 0.9.4 Vendor: CentOS  
Release : 1.el5 Build Date: Wed 14 Mar 2007  
09:20:19 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:48 PM EST Build Host:  
builder3.centos.org  
Group : Applications/System Source RPM: system-config-  
services-0.9.4-1.el5.src.rpm  
Size : 582732 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:50 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.redhat.com/  
Summary : system-config-services is an initscript and xinetd  
configuration utility  
Description :  
system-config-services is a utility which allows you to configure which  
services  
should be enabled on your machine.

**Name : libuser-devel Relocations: (not relocatable)**  
Version : 0.54.7 Vendor: CentOS  
Release : 2.el5.5 Build Date: Sat 24 May 2008  
08:52:45 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:51 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: libuser-0.54.7-  
2.el5.5.src.rpm  
Size : 234126 License: LGPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:36:26 PM EDT, Key ID  
a8a447dce8562897  
Summary : Files needed for developing applications which use libuser.  
Description :  
The libuser-devel package contains header files, static libraries, and other  
files useful for developing applications with libuser.

**Name : lockdev-devel Relocations: (not relocatable)**  
Version : 1.0.1 Vendor: CentOS  
Release : 10 Build Date: Tue 09 Jan 2007  
02:08:11 PM EST  
Install Date: Mon 19 Dec 2011 12:37:00 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: lockdev-1.0.1-  
10.src.rpm  
Size : 20185 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:48 PM EDT, Key ID  
a8a447dce8562897  
Summary : The header files and a static library for the lockdev library.  
Description :  
The lockdev library provides a reliable way to put an exclusive lock  
on devices using both FSSTND and SVr4 methods. The lockdev-devel  
package contains the development headers and a static library.

**Name : scrollkeeper Relocations: (not relocatable)**  
Version : 0.3.14 Vendor: CentOS  
Release : 9.el5 Build Date: Wed 14 Mar 2007  
07:53:50 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:08 PM EST Build Host: builder6  
Group : System Environment/Base Source RPM: scrollkeeper-0.3.14-

9.el5.src.rpm  
Size : 1580175 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:38 PM EDT, Key ID  
a8a447dce8562897  
URL : http://scrollkeeper.sourceforge.net/  
Summary : ScrollKeeper is a cataloging system for documentation on open  
systems.  
Description :  
ScrollKeeper is a cataloging system for documentation. It manages  
documentation metadata (as specified by the Open Source Metadata  
Framework (OMF)) and provides a simple API to allow help browsers to  
find, sort, and search the document catalog. It can also communicate  
with catalog servers on the Net to search for documents which are not  
on the local system.

**Name : pinfo Relocations: (not relocatable)**  
Version : 0.6.9 Vendor: CentOS  
Release : 1.fc6 Build Date: Sun 07 Jan 2007  
12:33:42 AM EST  
Install Date: Mon 19 Dec 2011 12:37:15 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Base Source RPM: pinfo-0.6.9-  
1.fc6.src.rpm  
Size : 293789 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:59 PM EDT, Key ID  
a8a447dce8562897  
URL : http://pinfo.alioth.debian.org  
Summary : An info file viewer.  
Description :  
Pinfo is an info file (or man page) viewer with a user interface  
similar to the Lynx Web browser's interface. Pinfo supports searching  
using regular expressions, and is based on the ncurses library.

**Name : dbus-python Relocations: (not relocatable)**  
Version : 0.70 Vendor: CentOS  
Release : 7.el5 Build Date: Wed 21 Mar 2007  
06:07:44 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:18 PM EST Build Host:  
builder4.centos.org  
Group : System Environment/Libraries Source RPM: dbus-python-0.70-  
7.el5.src.rpm  
Size : 614715 License: AFL/GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:49 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.freedesktop.org/software/dbus/  
Summary : D-Bus Python Bindings  
Description :  
D-Bus python bindings for use with python programs.

**Name : dbus-x11 Relocations: (not relocatable)**  
Version : 1.1.2 Vendor: CentOS  
Release : 12.el5 Build Date: Wed 21 Jan 2009  
04:45:09 AM EST  
Install Date: Mon 19 Dec 2011 12:37:19 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: dbus-1.1.2-  
12.el5.src.rpm

Size : 24177 License: GPLv2+ or AFL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:45:24 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.freedesktop.org/software/dbus/  
Summary : X11-requiring add-ons for D-BUS  
Description :  
D-BUS contains some tools that require Xlib to be installed, those are  
in this separate package so server systems need not install X.

**Name : bluez-gnome Relocations: (not relocatable)**  
Version : 0.5 Vendor: CentOS  
Release : 5.fc6 Build Date: Sat 06 Jan 2007  
01:47:39 AM EST  
Install Date: Mon 19 Dec 2011 12:37:24 PM EST Build Host:  
builder1.centos.org  
Group : Applications/System Source RPM: bluez-gnome-0.5-  
5.fc6.src.rpm  
Size : 44459 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:24 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.bluez.org/  
Summary : Bluetooth pairing and control applet  
Description :  
The bluez-gnome package contains Bluetooth helper applets and tools for  
the GNOME desktop environment.

**Name : libgnomecups Relocations: (not relocatable)**  
Version : 0.2.2 Vendor: CentOS  
Release : 8 Build Date: Sun 07 Jan 2007  
05:05:26 AM EST  
Install Date: Mon 19 Dec 2011 12:37:27 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries Source RPM: libgnomecups-0.2.2-  
8.src.rpm  
Size : 219734 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:28 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnome.org  
Summary : GNOME library for CUPS integration  
Description :  
GNOME library for CUPS integration

**Name : oddjob-libs Relocations: (not relocatable)**  
Version : 0.27 Vendor: CentOS  
Release : 9.el5 Build Date: Sat 24 May 2008  
11:32:14 AM EDT  
Install Date: Mon 19 Dec 2011 12:37:27 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: oddjob-0.27-  
9.el5.src.rpm  
Size : 87839 License: BSD  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:37:16 PM EDT, Key ID  
a8a447dce8562897  
URL : http://people.redhat.com/nalin/oddjob/  
Summary : Libraries used by oddjob clients  
Description :  
This package contains dynamic libraries which are used by simple oddjob



client  
applications.

**Name** : **hwdata** **Relocations:** (not relocatable)  
Version : 0.213.16 Vendor: CentOS  
Release : 1.e15 Build Date: Sun 27 Sep 2009  
07:06:49 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:33 PM EST Build Host:  
builder10.centos.org  
Group : System Environment/Base Source RPM: hwdata-0.213.16-  
1.e15.src.rpm  
Size : 1337444 License: GPLv2+ and LGPLv2+  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:06 PM EDT, Key ID  
a8a447dce8562897  
Summary : Hardware identification and configuration data  
Description :  
hwdata contains various hardware identification and configuration data,  
such as the pci.ids database and MonitorsDb databases.

**Name** : **libICE-devel** **Relocations:** (not relocatable)  
Version : 1.0.1 Vendor: CentOS  
Release : 2.1 Build Date: Sat 06 Jan 2007  
12:58:59 AM EST  
Install Date: Mon 19 Dec 2011 12:37:49 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries Source RPM: libICE-1.0.1-  
2.1.src.rpm  
Size : 36402 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:33 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libICE development package  
Description :  
X.Org X11 libICE development package

**Name** : **libXv-devel** **Relocations:** (not relocatable)  
Version : 1.0.1 Vendor: CentOS  
Release : 4.1 Build Date: Sat 06 Jan 2007  
02:15:50 AM EST  
Install Date: Mon 19 Dec 2011 12:37:50 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries Source RPM: libXv-1.0.1-  
4.1.src.rpm  
Size : 29863 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:47 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXv development package  
Description :  
X.Org X11 libXv development package

**Name** : **tomcat5-servlet-2.4-api** **Relocations:** (not relocatable)  
Version : 5.5.23 Vendor: CentOS  
Release : 0jpp.7.e15\_3.2 Build Date: Mon 27 Jul 2009  
05:32:03 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:54 PM EST Build Host:  
builder16.centos.org

Group : Internet/WWW/Dynamic Content Source RPM: tomcat5-5.5.23-0jpp.7.el5\_3.2.src.rpm  
Size : 255668 License: Apache Software  
License  
Signature : DSA/SHA1, Tue 28 Jul 2009 09:00:01 PM EDT, Key ID a8a447dce8562897  
URL : http://tomcat.apache.org/  
Summary : Jakarta Tomcat Servlet implementation classes  
Description :  
Contains the implementation classes of the Jakarta Tomcat Servlet API (packages javax.servlet).

**Name : tomcat5-jsp-2.0-api Relocations: (not relocatable)**  
Version : 5.5.23 Vendor: CentOS  
Release : 0jpp.7.el5\_3.2 Build Date: Mon 27 Jul 2009 05:32:03 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:58 PM EST Build Host: builder16.centos.org  
Group : Internet/WWW/Dynamic Content Source RPM: tomcat5-5.5.23-0jpp.7.el5\_3.2.src.rpm  
Size : 166615 License: Apache Software  
License  
Signature : DSA/SHA1, Tue 28 Jul 2009 09:00:01 PM EDT, Key ID a8a447dce8562897  
URL : http://tomcat.apache.org/  
Summary : Jakarta Tomcat Servlet and JSP implementation classes  
Description :  
Contains the implementation classes of the Jakarta Tomcat JSP API (packages javax.servlet.jsp).

**Name : eclipse-ecj Relocations: (not relocatable)**  
Version : 3.2.1 Vendor: CentOS  
Release : 19.el5.centos Build Date: Wed 28 May 2008 02:35:07 PM EDT  
Install Date: Mon 19 Dec 2011 12:38:04 PM EST Build Host: builder16.centos.org  
Group : Development/Languages Source RPM: eclipse-3.2.1-19.el5.centos.src.rpm  
Size : 18704512 License: EPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:30:34 PM EDT, Key ID a8a447dce8562897  
URL : http://www.eclipse.org/  
Summary : Eclipse Compiler for Java  
Description :  
Eclipse compiler for Java.

**Name : jakarta-commons-dbcj Relocations: (not relocatable)**  
Version : 1.2.1 Vendor: CentOS  
Release : 7jpp.1 Build Date: Tue 03 Apr 2007 03:41:42 PM EDT  
Install Date: Mon 19 Dec 2011 12:38:07 PM EST Build Host: builder4.centos.org  
Group : Development/Libraries/Java Source RPM: jakarta-commons-dbcj-1.2.1-7jpp.1.src.rpm  
Size : 647292 License: Apache Software  
License 2.0  
Signature : DSA/SHA1, Tue 03 Apr 2007 09:25:50 PM EDT, Key ID

a8a447dce8562897

URL : <http://jakarta.apache.org/commons/dbcp>  
Summary : Jakarta Commons DataBase Pooling Package  
Description :

Many Jakarta projects support interaction with a relational database. Creating a new connection for each user can be time consuming (often requiring multiple seconds of clock time), in order to perform a database transaction that might take milliseconds. Opening a connection per user can be unfeasible in a publicly-hosted Internet application where the number of simultaneous users can be very large. Accordingly, developers often wish to share a "pool" of open connections between all of the application's current users. The number of users actually performing a request at any given time is usually a very small percentage of the total number of active users, and during request processing is the only time that a database connection is required. The application itself logs into the DBMS, and handles any user account issues internally.

**Name** : **antlr** **Relocations:** **(not relocatable)**  
Version : 2.7.6 Vendor: CentOS  
Release : 4jpp.2 Build Date: Sun 07 Jan 2007  
03:52:19 AM EST  
Install Date: Mon 19 Dec 2011 12:38:10 PM EST Build Host:  
builder5.centos.org  
Group : Development/Code Generators Source RPM: antlr-2.7.6-  
4jpp.2.src.rpm  
Size : 2573406 License: Public Domain  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:19:58 PM EDT, Key ID  
a8a447dce8562897

URL : <http://www.antlr.org/>  
Summary : ANOther Tool for Language Recognition  
Description :

ANTLR, ANOther Tool for Language Recognition, (formerly PCCTS) is a language tool that provides a framework for constructing recognizers, compilers, and translators from grammatical descriptions containing C++ or Java actions [You can use PCCTS 1.xx to generate C-based parsers].

**Name** : **setools** **Relocations:** **/usr**  
Version : 3.0 Vendor: CentOS  
Release : 3.el5 Build Date: Wed 14 Mar 2007  
08:02:54 PM EDT  
Install Date: Mon 19 Dec 2011 12:38:12 PM EST Build Host:  
builder7.centos.org  
Group : System Environment/Base Source RPM: setools-3.0-  
3.el5.src.rpm  
Size : 2988540 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:39 PM EDT, Key ID  
a8a447dce8562897

URL : <http://www.tresys.com/>  
Summary : SELinux tools for managing policy  
Description :

Security-enhanced Linux is a patch of the Linux kernel and a number of utilities with enhanced security functionality designed to add mandatory access controls to Linux. The Security-enhanced Linux kernel contains new

architectural components originally developed to improve the security of the Flask operating system. These architectural components provide general support for the enforcement of many kinds of mandatory access control policies, including those based on the concepts of Type Enforcement, Role-based Access Control, and Multi-level Security. The tools and libraries in this release include:

1. libapol: The main policy.conf analysis library, which is the core library for all our tools.

See the help files for apol for help on using the tools.

```

Name           : libXmu-devel                Relocations: (not relocatable)
Version          : 1.0.2                      Vendor: CentOS
Release         : 5                          Build Date: Sat 06 Jan 2007
05:25:22 AM EST
Install Date: Mon 19 Dec 2011 12:38:17 PM EST    Build Host:
builder1.centos.org
Group           : Development/Libraries        Source RPM: libXmu-1.0.2-
5.src.rpm
Size            : 69106                       License: MIT/X11
Signature       : DSA/SHA1, Tue 03 Apr 2007 08:24:46 PM EDT, Key ID
a8a447dce8562897
URL             : http://www.x.org
Summary        : X.Org X11 libXmu development package
Description     :
X.Org X11 libXmu development package

```

```

Name           : systemtap                Relocations: (not relocatable)
Version          : 0.9.7                      Vendor: CentOS
Release         : 5.el5                      Build Date: Thu 03 Sep 2009
09:03:25 PM EDT
Install Date: Mon 19 Dec 2011 12:38:19 PM EST    Build Host:
builder16.centos.org
Group           : Development/System          Source RPM: systemtap-0.9.7-
5.el5.src.rpm
Size            : 5763768                     License: GPLv2+
Signature       : DSA/SHA1, Sat 19 Sep 2009 11:55:01 PM EDT, Key ID
a8a447dce8562897
URL             : http://sourceware.org/systemtap/
Summary        : Instrumentation System
Description     :
SystemTap is an instrumentation system for systems running Linux 2.6.
Developers can write instrumentation to collect data on the operation
of the system.

```

```

Name           : libXxf86vm-devel          Relocations: (not relocatable)
Version          : 1.0.1                      Vendor: CentOS
Release         : 3.1                        Build Date: Sun 07 Jan 2007
05:59:55 PM EST
Install Date: Mon 19 Dec 2011 12:38:27 PM EST    Build Host:
builder5.centos.org
Group           : Development/Libraries        Source RPM: libXxf86vm-1.0.1-
3.1.src.rpm
Size            : 4829                        License: MIT/X11

```

Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:47 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXxf86vm development package  
Description :  
X.Org X11 libXxf86vm development package

**Name : java-1.4.2-gcj-compat-src Relocations: (not relocatable)**  
Version : 1.4.2.0 Vendor: CentOS  
Release : 40jpp.115 Build Date: Sun 25 May 2008  
02:29:37 AM EDT  
Install Date: Mon 19 Dec 2011 12:38:36 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: java-1.4.2-gcj-  
compat-1.4.2.0-40jpp.115.src.rpm  
Size : 0 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:33:25 PM EDT, Key ID  
a8a447dce8562897  
URL : ftp://sources.redhat.com/pub/rhug/java-gcj-compat  
Summary : Source files for libgcj  
Description :  
This package installs a versionless src.zip symlink that points to a  
specific version of the libgcj sources.

**Name : chkfontpath Relocations: (not relocatable)**  
Version : 1.10.1 Vendor: CentOS  
Release : 1.1 Build Date: Sun 07 Jan 2007  
05:26:44 PM EST  
Install Date: Mon 19 Dec 2011 12:38:49 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Base Source RPM: chkfontpath-1.10.1-  
1.1.src.rpm  
Size : 13094 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:30 PM EDT, Key ID  
a8a447dce8562897  
Summary : Simple interface for editing the font path for the X font  
server.  
Description :  
This is a simple command line utility for configuring the directories  
in the X font server's path. It is mostly intended to be used  
'internally' by RPM when packages with fonts are added or removed, but  
it may be useful as a stand-alone utility in some instances.

**Name : NetworkManager Relocations: (not relocatable)**  
Version : 0.7.0 Vendor: CentOS  
Release : 9.el5 Build Date: Thu 03 Sep 2009  
11:13:59 PM EDT  
Install Date: Mon 19 Dec 2011 12:38:56 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: NetworkManager-0.7.0-  
9.el5.src.rpm  
Size : 3487340 License: GPLv2+  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:58 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnome.org/projects/NetworkManager/  
Summary : Network connection manager and user applications  
Description :

NetworkManager attempts to keep an active network connection available at all times. It is intended only for the desktop use-case, and is not intended for usage on servers. The point of NetworkManager is to make networking configuration and setup as painless and automatic as possible. If using DHCP,

NetworkManager is intended to replace default routes, obtain IP addresses from a DHCP server, and change nameservers whenever it sees fit.

**Name** : **axis** **Relocations:** (not relocatable)  
Version : 1.2.1 Vendor: CentOS  
Release : 2jpp.6 Build Date: Sun 07 Jan 2007  
05:11:02 AM EST  
Install Date: Mon 19 Dec 2011 12:39:00 PM EST Build Host:  
builder5.centos.org  
Group : Development/Libraries/Java Source RPM: axis-1.2.1-  
2jpp.6.src.rpm  
Size : 7366568 License: Apache Software  
License  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:20 PM EDT, Key ID  
a8a447dce8562897  
URL : http://ws.apache.org/axis/  
Summary : A SOAP implementation in Java  
Description :  
Apache AXIS is an implementation of the SOAP ("Simple Object Access  
Protocol")  
submission to W3C.  
From the draft W3C specification:  
SOAP is a lightweight protocol for exchange of information in a  
decentralized,  
distributed environment. It is an XML based protocol that consists of three  
parts: an envelope that defines a framework for describing what is in a  
message  
and how to process it, a set of encoding rules for expressing instances of  
application-defined datatypes, and a convention for representing remote  
procedure calls and responses.  
This project is a follow-on to the Apache SOAP project.

**Name** : **urw-fonts** **Relocations:** (not relocatable)  
Version : 2.3 Vendor: CentOS  
Release : 6.1.1 Build Date: Sat 06 Jan 2007  
08:47:16 AM EST  
Install Date: Mon 19 Dec 2011 12:39:07 PM EST Build Host:  
builder1.centos.org  
Group : User Interface/X Source RPM: urw-fonts-2.3-  
6.1.1.src.rpm  
Size : 6025390 License: GPL, URW holds  
copyright  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:14 PM EDT, Key ID  
a8a447dce8562897  
URL : ftp://ftp.gnome.ru/fonts/urw/release/  
Summary : Free versions of the 35 standard PostScript fonts.  
Description :  
Free, good quality versions of the 35 standard PostScript(TM) fonts,  
donated under the GPL by URW++ Design and Development GmbH. The  
fonts.dir file font names match the original Adobe names of the fonts  
(e.g., Times, Helvetica, etc.).  
Install the urw-fonts package if you need free versions of standard

PostScript fonts.

**Name** : **xorg-x11-fonts-Type1** **Relocations:** (not relocatable)  
Version : 7.1 Vendor: CentOS  
Release : 2.1.el5 Build Date: Wed 10 Jan 2007  
01:03:33 AM EST  
Install Date: Mon 19 Dec 2011 12:39:12 PM EST Build Host:  
builder3.centos.org  
Group : User Interface/X Source RPM: xorg-x11-fonts-7.1-  
2.1.el5.src.rpm  
Size : 2803806 License: Various licenses  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:46 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Type1 fonts provided by the X Window System  
Description :  
A collection of Type1 fonts which are part of the core X Window System  
distribution.

**Name** : **yum-updatesd** **Relocations:** (not relocatable)  
Version : 0.9 Vendor: CentOS  
Release : 2.el5 Build Date: Sat 24 May 2008  
04:08:20 PM EDT  
Install Date: Mon 19 Dec 2011 12:39:24 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: yum-updatesd-0.9-  
2.el5.src.rpm  
Size : 55882 License: GPLv2  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:23:04 PM EDT, Key ID  
a8a447dce8562897  
URL : http://linux.duke.edu/yum/  
Summary : Update notification daemon  
Description :  
yum-updatesd provides a daemon which checks for available updates and  
can notify you when they are available via email, syslog or dbus.

**Name** : **tomcat5** **Relocations:** (not relocatable)  
Version : 5.5.23 Vendor: CentOS  
Release : 0jpp.7.el5\_3.2 Build Date: Mon 27 Jul 2009  
05:32:03 PM EDT  
Install Date: Mon 19 Dec 2011 12:39:30 PM EST Build Host:  
builder16.centos.org  
Group : Networking/Daemons Source RPM: tomcat5-5.5.23-  
0jpp.7.el5\_3.2.src.rpm  
Size : 728820 License: Apache Software  
License  
Signature : DSA/SHA1, Tue 28 Jul 2009 09:00:01 PM EDT, Key ID  
a8a447dce8562897  
URL : http://tomcat.apache.org/  
Summary : Apache Servlet/JSP Engine, RI for Servlet 2.4/JSP 2.0 API  
Description :  
Tomcat is the servlet container that is used in the official Reference  
Implementation for the Java Servlet and JavaServer Pages technologies.  
The Java Servlet and JavaServer Pages specifications are developed by  
Sun under the Java Community Process.  
Tomcat is developed in an open and participatory environment and  
released under the Apache Software License. Tomcat is intended to be

a collaboration of the best-of-breed developers from around the world. We invite you to participate in this open development project. To learn more about getting involved, click here.

**Name** : **bsh** **Relocations:** (not relocatable)  
Version : 1.3.0 Vendor: CentOS  
Release : 9jpp.1 Build Date: Sun 07 Jan 2007  
12:34:14 AM EST  
Install Date: Mon 19 Dec 2011 12:39:38 PM EST Build Host:  
builder1.centos.org  
Group : Development/Java Source RPM: bsh-1.3.0-  
9jpp.1.src.rpm  
Size : 1306324 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:25 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.beanshell.org/  
Summary : Lightweight Scripting for Java  
Description :  
BeanShell is a small, free, embeddable, Java source interpreter with object scripting language features, written in Java. BeanShell executes standard Java statements and expressions, in addition to obvious scripting commands and syntax. BeanShell supports scripted objects as simple method closures like those in Perl and JavaScript(tm). You can use BeanShell interactively for Java experimentation and debugging or as a simple scripting engine for your applications. In short: BeanShell is a dynamically interpreted Java, plus some useful stuff. Another way to describe it is to say that in many ways BeanShell is to Java as Tcl/Tk is to C: BeanShell is embeddable - You can call BeanShell from your Java applications to execute Java code dynamically at run-time or to provide scripting extensibility for your applications. Alternatively, you can call your Java applications and objects from BeanShell; working with Java objects and APIs dynamically. Since BeanShell is written in Java and runs in the same space as your application, you can freely pass references to "real live" objects into scripts and return them as results.

**Name** : **emacspeak** **Relocations:** (not relocatable)  
Version : 23.0 Vendor: CentOS  
Release : 3.el5 Build Date: Sat 24 May 2008  
10:25:45 AM EDT  
Install Date: Mon 19 Dec 2011 12:39:40 PM EST Build Host:  
builder16.centos.org  
Group : Applications/Editors Source RPM: emacspeak-23.0-  
3.el5.src.rpm  
Size : 8876396 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:31:11 PM EDT, Key ID  
a8a447dce8562897  
URL : http://emacspeak.sourceforge.net/  
Summary : emacspeak -- The Complete Audio Desktop  
Description :  
Emacspeak is a speech interface that allows visually impaired users to interact independently and efficiently with the computer. Emacspeak has dramatically changed how the author and hundreds of blind and visually impaired users around the world interact with the personal computer and the Internet. A rich suite of task-oriented speech-enabled tools provides efficient speech-enabled access to the evolving semantic WWW. When combined with Linux running on low-cost PC hardware,



Emacspeak/Linux provides a reliable, stable speech-friendly solution that opens up the Internet to visually impaired users around the world.

**Name** : **evolution-data-server** **Relocations:** (not relocatable)  
Version : 1.12.3 Vendor: CentOS  
Release : 18.el5 Build Date: Thu 03 Sep 2009  
01:50:42 PM EDT  
Install Date: Mon 19 Dec 2011 12:39:47 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: evolution-data-  
server-1.12.3-18.el5.src.rpm  
Size : 11037042 License: LGPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:32 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.gnome.org/projects/evolution/>  
Summary : Backend data server for Evolution  
Description :  
The evolution-data-server package provides a unified backend for programs  
that work with contacts, tasks, and calendar information.  
It was originally developed for Evolution (hence the name), but is now used  
by other packages.

**Name** : **librsvg2** **Relocations:** (not relocatable)  
Version : 2.16.1 Vendor: CentOS  
Release : 1.el5 Build Date: Wed 14 Mar 2007  
03:05:52 PM EDT  
Install Date: Mon 19 Dec 2011 12:39:53 PM EST Build Host: builder6  
Group : System Environment/Libraries Source RPM: librsvg2-2.16.1-  
1.el5.src.rpm  
Size : 434962 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:37 PM EDT, Key ID  
a8a447dce8562897  
Summary : An SVG library based on cairo  
Description :  
An SVG library based on cairo.

**Name** : **libgail-gnome** **Relocations:** (not relocatable)  
Version : 1.1.3 Vendor: CentOS  
Release : 1.2.1 Build Date: Sun 07 Jan 2007  
07:06:27 AM EST  
Install Date: Mon 19 Dec 2011 12:40:04 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: libgail-gnome-1.1.3-  
1.2.1.src.rpm  
Size : 61609 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:26 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://developer.gnome.org/projects/gap>  
Summary : Accessibility implementation for GTK+ and GNOME libraries  
Description :  
GAIL implements the abstract interfaces found in ATK for GTK+ and GNOME  
libraries,  
enabling accessibility technologies such as at-spi to access those GUIs.  
libgail-gnome contains the GNOME portions of GAIL.

**Name** : **gnome-session** **Relocations:** (not relocatable)  
Version : 2.16.0 Vendor: CentOS

Release : 7.el5.centos Build Date: Sat 26 Sep 2009  
03:12:42 PM EDT  
Install Date: Mon 19 Dec 2011 12:40:14 PM EST Build Host:  
builder16.centos.org  
Group : User Interface/Desktops Source RPM: gnome-session-2.16.0-  
7.el5.centos.src.rpm  
Size : 1384452 License: GPL  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:06 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnome.org  
Summary : GNOME session manager  
Description :  
gnome-session manages a GNOME desktop session. It starts up the other core  
GNOME components and handles logout and saving the session.

**Name : totem Relocations: (not relocatable)**  
Version : 2.16.7 Vendor: CentOS  
Release : 6.el5 Build Date: Thu 03 Sep 2009  
09:19:13 AM EDT  
Install Date: Mon 19 Dec 2011 12:40:30 PM EST Build Host:  
builder10.centos.org  
Group : Applications/Multimedia Source RPM: totem-2.16.7-  
6.el5.src.rpm  
Size : 5264530 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:55:09 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.hadess.net/totem.php3  
Summary : Movie player for GNOME 2  
Description :  
Totem is simple movie player for the Gnome desktop. It features a  
simple playlist, a full-screen mode, seek and volume controls, as well as  
a pretty complete keyboard navigation.

**Name : evince Relocations: (not relocatable)**  
Version : 0.6.0 Vendor: CentOS  
Release : 9.el5 Build Date: Thu 03 Sep 2009  
09:10:02 AM EDT  
Install Date: Mon 19 Dec 2011 12:40:47 PM EST Build Host:  
builder16.centos.org  
Group : Applications/Publishing Source RPM: evince-0.6.0-  
9.el5.src.rpm  
Size : 2795910 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:30 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnome.org/projects/evince/  
Summary : Document viewer  
Description :  
evince is a GNOME-based document viewer.

**Name : gnome-system-monitor Relocations: (not relocatable)**  
Version : 2.16.0 Vendor: CentOS  
Release : 3.el5 Build Date: Wed 14 Mar 2007  
12:12:11 PM EDT  
Install Date: Mon 19 Dec 2011 12:41:00 PM EST Build Host: builder6  
Group : Applications/System Source RPM: gnome-system-monitor-  
2.16.0-3.el5.src.rpm  
Size : 2994882 License: GPL

Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:35 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnome.org/  
Summary : Simple process monitor  
Description :  
gnome-system-monitor is a simple process and system monitor.

**Name : libgnome-devel Relocations: (not relocatable)**  
Version : 2.16.0 Vendor: CentOS  
Release : 6.el5 Build Date: Sat 06 Jan 2007  
12:53:49 AM EST  
Install Date: Mon 19 Dec 2011 12:41:08 PM EST Build Host:  
builder5.centos.org  
Group : Development/Libraries Source RPM: libgnome-2.16.0-  
6.el5.src.rpm  
Size : 439443 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:29 PM EDT, Key ID  
a8a447dce8562897  
URL : ftp://ftp.gnome.org  
Summary : Libraries and headers for libgnome  
Description :  
GNOME (GNU Network Object Model Environment) is a user-friendly set of  
GUI applications and desktop tools to be used in conjunction with a  
window manager for the X Window System. The libgnome-devel package  
includes the libraries and include files that you will need to  
use libgnome.  
You should install the libgnome-devel package if you would like to  
compile GNOME applications. You do not need to install libgnome-devel  
if you just want to use the GNOME desktop environment.

**Name : libcroco-devel Relocations: (not relocatable)**  
Version : 0.6.1 Vendor: CentOS  
Release : 2.1 Build Date: Sat 06 Jan 2007  
12:34:08 AM EST  
Install Date: Mon 19 Dec 2011 12:41:24 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries Source RPM: libcroco-0.6.1-  
2.1.src.rpm  
Size : 113074 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:23 PM EDT, Key ID  
a8a447dce8562897  
Summary : Libraries and include files for developing with libcroco.  
Description :  
This package provides the necessary development libraries and include  
files to allow you to develop with libcroco.

**Name : system-config-date Relocations: (not relocatable)**  
Version : 1.8.12 Vendor: CentOS  
Release : 4.el5.centos Build Date: Sun 27 Sep 2009  
09:18:42 AM EDT  
Install Date: Mon 19 Dec 2011 12:41:26 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: system-config-date-  
1.8.12-4.el5.centos.src.rpm  
Size : 3787597 License: GPL  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:07 PM EDT, Key ID  
a8a447dce8562897

URL : <http://fedora.redhat.com/projects/config-tools/>  
Summary : A graphical interface for modifying system date and time  
Description :  
system-config-date is a graphical interface for changing the system date and time, configuring the system time zone, and setting up the NTP daemon to synchronize the time of the system with an NTP time server.

**Name** : **gnome-applets** **Relocations:** (not relocatable)  
Version : 2.16.0.1 Vendor: CentOS  
Release : 19.el5 Build Date: Wed 14 Mar 2007  
12:05:53 PM EDT  
Install Date: Mon 19 Dec 2011 12:41:37 PM EST Build Host:  
builder4.centos.org  
Group : User Interface/Desktops Source RPM: gnome-applets-  
2.16.0.1-19.el5.src.rpm  
Size : 33001221 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:27 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.gnome.org/>  
Summary : Small applications for the GNOME panel  
Description :  
GNOME (GNU Network Object Model Environment) is a user-friendly set of applications and desktop tools to be used in conjunction with a window manager for the X Window System. The gnome-applets package provides small utilities for the GNOME panel.

**Name** : **dogtail** **Relocations:** (not relocatable)  
Version : 0.6.1 Vendor: CentOS  
Release : 2.el5 Build Date: Wed 14 Mar 2007  
09:03:03 AM EDT  
Install Date: Mon 19 Dec 2011 12:41:46 PM EST Build Host:  
builder5.centos.org  
Group : User Interface/X Source RPM: dogtail-0.6.1-  
2.el5.src.rpm  
Size : 683103 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:21:11 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://people.redhat.com/zcerza/dogtail/>  
Summary : GUI test tool and automation framework  
Description :  
GUI test tool and automation framework that uses assistive technologies to communicate with desktop applications.

**Name** : **xorg-x11-server-Xorg** **Relocations:** (not relocatable)  
Version : 1.1.1 Vendor: CentOS  
Release : 48.67.el5 Build Date: Thu 03 Sep 2009  
11:23:05 PM EDT  
Install Date: Mon 19 Dec 2011 12:41:52 PM EST Build Host:  
builder16.centos.org  
Group : User Interface/X Source RPM: xorg-x11-server-  
1.1.1-48.67.el5.src.rpm  
Size : 8638497 License: MIT/X11  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:55:13 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.x.org>  
Summary : Xorg X server  
Description :

X.org X11 is an open source implementation of the X Window System. It provides the basic low level functionality which full fledged graphical user interfaces (GUIs) such as GNOME and KDE are designed upon.

**Name** : **xorg-x11-drv-dmc** **Relocations:** (not relocatable)  
Version : 1.1.0 Vendor: CentOS  
Release : 2 Build Date: Sun 07 Jan 2007  
01:06:21 AM EST  
Install Date: Mon 19 Dec 2011 12:41:54 PM EST Build Host:  
builder1.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
dmc-1.1.0-2.src.rpm  
Size : 11917 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:38 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 dmc input driver  
Description :  
X.Org X11 dmc input driver.

**Name** : **xorg-x11-drv-i810** **Relocations:** (not relocatable)  
Version : 1.6.5 Vendor: CentOS  
Release : 9.25.el5 Build Date: Fri 04 Sep 2009  
11:28:45 AM EDT  
Install Date: Mon 19 Dec 2011 12:41:54 PM EST Build Host:  
builder16.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
i810-1.6.5-9.25.el5.src.rpm  
Size : 735925 License: MIT/X11  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:55:12 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 i810 video driver(s)  
Description :  
X.Org X11 i810 video driver.

**Name** : **xorg-x11-drv-chips** **Relocations:** (not relocatable)  
Version : 1.1.1 Vendor: CentOS  
Release : 2.1 Build Date: Thu 15 Mar 2007  
12:25:20 AM EDT  
Install Date: Mon 19 Dec 2011 12:41:55 PM EST Build Host:  
builder4.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
chips-1.1.1-2.1.src.rpm  
Size : 154665 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:38 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 chips video driver  
Description :  
X.Org X11 chips video driver.

**Name** : **xorg-x11-drv-jamstudio** **Relocations:** (not relocatable)  
Version : 1.1.0 Vendor: CentOS  
Release : 1.1 Build Date: Sun 07 Jan 2007  
01:33:50 AM EST

Install Date: Mon 19 Dec 2011 12:41:56 PM EST      Build Host:  
builder5.centos.org  
Group           : User Interface/X Hardware Support    Source RPM: xorg-x11-driv-  
jamstudio-1.1.0-1.1.src.rpm  
Size            : 8788                                    License: MIT/X11  
Signature       : DSA/SHA1, Tue 03 Apr 2007 08:28:39 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.x.org  
Summary         : Xorg X11 jamstudio input driver  
Description :  
X.Org X11 jamstudio input driver.

**Name            : xorg-x11-drv-cirrus                    Relocations: (not relocatable)**  
Version         : 1.1.0                                Vendor: CentOS  
Release         : 2.fc6                                Build Date: Fri 05 Jan 2007  
11:36:52 PM EST  
Install Date: Mon 19 Dec 2011 12:41:58 PM EST      Build Host:  
builder5.centos.org  
Group           : User Interface/X Hardware Support    Source RPM: xorg-x11-driv-  
cirrus-1.1.0-2.fc6.src.rpm  
Size            : 77550                                License: MIT/X11  
Signature       : DSA/SHA1, Tue 03 Apr 2007 08:28:38 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.x.org  
Summary         : Xorg X11 cirrus video driver  
Description :  
X.Org X11 cirrus video driver.

**Name            : xorg-x11-drv-vga                      Relocations: (not relocatable)**  
Version         : 4.1.0                                Vendor: CentOS  
Release         : 2.1                                  Build Date: Sat 06 Jan 2007  
02:24:07 AM EST  
Install Date: Mon 19 Dec 2011 12:41:58 PM EST      Build Host:  
builder1.centos.org  
Group           : User Interface/X Hardware Support    Source RPM: xorg-x11-driv-  
vga-4.1.0-2.1.src.rpm  
Size            : 21853                                License: MIT/X11  
Signature       : DSA/SHA1, Tue 03 Apr 2007 08:28:41 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.x.org  
Summary         : Xorg X11 vga video driver  
Description :  
X.Org X11 vga video driver.

**Name            : xorg-x11-drv-glnt                    Relocations: (not relocatable)**  
Version         : 1.1.1                                Vendor: CentOS  
Release         : 4.1                                  Build Date: Thu 15 Mar 2007  
12:37:26 AM EDT  
Install Date: Mon 19 Dec 2011 12:41:59 PM EST      Build Host: builder6  
Group           : User Interface/X Hardware Support    Source RPM: xorg-x11-driv-  
glnt-1.1.1-4.1.src.rpm  
Size            : 293213                              License: MIT/X11  
Signature       : DSA/SHA1, Tue 03 Apr 2007 08:28:39 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.x.org  
Summary         : Xorg X11 glnt video driver  
Description :

X.Org X11 glint video driver.

**Name** : perl-AppConfig **Relocations:** (not relocatable)  
Version : 1.66 Vendor: Dag Apt Repository,  
<http://dag.wieers.com/apt/>  
Release : 1.el5.rf Build Date: Mon 04 Jan 2010  
01:23:11 PM EST  
Install Date: Mon 19 Dec 2011 12:42:14 PM EST Build Host:  
lisse.hasselt.wieers.com  
Group : Applications/CPAN Source RPM: perl-AppConfig-1.66-  
1.el5.rf.src.rpm  
Size : 228677 License: Artistic/GPL  
Signature : DSA/SHA1, Mon 04 Jan 2010 09:59:34 PM EST, Key ID  
a20e52146b8d79e6  
Packager : Dries Verachtert <dries@ulyssis.org>  
URL : <http://search.cpan.org/dist/AppConfig/>  
Summary : Module for reading configuration files and parsing command line  
args  
Description :  
AppConfig is a bundle of Perl5 modules for reading configuration files  
and parsing command line arguments. This is a descendant of, and  
supercedes the App::Config module. Functionality is extended over the  
final version of App::Config (1.09) and includes many new features. This  
module has been developed and in the process, renamed, as part of an  
effort to unify the various Perl modules for parsing configuration files  
and command line arguments.  
AppConfig has a powerful but easy to use module for parsing configuration  
files. It also has a simple and efficient module for parsing command line  
arguments. For fully-featured command line parsing, a module is provided  
for interfacing AppConfig to Johan Vromans' extensive Getopt::Long module.  
Johan will continue to develop the functionality of this package and its  
features will automatically become available through AppConfig.  
All of the modules and features of the AppConfig bundle are easily  
accessible through the AppConfig.pm module.

**Name** : perl-Filesys-DiskFree **Relocations:** (not relocatable)  
Version : 0.06 Vendor: Dag Apt Repository,  
<http://dag.wieers.com/apt/>  
Release : 1.2.el5.rf Build Date: Thu 08 Mar 2007  
10:11:14 AM EST  
Install Date: Mon 19 Dec 2011 12:42:17 PM EST Build Host:  
lisse.leuven.wieers.com  
Group : Applications/CPAN Source RPM: perl-Filesys-  
DiskFree-0.06-1.2.el5.rf.src.rpm  
Size : 16188 License: Artistic/GPL  
Signature : DSA/SHA1, Fri 09 Mar 2007 04:33:29 AM EST, Key ID  
a20e52146b8d79e6  
Packager : Dries Verachtert <dries@ulyssis.org>  
URL : <http://search.cpan.org/dist/Filesys-DiskFree/>  
Summary : Perform the Unix command df in a portable fashion  
Description :  
Filesys::DiskFree does about what the unix command df(1) does, listing  
the mounted disks, and the amount of free space used and available.

**Name** : perl-Stat-lsMode **Relocations:** (not relocatable)  
Version : 0.50 Vendor: Dag Apt Repository,  
<http://dag.wieers.com/apt/>

Release : 1.2.el5.rf Build Date: Thu 08 Mar 2007  
10:52:55 AM EST  
Install Date: Mon 19 Dec 2011 12:42:20 PM EST Build Host:  
lisse.leuven.wieers.com  
Group : Applications/CPAN Source RPM: perl-Stat-lsMode-  
0.50-1.2.el5.rf.src.rpm  
Size : 10436 License: Artistic/GPL  
Signature : DSA/SHA1, Fri 09 Mar 2007 04:31:53 AM EST, Key ID  
a20e52146b8d79e6  
Packager : Dries Verachtert <dries@ulyssis.org>  
URL : http://search.cpan.org/dist/Stat-lsMode/  
Summary : Format file modes like the ls -l command does  
Description :  
This module is for formatting file modes and permissions the way that  
ls -l does.

**Name : perl-Tk Relocations: (not relocatable)**  
Version : 804.028 Vendor: Dag Apt Repository,  
http://dag.wieers.com/apt/  
Release : 2.el5.rf Build Date: Thu 27 Dec 2007  
03:22:10 PM EST  
Install Date: Mon 19 Dec 2011 12:42:26 PM EST Build Host:  
lisse.leuven.wieers.com  
Group : Applications/CPAN Source RPM: perl-Tk-804.028-  
2.el5.rf.src.rpm  
Size : 14040091 License: Artistic  
Signature : DSA/SHA1, Fri 28 Dec 2007 10:32:30 AM EST, Key ID  
a20e52146b8d79e6  
Packager : Dries Verachtert <dries@ulyssis.org>  
URL : http://search.cpan.org/dist/Tk/  
Summary : Object Oriented Tk extension for Perl  
Description :  
This module contains an object oriented Tk extension for Perl.

**Name : MCRInstaller Relocations: (not relocatable)**  
Version : 1.0.3 Vendor: (none)  
Release : 1 Build Date: Mon 19 Sep 2011  
08:04:18 AM EDT  
Install Date: Mon 19 Dec 2011 12:43:57 PM EST Build Host: lorax  
Group : Application/Xerox Source RPM: MCRInstaller-1.0.3-  
1.src.rpm  
Size : 223484683 License: Copyright 1996-2010  
Xerox Corporation  
Signature : (none)  
Summary : Matlab Install Tool  
Description :  
Matlab Install tool  
BuildArch: noarch

**Name : kernel-headers Relocations: (not relocatable)**  
Version : 2.6.18 Vendor: CentOS  
Release : 164.el5 Build Date: Thu 03 Sep 2009  
03:22:27 AM EDT  
Install Date: Mon 19 Dec 2011 12:32:58 PM EST Build Host:  
builder10.centos.org  
Group : Development/System Source RPM: kernel-2.6.18-  
164.el5.src.rpm



Size : 2219217 License: GPLv2  
Signature : DSA/SHA1, Wed 09 Sep 2009 12:34:40 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.kernel.org/  
Summary : Header files for the Linux kernel for use by glibc  
Description :  
Kernel-headers includes the C header files that specify the interface  
between the Linux kernel and userspace libraries and programs. The  
header files define structures and constants that are needed for  
building most standard programs and are also needed for rebuilding the  
glibc package.

**Name : gnome-mime-data Relocations: (not relocatable)**  
Version : 2.4.2 Vendor: CentOS  
Release : 3.1 Build Date: Sat 06 Jan 2007  
12:33:50 AM EST  
Install Date: Mon 19 Dec 2011 12:33:04 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: gnome-mime-data-  
2.4.2-3.1.src.rpm  
Size : 3558958 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:31 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnome.org  
Summary : MIME type data files for GNOME desktop  
Description :  
gnome-mime-data provides the file type recognition data files for gnome-vfs

**Name : desktop-backgrounds-basic Relocations: (not relocatable)**  
Version : 2.0 Vendor: CentOS  
Release : 41.el5.centos Build Date: Tue 10 Mar 2009  
07:17:03 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:06 PM EST Build Host:  
chamkaur.karan.org  
Group : Applications/Multimedia Source RPM: desktop-backgrounds-  
2.0-41.el5.centos.src.rpm  
Size : 6835471 License: LGPL  
Signature : DSA/SHA1, Tue 10 Mar 2009 07:34:02 PM EDT, Key ID  
a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
Summary : Desktop background base set.  
Description :  
The desktop-backgrounds-basic package contains a good basic set of  
images to use for your desktop background.

**Name : bsh-manual Relocations: (not relocatable)**  
Version : 1.3.0 Vendor: CentOS  
Release : 9jpp.1 Build Date: Sun 07 Jan 2007  
12:34:14 AM EST  
Install Date: Mon 19 Dec 2011 12:33:06 PM EST Build Host:  
builder1.centos.org  
Group : Development/Java Source RPM: bsh-1.3.0-  
9jpp.1.src.rpm  
Size : 166001 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:26 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.beanshell.org/

Summary : Manual for bsh  
Description :  
Documentation for bsh.

**Name : glibc Relocations: (not relocatable)**  
Version : 2.5 Vendor: CentOS  
Release : 42 Build Date: Wed 02 Sep 2009  
08:23:53 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:09 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: glibc-2.5-42.src.rpm  
Size : 10559900 License: LGPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:39 PM EDT, Key ID  
a8a447dce8562897  
Summary : The GNU libc libraries.  
Description :  
The glibc package contains standard libraries which are used by  
multiple programs on the system. In order to save disk space and  
memory, as well as to make upgrading easier, common system code is  
kept in one place and shared between programs. This particular package  
contains the most important sets of shared libraries: the standard C  
library and the standard math library. Without these two libraries, a  
Linux system will not function.

**Name : libart\_lgpl Relocations: (not relocatable)**  
Version : 2.3.17 Vendor: CentOS  
Release : 4 Build Date: Sat 06 Jan 2007  
07:05:30 AM EST  
Install Date: Mon 19 Dec 2011 12:33:10 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: libart\_lgpl-2.3.17-  
4.src.rpm  
Size : 156546 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:22 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.gnome.org/>  
Summary : Library of graphics routines used by libgnomecanvas  
Description :  
Graphics routines used by the GnomeCanvas widget and some other  
applications. libart renders vector paths and the like.

**Name : audit-libs Relocations: (not relocatable)**  
Version : 1.7.13 Vendor: CentOS  
Release : 2.el5 Build Date: Thu 03 Sep 2009  
03:24:07 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:10 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: audit-1.7.13-  
2.el5.src.rpm  
Size : 158955 License: LGPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:25 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://people.redhat.com/sgrubb/audit/>  
Summary : Dynamic library for libaudit  
Description :  
The audit-libs package contains the dynamic libraries needed for  
applications to use the audit framework.

**Name** : **freetype** **Relocations: (not relocatable)**  
Version : 2.2.1 Vendor: CentOS  
Release : 21.el5\_3 Build Date: Fri 22 May 2009  
10:04:13 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:13 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: freetype-2.2.1-  
21.el5\_3.src.rpm  
Size : 626801 License: BSD/GPL dual license  
Signature : DSA/SHA1, Fri 22 May 2009 05:22:59 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.freetype.org  
Summary : A free and portable font rendering engine  
Description :  
The FreeType engine is a free and portable font rendering  
engine, developed to provide advanced font support for a variety of  
platforms and environments. FreeType is a library which can open and  
manages font files as well as efficiently load, hint and render  
individual glyphs. FreeType is not a font server or a complete  
text-rendering library.

**Name** : **libtiff** **Relocations: (not relocatable)**  
Version : 3.8.2 Vendor: CentOS  
Release : 7.el5\_3.4 Build Date: Mon 27 Jul 2009  
05:57:42 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:14 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: libtiff-3.8.2-  
7.el5\_3.4.src.rpm  
Size : 740857 License: libtiff  
Signature : DSA/SHA1, Tue 28 Jul 2009 07:13:02 AM EDT, Key ID  
a8a447dce8562897  
URL : http://www.remotesensing.org/libtiff/  
Summary : Library of functions for manipulating TIFF format image files  
Description :  
The libtiff package contains a library of functions for manipulating  
TIFF (Tagged Image File Format) image format files. TIFF is a widely  
used file format for bitmapped images. TIFF files usually end in the  
.tif extension and they are often quite large.  
The libtiff package should be installed if you need to manipulate TIFF  
format image files.

**Name** : **audiofile** **Relocations: (not relocatable)**  
Version : 0.2.6 Vendor: CentOS  
Release : 5 Build Date: Sat 06 Jan 2007  
05:18:02 PM EST  
Install Date: Mon 19 Dec 2011 12:33:15 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: audiofile-0.2.6-  
5.src.rpm  
Size : 261871 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:16 PM EDT, Key ID  
a8a447dce8562897  
Summary : A library for accessing various audio file formats.  
Description :  
The Audio File library is an implementation of the Audio File Library

from SGI, which provides an API for accessing audio file formats like AIFF/AIFF-C, WAVE, and NeXT/Sun .snd/.au files. This library is used by the Esound daemon.

Install audiofile if you are installing Esound or you need an API for any of the sound file formats it can handle.

```
Name           : libfontenc                Relocations: (not relocatable)
Version          : 1.0.2                      Vendor: CentOS
Release         : 2.2.el5                     Build Date: Wed 14 Mar 2007
02:27:22 PM EDT
Install Date:   Mon 19 Dec 2011 12:33:15 PM EST   Build Host: builder6
Group          : System Environment/Libraries   Source RPM: libfontenc-1.0.2-
2.2.el5.src.rpm
Size           : 23918                         License: MIT/X11
Signature      : DSA/SHA1, Tue 03 Apr 2007 08:24:25 PM EDT, Key ID
a8a447dce8562897
URL            : http://www.x.org
Summary        : X.Org X11 libfontenc runtime library
Description    :
X.Org X11 libfontenc runtime library
```

```
Name           : gdbm                    Relocations: (not relocatable)
Version          : 1.8.0                      Vendor: CentOS
Release         : 26.2.1                     Build Date: Sat 06 Jan 2007
10:08:11 AM EST
Install Date:   Mon 19 Dec 2011 12:33:17 PM EST   Build Host:
builder5.centos.org
Group          : System Environment/Libraries   Source RPM: gdbm-1.8.0-
26.2.1.src.rpm
Size           : 46478                         License: GPL
Signature      : DSA/SHA1, Tue 03 Apr 2007 08:22:06 PM EDT, Key ID
a8a447dce8562897
URL            : http://www.gnu.org/software/gdbm/
Summary        : A GNU set of database routines which use extensible hashing.
Description    :
Gdbm is a GNU database indexing library, including routines which use
extensible hashing. Gdbm works in a similar way to standard UNIX dbm
routines. Gdbm is useful for developers who write C applications and
need access to a simple and efficient database or who are building C
applications which will use such a database.
If you're a C developer and your programs need access to simple
database routines, you should install gdbm. You'll also need to
install gdbm-devel.
```

```
Name           : libIDL                   Relocations: (not relocatable)
Version          : 0.8.7                      Vendor: CentOS
Release         : 1.fc6                       Build Date: Fri 05 Jan 2007
11:41:55 PM EST
Install Date:   Mon 19 Dec 2011 12:33:20 PM EST   Build Host:
builder1.centos.org
Group          : System Environment/Libraries   Source RPM: libIDL-0.8.7-
1.fc6.src.rpm
Size           : 203136                         License: LGPL
Signature      : DSA/SHA1, Tue 03 Apr 2007 08:24:34 PM EDT, Key ID
a8a447dce8562897
Summary        : Library for parsing IDL (Interface Definition Language)
Description    :
```

libIDL is a library for parsing IDL (Interface Definition Language).  
It can be used for both COM-style and CORBA-style IDL.

**Name** : libmng **Relocations:** (not relocatable)  
Version : 1.0.9 Vendor: CentOS  
Release : 5.1 Build Date: Sun 07 Jan 2007  
05:42:01 AM EST  
Install Date: Mon 19 Dec 2011 12:33:21 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: libmng-1.0.9-  
5.1.src.rpm  
Size : 434424 License: BSD-like  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:36 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.libmng.com/  
Summary : Library for Multiple-image Network Graphics support  
Description :  
LibMNG is a library for accessing graphics in MNG (Multi-image Network  
Graphics) and JNG (JPEG Network Graphics) formats. MNG graphics are  
basically animated PNGs. JNG graphics are basically JPEG streams  
integrated into a PNG chunk.

**Name** : iproute **Relocations:** (not relocatable)  
Version : 2.6.18 Vendor: CentOS  
Release : 10.el5 Build Date: Sat 26 Sep 2009  
03:35:29 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:24 PM EST Build Host:  
builder16.centos.org  
Group : Applications/System Source RPM: iproute-2.6.18-  
10.el5.src.rpm  
Size : 2145519 License: GNU GPL  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:06 PM EDT, Key ID  
a8a447dce8562897  
URL : http://linux-net.osdl.org/index.php/Iproute2  
Summary : Advanced IP routing and network device configuration tools.  
Description :  
The iproute package contains networking utilities (ip and rtmon, for  
example) which are designed to use the advanced networking  
capabilities of the Linux 2.4.x and 2.6.x kernel.

**Name** : libgfortran **Relocations:** (not relocatable)  
Version : 4.1.2 Vendor: CentOS  
Release : 46.el5 Build Date: Thu 03 Sep 2009  
12:58:45 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:25 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: gcc-4.1.2-  
46.el5.src.rpm  
Size : 520040 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:51 PM EDT, Key ID  
a8a447dce8562897  
URL : http://gcc.gnu.org  
Summary : Fortran 95 runtime  
Description :  
This package contains Fortran 95 shared library which is needed to run  
Fortran 95 dynamically linked programs.

**Name** : vim-common **Relocations:** (not relocatable)  
Version : 7.0.109 Vendor: CentOS  
Release : 6.el5 Build Date: Sat 19 Sep 2009  
05:24:40 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:27 PM EST Build Host:  
builder16.centos.org  
Group : Applications/Editors Source RPM: vim-7.0.109-  
6.el5.src.rpm  
Size : 15733295 License: freeware  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:55:10 PM EDT, Key ID  
a8a447dce8562897  
Summary : The common files needed by any version of the VIM editor.  
Description :  
VIM (VISual editor iMproved) is an updated and improved version of the  
vi editor. Vi was the first real screen-based editor for UNIX, and is  
still very popular. VIM improves on vi by adding new features:  
multiple windows, multi-level undo, block highlighting and more. The  
vim-common package contains files which every VIM binary will need in  
order to run.  
If you are installing vim-enhanced or vim-X11, you'll also need  
to install the vim-common package.

**Name** : cdparanoia-libs **Relocations:** (not relocatable)  
Version : alpha9.8 Vendor: CentOS  
Release : 27.2 Build Date: Sat 06 Jan 2007  
01:50:35 PM EST  
Install Date: Mon 19 Dec 2011 12:33:29 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries Source RPM: cdparanoia-alpha9.8-  
27.2.src.rpm  
Size : 114620 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:29 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.xiph.org/paranoia/index.html>  
Summary : Libraries for libcdda\_paranoia (Paranoia III).  
Description :  
The cdparanoia-libs package contains the dynamic libraries needed for  
applications which read CD Digital Audio disks.

**Name** : liboil **Relocations:** (not relocatable)  
Version : 0.3.8 Vendor: CentOS  
Release : 2.1 Build Date: Sat 06 Jan 2007  
03:20:53 AM EST  
Install Date: Mon 19 Dec 2011 12:33:30 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: liboil-0.3.8-  
2.1.src.rpm  
Size : 519586 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:37 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://liboil.freedesktop.org/>  
Summary : Library of Optimized Inner Loops, CPU optimized functions  
Description :  
Liboil is a library of simple functions that are optimized for various CPUs.  
These functions are generally loops implementing simple algorithms, such as  
converting an array of N integers to floating-point numbers or multiplying  
and summing an array of N numbers. Clearly such functions are candidates for

significant optimization using various techniques, especially by using extended instructions provided by modern CPUs (AltiVec, MMX, SSE, etc.).

**Name** : **imake** **Relocations:** (not relocatable)  
Version : 1.0.2 Vendor: CentOS  
Release : 3 Build Date: Sat 06 Jan 2007  
11:12:26 AM EST  
Install Date: Mon 19 Dec 2011 12:33:31 PM EST Build Host:  
builder5.centos.org  
Group : User Interface/X Source RPM: imake-1.0.2-3.src.rpm  
Size : 1248185 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:48 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : imake source code configuration and build system  
Description :  
Imake is a deprecated source code configuration and build system which has traditionally been supplied by and used to build the X Window System in X11R6 and previous releases. As of the X Window System X11R7 release, the X Window system has switched to using GNU autotools as the primary build system, and the Imake system is now deprecated, and should not be used by new software projects. Software developers are encouraged to migrate software to the GNU autotools system.

**Name** : **keyutils** **Relocations:** (not relocatable)  
Version : 1.2 Vendor: CentOS  
Release : 1.el5 Build Date: Sat 06 Jan 2007  
02:57:58 AM EST  
Install Date: Mon 19 Dec 2011 12:33:35 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Base Source RPM: keyutils-1.2-  
1.el5.src.rpm  
Size : 60955 License: GPL/LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:17 PM EDT, Key ID  
a8a447dce8562897  
URL : http://people.redhat.com/~dhowells/keyutils/  
Summary : Linux Key Management Utilities  
Description :  
Utilities to control the kernel key management facility and to provide a mechanism by which the kernel call back to userspace to get a key instantiated.

**Name** : **svrcore** **Relocations:** (not relocatable)  
Version : 4.0.4 Vendor: CentOS  
Release : 3.el5 Build Date: Sun 11 Nov 2007  
01:00:52 PM EST  
Install Date: Mon 19 Dec 2011 12:33:37 PM EST Build Host:  
builder7.centos.org  
Group : Development/Libraries Source RPM: svrcore-4.0.4-  
3.el5.src.rpm  
Size : 17442 License: MPL/GPL/LGPL  
Signature : DSA/SHA1, Tue 20 Nov 2007 02:16:32 PM EST, Key ID  
a8a447dce8562897  
URL : http://www.mozilla.org/projects/security/pki/  
Summary : Secure PIN handling using NSS crypto  
Description :  
svrcore provides applications with several ways to handle secure PIN storage

e.g. in an application that must be restarted, but needs the PIN to unlock the private key and other crypto material, without user intervention.  
svrcore  
uses the facilities provided by NSS.

**Name** : **iputils** **Relocations:** /usr  
Version : 20020927 Vendor: CentOS  
Release : 46.el5 Build Date: Sat 26 Sep 2009  
03:34:10 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:38 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Daemons Source RPM: iputils-20020927-  
46.el5.src.rpm  
Size : 268613 License: BSD  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:06 PM EDT, Key ID  
a8a447dce8562897  
Summary : Network monitoring tools including ping.  
Description :  
The iputils package contains basic utilities for monitoring a network,  
including ping. The ping command sends a series of ICMP protocol  
ECHO\_REQUEST packets to a specified network host to discover whether  
the target machine is alive and receiving network traffic.

**Name** : **meanwhile** **Relocations:** (not relocatable)  
Version : 1.0.2 Vendor: CentOS  
Release : 5.el5 Build Date: Fri 29 Jun 2007  
05:42:56 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:41 PM EST Build Host:  
builder4.centos.org  
Group : Applications/Internet Source RPM: meanwhile-1.0.2-  
5.el5.src.rpm  
Size : 260587 License: LGPL  
Signature : DSA/SHA1, Fri 29 Jun 2007 11:45:35 AM EDT, Key ID  
a8a447dce8562897  
URL : <http://meanwhile.sourceforge.net>  
Summary : Lotus Sametime Community Client library  
Description :  
The heart of the Meanwhile Project is the Meanwhile library, providing the  
basic Lotus Sametime session functionality along with the core services;  
Presence Awareness, Instant Messaging, Multi-user Conferencing, Preferences  
Storage, Identity Resolution, and File Transfer. This extensible client  
interface allows additional services to be added to a session at runtime,  
allowing for simple integration of future service handlers such as the user  
directory and whiteboard and screen-sharing.

**Name** : **libFS** **Relocations:** (not relocatable)  
Version : 1.0.0 Vendor: CentOS  
Release : 3.1 Build Date: Sun 07 Jan 2007  
06:10:58 AM EST  
Install Date: Mon 19 Dec 2011 12:33:42 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: libFS-1.0.0-  
3.1.src.rpm  
Size : 51937 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:26 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.x.org>



Summary : X.Org X11 libFS runtime library  
Description :  
X.Org X11 libFS runtime library

**Name** : libdv **Relocations:** (not relocatable)  
Version : 0.104 Vendor: CentOS  
Release : 4.fc6.1 Build Date: Sun 07 Jan 2007  
06:10:29 PM EST  
Install Date: Mon 19 Dec 2011 12:33:43 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: libdv-0.104-  
4.fc6.1.src.rpm  
Size : 172906 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:25 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://libdv.sourceforge.net/>  
Summary : Software decoder for DV format video  
Description :  
The Quasar DV codec (libdv) is a software codec for DV video, the  
encoding format used by most digital camcorders, typically those that  
support the IEEE 1394 (a.k.a. FireWire or i.Link) interface. libdv was  
developed according to the official standards for DV video: IEC 61834  
and SMPTE 314M.

**Name** : libart\_lgpl-devel **Relocations:** (not relocatable)  
Version : 2.3.17 Vendor: CentOS  
Release : 4 Build Date: Sat 06 Jan 2007  
07:05:30 AM EST  
Install Date: Mon 19 Dec 2011 12:33:47 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries Source RPM: libart\_lgpl-2.3.17-  
4.src.rpm  
Size : 74145 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:22 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.gnome.org/>  
Summary : Libraries and headers for libart\_lgpl  
Description :  
Graphics routines used by the GnomeCanvas widget and some other  
applications. libart renders vector paths and the like.

**Name** : nss-devel **Relocations:** (not relocatable)  
Version : 3.12.3.99.3 Vendor: CentOS  
Release : 1.el5.centos.2 Build Date: Mon 27 Jul 2009  
11:01:26 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:51 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: nss-3.12.3.99.3-  
1.el5.centos.2.src.rpm  
Size : 1018090 License: MPL/GPL/LGPL  
Signature : DSA/SHA1, Tue 28 Jul 2009 07:16:04 AM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.mozilla.org/projects/security/pki/nss/>  
Summary : Development libraries for Network Security Services  
Description :  
Header and Library files for doing development with Network Security  
Services.

**Name** : perl-XML-SAX **Relocations: (not relocatable)**  
Version : 0.14 Vendor: CentOS  
Release : 5 Build Date: Thu 22 Mar 2007  
01:12:11 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:52 PM EST Build Host: builder6  
Group : Development/Libraries Source RPM: perl-XML-SAX-0.14-  
5.src.rpm  
Size : 259413 License: GPL or Artistic  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:56 PM EDT, Key ID  
a8a447dce8562897  
URL : http://search.cpan.org/dist/XML-SAX/  
Summary : XML-SAX Perl module  
Description :  
XML-SAX Perl module.

**Name** : audiofile-devel **Relocations: (not relocatable)**  
Version : 0.2.6 Vendor: CentOS  
Release : 5 Build Date: Sat 06 Jan 2007  
05:18:02 PM EST  
Install Date: Mon 19 Dec 2011 12:33:54 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries Source RPM: audiofile-0.2.6-  
5.src.rpm  
Size : 35284 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:16 PM EDT, Key ID  
a8a447dce8562897  
Summary : Development files for Audio File applications.  
Description :  
The audiofile-devel package contains libraries, include files, and  
other resources you can use to develop Audio File applications.

**Name** : pygtk2-codegen **Relocations: (not relocatable)**  
Version : 2.10.1 Vendor: CentOS  
Release : 12.el5 Build Date: Sat 24 May 2008  
05:08:07 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:55 PM EST Build Host:  
builder16.centos.org  
Group : Development/Languages Source RPM: pygtk2-2.10.1-  
12.el5.src.rpm  
Size : 694512 License: LGPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:40:05 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.pygtk.org/  
Summary : The code generation program for PyGTK  
Description :  
This package contains the C code generation program for PyGTK.

**Name** : startup-notification **Relocations: (not relocatable)**  
Version : 0.8 Vendor: CentOS  
Release : 4.1 Build Date: Sat 06 Jan 2007  
01:57:35 PM EST  
Install Date: Mon 19 Dec 2011 12:33:56 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: startup-  
notification-0.8-4.1.src.rpm  
Size : 68161 License: LGPL

Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:45 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.freedesktop.org/software/startup-notification/  
Summary : Library for tracking application startup  
Description :  
This package contains libstartup-notification which implements a  
startup notification protocol. Using this protocol a desktop  
environment can track the launch of an application and provide  
feedback such as a busy cursor, among other features.

**Name : libXtst Relocations: (not relocatable)**  
Version : 1.0.1 Vendor: CentOS  
Release : 3.1 Build Date: Sun 07 Jan 2007  
02:36:29 AM EST  
Install Date: Mon 19 Dec 2011 12:33:57 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: libXtst-1.0.1-  
3.1.src.rpm  
Size : 20725 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:47 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXtst runtime library  
Description :  
X.Org X11 libXtst runtime library

**Name : libXxf86misc Relocations: (not relocatable)**  
Version : 1.0.1 Vendor: CentOS  
Release : 3.1 Build Date: Sat 06 Jan 2007  
07:20:31 PM EST  
Install Date: Mon 19 Dec 2011 12:33:57 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: libXxf86misc-1.0.1-  
3.1.src.rpm  
Size : 12241 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:47 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXxf86misc runtime library  
Description :  
X.Org X11 libXxf86misc runtime library

**Name : xorg-x11-xkb-utils Relocations: (not relocatable)**  
Version : 1.0.2 Vendor: CentOS  
Release : 2.1 Build Date: Sat 06 Jan 2007  
02:17:26 AM EST  
Install Date: Mon 19 Dec 2011 12:34:00 PM EST Build Host:  
builder5.centos.org  
Group : User Interface/X Source RPM: xorg-x11-xkb-utils-  
1.0.2-2.1.src.rpm  
Size : 381288 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:48 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 xkb utilities  
Description :  
X.Org X11 xkb utilities

**Name** : **xorg-x11-server-utils** **Relocations: (not relocatable)**  
Version : 7.1 Vendor: CentOS  
Release : 4.fc6 Build Date: Sat 06 Jan 2007  
01:49:57 AM EST  
Install Date: Mon 19 Dec 2011 12:34:00 PM EST Build Host:  
builder5.centos.org  
Group : User Interface/X Source RPM: xorg-x11-server-  
utils-7.1-4.fc6.src.rpm  
Size : 342129 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:46 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 X server utilities  
Description :  
A collection of utilities used to tweak and query the runtime configuration  
of the X server.

**Name** : **compat-gcc-34-g77** **Relocations: (not relocatable)**  
Version : 3.4.6 Vendor: CentOS  
Release : 4 Build Date: Mon 08 Jan 2007  
07:22:09 PM EST  
Install Date: Mon 19 Dec 2011 12:34:01 PM EST Build Host:  
builder4.centos.org  
Group : Development/Languages Source RPM: compat-gcc-34-3.4.6-  
4.src.rpm  
Size : 4858927 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:39 PM EDT, Key ID  
a8a447dce8562897  
URL : http://gcc.gnu.org  
Summary : Fortran 77 support for compatibility compiler  
Description :  
The compat-gcc-34-g77 package provides support for compiling Fortran 77  
programs with the GNU Compiler Collection.

**Name** : **perl-Mozilla-LDAP** **Relocations: (not relocatable)**  
Version : 1.5.2 Vendor: CentOS  
Release : 4.el5 Build Date: Sat 17 Nov 2007  
10:25:07 PM EST  
Install Date: Mon 19 Dec 2011 12:34:03 PM EST Build Host:  
builder7.centos.org  
Group : Development/Libraries Source RPM: perl-Mozilla-LDAP-  
1.5.2-4.el5.src.rpm  
Size : 525410 License: MPL/GPL/LGPL  
Signature : DSA/SHA1, Tue 20 Nov 2007 02:15:55 PM EST, Key ID  
a8a447dce8562897  
URL : http://www.mozilla.org/directory/perldap.html  
Summary : LDAP Perl module that wraps the Mozilla C SDK  
Description :  
LDAP Perl module that wraps the Mozilla C SDK.

**Name** : **numactl** **Relocations: (not relocatable)**  
Version : 0.9.8 Vendor: CentOS  
Release : 8.el5 Build Date: Sat 26 Sep 2009  
03:10:06 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:05 PM EST Build Host:  
builder16.centos.org

Group : System Environment/Base Source RPM: numactl-0.9.8-8.el5.src.rpm  
Size : 88843 License: LGPL/GPL  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:06 PM EDT, Key ID a8a447dce8562897  
URL : ftp://ftp.suse.com/pub/people/ak/numa/  
Summary : library for tuning for Non Uniform Memory Access machines  
Description :  
Simple NUMA policy support. It consists of a numactl program to run other programs with a specific NUMA policy and a libnuma to do allocations with NUMA policy in applications.

**Name : rsync Relocations: /usr**  
Version : 2.6.8 Vendor: CentOS  
Release : 3.1 Build Date: Fri 05 Jan 2007 11:58:10 PM EST  
Install Date: Mon 19 Dec 2011 12:34:06 PM EST Build Host: builder5.centos.org  
Group : Applications/Internet Source RPM: rsync-2.6.8-3.1.src.rpm  
Size : 401189 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:24 PM EDT, Key ID a8a447dce8562897  
Summary : A program for synchronizing files over a network.  
Description :  
Rsync uses a reliable algorithm to bring remote and host files into sync very quickly. Rsync is fast because it just sends the differences in the files over the network instead of sending the complete files. Rsync is often used as a very powerful mirroring process or just as a more capable replacement for the rcp command. A technical report which describes the rsync algorithm is included in this package.

**Name : talk Relocations: (not relocatable)**  
Version : 0.17 Vendor: CentOS  
Release : 29.2.2 Build Date: Sun 07 Jan 2007 01:37:38 AM EST  
Install Date: Mon 19 Dec 2011 12:34:08 PM EST Build Host: builder1.centos.org  
Group : Applications/Internet Source RPM: talk-0.17-29.2.2.src.rpm  
Size : 25936 License: BSD  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:51 PM EDT, Key ID a8a447dce8562897  
Summary : Talk client for one-on-one Internet chatting.  
Description :  
The talk package provides client programs for the Internet talk protocol, which allows you to chat with other users on different systems. Talk is a communication program which copies lines from one terminal to the terminal of another user.  
Install talk if you'd like to use talk for chatting with users on different systems.

**Name : nc Relocations: (not relocatable)**  
Version : 1.84 Vendor: CentOS  
Release : 10.fc6 Build Date: Sun 07 Jan 2007 05:35:55 AM EST

Install Date: Mon 19 Dec 2011 12:34:08 PM EST      Build Host:  
builder5.centos.org  
Group           : Applications/Internet            Source RPM: nc-1.84-  
10.fc6.src.rpm  
Size            : 109711                            License: GPL  
Signature      : DSA/SHA1, Tue 03 Apr 2007 08:25:12 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.openbsd.org/cgi-bin/cvsweb/src/usr.bin/nc/  
Summary         : Reads and writes data across network connections using TCP or  
UDP.

Description :

The nc package contains Netcat (the program is actually nc), a simple utility for reading and writing data across network connections, using the TCP or UDP protocols. Netcat is intended to be a reliable back-end tool which can be used directly or easily driven by other programs and scripts. Netcat is also a feature-rich network debugging and exploration tool, since it can create many different connections and has many built-in capabilities.

You may want to install the netcat package if you are administering a network and you'd like to use its debugging and network exploration capabilities.

**Name            : tftp                            Relocations: (not relocatable)**  
Version         : 0.49                            Vendor: CentOS  
Release         : 2.el5.centos                 Build Date: Sat 26 Sep 2009  
12:30:44 PM EDT

Install Date: Mon 19 Dec 2011 12:34:10 PM EST      Build Host:  
builder16.centos.org  
Group           : Applications/Internet            Source RPM: tftp-0.49-  
2.el5.centos.src.rpm  
Size            : 25236                            License: BSD  
Signature      : DSA/SHA1, Sun 27 Sep 2009 10:20:07 PM EDT, Key ID  
a8a447dce8562897  
Summary         : The client for the Trivial File Transfer Protocol (TFTP).

Description :

The Trivial File Transfer Protocol (TFTP) is normally used only for booting diskless workstations. The tftp package provides the user interface for TFTP, which allows users to transfer files to and from a remote machine. This program and TFTP provide very little security, and should not be enabled unless it is expressly needed.

**Name            : rdate                           Relocations: (not relocatable)**  
Version         : 1.4                            Vendor: CentOS  
Release         : 8.el5                          Build Date: Thu 26 Feb 2009  
05:52:53 PM EST

Install Date: Mon 19 Dec 2011 12:34:11 PM EST      Build Host:  
chamkaur.karan.org  
Group           : Applications/System             Source RPM: rdate-1.4-  
8.el5.src.rpm  
Size            : 8048                            License: GPL  
Signature      : DSA/SHA1, Sun 08 Mar 2009 09:49:00 PM EDT, Key ID  
a8a447dce8562897

Packager       : Karanbir Singh <kbsingh@karan.org>  
Summary         : Tool for getting the date/time from a remote machine.

Description :

The rdate utility retrieves the date and time from another machine on your network, using the protocol described in RFC 868. If you run

rdate as root, it will set your machine's local time to the time of the machine that you queried.

**Name** : **rdist** **Relocations:** (not relocatable)  
Version : 6.1.5 Vendor: CentOS  
Release : 44 Build Date: Sat 06 Jan 2007  
07:33:34 PM EST  
Install Date: Mon 19 Dec 2011 12:34:11 PM EST Build Host:  
builder5.centos.org  
Group : Applications/System Source RPM: rdist-6.1.5-  
44.src.rpm  
Size : 165792 License: BSD  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:19 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.MagniComp.com/rdist>  
Summary : Maintains identical copies of files on multiple machines.  
Description :  
The RDist program maintains identical copies of files on multiple  
hosts. If possible, RDist will preserve the owner, group, mode and  
mtime of files and it can update programs that are executing.  
Install rdist if you need to maintain identical copies of files on  
multiple hosts.

**Name** : **lrzsz** **Relocations:** (not relocatable)  
Version : 0.12.20 Vendor: CentOS  
Release : 22.1 Build Date: Sun 07 Jan 2007  
03:05:54 AM EST  
Install Date: Mon 19 Dec 2011 12:34:12 PM EST Build Host:  
builder5.centos.org  
Group : Applications/Communications Source RPM: lrzsz-0.12.20-  
22.1.src.rpm  
Size : 153263 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:49 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.ohse.de/uwe/software/lrzsz.html>  
Summary : The lrz and lsz modem communications programs.  
Description :  
Lrzsz (consisting of lrz and lsz) is a cosmetically modified  
zmodem/ymodem/xmodem package built from the public-domain version of  
the rzzsz package. Lrzsz was created to provide a working GNU  
copylefted Zmodem solution for Linux systems.

**Name** : **libacl-devel** **Relocations:** (not relocatable)  
Version : 2.2.39 Vendor: CentOS  
Release : 3.el5 Build Date: Sat 24 May 2008  
10:33:30 AM EDT  
Install Date: Mon 19 Dec 2011 12:34:13 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: acl-2.2.39-  
3.el5.src.rpm  
Size : 132400 License: LGPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:36:00 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://oss.sgi.com/projects/xf/>  
Summary : Access control list static libraries and headers.  
Description :  
This package contains static libraries and header files needed to develop

programs which make use of the access control list programming interface defined in POSIX 1003.1e draft standard 17.

**Name** : perl-Archive-Zip **Relocations:** (not relocatable)  
Version : 1.16 Vendor: CentOS  
Release : 1.2.1 Build Date: Tue 09 Jan 2007  
11:44:06 PM EST  
Install Date: Mon 19 Dec 2011 12:34:15 PM EST Build Host:  
builder3.centos.org  
Group : Development/Libraries Source RPM: perl-Archive-Zip-  
1.16-1.2.1.src.rpm  
Size : 412088 License: GPL or Artistic  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:53 PM EDT, Key ID  
a8a447dce8562897  
URL : http://search.cpan.org/dist/Archive-Zip/  
Summary : Perl library for accessing Zip archives  
Description :  
The Archive::Zip module allows a Perl program to create, manipulate,  
read, and write Zip archive files.  
Zip archives can be created, or you can read from existing zip files.  
Once created, they can be written to files, streams, or strings.  
Members can be added, removed, extracted, replaced, rearranged, and  
enumerated. They can also be renamed or have their dates, comments,  
or other attributes queried or modified. Their data can be compressed  
or uncompressed as needed. Members can be created from members in  
existing Zip files, or from existing directories, files, or strings.

**Name** : aspell-en **Relocations:** (not relocatable)  
Version : 6.0 Vendor: CentOS  
Release : 2.1 Build Date: Sat 06 Jan 2007  
01:08:59 PM EST  
Install Date: Mon 19 Dec 2011 12:34:16 PM EST Build Host:  
builder1.centos.org  
Group : Applications/Text Source RPM: aspell-en-6.0-  
2.1.src.rpm  
Size : 3551911 License: distributable  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:05 PM EDT, Key ID  
a8a447dce8562897  
URL : http://aspell.net/  
Summary : English dictionaries for Aspell.  
Description :  
Provides the word list/dictionaries for the following: English, Canadian  
English, British English

**Name** : gdbm-devel **Relocations:** (not relocatable)  
Version : 1.8.0 Vendor: CentOS  
Release : 26.2.1 Build Date: Sat 06 Jan 2007  
10:08:11 AM EST  
Install Date: Mon 19 Dec 2011 12:34:17 PM EST Build Host:  
builder5.centos.org  
Group : Development/Libraries Source RPM: gdbm-1.8.0-  
26.2.1.src.rpm  
Size : 77530 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:06 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnu.org/software/gdbm/  
Summary : Development libraries and header files for the gdbm library.



Description :

Gdbm-devel contains the development libraries and header files for gdbm, the GNU database system. These libraries and header files are necessary if you plan to do development using the gdbm database. Install gdbm-devel if you are developing C programs which will use the gdbm database library. You'll also need to install the gdbm package.

**Name** : perl-XML-Parser **Relocations:** (not relocatable)  
Version : 2.34 Vendor: CentOS  
Release : 6.1.2.2.1 Build Date: Mon 08 Jan 2007  
02:08:53 PM EST  
Install Date: Mon 19 Dec 2011 12:34:21 PM EST Build Host:  
builder5.centos.org  
Group : Development/Libraries Source RPM: perl-XML-Parser-2.34-  
6.1.2.2.1.src.rpm  
Size : 452185 License: GPL or Artistic  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:56 PM EDT, Key ID  
a8a447dce8562897  
URL : http://search.cpan.org/dist/XML-Parser/  
Summary : A low level Perl module for parsing XML either via trees or  
streaming

Description :

This module provides ways to parse XML documents. It is built on top of XML::Parser::Expat, which is a lower level interface to James Clark's expat library. Each call to one of the parsing methods creates a new instance of XML::Parser::Expat which is then used to parse the document. Expat options may be provided when the XML::Parser object is created. These options are then passed on to the Expat object on each parse call. They can also be given as extra arguments to the parse methods, in which case they override options given at XML::Parser creation time.

**Name** : e2fsprogs-libs **Relocations:** (not relocatable)  
Version : 1.39 Vendor: CentOS  
Release : 23.el5 Build Date: Thu 03 Sep 2009  
03:56:48 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:23 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: e2fsprogs-1.39-  
23.el5.src.rpm  
Size : 210244 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:30 PM EDT, Key ID  
a8a447dce8562897  
URL : http://e2fsprogs.sourceforge.net/  
Summary : Ext2/3 filesystem-specific static libraries and headers

Description :

E2fsprogs-lib contains the libraries of the e2fsprogs package.

**Name** : openldap **Relocations:** (not relocatable)  
Version : 2.3.43 Vendor: CentOS  
Release : 3.el5 Build Date: Wed 21 Jan 2009  
04:00:11 AM EST  
Install Date: Mon 19 Dec 2011 12:34:28 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Daemons Source RPM: openldap-2.3.43-  
3.el5.src.rpm  
Size : 607279 License: OpenLDAP

Signature : DSA/SHA1, Sun 08 Mar 2009 09:47:03 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.openldap.org/  
Summary : The configuration files, libraries, and documentation for  
OpenLDAP.

Description :

OpenLDAP is an open source suite of LDAP (Lightweight Directory Access Protocol) applications and development tools. LDAP is a set of protocols for accessing directory services (usually phone book style information, but other information is possible) over the Internet, similar to the way DNS (Domain Name System) information is propagated over the Internet. The openldap package contains configuration files, libraries, and documentation for OpenLDAP.

**Name** : libxml2-python **Relocations:** /usr  
Version : 2.6.26 Vendor: CentOS  
Release : 2.1.2.8 Build Date: Mon 10 Aug 2009  
06:02:24 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:30 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: libxml2-2.6.26-  
2.1.2.8.src.rpm  
Size : 2378298 License: MIT  
Signature : DSA/SHA1, Tue 11 Aug 2009 05:21:17 PM EDT, Key ID  
a8a447dce8562897  
URL : http://xmlsoft.org/  
Summary : Python bindings for the libxml2 library

Description :

The libxml2-python package contains a module that permits applications written in the Python programming language to use the interface supplied by the libxml2 library to manipulate XML files. This library allows to manipulate XML files. It includes support to read, modify and write XML and HTML files. There is DTDs support this includes parsing and validation even with complex DTDs, either at parse time or later once the document has been modified.

**Name** : ruby-libs **Relocations: (not relocatable)**  
Version : 1.8.5 Vendor: CentOS  
Release : 5.el5\_3.7 Build Date: Thu 02 Jul 2009  
06:41:06 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:35 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: ruby-1.8.5-  
5.el5\_3.7.src.rpm  
Size : 5204591 License: Ruby License/GPL -  
see COPYING  
Signature : DSA/SHA1, Thu 02 Jul 2009 07:48:31 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.ruby-lang.org/  
Summary : Libraries necessary to run Ruby.  
Description :  
This package includes the libruby, necessary to run Ruby.

**Name** : pyxf86config **Relocations: (not relocatable)**  
Version : 0.3.31 Vendor: CentOS  
Release : 2.fc6 Build Date: Sun 07 Jan 2007  
01:14:35 AM EST

Install Date: Mon 19 Dec 2011 12:34:36 PM EST      Build Host:  
builder1.centos.org  
Group       : System Environment/Libraries      Source RPM: pyxf86config-0.3.31-  
2.fc6.src.rpm  
Size        : 171688                              License: GPL  
Signature   : DSA/SHA1, Tue 03 Apr 2007 08:27:10 PM EDT, Key ID  
a8a447dce8562897  
URL         : http://www.redhat.com/  
Summary     : Python wrappers for libxf86config  
Description :  
Python wrappers for the X server config file library libxf86config.  
It is used to read and write X server configuration files.

**Name        : libxml2-devel                      Relocations: /usr**  
Version     : 2.6.26                              Vendor: CentOS  
Release     : 2.1.2.8                             Build Date: Mon 10 Aug 2009  
06:02:24 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:37 PM EST      Build Host:  
builder16.centos.org  
Group       : Development/Libraries            Source RPM: libxml2-2.6.26-  
2.1.2.8.src.rpm  
Size        : 10502557                            License: MIT  
Signature   : DSA/SHA1, Tue 11 Aug 2009 05:21:17 PM EDT, Key ID  
a8a447dce8562897  
URL         : http://xmlsoft.org/  
Summary     : Libraries, includes, etc. to develop XML and HTML applications  
Description :  
Libraries, include files, etc you can use to develop XML applications.  
This library allows to manipulate XML files. It includes support  
to read, modify and write XML and HTML files. There is DTDs support  
this includes parsing and validation even with complex Dtds, either  
at parse time or later once the document has been modified. The output  
can be a simple SAX stream or and in-memory DOM like representations.  
In this case one can use the built-in XPath and XPointer implementation  
to select subnodes or ranges. A flexible Input/Output mechanism is  
available, with existing HTTP and FTP modules and combined to an  
URI library.

**Name        : esound-devel                      Relocations: (not relocatable)**  
Version     : 0.2.36                              Vendor: CentOS  
Release     : 3                                    Build Date: Sun 07 Jan 2007  
06:21:15 AM EST  
Install Date: Mon 19 Dec 2011 12:34:39 PM EST      Build Host:  
builder5.centos.org  
Group       : Development/Libraries            Source RPM: esound-0.2.36-  
3.src.rpm  
Size        : 76942                               License: GPL  
Signature   : DSA/SHA1, Tue 03 Apr 2007 08:21:35 PM EDT, Key ID  
a8a447dce8562897  
URL         : ftp://ftp.gnome.org/pub/GNOME/sources/esound  
Summary     : Development files for Esound applications.  
Description :  
The esound-devel package includes the libraries, include files and  
other resources needed to develop Esound applications.

**Name        : ruby-rdoc                         Relocations: (not relocatable)**  
Version     : 1.8.5                               Vendor: CentOS

Release : 5.el5\_3.7 Build Date: Thu 02 Jul 2009  
06:41:06 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:47 PM EST Build Host:  
builder16.centos.org  
Group : Development/Languages Source RPM: ruby-1.8.5-  
5.el5\_3.7.src.rpm  
Size : 458396 License: Ruby License/GPL -  
see COPYING  
Signature : DSA/SHA1, Thu 02 Jul 2009 07:48:32 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.ruby-lang.org/  
Summary : A tool to generate documentation from Ruby source files  
Description :  
The rdoc is a tool to generate the documentation from Ruby source files.  
It supports some output formats, like HTML, Ruby interactive reference (ri),  
XML and Windows Help file (chm).

**Name : libgcj Relocations: (not relocatable)**  
Version : 4.1.2 Vendor: CentOS  
Release : 46.el5 Build Date: Thu 03 Sep 2009  
12:58:45 AM EDT  
Install Date: Mon 19 Dec 2011 12:34:54 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: gcc-4.1.2-  
46.el5.src.rpm  
Size : 41768257 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:49 PM EDT, Key ID  
a8a447dce8562897  
URL : http://gcc.gnu.org  
Summary : Java runtime library for gcc  
Description :  
The Java(tm) runtime library. You will need this package to run your Java  
programs compiled using the Java compiler from GNU Compiler Collection (gcj).

**Name : gtk2-engines Relocations: (not relocatable)**  
Version : 2.8.0 Vendor: CentOS  
Release : 3.el5 Build Date: Wed 14 Mar 2007  
12:44:19 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:55 PM EST Build Host:  
builder4.centos.org  
Group : System Environment/Libraries Source RPM: gtk2-engines-2.8.0-  
3.el5.src.rpm  
Size : 951641 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:42 PM EDT, Key ID  
a8a447dce8562897  
URL : ftp://ftp.gnome.org/pub/GNOME/sources/gtk-engines  
Summary : Theme engines for GTK+ 2.0  
Description :  
The gtk2-engines package contains shared objects and configuration  
files that implement a number of GTK+ theme engines. Theme engines  
provide different looks for GTK+, some of which resemble other  
toolkits or operating systems. This package is for GTK+ 2.0,  
the gtk+-engines package is for GTK+ 1.2.

**Name : gamin-python Relocations: (not relocatable)**  
Version : 0.1.7 Vendor: CentOS  
Release : 8.el5 Build Date: Wed 14 Mar 2007

10:48:35 AM EDT

Install Date: Mon 19 Dec 2011 12:35:01 PM EST      Build Host:  
builder5.centos.org  
Group           : Development/Libraries            Source RPM: gamin-0.1.7-  
8.el5.src.rpm  
Size            : 190090                            License: LGPL  
Signature       : DSA/SHA1, Tue 03 Apr 2007 08:22:00 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.gnome.org/~veillard/gamin/  
Summary         : Python bindings for the gamin library  
Description     :  
The gamin-python package contains a module that allow monitoring of  
files and directories from the Python language based on the support  
of the gamin package.

**Name            : Xaw3d                            Relocations: /usr**  
Version         : 1.5E                            Vendor: CentOS  
Release         : 10.1                           Build Date: Sat 06 Jan 2007  
05:07:43 AM EST

Install Date: Mon 19 Dec 2011 12:35:02 PM EST      Build Host:  
builder5.centos.org  
Group           : System Environment/Libraries    Source RPM: Xaw3d-1.5E-  
10.1.src.rpm  
Size            : 318480                           License: MIT  
Signature       : DSA/SHA1, Tue 03 Apr 2007 08:28:31 PM EDT, Key ID  
a8a447dce8562897  
Summary         : A version of the MIT Athena widget set for X.  
Description     :  
Xaw3d is an enhanced version of the MIT Athena Widget set for  
the X Window System. Xaw3d adds a three-dimensional look to applications  
with minimal or no source code changes.  
You should install Xaw3d if you are using applications which incorporate  
the MIT Athena widget set and you'd like to incorporate a 3D look into  
those applications.

**Name            : trousers                       Relocations: (not relocatable)**  
Version         : 0.3.1                           Vendor: CentOS  
Release         : 4.el5                           Build Date: Sun 25 May 2008  
12:43:04 AM EDT

Install Date: Mon 19 Dec 2011 12:35:06 PM EST      Build Host:  
builder10.centos.org  
Group           : System Environment/Libraries    Source RPM: trousers-0.3.1-  
4.el5.src.rpm  
Size            : 811968                           License: CPL  
Signature       : DSA/SHA1, Sat 14 Jun 2008 07:41:34 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://trousers.sourceforge.net  
Summary         : TCG's Software Stack v1.2  
Description     :  
TrouSerS is an implementation of the Trusted Computing Group's Software Stack  
(TSS) specification. You can use TrouSerS to write applications that make use  
of your TPM hardware. TPM hardware can create, store and use RSA keys  
securely (without ever being exposed in memory), verify a platform's software  
state using cryptographic hashes and more.

**Name            : php-cli                         Relocations: (not relocatable)**  
Version         : 5.1.6                           Vendor: CentOS

Release : 23.2.el5\_3 Build Date: Tue 07 Apr 2009  
08:04:02 AM EDT  
Install Date: Mon 19 Dec 2011 12:35:08 PM EST Build Host:  
builder10.centos.org  
Group : Development/Languages Source RPM: php-5.1.6-  
23.2.el5\_3.src.rpm  
Size : 5410033 License: The PHP License v3.01  
Signature : DSA/SHA1, Tue 07 Apr 2009 08:20:04 AM EDT, Key ID  
a8a447dce8562897  
URL : http://www.php.net/  
Summary : Command-line interface for PHP  
Description :  
The php-cli package contains the command-line interface  
executing PHP scripts, /usr/bin/php, and the CGI interface.

**Name : paps Relocations: (not relocatable)**  
Version : 0.6.6 Vendor: CentOS  
Release : 18.el5 Build Date: Sat 21 Jun 2008  
08:57:44 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:09 PM EST Build Host:  
builder16.centos.org  
Group : Applications/Publishing Source RPM: paps-0.6.6-  
18.el5.src.rpm  
Size : 57535 License: LGPL  
Signature : DSA/SHA1, Tue 24 Jun 2008 04:17:49 AM EDT, Key ID  
a8a447dce8562897  
URL : http://paps.sourceforge.net/  
Summary : Plain Text to PostScript converter  
Description :  
paps is a PostScript converter from plain text file using Pango.

**Name : tkinter Relocations: (not relocatable)**  
Version : 2.4.3 Vendor: CentOS  
Release : 27.el5 Build Date: Thu 03 Sep 2009  
03:41:41 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:12 PM EST Build Host:  
builder16.centos.org  
Group : Development/Languages Source RPM: python-2.4.3-  
27.el5.src.rpm  
Size : 1051716 License: PSF - see LICENSE  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:55:09 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.python.org/  
Summary : A graphical user interface for the Python scripting language.  
Description :  
The Tkinter (Tk interface) program is an graphical user interface for  
the Python scripting language.  
You should install the tkinter package if you'd like to use a graphical  
user interface for Python programming.

**Name : SysVinit Relocations: (not relocatable)**  
Version : 2.86 Vendor: CentOS  
Release : 15.el5 Build Date: Wed 21 Jan 2009  
03:22:13 AM EST  
Install Date: Mon 19 Dec 2011 12:35:16 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: SysVinit-2.86-

15.el5.src.rpm

Size : 194173 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:49:18 PM EDT, Key ID  
a8a447dce8562897

Summary : Programs which control basic system processes.

Description :

The SysVinit package contains a group of processes that control the very basic functions of your system. SysVinit includes the init program, the first program started by the Linux kernel when the system boots. Init then controls the startup, running, and shutdown of all other programs.

**Name : sip Relocations: (not relocatable)**  
Version : 4.4.5 Vendor: CentOS  
Release : 3 Build Date: Sat 06 Jan 2007  
09:56:45 AM EST  
Install Date: Mon 19 Dec 2011 12:35:18 PM EST Build Host:  
builder5.centos.org  
Group : Development/Tools Source RPM: sip-4.4.5-3.src.rpm  
Size : 563833 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:41 PM EDT, Key ID  
a8a447dce8562897

URL : <http://www.riverbankcomputing.co.uk/>

Summary : SIP - Python/C++ Bindings Generator

Description :

SIP is a tool for generating bindings for C++ classes so that they can be accessed as normal Python classes. SIP takes many of its ideas from SWIG but, because it is specifically designed for C++ and Python, is able to generate tighter bindings. SIP is so called because it is a small SWIG. SIP was originally designed to generate Python bindings for KDE and so has explicit support for the signal slot mechanism used by the Qt/KDE class libraries. However, SIP can be used to generate Python bindings for any C++ class library.

**Name : distcache Relocations: (not relocatable)**  
Version : 1.4.5 Vendor: CentOS  
Release : 14.1 Build Date: Sat 06 Jan 2007  
02:02:14 AM EST  
Install Date: Mon 19 Dec 2011 12:35:20 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Daemons Source RPM: distcache-1.4.5-  
14.1.src.rpm  
Size : 247063 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:21:11 PM EDT, Key ID  
a8a447dce8562897

URL : <http://www.distcache.org/>

Summary : Distributed SSL session cache

Description :

The distcache package provides a variety of functionality for enabling a network-based session caching system, primarily for (though not restricted to) SSL/TLS session caching.

**Name : kexec-tools Relocations: (not relocatable)**  
Version : 1.102pre Vendor: CentOS  
Release : 77.el5 Build Date: Thu 03 Sep 2009  
06:25:22 PM EDT

Install Date: Mon 19 Dec 2011 12:35:24 PM EST      Build Host:  
builder16.centos.org  
Group           : Applications/System                Source RPM: kexec-tools-1.102pre-  
77.el5.src.rpm  
Size            : 1222585                            License: GPL  
Signature      : DSA/SHA1, Sat 19 Sep 2009 11:53:47 PM EDT, Key ID  
a8a447dce8562897  
Summary        : The kexec/kdump userspace component.  
Description    :  
kexec-tools provides /sbin/kexec binary that facilitates a new  
kernel to boot using the kernel's kexec feature either on a  
normal or a panic reboot. This package contains the /sbin/kexec  
binary and ancillary utilities that together form the userspace  
component of the kernel's kexec feature.

**Name            : lvm2                               Relocations: (not relocatable)**  
Version         : 2.02.46                            Vendor: CentOS  
Release         : 8.el5                             Build Date: Fri 04 Sep 2009  
10:48:55 AM EDT  
Install Date: Mon 19 Dec 2011 12:35:26 PM EST      Build Host:  
builder10.centos.org  
Group           : System Environment/Base           Source RPM: lvm2-2.02.46-  
8.el5.src.rpm  
Size            : 6133149                            License: GPL  
Signature      : DSA/SHA1, Sat 19 Sep 2009 11:53:55 PM EDT, Key ID  
a8a447dce8562897  
URL             : <http://sources.redhat.com/lvm2>  
Summary        : Userland logical volume management tools  
Description    :  
LVM2 includes all of the support for handling read/write operations on  
physical volumes (hard disks, RAID-Systems, magneto optical, etc.,  
multiple devices (MD), see mdadd(8) or even loop devices, see  
losetup(8)), creating volume groups (kind of virtual disks) from one  
or more physical volumes and creating one or more logical volumes  
(kind of logical partitions) in volume groups.

**Name            : openssh                            Relocations: (not relocatable)**  
Version         : 4.3p2                             Vendor: CentOS  
Release         : 36.el5                            Build Date: Thu 03 Sep 2009  
02:12:42 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:31 PM EST      Build Host:  
builder10.centos.org  
Group           : Applications/Internet            Source RPM: openssh-4.3p2-  
36.el5.src.rpm  
Size            : 744114                            License: BSD  
Signature      : DSA/SHA1, Wed 09 Sep 2009 11:54:11 AM EDT, Key ID  
a8a447dce8562897  
URL             : <http://www.openssh.com/portable.html>  
Summary        : The OpenSSH implementation of SSH protocol versions 1 and 2  
Description    :  
SSH (Secure SHell) is a program for logging into and executing  
commands on a remote machine. SSH is intended to replace rlogin and  
rsh, and to provide secure encrypted communications between two  
untrusted hosts over an insecure network. X11 connections and  
arbitrary TCP/IP ports can also be forwarded over the secure channel.  
OpenSSH is OpenBSD's version of the last free version of SSH, bringing  
it up to date in terms of security and features, as well as removing



all patented algorithms to separate libraries.  
This package includes the core files necessary for both the OpenSSH client and server. To make this package useful, you should also install openssh-clients, openssh-server, or both.

**Name** : **dhclient** **Relocations:** (not relocatable)  
Version : 3.0.5 Vendor: CentOS  
Release : 21.el5 Build Date: Thu 03 Sep 2009  
01:23:29 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:37 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: dhcp-3.0.5-  
21.el5.src.rpm  
Size : 544150 License: distributable  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:29 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://isc.org/products/DHCP/>  
Summary : Provides the dhclient ISC DHCP client daemon and dhclient-  
script.  
Description :  
DHCP (Dynamic Host Configuration Protocol) is a protocol which allows individual devices on an IP network to get their own network configuration information (IP address, subnetmask, broadcast address, etc.) from a DHCP server. The overall purpose of DHCP is to make it easier to administer a large network.  
To use DHCP on your network, install a DHCP service (or relay agent), and on clients run a DHCP client daemon. The dhclient package provides the ISC DHCP client daemon.

**Name** : **libselenium-utils** **Relocations:** (not relocatable)  
Version : 1.33.4 Vendor: CentOS  
Release : 5.5.el5 Build Date: Thu 03 Sep 2009  
07:05:42 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:56 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: libselenium-1.33.4-  
5.5.el5.src.rpm  
Size : 40636 License: Public domain  
(uncopyrighted)  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:53 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.nsa.gov/selenium>  
Summary : SELinux libselenium utilities  
Description :  
The libselenium-utils package contains the SELinux utilities

**Name** : **openssh-clients** **Relocations:** (not relocatable)  
Version : 4.3p2 Vendor: CentOS  
Release : 36.el5 Build Date: Thu 03 Sep 2009  
02:12:42 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:58 PM EST Build Host:  
builder10.centos.org  
Group : Applications/Internet Source RPM: openssh-4.3p2-  
36.el5.src.rpm  
Size : 867182 License: BSD  
Signature : DSA/SHA1, Wed 09 Sep 2009 11:54:11 AM EDT, Key ID  
a8a447dce8562897

URL : <http://www.openssh.com/portable.html>

Summary : The OpenSSH client applications

Description :

OpenSSH is a free version of SSH (Secure SHell), a program for logging into and executing commands on a remote machine. This package includes the clients necessary to make encrypted connections to SSH servers. You'll also need to install the openssh package on OpenSSH clients.

**Name** : **php** **Relocations: (not relocatable)**  
Version : 5.1.6 Vendor: CentOS  
Release : 23.2.el5\_3 Build Date: Tue 07 Apr 2009  
08:04:02 AM EDT  
Install Date: Mon 19 Dec 2011 12:36:01 PM EST Build Host:  
builder10.centos.org  
Group : Development/Languages Source RPM: php-5.1.6-  
23.2.el5\_3.src.rpm  
Size : 3017223 License: The PHP License v3.01  
Signature : DSA/SHA1, Tue 07 Apr 2009 08:20:04 AM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.php.net/>  
Summary : The PHP HTML-embedded scripting language. (PHP: Hypertext  
Preprocessor)

Description :

PHP is an HTML-embedded scripting language. PHP attempts to make it easy for developers to write dynamically generated webpages. PHP also offers built-in database integration for several commercial and non-commercial database management systems, so writing a database-enabled webpage with PHP is fairly simple. The most common use of PHP coding is probably as a replacement for CGI scripts. The php package contains the module which adds support for the PHP language to Apache HTTP Server.

**Name** : **microcode\_ctl** **Relocations: (not relocatable)**  
Version : 1.17 Vendor: CentOS  
Release : 1.48.el5 Build Date: Thu 03 Sep 2009  
06:47:21 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:03 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: microcode\_ctl-1.17-  
1.48.el5.src.rpm  
Size : 1249699 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:56 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.urbanmyth.org/microcode/>  
Summary : Tool to update x86/x86-64 CPU microcode.

Description :

microcode\_ctl - updates the microcode on Intel x86/x86-64 CPU's

**Name** : **subversion** **Relocations: (not relocatable)**  
Version : 1.4.2 Vendor: CentOS  
Release : 4.el5\_3.1 Build Date: Mon 10 Aug 2009  
06:32:28 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:05 PM EST Build Host:  
builder16.centos.org  
Group : Development/Tools Source RPM: subversion-1.4.2-  
4.el5\_3.1.src.rpm  
Size : 8010002 License: BSD

Signature : DSA/SHA1, Tue 11 Aug 2009 05:17:12 PM EDT, Key ID  
a8a447dce8562897  
URL : http://subversion.tigris.org/  
Summary : Modern Version Control System designed to replace CVS  
Description :  
Subversion is a concurrent version control system which enables one  
or more users to collaborate in developing and maintaining a  
hierarchy of files and directories while keeping a history of all  
changes. Subversion only stores the differences between versions,  
instead of every complete file. Subversion is intended to be a  
compelling replacement for CVS.

**Name : pam\_ccreds Relocations: (not relocatable)**  
Version : 3 Vendor: CentOS  
Release : 5 Build Date: Sat 06 Jan 2007  
05:08:19 AM EST  
Install Date: Mon 19 Dec 2011 12:36:09 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Base Source RPM: pam\_ccreds-3-  
5.src.rpm  
Size : 32616 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:49 PM EDT, Key ID  
a8a447dce8562897  
Summary : Pam module to cache login credentials  
Description :  
The pam\_ccreds module provides a mechanism for caching  
credentials when authenticating against a network  
authentication service, so that authentication can still  
proceed when the service is down. Note at present no  
mechanism is provided for caching `_authorization_`  
information, i.e. whether you are allowed to login once  
authenticated.

**Name : eruby Relocations: (not relocatable)**  
Version : 1.0.5 Vendor: CentOS  
Release : 6.1 Build Date: Sat 06 Jan 2007  
07:30:52 PM EST  
Install Date: Mon 19 Dec 2011 12:36:12 PM EST Build Host:  
builder5.centos.org  
Group : Development/Languages Source RPM: eruby-1.0.5-  
6.1.src.rpm  
Size : 43591 License: distributable  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:21:34 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.modruby.net/  
Summary : An interpreter of embedded Ruby language  
Description :  
eRuby interprets a Ruby code embedded text file. For example, eRuby  
enables you to embed a Ruby code to a HTML file.

**Name : xcdroast Relocations: (not relocatable)**  
Version : 0.98a15 Vendor: CentOS  
Release : 12.2.2 Build Date: Sat 06 Jan 2007  
04:59:11 AM EST  
Install Date: Mon 19 Dec 2011 12:36:16 PM EST Build Host:  
builder5.centos.org  
Group : Applications/Multimedia Source RPM: xcdroast-0.98a15-

12.2.2.src.rpm

Size : 3893282 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:32 PM EDT, Key ID  
a8a447dce8562897

URL : <http://www.xcdroast.org/>

Summary : An X Window System based tool for creating CDs.

Description :

X-CD-Roast provides a GUI interface for commands like cdrecord and mkisofs. X-CD-Roast includes a self-explanatory X11 user interface, automatic SCSI and IDE hardware setup, support for mastering of new ISO9660 data CDs, support for production of new audio CDs, fast copying of CDs without hard disk buffering, and a logfile option.

**Name : xorg-x11-apps Relocations: (not relocatable)**  
Version : 7.1 Vendor: CentOS  
Release : 4.0.1.el5 Build Date: Mon 16 Apr 2007  
09:59:00 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:19 PM EST Build Host: builder6  
Group : User Interface/X Source RPM: xorg-x11-apps-7.1-  
4.0.1.el5.src.rpm  
Size : 527921 License: MIT/X11  
Signature : DSA/SHA1, Tue 17 Apr 2007 09:53:27 AM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.x.org>  
Summary : X.Org X11 applications  
Description :  
A collection of common X Window System applications.

**Name : slrn Relocations: (not relocatable)**  
Version : 0.9.8.1pl1 Vendor: CentOS  
Release : 1.2.2 Build Date: Sat 06 Jan 2007  
11:48:08 AM EST  
Install Date: Mon 19 Dec 2011 12:36:23 PM EST Build Host:  
builder1.centos.org  
Group : Applications/Internet Source RPM: slrn-0.9.8.1pl1-  
1.2.2.src.rpm  
Size : 2220280 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:41 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://slrn.sourceforge.net/>  
Summary : A threaded Internet news reader.  
Description :  
SLRN is a threaded Internet news reader. SLRN is highly customizable  
and allows users to design complex filters for sorting or killing news  
articles. SLRN works well over slow network lines. A helper utility  
for reading news offline is provided in the slrn-pull package.

**Name : tux Relocations: (not relocatable)**  
Version : 3.2.18 Vendor: CentOS  
Release : 9.fc6 Build Date: Sat 06 Jan 2007  
07:22:18 PM EST  
Install Date: Mon 19 Dec 2011 12:36:27 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Daemons Source RPM: tux-3.2.18-  
9.fc6.src.rpm  
Size : 244636 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:13 PM EDT, Key ID

a8a447dce8562897

Summary : User-space component of TUX kernel-based threaded HTTP server  
Description :

TUX is a kernel-based, threaded, extremely high performance HTTP server. It is able to efficiently and safely serve both static and dynamic data. TUX moves the HTTP protocol stack to the kernel, and can handle requests for data with both kernel-space and user-space modules. See <http://www.redhat.com/mailling-lists/> for instructions on subscribing to [tux-list@redhat.com](mailto:tux-list@redhat.com); users of TUX have the opportunity to share their experiences and receive notices of new versions on that list.

**Name** : **docbook-dtds** **Relocations:** (not relocatable)  
Version : 1.0 Vendor: CentOS  
Release : 30.1 Build Date: Sat 06 Jan 2007  
08:12:54 AM EST  
Install Date: Mon 19 Dec 2011 12:36:37 PM EST Build Host:  
builder3.centos.org  
Group : Applications/Text Source RPM: docbook-dtds-1.0-  
30.1.src.rpm  
Size : 3733208 License: Distributable  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:21:11 PM EDT, Key ID  
a8a447dce8562897

URL : <http://www.oasis-open.org/docbook/>  
Summary : SGML and XML document type definitions for DocBook.  
Description :

The DocBook Document Type Definition (DTD) describes the syntax of technical documentation texts (articles, books and manual pages). This syntax is XML-compliant and is developed by the OASIS consortium. This package contains SGML and XML versions of the DocBook DTD.

**Name** : **docbook-style-dsssl** **Relocations:** (not relocatable)  
Version : 1.79 Vendor: CentOS  
Release : 4.1 Build Date: Sat 06 Jan 2007  
02:08:04 AM EST  
Install Date: Mon 19 Dec 2011 12:36:41 PM EST Build Host:  
builder5.centos.org  
Group : Applications/Text Source RPM: docbook-style-dsssl-  
1.79-4.1.src.rpm  
Size : 2305796 License: Distributable  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:21:11 PM EDT, Key ID  
a8a447dce8562897

URL : <http://docbook.sourceforge.net/>  
Summary : Norman Walsh's modular stylesheets for DocBook.  
Description :

These DSSSL stylesheets allow to convert any DocBook document to another printed (for example, RTF or PostScript) or online (for example, HTML) format. They are highly customizable.

**Name** : **gnome-keyring-devel** **Relocations:** (not relocatable)  
Version : 0.6.0 Vendor: CentOS  
Release : 1.fc6 Build Date: Mon 08 Jan 2007  
11:19:59 PM EST  
Install Date: Mon 19 Dec 2011 12:36:45 PM EST Build Host:  
builder4.centos.org  
Group : Development/Libraries Source RPM: gnome-keyring-0.6.0-  
1.fc6.src.rpm

Size : 242625 License: GPL/LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:30 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnome.org  
Summary : The files needed for gnome-keyring application development  
Description :  
The gnome-keyring-devel package contains the libraries and  
include files that you can use to develop applications that  
use gnome-keyring.

**Name : mrtg Relocations: (not relocatable)**  
Version : 2.14.5 Vendor: CentOS  
Release : 2 Build Date: Tue 09 Jan 2007  
03:38:14 PM EST  
Install Date: Mon 19 Dec 2011 12:36:51 PM EST Build Host:  
builder6.centos.org  
Group : Applications/Internet Source RPM: mrtg-2.14.5-2.src.rpm  
Size : 2597695 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:25:08 PM EDT, Key ID  
a8a447dce8562897  
URL : http://ee-staff.ethz.ch/~oetiker/webtools/mrtg/  
Summary : Multi Router Traffic Grapher  
Description :  
The Multi Router Traffic Grapher (MRTG) is a tool to monitor the traffic  
load on network-links. MRTG generates HTML pages containing PNG  
images which provide a LIVE visual representation of this traffic.

**Name : pth-devel Relocations: (not relocatable)**  
Version : 2.0.7 Vendor: CentOS  
Release : 6.el5 Build Date: Thu 03 Sep 2009  
01:36:14 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:58 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: pth-2.0.7-  
6.el5.src.rpm  
Size : 87416 License: LGPLv2+  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:54:54 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnu.org/software/pth/  
Summary : Development headers and libraries for GNU Pth  
Description :  
Development headers and libraries for GNU Pth.

**Name : dejavu-lgc-fonts Relocations: (not relocatable)**  
Version : 2.10 Vendor: CentOS  
Release : 1 Build Date: Sun 07 Jan 2007  
02:08:11 AM EST  
Install Date: Mon 19 Dec 2011 12:37:01 PM EST Build Host:  
builder6.centos.org  
Group : User Interface/X Source RPM: dejavu-lgc-fonts-  
2.10-1.src.rpm  
Size : 5626810 License: Redistributable, with  
restrictions  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:49 PM EDT, Key ID  
a8a447dce8562897  
URL : http://dejavu.sourceforge.net  
Summary : DejaVu LGC Fonts

Description :

The DejaVu LGC fonts are high-quality Latin/Greek/Cyrillic fonts based on Bitstream Vera fonts (<http://gnome.org/fonts/>). Its purpose is to provide a wider range of characters while maintaining the original look and feel.

**Name** : **tftp-server** **Relocations:** (not relocatable)  
Version : 0.49 Vendor: CentOS  
Release : 2.el5.centos Build Date: Sat 26 Sep 2009  
12:30:44 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:13 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Daemons Source RPM: tftp-0.49-  
2.el5.centos.src.rpm  
Size : 37484 License: BSD  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:07 PM EDT, Key ID  
a8a447dce8562897  
Summary : The server for the Trivial File Transfer Protocol (TFTP).

Description :

The Trivial File Transfer Protocol (TFTP) is normally used only for booting diskless workstations. The tftp-server package provides the server for TFTP, which allows users to transfer files to and from a remote machine. TFTP provides very little security, and should not be enabled unless it is expressly needed. The TFTP server is run from /etc/xinetd.d/tftp, and is disabled by default on CentOS Linux systems.

**Name** : **gtk-doc** **Relocations:** (not relocatable)  
Version : 1.7 Vendor: CentOS  
Release : 1.fc6 Build Date: Fri 05 Jan 2007  
11:15:31 PM EST  
Install Date: Mon 19 Dec 2011 12:37:17 PM EST Build Host:  
builder3.centos.org  
Group : Development/Tools Source RPM: gtk-doc-1.7-  
1.fc6.src.rpm  
Size : 415226 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:42 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.gtk.org/gtk-doc>

Summary : API documentation generation tool for GTK+ and GNOME

Description :

gtk-doc is a tool for generating API reference documentation. It is used for generating the documentation for GTK+, GLib and GNOME.

**Name** : **rpm-libs** **Relocations:** (not relocatable)  
Version : 4.4.2.3 Vendor: CentOS  
Release : 18.el5 Build Date: Thu 03 Sep 2009  
08:26:18 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:19 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: rpm-4.4.2.3-  
18.el5.src.rpm  
Size : 2057044 License: GPLv2+ and LGPLv2+  
with exceptions  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:54:55 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.rpm.org/>

Summary : Libraries for manipulating RPM packages  
Description :  
This package contains the RPM shared libraries.

**Name** : **notify-python** **Relocations:** (not relocatable)  
Version : 0.1.0 Vendor: CentOS  
Release : 3.fc6 Build Date: Sun 07 Jan 2007  
05:09:44 AM EST  
Install Date: Mon 19 Dec 2011 12:37:20 PM EST Build Host:  
builder5.centos.org  
Group : Development/Languages Source RPM: notify-python-0.1.0-  
3.fc6.src.rpm  
Size : 24978 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:25:16 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.galago-project.org/specs/notification>  
Summary : Python bindings for libnotify  
Description :  
Python bindings for libnotify

**Name** : **coolkey** **Relocations:** (not relocatable)  
Version : 1.1.0 Vendor: CentOS  
Release : 6.el5 Build Date: Sat 24 May 2008  
02:36:20 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:24 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: coolkey-1.1.0-  
6.el5.src.rpm  
Size : 206318 License: LGPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:29:50 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://directory.fedora.redhat.com/wiki/CoolKey>  
Summary : CoolKey PKCS #11 module  
Description :  
Linux Driver support for the CoolKey and CAC products.

**Name** : **xorg-x11-proto-devel** **Relocations:** (not relocatable)  
Version : 7.1 Vendor: CentOS  
Release : 13.el5 Build Date: Thu 03 Sep 2009  
10:07:50 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:30 PM EST Build Host:  
builder16.centos.org  
Group : Development/System Source RPM: xorg-x11-proto-devel-  
7.1-13.el5.src.rpm  
Size : 1261590 License: The Open Group  
License  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:55:12 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.x.org>  
Summary : X.Org X11 Protocol headers  
Description :  
X.Org X11 Protocol headers

**Name** : **selinux-policy** **Relocations:** (not relocatable)  
Version : 2.4.6 Vendor: CentOS  
Release : 255.el5 Build Date: Fri 04 Sep 2009  
12:49:29 AM EDT



Install Date: Mon 19 Dec 2011 12:37:48 PM EST      Build Host:  
builder10.centos.org  
Group           : System Environment/Base            Source RPM: selinux-policy-2.4.6-  
255.el5.src.rpm  
Size            : 7613948                            License: GPL  
Signature       : DSA/SHA1, Sat 19 Sep 2009 11:55:00 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://serefpolicy.sourceforge.net  
Summary         : SELinux policy configuration  
Description     :  
SELinux Reference Policy - modular.

**Name            : pycairo-devel                    Relocations: (not relocatable)**  
Version         : 1.2.0                            Vendor: CentOS  
Release         : 1.1                              Build Date: Sun 07 Jan 2007  
01:53:36 AM EST  
Install Date: Mon 19 Dec 2011 12:37:49 PM EST      Build Host:  
builder1.centos.org  
Group           : Development/Libraries            Source RPM: pycairo-1.2.0-  
1.1.src.rpm  
Size            : 7149                              License: LGPL  
Signature       : DSA/SHA1, Tue 03 Apr 2007 08:27:05 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://cairographics.org/  
Summary         : Libraries and headers for pycairo  
Description     :  
Headers for pycairo

**Name            : system-config-users               Relocations: (not relocatable)**  
Version         : 1.2.51                           Vendor: CentOS  
Release         : 4.el5                            Build Date: Sat 24 May 2008  
06:48:21 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:53 PM EST      Build Host:  
builder10.centos.org  
Group           : Applications/System             Source RPM: system-config-users-  
1.2.51-4.el5.src.rpm  
Size            : 1514803                           License: GPL  
Signature       : DSA/SHA1, Sat 14 Jun 2008 07:41:14 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://fedora.redhat.com/projects/config-tools/  
Summary         : A graphical interface for administering users and groups  
Description     :  
system-config-users is a graphical utility for administrating  
users and groups. It depends on the libuser library.

**Name            : libXt-devel                       Relocations: (not relocatable)**  
Version         : 1.0.2                           Vendor: CentOS  
Release         : 3.1.fc6                          Build Date: Mon 08 Jan 2007  
03:52:28 PM EST  
Install Date: Mon 19 Dec 2011 12:37:55 PM EST      Build Host:  
builder5.centos.org  
Group           : Development/Libraries            Source RPM: libXt-1.0.2-  
3.1.fc6.src.rpm  
Size            : 524997                           License: MIT/X11  
Signature       : DSA/SHA1, Tue 03 Apr 2007 08:24:47 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.x.org

Summary : X.Org X11 libXt development package  
Description :  
X.Org X11 libXt development package

**Name** : jakarta-commons-fileupload **Relocations:** (not relocatable)  
Version : 1.0 Vendor: CentOS  
Release : 6jpp.1 Build Date: Fri 05 Jan 2007  
11:12:00 PM EST  
Install Date: Mon 19 Dec 2011 12:37:59 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries/Java Source RPM: jakarta-commons-  
fileupload-1.0-6jpp.1.src.rpm  
Size : 96153 License: Apache Software  
License  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:53 PM EDT, Key ID  
a8a447dce8562897  
URL : http://jakarta.apache.org/commons/fileupload/  
Summary : Jakarta Commons Fileupload Package  
Description :  
The javax.servlet package lacks support for rfc 1867, html file  
upload. This package provides a simple to use api for working with  
such data. The scope of this package is to create a package of Java  
utility classes to read multipart/form-data within a  
javax.servlet.http.HttpServletRequest

**Name** : jakarta-commons-validator **Relocations:** (not relocatable)  
Version : 1.1.4 Vendor: CentOS  
Release : 5jpp.1 Build Date: Tue 09 Jan 2007  
03:23:34 PM EST  
Install Date: Mon 19 Dec 2011 12:38:06 PM EST Build Host:  
builder6.centos.org  
Group : Development/Libraries/Java Source RPM: jakarta-commons-  
validator-1.1.4-5jpp.1.src.rpm  
Size : 351451 License: Apache Software  
License  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:55 PM EDT, Key ID  
a8a447dce8562897  
URL : http://jakarta.apache.org/commons/validator/  
Summary : Jakarta Commons Validator  
Description :  
A common issue when receiving data either electronically or from user  
input is verifying the integrity of the data. This work is repetitive  
and becomes even more complicated when different sets of validation  
rules need to be applied to the same set of data based on locale for  
example. Error messages may also vary by locale. This package attempts  
to address some of these issues and speed development and maintenance  
of validation rules.

**Name** : jakarta-commons-launcher **Relocations:** (not relocatable)  
Version : 0.9 Vendor: CentOS  
Release : 6jpp.1 Build Date: Sat 06 Jan 2007  
08:39:00 PM EST  
Install Date: Mon 19 Dec 2011 12:38:09 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries/Java Source RPM: jakarta-commons-  
launcher-0.9-6jpp.1.src.rpm  
Size : 184148 License: Apache Software

License

Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:55 PM EDT, Key ID a8a447dce8562897  
URL : http://jakarta.apache.org/commons/launcher/  
Summary : The Launcher Component is designed to be a cross platform Java application launcher.  
Description :  
Commons-launcher eliminates the need for a batch or shell script to launch a Java class. Some situations where elimination of a batch or shell script may be desirable are:  
\* You want to avoid having to determining where certain application paths are e.g. your application's home directory, etc. Determining this dynamically in a Windows batch scripts is very tricky on some versions of Windows or when softlinks are used on Unix platforms.  
\* You want to avoid having to handle native file and path separators or native path quoting issues.  
\* You need to enforce certain system properties e.g. java.endorsed.dirs when running with JDK 1.4.  
\* You want to allow users to pass in custom JVM arguments or system properties without having to parse and reorder arguments in your script. This can be tricky and/or messy in batch and shell scripts.  
\* You want to bootstrap system properties from a configuration file instead hard-coding them in your batch and shell scripts.  
\* You want to provide localized error messages which is very tricky to do in batch and shell scripts.

**Name : net-snmp-utils Relocations: (not relocatable)**  
Version : 5.3.2.2 Vendor: CentOS  
Release : 7.el5 Build Date: Thu 03 Sep 2009  
08:10:51 PM EDT  
Install Date: Mon 19 Dec 2011 12:38:12 PM EST Build Host:  
builder16.centos.org  
Group : Applications/System Source RPM: net-snmp-5.3.2.2-7.el5.src.rpm  
Size : 350709 License: BSDish  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:58 PM EDT, Key ID a8a447dce8562897  
URL : http://net-snmp.sourceforge.net/  
Summary : Network management utilities using SNMP, from the NET-SNMP project.  
Description :  
The net-snmp-utils package contains various utilities for use with the NET-SNMP network management project.  
Install this package if you need utilities for managing your network using the SNMP protocol. You will also need to install the net-snmp package.

**Name : libglade2-devel Relocations: (not relocatable)**  
Version : 2.6.0 Vendor: CentOS  
Release : 2 Build Date: Sat 06 Jan 2007  
08:32:44 PM EST  
Install Date: Mon 19 Dec 2011 12:38:13 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries Source RPM: libglade2-2.6.0-2.src.rpm  
Size : 341903 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:28 PM EDT, Key ID

a8a447dce8562897

URL : <http://www.gnome.org>  
Summary : The files needed for libglade application development.  
Description :  
The libglade-devel package contains the libraries and include files that you can use to develop libglade applications.

**Name** : **gd-devel** **Relocations:** (not relocatable)  
Version : 2.0.33 Vendor: CentOS  
Release : 9.4.el5\_1.1 Build Date: Mon 03 Mar 2008  
08:52:04 AM EST  
Install Date: Mon 19 Dec 2011 12:38:18 PM EST Build Host: builder6  
Group : Development/Libraries Source RPM: gd-2.0.33-  
9.4.el5\_1.1.src.rpm  
Size : 334106 License: BSD-style  
Signature : DSA/SHA1, Mon 03 Mar 2008 02:07:38 PM EST, Key ID  
a8a447dce8562897  
URL : <http://www.boutell.com/gd/>  
Summary : The development libraries and header files for gd  
Description :  
The gd-devel package contains the development libraries and header files for gd, a graphics library for creating PNG and JPEG graphics.

**Name** : **libXevie-devel** **Relocations:** (not relocatable)  
Version : 1.0.1 Vendor: CentOS  
Release : 3.1 Build Date: Sun 07 Jan 2007  
06:14:03 PM EST  
Install Date: Mon 19 Dec 2011 12:38:27 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries Source RPM: libXevie-1.0.1-  
3.1.src.rpm  
Size : 3903 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:43 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.x.org>  
Summary : X.Org X11 libXevie development package  
Description :  
X.Org X11 libXevie development package

**Name** : **libXxf86misc-devel** **Relocations:** (not relocatable)  
Version : 1.0.1 Vendor: CentOS  
Release : 3.1 Build Date: Sat 06 Jan 2007  
07:20:31 PM EST  
Install Date: Mon 19 Dec 2011 12:38:27 PM EST Build Host:  
builder5.centos.org  
Group : Development/Libraries Source RPM: libXxf86misc-1.0.1-  
3.1.src.rpm  
Size : 2994 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:47 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.x.org>  
Summary : X.Org X11 libXxf86misc development package  
Description :  
X.Org X11 libXxf86misc development package

**Name** : **system-config-kdump** **Relocations:** (not relocatable)  
Version : 1.0.14 Vendor: CentOS

Release : 4.el5 Build Date: Tue 20 Jan 2009  
11:15:50 PM EST  
Install Date: Mon 19 Dec 2011 12:38:39 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: system-config-kdump-  
1.0.14-4.el5.src.rpm  
Size : 447361 License: GPL2+  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:49:17 PM EDT, Key ID  
a8a447dce8562897  
URL : http://fedora.redhat.com/projects/config-tools/  
Summary : A graphical interface for configuring kernel crash dumping  
Description :  
system-config-kdump is a graphical tool for configuring kernel crash  
dumping via kdump and kexec.

**Name : sane-backends Relocations: (not relocatable)**  
Version : 1.0.18 Vendor: CentOS  
Release : 5.el5 Build Date: Tue 03 Apr 2007  
02:19:19 PM EDT  
Install Date: Mon 19 Dec 2011 12:38:53 PM EST Build Host:  
builder4.centos.org  
Group : System Environment/Libraries Source RPM: sane-backends-  
1.0.18-5.el5.src.rpm  
Size : 3297928 License: GPL (programs),  
relaxed LGPL (libraries), and public domain (docs)  
Signature : DSA/SHA1, Tue 03 Apr 2007 09:29:07 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.sane-project.org  
Summary : Scanner access software  
Description :  
Scanner Access Now Easy (SANE) is a universal scanner interface. The  
SANE application programming interface (API) provides standardized  
access to any raster image scanner hardware (flatbed scanner,  
hand-held scanner, video and still cameras, frame-grabbers, etc.).

Name : bsf Relocations: (not relocatable)  
Version : 2.3.0 Vendor: CentOS  
Release : 11jpp.1 Build Date: Sat 06 Jan 2007  
10:50:38 AM EST  
Install Date: Mon 19 Dec 2011 12:38:58 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries/Java Source RPM: bsf-2.3.0-  
11jpp.1.src.rpm  
Size : 829247 License: Apache License  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:25 PM EDT, Key ID  
a8a447dce8562897  
URL : http://jakarta.apache.org/bsf/  
Summary : Bean Scripting Framework  
Description :  
Bean Scripting Framework (BSF) is a set of Java classes which provides  
scripting language support within Java applications, and access to Java  
objects and methods from scripting languages. BSF allows one to write  
JSPs in languages other than Java while providing access to the Java  
class library. In addition, BSF permits any Java application to be  
implemented in part (or dynamically extended) by a language that is  
embedded within it. This is achieved by providing an API that permits  
calling scripting language engines from within Java, as well as an

object registry that exposes Java objects to these scripting language engines.

BSF supports several scripting languages currently:

- \* Javascript (using Rhino ECMAScript, from the Mozilla project)
- \* Python (using either Jython or JPython)
- \* Tcl (using Jacl)
- \* NetRexx (an extension of the IBM REXX scripting language in Java)
- \* XSLT Stylesheets (as a component of Apache XML project's Xalan and Xerces)

In addition, the following languages are supported with their own BSF engines:

- \* Java (using BeanShell, from the BeanShell project)
- \* JRuby
- \* JudoScript

**Name** : **hal-cups-utils** **Relocations:** (not relocatable)  
Version : 0.6.2 Vendor: CentOS  
Release : 5.2.el5 Build Date: Sun 25 May 2008  
02:26:33 AM EDT  
Install Date: Mon 19 Dec 2011 12:39:04 PM EST Build Host:  
builder16.centos.org  
Group : Applications/System Source RPM: hal-cups-utils-0.6.2-  
5.2.el5.src.rpm  
Size : 59663 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:32:52 PM EDT, Key ID  
a8a447dce8562897  
Summary : Halified CUPS utilities  
Description :  
Halified utilities for CUPS:  
- hal\_lpadmin  
- hal CUPS backend

**Name** : **geronimo-specs-compat** **Relocations:** (not relocatable)  
Version : 1.0 Vendor: CentOS  
Release : 0.M2.2jpp.12.el5.centos Build Date: Wed 28 Mar 2007  
01:45:28 AM EDT  
Install Date: Mon 19 Dec 2011 12:39:12 PM EST Build Host: builder6  
Group : Development/Libraries/Java Source RPM: geronimo-specs-1.0-  
0.M2.2jpp.12.el5.centos.src.rpm  
Size : 0 License: Apache Software  
License 2  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:07 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://geronimo.apache.org>  
Summary : Compatibility package for geronimo-specs  
Description :  
CentOS-specific package to make geronimo-specs look like the  
individual JPackages of the specifications we provide.

**Name** : **xorg-x11-fonts-75dpi** **Relocations:** (not relocatable)  
Version : 7.1 Vendor: CentOS  
Release : 2.1.el5 Build Date: Wed 10 Jan 2007  
01:03:33 AM EST  
Install Date: Mon 19 Dec 2011 12:39:22 PM EST Build Host:  
builder3.centos.org  
Group : User Interface/X Source RPM: xorg-x11-fonts-7.1-  
2.1.el5.src.rpm

Size : 3063698 License: Various licenses  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:42 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : A set of 75dpi resolution fonts for the X Window System.  
Description :  
A set of 75 dpi fonts used by the X window system.

**Name : gtksourceview Relocations: (not relocatable)**  
Version : 1.8.0 Vendor: CentOS  
Release : 1.fc6 Build Date: Sun 07 Jan 2007  
02:17:06 AM EST  
Install Date: Mon 19 Dec 2011 12:39:29 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: gtksourceview-1.8.0-  
1.fc6.src.rpm  
Size : 1723857 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:42 PM EDT, Key ID  
a8a447dce8562897  
URL : http://gtksourceview.sourceforge.net/  
Summary : A library for viewing source files  
Description :  
A library for viewing source code files with.

**Name : gimp-print-utils Relocations: (not relocatable)**  
Version : 4.2.7 Vendor: CentOS  
Release : 22.2.el5 Build Date: Thu 26 Feb 2009  
05:21:36 PM EST  
Install Date: Mon 19 Dec 2011 12:39:36 PM EST Build Host:  
chamkaur.karan.org  
Group : Applications/Publishing Source RPM: gimp-print-4.2.7-  
22.2.el5.src.rpm  
Size : 35855 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:45:40 PM EDT, Key ID  
a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
URL : http://gimp-print.sourceforge.net/  
Summary : Utility programs from gimp-print  
Description :  
This package contains the escputil program.

**Name : sabayon-apply Relocations: (not relocatable)**  
Version : 2.12.4 Vendor: CentOS  
Release : 6.el5 Build Date: Thu 26 Feb 2009  
05:23:27 PM EST  
Install Date: Mon 19 Dec 2011 12:39:39 PM EST Build Host:  
chamkaur.karan.org  
Group : Applications/System Source RPM: sabayon-2.12.4-  
6.el5.src.rpm  
Size : 1718746 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:49:03 PM EDT, Key ID  
a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
URL : http://www.gnome.org/projects/sabayon  
Summary : The parts of sabayon needed on the client systems  
Description :  
Sabayon is a tool to help sysadmins and user change and maintain the

default behaviour of the GNOME desktop. This package contains the files that need to be installed on the client systems.

**Name** : **gnome-desktop** **Relocations:** (not relocatable)  
Version : 2.16.0 Vendor: CentOS  
Release : 1.el5.centos.1 Build Date: Sun 18 Feb 2007  
01:33:27 PM EST  
Install Date: Mon 19 Dec 2011 12:39:43 PM EST Build Host:  
builder4.centos.org  
Group : System Environment/Libraries Source RPM: gnome-desktop-  
2.16.0-1.el5.centos.1.src.rpm  
Size : 2001003 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:28 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnome.org  
Summary : Package containing code shared among gnome-panel, gnome-  
session, nautilus, etc  
Description :  
The gnome-desktop package contains an internal library  
(libgnomedesktop) used to implement some portions of the GNOME  
desktop, and also some data files and other shared components of the  
GNOME user environment.

**Name** : **gucharmap** **Relocations:** (not relocatable)  
Version : 1.8.0 Vendor: CentOS  
Release : 1.fc6 Build Date: Sat 06 Jan 2007  
03:56:01 AM EST  
Install Date: Mon 19 Dec 2011 12:39:50 PM EST Build Host:  
builder1.centos.org  
Group : Applications/System Source RPM: gucharmap-1.8.0-  
1.fc6.src.rpm  
Size : 6043443 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:43 PM EDT, Key ID  
a8a447dce8562897  
URL : http://live.gnome.org/Gucharmap  
Summary : Unicode character picker and font browser  
Description :  
This program allows you to browse through all the available Unicode  
characters and categories for the installed fonts, and to examine their  
detailed properties. It is an easy way to find the character you might  
only know by its Unicode name or code point.

**Name** : **xorg-x11-drv-evdev** **Relocations:** (not relocatable)  
Version : 1.0.0.5 Vendor: CentOS  
Release : 3.el5 Build Date: Sat 10 Nov 2007  
08:12:09 PM EST  
Install Date: Mon 19 Dec 2011 12:40:03 PM EST Build Host: builder6  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
evdev-1.0.0.5-3.el5.src.rpm  
Size : 12020 License: MIT/X11  
Signature : DSA/SHA1, Tue 20 Nov 2007 02:17:15 PM EST, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 evdev input driver  
Description :  
X.Org X11 evdev input driver.



**Name** : **gnome-volume-manager** **Relocations:** (not relocatable)  
Version : 2.15.0 Vendor: CentOS  
Release : 5.el5 Build Date: Sat 24 May 2008  
10:34:43 AM EDT  
Install Date: Mon 19 Dec 2011 12:40:11 PM EST Build Host:  
builder16.centos.org  
Group : Applications/System Source RPM: gnome-volume-manager-  
2.15.0-5.el5.src.rpm  
Size : 2004275 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:32:44 PM EDT, Key ID  
a8a447dce8562897  
Summary : The GNOME Volume Manager  
Description :  
The GNOME Volume Manager monitors volume-related events and responds with  
user-specified policy. The GNOME Volume Manager can automount hot-plugged  
drives, automount inserted removable media, autorun programs, automatically  
play audio CDs and video DVDs, and automatically import photos from a digital  
camera. The GNOME Volume Manager does this entirely in user-space and  
without  
polling.  
The GNOME Voume Manager sits at the top end of a larger picture that aims to  
integrate the Linux system from the kernel on up through the desktop and its  
applications.

**Name** : **gimp-print-plugin** **Relocations:** (not relocatable)  
Version : 4.2.7 Vendor: CentOS  
Release : 22.2.el5 Build Date: Thu 26 Feb 2009  
05:21:36 PM EST  
Install Date: Mon 19 Dec 2011 12:40:22 PM EST Build Host:  
chamkaur.karan.org  
Group : System Environment/Libraries Source RPM: gimp-print-4.2.7-  
22.2.el5.src.rpm  
Size : 97296 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:45:40 PM EDT, Key ID  
a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
URL : <http://gimp-print.sourceforge.net/>  
Summary : GIMP plug-in for gimp-print  
Description :  
This package contains the gimp-print GIMP plug-in.

**Name** : **xulrunner-devel** **Relocations:** (not relocatable)  
Version : 1.9.0.12 Vendor: CentOS  
Release : 1.el5 Build Date: Mon 27 Jul 2009  
11:29:02 AM EDT  
Install Date: Mon 19 Dec 2011 12:40:35 PM EST Build Host:  
builder10.centos.org  
Group : Development/Libraries Source RPM: xulrunner-1.9.0.12-  
1.el5.src.rpm  
Size : 37464016 License: MPLv1.1 or GPLv2+ or  
LGPLv2+  
Signature : DSA/SHA1, Tue 28 Jul 2009 07:24:52 AM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.mozilla.org/projects/xulrunner/>  
Summary : Development files for Gecko  
Description :  
Gecko development files.

**Name** : **gnome-terminal** **Relocations: (not relocatable)**  
Version : 2.16.0 Vendor: CentOS  
Release : 5.3.el5 Build Date: Thu 26 Feb 2009  
06:50:56 PM EST  
Install Date: Mon 19 Dec 2011 12:40:55 PM EST Build Host:  
chamkaur.karan.org  
Group : User Interface/Desktops Source RPM: gnome-terminal-  
2.16.0-5.3.el5.src.rpm  
Size : 8780527 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:45:48 PM EDT, Key ID  
a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
URL : http://www.gnome.org/  
Summary : GNOME Terminal  
Description :  
GNOME terminal emulator application.

**Name** : **gnome-screensaver** **Relocations: (not relocatable)**  
Version : 2.16.1 Vendor: CentOS  
Release : 8.el5 Build Date: Sat 24 May 2008  
11:53:46 PM EDT  
Install Date: Mon 19 Dec 2011 12:41:05 PM EST Build Host:  
builder16.centos.org  
Group : Amusements/Graphics Source RPM: gnome-screensaver-  
2.16.1-8.el5.src.rpm  
Size : 3432468 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:32:42 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnome.org  
Summary : GNOME Screensaver  
Description :  
gnome-screensaver is a screen saver and locker that aims to have  
simple, sane, secure defaults and be well integrated with the desktop.

**Name** : **firefox** **Relocations: (not relocatable)**  
Version : 3.0.12 Vendor: CentOS  
Release : 1.el5.centos Build Date: Mon 27 Jul 2009  
05:44:16 PM EDT  
Install Date: Mon 19 Dec 2011 12:41:23 PM EST Build Host:  
builder16.centos.org  
Group : Applications/Internet Source RPM: firefox-3.0.12-  
1.el5.centos.src.rpm  
Size : 15218282 License: MPLv1.1 or GPLv2+ or  
LGPLv2+  
Signature : DSA/SHA1, Tue 28 Jul 2009 07:22:02 AM EDT, Key ID  
a8a447dce8562897  
URL : http://www.mozilla.org/projects/firefox/  
Summary : Mozilla Firefox Web browser  
Description :  
Mozilla Firefox is an open-source web browser, designed for standards  
compliance, performance and portability.

**Name** : **gnome-python2** **Relocations: (not relocatable)**  
Version : 2.16.0 Vendor: CentOS  
Release : 1.fc6 Build Date: Sun 07 Jan 2007  
02:21:41 AM EST

Install Date: Mon 19 Dec 2011 12:41:24 PM EST      Build Host:  
builder1.centos.org  
Group           : Development/Languages            Source RPM: gnome-python2-2.16.0-  
1.fc6.src.rpm  
Size            : 602297                            License: LGPL  
Signature      : DSA/SHA1, Tue 03 Apr 2007 08:22:32 PM EDT, Key ID  
a8a447dce8562897  
Summary        : The sources for the PyGNOME Python extension module  
Description    :  
The gnome-python package contains the source packages for the Python  
bindings for GNOME called PyGNOME.  
PyGNOME is an extension module for Python that provides access to the  
base GNOME libraries, so you have access to more widgets, a simple  
configuration interface, and metadata support.

**Name            : gnome-python2-gtkhtml2            Relocations: (not relocatable)**  
Version        : 2.14.2                            Vendor: CentOS  
Release        : 6.el5                            Build Date: Tue 03 Jun 2008  
05:43:12 PM EDT  
Install Date: Mon 19 Dec 2011 12:41:26 PM EST      Build Host:  
builder16.centos.org  
Group           : Development/Languages            Source RPM: gnome-python2-extras-  
2.14.2-6.el5.src.rpm  
Size            : 17754                            License: GPL/LGPL  
Signature      : DSA/SHA1, Sat 14 Jun 2008 07:32:41 PM EDT, Key ID  
a8a447dce8562897  
URL             : <http://www.pygtk.org/>  
Summary        : Python bindings for interacting with gtkhtml2  
Description    :  
This module contains a wrapper that allows the use of gtkhtml2 via  
Python.

**Name            : gnome-python2-bonobo            Relocations: (not relocatable)**  
Version        : 2.16.0                            Vendor: CentOS  
Release        : 1.fc6                            Build Date: Sun 07 Jan 2007  
02:21:41 AM EST  
Install Date: Mon 19 Dec 2011 12:41:45 PM EST      Build Host:  
builder1.centos.org  
Group           : Development/Languages            Source RPM: gnome-python2-2.16.0-  
1.fc6.src.rpm  
Size            : 171031                           License: LGPL  
Signature      : DSA/SHA1, Tue 03 Apr 2007 08:22:32 PM EDT, Key ID  
a8a447dce8562897  
Summary        : Python bindings for interacting with bonobo.  
Description    :  
This module contains a wrapper that allows the creation of bonobo  
components and the embedding of bonobo components in Python.

**Name            : system-config-lvm               Relocations: (not relocatable)**  
Version        : 1.1.5                            Vendor: CentOS  
Release        : 1.0.el5                           Build Date: Wed 21 Jan 2009  
06:00:23 AM EST  
Install Date: Mon 19 Dec 2011 12:41:47 PM EST      Build Host:  
builder10.centos.org  
Group           : Applications/System             Source RPM: system-config-lvm-  
1.1.5-1.0.el5.src.rpm  
Size            : 3059057                           License: GPLv2

Signature : DSA/SHA1, Sun 08 Mar 2009 09:49:17 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.redhat.com/  
Summary : A utility for graphically configuring Logical Volumes  
Description :  
system-config-lvm is a utility for graphically configuring Logical Volumes

**Name** : **xorg-x11-drv-neomagic** **Relocations:** (not relocatable)  
Version : 1.1.1 Vendor: CentOS  
Release : 2.1 Build Date: Thu 15 Mar 2007  
12:57:53 AM EDT  
Install Date: Mon 19 Dec 2011 12:41:53 PM EST Build Host:  
builder5.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
neomagic-1.1.1-2.1.src.rpm  
Size : 76589 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:40 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 neomagic video driver  
Description :  
X.Org X11 neomagic video driver.

**Name** : **xorg-x11-drv-vmware** **Relocations:** (not relocatable)  
Version : 10.13.0 Vendor: CentOS  
Release : 2.1 Build Date: Sat 06 Jan 2007  
04:21:48 AM EST  
Install Date: Mon 19 Dec 2011 12:41:54 PM EST Build Host:  
builder1.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
vmware-10.13.0-2.1.src.rpm  
Size : 41373 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:41 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 vmware video driver  
Description :  
X.Org X11 vmware video driver.

**Name** : **xorg-x11-drv-nsc** **Relocations:** (not relocatable)  
Version : 2.8.1 Vendor: CentOS  
Release : 2.1 Build Date: Thu 15 Mar 2007  
01:04:36 AM EDT  
Install Date: Mon 19 Dec 2011 12:41:55 PM EST Build Host:  
builder4.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
nsc-2.8.1-2.1.src.rpm  
Size : 329229 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:40 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 nsc video driver  
Description :  
X.Org X11 nsc video driver.

**Name** : **xorg-x11-drv-vmmouse** **Relocations:** (not relocatable)  
Version : 12.4.0 Vendor: CentOS

Release : 2.1 Build Date: Sun 07 Jan 2007  
05:43:25 PM EST  
Install Date: Mon 19 Dec 2011 12:41:55 PM EST Build Host:  
builder1.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-driv-  
vmmouse-12.4.0-2.1.src.rpm  
Size : 18228 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:41 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 vmmouse input driver  
Description :  
X.Org X11 vmmouse input driver.

**Name : xorg-x11-driv-mga Relocations: (not relocatable)**  
Version : 1.4.10 Vendor: CentOS  
Release : 5.el5 Build Date: Fri 04 Sep 2009  
12:23:09 AM EDT  
Install Date: Mon 19 Dec 2011 12:41:56 PM EST Build Host:  
builder10.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-driv-  
mga-1.4.10-5.el5.src.rpm  
Size : 171992 License: MIT/X11  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:55:12 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 mga video driver  
Description :  
X.Org X11 mga video driver.

**Name : xorg-x11-driv-elo2300 Relocations: (not relocatable)**  
Version : 1.1.0 Vendor: CentOS  
Release : 1.1 Build Date: Sat 06 Jan 2007  
01:06:39 PM EST  
Install Date: Mon 19 Dec 2011 12:41:58 PM EST Build Host:  
builder1.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-driv-  
elo2300-1.1.0-1.1.src.rpm  
Size : 12376 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:39 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 elo2300 input driver  
Description :  
X.Org X11 elo2300 input driver.

**Name : xorg-x11-driv-dummy Relocations: (not relocatable)**  
Version : 0.2.0 Vendor: CentOS  
Release : 2.1 Build Date: Thu 28 Dec 2006  
11:49:07 PM EST  
Install Date: Mon 19 Dec 2011 12:41:59 PM EST Build Host:  
builder1.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-driv-  
dummy-0.2.0-2.1.src.rpm  
Size : 14420 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:38 PM EDT, Key ID  
a8a447dce8562897

URL : <http://www.x.org>  
Summary : Xorg X11 dummy video driver  
Description :  
X.Org X11 dummy video driver.

**Name** : **linuxwacom** **Relocations:** (not relocatable)  
Version : 0.7.8.3 Vendor: CentOS  
Release : 6.el5 Build Date: Thu 03 Sep 2009  
07:03:24 PM EDT  
Install Date: Mon 19 Dec 2011 12:42:00 PM EST Build Host:  
builder10.centos.org  
Group : User Interface/X Hardware Support Source RPM: linuxwacom-  
0.7.8.3-6.el5.src.rpm  
Size : 566418 License: GPL/X11  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:54 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://linuxwacom.sourceforge.net>  
Summary : Wacom Drivers from Linux Wacom Project  
Description :  
The Linux Wacom Project manages the drivers, libraries, and  
documentation for configuring and running Wacom tablets under the  
Linux operating system. It contains diagnostic applications as well as  
X.org XInput drivers.

**Name** : **perl-IO-Stty** **Relocations:** (not relocatable)  
Version : .02 Vendor: Dag Apt Repository,  
<http://dag.wieers.com/apt/>  
Release : 1.2.el5.rf Build Date: Thu 08 Mar 2007  
10:22:33 AM EST  
Install Date: Mon 19 Dec 2011 12:42:15 PM EST Build Host:  
lisse.leuven.wieers.com  
Group : Applications/CPAN Source RPM: perl-IO-Stty-.02-  
1.2.el5.rf.src.rpm  
Size : 15894 License: Artistic/GPL  
Signature : DSA/SHA1, Fri 09 Mar 2007 04:36:20 AM EST, Key ID  
a20e52146b8d79e6  
Packager : Dries Verachtert <dries@ulyssis.org>  
URL : <http://search.cpan.org/dist/IO-Stty/>  
Summary : Setting terminal parameters  
Description :  
The two perl items in this package are an stty shell script and a  
module for setting terminal parameters.

**Name** : **perl-Net-Telnet** **Relocations:** (not relocatable)  
Version : 3.03 Vendor: Dag Apt Repository,  
<http://dag.wieers.com/apt/>  
Release : 1.2.el5.rf Build Date: Thu 08 Mar 2007  
10:41:12 AM EST  
Install Date: Mon 19 Dec 2011 12:42:18 PM EST Build Host:  
lisse.leuven.wieers.com  
Group : Applications/CPAN Source RPM: perl-Net-Telnet-3.03-  
1.2.el5.rf.src.rpm  
Size : 157691 License: Artistic  
Signature : DSA/SHA1, Fri 09 Mar 2007 04:35:43 AM EST, Key ID  
a20e52146b8d79e6  
Packager : Dries Verachtert <dries@ulyssis.org>  
URL : <http://search.cpan.org/dist/Net-Telnet/>

Summary : Interface to telnet

Description :

Net::Telnet allows you to make client connections to a TCP port and do network I/O, especially to a port using the TELNET protocol. Simple I/O methods such as print, get, and getline are provided. More sophisticated interactive features are provided because connecting to a TELNET port ultimately means communicating with a program designed for human interaction. These interactive features include the ability to specify a timeout and to wait for patterns to appear in the input stream, such as the prompt from a shell.

**Name** : perl-XML-Writer **Relocations:** (not relocatable)  
Version : 0.604 Vendor: Dag Apt Repository,  
http://dag.wieers.com/apt/  
Release : 1.el5.rf Build Date: Wed 27 Feb 2008  
08:35:18 PM EST  
Install Date: Mon 19 Dec 2011 12:42:22 PM EST Build Host:  
lisse.leuven.wieers.com  
Group : Applications/CPAN Source RPM: perl-XML-Writer-  
0.604-1.el5.rf.src.rpm  
Size : 60577 License: Artistic/GPL  
Signature : DSA/SHA1, Wed 27 Feb 2008 08:40:21 PM EST, Key ID  
a20e52146b8d79e6  
Packager : Dries Verachtert <dries@ulyssis.org>  
URL : http://search.cpan.org/dist/XML-Writer/  
Summary : Easily generate well-formed, namespace-aware XML  
Description :  
Easily generate well-formed, namespace-aware XML.

**Name** : perl-Tk-HistEntry **Relocations:** (not relocatable)  
Version : 0.43 Vendor: (none)  
Release : 1 Build Date: Thu 15 Jul 2010  
08:45:55 AM EDT  
Install Date: Mon 19 Dec 2011 12:42:28 PM EST Build Host: lorax  
Group : Applications/CPAN Source RPM: perl-Tk-HistEntry-  
0.43-1.src.rpm  
Size : 21447 License: Artistic/GPL  
Signature : (none)  
Packager : Jason Messmer <Jason.Messmer@xerox.com>  
URL : http://search.cpan.org/dist/Tk-HistEntry/  
Summary : Entry widget with history capability  
Description :  
Entry widget with history capability.

**Name** : XRXTPM **Relocations:** (not relocatable)  
Version : 1.0.0.14 Vendor: Xerox Corporation  
Release : 1 Build Date: Wed 18 May 2011  
08:47:39 AM EDT  
Install Date: Mon 19 Dec 2011 12:45:07 PM EST Build Host: decaf  
Group : Applications/Xerox Source RPM: XRXTPM-1.0.0.14-  
1.src.rpm  
Size : 155199 License: Copyright 1996-2010  
Xerox Corporation  
Signature : (none)  
Packager : scmt  
Summary : Xerox Print Engine Tools Perl Modules

Description :  
Xerox Print Engine Tools Perl Modules for Development and Debugging

**Name** : **filesystem** **Relocations:** (not relocatable)  
Version : 2.4.0 Vendor: CentOS  
Release : 2.el5.centos Build Date: Mon 09 Mar 2009  
06:42:02 PM EDT  
Install Date: Mon 19 Dec 2011 12:32:57 PM EST Build Host:  
chamkaur.karan.org  
Group : System Environment/Base Source RPM: filesystem-2.4.0-  
2.el5.centos.src.rpm  
Size : 0 License: Public Domain  
Signature : DSA/SHA1, Mon 09 Mar 2009 06:57:51 PM EDT, Key ID  
a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
Summary : The basic directory layout for a Linux system.  
Description :  
The filesystem package is one of the basic packages that is installed  
on a CentOS Linux system. Filesystem contains the basic directory  
layout for a Linux operating system, including the correct permissions  
for the directories.

**Name** : **basesystem** **Relocations:** (not relocatable)  
Version : 8.0 Vendor: CentOS  
Release : 5.1.1.el5.centos Build Date: Tue 27 Mar 2007  
11:58:19 PM EDT  
Install Date: Mon 19 Dec 2011 12:32:58 PM EST Build Host: builder6  
Group : System Environment/Base Source RPM: basesystem-8.0-  
5.1.1.el5.centos.src.rpm  
Size : 0 License: public domain  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:20 PM EDT, Key ID  
a8a447dce8562897  
Summary : The skeleton package which defines a simple CentOS system.  
Description :  
Basesystem defines the components of a basic CentOS system (for  
example, the package installation order to use during bootstrapping).  
Basesystem should be the first package installed on a system, and it  
should never be removed.

**Name** : **cracklib-dicts** **Relocations:** (not relocatable)  
Version : 2.8.9 Vendor: CentOS  
Release : 3.3 Build Date: Sun 11 Nov 2007  
12:07:27 PM EST  
Install Date: Mon 19 Dec 2011 12:33:04 PM EST Build Host:  
builder7.centos.org  
Group : System Environment/Libraries Source RPM: cracklib-2.8.9-  
3.3.src.rpm  
Size : 8043753 License: Artistic  
Signature : DSA/SHA1, Tue 20 Nov 2007 02:10:13 PM EST, Key ID  
a8a447dce8562897  
URL : <http://sourceforge.net/projects/cracklib/>  
Summary : The standard CrackLib dictionaries.  
Description :  
The cracklib-dicts package includes the CrackLib dictionaries.  
CrackLib will need to use the dictionary appropriate to your system,  
which is normally put in /usr/share/dict/words. Cracklib-dicts also  
contains the utilities necessary for the creation of new dictionaries.



If you are installing CrackLib, you should also install cracklib-dicts.

**Name** : **xorg-x11-util-macros** **Relocations:** (not relocatable)  
Version : 1.0.2 Vendor: CentOS  
Release : 4.fc6 Build Date: Tue 09 Jan 2007  
02:24:53 PM EST  
Install Date: Mon 19 Dec 2011 12:33:05 PM EST Build Host:  
builder7.centos.org  
Group : Development/System Source RPM: xorg-x11-util-macros-  
1.0.2-4.fc6.src.rpm  
Size : 12579 License: The Open Group  
License  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:47 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 Autotools macros  
Description :  
X.Org X11 autotools macros required for building the various packages that  
comprise the X Window System.

**Name** : **rmt** **Relocations:** (not relocatable)  
Version : 0.4b41 Vendor: CentOS  
Release : 4.el5 Build Date: Mon 21 Sep 2009  
06:53:18 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:05 PM EST Build Host:  
builder10.centos.org  
Group : Applications/Archiving Source RPM: dump-0.4b41-  
4.el5.src.rpm  
Size : 486040 License: BSD  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:07 PM EDT, Key ID  
a8a447dce8562897  
URL : http://dump.sourceforge.net/  
Summary : Provides certain programs with access to remote tape devices  
Description :  
The rmt utility provides remote access to tape devices for programs  
like dump (a filesystem backup program), restore (a program for  
restoring files from a backup), and tar (an archiving program).

**Name** : **termcap** **Relocations:** (not relocatable)  
Version : 5.5 Vendor: CentOS  
Release : 1.20060701.1 Build Date: Sat 06 Jan 2007  
03:36:35 PM EST  
Install Date: Mon 19 Dec 2011 12:33:06 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Base Source RPM: termcap-5.5-  
1.20060701.1.src.rpm  
Size : 807103 License: Public Domain  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:53 PM EDT, Key ID  
a8a447dce8562897  
Summary : The terminal feature database used by certain applications.  
Description :  
The termcap package provides the /etc/termcap file. /etc/termcap is a  
database which defines the capabilities of various terminals and  
terminal emulators. Certain programs use the /etc/termcap file to  
access various features of terminals (the bell, colors, and graphics,  
etc.).

**Name** : **compat-libgcc-296** **Relocations:** (not relocatable)  
Version : 2.96 Vendor: CentOS  
Release : 138 Build Date: Sat 06 Jan 2007  
07:05:00 AM EST  
Install Date: Mon 19 Dec 2011 12:33:06 PM EST Build Host:  
builder1.centos.org  
Group : Development/Languages Source RPM: compat-gcc-296-2.96-  
138.src.rpm  
Size : 165926 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:39 PM EDT, Key ID  
a8a447dce8562897  
URL : http://gcc.gnu.org  
Summary : Compatibility 2.96-RH libgcc library  
Description :  
The compat-libgcc-296 package contains 2.96-RH libgcc.a library and support  
object files.

**Name** : **emacs-leim** **Relocations:** (not relocatable)  
Version : 21.4 Vendor: CentOS  
Release : 20.el5 Build Date: Sat 24 May 2008  
11:37:53 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:07 PM EST Build Host:  
builder16.centos.org  
Group : Applications/Editors Source RPM: emacs-21.4-  
20.el5.src.rpm  
Size : 9159851 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:31:07 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnu.org/software/emacs/  
Summary : Emacs Lisp files for input methods for international  
characters.  
Description :  
The emacs-leim package contains Emacs Lisp code for input methods for  
various international character scripts. Basically, the Lisp code  
provided by this package describes the consecutive keystrokes that a  
user must press in order to input a particular character in a  
non-English character set. Input methods for many different character  
sets are included in this package.

**Name** : **rootfiles** **Relocations:** (not relocatable)  
Version : 8.1 Vendor: CentOS  
Release : 1.1.1 Build Date: Sat 06 Jan 2007  
04:05:24 AM EST  
Install Date: Mon 19 Dec 2011 12:33:09 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Base Source RPM: rootfiles-8.1-  
1.1.1.src.rpm  
Size : 620 License: Public Domain  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:23 PM EDT, Key ID  
a8a447dce8562897  
Summary : The basic required files for the root user's directory.  
Description :  
The rootfiles package contains basic required files that are placed  
in the root user's account. These files are basically the same  
as those in /etc/skel, which are placed in regular  
users' home directories.

**Name** : **atk** **Relocations:** (not relocatable)  
Version : 1.12.2 Vendor: CentOS  
Release : 1.fc6 Build Date: Sun 07 Jan 2007  
04:55:33 AM EST  
Install Date: Mon 19 Dec 2011 12:33:10 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: atk-1.12.2-  
1.fc6.src.rpm  
Size : 875959 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:15 PM EDT, Key ID  
a8a447dce8562897  
URL : http://developer.gnome.org/projects/gap/  
Summary : Interfaces for accessibility support  
Description :  
The ATK library provides a set of interfaces for adding accessibility  
support to applications and graphical user interface toolkits. By  
supporting the ATK interfaces, an application or toolkit can be used  
with tools such as screen readers, magnifiers, and alternative input  
devices.

**Name** : **libSM** **Relocations:** (not relocatable)  
Version : 1.0.1 Vendor: CentOS  
Release : 3.1 Build Date: Sat 06 Jan 2007  
05:44:53 AM EST  
Install Date: Mon 19 Dec 2011 12:33:10 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: libSM-1.0.1-  
3.1.src.rpm  
Size : 47013 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:38 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libSM runtime library  
Description :  
X.Org X11 libSM runtime library

**Name** : **libjpeg** **Relocations:** (not relocatable)  
Version : 6b Vendor: CentOS  
Release : 37 Build Date: Sat 06 Jan 2007  
01:10:00 AM EST  
Install Date: Mon 19 Dec 2011 12:33:10 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: libjpeg-6b-  
37.src.rpm  
Size : 273677 License: distributable  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:36 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.ijg.org/  
Summary : A library for manipulating JPEG image format files.  
Description :  
The libjpeg package contains a library of functions for manipulating  
JPEG images, as well as simple client programs for accessing the  
libjpeg functions. Libjpeg client programs include cjpeg, djpeg,  
jpegtran, rdjpgcom and wrjpgcom. Cjpeg compresses an image file into  
JPEG format. Djpeg decompresses a JPEG file into a regular image  
file. Jpegtran can perform various useful transformations on JPEG  
files. Rdjpgcom displays any text comments included in a JPEG file.

Wrjpgcom inserts text comments into a JPEG file.

**Name** : **libusb** **Relocations:** (not relocatable)  
Version : 0.1.12 Vendor: CentOS  
Release : 5.1 Build Date: Sat 06 Jan 2007  
08:27:41 AM EST  
Install Date: Mon 19 Dec 2011 12:33:10 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: libusb-0.1.12-  
5.1.src.rpm  
Size : 52092 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:41 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://sourceforge.net/projects/libusb/>  
Summary : A library which allows userspace access to USB devices.  
Description :  
This package provides a way for applications to access USB devices.

**Name** : **libtermcap** **Relocations:** (not relocatable)  
Version : 2.0.8 Vendor: CentOS  
Release : 46.1 Build Date: Sat 06 Jan 2007  
08:01:37 AM EST  
Install Date: Mon 19 Dec 2011 12:33:11 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: libtermcap-2.0.8-  
46.1.src.rpm  
Size : 11636 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:40 PM EDT, Key ID  
a8a447dce8562897  
URL : <ftp://metalab.unc.edu/pub/Linux/GCC/>  
Summary : A basic system library for accessing the termcap database.  
Description :  
The libtermcap package contains a basic system library needed to  
access the termcap database. The termcap library supports easy access  
to the termcap database, so that programs can output character-based  
displays in a terminal-independent manner.

**Name** : **ncurses** **Relocations:** (not relocatable)  
Version : 5.5 Vendor: CentOS  
Release : 24.20060715 Build Date: Sat 06 Jan 2007  
01:49:56 AM EST  
Install Date: Mon 19 Dec 2011 12:33:13 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: ncurses-5.5-  
24.20060715.src.rpm  
Size : 2828939 License: distributable  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:25:13 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://invisible-island.net/ncurses/ncurses.html>  
Summary : A terminal handling library  
Description :  
The curses library routines are a terminal-independent method of  
updating character screens with reasonable optimization. The ncurses  
(new curses) library is a freely distributable replacement for the  
discontinued 4.4 BSD classic curses library.

**Name** : **readline** **Relocations:** (not relocatable)

Version : 5.1 Vendor: CentOS  
Release : 3.el5 Build Date: Mon 21 Sep 2009  
06:38:37 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:13 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: readline-5.1-  
3.el5.src.rpm  
Size : 344669 License: GPL  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:07 PM EDT, Key ID  
a8a447dce8562897  
URL : http://cnswww.cns.cwru.edu/php/chet/readline/rltop.html  
Summary : A library for editing typed command lines.  
Description :

The Readline library provides a set of functions that allow users to edit command lines. Both Emacs and vi editing modes are available. The Readline library includes additional functions for maintaining a list of previously-entered command lines for recalling or editing those lines, and for performing csh-like history expansion on previous commands.

**Name : libsepol Relocations: /usr**  
Version : 1.15.2 Vendor: CentOS  
Release : 2.el5 Build Date: Thu 03 Sep 2009  
04:40:27 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:14 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: libsepol-1.15.2-  
2.el5.src.rpm  
Size : 243928 License: LGPLv2+  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:53 PM EDT, Key ID  
a8a447dce8562897  
Summary : SELinux binary policy manipulation library  
Description :

Security-enhanced Linux is a feature of the Linux-« kernel and a number of utilities with enhanced security functionality designed to add mandatory access controls to Linux. The Security-enhanced Linux kernel contains new architectural components originally developed to improve the security of the Flask operating system. These architectural components provide general support for the enforcement of many kinds of mandatory access control policies, including those based on the concepts of Type Enforcement-«, Role-based Access Control, and Multi-level Security. libsepol provides an API for the manipulation of SELinux binary policies. It is used by checkpolicy (the policy compiler) and similar tools, as well as by programs like load\_policy that need to perform specific transformations on binary policies such as customizing policy boolean settings.

**Name : tcp\_wrappers Relocations: (not relocatable)**  
Version : 7.6 Vendor: CentOS  
Release : 40.7.el5 Build Date: Mon 21 Sep 2009  
06:37:30 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:14 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Daemons Source RPM: tcp\_wrappers-7.6-  
40.7.el5.src.rpm  
Size : 246865 License: Distributable  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:07 PM EDT, Key ID

a8a447dce8562897

URL : ftp://ftp.porcupine.org/pub/security/index.html  
Summary : A security tool which acts as a wrapper for TCP daemons.  
Description :  
The tcp\_wrappers package provides small daemon programs which can monitor and filter incoming requests for systat, finger, FTP, telnet, rlogin, rsh, exec, tftp, talk and other network services.  
Install the tcp\_wrappers program if you need a security tool for filtering incoming network services requests.  
This version also supports IPv6.

**Name** : libcap **Relocations:** (not relocatable)  
Version : 1.10 Vendor: CentOS  
Release : 26 Build Date: Wed 14 Mar 2007  
02:15:11 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:14 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: libcap-1.10-  
26.src.rpm  
Size : 43762 License: BSD-like and LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:23 PM EDT, Key ID  
a8a447dce8562897  
Summary : Library for getting and setting POSIX.1e capabilities  
Description :  
libcap is a library for getting and setting POSIX.1e (formerly POSIX 6) draft 15 capabilities.

**Name** : libgcrypt **Relocations:** (not relocatable)  
Version : 1.4.4 Vendor: CentOS  
Release : 5.el5 Build Date: Thu 03 Sep 2009  
01:57:21 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:15 PM EST Build Host:  
builder10.centos.org  
Group : System Environment/Libraries Source RPM: libgcrypt-1.4.4-  
5.el5.src.rpm  
Size : 523997 License: LGPLv2+  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:51 PM EDT, Key ID  
a8a447dce8562897  
Summary : A general-purpose cryptography library  
Description :  
Libgcrypt is a general purpose crypto library based on the code used in GNU Privacy Guard. This is a development version.

**Name** : libidn **Relocations:** (not relocatable)  
Version : 0.6.5 Vendor: CentOS  
Release : 1.1 Build Date: Sun 07 Jan 2007  
04:10:21 AM EST  
Install Date: Mon 19 Dec 2011 12:33:15 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: libidn-0.6.5-  
1.1.src.rpm  
Size : 600183 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:34 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnu.org/software/libidn  
Summary : Internationalized Domain Name support library  
Description :

GNU Libidn is an implementation of the Stringprep, Punycode and IDNA specifications defined by the IETF Internationalized Domain Names (IDN) working group, used for internationalized domain names.

**Name** : **libXfont** **Relocations:** (not relocatable)  
Version : 1.2.2 Vendor: CentOS  
Release : 1.0.3.el5\_1 Build Date: Fri 18 Jan 2008  
05:26:50 PM EST  
Install Date: Mon 19 Dec 2011 12:33:16 PM EST Build Host:  
builder7.centos.org  
Group : System Environment/Libraries Source RPM: libXfont-1.2.2-  
1.0.3.el5\_1.src.rpm  
Size : 495400 License: MIT/X11  
Signature : DSA/SHA1, Fri 18 Jan 2008 06:14:06 PM EST, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXfont runtime library  
Description :  
X.Org X11 libXfont runtime library

**Name** : **libXdmcp** **Relocations:** (not relocatable)  
Version : 1.0.1 Vendor: CentOS  
Release : 2.1 Build Date: Fri 05 Jan 2007  
11:23:43 PM EST  
Install Date: Mon 19 Dec 2011 12:33:17 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: libXdmcp-1.0.1-  
2.1.src.rpm  
Size : 30946 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:43 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXdmcp runtime library  
Description :  
X.Org X11 libXdmcp runtime library

**Name** : **diffutils** **Relocations:** /usr  
Version : 2.8.1 Vendor: CentOS  
Release : 15.2.3.el5 Build Date: Sat 24 May 2008  
02:33:06 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:19 PM EST Build Host:  
builder10.centos.org  
Group : Applications/Text Source RPM: diffutils-2.8.1-  
15.2.3.el5.src.rpm  
Size : 555448 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:30:32 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnu.org/software/diffutils/diffutils.html  
Summary : A GNU collection of diff utilities.  
Description :  
Diffutils includes four utilities: diff, cmp, diff3 and sdiff. Diff  
compares two files and shows the differences, line by line. The cmp  
command shows the offset and line numbers where two files differ, or  
cmp can show the characters that differ between the two files. The  
diff3 command shows the differences between three files. Diff3 can be  
used when two people have made independent changes to a common

original; diff3 can produce a merged file that contains both sets of changes and warnings about conflicts. The sdiff command can be used to merge two files interactively.

Install diffutils if you need to compare text files.

**Name** : libgtop2 **Relocations:** (not relocatable)  
Version : 2.14.4 Vendor: CentOS  
Release : 3.el5 Build Date: Wed 14 Mar 2007  
02:55:28 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:20 PM EST Build Host:  
builder4.centos.org  
Group : System Environment/Libraries Source RPM: libgtop2-2.14.4-  
3.el5.src.rpm  
Size : 451013 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:32 PM EDT, Key ID  
a8a447dce8562897  
URL : ftp://ftp.gnome.org/pub/GNOME/sources/libgtop/2.0  
Summary : libgtop library (version 2)  
Description :  
libgtop is a library for portably obtaining information about processes,  
such as their PID, memory usage, etc.

**Name** : file **Relocations:** (not relocatable)  
Version : 4.17 Vendor: CentOS  
Release : 15.el5\_3.1 Build Date: Thu 30 Apr 2009  
06:20:29 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:20 PM EST Build Host:  
builder16.centos.org  
Group : Applications/File Source RPM: file-4.17-  
15.el5\_3.1.src.rpm  
Size : 1666385 License: distributable  
Signature : DSA/SHA1, Fri 08 May 2009 06:24:43 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.darwinsys.com/file/  
Summary : A utility for determining file types.  
Description :  
The file command is used to identify a particular file according to the  
type of data contained by the file. File can identify many different  
file types, including ELF binaries, system libraries, RPM packages, and  
different graphics formats.  
You should install the file package, since the file command is such a  
useful utility.

**Name** : lcms **Relocations:** (not relocatable)  
Version : 1.18 Vendor: CentOS  
Release : 0.1.beta1.el5\_3.2 Build Date: Tue 24 Mar 2009  
09:11:11 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:21 PM EST Build Host:  
builder10.centos.org  
Group : Applications/Productivity Source RPM: lcms-1.18-  
0.1.beta1.el5\_3.2.src.rpm  
Size : 400011 License: LGPL  
Signature : DSA/SHA1, Wed 25 Mar 2009 08:44:50 AM EDT, Key ID  
a8a447dce8562897  
URL : http://www.littlecms.com/  
Summary : Color Management System  
Description :



LittleCMS intends to be a small-footprint, speed optimized color management engine in open source form.

**Name** : **gmp** **Relocations:** (not relocatable)  
Version : 4.1.4 Vendor: CentOS  
Release : 10.el5 Build Date: Wed 14 Mar 2007  
11:50:49 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:23 PM EST Build Host:  
builder4.centos.org  
Group : System Environment/Libraries Source RPM: gmp-4.1.4-  
10.el5.src.rpm  
Size : 1785664 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:26 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.swox.com/gmp/  
Summary : A GNU arbitrary precision library.  
Description :  
The gmp package contains GNU MP, a library for arbitrary precision arithmetic, signed integers operations, rational numbers and floating point numbers. GNU MP is designed for speed, for both small and very large operands. GNU MP is fast because it uses fullwords as the basic arithmetic type, it uses fast algorithms, it carefully optimizes assembly code for many CPUs' most common inner loops, and it generally emphasizes speed over simplicity/elegance in its operations. Install the gmp package if you need a fast arbitrary precision library.

**Name** : **libsoup** **Relocations:** (not relocatable)  
Version : 2.2.98 Vendor: CentOS  
Release : 2.el5\_3.1 Build Date: Tue 24 Mar 2009  
09:20:38 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:24 PM EST Build Host:  
builder10.centos.org  
Group : Development/Libraries Source RPM: libsoup-2.2.98-  
2.el5\_3.1.src.rpm  
Size : 375597 License: LGPL  
Signature : DSA/SHA1, Wed 25 Mar 2009 10:36:33 AM EDT, Key ID  
a8a447dce8562897  
URL : ftp://ftp.gnome.org/pub/gnome/sources/libsoup/  
Summary : Soup, an HTTP library implementation  
Description :  
Libsoup is an HTTP library implementation in C. It was originally part of a SOAP (Simple Object Access Protocol) implementation called Soup, but the SOAP and non-SOAP parts have now been split into separate packages. libsoup uses the Glib main loop and is designed to work well with GTK applications. This enables GNOME applications to access HTTP servers on the network in a completely asynchronous fashion, very similar to the Gtk+ programming model (a synchronous operation mode is also supported for those who want it).

**Name** : **make** **Relocations:** /usr  
Version : 3.81 Vendor: CentOS  
Release : 3.el5 Build Date: Sat 24 May 2008  
09:35:31 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:24 PM EST Build Host:  
builder10.centos.org  
Group : Development/Tools Source RPM: make-3.81-

3.el5.src.rpm

Size : 1045080 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:36:45 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.gnu.org/software/make/>  
Summary : A GNU tool which simplifies the build process for users.  
Description :

A GNU tool for controlling the generation of executables and other non-source files of a program from the program's source files. Make allows users to build and install packages without any significant knowledge about the details of the build process. The details about how the program should be built are provided for make in the program's makefile.

The GNU make tool should be installed on your system because it is commonly used to simplify the process of installing programs.

**Name : mkisofs Relocations: (not relocatable)**  
Version : 2.01 Vendor: CentOS  
Release : 10.7.el5 Build Date: Thu 26 Feb 2009  
06:30:50 PM EST  
Install Date: Mon 19 Dec 2011 12:33:25 PM EST Build Host:  
chamkaur.karan.org  
Group : Applications/System Source RPM: cdrtools-2.01-  
10.7.el5.src.rpm  
Size : 1513763 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:46:56 PM EDT, Key ID  
a8a447dce8562897

Packager : Karanbir Singh <kbsingh@karan.org>  
URL : <http://cdrecord.berlios.de/old/private/cdrecord.html>  
Summary : Creates an image of an ISO9660 filesystem.  
Description :

The mkisofs program is used as a pre-mastering program; i.e., it generates the ISO9660 filesystem. Mkisofs takes a snapshot of a given directory tree and generates a binary image of the tree which will correspond to an ISO9660 filesystem when written to a block device. Mkisofs is used for writing CD-ROMs, and includes support for creating bootable El Torito CD-ROMs.

Install the mkisofs package if you need a program for writing CD-ROMs.

**Name : libraw1394 Relocations: (not relocatable)**  
Version : 1.3.0 Vendor: CentOS  
Release : 1.el5 Build Date: Sat 24 May 2008  
11:16:14 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:25 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: libraw1394-1.3.0-  
1.el5.src.rpm  
Size : 83342 License: LGPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:36:19 PM EDT, Key ID  
a8a447dce8562897

URL : <http://www.linux1394.org/>  
Summary : Library providing low-level IEEE-1394 access  
Description :

The libraw1394 library provides direct access to the IEEE-1394 bus through the Linux 1394 subsystem's raw1394 user space interface.

**Name** : **speex** **Relocations:** (not relocatable)  
Version : 1.0.5 Vendor: CentOS  
Release : 4.el5\_1.1 Build Date: Fri 18 Apr 2008  
12:47:45 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:25 PM EST Build Host: builder6  
Group : System Environment/Libraries Source RPM: speex-1.0.5-  
4.el5\_1.1.src.rpm  
Size : 297625 License: BSD  
Signature : DSA/SHA1, Mon 21 Apr 2008 11:45:01 AM EDT, Key ID  
a8a447dce8562897  
URL : http://www.speex.org/  
Summary : A voice compression format (codec)  
Description :  
Speex is a patent-free compression format designed especially for  
speech. It is specialized for voice communications at low bit-rates in  
the 2-45 kbps range. Possible applications include Voice over IP  
(VoIP), Internet audio streaming, audio books, and archiving of speech  
data (e.g. voice mail).

**Name** : **less** **Relocations:** (not relocatable)  
Version : 394 Vendor: CentOS  
Release : 6.el5 Build Date: Sat 26 Sep 2009  
03:10:50 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:28 PM EST Build Host:  
builder10.centos.org  
Group : Applications/Text Source RPM: less-394-  
6.el5.src.rpm  
Size : 169647 License: GPL  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:06 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.greenwoodsoftware.com/less/  
Summary : A text file browser similar to more, but better.  
Description :  
The less utility is a text file browser that resembles more, but has  
more capabilities. Less allows you to move backwards in the file as  
well as forwards. Since less doesn't have to read the entire input file  
before it starts, less starts up more quickly than text editors (for  
example, vi).  
You should install less because it is a basic utility for viewing text  
files, and you'll use it frequently.

**Name** : **cdrecord** **Relocations:** (not relocatable)  
Version : 2.01 Vendor: CentOS  
Release : 10.7.el5 Build Date: Thu 26 Feb 2009  
06:30:50 PM EST  
Install Date: Mon 19 Dec 2011 12:33:29 PM EST Build Host:  
chamkaur.karan.org  
Group : Applications/Archiving Source RPM: cdrtools-2.01-  
10.7.el5.src.rpm  
Size : 1383954 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:45:19 PM EDT, Key ID  
a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
URL : http://cdrecord.berlios.de/old/private/cdrecord.html  
Summary : A command line CD/DVD recording program.  
Description :  
Cdrecord is an application for creating audio and data CDs. Cdrecord

works with many different brands of CD recorders, fully supports multi-sessions and provides human-readable error messages.

**Name** : **libdaemon** **Relocations: (not relocatable)**  
Version : 0.10 Vendor: CentOS  
Release : 5.el5 Build Date: Wed 14 Mar 2007  
02:26:57 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:29 PM EST Build Host:  
builder7.centos.org  
Group : System Environment/Libraries Source RPM: libdaemon-0.10-  
5.el5.src.rpm  
Size : 48984 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:23 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.stud.uni-hamburg.de/users/lennart/projects/libdaemon>  
Summary : library for writing UNIX daemons  
Description :  
libdaemon is a lightweight C library which eases the writing of UNIX daemons.  
It consists of the following parts:  
\* A wrapper around fork() which does the correct daemonization  
procedure of a process  
\* A wrapper around syslog() for simpler and compatible log output to  
Syslog or STDERR  
\* An API for writing PID files  
\* An API for serializing UNIX signals into a pipe for usage with  
select() or poll()  
\* An API for running subprocesses with STDOUT and STDERR redirected  
to syslog.

**Name** : **dmidecode** **Relocations: (not relocatable)**  
Version : 2.9 Vendor: CentOS  
Release : 1.el5 Build Date: Thu 03 Sep 2009  
08:36:25 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:30 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: dmidecode-2.9-  
1.el5.src.rpm  
Size : 152052 License: GPLv2+  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:29 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.nongnu.org/dmidecode/>  
Summary : Tool to analyse BIOS DMI data.  
Description :  
dmidecode reports information about x86 hardware as described in the  
system BIOS according to the SMBIOS/DMI standard. This information  
typically includes system manufacturer, model name, serial number,  
BIOS version, asset tag as well as a lot of other details of varying  
level of interest and reliability depending on the manufacturer.  
This will often include usage status for the CPU sockets, expansion  
slots (e.g. AGP, PCI, ISA) and memory module slots, and the list of  
I/O ports (e.g. serial, parallel, USB).

**Name** : **libavc1394** **Relocations: (not relocatable)**  
Version : 0.5.3 Vendor: CentOS  
Release : 1.fc6 Build Date: Sat 06 Jan 2007  
07:54:42 AM EST  
Install Date: Mon 19 Dec 2011 12:33:30 PM EST Build Host:

builder1.centos.org  
Group : System Environment/Libraries Source RPM: libavc1394-0.5.3-1.fc6.src.rpm  
Size : 94185 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:22 PM EDT, Key ID a8a447dce8562897  
Summary : Audio/Video Control library for IEEE-1394 devices  
Description :  
The libavc1394 library allows utilities to control IEEE-1394 devices using the AV/C specification. Audio/Video Control allows applications to control devices like the tape on a VCR or camcorder.

**Name : iptables-ipv6 Relocations: /usr**  
Version : 1.3.5 Vendor: CentOS  
Release : 5.3.el5 Build Date: Thu 03 Sep 2009 05:31:54 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:31 PM EST Build Host: builder16.centos.org  
Group : System Environment/Base Source RPM: iptables-1.3.5-5.3.el5.src.rpm  
Size : 361007 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:43 PM EDT, Key ID a8a447dce8562897  
URL : http://www.netfilter.org/  
Summary : IPv6 support for iptables.  
Description :  
The iptables package contains IPv6 (the next version of the IP protocol) support for iptables. Iptables controls the Linux kernel network packet filtering code, allowing you to set up firewalls and IP masquerading.  
Install iptables-ipv6 if you need to set up firewalling for your network and you are using ipv6.

**Name : psutils Relocations: (not relocatable)**  
Version : 1.17 Vendor: CentOS  
Release : 26.1 Build Date: Sat 06 Jan 2007 01:23:02 PM EST  
Install Date: Mon 19 Dec 2011 12:33:35 PM EST Build Host: builder5.centos.org  
Group : Applications/Publishing Source RPM: psutils-1.17-26.1.src.rpm  
Size : 207473 License: distributable  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:05 PM EDT, Key ID a8a447dce8562897  
Summary : PostScript Utilities  
Description :  
This archive contains some utilities for manipulating PostScript documents. Page selection and rearrangement are supported, including arrangement into signatures for booklet printing, and page merging for n-up printing.

**Name : crash Relocations: (not relocatable)**  
Version : 4.0 Vendor: CentOS  
Release : 8.9.1.el5.centos Build Date: Thu 03 Sep 2009 08:26:04 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:35 PM EST Build Host: builder16.centos.org  
Group : Development/Debuggers Source RPM: crash-4.0-

8.9.1.el5.centos.src.rpm

Size : 3840417 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:26 PM EDT, Key ID  
a8a447dce8562897  
URL : http://people.redhat.com/anderson  
Summary : crash utility for live systems; netdump, diskdump, kdump, LKCD  
or mcore dumpfiles  
Description :  
The core analysis suite is a self-contained tool that can be used to  
investigate either live systems, kernel core dumps created from the  
netdump, diskdump and kdump packages from CentOS Linux, the mcore kernel  
patch  
offered by Mission Critical Linux, or the LKCD kernel patch.

**Name : elfutils-libs Relocations: (not relocatable)**  
Version : 0.137 Vendor: CentOS  
Release : 3.el5 Build Date: Wed 21 Jan 2009  
12:03:44 AM EST  
Install Date: Mon 19 Dec 2011 12:33:36 PM EST Build Host:  
builder10.centos.org  
Group : Development/Tools Source RPM: elfutils-0.137-  
3.el5.src.rpm  
Size : 388964 License: GPLv2 with exceptions  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:45:26 PM EDT, Key ID  
a8a447dce8562897  
URL : https://fedorahosted.org/elfutils/  
Summary : Libraries to handle compiled objects  
Description :  
The elfutils-libs package contains libraries which implement DWARF, ELF,  
and machine-specific ELF handling. These libraries are used by the programs  
in the elfutils package. The elfutils-devel package enables building  
other programs using these libraries.

**Name : nss-tools Relocations: (not relocatable)**  
Version : 3.12.3.99.3 Vendor: CentOS  
Release : 1.el5.centos.2 Build Date: Mon 27 Jul 2009  
11:01:26 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:36 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: nss-3.12.3.99.3-  
1.el5.centos.2.src.rpm  
Size : 3051960 License: MPL/GPL/LGPL  
Signature : DSA/SHA1, Tue 28 Jul 2009 07:16:04 AM EDT, Key ID  
a8a447dce8562897  
URL : http://www.mozilla.org/projects/security/pki/nss/  
Summary : Tools for the Network Security Services  
Description :  
Network Security Services (NSS) is a set of libraries designed to  
support cross-platform development of security-enabled client and  
server applications. Applications built with NSS can support SSL v2  
and v3, TLS, PKCS #5, PKCS #7, PKCS #11, PKCS #12, S/MIME, X.509  
v3 certificates, and other security standards.  
Install the nss-tools package if you need command-line tools to  
manipulate the NSS certificate and key database.

**Name : time Relocations: /usr**  
Version : 1.7 Vendor: CentOS

Release : 27.2.2 Build Date: Sat 06 Jan 2007  
04:39:29 PM EST  
Install Date: Mon 19 Dec 2011 12:33:37 PM EST Build Host:  
builder5.centos.org  
Group : Applications/System Source RPM: time-1.7-  
27.2.2.src.rpm  
Size : 17161 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:10 PM EDT, Key ID  
a8a447dce8562897  
Summary : A GNU utility for monitoring a program's use of system  
resources.  
Description :  
The GNU time utility runs another program, collects information about  
the resources used by that program while it is running, and displays  
the results.

**Name : shared-mime-info Relocations: (not relocatable)**  
Version : 0.19 Vendor: CentOS  
Release : 5.el5 Build Date: Sat 24 May 2008  
12:05:30 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:38 PM EST Build Host:  
builder10.centos.org  
Group : System Environment/Libraries Source RPM: shared-mime-info-  
0.19-5.el5.src.rpm  
Size : 818753 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:40:47 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://freedesktop.org/Software/shared-mime-info>  
Summary : Shared MIME information database  
Description :  
This is the freedesktop.org shared MIME info database.  
Many programs and desktops use the MIME system to represent the types of  
files. Frequently, it is necessary to work out the correct MIME type for  
a file. This is generally done by examining the file's name or contents,  
and looking up the correct MIME type in a database.

**Name : cyrus-sasl-plain Relocations: (not relocatable)**  
Version : 2.1.22 Vendor: CentOS  
Release : 5.el5 Build Date: Thu 03 Sep 2009  
08:04:59 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:38 PM EST Build Host:  
builder10.centos.org  
Group : System Environment/Libraries Source RPM: cyrus-sasl-2.1.22-  
5.el5.src.rpm  
Size : 31312 License: Freely Distributable  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:28 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://asg.web.cmu.edu/sasl/sasl-library.html>  
Summary : PLAIN and LOGIN support for Cyrus SASL.  
Description :  
The cyrus-sasl-plain package contains the Cyrus SASL plugins which support  
PLAIN and LOGIN authentication schemes.

**Name : gstreamer-tools Relocations: (not relocatable)**  
Version : 0.10.20 Vendor: CentOS  
Release : 3.el5 Build Date: Wed 21 Jan 2009  
02:02:24 AM EST

Install Date: Mon 19 Dec 2011 12:33:40 PM EST Build Host:  
builder16.centos.org  
Group : Applications/Multimedia Source RPM: gstreamer-0.10.20-  
3.el5.src.rpm  
Size : 55492 License: LGPLv2+  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:45:50 PM EDT, Key ID  
a8a447dce8562897  
URL : http://gstreamer.freedesktop.org/  
Summary : common tools and files for GStreamer streaming media framework  
Description :  
GStreamer is a streaming media framework, based on graphs of filters which  
operate on media data. Applications using this library can do anything  
from real-time sound processing to playing videos, and just about anything  
else media-related. Its plugin-based architecture means that new data  
types or processing capabilities can be added simply by installing new  
plugins.  
This package contains wrapper scripts for the command-line tools that work  
with different major/minor versions of GStreamer.

**Name : pax Relocations: (not relocatable)**  
Version : 3.4 Vendor: CentOS  
Release : 1.2.2 Build Date: Sat 06 Jan 2007  
09:09:43 AM EST  
Install Date: Mon 19 Dec 2011 12:33:41 PM EST Build Host:  
builder1.centos.org  
Group : Applications/Archiving Source RPM: pax-3.4-1.2.2.src.rpm  
Size : 114755 License: BSD  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:50 PM EDT, Key ID  
a8a447dce8562897  
URL : ftp://ftp.suse.com/pub/people/kukuk/pax/  
Summary : POSIX File System Archiver  
Description :  
'pax' is the POSIX standard archive tool. It supports the two most  
common forms of standard Unix archive (backup) files - CPIO and TAR.

**Name : cdda2wav Relocations: (not relocatable)**  
Version : 2.01 Vendor: CentOS  
Release : 10.7.el5 Build Date: Thu 26 Feb 2009  
06:30:50 PM EST  
Install Date: Mon 19 Dec 2011 12:33:42 PM EST Build Host:  
chamkaur.karan.org  
Group : Applications/Multimedia Source RPM: cdrtools-2.01-  
10.7.el5.src.rpm  
Size : 457979 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:45:19 PM EDT, Key ID  
a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
URL : http://cdrecord.berlios.de/old/private/cdrecord.html  
Summary : A utility for sampling/copying .wav files from digital audio  
CDs.  
Description :  
Cdda2wav is a sampling utility for CD-ROM drives that are capable of  
providing a CD's audio data in digital form to your host. Audio data  
read from the CD can be saved as .wav or .sun format sound files.  
Recording formats include stereo/mono, 8/12/16 bits and different  
rates. Cdda2wav can also be used as a CD player.



**Name** : **ethtool** **Relocations:** (not relocatable)  
Version : 6 Vendor: CentOS  
Release : 3.el5 Build Date: Thu 03 Sep 2009  
02:54:55 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:42 PM EST Build Host:  
builder16.centos.org  
Group : Applications/System Source RPM: ethtool-6-  
3.el5.src.rpm  
Size : 163737 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:30 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://sourceforge.net/projects/gkernel/>  
Summary : Ethernet settings tool for PCI ethernet cards  
Description :  
This utility allows querying and changing of ethernet  
card settings, such as speed, port, autonegotiation,  
and PCI locations.

**Name** : **sgpio** **Relocations:** (not relocatable)  
Version : 1.2.0\_10 Vendor: CentOS  
Release : 2.el5 Build Date: Thu 26 Feb 2009  
06:35:31 AM EST  
Install Date: Mon 19 Dec 2011 12:33:42 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: sgpio-1.2.0\_10-  
2.el5.src.rpm  
Size : 13741 License: GPLv2+  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:49:13 PM EDT, Key ID  
a8a447dce8562897  
URL : [http://sources.redhat.com/lvm2/wiki/DMRAID\\_Eventing](http://sources.redhat.com/lvm2/wiki/DMRAID_Eventing)  
Summary : SGPIO captive backplane tool  
Description :  
Intel SGPIO enclosure management utility  
This package contains (part of) a Technology Preview for  
Application for AHCI driver with SGPIO support.  
Please visit <http://www.redhat.com/support/service/> for details on the  
Red Hat support policies.

**Name** : **jpackage-utils** **Relocations:** (not relocatable)  
Version : 1.7.3 Vendor: CentOS  
Release : 1jpp.2.el5 Build Date: Wed 14 Mar 2007  
01:42:16 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:43 PM EST Build Host:  
builder3.centos.org  
Group : Utilities Source RPM: jpackage-utils-1.7.3-  
1jpp.2.el5.src.rpm  
Size : 167005 License: JPackage License  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:58 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.jpackage.org/>  
Summary : JPackage utilities  
Description :  
Utilities for the JPackage Project <<http://www.jpackage.org/>>:

\* /usr/bin/build-classpath build the Java classpath in a portable manner  
\* /usr/bin/build-jar-repository

```

                                build a jar repository in a portable manner
* /usr/bin/rebuild-jar-repository
                                rebuild a jar repository in a portable manner
                                (after a jvm change...)
* /usr/bin/build-classpath-directory
                                build the Java classpath from a directory
* /usr/bin/diff-jars
                                show jar content differences
* /usr/bin/jvmjar
                                install jvm extensions
* /usr/bin/create-jar-links
                                create custom jar links
* /usr/bin/clean-binary-files
                                remove binary files from sources
* /usr/bin/check-binary-files
                                check for presence of unexpected binary files
* /usr/share/java-utils/java-functions
                                shell script functions library for Java
                                applications
* /etc/java/jpackage-release
                                string identifying the currently installed
                                JPackage release
* /etc/java/java.conf
                                system-wide Java configuration file
* /etc/rpm/macros.jpackage
                                RPM macros for Java packagers and developers
* /usr/share/doc/jpackage-utils-1.7.3/jpackage-policy
                                Java packaging policy for packagers and
                                developers

```

It contains also the License, man pages, documentation, XSL files of general use with maven2, a header file for spec files etc.

```

Name           : freetype-devel           Relocations: (not relocatable)
Version          : 2.2.1                       Vendor: CentOS
Release         : 21.el5_3                     Build Date: Fri 22 May 2009
10:04:13 AM EDT
Install Date: Mon 19 Dec 2011 12:33:47 PM EST   Build Host:
builder16.centos.org
Group           : Development/Libraries        Source RPM: freetype-2.2.1-
21.el5_3.src.rpm
Size            : 910963                       License: BSD/GPL dual license
Signature      : DSA/SHA1, Fri 22 May 2009 05:22:59 PM EDT, Key ID
a8a447dce8562897
URL             : http://www.freetype.org
Summary        : FreeType development libraries and header files
Description    :
The freetype-devel package includes the static libraries and header files
for the FreeType font rendering engine.
Install freetype-devel if you want to develop programs which will use
FreeType.

```

```

Name           : libpng-devel           Relocations: (not relocatable)
Version          : 1.2.10                       Vendor: CentOS
Release         : 7.1.el5_3.2                   Build Date: Tue 24 Mar 2009
09:05:03 PM EDT
Install Date: Mon 19 Dec 2011 12:33:50 PM EST   Build Host:

```

builder10.centos.org  
Group : Development/Libraries Source RPM: libpng-1.2.10-7.1.el5\_3.2.src.rpm  
Size : 434207 License: zlib  
Signature : DSA/SHA1, Wed 25 Mar 2009 10:32:25 AM EDT, Key ID a8a447dce8562897  
URL : http://www.libpng.org/pub/png/  
Summary : Development tools for programs to manipulate PNG image format files.  
Description :  
The libpng-devel package contains the header files and static libraries necessary for developing programs using the PNG (Portable Network Graphics) library.  
If you want to develop programs which will manipulate PNG image format files, you should install libpng-devel. You'll also need to install the libpng package.

**Name : nspr-devel Relocations: (not relocatable)**  
Version : 4.7.4 Vendor: CentOS  
Release : 1.el5\_3.1 Build Date: Mon 27 Jul 2009 10:47:19 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:50 PM EST Build Host: builder16.centos.org  
Group : Development/Libraries Source RPM: nspr-4.7.4-1.el5\_3.1.src.rpm  
Size : 524211 License: MPL/GPL/LGPL  
Signature : DSA/SHA1, Tue 28 Jul 2009 07:16:25 AM EDT, Key ID a8a447dce8562897  
URL : http://www.mozilla.org/projects/nspr/  
Summary : Development libraries for the Netscape Portable Runtime  
Description :  
Header files for doing development with the Netscape Portable Runtime.

**Name : libfontenc-devel Relocations: (not relocatable)**  
Version : 1.0.2 Vendor: CentOS  
Release : 2.2.el5 Build Date: Wed 14 Mar 2007 02:27:22 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:51 PM EST Build Host: builder6  
Group : Development/Libraries Source RPM: libfontenc-1.0.2-2.2.el5.src.rpm  
Size : 5266 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:25 PM EDT, Key ID a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libfontenc development package  
Description :  
X.Org X11 libfontenc development package

**Name : perl-XML-Namespacesupport Relocations: (not relocatable)**  
Version : 1.09 Vendor: CentOS  
Release : 1.2.1 Build Date: Mon 08 Jan 2007 02:09:56 PM EST  
Install Date: Mon 19 Dec 2011 12:33:52 PM EST Build Host: builder4.centos.org  
Group : Development/Libraries Source RPM: perl-XML-Namespacesupport-1.09-1.2.1.src.rpm  
Size : 28872 License: GPL or Artistic

Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:55 PM EDT, Key ID  
a8a447dce8562897  
URL : http://search.cpan.org/dist/XML-NamespaceSupport/  
Summary : XML-NamespaceSupport Perl module  
Description :  
XML-NamespaceSupport Perl module.

**Name** : **keyutils-libs-devel** **Relocations:** (not relocatable)  
Version : 1.2 Vendor: CentOS  
Release : 1.el5 Build Date: Sat 06 Jan 2007  
02:57:58 AM EST  
Install Date: Mon 19 Dec 2011 12:33:53 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Base Source RPM: keyutils-1.2-  
1.el5.src.rpm  
Size : 23836 License: GPL/LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:17 PM EDT, Key ID  
a8a447dce8562897  
URL : http://people.redhat.com/~dhowells/keyutils/  
Summary : Development package for building linux key management utilities  
Description :  
This package provides headers and libraries for building key utilities.

**Name** : **libgcrypt-devel** **Relocations:** (not relocatable)  
Version : 1.4.4 Vendor: CentOS  
Release : 5.el5 Build Date: Thu 03 Sep 2009  
01:57:21 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:54 PM EST Build Host:  
builder10.centos.org  
Group : Development/Libraries Source RPM: libgcrypt-1.4.4-  
5.el5.src.rpm  
Size : 914146 License: LGPLv2+  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:51 PM EDT, Key ID  
a8a447dce8562897  
Summary : Development files for the libgcrypt package.  
Description :  
Libgcrypt is a general purpose crypto library based on the code used  
in GNU Privacy Guard. This package contains files needed to develop  
applications using libgcrypt.

**Name** : **libtermcap-devel** **Relocations:** (not relocatable)  
Version : 2.0.8 Vendor: CentOS  
Release : 46.1 Build Date: Sat 06 Jan 2007  
08:01:37 AM EST  
Install Date: Mon 19 Dec 2011 12:33:54 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries Source RPM: libtermcap-2.0.8-  
46.1.src.rpm  
Size : 55696 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:40 PM EDT, Key ID  
a8a447dce8562897  
URL : ftp://metalab.unc.edu/pub/Linux/GCC/  
Summary : Development tools for programs which will access the termcap  
database.  
Description :  
This package includes the libraries and header files necessary for  
developing programs which will access the termcap database.

If you need to develop programs which will access the termcap database, you'll need to install this package. You'll also need to install the libtermcap package.

**Name** : **glibc-devel** **Relocations:** (not relocatable)  
Version : 2.5 Vendor: CentOS  
Release : 42 Build Date: Wed 02 Sep 2009  
08:23:53 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:55 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: glibc-2.5-42.src.rpm  
Size : 4867956 License: LGPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:41 PM EDT, Key ID  
a8a447dce8562897  
Summary : Object files for development using standard C libraries.  
Description :  
The glibc-devel package contains the object files necessary  
for developing programs which use the standard C libraries (which are  
used by nearly all programs). If you are developing programs which  
will use the standard C libraries, your system needs to have these  
standard object files available in order to create the  
executables.  
Install glibc-devel if you are going to develop programs which will  
use the standard C libraries.

**Name** : **libpfm** **Relocations:** /usr  
Version : 3.2 Vendor: CentOS  
Release : 0.060926.4.el5 Build Date: Wed 14 Mar 2007  
03:02:19 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:56 PM EST Build Host:  
builder7.centos.org  
Group : Development/Libraries Source RPM: libpfm-3.2-  
0.060926.4.el5.src.rpm  
Size : 140807 License: MIT-style  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:37 PM EDT, Key ID  
a8a447dce8562897  
Summary : a performance monitoring library for Linux/ia64  
Description :  
This package contains a library to develop performance monitoring  
applications using the Performance Monitor Unit (PMU) available on  
various processors.

**Name** : **libXt** **Relocations:** (not relocatable)  
Version : 1.0.2 Vendor: CentOS  
Release : 3.1.fc6 Build Date: Mon 08 Jan 2007  
03:52:28 PM EST  
Install Date: Mon 19 Dec 2011 12:33:56 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: libXt-1.0.2-  
3.1.fc6.src.rpm  
Size : 368223 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:47 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.x.org>  
Summary : X.Org X11 libXt runtime library  
Description :  
X.Org X11 libXt runtime library

**Name** : libXi **Relocations:** (not relocatable)  
Version : 1.0.1 Vendor: CentOS  
Release : 3.1 Build Date: Sat 06 Jan 2007  
01:50:28 PM EST  
Install Date: Mon 19 Dec 2011 12:33:56 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: libXi-1.0.1-  
3.1.src.rpm  
Size : 43437 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:44 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXi runtime library  
Description :  
X.Org X11 libXi runtime library

**Name** : libXfixes **Relocations:** (not relocatable)  
Version : 4.0.1 Vendor: CentOS  
Release : 2.1 Build Date: Sat 06 Jan 2007  
05:07:53 PM EST  
Install Date: Mon 19 Dec 2011 12:33:57 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: libXfixes-4.0.1-  
2.1.src.rpm  
Size : 19672 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:44 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXfixes runtime library  
Description :  
X.Org X11 libXfixes runtime library

**Name** : libXxf86vm **Relocations:** (not relocatable)  
Version : 1.0.1 Vendor: CentOS  
Release : 3.1 Build Date: Sun 07 Jan 2007  
05:59:55 PM EST  
Install Date: Mon 19 Dec 2011 12:33:57 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: libXxf86vm-1.0.1-  
3.1.src.rpm  
Size : 19914 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:47 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXxf86vm runtime library  
Description :  
X.Org X11 libXxf86vm runtime library

**Name** : tk **Relocations:** (not relocatable)  
Version : 8.4.13 Vendor: CentOS  
Release : 5.el5\_1.1 Build Date: Thu 21 Feb 2008  
06:11:26 PM EST  
Install Date: Mon 19 Dec 2011 12:33:57 PM EST Build Host: builder6  
Group : Development/Languages Source RPM: tk-8.4.13-  
5.el5\_1.1.src.rpm  
Size : 2378730 License: BSD

Signature : DSA/SHA1, Fri 22 Feb 2008 12:35:38 PM EST, Key ID  
a8a447dce8562897  
URL : http://tcl.sourceforge.net/  
Summary : Tk graphical toolkit for the Tcl scripting language  
Description :  
When paired with the Tcl scripting language, Tk provides a fast and powerful  
way to create cross-platform GUI applications.

**Name : libXdamage Relocations: (not relocatable)**  
Version : 1.0.3 Vendor: CentOS  
Release : 2.1 Build Date: Fri 05 Jan 2007  
11:22:33 PM EST  
Install Date: Mon 19 Dec 2011 12:33:59 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: libXdamage-1.0.3-  
2.1.src.rpm  
Size : 9248 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:43 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXdamage runtime library  
Description :  
X.Org X11 libXdamage runtime library

**Name : libxklavier Relocations: (not relocatable)**  
Version : 3.0 Vendor: CentOS  
Release : 3.el5 Build Date: Wed 14 Mar 2007  
03:55:05 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:00 PM EST Build Host:  
builder4.centos.org  
Group : Development/Libraries Source RPM: libxklavier-3.0-  
3.el5.src.rpm  
Size : 432671 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:45 PM EDT, Key ID  
a8a447dce8562897  
URL : http://gswitchit.sourceforge.net/  
Summary : library providing high-level API for X Keyboard Extension  
Description :  
libxklavier is a library providing high-level API for X Keyboard Extension  
known as XKB. This library is intended to support XFree86 and other  
commercial X servers. It is useful for creating XKB-related software  
(layout indicators etc).

**Name : libdmx Relocations: (not relocatable)**  
Version : 1.0.2 Vendor: CentOS  
Release : 3.1 Build Date: Sun 07 Jan 2007  
02:15:48 AM EST  
Install Date: Mon 19 Dec 2011 12:34:00 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: libdmx-1.0.2-  
3.1.src.rpm  
Size : 15763 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:24 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libdmx runtime library  
Description :

X.Org X11 libdmx runtime library

**Name** : **giflib** **Relocations:** (not relocatable)  
Version : 4.1.3 Vendor: CentOS  
Release : 7.1.el5\_3.1 Build Date: Thu 23 Apr 2009  
08:35:57 AM EDT  
Install Date: Mon 19 Dec 2011 12:34:00 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: giflib-4.1.3-  
7.1.el5\_3.1.src.rpm  
Size : 80836 License: MIT  
Signature : DSA/SHA1, Thu 23 Apr 2009 04:52:28 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.sf.net/projects/libungif/>  
Summary : Library for manipulating GIF format image files  
Description :  
The giflib package contains a shared library of functions for  
loading and saving GIF format image files. It is API and ABI compatible  
with libungif, the library which supported uncompressed GIFs while the  
Unisys LZW patent was in effect.  
Install the giflib package if you need to write programs that use GIF files.  
You should also install the giflib-utils package if you need some simple  
utilities to manipulate GIFs.

**Name** : **tclx** **Relocations:** (not relocatable)  
Version : 8.4.0 Vendor: CentOS  
Release : 5.fc6 Build Date: Sat 06 Jan 2007  
06:48:41 AM EST  
Install Date: Mon 19 Dec 2011 12:34:01 PM EST Build Host:  
builder5.centos.org  
Group : Development/Languages Source RPM: tclx-8.4.0-  
5.fc6.src.rpm  
Size : 224740 License: BSD  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:53 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://tclx.sourceforge.net/>  
Summary : Extensions for Tcl and Tk  
Description :  
Extended Tcl (TclX) is a set of extensions to the Tcl programming language.  
Extended Tcl is oriented towards system programming tasks and large  
application development. TclX provides additional interfaces to the  
operating system, and adds many new programming constructs, text manipulation  
and debugging tools.

**Name** : **compat-gcc-34-c++** **Relocations:** (not relocatable)  
Version : 3.4.6 Vendor: CentOS  
Release : 4 Build Date: Mon 08 Jan 2007  
07:22:09 PM EST  
Install Date: Mon 19 Dec 2011 12:34:02 PM EST Build Host:  
builder4.centos.org  
Group : Development/Languages Source RPM: compat-gcc-34-3.4.6-  
4.src.rpm  
Size : 52098364 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:37 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://gcc.gnu.org>  
Summary : C++ support for compatibility compiler



Description :

This package includes a GCC 3.4.6-RH compatibility C++ compiler.

**Name** : **xorg-x11-twm** **Relocations:** (not relocatable)  
Version : 1.0.1 Vendor: CentOS  
Release : 3.1 Build Date: Sat 06 Jan 2007  
09:28:53 PM EST  
Install Date: Mon 19 Dec 2011 12:34:03 PM EST Build Host:  
builder5.centos.org  
Group : User Interface/X Source RPM: xorg-x11-twm-1.0.1-  
3.1.src.rpm  
Size : 180231 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:47 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 twm window manager  
Description :  
X.Org X11 twm window manager

**Name** : **iptstate** **Relocations:** (not relocatable)  
Version : 1.4 Vendor: CentOS  
Release : 1.1.2.2 Build Date: Mon 08 Jan 2007  
11:08:15 PM EST  
Install Date: Mon 19 Dec 2011 12:34:04 PM EST Build Host:  
builder6.centos.org  
Group : System Environment/Base Source RPM: iptstate-1.4-  
1.1.2.2.src.rpm  
Size : 48123 License: zlib License  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:51 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.phildev.net/iptstate/  
Summary : A top-like display of IP Tables state table entries  
Description :  
IP Tables State (iptstate) was originally written to implement  
the "state top" feature of IP Filter (see "The Idea" below) in  
IP Tables. "State top" displays the states held by your stateful  
firewall in a top-like manner.  
Since IP Tables doesn't have a built in way to easily display  
this information even once, an option was added to just have it  
display the state table once.  
Features include:

- Top-like realtime statetable information
- Sorting by any field
- Reversible sorting
- Single display of state table
- Customizable refresh rate
- Open Source (specifically I'm using the zlib license)

**Name** : **fbset** **Relocations:** (not relocatable)  
Version : 2.1 Vendor: CentOS  
Release : 22 Build Date: Sun 07 Jan 2007  
05:58:24 AM EST  
Install Date: Mon 19 Dec 2011 12:34:05 PM EST Build Host:  
builder5.centos.org  
Group : Applications/System Source RPM: fbset-2.1-22.src.rpm  
Size : 58248 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:21:37 PM EDT, Key ID

a8a447dce8562897

URL : <http://home.tvd.be/cr26864/Linux/fbdev/>  
Summary : Tools for managing a frame buffer's video mode properties.  
Description :  
Fbset is a utility for maintaining frame buffer resolutions. Fbset can change the video mode properties of a frame buffer device, and is usually used to change the current video mode.  
Install fbset if you need to manage frame buffer resolutions.

**Name** : **jwhois** **Relocations: (not relocatable)**  
Version : 3.2.3 Vendor: CentOS  
Release : 8.el5 Build Date: Wed 14 Mar 2007  
01:43:31 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:06 PM EST Build Host:  
builder7.centos.org  
Group : Applications/Internet Source RPM: jwhois-3.2.3-  
8.el5.src.rpm  
Size : 260631 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:23:01 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.gnu.org/software/jwhois/>  
Summary : Internet whois/nicname client.  
Description :  
A whois client that accepts both traditional and finger-style queries.

**Name** : **attr** **Relocations: (not relocatable)**  
Version : 2.4.32 Vendor: CentOS  
Release : 1.1 Build Date: Sat 06 Jan 2007  
12:12:25 AM EST  
Install Date: Mon 19 Dec 2011 12:34:07 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Base Source RPM: attr-2.4.32-  
1.1.src.rpm  
Size : 119579 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:16 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://oss.sgi.com/projects/xfs/>  
Summary : Utilities for managing filesystem extended attributes.  
Description :  
A set of tools for manipulating extended attributes on filesystem objects, in particular getfattr(1) and setfattr(1).  
An attr(1) command is also provided which is largely compatible with the SGI IRIX tool of the same name.

**Name** : **nano** **Relocations: (not relocatable)**  
Version : 1.3.12 Vendor: CentOS  
Release : 1.1 Build Date: Tue 09 Jan 2007  
02:25:20 PM EST  
Install Date: Mon 19 Dec 2011 12:34:07 PM EST Build Host:  
builder4.centos.org  
Group : Applications/Editors Source RPM: nano-1.3.12-  
1.1.src.rpm  
Size : 1336079 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:25:11 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.nano-editor.org>  
Summary : A small text editor

Description :  
GNU nano is a small and friendly text editor.

**Name** : **cscope** **Relocations:** (not relocatable)  
Version : 15.5 Vendor: CentOS  
Release : 15.1.el5\_3.1 Build Date: Tue 16 Jun 2009  
07:11:53 AM EDT  
Install Date: Mon 19 Dec 2011 12:34:08 PM EST Build Host:  
builder16.centos.org  
Group : Development/Tools Source RPM: cscope-15.5-  
15.1.el5\_3.1.src.rpm  
Size : 445216 License: BSD  
Signature : DSA/SHA1, Fri 19 Jun 2009 07:00:44 AM EDT, Key ID  
a8a447dce8562897  
URL : http://cscope.sourceforge.net  
Summary : C source code tree search and browse tool  
Description :  
cscope is a mature, ncurses based, C source code tree browsing tool. It  
allows users to search large source code bases for variables, functions,  
macros, etc, as well as perform general regex and plain text searches.  
Results are returned in lists, from which the user can select individual  
matches for use in file editing.

**Name** : **rarpd** **Relocations:** (not relocatable)  
Version : ss981107 Vendor: CentOS  
Release : 22.2.2 Build Date: Sat 06 Jan 2007  
01:18:35 PM EST  
Install Date: Mon 19 Dec 2011 12:34:08 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Daemons Source RPM: rarpd-ss981107-  
22.2.2.src.rpm  
Size : 17147 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:16 PM EDT, Key ID  
a8a447dce8562897  
Summary : The RARP daemon.  
Description :  
RARP (Reverse Address Resolution Protocol) is a protocol which allows  
individual devices on an IP network to get their own IP addresses from the  
RARP server. Some machines (e.g. SPARC boxes) use this protocol instead  
of e.g. DHCP to query their IP addresses during network bootup.  
Linux kernels up to 2.2 used to provide a kernel daemon for this service,  
but since 2.3 kernels it is served by this userland daemon.  
You should install rarpd if you want to set up a RARP server on your  
network.

**Name** : **dev86** **Relocations:** (not relocatable)  
Version : 0.16.17 Vendor: CentOS  
Release : 2.2 Build Date: Sat 06 Jan 2007  
12:19:16 AM EST  
Install Date: Mon 19 Dec 2011 12:34:09 PM EST Build Host:  
builder5.centos.org  
Group : Development/Languages Source RPM: dev86-0.16.17-  
2.2.src.rpm  
Size : 856471 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:21:10 PM EDT, Key ID  
a8a447dce8562897  
Summary : A real mode 80x86 assembler and linker.

Description :

The dev86 package provides an assembler and linker for real mode 80x86 instructions. You'll need to have this package installed in order to build programs that run in real mode, including LILO and the kernel's bootstrapping code, from their sources. You should install dev86 if you intend to build programs that run in real mode from their source code.

**Name** : **xdelta** **Relocations:** (not relocatable)  
Version : 1.1.3 Vendor: CentOS  
Release : 20 Build Date: Sun 07 Jan 2007  
07:36:48 AM EST  
Install Date: Mon 19 Dec 2011 12:34:10 PM EST Build Host:  
builder1.centos.org  
Group : Development/Tools Source RPM: xdelta-1.1.3-  
20.src.rpm  
Size : 238875 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:32 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://sourceforge.net/projects/xdelta/>  
Summary : A binary file delta generator and an RCS replacement library.  
Description :

Xdelta (X for XCF: the eXperimental Computing Facility at Berkeley) is a binary delta generator (like a diff program for binaries) and an RCS version control replacement library. The Xdelta library performs its work independently of the actual format used to encode the file and is intended to be used by various higher-level programs such as XCF's Project Revision Control System (PRCS). PRCS is a front end for a version control toolset. Xdelta uses a binary file delta algorithm to replace the standard diff program used by RCS.

**Name** : **libhugetlbfs** **Relocations:** (not relocatable)  
Version : 1.3 Vendor: CentOS  
Release : 3.el5 Build Date: Wed 21 Jan 2009  
12:17:58 AM EST  
Install Date: Mon 19 Dec 2011 12:34:10 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: libhugetlbfs-1.3-  
3.el5.src.rpm  
Size : 80489 License: LGPLv2+  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:46:46 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://libhugetlbfs.sourceforge.net>  
Summary : Library to access the Huge TLB Filesystem  
Description :

The libhugetlbfs library interacts with the Linux hugetlbfs to make large pages available to applications in a transparent manner.

**Name** : **vconfig** **Relocations:** (not relocatable)  
Version : 1.9 Vendor: CentOS  
Release : 2.1 Build Date: Sun 07 Jan 2007  
05:52:59 AM EST  
Install Date: Mon 19 Dec 2011 12:34:10 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Base Source RPM: vconfig-1.9-  
2.1.src.rpm

Size : 180749 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:18 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.candelatech.com/~greear/vlan.html  
Summary : Linux 802.1q VLAN configuration utility  
Description :  
The vconfig program configures and adjusts 802.1q VLAN parameters.

**Name : symlinks Relocations: (not relocatable)**  
Version : 1.2 Vendor: CentOS  
Release : 24.2.2 Build Date: Sat 06 Jan 2007  
03:58:52 AM EST  
Install Date: Mon 19 Dec 2011 12:34:11 PM EST Build Host:  
builder1.centos.org  
Group : Applications/System Source RPM: symlinks-1.2-  
24.2.2.src.rpm  
Size : 9062 License: distributable  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:48 PM EDT, Key ID  
a8a447dce8562897  
Summary : A utility which maintains a system's symbolic links.  
Description :  
The symlinks utility performs maintenance on symbolic links. Symlinks  
checks for symlink problems, including dangling symlinks which point  
to nonexistent files. Symlinks can also automatically convert  
absolute symlinks to relative symlinks.  
Install the symlinks package if you need a program for maintaining  
symlinks on your system.

**Name : unix2dos Relocations: (not relocatable)**  
Version : 2.2 Vendor: CentOS  
Release : 26.2.3.el5 Build Date: Sun 27 Sep 2009  
05:58:24 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:11 PM EST Build Host:  
builder16.centos.org  
Group : Applications/Text Source RPM: unix2dos-2.2-  
26.2.3.el5.src.rpm  
Size : 15413 License: distributable  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:07 PM EDT, Key ID  
a8a447dce8562897  
Summary : unix2dos - UNIX to DOS text file format converter  
Description :  
A utility that converts plain text files in UNIX format to DOS format.

**Name : flex Relocations: (not relocatable)**  
Version : 2.5.4a Vendor: CentOS  
Release : 41.fc6 Build Date: Sat 06 Jan 2007  
01:35:48 PM EST  
Install Date: Mon 19 Dec 2011 12:34:11 PM EST Build Host:  
builder1.centos.org  
Group : Development/Tools Source RPM: flex-2.5.4a-  
41.fc6.src.rpm  
Size : 245116 License: BSD  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:21:45 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnu.org/software/flex/  
Summary : A tool for creating scanners (text pattern recognizers).  
Description :

The flex program generates scanners. Scanners are programs which can recognize lexical patterns in text. Flex takes pairs of regular expressions and C code as input and generates a C source file as output. The output file is compiled and linked with a library to produce an executable. The executable searches through its input for occurrences of the regular expressions. When a match is found, it executes the corresponding C code. Flex was designed to work with both Yacc and Bison, and is used by many programs as part of their build process.

You should install flex if you are going to use your system for application development.

**Name** : **byacc** **Relocations:** (not relocatable)  
Version : 1.9 Vendor: CentOS  
Release : 29.2.2 Build Date: Tue 09 Jan 2007  
03:28:15 PM EST  
Install Date: Mon 19 Dec 2011 12:34:11 PM EST Build Host:  
builder5.centos.org  
Group : Development/Tools Source RPM: byacc-1.9-  
29.2.2.src.rpm  
Size : 66373 License: public domain  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:26 PM EDT, Key ID  
a8a447dce8562897  
Summary : A public domain Yacc parser generator.  
Description :  
Byacc (Berkeley Yacc) is a public domain LALR parser generator which  
is used by many programs during their build process.  
If you are going to do development on your system, you will want to install  
this package.

**Name** : **rusers** **Relocations:** (not relocatable)  
Version : 0.17 Vendor: CentOS  
Release : 47 Build Date: Sun 07 Jan 2007  
04:45:42 AM EST  
Install Date: Mon 19 Dec 2011 12:34:12 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Daemons Source RPM: rusers-0.17-  
47.src.rpm  
Size : 27077 License: BSD  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:25 PM EDT, Key ID  
a8a447dce8562897  
Summary : Displays the users logged into machines on the local network.  
Description :  
The rusers program allows users to find out who is logged into various  
machines on the local network. The rusers command produces output  
similar to who, but for the specified list of hosts or for all  
machines on the local network.  
Install rusers if you need to keep track of who is logged into your  
local network.

**Name** : **perl-libwww-perl** **Relocations:** (not relocatable)  
Version : 5.805 Vendor: CentOS  
Release : 1.1.1 Build Date: Mon 08 Jan 2007  
02:03:53 PM EST  
Install Date: Mon 19 Dec 2011 12:34:13 PM EST Build Host:  
builder5.centos.org  
Group : Development/Libraries Source RPM: perl-libwww-perl-

5.805-1.1.1.src.rpm  
Size : 826206 License: GPL or Artistic  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:55 PM EDT, Key ID  
a8a447dce8562897

URL : <http://search.cpan.org/dist/libwww-perl/>

Summary : A Perl interface to the World-Wide Web

Description :

The libwww-perl collection is a set of Perl modules which provides a simple and consistent application programming interface to the World-Wide Web. The main focus of the library is to provide classes and functions that allow you to write WWW clients. The library also contain modules that are of more general use and even classes that help you implement simple HTTP servers.

**Name : libvorbis-devel Relocations: (not relocatable)**

Version : 1.1.2 Vendor: CentOS

Release : 3.el5\_3.3 Build Date: Tue 18 Aug 2009  
03:06:12 PM EDT

Install Date: Mon 19 Dec 2011 12:34:13 PM EST Build Host:

builder16.centos.org

Group : Development/Libraries Source RPM: libvorbis-1.1.2-  
3.el5\_3.3.src.rpm

Size : 2198361 License: BSD

Signature : DSA/SHA1, Tue 18 Aug 2009 03:16:35 PM EDT, Key ID  
a8a447dce8562897

URL : <http://www.xiph.org/>

Summary : Development tools for Vorbis applications.

Description :

The libvorbis-devel package contains the header files and documentation needed to develop applications with Ogg Vorbis.

**Name : boost-devel Relocations: (not relocatable)**

Version : 1.33.1 Vendor: CentOS

Release : 10.el5 Build Date: Wed 21 Mar 2007  
06:13:50 PM EDT

Install Date: Mon 19 Dec 2011 12:34:15 PM EST Build Host:

builder5.centos.org

Group : System Environment/Libraries Source RPM: boost-1.33.1-  
10.el5.src.rpm

Size : 27678846 License: Boost Software

License

Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:25 PM EDT, Key ID  
a8a447dce8562897

URL : <http://www.boost.org/>

Summary : The Boost C++ headers and development libraries

Description :

Headers, static libraries, and shared object symlinks for the Boost C++ libraries

**Name : gpm-devel Relocations: (not relocatable)**

Version : 1.20.1 Vendor: CentOS

Release : 74.1 Build Date: Sat 06 Jan 2007  
09:03:13 AM EST

Install Date: Mon 19 Dec 2011 12:34:15 PM EST Build Host:

builder1.centos.org

Group : System Environment/Daemons Source RPM: gpm-1.20.1-  
74.1.src.rpm

Size : 34427 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:40 PM EDT, Key ID  
a8a447dce8562897

Summary : A mouse server for the Linux console.

Description :

Gpm provides mouse support to text-based Linux applications like the Emacs editor and the Midnight Commander file management system. Gpm also provides console cut-and-paste operations using the mouse and includes a program to allow pop-up menus to appear at the click of a mouse button.

**Name : gmp-devel Relocations: (not relocatable)**

Version : 4.1.4

Vendor: CentOS

Release : 10.el5

Build Date: Wed 14 Mar 2007

11:50:49 AM EDT

Install Date: Mon 19 Dec 2011 12:34:16 PM EST

Build Host:

builder4.centos.org

Group : Development/Libraries

Source RPM: gmp-4.1.4-

10.el5.src.rpm

Size : 1645705

License: LGPL

Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:26 PM EDT, Key ID

a8a447dce8562897

URL : <http://www.swox.com/gmp/>

Summary : Development tools for the GNU MP arbitrary precision library.

Description :

The static libraries, header files and documentation for using the GNU MP arbitrary precision library in applications.

If you want to develop applications which will use the GNU MP library, you'll need to install the gmp-devel package. You'll also need to install the gmp package.

**Name : perl-TimeDate Relocations: (not relocatable)**

Version : 1.16

Vendor: CentOS

Release : 5.el5

Build Date: Sun 11 Nov 2007

12:51:22 PM EST

Install Date: Mon 19 Dec 2011 12:34:16 PM EST

Build Host:

builder10.centos.org

Group : Development/Libraries

Source RPM: perl-TimeDate-1.16-

5.el5.src.rpm

Size : 65523

License: GPL or Artistic

Signature : DSA/SHA1, Tue 20 Nov 2007 02:15:55 PM EST, Key ID

a8a447dce8562897

URL : <http://search.cpan.org/dist/TimeDate/>

Summary : A Perl module for time and date manipulation

Description :

This module includes a number of smaller modules suited for manipulation of time and date strings with Perl. In particular, the Date::Format and Date::Parse modules can display and read times and dates in various formats, providing a more reliable interface to textual representations of points in time.

**Name : automake16 Relocations: (not relocatable)**

Version : 1.6.3

Vendor: CentOS

Release : 8

Build Date: Fri 29 Dec 2006

07:18:08 AM EST

Install Date: Mon 19 Dec 2011 12:34:17 PM EST

Build Host:

builder3.centos.org



Group : Development/Tools Source RPM: automake16-1.6.3-8.src.rpm  
Size : 819551 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:19 PM EDT, Key ID a8a447dce8562897  
URL : http://sources.redhat.com/automake  
Summary : A GNU tool for automatically creating Makefiles.  
Description :  
Automake is a tool for automatically generating Makefile.in' files compliant with the GNU Coding Standards. This package contains Automake 1.6, an older version of Automake. You should install it if you need to run automake in a project that has not yet been updated to work with latest version of Automake.

**Name : libcap-devel Relocations: (not relocatable)**  
Version : 1.10 Vendor: CentOS  
Release : 26 Build Date: Wed 14 Mar 2007 02:15:11 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:18 PM EST Build Host: builder5.centos.org  
Group : Development/Libraries Source RPM: libcap-1.10-26.src.rpm  
Size : 10914 License: BSD-like and LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:23 PM EDT, Key ID a8a447dce8562897  
Summary : Development files for libcap  
Description :  
Development files (Headers, libraries for static linking, etc) for libcap. libcap is a library for getting and setting POSIX.1e (formerly POSIX 6) draft 15 capabilities.  
Install libcap-devel if you want to develop or compile applications using libcap.

**Name : libusb-devel Relocations: (not relocatable)**  
Version : 0.1.12 Vendor: CentOS  
Release : 5.1 Build Date: Sat 06 Jan 2007 08:27:41 AM EST  
Install Date: Mon 19 Dec 2011 12:34:19 PM EST Build Host: builder5.centos.org  
Group : Development/Libraries Source RPM: libusb-0.1.12-5.1.src.rpm  
Size : 529865 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:41 PM EDT, Key ID a8a447dce8562897  
URL : http://sourceforge.net/projects/libusb/  
Summary : Development files for libusb.  
Description :  
This package contains the header files and documentation needed to develop applications that use libusb.

**Name : perl-libxml-perl Relocations: (not relocatable)**  
Version : 0.08 Vendor: CentOS  
Release : 1.2.1 Build Date: Mon 08 Jan 2007 02:04:03 PM EST  
Install Date: Mon 19 Dec 2011 12:34:22 PM EST Build Host: builder4.centos.org  
Group : Development/Libraries Source RPM: perl-libxml-perl-

0.08-1.2.1.src.rpm  
Size : 183246 License: GPL or Artistic  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:55 PM EDT, Key ID  
a8a447dce8562897  
URL : http://search.cpan.org/dist/libxml-perl/  
Summary : A collection of Perl modules for working with XML  
Description :  
libxml-perl is a collection of smaller Perl modules, scripts, and  
documents for working with XML in Perl. libxml-perl software works in  
combination with XML::Parser, PerlSAX, XML::DOM, XML::Grove and  
others.

**Name : libselinux Relocations: (not relocatable)**  
Version : 1.33.4 Vendor: CentOS  
Release : 5.5.el5 Build Date: Thu 03 Sep 2009  
07:05:42 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:23 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: libselinux-1.33.4-  
5.5.el5.src.rpm  
Size : 91892 License: Public domain  
(uncopyrighted)  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:53 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.nsa.gov/selinux  
Summary : SELinux library and simple utilities  
Description :  
Security-enhanced Linux is a feature of the Linux-« kernel and a number  
of utilities with enhanced security functionality designed to add  
mandatory access controls to Linux. The Security-enhanced Linux  
kernel contains new architectural components originally developed to  
improve the security of the Flask operating system. These  
architectural components provide general support for the enforcement  
of many kinds of mandatory access control policies, including those  
based on the concepts of Type Enforcement-«, Role-based Access  
Control, and Multi-level Security.  
libselinux provides an API for SELinux applications to get and set  
process and file security contexts and to obtain security policy  
decisions. Required for any applications that use the SELinux API.

**Name : findutils Relocations: (not relocatable)**  
Version : 4.2.27 Vendor: CentOS  
Release : 6.el5 Build Date: Thu 03 Sep 2009  
02:09:22 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:23 PM EST Build Host:  
builder16.centos.org  
Group : Applications/File Source RPM: findutils-4.2.27-  
6.el5.src.rpm  
Size : 677512 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:33 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnu.org/software/findutils/  
Summary : The GNU versions of find utilities (find and xargs).  
Description :  
The findutils package contains programs which will help you locate  
files on your system. The find utility searches through a hierarchy  
of directories looking for files which match a certain set of criteria

(such as a filename pattern). The xargs utility builds and executes command lines from standard input arguments (usually lists of file names generated by the find command). You should install findutils because it includes tools that are very useful for finding things on your system.

**Name** : python **Relocations:** (not relocatable)  
Version : 2.4.3 Vendor: CentOS  
Release : 27.el5 Build Date: Thu 03 Sep 2009  
03:41:41 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:25 PM EST Build Host:  
builder16.centos.org  
Group : Development/Languages Source RPM: python-2.4.3-  
27.el5.src.rpm  
Size : 21614489 License: PSF - see LICENSE  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:54:54 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.python.org/  
Summary : An interpreted, interactive, object-oriented programming  
language.  
Description :  
Python is an interpreted, interactive, object-oriented programming  
language often compared to Tcl, Perl, Scheme or Java. Python includes  
modules, classes, exceptions, very high level dynamic data types and  
dynamic typing. Python supports interfaces to many system calls and  
libraries, as well as to various windowing systems (X11, Motif, Tk,  
Mac and MFC).  
Programmers can write new built-in modules for Python in C or C++.  
Python can be used as an extension language for applications that need  
a programmable interface. This package contains most of the standard  
Python modules, as well as modules for interfacing to the Tix widget  
set for Tk and RPM.  
Note that documentation for Python is provided in the python-docs  
package.

**Name** : rhpl **Relocations:** (not relocatable)  
Version : 0.194.1 Vendor: CentOS  
Release : 1 Build Date: Wed 14 Mar 2007  
07:20:10 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:28 PM EST Build Host: builder6  
Group : System Environment/Libraries Source RPM: rhpl-0.194.1-  
1.src.rpm  
Size : 935797 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:22 PM EDT, Key ID  
a8a447dce8562897  
Summary : Library of python code used by programs in Red Hat Linux  
Description :  
The rhpl package contains Python code used by programs in Red Hat Linux.

**Name** : newt **Relocations:** (not relocatable)  
Version : 0.52.2 Vendor: CentOS  
Release : 12.el5 Build Date: Thu 26 Feb 2009  
05:48:44 PM EST  
Install Date: Mon 19 Dec 2011 12:34:29 PM EST Build Host:  
chamkaur.karan.org  
Group : System Environment/Libraries Source RPM: newt-0.52.2-  
12.el5.src.rpm

Size : 242714 License: LGPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:47:01 PM EDT, Key ID  
a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
Summary : A development library for text mode user interfaces.  
Description :  
Newt is a programming library for color text mode, widget based user  
interfaces. Newt can be used to add stacked windows, entry widgets,  
checkboxes, radio buttons, labels, plain text fields, scrollbars,  
etc., to text mode user interfaces. This package also contains the  
shared library needed by programs built with newt, as well as a  
/usr/bin/dialog replacement called whiptail. Newt is based on the  
slang library.

**Name : mesa-libGL Relocations: (not relocatable)**  
Version : 6.5.1 Vendor: CentOS  
Release : 7.7.el5 Build Date: Wed 21 Jan 2009  
12:22:37 AM EST  
Install Date: Mon 19 Dec 2011 12:34:31 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: mesa-6.5.1-  
7.7.el5.src.rpm  
Size : 26982540 License: MIT/X11  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:46:55 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.mesa3d.org  
Summary : Mesa libGL runtime libraries and DRI drivers  
Description :  
Mesa libGL runtime libraries and DRI drivers.

**Name : logrotate Relocations: (not relocatable)**  
Version : 3.7.4 Vendor: CentOS  
Release : 9 Build Date: Thu 26 Feb 2009  
05:52:11 PM EST  
Install Date: Mon 19 Dec 2011 12:34:32 PM EST Build Host:  
chamkaur.karan.org  
Group : System Environment/Base Source RPM: logrotate-3.7.4-  
9.src.rpm  
Size : 53778 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:46:51 PM EDT, Key ID  
a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
Summary : Rotates, compresses, removes and mails system log files.  
Description :  
The logrotate utility is designed to simplify the administration of  
log files on a system which generates a lot of log files. Logrotate  
allows for the automatic rotation compression, removal and mailing of  
log files. Logrotate can be set to handle a log file daily, weekly,  
monthly or when the log file gets to a certain size. Normally,  
logrotate runs as a daily cron job.  
Install the logrotate package if you need a utility to deal with the  
log files on your system.

**Name : libpcap Relocations: /usr**  
Version : 0.9.4 Vendor: CentOS  
Release : 14.el5 Build Date: Tue 20 Jan 2009  
11:13:31 PM EST



Version : 1.15.1 Vendor: CentOS  
Release : 23.0.1.el5 Build Date: Thu 23 Aug 2007  
09:31:27 AM EDT  
Install Date: Mon 19 Dec 2011 12:34:37 PM EST Build Host:  
builder4.centos.org  
Group : Applications/Archiving Source RPM: tar-1.15.1-  
23.0.1.el5.src.rpm  
Size : 1669541 License: GPL  
Signature : DSA/SHA1, Sat 25 Aug 2007 11:56:28 AM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnu.org/software/tar/  
Summary : A GNU file archiving program  
Description :

The GNU tar program saves many files together in one archive and can restore individual files (or all of the files) from that archive. Tar can also be used to add supplemental files to an archive and to update or list files in the archive. Tar includes multivolume support, automatic archive compression/decompression, the ability to perform remote archives, and the ability to perform incremental and full backups.

If you want to use tar for remote backups, you also need to install the rmt package.

**Name : libbonobo-devel Relocations: (not relocatable)**  
Version : 2.16.0 Vendor: CentOS  
Release : 1.fc6 Build Date: Sun 07 Jan 2007  
04:18:33 AM EST  
Install Date: Mon 19 Dec 2011 12:34:37 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries Source RPM: libbonobo-2.16.0-  
1.fc6.src.rpm  
Size : 2155065 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:22 PM EDT, Key ID  
a8a447dce8562897  
URL : http://ftp.gnome.org  
Summary : Libraries and headers for libbonobo  
Description :  
Bonobo is a component system based on CORBA, used by the GNOME desktop. This package contains header files used to compile programs that use Bonobo.

**Name : automake Relocations: (not relocatable)**  
Version : 1.9.6 Vendor: CentOS  
Release : 2.1 Build Date: Sat 06 Jan 2007  
10:31:52 PM EST  
Install Date: Mon 19 Dec 2011 12:34:38 PM EST Build Host:  
builder5.centos.org  
Group : Development/Tools Source RPM: automake-1.9.6-  
2.1.src.rpm  
Size : 1269017 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:19 PM EDT, Key ID  
a8a447dce8562897  
URL : http://sources.redhat.com/automake  
Summary : A GNU tool for automatically creating Makefiles.  
Description :  
Automake is a tool for automatically generating `Makefile.in' files compliant with the GNU Coding Standards.

You should install Automake if you are developing software and would like to use its ability to automatically generate GNU standard Makefiles. If you install Automake, you will also need to install GNU's Autoconf package.

**Name** : **bitmap-fonts** **Relocations:** (not relocatable)  
Version : 0.3 Vendor: CentOS  
Release : 5.1.1 Build Date: Sun 07 Jan 2007  
01:22:40 AM EST  
Install Date: Mon 19 Dec 2011 12:34:39 PM EST Build Host:  
builder3.centos.org  
Group : User Interface/X Source RPM: bitmap-fonts-0.3-  
5.1.1.src.rpm  
Size : 7049492 License: distributable  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:23 PM EDT, Key ID  
a8a447dce8562897  
Summary : Selected set of bitmap fonts  
Description :  
The bitmap-fonts package provides a number of bitmap fonts selected  
from the xorg package designed for use locations such as  
terminals.

**Name** : **libselinux-devel** **Relocations:** (not relocatable)  
Version : 1.33.4 Vendor: CentOS  
Release : 5.5.el5 Build Date: Thu 03 Sep 2009  
07:05:42 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:46 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: libselinux-1.33.4-  
5.5.el5.src.rpm  
Size : 290684 License: Public domain  
(uncopyrighted)  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:53 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.nsa.gov/selinux>  
Summary : Header files and libraries used to build SELinux  
Description :  
The libselinux-devel package contains the static libraries and header files  
needed for developing SELinux applications.

**Name** : **pygobject2-devel** **Relocations:** (not relocatable)  
Version : 2.12.1 Vendor: CentOS  
Release : 5.el5 Build Date: Wed 14 Mar 2007  
06:48:50 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:47 PM EST Build Host:  
builder4.centos.org  
Group : Development/Languages Source RPM: pygobject2-2.12.1-  
5.el5.src.rpm  
Size : 15427 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:05 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.pygtk.org/>  
Summary : Development files for building add-on libraries  
Description :  
This package contains files required to build wrappers for  
pygobject2-based libraries such as pygtk2.

**Name** : elfutils-libelf-devel-static **Relocations:** (not relocatable)  
Version : 0.137 Vendor: CentOS  
Release : 3.el5 Build Date: Wed 21 Jan 2009  
12:03:44 AM EST  
Install Date: Mon 19 Dec 2011 12:34:52 PM EST Build Host:  
builder10.centos.org  
Group : Development/Tools Source RPM: elfutils-0.137-  
3.el5.src.rpm  
Size : 198640 License: GPLv2 with exceptions  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:45:26 PM EDT, Key ID  
a8a447dce8562897  
URL : <https://fedorahosted.org/elfutils/>  
Summary : Static archive of libelf  
Description :  
The elfutils-libelf-static package contains the static archive  
for libelf.

**Name** : gnome-keyring **Relocations:** (not relocatable)  
Version : 0.6.0 Vendor: CentOS  
Release : 1.fc6 Build Date: Mon 08 Jan 2007  
11:19:59 PM EST  
Install Date: Mon 19 Dec 2011 12:34:54 PM EST Build Host:  
builder4.centos.org  
Group : System Environment/Libraries Source RPM: gnome-keyring-0.6.0-  
1.fc6.src.rpm  
Size : 880705 License: GPL/LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:30 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.gnome.org>  
Summary : A framework for managing user passwords and other secrets  
Description :  
gnome-keyring manages passwords and other types of secrets  
for the user, storing them encrypted with a main password.  
Applications can use the gnome-keyring library to integrate  
with the keyring.

**Name** : libwnck **Relocations:** (not relocatable)  
Version : 2.16.0 Vendor: CentOS  
Release : 4.fc6 Build Date: Sat 06 Jan 2007  
02:12:28 AM EST  
Install Date: Mon 19 Dec 2011 12:34:55 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: libwnck-2.16.0-  
4.fc6.src.rpm  
Size : 529442 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:42 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://ftp.gnome.org/pub/GNOME/sources/libwnck/>  
Summary : Window Navigator Construction Kit  
Description :  
libwnck (pronounced "libwink") is used to implement paggers, tasklists,  
and other such things. It allows applications to monitor information  
about open windows, workspaces, their names/icons, and so forth.

**Name** : redhat-artwork **Relocations:** (not relocatable)  
Version : 5.1.0 Vendor: CentOS  
Release : 28.el5.centos Build Date: Sun 08 Mar 2009



08:01:58 PM EDT

Install Date: Mon 19 Dec 2011 12:34:59 PM EST      Build Host:  
chamkaur.karan.org  
Group           : User Interface/Desktops           Source RPM: redhat-artwork-5.1.0-  
28.el5.centos.src.rpm  
Size            : 9205987                            License: GPL  
Signature      : DSA/SHA1, Sun 08 Mar 2009 09:49:01 PM EDT, Key ID  
a8a447dce8562897  
Packager       : Karanbir Singh <kbsingh@karan.org>  
URL             : http://www.redhat.com  
Summary        : Artwork for CentOS default look-and-feel  
Description    :  
redhat-artwork contains the themes and icons that make up the CentOS default  
look and feel.

**Name            : system-config-securitylevel-tui   Relocations: (not relocatable)**  
Version         : 1.6.29.1                        Vendor: CentOS  
Release         : 2.1.el5                         Build Date: Sat 24 May 2008

06:46:54 PM EDT

Install Date: Mon 19 Dec 2011 12:35:01 PM EST      Build Host:  
builder16.centos.org  
Group           : System Environment/Base           Source RPM: system-config-  
securitylevel-1.6.29.1-2.1.el5.src.rpm  
Size            : 1069605                           License: GPL  
Signature      : DSA/SHA1, Sat 14 Jun 2008 07:41:14 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://fedora.redhat.com/projects/config-tools/  
Summary        : A text interface for modifying the system security level  
Description    :  
system-config-securitylevel-tui is a text and commandline user  
interface for setting basic firewall rules.

**Name            : libselinux-python                Relocations: (not relocatable)**  
Version         : 1.33.4                         Vendor: CentOS  
Release         : 5.5.el5                         Build Date: Thu 03 Sep 2009

07:05:42 PM EDT

Install Date: Mon 19 Dec 2011 12:35:01 PM EST      Build Host:  
builder16.centos.org  
Group           : Development/Libraries           Source RPM: libselinux-1.33.4-  
5.5.el5.src.rpm  
Size            : 130992                           License: Public domain  
(uncopyrighted)  
Signature      : DSA/SHA1, Sat 19 Sep 2009 11:53:53 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.nsa.gov/selinux  
Summary        : python bindings for libselinux  
Description    :  
The libselinux-python package contains the python bindings for developing  
SELinux  
applications.

**Name            : neon                               Relocations: /usr**  
Version         : 0.25.5                         Vendor: CentOS  
Release         : 10.el5                         Build Date: Wed 21 Jan 2009

03:31:53 AM EST

Install Date: Mon 19 Dec 2011 12:35:02 PM EST      Build Host:  
builder16.centos.org

Group : Applications/Publishing Source RPM: neon-0.25.5-10.el5.src.rpm  
Size : 221684 License: LGPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:47:01 PM EDT, Key ID a8a447dce8562897  
URL : http://www.webdav.org/neon/  
Summary : An HTTP and WebDAV client library  
Description :  
neon is an HTTP and WebDAV client library, with a C interface; providing a high-level interface to HTTP and WebDAV methods along with a low-level interface for HTTP request handling. neon supports persistent connections, proxy servers, basic, digest and Kerberos authentication, and has complete SSL support.

**Name : cryptsetup-luks Relocations: (not relocatable)**  
Version : 1.0.3 Vendor: CentOS  
Release : 5.el5 Build Date: Thu 03 Sep 2009 08:22:57 AM EDT  
Install Date: Mon 19 Dec 2011 12:35:02 PM EST Build Host: builder16.centos.org  
Group : Applications/System Source RPM: cryptsetup-luks-1.0.3-5.el5.src.rpm  
Size : 1325996 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:27 PM EDT, Key ID a8a447dce8562897  
URL : http://clemens.endorphin.org/LUKS  
Summary : A utility for setting up encrypted filesystems  
Description :  
This package contains cryptsetup, a utility for setting up encrypted filesystems using Device Mapper and the dm-crypt target.

**Name : nfs-utils-lib Relocations: (not relocatable)**  
Version : 1.0.8 Vendor: CentOS  
Release : 7.6.el5 Build Date: Thu 03 Sep 2009 04:35:40 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:04 PM EST Build Host: builder10.centos.org  
Group : System Environment/Libraries Source RPM: nfs-utils-lib-1.0.8-7.6.el5.src.rpm  
Size : 105265 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:58 PM EDT, Key ID a8a447dce8562897  
URL : http://www.citi.umich.edu/projects/nfsv4/linux/  
Summary : Network File System Support Library  
Description :  
Support libraries that are needed by the commands and daemons the nfs-utils rpm.

**Name : poppler Relocations: (not relocatable)**  
Version : 0.5.4 Vendor: CentOS  
Release : 4.4.el5\_3.9 Build Date: Wed 13 May 2009 11:28:46 AM EDT  
Install Date: Mon 19 Dec 2011 12:35:07 PM EST Build Host: builder16.centos.org  
Group : Development/Libraries Source RPM: poppler-0.5.4-4.4.el5\_3.9.src.rpm  
Size : 8813769 License: GPL

Signature : DSA/SHA1, Fri 15 May 2009 09:28:14 AM EDT, Key ID  
a8a447dce8562897  
Summary : PDF rendering library  
Description :  
Poppler, a PDF rendering library, it's a fork of the xpdf PDF  
viewer developed by Derek Noonburg of Glyph and Cog, LLC.

**Name : krb5-devel Relocations: (not relocatable)**  
Version : 1.6.1 Vendor: CentOS  
Release : 36.el5 Build Date: Thu 03 Sep 2009  
09:02:46 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:07 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: krb5-1.6.1-  
36.el5.src.rpm  
Size : 4534921 License: MIT, freely  
distributable.  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:48 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://web.mit.edu/kerberos/www/>  
Summary : Development files needed to compile Kerberos 5 programs.  
Description :  
Kerberos is a network authentication system. The krb5-devel package  
contains the header files and libraries needed for compiling Kerberos  
5 programs. If you want to develop Kerberos-aware programs, you need  
to install this package.

**Name : eruby-libs Relocations: (not relocatable)**  
Version : 1.0.5 Vendor: CentOS  
Release : 6.1 Build Date: Sat 06 Jan 2007  
07:30:52 PM EST  
Install Date: Mon 19 Dec 2011 12:35:08 PM EST Build Host:  
builder5.centos.org  
Group : Development/Languages Source RPM: eruby-1.0.5-  
6.1.src.rpm  
Size : 41092 License: distributable  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:21:34 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.modrubby.net/>  
Summary : Library for eRuby  
Description :  
This package contains a library for eRuby.

**Name : SDL Relocations: (not relocatable)**  
Version : 1.2.10 Vendor: CentOS  
Release : 8.el5 Build Date: Sun 07 Jan 2007  
02:30:34 AM EST  
Install Date: Mon 19 Dec 2011 12:35:09 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: SDL-1.2.10-  
8.el5.src.rpm  
Size : 550476 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:38 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.libsdl.org/>  
Summary : A cross-platform multimedia library.  
Description :

Simple DirectMedia Layer (SDL) is a cross-platform multimedia library designed to provide fast access to the graphics frame buffer and audio device.

**Name** : newt-perl **Relocations:** (not relocatable)  
Version : 1.08 Vendor: CentOS  
Release : 9.2.2 Build Date: Sat 10 Nov 2007  
06:49:05 AM EST  
Install Date: Mon 19 Dec 2011 12:35:09 PM EST Build Host: builder6  
Group : System Environment/Libraries Source RPM: newt-perl-1.08-  
9.2.2.src.rpm  
Size : 207322 License: Artistic  
Signature : DSA/SHA1, Tue 20 Nov 2007 02:14:16 PM EST, Key ID  
a8a447dce8562897  
Summary : Perl bindings for the Newt library  
Description :  
This package provides Perl bindings for the Newt widget  
library, which provides a color text mode user interface.

**Name** : m2crypto **Relocations:** (not relocatable)  
Version : 0.16 Vendor: CentOS  
Release : 6.el5.6 Build Date: Thu 03 Sep 2009  
02:45:08 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:10 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: m2crypto-0.16-  
6.el5.6.src.rpm  
Size : 1774211 License: BSDish  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:55 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://wiki.osafoundation.org/bin/view/Projects/MeTooCrypto>  
Summary : Support for using OpenSSL in python scripts  
Description :  
This package allows you to call OpenSSL functions from python scripts.

**Name** : yum-metadata-parser **Relocations:** (not relocatable)  
Version : 1.1.2 Vendor: CentOS  
Release : 3.el5.centos Build Date: Thu 27 Aug 2009  
12:20:37 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:12 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: yum-metadata-parser-  
1.1.2-3.el5.centos.src.rpm  
Size : 53811 License: GPLv2  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:55:14 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://linux.duke.edu/projects/yum/>  
Summary : A fast metadata parser for yum  
Description :  
Fast metadata parser for yum implemented in C.

**Name** : pygtk2-libglade **Relocations:** (not relocatable)  
Version : 2.10.1 Vendor: CentOS  
Release : 12.el5 Build Date: Sat 24 May 2008  
05:08:07 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:13 PM EST Build Host:  
builder16.centos.org

Group : Development/Languages Source RPM: pygtk2-2.10.1-12.el5.src.rpm  
Size : 15536 License: LGPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:40:05 PM EDT, Key ID a8a447dce8562897  
URL : http://www.pygtk.org/  
Summary : A wrapper for the libglade library for use with PyGTK  
Description :  
This module contains a wrapper for the libglade library. Libglade allows a program to construct its user interface from an XML description, which allows the programmer to keep the UI and program logic separate.

**Name : samba-common Relocations: (not relocatable)**  
Version : 3.0.33 Vendor: CentOS  
Release : 3.14.el5 Build Date: Thu 03 Sep 2009 03:20:34 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:16 PM EST Build Host: builder16.centos.org  
Group : Applications/System Source RPM: samba-3.0.33-3.14.el5.src.rpm  
Size : 23544480 License: GNU GPL Version 2  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:54:57 PM EDT, Key ID a8a447dce8562897  
URL : http://www.samba.org/  
Summary : Files used by both Samba servers and clients.  
Description :  
Samba-common provides files necessary for both the server and client packages of Samba.

**Name : usermode Relocations: (not relocatable)**  
Version : 1.88 Vendor: CentOS  
Release : 3.el5.2 Build Date: Thu 26 Feb 2009 05:36:52 PM EST  
Install Date: Mon 19 Dec 2011 12:35:17 PM EST Build Host: chamkaur.karan.org  
Group : Applications/System Source RPM: usermode-1.88-3.el5.2.src.rpm  
Size : 547979 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:49:19 PM EDT, Key ID a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
Summary : Tools for certain user account management tasks.  
Description :  
The usermode package contains the userhelper program, which can be used to allow configured programs to be run with superuser privileges by ordinary users.

**Name : PyXML Relocations: (not relocatable)**  
Version : 0.8.4 Vendor: CentOS  
Release : 4 Build Date: Fri 05 Jan 2007 11:09:33 PM EST  
Install Date: Mon 19 Dec 2011 12:35:17 PM EST Build Host: builder5.centos.org  
Group : Development/Libraries Source RPM: PyXML-0.8.4-4.src.rpm  
Size : 5444711 License: Apacheish  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:10 PM EDT, Key ID a8a447dce8562897

URL : <http://pyxml.sourceforge.net/>  
Summary : XML libraries for python.  
Description :

An XML package for Python. The distribution contains a validating XML parser, an implementation of the SAX and DOM programming interfaces and an interface to the Expat parser.

**Name** : **fipscheck** **Relocations:** (not relocatable)  
Version : 1.2.0 Vendor: CentOS  
Release : 1.el5 Build Date: Thu 03 Sep 2009  
04:07:06 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:18 PM EST Build Host:  
builder10.centos.org  
Group : System Environment/Libraries Source RPM: fipscheck-1.2.0-  
1.el5.src.rpm  
Size : 21879 License: BSD  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:33 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://people.redhat.com/tmraz/fipscheck>  
Summary : A library for integrity verification of FIPS validated modules  
Description :  
FIPSCheck is a library for integrity verification of FIPS validated modules. The package also provides helper binaries for creation and verification of the HMAC-SHA256 checksum files.

**Name** : **cyrus-sasl-devel** **Relocations:** (not relocatable)  
Version : 2.1.22 Vendor: CentOS  
Release : 5.el5 Build Date: Thu 03 Sep 2009  
08:04:59 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:20 PM EST Build Host:  
builder10.centos.org  
Group : Development/Libraries Source RPM: cyrus-sasl-2.1.22-  
5.el5.src.rpm  
Size : 3733304 License: Freely Distributable  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:28 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://asg.web.cmu.edu/sasl/sasl-library.html>  
Summary : Files needed for developing applications with Cyrus SASL.  
Description :  
The cyrus-sasl-devel package contains files needed for developing and compiling applications which use the Cyrus SASL library.

**Name** : **OpenIPMI-libs** **Relocations:** (not relocatable)  
Version : 2.0.16 Vendor: CentOS  
Release : 5.el5 Build Date: Thu 03 Sep 2009  
07:10:12 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:23 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: OpenIPMI-2.0.16-  
5.el5.src.rpm  
Size : 1493295 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:59 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://sourceforge.net/projects/openipmi/>  
Summary : The OpenIPMI runtime libraries  
Description :  
The OpenIPMI-libs package contains the runtime libraries for shared binaries

and applications.

**Name** : perl-Net-SSLeay **Relocations: (not relocatable)**  
Version : 1.30 Vendor: CentOS  
Release : 4.fc6 Build Date: Tue 09 Jan 2007  
02:05:32 PM EST  
Install Date: Mon 19 Dec 2011 12:35:24 PM EST Build Host:  
builder6.centos.org  
Group : Development/Libraries Source RPM: perl-Net-SSLeay-1.30-  
4.fc6.src.rpm  
Size : 591105 License: BSDish  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:55 PM EDT, Key ID  
a8a447dce8562897  
URL : http://search.cpan.org/dist/Net\_SSLeay.pm/  
Summary : Perl extension for using OpenSSL  
Description :  
This module offers some high level convenience functions for accessing  
web pages on SSL servers (for symmetry, same API is offered for  
accessing http servers, too), a sslcat() function for writing your own  
clients, and finally access to the SSL api of SSLeay/OpenSSL package  
so you can write servers or clients for more complicated applications.

**Name** : nscd **Relocations: (not relocatable)**  
Version : 2.5 Vendor: CentOS  
Release : 42 Build Date: Wed 02 Sep 2009  
08:23:53 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:25 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Daemons Source RPM: glibc-2.5-42.src.rpm  
Size : 117240 License: LGPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:58 PM EDT, Key ID  
a8a447dce8562897  
Summary : A Name Service Caching Daemon (nscd).  
Description :  
Nscd caches name service lookups and can dramatically improve  
performance with NIS+, and may help with DNS as well.

**Name** : device-mapper-event **Relocations: (not relocatable)**  
Version : 1.02.32 Vendor: CentOS  
Release : 1.el5 Build Date: Thu 03 Sep 2009  
07:23:51 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:26 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: device-mapper-  
1.02.32-1.el5.src.rpm  
Size : 22740 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:29 PM EDT, Key ID  
a8a447dce8562897  
URL : http://sources.redhat.com/lvm2  
Summary : Device-mapper event daemon  
Description :  
This package contains device-mapper event daemon needed  
to monitor device-mapper devices.

**Name** : initscripts **Relocations: (not relocatable)**  
Version : 8.45.30 Vendor: CentOS  
Release : 2.el5.centos Build Date: Mon 28 Sep 2009

07:34:36 PM EDT

Install Date: Mon 19 Dec 2011 12:35:28 PM EST      Build Host:  
builder10.centos.org  
Group           : System Environment/Base           Source RPM: initscripts-8.45.30-  
2.el5.centos.src.rpm  
Size            : 5471372                            License: GPLv2 and GPLv2+  
Signature      : DSA/SHA1, Mon 28 Sep 2009 08:23:50 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://git.fedorahosted.org/git/initscripts.git  
Summary        : The inittab file and the /etc/init.d scripts.  
Description    :  
The initscripts package contains the basic system scripts used to boot  
your CentOS system, change runlevels, and shut the system down  
cleanly. Initscripts also contains the scripts that activate and  
deactivate most network interfaces.

**Name            : gstreamer                           Relocations: (not relocatable)**  
Version         : 0.10.20                            Vendor: CentOS  
Release         : 3.el5                              Build Date: Wed 21 Jan 2009  
02:02:24 AM EST  
Install Date: Mon 19 Dec 2011 12:35:30 PM EST      Build Host:  
builder16.centos.org  
Group           : Applications/Multimedia           Source RPM: gstreamer-0.10.20-  
3.el5.src.rpm  
Size            : 2056501                            License: LGPLv2+  
Signature      : DSA/SHA1, Sun 08 Mar 2009 09:45:49 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://gstreamer.freedesktop.org/  
Summary        : GStreamer streaming media framework runtime  
Description    :  
GStreamer is a streaming media framework, based on graphs of filters which  
operate on media data. Applications using this library can do anything  
from real-time sound processing to playing videos, and just about anything  
else media-related. Its plugin-based architecture means that new data  
types or processing capabilities can be added simply by installing new  
plugins.

**Name            : emacs-common                       Relocations: (not relocatable)**  
Version         : 21.4                               Vendor: CentOS  
Release         : 20.el5                             Build Date: Sat 24 May 2008  
11:37:53 AM EDT  
Install Date: Mon 19 Dec 2011 12:35:36 PM EST      Build Host:  
builder16.centos.org  
Group           : Applications/Editors              Source RPM: emacs-21.4-  
20.el5.src.rpm  
Size            : 32629354                           License: GPL  
Signature      : DSA/SHA1, Sat 14 Jun 2008 07:31:06 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.gnu.org/software/emacs/  
Summary        : Emacs common files  
Description    :  
Emacs is a powerful, customizable, self-documenting, modeless text  
editor. Emacs contains special code editing features, a scripting  
language (elisp), and the capability to read mail, news, and more  
without leaving the editor.  
This package contains all the common files needed by emacs or emacs-nox.



**Name** : **kbd** **Relocations:** (not relocatable)  
Version : 1.12 Vendor: CentOS  
Release : 21.el5 Build Date: Tue 20 Jan 2009  
11:35:09 PM EST  
Install Date: Mon 19 Dec 2011 12:35:37 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: kbd-1.12-  
21.el5.src.rpm  
Size : 2656285 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:46:10 PM EDT, Key ID  
a8a447dce8562897  
Summary : Tools for configuring the console (keyboard, virtual terminals,  
etc.)  
Description :  
The kbd package contains tools for managing a Linux  
system's console's behavior, including the keyboard, the screen  
fonts, the virtual terminals and font files.

**Name** : **dnsmasq** **Relocations:** (not relocatable)  
Version : 2.45 Vendor: CentOS  
Release : 1.el5\_2.1 Build Date: Fri 27 Feb 2009  
06:00:22 PM EST  
Install Date: Mon 19 Dec 2011 12:35:48 PM EST Build Host:  
chamkaur.karan.org  
Group : System Environment/Daemons Source RPM: dnsmasq-2.45-  
1.el5\_2.1.src.rpm  
Size : 350802 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:45:25 PM EDT, Key ID  
a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
URL : <http://www.thekelleys.org.uk/dnsmasq/>  
Summary : A lightweight DHCP/caching DNS server  
Description :  
Dnsmasq is lightweight, easy to configure DNS forwarder and DHCP server.  
It is designed to provide DNS and, optionally, DHCP, to a small network.  
It can serve the names of local machines which are not in the global  
DNS. The DHCP server integrates with the DNS server and allows machines  
with DHCP-allocated addresses to appear in the DNS with names configured  
either in each host or in a central configuration file. Dnsmasq supports  
static and dynamic DHCP leases and BOOTP for network booting of diskless  
machines.

**Name** : **system-config-printer-libs** **Relocations:** (not relocatable)  
Version : 0.7.32.10 Vendor: CentOS  
Release : 1.el5 Build Date: Wed 21 Jan 2009  
02:51:09 AM EST  
Install Date: Mon 19 Dec 2011 12:35:56 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: system-config-  
printer-0.7.32.10-1.el5.src.rpm  
Size : 835353 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:49:17 PM EDT, Key ID  
a8a447dce8562897  
Summary : Common code for the graphical and non-graphical pieces.  
Description :  
The common code used by both the graphical and non-graphical parts of  
the configuration tool.

**Name** : mutt **Relocations:** (not relocatable)  
Version : 1.4.2.2 Vendor: CentOS  
Release : 3.0.2.el5 Build Date: Mon 04 Jun 2007  
07:25:10 AM EDT  
Install Date: Mon 19 Dec 2011 12:35:57 PM EST Build Host:  
builder4.centos.org  
Group : Applications/Internet Source RPM: mutt-1.4.2.2-  
3.0.2.el5.src.rpm  
Size : 3062009 License: GPL  
Signature : DSA/SHA1, Mon 04 Jun 2007 07:40:14 AM EDT, Key ID  
a8a447dce8562897  
URL : http://www.mutt.org/  
Summary : A text mode mail user agent.  
Description :  
Mutt is a text-mode mail user agent. Mutt supports color, threading,  
arbitrary key remapping, and a lot of customization.  
You should install mutt if you have used it in the past and you prefer  
it, or if you are new to mail programs and have not decided which one  
you are going to use.

**Name** : bootparamd **Relocations:** (not relocatable)  
Version : 0.17 Vendor: CentOS  
Release : 24.devel.2.1 Build Date: Sun 07 Jan 2007  
03:40:39 AM EST  
Install Date: Mon 19 Dec 2011 12:35:57 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Daemons Source RPM: bootparamd-0.17-  
24.devel.2.1.src.rpm  
Size : 34796 License: BSD  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:25 PM EDT, Key ID  
a8a447dce8562897  
Summary : A server process which provides boot information to diskless  
clients.  
Description :  
The bootparamd process provides bootparamd, a server process which  
provides the information needed by diskless clients in order for them  
to successfully boot. Bootparamd looks first in /etc/bootparams for an  
entry for that particular client; if a local bootparams file doesn't  
exist, it looks at the appropriate Network Information Service (NIS)  
map. Some network boot loaders (notably Sun's) rely on special boot  
server code on the server, in addition to the RARP and TFTP servers.  
This bootparamd server process is compatible with SunOS bootparam clients  
and servers which need that boot server code.  
You should install bootparamd if you need to provide boot information to  
diskless clients on your network.

**Name** : oprofile **Relocations:** (not relocatable)  
Version : 0.9.4 Vendor: CentOS  
Release : 11.el5 Build Date: Thu 03 Sep 2009  
10:47:21 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:59 PM EST Build Host:  
builder16.centos.org  
Group : Development/System Source RPM: oprofile-0.9.4-  
11.el5.src.rpm  
Size : 6953654 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:54:51 PM EDT, Key ID

a8a447dce8562897

URL : <http://oprofile.sf.net>

Summary : System wide profiler

Description :

OProfile is a profiling system for systems running Linux. The profiling runs transparently during the background, and profile data can be collected at any time. OProfile makes use of the hardware performance counters provided on Intel P6, and AMD Athlon family processors, and can use the RTC for profiling on other x86 processor types. See the HTML documentation for further details.

**Name : mod\_perl Relocations: (not relocatable)**

Version : 2.0.4 Vendor: CentOS

Release : 6.el5 Build Date: Wed 21 Jan 2009

01:27:16 AM EST

Install Date: Mon 19 Dec 2011 12:36:01 PM EST Build Host:

builder16.centos.org

Group : System Environment/Daemons Source RPM: mod\_perl-2.0.4-

6.el5.src.rpm

Size : 6973692 License: ASL 2.0

Signature : DSA/SHA1, Sun 08 Mar 2009 09:46:56 PM EDT, Key ID

a8a447dce8562897

URL : <http://perl.apache.org/>

Summary : An embedded Perl interpreter for the Apache HTTP Server

Description :

Mod\_perl incorporates a Perl interpreter into the Apache web server, so that the Apache web server can directly execute Perl code.

Mod\_perl links the Perl runtime library into the Apache web server and provides an object-oriented Perl interface for Apache's C language API. The end result is a quicker CGI script turnaround process, since no external Perl interpreter has to be started.

Install mod\_perl if you're installing the Apache web server and you'd like for it to directly incorporate a Perl interpreter.

**Name : wdaemon Relocations: (not relocatable)**

Version : 0.14 Vendor: CentOS

Release : 4 Build Date: Mon 21 Sep 2009

07:37:40 PM EDT

Install Date: Mon 19 Dec 2011 12:36:02 PM EST Build Host:

builder16.centos.org

Group : User Interface/X Hardware Support Source RPM: wdaemon-0.14-

4.src.rpm

Size : 64150 License: GPL

Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:07 PM EDT, Key ID

a8a447dce8562897

URL : <http://jake.ruivo.org/~aris/wdaemon/>

Summary : Hotplug helper for Wacom X.org driver

Description :

Helper application which emulates persistent input devices for Wacom tablets so they can be plugged and unplugged while X.org server is running. This should

go away as soon X.org properly supports hotplugging.

**Name : irqbalance Relocations: (not relocatable)**

Version : 0.55 Vendor: CentOS

Release : 15.el5 Build Date: Thu 03 Sep 2009

08:06:41 AM EDT

Install Date: Mon 19 Dec 2011 12:36:02 PM EST      Build Host:  
builder16.centos.org  
Group           : System Environment/Base            Source RPM: irqbalance-0.55-  
15.el5.src.rpm  
Size            : 26448                                License: GPL/OSL  
Signature       : DSA/SHA1, Sat 19 Sep 2009 11:53:43 PM EDT, Key ID  
a8a447dce8562897  
Summary         : IRQ balancing daemon.  
Description     :  
irqbalance is a daemon that evenly distributes IRQ load across  
multiple CPUs for enhanced performance.

**Name            : rng-utils                                Relocations: (not relocatable)**  
Version         : 2.0                                        Vendor: CentOS  
Release         : 1.14.1.fc6                                Build Date: Sat 06 Jan 2007  
05:03:56 PM EST  
Install Date: Mon 19 Dec 2011 12:36:03 PM EST      Build Host:  
builder1.centos.org  
Group           : System Environment/Base            Source RPM: rng-utils-2.0-  
1.14.1.fc6.src.rpm  
Size            : 25771                                      License: GPL  
Signature       : DSA/SHA1, Tue 03 Apr 2007 08:27:23 PM EDT, Key ID  
a8a447dce8562897  
Summary         : Random number generator related utilities  
Description     :  
Hardware random number generation tools.

**Name            : nss\_ldap                                 Relocations: (not relocatable)**  
Version         : 253                                        Vendor: CentOS  
Release         : 21.el5                                    Build Date: Thu 03 Sep 2009  
02:25:07 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:04 PM EST      Build Host:  
builder16.centos.org  
Group           : System Environment/Base            Source RPM: nss\_ldap-253-  
21.el5.src.rpm  
Size            : 3463252                                    License: LGPL  
Signature       : DSA/SHA1, Sat 19 Sep 2009 11:53:58 PM EDT, Key ID  
a8a447dce8562897  
URL             : <http://www.padl.com/>  
Summary         : NSS library and PAM module for LDAP.  
Description     :  
This package includes two LDAP access clients: nss\_ldap and pam\_ldap.  
Nss\_ldap is a set of C library extensions that allow X.500 and LDAP  
directory servers to be used as a primary source of aliases, ethers,  
groups, hosts, networks, protocol, users, RPCs, services, and shadow  
passwords (instead of or in addition to using flat files or NIS).  
Pam\_ldap is a module for Linux-PAM that supports password changes, V2  
clients, Netscape's SSL, ypldapd, Netscape Directory Server password  
policies, access authorization, and crypted hashes.

**Name            : hplip                                    Relocations: (not relocatable)**  
Version         : 1.6.7                                      Vendor: CentOS  
Release         : 4.1.el5.4                                Build Date: Fri 15 Aug 2008  
10:33:22 AM EDT  
Install Date: Mon 19 Dec 2011 12:36:07 PM EST      Build Host:  
builder16.centos.org  
Group           : System Environment/Daemons        Source RPM: hplip-1.6.7-

4.1.el5.4.src.rpm

Size : 12484690 License: GPL/MIT/BSD  
Signature : DSA/SHA1, Fri 15 Aug 2008 12:53:38 PM EDT, Key ID  
a8a447dce8562897

URL : <http://hplip.sourceforge.net/>  
Summary : HP Linux Imaging and Printing Project

Description :

The Hewlett-Packard Linux Imaging and Printing Project provides  
drivers for HP printers and multi-function peripherals.

**Name : pam\_pkcs11 Relocations: (not relocatable)**

Version : 0.5.3 Vendor: CentOS  
Release : 23 Build Date: Sat 06 Jan 2007

11:45:25 PM EST

Install Date: Mon 19 Dec 2011 12:36:09 PM EST Build Host:

builder5.centos.org

Group : System Environment/Base Source RPM: pam\_pkcs11-0.5.3-  
23.src.rpm

Size : 775973 License: LGPL

Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:50 PM EDT, Key ID  
a8a447dce8562897

URL : [http://www.opensc.org/pam\\_pkcs11](http://www.opensc.org/pam_pkcs11)

Summary : PKCS #11/NSS PAM login module

Description :

This Linux-PAM login module allows a X.509 certificate based user  
authentication. The certificate and its dedicated private key are thereby  
accessed by means of an appropriate PKCS #11 module. For the  
verification of the users' certificates, locally stored CA  
certificates as well as either online or locally accessible CRLs and  
OCSP are used. This version uses NSS to validate the Certificates and manage  
the PKCS #11 smartCards.

Additional included pam\_pkcs11 related tools

- pkcs11\_eventmgr: Generate actions on card insert/removal/timeout events
- pklogin\_finder: Get the loginname that maps to a certificate
- pkcs11\_inspect: Inspect the contents of a certificate

**Name : cvs Relocations: /usr**

Version : 1.11.22 Vendor: CentOS  
Release : 7.el5 Build Date: Thu 03 Sep 2009

03:53:34 PM EDT

Install Date: Mon 19 Dec 2011 12:36:10 PM EST Build Host:

builder16.centos.org

Group : Development/Tools Source RPM: cvs-1.11.22-  
7.el5.src.rpm

Size : 1566577 License: GPL

Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:27 PM EDT, Key ID  
a8a447dce8562897

URL : <http://www.cvshome.org/>

Summary : A version control system.

Description :

CVS (Concurrent Versions System) is a version control system that can  
record the history of your files (usually, but not always, source  
code). CVS only stores the differences between versions, instead of  
every version of every file you have ever created. CVS also keeps a log  
of who, when, and why changes occurred.

CVS is very helpful for managing releases and controlling the  
concurrent editing of source files among multiple authors. Instead of

providing version control for a collection of files in a single directory, CVS provides version control for a hierarchical collection of directories consisting of revision controlled files. These directories and files can then be combined together to form a software release.

**Name** : **crypto-utils** **Relocations:** (not relocatable)  
Version : 2.3 Vendor: CentOS  
Release : 2.el5 Build Date: Sat 24 May 2008  
01:30:32 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:12 PM EST Build Host:  
builder16.centos.org  
Group : Applications/System Source RPM: crypto-utils-2.3-  
2.el5.src.rpm  
Size : 61478 License: Various  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:29:52 PM EDT, Key ID  
a8a447dce8562897  
Summary : SSL certificate and key management utilities  
Description :  
This package provides tools for managing and generating  
SSL certificates and keys.

**Name** : **amtu** **Relocations:** (not relocatable)  
Version : 1.0.6 Vendor: CentOS  
Release : 1.el5 Build Date: Sat 24 May 2008  
12:06:32 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:14 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: amtu-1.0.6-  
1.el5.src.rpm  
Size : 46464 License: Common Public License  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:29:18 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://sourceforge.net/projects/amtueal/>  
Summary : Abstract Machine Test Utility (AMTU)  
Description :  
Abstract Machine Test Utility (AMTU) is an administrative utility to check  
whether the underlying protection mechanism of the hardware are still being  
enforced. This is a requirement of the Controlled Access Protection Profile  
FPT\_AMT.1, see  
[http://www.radium.ncsc.mil/tpep/library/protection\\_profiles/CAPP-1.d.pdf](http://www.radium.ncsc.mil/tpep/library/protection_profiles/CAPP-1.d.pdf)

**Name** : **gftp** **Relocations:** (not relocatable)  
Version : 2.0.18 Vendor: CentOS  
Release : 3.2.2 Build Date: Sat 06 Jan 2007  
01:38:23 AM EST  
Install Date: Mon 19 Dec 2011 12:36:15 PM EST Build Host:  
builder5.centos.org  
Group : Applications/Internet Source RPM: gftp-2.0.18-  
3.2.2.src.rpm  
Size : 2708460 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:09 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://gftp.seul.org/>  
Summary : A multi-threaded FTP client for the X Window System.  
Description :  
gFTP is a multi-threaded FTP client for the X Window System. gFTP

supports simultaneous downloads, resumption of interrupted file transfers, file transfer queues to allow downloading of multiple files, support for downloading entire directories/subdirectories, a bookmarks menu to allow quick connection to FTP sites, caching of remote directory listings, local and remote chmod, drag and drop, a connection manager and much more.

Install gftp if you need a graphical FTP client.

**Name** : **tmpwatch** **Relocations:** (not relocatable)  
Version : 2.9.7 Vendor: CentOS  
Release : 1.1.el5.2 Build Date: Thu 26 Feb 2009  
05:36:49 AM EST  
Install Date: Mon 19 Dec 2011 12:36:17 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: tmpwatch-2.9.7-  
1.1.el5.2.src.rpm  
Size : 16625 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:49:18 PM EDT, Key ID  
a8a447dce8562897  
Summary : A utility for removing files based on when they were last  
accessed.  
Description :  
The tmpwatch utility recursively searches through specified  
directories and removes files which have not been accessed in a  
specified period of time. Tmpwatch is normally used to clean up  
directories which are used for temporarily holding files (for example,  
/tmp). Tmpwatch ignores symlinks, won't switch filesystems and only  
removes empty directories and regular files.

**Name** : **conman** **Relocations:** (not relocatable)  
Version : 0.1.9.2 Vendor: CentOS  
Release : 8.el5 Build Date: Sun 11 Nov 2007  
12:04:21 PM EST  
Install Date: Mon 19 Dec 2011 12:36:19 PM EST Build Host: builder6  
Group : Applications/System Source RPM: conman-0.1.9.2-  
8.el5.src.rpm  
Size : 291135 License: GPL  
Signature : DSA/SHA1, Tue 20 Nov 2007 02:10:11 PM EST, Key ID  
a8a447dce8562897  
URL : <http://home.gna.org/conman/>  
Summary : ConMan - The Console Manager  
Description :  
ConMan is a serial console management program designed to support a large  
number of console devices and simultaneous users. It currently supports  
local serial devices and remote terminal servers (via the telnet protocol).  
Its features include:  
- mapping symbolic names to console devices  
- logging all output from a console device to file  
- supporting monitor (R/O), interactive (R/W), and  
broadcast (W/O) modes of console access  
- allowing clients to join or steal console "write" privileges  
- executing Expect scripts across multiple consoles in parallel

**Name** : **php-ldap** **Relocations:** (not relocatable)  
Version : 5.1.6 Vendor: CentOS  
Release : 23.2.el5\_3 Build Date: Tue 07 Apr 2009  
08:04:02 AM EDT

Install Date: Mon 19 Dec 2011 12:36:21 PM EST      Build Host:  
builder10.centos.org  
Group           : Development/Languages            Source RPM: php-5.1.6-  
23.2.el5\_3.src.rpm  
Size            : 44253                            License: The PHP License v3.01  
Signature      : DSA/SHA1, Tue 07 Apr 2009 08:20:05 AM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.php.net/  
Summary        : A module for PHP applications that use LDAP.  
Description :  
The php-ldap package is a dynamic shared object (DSO) for the Apache  
Web server that adds Lightweight Directory Access Protocol (LDAP)  
support to PHP. LDAP is a set of protocols for accessing directory  
services over the Internet. PHP is an HTML-embedded scripting  
language. If you need LDAP support for PHP applications, you will  
need to install this package in addition to the php package.

**Name            : nmap                            Relocations: (not relocatable)**  
Version         : 4.11                            Vendor: CentOS  
Release         : 1.1                            Build Date: Sat 06 Jan 2007  
01:03:49 AM EST  
Install Date: Mon 19 Dec 2011 12:36:22 PM EST      Build Host:  
builder1.centos.org  
Group           : Applications/System            Source RPM: nmap-4.11-1.1.src.rpm  
Size            : 2365314                        License: GPL  
Signature      : DSA/SHA1, Tue 03 Apr 2007 08:25:16 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.insecure.org/nmap/  
Summary        : Network exploration tool and security scanner  
Description :  
Nmap is a utility for network exploration or security auditing. It supports  
ping scanning (determine which hosts are up), many port scanning techniques  
(determine what services the hosts are offering), and TCP/IP fingerprinting  
(remote host operating system identification). Nmap also offers flexible  
target  
and port specification, decoy scanning, determination of TCP sequence  
predictability characteristics, reverse-identd scanning, and more.

**Name            : psacct                        Relocations: (not relocatable)**  
Version         : 6.3.2                            Vendor: CentOS  
Release         : 44.el5                        Build Date: Thu 26 Feb 2009  
06:53:57 PM EST  
Install Date: Mon 19 Dec 2011 12:36:25 PM EST      Build Host:  
chamkaur.karan.org  
Group           : Applications/System            Source RPM: psacct-6.3.2-  
44.el5.src.rpm  
Size            : 100156                        License: GPL  
Signature      : DSA/SHA1, Sun 08 Mar 2009 09:48:57 PM EDT, Key ID  
a8a447dce8562897  
Packager       : Karanbir Singh <kbsingh@karan.org>  
Summary        : Utilities for monitoring process activities.  
Description :  
The psacct package contains several utilities for monitoring process  
activities, including ac, lastcomm, accton and sa. The ac command  
displays statistics about how long users have been logged on. The  
lastcomm command displays information about previous executed  
commands. The accton command turns process accounting on or off. The



sa command summarizes information about previously executed commands.

**Name** : **zsh** **Relocations:** (not relocatable)  
Version : 4.2.6 Vendor: CentOS  
Release : 3.el5 Build Date: Mon 21 Sep 2009  
06:40:08 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:26 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Shells Source RPM: zsh-4.2.6-  
3.el5.src.rpm  
Size : 3565444 License: BSD  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:07 PM EDT, Key ID  
a8a447dce8562897  
URL : http://zsh.sunsite.dk/  
Summary : A powerful interactive shell  
Description :  
The zsh shell is a command interpreter usable as an interactive login  
shell and as a shell script command processor. Zsh resembles the ksh  
shell (the Korn shell), but includes many enhancements. Zsh supports  
command line editing, built-in spelling correction, programmable  
command completion, shell functions (with autoloading), a history  
mechanism, and more.

**Name** : **nss\_db** **Relocations:** (not relocatable)  
Version : 2.2 Vendor: CentOS  
Release : 35.3 Build Date: Sat 24 May 2008  
11:49:24 AM EDT  
Install Date: Mon 19 Dec 2011 12:36:33 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: nss\_db-2.2-  
35.3.src.rpm  
Size : 1706910 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:37:12 PM EDT, Key ID  
a8a447dce8562897  
URL : http://sources.redhat.com/glibc/  
Summary : An NSS library for the Berkeley DB.  
Description :  
Nss\_db is a set of C library extensions which allow Berkeley Databases  
to be used as a primary source of aliases, ethers, groups, hosts,  
networks, protocol, users, RPCs, services, and shadow passwords  
(instead of or in addition to using flat files or NIS). Install nss\_db  
if your flat name service files are too large and lookups are slow.

**Name** : **xinetd** **Relocations:** (not relocatable)  
Version : 2.3.14 Vendor: CentOS  
Release : 10.el5 Build Date: Wed 14 Mar 2007  
11:48:32 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:36 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Daemons Source RPM: xinetd-2.3.14-  
10.el5.src.rpm  
Size : 261869 License: Distributable (BSD-  
like)  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:34 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.xinetd.org

Summary : A secure replacement for inetd.

Description :

Xinetd is a secure replacement for inetd, the Internet services daemon. Xinetd provides access control for all services based on the address of the remote host and/or on time of access and can prevent denial-of-access attacks. Xinetd provides extensive logging, has no limit on the number of server arguments, and lets you bind specific services to specific IP addresses on your host machine. Each service has its own specific configuration file for Xinetd; the files are located in the /etc/xinetd.d directory.

**Name** : **system-config-language** **Relocations:** (not relocatable)  
Version : 1.1.18 Vendor: CentOS  
Release : 3.el5 Build Date: Sun 27 Sep 2009  
05:19:13 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:39 PM EST Build Host:  
builder10.centos.org  
Group : System Environment/Base Source RPM: system-config-  
language-1.1.18-3.el5.src.rpm  
Size : 161234 License: GPL  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:07 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://fedora.redhat.com/projects/config-tools/>  
Summary : A graphical interface for modifying the system language  
Description :  
system-config-language is a graphical user interface that  
allows the user to change the default language of the system.

**Name** : **docbook-style-xsl** **Relocations:** (not relocatable)  
Version : 1.69.1 Vendor: CentOS  
Release : 5.1 Build Date: Sat 06 Jan 2007  
05:10:06 PM EST  
Install Date: Mon 19 Dec 2011 12:36:41 PM EST Build Host:  
builder1.centos.org  
Group : Applications/Text Source RPM: docbook-style-xsl-  
1.69.1-5.1.src.rpm  
Size : 9791427 License: Distributable  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:21:11 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://docbook.sourceforge.net/projects/xsl/>  
Summary : Norman Walsh's XSL stylesheets for DocBook XML.  
Description :  
These XSL stylesheets allow you to transform any DocBook XML document to  
other formats, such as HTML, FO, and XHTML. They are highly customizable.

**Name** : **authconfig-gtk** **Relocations:** (not relocatable)  
Version : 5.3.21 Vendor: CentOS  
Release : 6.el5 Build Date: Sat 26 Sep 2009  
01:32:35 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:42 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: authconfig-5.3.21-  
6.el5.src.rpm  
Size : 192754 License: GPLv2+  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:05 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://rhlinux.redhat.com/>

Summary : Graphical tool for setting up authentication from network services

Description :

Authconfig-gtk is a GUI program which can configure a workstation to use shadow (more secure) passwords. Authconfig-gtk can also configure a system to be a client for certain networked user information and authentication schemes.

**Name** : **gnome-themes** **Relocations:** (not relocatable)  
Version : 2.16.0 Vendor: CentOS  
Release : 1.fc6 Build Date: Sat 06 Jan 2007  
06:36:44 AM EST  
Install Date: Mon 19 Dec 2011 12:36:45 PM EST Build Host:  
builder3.centos.org  
Group : User Interface/Desktops Source RPM: gnome-themes-2.16.0-1.fc6.src.rpm  
Size : 4759221 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:35 PM EDT, Key ID a8a447dce8562897  
URL : <http://ftp.gnome.org/pub/GNOME/sources/gnome-themes/>  
Summary : Themes collection for GNOME  
Description :  
Themes collection for GNOME

**Name** : **curl-devel** **Relocations:** (not relocatable)  
Version : 7.15.5 Vendor: CentOS  
Release : 2.1.el5\_3.5 Build Date: Thu 13 Aug 2009  
06:52:32 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:47 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: curl-7.15.5-2.1.el5\_3.5.src.rpm  
Size : 654094 License: MIT  
Signature : DSA/SHA1, Tue 18 Aug 2009 12:36:46 PM EDT, Key ID a8a447dce8562897  
URL : <http://curl.haxx.se/>  
Summary : Files needed for building applications with libcurl.  
Description :  
cURL is a tool for getting files from FTP, HTTP, Gopher, Telnet, and Dict servers, using any of the supported protocols. The curl-devel package includes files needed for developing applications which can use cURL's capabilities internally.

**Name** : **system-config-printer** **Relocations:** (not relocatable)  
Version : 0.7.32.10 Vendor: CentOS  
Release : 1.el5 Build Date: Wed 21 Jan 2009  
02:51:09 AM EST  
Install Date: Mon 19 Dec 2011 12:36:48 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: system-config-printer-0.7.32.10-1.el5.src.rpm  
Size : 668150 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:49:17 PM EDT, Key ID a8a447dce8562897  
Summary : A printer administration tool  
Description :  
system-config-printer is a graphical user interface that allows

the user to configure a CUPS print server.

**Name** : **openldap-devel** **Relocations:** (not relocatable)  
Version : 2.3.43 Vendor: CentOS  
Release : 3.el5 Build Date: Wed 21 Jan 2009  
04:00:11 AM EST  
Install Date: Mon 19 Dec 2011 12:36:51 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: openldap-2.3.43-  
3.el5.src.rpm  
Size : 5930901 License: OpenLDAP  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:47:04 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.openldap.org/>  
Summary : OpenLDAP development libraries and header files.  
Description :  
The openldap-devel package includes the development libraries and  
header files needed for compiling applications that use LDAP  
(Lightweight Directory Access Protocol) internals. LDAP is a set of  
protocols for enabling directory services over the Internet. Install  
this package only if you plan to develop or will need to compile  
customized LDAP clients.

**Name** : **ruby-ri** **Relocations:** (not relocatable)  
Version : 1.8.5 Vendor: CentOS  
Release : 5.el5\_3.7 Build Date: Thu 02 Jul 2009  
06:41:06 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:57 PM EST Build Host:  
builder16.centos.org  
Group : Documentation Source RPM: ruby-1.8.5-  
5.el5\_3.7.src.rpm  
Size : 3882332 License: Ruby License/GPL -  
see COPYING  
Signature : DSA/SHA1, Thu 02 Jul 2009 07:48:32 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.ruby-lang.org/>  
Summary : Ruby interactive reference  
Description :  
ri is a command line tool that displays descriptions of built-in  
Ruby methods, classes and modules. For methods, it shows you the calling  
sequence and a description. For classes and modules, it shows a synopsis  
along with a list of the methods the class or module implements.

**Name** : **psgml** **Relocations:** /usr  
Version : 1.2.5 Vendor: CentOS  
Release : 4.3 Build Date: Sun 07 Jan 2007  
03:19:01 AM EST  
Install Date: Mon 19 Dec 2011 12:37:00 PM EST Build Host:  
builder3.centos.org  
Group : Applications/Editors Source RPM: psgml-1.2.5-  
4.3.src.rpm  
Size : 556951 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:05 PM EDT, Key ID  
a8a447dce8562897  
Summary : A GNU Emacs major mode for editing SGML documents.  
Description :  
Emacs is an advanced and extensible editor. An Emacs major mode

customizes Emacs for editing particular types of text documents. PSGML is a major mode for SGML (a markup language) documents. PSGML provides several functionalities for editing SGML documents: indentation according to element nesting depth and identification of structural errors (but it is not a validating SGML parser); menus and commands for inserting tags with only the contextually valid tags; attribute values can be edited in a separate window with information about types and defaults; structure based editing includes movement and killing; and also several commands for folding editing.

**Name** : **newt-devel** **Relocations: (not relocatable)**  
Version : 0.52.2 Vendor: CentOS  
Release : 12.el5 Build Date: Thu 26 Feb 2009  
05:48:44 PM EST  
Install Date: Mon 19 Dec 2011 12:37:00 PM EST Build Host:  
chamkaur.karan.org  
Group : Development/Libraries Source RPM: newt-0.52.2-  
12.el5.src.rpm  
Size : 178108 License: LGPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:47:01 PM EDT, Key ID  
a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
Summary : Newt windowing toolkit development files.  
Description :  
The newt-devel package contains the header files and libraries  
necessary for developing applications which use newt. Newt is a  
development library for text mode user interfaces. Newt is based on  
the slang library.  
Install newt-devel if you want to develop applications which will use  
newt.

**Name** : **bsh-javadoc** **Relocations: (not relocatable)**  
Version : 1.3.0 Vendor: CentOS  
Release : 9jpp.1 Build Date: Sun 07 Jan 2007  
12:34:14 AM EST  
Install Date: Mon 19 Dec 2011 12:37:05 PM EST Build Host:  
builder1.centos.org  
Group : Development/Java Source RPM: bsh-1.3.0-  
9jpp.1.src.rpm  
Size : 1767435 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:25 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.beanshell.org/>  
Summary : Javadoc for bsh  
Description :  
Javadoc for bsh.

**Name** : **zenity** **Relocations: (not relocatable)**  
Version : 2.16.0 Vendor: CentOS  
Release : 2.el5 Build Date: Sun 07 Jan 2007  
07:12:28 AM EST  
Install Date: Mon 19 Dec 2011 12:37:12 PM EST Build Host:  
builder5.centos.org  
Group : Applications/System Source RPM: zenity-2.16.0-  
2.el5.src.rpm  
Size : 2049534 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:49 PM EDT, Key ID

a8a447dce8562897

URL : <http://directory.fsf.org/zenity.html>

Summary : Display dialog boxes from shell scripts

Description :

Zenity lets you display Gtk+ dialog boxes from the command line and through shell scripts. It is similar to gdialog, but is intended to be saner. It comes

from the same family as dialog, Xdialog, and cdialog.

**Name : OpenIPMI Relocations: (not relocatable)**

Version : 2.0.16

Vendor: CentOS

Release : 5.el5

Build Date: Thu 03 Sep 2009

07:10:12 PM EDT

Install Date: Mon 19 Dec 2011 12:37:15 PM EST

Build Host:

builder16.centos.org

Group : System Environment/Base

Source RPM: OpenIPMI-2.0.16-

5.el5.src.rpm

Size : 292086

License: GPL

Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:58 PM EDT, Key ID

a8a447dce8562897

URL : <http://sourceforge.net/projects/openipmi/>

Summary : OpenIPMI (Intelligent Platform Management Interface) library and tools

Description :

The Open IPMI project aims to develop an open code base to allow access to platform information using Intelligent Platform Management Interface (IPMI). This package contains the tools of the OpenIPMI project.

**Name : gnome-user-docs Relocations: (not relocatable)**

Version : 2.16.0

Vendor: CentOS

Release : 2.fc6

Build Date: Sat 06 Jan 2007

11:59:23 AM EST

Install Date: Mon 19 Dec 2011 12:37:17 PM EST

Build Host:

builder3.centos.org

Group : Documentation

Source RPM: gnome-user-docs-

2.16.0-2.fc6.src.rpm

Size : 11721974

License: FDL

Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:36 PM EDT, Key ID

a8a447dce8562897

Summary : GNOME User Documentation

Description :

This package contains end user documentation for the GNOME desktop environment.

**Name : dbus Relocations: (not relocatable)**

Version : 1.1.2

Vendor: CentOS

Release : 12.el5

Build Date: Wed 21 Jan 2009

04:45:09 AM EST

Install Date: Mon 19 Dec 2011 12:37:18 PM EST

Build Host:

builder16.centos.org

Group : System Environment/Libraries

Source RPM: dbus-1.1.2-

12.el5.src.rpm

Size : 506972

License: GPLv2+ or AFL

Signature : DSA/SHA1, Sun 08 Mar 2009 09:43:35 PM EDT, Key ID

a8a447dce8562897

URL : <http://www.freedesktop.org/software/dbus/>

Summary : D-BUS message bus

Description :

D-BUS is a system for sending messages between applications. It is used both for the systemwide message bus service, and as a per-user-login-session messaging facility.

**Name** : avahi-glib **Relocations:** (not relocatable)  
Version : 0.6.16 Vendor: CentOS  
Release : 6.el5 Build Date: Sat 19 Sep 2009  
10:04:49 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:19 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: avahi-0.6.16-  
6.el5.src.rpm  
Size : 9868 License: LGPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:25 PM EDT, Key ID  
a8a447dce8562897  
URL : http://avahi.org  
Summary : Glib libraries for avahi  
Description :  
Libraries for easy use of avahi from glib applications.

**Name** : policycoreutils **Relocations:** (not relocatable)  
Version : 1.33.12 Vendor: CentOS  
Release : 14.6.el5 Build Date: Thu 03 Sep 2009  
08:54:54 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:19 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: policycoreutils-  
1.33.12-14.6.el5.src.rpm  
Size : 2120504 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:54:53 PM EDT, Key ID  
a8a447dce8562897  
Summary : SELinux policy core utilities.  
Description :  
Security-enhanced Linux is a feature of the Linux-« kernel and a number of utilities with enhanced security functionality designed to add mandatory access controls to Linux. The Security-enhanced Linux kernel contains new architectural components originally developed to improve the security of the Flask operating system. These architectural components provide general support for the enforcement of many kinds of mandatory access control policies, including those based on the concepts of Type Enforcement-«, Role-based Access Control, and Multi-level Security.  
policycoreutils contains the policy core utilities that are required for basic operation of a SELinux system. These utilities include load\_policy to load policies, setfiles to label filesystems, newrole to switch roles, and run\_init to run /etc/init.d scripts in the proper context.

**Name** : libnotify **Relocations:** (not relocatable)  
Version : 0.4.2 Vendor: CentOS  
Release : 6.el5 Build Date: Wed 14 Mar 2007  
02:55:35 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:19 PM EST Build Host:  
builder4.centos.org  
Group : System Environment/Libraries Source RPM: libnotify-0.4.2-  
6.el5.src.rpm

Size : 89065 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:36 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.galago-project.org/specs/notification/>  
Summary : libnotify notification library  
Description :  
libnotify is an implementation of the freedesktop.org desktop  
notification specification.

**Name : module-init-tools Relocations: (not relocatable)**  
Version : 3.3 Vendor: CentOS  
Release : 0.pre3.1.54.el5 Build Date: Thu 03 Sep 2009  
07:28:36 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:22 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Kernel Source RPM: module-init-tools-  
3.3-0.pre3.1.54.el5.src.rpm  
Size : 801756 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:56 PM EDT, Key ID  
a8a447dce8562897  
Summary : Kernel module management utilities.  
Description :  
The modutils package includes various programs needed for automatic  
loading and unloading of modules under 2.6 and later kernels, as well  
as other module management programs. Device drivers and filesystems  
are two examples of loaded and unloaded modules.

**Name : ccid Relocations: (not relocatable)**  
Version : 1.3.8 Vendor: CentOS  
Release : 1.el5 Build Date: Wed 21 Jan 2009  
03:01:57 AM EST  
Install Date: Mon 19 Dec 2011 12:37:24 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: ccid-1.3.8-  
1.el5.src.rpm  
Size : 387373 License: LGPLv2+  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:45:19 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://pcsc-lite.alioth.debian.org/ccid.html>  
Summary : Generic USB CCID smart card reader driver  
Description :  
Generic USB CCID (Chip/Smart Card Interface Devices) driver.

**Name : avahi-compat-libdns\_sd Relocations: (not relocatable)**  
Version : 0.6.16 Vendor: CentOS  
Release : 6.el5 Build Date: Sat 19 Sep 2009  
10:04:49 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:26 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: avahi-0.6.16-  
6.el5.src.rpm  
Size : 31624 License: LGPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:25 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://avahi.org>  
Summary : Libraries for Apple Bonjour mDNSResponder compatibility.  
Description :



Libraries for Apple Bonjour mDNSResponder compatibility.

**Name** : **dmraid-events** **Relocations:** (not relocatable)  
Version : 1.0.0.rc13 Vendor: CentOS  
Release : 53.el5 Build Date: Fri 04 Sep 2009  
01:03:05 AM EDT  
Install Date: Mon 19 Dec 2011 12:37:28 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: dmraid-1.0.0.rc13-  
53.el5.src.rpm  
Size : 6764 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:29 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://people.redhat.com/heinzm/sw/dmraid>  
Summary : dmevent\_tool (Device-mapper event tool) and DSO  
Description :  
Provides a dmeventd DSO and the dmevent\_tool to register devices with it  
for device monitoring. All active RAID sets should be manually registered  
with dmevent\_tool.

**Name** : **libX11-devel** **Relocations:** (not relocatable)  
Version : 1.0.3 Vendor: CentOS  
Release : 11.el5 Build Date: Thu 03 Sep 2009  
10:06:57 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:30 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: libX11-1.0.3-  
11.el5.src.rpm  
Size : 788247 License: MIT/X11  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:54 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.x.org>  
Summary : X.Org X11 libX11 development package  
Description :  
X.Org X11 libX11 development package

**Name** : **kernel** **Relocations:** (not relocatable)  
Version : 2.6.18 Vendor: CentOS  
Release : 164.el5 Build Date: Thu 03 Sep 2009  
06:08:43 AM EDT  
Install Date: Mon 19 Dec 2011 12:37:34 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Kernel Source RPM: kernel-2.6.18-  
164.el5.src.rpm  
Size : 43435228 License: GPLv2  
Signature : DSA/SHA1, Wed 09 Sep 2009 12:34:41 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.kernel.org/>  
Summary : The Linux kernel (the core of the Linux operating system)  
Description :  
The kernel package contains the Linux kernel (vmlinuz), the core of any  
Linux operating system. The kernel handles the basic functions  
of the operating system: memory allocation, process allocation, device  
input and output, etc.

**Name** : **dbus-devel** **Relocations:** (not relocatable)  
Version : 1.1.2 Vendor: CentOS

Release : 12.el5 Build Date: Wed 21 Jan 2009  
04:45:09 AM EST  
Install Date: Mon 19 Dec 2011 12:37:48 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: dbus-1.1.2-  
12.el5.src.rpm  
Size : 11033287 License: GPLv2+ or AFL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:45:24 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.freedesktop.org/software/dbus/  
Summary : Libraries and headers for D-BUS  
Description :  
Headers and static libraries for D-BUS.

**Name : libXrandr-devel Relocations: (not relocatable)**  
Version : 1.1.1 Vendor: CentOS  
Release : 3.1 Build Date: Sun 07 Jan 2007  
04:21:17 AM EST  
Install Date: Mon 19 Dec 2011 12:37:49 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries Source RPM: libXrandr-1.1.1-  
3.1.src.rpm  
Size : 10478 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:46 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXrandr development package  
Description :  
X.Org X11 libXrandr development package

**Name : systemtap-runtime Relocations: (not relocatable)**  
Version : 0.9.7 Vendor: CentOS  
Release : 5.el5 Build Date: Thu 03 Sep 2009  
09:03:25 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:50 PM EST Build Host:  
builder16.centos.org  
Group : Development/System Source RPM: systemtap-0.9.7-  
5.el5.src.rpm  
Size : 129136 License: GPLv2+  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:55:02 PM EDT, Key ID  
a8a447dce8562897  
URL : http://sourceware.org/systemtap/  
Summary : Instrumentation System Runtime  
Description :  
SystemTap runtime is the runtime component of an instrumentation  
system for systems running Linux 2.6. Developers can write  
instrumentation to collect data on the operation of the system.

**Name : libXcursor-devel Relocations: (not relocatable)**  
Version : 1.1.7 Vendor: CentOS  
Release : 1.1 Build Date: Sat 06 Jan 2007  
01:41:35 PM EST  
Install Date: Mon 19 Dec 2011 12:37:50 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries Source RPM: libXcursor-1.1.7-  
1.1.src.rpm  
Size : 17516 License: MIT/X11

Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:43 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXcursor development package  
Description :  
X.Org X11 libXcursor development package

**Name : libXdmcp-devel Relocations: (not relocatable)**  
Version : 1.0.1 Vendor: CentOS  
Release : 2.1 Build Date: Fri 05 Jan 2007  
11:23:43 PM EST  
Install Date: Mon 19 Dec 2011 12:37:53 PM EST Build Host:  
builder5.centos.org  
Group : Development/Libraries Source RPM: libXdmcp-1.0.1-  
2.1.src.rpm  
Size : 6970 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:43 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXdmcp development package  
Description :  
X.Org X11 libXdmcp development package

**Name : jakarta-commons-collections Relocations: (not relocatable)**  
Version : 3.2 Vendor: CentOS  
Release : 2jpp.3 Build Date: Sat 24 May 2008  
10:30:30 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:54 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries/Java Source RPM: jakarta-commons-  
collections-3.2-2jpp.3.src.rpm  
Size : 2787703 License: ASL 2.0  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:33:04 PM EDT, Key ID  
a8a447dce8562897  
URL : http://jakarta.apache.org/commons/collections/  
Summary : Jakarta Commons Collections Package  
Description :  
The introduction of the Collections API by Sun in JDK 1.2 has been a  
boon to quick and effective Java programming. Ready access to powerful  
data structures has accelerated development by reducing the need for  
custom container classes around each core object. Most Java2 APIs are  
significantly easier to use because of the Collections API.  
However, there are certain holes left unfilled by Sun's  
implementations, and the Jakarta-Commons Collections Component strives  
to fulfill them. Among the features of this package are:  
- special-purpose implementations of Lists and Maps for fast access  
- adapter classes from Javal-style containers (arrays, enumerations) to  
Java2-style collections.  
- methods to test or create typical set-theory properties of collections  
such as union, intersection, and closure.

**Name : classpathx-jaf Relocations: (not relocatable)**  
Version : 1.0 Vendor: CentOS  
Release : 9jpp.1 Build Date: Sat 06 Jan 2007  
12:57:46 AM EST  
Install Date: Mon 19 Dec 2011 12:37:55 PM EST Build Host:  
builder5.centos.org

Group : System Environment/Libraries Source RPM: classpathx-jaf-1.0-9jpp.1.src.rpm  
Size : 205645 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:30 PM EDT, Key ID a8a447dce8562897  
URL : http://www.gnu.org/software/classpathx/  
Summary : GNU JavaBeans(tm) Activation Framework  
Description :  
JAF provides a means to type data and locate components suitable for performing various kinds of action on it. It extends the UNIX standard mime.types and mailcap mechanisms for Java.

**Name : gtk2-devel Relocations: (not relocatable)**  
Version : 2.10.4 Vendor: CentOS  
Release : 20.el5 Build Date: Sat 24 May 2008 11:55:20 AM EDT  
Install Date: Mon 19 Dec 2011 12:37:59 PM EST Build Host: builder16.centos.org  
Group : Development/Libraries Source RPM: gtk2-2.10.4-20.el5.src.rpm  
Size : 17517013 License: LGPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:32:49 PM EDT, Key ID a8a447dce8562897  
URL : http://www.gtk.org  
Summary : Development tools for GTK+ applications  
Description :  
The gtk+-devel package contains the header files and developer docs for the GTK+ widget toolkit.

**Name : jakarta-commons-httpclient Relocations: (not relocatable)**  
Version : 3.0 Vendor: CentOS  
Release : 7jpp.1 Build Date: Tue 09 Jan 2007 03:23:06 PM EST  
Install Date: Mon 19 Dec 2011 12:38:00 PM EST Build Host: builder4.centos.org  
Group : Development/Libraries/Java Source RPM: jakarta-commons-httpclient-3.0-7jpp.1.src.rpm  
Size : 1354315 License: Apache Software License  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:53 PM EDT, Key ID a8a447dce8562897  
URL : http://jakarta.apache.org/commons/httpclient/  
Summary : Jakarta Commons HTTPClient Package  
Description :  
The Hyper-Text Transfer Protocol (HTTP) is perhaps the most significant protocol used on the Internet today. Web services, network-enabled appliances and the growth of network computing continue to expand the role of the HTTP protocol beyond user-driven web browsers, and increase the number of applications that may require HTTP support. Although the java.net package provides basic support for accessing resources via HTTP, it doesn't provide the full flexibility or functionality needed by many applications. The Jakarta Commons HTTP Client component seeks to fill this void by providing an efficient, up-to-date, and feature-rich package implementing the client side of the most recent HTTP standards and recommendations. Designed for extension while providing robust support for the base HTTP protocol, the HTTP Client component may be of interest to anyone

building HTTP-aware client applications such as web browsers, web service clients, or systems that leverage or extend the HTTP protocol for distributed communication.

**Name** : **jakarta-commons-pool** **Relocations:** (not relocatable)  
Version : 1.3 Vendor: CentOS  
Release : 5jpp.1 Build Date: Fri 05 Jan 2007  
11:37:07 PM EST  
Install Date: Mon 19 Dec 2011 12:38:05 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries/Java Source RPM: jakarta-commons-pool-  
1.3-5jpp.1.src.rpm  
Size : 312564 License: Apache Software  
License 2.0  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:55 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://jakarta.apache.org/commons/pool/>  
Summary : Jakarta Commons Pool Package  
Description :  
The goal of Pool package it to create and maintain an object  
(instance) pooling package to be distributed under the ASF license.  
The package should support a variety of pool implementations, but  
encourage support of an interface that makes these implementations  
interchangeable.

**Name** : **struts** **Relocations:** (not relocatable)  
Version : 1.2.9 Vendor: CentOS  
Release : 4jpp.5 Build Date: Wed 14 Mar 2007  
09:00:02 PM EDT  
Install Date: Mon 19 Dec 2011 12:38:06 PM EST Build Host:  
builder4.centos.org  
Group : Development/Java Source RPM: struts-1.2.9-  
4jpp.5.src.rpm  
Size : 2669190 License: Apache License  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:45 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://struts.apache.org/>  
Summary : Web application framework  
Description :  
Welcome to the Struts Framework! The goal of this project is to provide  
an open source framework useful in building web applications with Java  
Servlet and JavaServer Pages (JSP) technology. Struts encourages  
application architectures based on the Model-View-Controller (MVC)  
design paradigm, colloquially known as Model 2 in discussions on various  
servlet and JSP related mailing lists.  
Struts includes the following primary areas of functionality:  
A controller servlet that dispatches requests to appropriate Action  
classes provided by the application developer.  
JSP custom tag libraries, and associated support in the controller  
servlet, that assists developers in creating interactive form-based  
applications.  
Utility classes to support XML parsing, automatic population of  
JavaBeans properties based on the Java reflection APIs, and  
internationalization of prompts and messages.  
Struts is part of the Jakarta Project, sponsored by the Apache Software  
Foundation. The official Struts home page is at  
<http://jakarta.apache.org/struts>.

**Name** : **ldapjdk** **Relocations:** (not relocatable)  
Version : 4.18 Vendor: CentOS  
Release : 2jpp.3.el5 Build Date: Sat 10 Nov 2007  
01:37:46 PM EST  
Install Date: Mon 19 Dec 2011 12:38:08 PM EST Build Host: builder6  
Group : Development/Java Source RPM: ldapjdk-4.18-  
2jpp.3.el5.src.rpm  
Size : 1972491 License: MPL/GPL/LGPL  
Signature : DSA/SHA1, Tue 20 Nov 2007 02:13:33 PM EST, Key ID  
a8a447dce8562897  
URL : <http://www.mozilla.org/directory/javasdk.html>  
Summary : The Mozilla LDAP Java SDK  
Description :  
The Mozilla LDAP SDKs enable you to write applications which access,  
manage, and update the information stored in an LDAP directory.

**Name** : **junit** **Relocations:** (not relocatable)  
Version : 3.8.2 Vendor: CentOS  
Release : 3jpp.1 Build Date: Sun 07 Jan 2007  
02:21:00 AM EST  
Install Date: Mon 19 Dec 2011 12:38:09 PM EST Build Host:  
builder5.centos.org  
Group : Development/Testing Source RPM: junit-3.8.2-  
3jpp.1.src.rpm  
Size : 614866 License: Common Public License  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:23:01 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.junit.org/>  
Summary : Java regression test package  
Description :  
JUnit is a regression testing framework written by Erich Gamma and Kent  
Beck. It is used by the developer who implements unit tests in Java.  
JUnit is Open Source Software, released under the IBM Public License and  
hosted on SourceForge.

**Name** : **pcmciautils** **Relocations:** (not relocatable)  
Version : 014 Vendor: CentOS  
Release : 5 Build Date: Sat 06 Jan 2007  
06:42:06 PM EST  
Install Date: Mon 19 Dec 2011 12:38:11 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Base Source RPM: pcmciautils-014-  
5.src.rpm  
Size : 58585 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:51 PM EDT, Key ID  
a8a447dce8562897  
Summary : PCMCIA utilities and initialization programs  
Description :  
The pcmciautils package contains utilities for initializing and  
debugging PCMCIA and Cardbus sockets.

**Name** : **bluez-utils** **Relocations:** (not relocatable)  
Version : 3.7 Vendor: CentOS  
Release : 2.2.el5.centos Build Date: Mon 14 Jul 2008  
11:05:38 AM EDT  
Install Date: Mon 19 Dec 2011 12:38:12 PM EST Build Host:

builder16.centos.org  
Group : Applications/System Source RPM: bluez-utils-3.7-  
2.2.el5.centos.src.rpm  
Size : 796210 License: GPL  
Signature : DSA/SHA1, Mon 14 Jul 2008 12:39:51 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.bluez.org/  
Summary : Bluetooth utilities  
Description :  
Bluetooth utilities (bluez-utils):  
- hcitool  
- hciattach  
- hciconfig  
- hcid  
- l2ping  
- start scripts (CentOS)  
- pcmcia configuration files

The BLUETOOTH trademarks are owned by Bluetooth SIG, Inc., U.S.A.

**Name : rpm-build Relocations: (not relocatable)**  
Version : 4.4.2.3 Vendor: CentOS  
Release : 18.el5 Build Date: Thu 03 Sep 2009  
08:26:18 PM EDT  
Install Date: Mon 19 Dec 2011 12:38:13 PM EST Build Host:  
builder16.centos.org  
Group : Development/Tools Source RPM: rpm-4.4.2.3-  
18.el5.src.rpm  
Size : 1572996 License: GPLv2+  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:54:55 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.rpm.org/  
Summary : Scripts and executable programs used to build packages  
Description :  
The rpm-build package contains the scripts and executable programs  
that are used to build packages using the RPM Package Manager.

**Name : libgnomecanvas-devel Relocations: (not relocatable)**  
Version : 2.14.0 Vendor: CentOS  
Release : 4.1 Build Date: Sat 06 Jan 2007  
04:24:54 AM EST  
Install Date: Mon 19 Dec 2011 12:38:13 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries Source RPM: libgnomecanvas-  
2.14.0-4.1.src.rpm  
Size : 498274 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:28 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnome.org/  
Summary : Libraries and headers for libgnomecanvas  
Description :  
The canvas widget allows you to create custom displays using stock items  
such as circles, lines, text, and so on. It was originally a port of the  
Tk canvas widget but has evolved quite a bit over time.

**Name : libXaw-devel Relocations: (not relocatable)**  
Version : 1.0.2 Vendor: CentOS  
Release : 8.1 Build Date: Sun 07 Jan 2007

01:51:04 AM EST

Install Date: Mon 19 Dec 2011 12:38:18 PM EST      Build Host:  
builder1.centos.org  
Group           : Development/Libraries            Source RPM: libXaw-1.0.2-  
8.1.src.rpm  
Size            : 313862                            License: MIT/X11  
Signature      : DSA/SHA1, Tue 03 Apr 2007 08:24:43 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.x.org  
Summary        : X.Org X11 libXaw development package  
Description    :  
X.Org X11 libXaw development package

**Name            : SDL-devel                            Relocations: (not relocatable)**  
Version         : 1.2.10                            Vendor: CentOS  
Release         : 8.el5                            Build Date: Sun 07 Jan 2007

02:30:34 AM EST

Install Date: Mon 19 Dec 2011 12:38:18 PM EST      Build Host:  
builder5.centos.org  
Group           : Development/Libraries            Source RPM: SDL-1.2.10-  
8.el5.src.rpm  
Size            : 2295116                          License: LGPL  
Signature      : DSA/SHA1, Tue 03 Apr 2007 08:27:38 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.libsdl.org/  
Summary        : Files needed to develop Simple DirectMedia Layer applications.  
Description    :  
Simple DirectMedia Layer (SDL) is a cross-platform multimedia library  
designed to provide fast access to the graphics frame buffer and audio  
device. This package provides the libraries, include files, and other  
resources needed for developing SDL applications.

**Name            : selinux-policy-targeted            Relocations: (not relocatable)**  
Version         : 2.4.6                            Vendor: CentOS  
Release         : 255.el5                          Build Date: Fri 04 Sep 2009

12:49:29 AM EDT

Install Date: Mon 19 Dec 2011 12:38:21 PM EST      Build Host:  
builder10.centos.org  
Group           : System Environment/Base           Source RPM: selinux-policy-2.4.6-  
255.el5.src.rpm  
Size            : 29887897                        License: GPL  
Signature      : DSA/SHA1, Sat 19 Sep 2009 11:55:00 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://serefpolicy.sourceforge.net  
Summary        : SELinux targeted base policy  
Description    :  
SELinux Reference policy targeted base module.

**Name            : libXScrnSaver-devel                Relocations: (not relocatable)**  
Version         : 1.1.0                            Vendor: CentOS  
Release         : 3.1                             Build Date: Mon 08 Jan 2007

11:16:25 PM EST

Install Date: Mon 19 Dec 2011 12:38:27 PM EST      Build Host:  
builder6.centos.org  
Group           : Development/Libraries           Source RPM: libXScrnSaver-1.1.0-  
3.1.src.rpm  
Size            : 6004                             License: MIT/X11



Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:46 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXScrnSaver development package  
Description :  
X.Org X11 libXss development package

**Name : libXtst-devel Relocations: (not relocatable)**  
Version : 1.0.1 Vendor: CentOS  
Release : 3.1 Build Date: Sun 07 Jan 2007  
02:36:29 AM EST  
Install Date: Mon 19 Dec 2011 12:38:27 PM EST Build Host:  
builder5.centos.org  
Group : Development/Libraries Source RPM: libXtst-1.0.1-  
3.1.src.rpm  
Size : 224 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:47 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXtst development package  
Description :  
X.Org X11 libXtst development package

**Name : libXTrap-devel Relocations: (not relocatable)**  
Version : 1.0.0 Vendor: CentOS  
Release : 3.1 Build Date: Tue 12 Dec 2006  
05:04:18 PM EST  
Install Date: Mon 19 Dec 2011 12:38:27 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries Source RPM: libXTrap-1.0.0-  
3.1.src.rpm  
Size : 225 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:47 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXTrap development package  
Description :  
X.Org X11 libXTrap development package

**Name : coolkey-devel Relocations: (not relocatable)**  
Version : 1.1.0 Vendor: CentOS  
Release : 6.el5 Build Date: Sat 24 May 2008  
02:36:20 PM EDT  
Install Date: Mon 19 Dec 2011 12:38:38 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: coolkey-1.1.0-  
6.el5.src.rpm  
Size : 49788 License: LGPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:29:50 PM EDT, Key ID  
a8a447dce8562897  
URL : http://directory.fedora.redhat.com/wiki/CoolKey  
Summary : CoolKey Applet libraries  
Description :  
Linux Driver support to access the CoolKey applet.

**Name : yum Relocations: (not relocatable)**  
Version : 3.2.22 Vendor: CentOS

Release : 20.el5.centos Build Date: Thu 20 Aug 2009  
09:55:34 AM EDT  
Install Date: Mon 19 Dec 2011 12:38:40 PM EST Build Host:  
builder10.centos.org  
Group : System Environment/Base Source RPM: yum-3.2.22-  
20.el5.centos.src.rpm  
Size : 3394569 License: GPLv2+  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:55:14 PM EDT, Key ID  
a8a447dce8562897  
URL : http://linux.duke.edu/yum/  
Summary : RPM installer/updater  
Description :  
Yum is a utility that can check for and automatically download and  
install updated RPM packages. Dependencies are obtained and downloaded  
automatically prompting the user as necessary.

**Name : kudzu Relocations: (not relocatable)**  
Version : 1.2.57.1.21 Vendor: CentOS  
Release : 1.el5.centos Build Date: Thu 22 Jan 2009  
05:36:39 AM EST  
Install Date: Mon 19 Dec 2011 12:38:51 PM EST Build Host:  
builder10.centos.org  
Group : Applications/System Source RPM: kudzu-1.2.57.1.21-  
1.el5.centos.src.rpm  
Size : 435973 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:46:41 PM EDT, Key ID  
a8a447dce8562897  
URL : http://fedora.redhat.com/projects/additional-projects/kudzu/  
Summary : The CentOS Linux hardware probing tool.  
Description :  
Kudzu is a hardware probing tool run at system boot time to determine  
what hardware has been added or removed from the system.

**Name : NetworkManager-glib Relocations: (not relocatable)**  
Version : 0.7.0 Vendor: CentOS  
Release : 9.el5 Build Date: Thu 03 Sep 2009  
11:13:59 PM EDT  
Install Date: Mon 19 Dec 2011 12:38:53 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: NetworkManager-0.7.0-  
9.el5.src.rpm  
Size : 158084 License: GPLv2+  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:58 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnome.org/projects/NetworkManager/  
Summary : Libraries for adding NetworkManager support to applications  
that use glib.  
Description :  
This package contains the libraries that make it easier to use some  
NetworkManager  
functionality from applications that use glib.

**Name : xorg-x11-drv-void Relocations: (not relocatable)**  
Version : 1.1.0 Vendor: CentOS  
Release : 3.1 Build Date: Sat 06 Jan 2007  
05:52:43 AM EST  
Install Date: Mon 19 Dec 2011 12:38:57 PM EST Build Host:

builder5.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-void-1.1.0-3.1.src.rpm  
Size : 7509 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:42 PM EDT, Key ID a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 void input driver  
Description :  
X.Org X11 void input driver.

**Name : ant Relocations: (not relocatable)**  
Version : 1.6.5 Vendor: CentOS  
Release : 2jpp.2 Build Date: Sat 06 Jan 2007 07:41:13 AM EST  
Install Date: Mon 19 Dec 2011 12:38:59 PM EST Build Host: builder1.centos.org  
Group : Development/Build Tools Source RPM: ant-1.6.5-2jpp.2.src.rpm  
Size : 4768894 License: Apache Software License  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:19:55 PM EDT, Key ID a8a447dce8562897  
URL : http://ant.apache.org/  
Summary : Ant build tool for java  
Description :  
Ant is a platform-independent build tool for java. It's used by apache jakarta and xml projects.

**Name : jakarta-commons-modeler Relocations: (not relocatable)**  
Version : 1.1 Vendor: CentOS  
Release : 8jpp.3.el5 Build Date: Sat 10 Nov 2007 08:06:21 AM EST  
Install Date: Mon 19 Dec 2011 12:39:02 PM EST Build Host: builder7.centos.org  
Group : Development/Libraries/Java Source RPM: jakarta-commons-modeler-1.1-8jpp.3.el5.src.rpm  
Size : 510647 License: Apache Software License  
Signature : DSA/SHA1, Tue 20 Nov 2007 02:12:11 PM EST, Key ID a8a447dce8562897  
URL : http://jakarta.apache.org/commons/modeler  
Summary : Jakarta Commons Modeler Package  
Description :  
The Modeler project shall create and maintain a set of Java classes to provide the facilities described in the preceding section, plus unit tests and small examples of using these facilities to instrument Java classes with Model MBean support.

**Name : xorg-x11-xfs Relocations: (not relocatable)**  
Version : 1.0.2 Vendor: CentOS  
Release : 4 Build Date: Thu 12 Jul 2007 10:14:59 AM EDT  
Install Date: Mon 19 Dec 2011 12:39:04 PM EST Build Host: builder6  
Group : System Environment/Daemons Source RPM: xorg-x11-xfs-1.0.2-4.src.rpm  
Size : 113203 License: MIT/X11

Signature : DSA/SHA1, Thu 12 Jul 2007 07:31:29 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 xfs font server  
Description :  
X.Org X11 xfs font server

**Name : setroubleshoot-server Relocations: (not relocatable)**  
Version : 2.0.5 Vendor: CentOS  
Release : 5.el5 Build Date: Sat 26 Sep 2009  
02:43:16 PM EDT  
Install Date: Mon 19 Dec 2011 12:39:11 PM EST Build Host:  
builder10.centos.org  
Group : Applications/System Source RPM: setroubleshoot-2.0.5-  
5.el5.src.rpm  
Size : 2239483 License: GPLv2+  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:07 PM EDT, Key ID  
a8a447dce8562897  
URL : https://fedorahosted.org/setroubleshoot  
Summary : SELinux troubleshoot server  
Description :  
Provides tools to help diagnose SELinux problems. When AVC messages  
are generated an alert can be generated that will give information  
about the problem and help track its resolution. Alerts can be configured  
to user preference. The same tools can be run on existing log files.

**Name : system-config-soundcard Relocations: (not relocatable)**  
Version : 2.0.6 Vendor: CentOS  
Release : 1.el5 Build Date: Wed 14 Mar 2007  
09:27:17 PM EDT  
Install Date: Mon 19 Dec 2011 12:39:12 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Base Source RPM: system-config-  
soundcard-2.0.6-1.el5.src.rpm  
Size : 1698470 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:50 PM EDT, Key ID  
a8a447dce8562897  
URL : http://fedora.redhat.com/projects/config-tools/redhat-config-  
soundcard.html  
Summary : A graphical interface for detecting and configuring soundcards  
Description :  
system-config-soundcard is a graphical user interface that  
detects and configures the soundcard(s) on the system.

**Name : yum-fastestmirror Relocations: (not relocatable)**  
Version : 1.1.16 Vendor: CentOS  
Release : 13.el5.centos Build Date: Thu 22 Jan 2009  
05:59:40 AM EST  
Install Date: Mon 19 Dec 2011 12:39:15 PM EST Build Host:  
builder10.centos.org  
Group : System Environment/Base Source RPM: yum-utils-1.1.16-  
13.el5.centos.src.rpm  
Size : 48068 License: GPLv2+  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:49:27 PM EDT, Key ID  
a8a447dce8562897  
URL : http://linux.duke.edu/yum/download/yum-utils/  
Summary : Yum plugin which chooses fastest repository from a mirrorlist

Description :

This plugin sorts each repository's mirrorlist by connection speed prior to downloading packages.

**Name** : **xorg-x11-fonts-ISO8859-1-100dpi** **Relocations: (not relocatable)**  
Version : 7.1 Vendor: CentOS  
Release : 2.1.el5 Build Date: Wed 10 Jan 2007  
01:03:33 AM EST  
Install Date: Mon 19 Dec 2011 12:39:22 PM EST Build Host:  
builder3.centos.org  
Group : User Interface/X Source RPM: xorg-x11-fonts-7.1-  
2.1.el5.src.rpm  
Size : 1070826 License: Various licenses  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:43 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : A set of 100dpi ISO-8859-1 fonts for X.  
Description :  
Contains a set of 100dpi fonts for ISO-8859-1.

**Name** : **libgnomeprint22** **Relocations: (not relocatable)**  
Version : 2.12.1 Vendor: CentOS  
Release : 10.el5 Build Date: Sat 24 May 2008  
05:24:27 PM EDT  
Install Date: Mon 19 Dec 2011 12:39:28 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: libgnomeprint22-  
2.12.1-10.el5.src.rpm  
Size : 1411928 License: LGPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:36:11 PM EDT, Key ID  
a8a447dce8562897  
URL : http://ftp.gnome.org/pub/GNOME/sources/libgnomeprint/  
Summary : Printing library for GNOME.  
Description :  
GNOME (GNU Network Object Model Environment) is a user-friendly set of applications and desktop tools to be used in conjunction with a window manager for the X Window System. The gnome-print package contains libraries and fonts needed by GNOME applications for printing. You should install the gnome-print package if you intend to use any of the GNOME applications that can print. If you would like to develop GNOME applications that can print you will also need to install the gnome-print devel package.

**Name** : **emacs** **Relocations: (not relocatable)**  
Version : 21.4 Vendor: CentOS  
Release : 20.el5 Build Date: Sat 24 May 2008  
11:37:53 AM EDT  
Install Date: Mon 19 Dec 2011 12:39:29 PM EST Build Host:  
builder16.centos.org  
Group : Applications/Editors Source RPM: emacs-21.4-  
20.el5.src.rpm  
Size : 4583253 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:31:05 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnu.org/software/emacs/  
Summary : GNU Emacs text editor  
Description :

Emacs is a powerful, customizable, self-documenting, modeless text editor. Emacs contains special code editing features, a scripting language (elisp), and the capability to read mail, news, and more without leaving the editor.

This package provides an emacs binary with support for X windows.

**Name** : **xorg-x11-server-Xvfb** **Relocations:** (not relocatable)  
Version : 1.1.1 Vendor: CentOS  
Release : 48.67.el5 Build Date: Thu 03 Sep 2009  
11:23:05 PM EDT  
Install Date: Mon 19 Dec 2011 12:39:31 PM EST Build Host:  
builder16.centos.org  
Group : User Interface/X Source RPM: xorg-x11-server-  
1.1.1-48.67.el5.src.rpm  
Size : 4152388 License: MIT/X11  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:55:13 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : A X Windows System virtual framebuffer X server.  
Description :  
Xvfb (X Virtual Frame Buffer) is an X server that is able to run on  
machines with no display hardware and no physical input devices.  
Xvfb simulates a dumb framebuffer using virtual memory. Xvfb does  
not open any devices, but behaves otherwise as an X display. Xvfb  
is normally used for testing servers.

**Name** : **netpbm-progs** **Relocations:** (not relocatable)  
Version : 10.35.58 Vendor: CentOS  
Release : 8.el5 Build Date: Thu 03 Sep 2009  
10:09:32 AM EDT  
Install Date: Mon 19 Dec 2011 12:39:37 PM EST Build Host:  
builder16.centos.org  
Group : Applications/Multimedia Source RPM: netpbm-10.35.58-  
8.el5.src.rpm  
Size : 4454260 License: BSD and GPLv2 and IJG  
and MIT and Public Domain  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:57 PM EDT, Key ID  
a8a447dce8562897  
URL : http://netpbm.sourceforge.net/  
Summary : Tools for manipulating graphics files in netpbm supported  
formats  
Description :  
The netpbm-progs package contains a group of scripts for manipulating the  
graphics files in formats which are supported by the netpbm libraries. For  
example, netpbm-progs includes the rasttopnm script, which will convert a  
Sun rasterfile into a portable anymap. Netpbm-progs contains many other  
scripts for converting from one graphics file format to another.  
If you need to use these conversion scripts, you should install  
netpbm-progs. You'll also need to install the netpbm package.

**Name** : **NetworkManager-gnome** **Relocations:** (not relocatable)  
Version : 0.7.0 Vendor: CentOS  
Release : 9.el5 Build Date: Thu 03 Sep 2009  
11:13:59 PM EDT  
Install Date: Mon 19 Dec 2011 12:39:38 PM EST Build Host:  
builder16.centos.org  
Group : Applications/Internet Source RPM: NetworkManager-0.7.0-

9.el5.src.rpm  
Size : 879964 License: GPLv2+  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:58 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnome.org/projects/NetworkManager/  
Summary : GNOME applications for use with NetworkManager  
Description :  
This package contains GNOME utilities and applications for use with  
NetworkManager, including a panel applet for wireless networks.

**Name : libgnomeprint22-devel Relocations: (not relocatable)**  
Version : 2.12.1 Vendor: CentOS  
Release : 10.el5 Build Date: Sat 24 May 2008  
05:24:27 PM EDT  
Install Date: Mon 19 Dec 2011 12:39:39 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: libgnomeprint22-  
2.12.1-10.el5.src.rpm  
Size : 549839 License: LGPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:36:11 PM EDT, Key ID  
a8a447dce8562897  
URL : http://ftp.gnome.org/pub/GNOME/sources/libgnomeprint/  
Summary : Libraries and include files for developing GNOME printing  
applications  
Description :  
GNOME (GNU Network Object Model Environment) is a user-friendly set of  
applications and desktop tools to be used in conjunction with a window  
manager for the X Window System. The gnome-print-devel package  
includes the libraries and include files needed for developing  
applications that use the GNOME printing capabilities.  
You should install the gnome-print-devel package if you would like to  
develop GNOME applications that will use the GNOME print capabilities.  
You do not need to install the gnome-print-devel package if you just  
want to use the GNOME desktop environment.

**Name : libgnome Relocations: (not relocatable)**  
Version : 2.16.0 Vendor: CentOS  
Release : 6.el5 Build Date: Sat 06 Jan 2007  
12:53:49 AM EST  
Install Date: Mon 19 Dec 2011 12:39:42 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: libgnome-2.16.0-  
6.el5.src.rpm  
Size : 3462172 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:28 PM EDT, Key ID  
a8a447dce8562897  
URL : ftp://ftp.gnome.org  
Summary : GNOME base library  
Description :  
GNOME (GNU Network Object Model Environment) is a user-friendly set of  
GUI applications and desktop tools to be used in conjunction with a  
window manager for the X Window System. The libgnome package includes  
non-GUI-related libraries that are needed to run GNOME. The libgnomeui  
package contains X11-dependent GNOME library features.

**Name : nautilus-extensions Relocations: (not relocatable)**  
Version : 2.16.2 Vendor: CentOS

Release : 7.el5 Build Date: Sat 24 May 2008  
01:00:04 PM EDT  
Install Date: Mon 19 Dec 2011 12:39:44 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: nautilus-2.16.2-  
7.el5.src.rpm  
Size : 31248 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:37:09 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnome.org/projects/nautilus/  
Summary : Nautilus extensions library  
Description :  
This package provides the libraries used by nautilus extensions.

**Name : gstreamer-plugins-base Relocations: (not relocatable)**  
Version : 0.10.20 Vendor: CentOS  
Release : 3.0.1.el5\_3 Build Date: Tue 07 Apr 2009  
07:06:34 PM EDT  
Install Date: Mon 19 Dec 2011 12:39:49 PM EST Build Host:  
builder10.centos.org  
Group : Applications/Multimedia Source RPM: gstreamer-plugins-  
base-0.10.20-3.0.1.el5\_3.src.rpm  
Size : 2499859 License: LGPLv2+  
Signature : DSA/SHA1, Wed 08 Apr 2009 08:03:57 AM EDT, Key ID  
a8a447dce8562897  
URL : http://gstreamer.freedesktop.org/  
Summary : GStreamer streaming media framework base plug-ins  
Description :  
GStreamer is a streaming media framework, based on graphs of filters which  
operate on media data. Applications using this library can do anything  
from real-time sound processing to playing videos, and just about anything  
else media-related. Its plugin-based architecture means that new data  
types or processing capabilities can be added simply by installing new  
plug-ins.  
This package contains a set of well-maintained base plug-ins.

**Name : gtkhtml2 Relocations: (not relocatable)**  
Version : 2.11.0 Vendor: CentOS  
Release : 3 Build Date: Sat 06 Jan 2007  
08:01:19 AM EST  
Install Date: Mon 19 Dec 2011 12:39:53 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: gtkhtml2-2.11.0-  
3.src.rpm  
Size : 440908 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:42 PM EDT, Key ID  
a8a447dce8562897  
Summary : An HTML widget for GTK+ 2.0  
Description :  
GtkHTML2 (sometimes called libgtkhtml) is a widget for  
displaying html pages.

**Name : eel2 Relocations: (not relocatable)**  
Version : 2.16.1 Vendor: CentOS  
Release : 1.el5 Build Date: Wed 14 Mar 2007  
09:21:22 AM EDT  
Install Date: Mon 19 Dec 2011 12:39:56 PM EST Build Host:



builder7.centos.org  
Group : System Environment/Libraries Source RPM: eel2-2.16.1-1.el5.src.rpm  
Size : 1159525 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:21:27 PM EDT, Key ID a8a447dce8562897  
URL : http://www.gnome.org/projects/nautilus/  
Summary : Eazel Extensions Library  
Description :  
Eazel Extensions Library is a collection of widgets and functions for use with GNOME.

**Name : gnome-vfs2-devel Relocations: (not relocatable)**  
Version : 2.16.2 Vendor: CentOS  
Release : 4.el5 Build Date: Wed 14 Mar 2007 12:31:29 PM EDT  
Install Date: Mon 19 Dec 2011 12:40:03 PM EST Build Host: builder4.centos.org  
Group : Development/Libraries Source RPM: gnome-vfs2-2.16.2-4.el5.src.rpm  
Size : 2530613 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:37 PM EDT, Key ID a8a447dce8562897  
URL : http://www.gnome.org/  
Summary : Libraries and include files for developing GNOME VFS applications  
Description :  
This package provides the necessary development libraries for writing GNOME VFS modules and applications that use the GNOME VFS APIs.

**Name : yelp Relocations: (not relocatable)**  
Version : 2.16.0 Vendor: CentOS  
Release : 22.el5 Build Date: Thu 13 Nov 2008 08:52:33 PM EST  
Install Date: Mon 19 Dec 2011 12:40:06 PM EST Build Host: builder16.centos.org  
Group : Applications/System Source RPM: yelp-2.16.0-22.el5.src.rpm  
Size : 2049549 License: GPL  
Signature : DSA/SHA1, Fri 14 Nov 2008 10:52:49 AM EST, Key ID a8a447dce8562897  
Summary : A system documentation reader from the Gnome project  
Description :  
Yelp is the Gnome 2 help/documentation browser. It is designed to help you browse all the documentation on your system in one central tool.

**Name : gnome-vfs2-smb Relocations: (not relocatable)**  
Version : 2.16.2 Vendor: CentOS  
Release : 4.el5 Build Date: Wed 14 Mar 2007 12:31:29 PM EDT  
Install Date: Mon 19 Dec 2011 12:40:12 PM EST Build Host: builder4.centos.org  
Group : System Environment/Libraries Source RPM: gnome-vfs2-2.16.2-4.el5.src.rpm  
Size : 28913 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:37 PM EDT, Key ID

a8a447dce8562897

URL : <http://www.gnome.org/>  
Summary : Windows fileshare support for gnome-vfs  
Description :

This package provides support for reading and writing files on windows shares (SMB) to applications using GNOME VFS.

**Name** : **sound-juicer** **Relocations:** (not relocatable)  
Version : 2.16.0 Vendor: CentOS  
Release : 3.el5 Build Date: Wed 14 Mar 2007  
08:29:24 PM EDT  
Install Date: Mon 19 Dec 2011 12:40:19 PM EST Build Host:  
builder4.centos.org  
Group : Applications/Multimedia Source RPM: sound-juicer-2.16.0-  
3.el5.src.rpm  
Size : 2560473 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:41 PM EDT, Key ID  
a8a447dce8562897  
Summary : Clean and lean CD ripper  
Description :  
GStreamer-based CD ripping tool. Saves audio CDs to Ogg/vorbis.

**Name** : **ImageMagick** **Relocations:** (not relocatable)  
Version : 6.2.8.0 Vendor: CentOS  
Release : 4.el5\_1.1 Build Date: Thu 17 Apr 2008  
09:06:35 PM EDT  
Install Date: Mon 19 Dec 2011 12:40:23 PM EST Build Host: builder6  
Group : Applications/Multimedia Source RPM: ImageMagick-6.2.8.0-  
4.el5\_1.1.src.rpm  
Size : 11698841 License: freeware  
Signature : DSA/SHA1, Fri 18 Apr 2008 01:03:09 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.imagemagick.org/>  
Summary : An X application for displaying and manipulating images.  
Description :  
ImageMagick(TM) is an image display and manipulation tool for the X Window System. ImageMagick can read and write JPEG, TIFF, PNM, GIF, and Photo CD image formats. It can resize, rotate, sharpen, color reduce, or add special effects to an image, and when finished you can either save the completed work in the original format or a different one. ImageMagick also includes command line programs for creating animated or transparent .gifs, creating composite images, creating thumbnail images, and more.  
ImageMagick is one of your choices if you need a program to manipulate and display images. If you want to develop your own applications which use ImageMagick code or APIs, you need to install ImageMagick-devel as well.

**Name** : **gnome-pilot** **Relocations:** (not relocatable)  
Version : 2.0.13 Vendor: CentOS  
Release : 16 Build Date: Sun 21 Jan 2007  
06:14:17 PM EST  
Install Date: Mon 19 Dec 2011 12:40:31 PM EST Build Host:  
builder4.centos.org  
Group : Applications/Communications Source RPM: gnome-pilot-2.0.13-  
16.src.rpm  
Size : 1775829 License: LGPL

Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:32 PM EDT, Key ID  
a8a447dce8562897  
Summary : GNOME pilot programs  
Description :  
gnome-pilot is a collection of programs and daemon for integrating  
GNOME and the PalmPilot<tm> or other PalmOS<tm> devices.

**Name** : devhelp **Relocations:** (not relocatable)  
Version : 0.12 Vendor: CentOS  
Release : 20.el5 Build Date: Thu 13 Nov 2008  
08:50:55 PM EST  
Install Date: Mon 19 Dec 2011 12:40:40 PM EST Build Host:  
builder16.centos.org  
Group : Development/Tools Source RPM: devhelp-0.12-  
20.el5.src.rpm  
Size : 561843 License: GPL  
Signature : DSA/SHA1, Fri 14 Nov 2008 10:55:29 AM EST, Key ID  
a8a447dce8562897  
URL : http://ftp.gnome.org/pub/gnome/sources/devhelp/  
Summary : API document browser  
Description :  
An API document browser for GNOME 2.

**Name** : file-roller **Relocations:** (not relocatable)  
Version : 2.16.0 Vendor: CentOS  
Release : 2.fc6 Build Date: Fri 05 Jan 2007  
11:45:19 PM EST  
Install Date: Mon 19 Dec 2011 12:40:49 PM EST Build Host:  
builder1.centos.org  
Group : Applications/Archiving Source RPM: file-roller-2.16.0-  
2.fc6.src.rpm  
Size : 3684475 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:21:41 PM EDT, Key ID  
a8a447dce8562897  
URL : http://ftp.gnome.org/pub/gnome/sources/file-roller/  
Summary : File Roller is a tool for viewing and creating archives  
Description :  
File Roller is an application for creating and viewing archives files,  
such as tar files.

**Name** : vino **Relocations:** (not relocatable)  
Version : 2.13.5 Vendor: CentOS  
Release : 7.el5 Build Date: Sat 19 Sep 2009  
05:55:58 PM EDT  
Install Date: Mon 19 Dec 2011 12:40:57 PM EST Build Host:  
builder16.centos.org  
Group : User Interface/Desktops Source RPM: vino-2.13.5-  
7.el5.src.rpm  
Size : 1137260 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:55:10 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnome.org  
Summary : A remote desktop system for GNOME  
Description :  
Vino is a VNC server for GNOME. It allows remote users to  
connect to a running GNOME session using VNC.

**Name** : gok **Relocations: (not relocatable)**  
Version : 1.2.0 Vendor: CentOS  
Release : 2.el5 Build Date: Sat 06 Jan 2007  
08:09:56 AM EST  
Install Date: Mon 19 Dec 2011 12:41:02 PM EST Build Host:  
builder5.centos.org  
Group : Desktop/Accessibility Source RPM: gok-1.2.0-  
2.el5.src.rpm  
Size : 9669996 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:38 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gok.ca/  
Summary : GNOME Onscreen Keyboard  
Description :  
The gok project aims to enable users to control their computer without  
having to rely on a standard keyboard or mouse, leveraging GNOME's  
built-in accessibility framework.

**Name** : glade2 **Relocations: (not relocatable)**  
Version : 2.12.1 Vendor: CentOS  
Release : 6.el5 Build Date: Sat 06 Jan 2007  
04:57:47 PM EST  
Install Date: Mon 19 Dec 2011 12:41:07 PM EST Build Host:  
builder5.centos.org  
Group : Development/Tools Source RPM: glade2-2.12.1-  
6.el5.src.rpm  
Size : 5136521 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:17 PM EDT, Key ID  
a8a447dce8562897  
URL : http://glade.gnome.org/  
Summary : A GTK+ GUI builder.  
Description :  
Glade is a free user interface builder for GTK+ and the GNOME GUI  
desktop. Glade can produce C source code. Support for C++, Ada95,  
Python, and Perl is also available, via external tools which process  
the XML interface description files output by GLADE.  
The glade2 package contains a version of Glade for GTK+ 2.0.

**Name** : gimp-help **Relocations: (not relocatable)**  
Version : 2 Vendor: CentOS  
Release : 0.1.0.10.1.1 Build Date: Sun 07 Jan 2007  
01:25:13 AM EST  
Install Date: Mon 19 Dec 2011 12:41:15 PM EST Build Host:  
builder6.centos.org  
Group : Applications/Multimedia Source RPM: gimp-help-2-  
0.1.0.10.1.1.src.rpm  
Size : 67163179 License: GNU FDL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:13 PM EDT, Key ID  
a8a447dce8562897  
URL : http://wiki.gimp.org/gimp/GimpDocs  
Summary : Help files for the GIMP.  
Description :  
The GIMP User Manual is a newly written User Manual for the GIMP.

**Name** : libbonoboui-devel **Relocations: (not relocatable)**  
Version : 2.16.0 Vendor: CentOS  
Release : 1.fc6 Build Date: Sun 07 Jan 2007

05:46:52 PM EST

Install Date: Mon 19 Dec 2011 12:41:23 PM EST      Build Host:  
builder5.centos.org  
Group           : Development/Libraries           Source RPM: libbonoboui-2.16.0-  
1.fc6.src.rpm  
Size            : 984840                           License: LGPL  
Signature      : DSA/SHA1, Tue 03 Apr 2007 08:24:22 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://ftp.gnome.org  
Summary        : Libraries and headers for libbonoboui  
Description    :  
Bonobo is a component system based on CORBA, used by the GNOME desktop.  
libbonoboui contains GUI components that come with Bonobo.  
This package contains header files used to compile programs that  
use libbonoboui.

**Name            : eel2-devel                           Relocations: (not relocatable)**  
Version         : 2.16.1                           Vendor: CentOS  
Release         : 1.el5                            Build Date: Wed 14 Mar 2007  
09:21:22 AM EDT  
Install Date: Mon 19 Dec 2011 12:41:24 PM EST      Build Host:  
builder7.centos.org  
Group           : Development/Libraries           Source RPM: eel2-2.16.1-  
1.el5.src.rpm  
Size            : 226379                           License: LGPL  
Signature      : DSA/SHA1, Tue 03 Apr 2007 08:21:27 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.gnome.org/projects/nautilus/  
Summary        : Libraries and include files for developing with Eel.  
Description    :  
This package provides the necessary development libraries and include  
files to allow you to develop with Eel.

**Name            : gnome-python2-canvas               Relocations: (not relocatable)**  
Version         : 2.16.0                           Vendor: CentOS  
Release         : 1.fc6                            Build Date: Sun 07 Jan 2007  
02:21:41 AM EST  
Install Date: Mon 19 Dec 2011 12:41:25 PM EST      Build Host:  
builder1.centos.org  
Group           : Development/Languages           Source RPM: gnome-python2-2.16.0-  
1.fc6.src.rpm  
Size            : 46043                            License: LGPL  
Signature      : DSA/SHA1, Tue 03 Apr 2007 08:22:32 PM EDT, Key ID  
a8a447dce8562897  
Summary        : Python bindings for the GNOME Canvas.  
Description    :  
This module contains a wrapper that allows use of the GNOME Canvas  
in Python.

**Name            : gnome-python2-gnomevfs              Relocations: (not relocatable)**  
Version         : 2.16.0                           Vendor: CentOS  
Release         : 1.fc6                            Build Date: Sun 07 Jan 2007  
02:21:41 AM EST  
Install Date: Mon 19 Dec 2011 12:41:25 PM EST      Build Host:  
builder1.centos.org  
Group           : Development/Languages           Source RPM: gnome-python2-2.16.0-  
1.fc6.src.rpm

Size : 167145 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:32 PM EDT, Key ID  
a8a447dce8562897  
Summary : Python bindings for interacting with gnome-vfs  
Description :  
This module contains a wrapper that allows the use of gnome-vfs via python.

**Name : gnome-python2-libegg Relocations: (not relocatable)**  
Version : 2.14.2 Vendor: CentOS  
Release : 6.el5 Build Date: Tue 03 Jun 2008  
05:43:12 PM EDT  
Install Date: Mon 19 Dec 2011 12:41:26 PM EST Build Host:  
builder16.centos.org  
Group : Development/Languages Source RPM: gnome-python2-extras-  
2.14.2-6.el5.src.rpm  
Size : 115501 License: GPL/LGPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:32:41 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.pygtk.org/  
Summary : Python bindings for recent files and tray icons  
Description :  
This module contains a wrapper that allows the use of recent files  
and tray icons via Python.

**Name : gnome-python2-gtksourceview Relocations: (not relocatable)**  
Version : 2.16.0 Vendor: CentOS  
Release : 3.el5 Build Date: Sat 19 Sep 2009  
10:09:04 PM EDT  
Install Date: Mon 19 Dec 2011 12:41:26 PM EST Build Host:  
builder10.centos.org  
Group : Development/Languages Source RPM: gnome-python2-  
desktop-2.16.0-3.el5.src.rpm  
Size : 355807 License: GPL/LGPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:42 PM EDT, Key ID  
a8a447dce8562897  
Summary : Python bindings for interacting with the gtksourceview library  
Description :  
This module contains a wrapper that allows the use of gtksourceview via  
Python.

**Name : hal-gnome Relocations: (not relocatable)**  
Version : 0.5.8.1 Vendor: CentOS  
Release : 52.el5 Build Date: Thu 03 Sep 2009  
08:38:58 PM EDT  
Install Date: Mon 19 Dec 2011 12:41:44 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: hal-0.5.8.1-  
52.el5.src.rpm  
Size : 209595 License: AFL/GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:42 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.freedesktop.org/Software/hal  
Summary : GNOME based device manager for HAL  
Description :  
GNOME program for displaying the devices detected by HAL

**Name : system-config-kickstart Relocations: (not relocatable)**

Version : 2.6.19.8 Vendor: CentOS  
Release : 2.el5 Build Date: Wed 21 Jan 2009  
12:17:53 AM EST  
Install Date: Mon 19 Dec 2011 12:41:46 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: system-config-  
kickstart-2.6.19.8-2.el5.src.rpm  
Size : 2721414 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:49:17 PM EDT, Key ID  
a8a447dce8562897  
URL : http://fedora.redhat.com/projects/config-tools/  
Summary : A graphical interface for making kickstart files.  
Description :  
Kickstart Configurator is a graphical tool for creating kickstart files.

**Name : system-config-netboot Relocations: (not relocatable)**  
Version : 0.1.45.1 Vendor: CentOS  
Release : 1.el5 Build Date: Sun 25 May 2008  
01:02:29 AM EDT  
Install Date: Mon 19 Dec 2011 12:41:47 PM EST Build Host:  
builder16.centos.org  
Group : Applications/System Source RPM: system-config-  
netboot-0.1.45.1-1.el5.src.rpm  
Size : 441494 License: GPLv2+  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:41:13 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.redhat.com/  
Summary : network booting/install configuration utility (GUI)  
Description :  
system-config-netboot is a utility which allows you to configure  
diskless environments and network installations.

**Name : system-config-keyboard Relocations: (not relocatable)**  
Version : 1.2.11 Vendor: CentOS  
Release : 1.el5 Build Date: Wed 14 Mar 2007  
09:05:17 PM EDT  
Install Date: Mon 19 Dec 2011 12:41:48 PM EST Build Host:  
builder7.centos.org  
Group : System Environment/Base Source RPM: system-config-  
keyboard-1.2.11-1.el5.src.rpm  
Size : 197275 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:49 PM EDT, Key ID  
a8a447dce8562897  
URL : http://fedora.redhat.com/projects/config-tools  
Summary : A graphical interface for modifying the keyboard  
Description :  
system-config-keyboard is a graphical user interface that allows  
the user to change the default keyboard of the system.

**Name : xorg-x11-drv-vesa Relocations: (not relocatable)**  
Version : 1.3.0 Vendor: CentOS  
Release : 8.1.el5 Build Date: Sat 10 Nov 2007  
08:44:19 PM EST  
Install Date: Mon 19 Dec 2011 12:41:53 PM EST Build Host:  
builder7.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
vesa-1.3.0-8.1.el5.src.rpm

Size : 25975 License: MIT  
Signature : DSA/SHA1, Tue 20 Nov 2007 02:17:17 PM EST, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 vesa video driver  
Description :  
X.Org X11 vesa video driver.

**Name : xorg-x11-drv-elographics Relocations: (not relocatable)**  
Version : 1.1.0 Vendor: CentOS  
Release : 1.1 Build Date: Sun 07 Jan 2007  
07:16:58 AM EST  
Install Date: Mon 19 Dec 2011 12:41:53 PM EST Build Host:  
builder1.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
elographics-1.1.0-1.1.src.rpm  
Size : 16504 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:39 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 elographics input driver  
Description :  
X.Org X11 elographics input driver.

**Name : xorg-x11-drv-rendition Relocations: (not relocatable)**  
Version : 4.1.0 Vendor: CentOS  
Release : 3.1 Build Date: Sat 06 Jan 2007  
08:35:42 AM EST  
Install Date: Mon 19 Dec 2011 12:41:54 PM EST Build Host:  
builder1.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
rendition-4.1.0-3.1.src.rpm  
Size : 107970 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:40 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 rendition video driver  
Description :  
X.Org X11 rendition video driver.

**Name : xorg-x11-drv-joystick Relocations: (not relocatable)**  
Version : 1.1.0 Vendor: CentOS  
Release : 1.1 Build Date: Sun 07 Jan 2007  
06:11:29 AM EST  
Install Date: Mon 19 Dec 2011 12:41:54 PM EST Build Host:  
builder5.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
joystick-1.1.0-1.1.src.rpm  
Size : 7288 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:40 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 joystick input driver  
Description :  
X.Org X11 joystick input driver.

**Name : xorg-x11-drv-i128 Relocations: (not relocatable)**



Version : 1.2.0 Vendor: CentOS  
Release : 4 Build Date: Thu 15 Mar 2007  
12:44:40 AM EDT  
Install Date: Mon 19 Dec 2011 12:41:55 PM EST Build Host:  
builder4.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-driv-  
i128-1.2.0-4.src.rpm  
Size : 61671 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:39 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 i128 video driver  
Description :  
X.Org X11 i128 video driver.

**Name : xorg-x11-driv-aiptek Relocations: (not relocatable)**  
Version : 1.0.1 Vendor: CentOS  
Release : 2 Build Date: Sat 06 Jan 2007  
01:13:48 PM EST  
Install Date: Mon 19 Dec 2011 12:41:55 PM EST Build Host:  
builder1.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-driv-  
aiptek-1.0.1-2.src.rpm  
Size : 27995 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:38 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 aiptek input driver  
Description :  
X.Org X11 aiptek input driver.

**Name : xorg-x11-driv-tseng Relocations: (not relocatable)**  
Version : 1.1.0 Vendor: CentOS  
Release : 3.1 Build Date: Thu 15 Mar 2007  
01:04:01 AM EDT  
Install Date: Mon 19 Dec 2011 12:41:55 PM EST Build Host:  
builder4.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-driv-  
tseng-1.1.0-3.1.src.rpm  
Size : 52879 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:41 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 tseng video driver  
Description :  
X.Org X11 tseng video driver.

**Name : xorg-x11-driv-s3virge Relocations: (not relocatable)**  
Version : 1.9.1 Vendor: CentOS  
Release : 2.1 Build Date: Sun 07 Jan 2007  
05:46:49 AM EST  
Install Date: Mon 19 Dec 2011 12:41:56 PM EST Build Host:  
builder5.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-driv-  
s3virge-1.9.1-2.1.src.rpm  
Size : 81626 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:40 PM EDT, Key ID

a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 s3virge video driver  
Description :  
X.Org X11 s3virge video driver.

**Name** : **xorg-x11-drv-s3** **Relocations:** (not relocatable)  
Version : 0.4.1 Vendor: CentOS  
Release : 2.1 Build Date: Sat 06 Jan 2007  
03:46:12 PM EST  
Install Date: Mon 19 Dec 2011 12:41:56 PM EST Build Host:  
builder5.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
s3-0.4.1-2.1.src.rpm  
Size : 58117 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:40 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 s3 video driver  
Description :  
X.Org X11 s3 video driver.

**Name** : **xorg-x11-drv-acecad** **Relocations:** (not relocatable)  
Version : 1.1.0 Vendor: CentOS  
Release : 2.1 Build Date: Sat 06 Jan 2007  
01:47:20 PM EST  
Install Date: Mon 19 Dec 2011 12:41:56 PM EST Build Host:  
builder1.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
acecad-1.1.0-2.1.src.rpm  
Size : 11677 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:38 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 acecad input driver  
Description :  
X.Org X11 acecad input driver.

**Name** : **xorg-x11-drv-tdfx** **Relocations:** (not relocatable)  
Version : 1.2.1 Vendor: CentOS  
Release : 3.1 Build Date: Sun 07 Jan 2007  
06:20:30 AM EST  
Install Date: Mon 19 Dec 2011 12:41:58 PM EST Build Host:  
builder5.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
tdfx-1.2.1-3.1.src.rpm  
Size : 70756 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:41 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 tdfx video driver  
Description :  
X.Org X11 tdfx video driver.

**Name** : **xorg-x11-drv-sisusb** **Relocations:** (not relocatable)  
Version : 0.8.1 Vendor: CentOS  
Release : 4.1 Build Date: Sat 06 Jan 2007

05:03:24 AM EST

Install Date: Mon 19 Dec 2011 12:41:58 PM EST      Build Host:  
builder1.centos.org  
Group           : User Interface/X Hardware Support      Source RPM: xorg-x11-driv-  
sisusb-0.8.1-4.1.src.rpm  
Size            : 78941                                      License: MIT/X11  
Signature      : DSA/SHA1, Tue 03 Apr 2007 08:28:41 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.x.org  
Summary        : Xorg X11 sisusb video driver  
Description    :  
X.Org X11 sisusb video driver.

**Name            : xorg-x11-drv-dynapro                      Relocations: (not relocatable)**  
Version        : 1.1.0                                      Vendor: CentOS  
Release        : 2    Build Date: Tue 09 Jan 2007  
03:37:48 PM EST

Install Date: Mon 19 Dec 2011 12:41:59 PM EST      Build Host:  
builder6.centos.org  
Group           : User Interface/X Hardware Support      Source RPM: xorg-x11-driv-  
dynapro-1.1.0-2.src.rpm  
Size            : 11161                                      License: MIT/X11  
Signature      : DSA/SHA1, Tue 03 Apr 2007 08:28:38 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.x.org  
Summary        : Xorg X11 dynapro input driver  
Description    :  
X.Org X11 dynapro input driver.

**Name            : xorg-x11-drv-cyrix                        Relocations: (not relocatable)**  
Version        : 1.1.0                                      Vendor: CentOS  
Release        : 4    Build Date: Thu 15 Mar 2007  
12:24:27 AM EDT

Install Date: Mon 19 Dec 2011 12:41:59 PM EST      Build Host:  
builder4.centos.org  
Group           : User Interface/X Hardware Support      Source RPM: xorg-x11-driv-  
cyrix-1.1.0-4.src.rpm  
Size            : 28753                                      License: MIT/X11  
Signature      : DSA/SHA1, Tue 03 Apr 2007 08:28:38 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.x.org  
Summary        : Xorg X11 cyrix video driver  
Description    :  
X.Org X11 cyrix video driver.

**Name            : xorg-x11-drv-mutouch                     Relocations: (not relocatable)**  
Version        : 1.1.0                                      Vendor: CentOS  
Release        : 3    Build Date: Wed 21 Jan 2009  
02:45:14 AM EST

Install Date: Mon 19 Dec 2011 12:41:59 PM EST      Build Host:  
builder16.centos.org  
Group           : User Interface/X Hardware Support      Source RPM: xorg-x11-driv-  
mutouch-1.1.0-3.src.rpm  
Size            : 17385                                      License: MIT/X11  
Signature      : DSA/SHA1, Sun 08 Mar 2009 09:49:23 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.x.org

Summary : Xorg X11 mutouch input driver  
Description :  
X.Org X11 mutouch input driver.

**Name** : **system-config-boot** **Relocations:** (not relocatable)  
Version : 0.2.13 Vendor: CentOS  
Release : 1.el5 Build Date: Wed 14 Mar 2007  
09:09:06 PM EDT  
Install Date: Mon 19 Dec 2011 12:42:01 PM EST Build Host:  
builder5.centos.org  
Group : Applications/System Source RPM: system-config-boot-  
0.2.13-1.el5.src.rpm  
Size : 136313 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:49 PM EDT, Key ID  
a8a447dce8562897  
URL : http://fedora.redhat.com/  
Summary : A graphical interface for configuring the boot loader  
Description :  
system-config-boot is a graphical user interface that allows  
the user to change the default boot entry of the system.

**Name** : **perl-IO-Tty** **Relocations:** (not relocatable)  
Version : 1.07 Vendor: Dag Apt Repository,  
http://dag.wieers.com/apt/  
Release : 1.el5.rf Build Date: Thu 08 Mar 2007  
10:23:14 AM EST  
Install Date: Mon 19 Dec 2011 12:42:15 PM EST Build Host:  
lisse.leuven.wieers.com  
Group : Applications/CPAN Source RPM: perl-IO-Tty-1.07-  
1.el5.rf.src.rpm  
Size : 120919 License: Artistic  
Signature : DSA/SHA1, Fri 09 Mar 2007 04:31:33 AM EST, Key ID  
a20e52146b8d79e6  
Packager : Dries Verachtert <dries@ulyssis.org>  
URL : http://search.cpan.org/dist/IO-Tty/  
Summary : Interface to pseudo Tty  
Description :  
IO::Tty and IO::Pty provide an interface to pseudo ttys.

**Name** : **perl-File-NCopy** **Relocations:** (not relocatable)  
Version : 0.36 Vendor: Dag Apt Repository,  
http://dag.wieers.com/apt/  
Release : 1.el5.rf Build Date: Mon 03 Dec 2007  
07:52:58 PM EST  
Install Date: Mon 19 Dec 2011 12:42:16 PM EST Build Host:  
lisse.leuven.wieers.com  
Group : Applications/CPAN Source RPM: perl-File-NCopy-0.36-  
1.el5.rf.src.rpm  
Size : 26946 License: Artistic/GPL  
Signature : DSA/SHA1, Mon 03 Dec 2007 09:58:32 PM EST, Key ID  
a20e52146b8d79e6  
Packager : Dries Verachtert <dries@ulyssis.org>  
URL : http://search.cpan.org/dist/File-NCopy/  
Summary : Copy files  
Description :  
Easy functions for copying files.

**Name** : perl-Net-Netmask **Relocations:** (not relocatable)  
Version : 1.9015 Vendor: Dag Apt Repository,  
<http://dag.wieers.com/apt/>  
Release : 1.el5.rf Build Date: Thu 08 Mar 2007  
10:39:02 AM EST  
Install Date: Mon 19 Dec 2011 12:42:18 PM EST Build Host:  
lisse.leuven.wieers.com  
Group : Applications/CPAN Source RPM: perl-Net-Netmask-  
1.9015-1.el5.rf.src.rpm  
Size : 56708 License: Artistic  
Signature : DSA/SHA1, Fri 09 Mar 2007 04:33:51 AM EST, Key ID  
a20e52146b8d79e6  
Packager : Dries Verachtert <dries@ulyssis.org>  
URL : <http://search.cpan.org/dist/Net-Netmask/>  
Summary : Parse, manipulate and lookup IP network blocks  
Description :  
With this module, you can parse, manipulate and  
lookup IP network blocks.

**Name** : perl-Pod-POM **Relocations:** (not relocatable)  
Version : 0.17 Vendor: Dag Apt Repository,  
<http://dag.wieers.com/apt/>  
Release : 1.2.el5.rf Build Date: Thu 08 Mar 2007  
10:44:37 AM EST  
Install Date: Mon 19 Dec 2011 12:42:19 PM EST Build Host:  
lisse.leuven.wieers.com  
Group : Applications/CPAN Source RPM: perl-Pod-POM-0.17-  
1.2.el5.rf.src.rpm  
Size : 124030 License: Artistic  
Signature : DSA/SHA1, Fri 09 Mar 2007 04:32:24 AM EST, Key ID  
a20e52146b8d79e6  
Packager : Dries Verachtert <dries@ulyssis.org>  
URL : <http://search.cpan.org/dist/Pod-POM/>  
Summary : POD Object Model  
Description :  
This module implements a parser to convert Pod documents into a simple  
object model form known hereafter as the Pod Object Model. The object  
model is generated as a hierarchical tree of nodes, each of which  
represents a different element of the original document. The tree can  
be walked manually and the nodes examined, printed or otherwise  
manipulated. In addition, Pod::POM supports and provides view objects  
which can automatically traverse the tree, or section thereof, and  
generate an output representation in one form or another.

**Name** : perl-XML-Simple **Relocations:** (not relocatable)  
Version : 2.18 Vendor: Dag Apt Repository,  
<http://dag.wieers.com/apt/>  
Release : 1.el5.rf Build Date: Sun 18 Nov 2007  
07:50:25 PM EST  
Install Date: Mon 19 Dec 2011 12:42:21 PM EST Build Host:  
lisse.leuven.wieers.com  
Group : Applications/CPAN Source RPM: perl-XML-Simple-2.18-  
1.el5.rf.src.rpm  
Size : 159313 License: Artistic/GPL  
Signature : DSA/SHA1, Sun 18 Nov 2007 08:55:43 PM EST, Key ID  
a20e52146b8d79e6  
Packager : Dries Verachtert <dries@ulyssis.org>

URL : <http://search.cpan.org/dist/XML-Simple/>  
Summary : Easy API to XML files  
Description :  
This module contains an easy API to XML files.

**Name** : **perl-Text-Autoformat** **Relocations:** (not relocatable)  
Version : 1.13 Vendor: Dag Apt Repository,  
<http://dag.wieers.com/apt/>  
Release : 1.2.el5.rf Build Date: Thu 08 Mar 2007  
10:58:55 AM EST  
Install Date: Mon 19 Dec 2011 12:42:23 PM EST Build Host:  
lisse.leuven.wieers.com  
Group : Applications/CPAN Source RPM: perl-Text-Autoformat-  
1.13-1.2.el5.rf.src.rpm  
Size : 56622 License: Artistic  
Signature : DSA/SHA1, Fri 09 Mar 2007 04:31:53 AM EST, Key ID  
a20e52146b8d79e6  
Packager : Dries Verachtert <dries@ulyssis.org>  
URL : <http://search.cpan.org/dist/Text-Autoformat/>  
Summary : Automatic text wrapping and reformatting  
Description :  
Text::Autoformat provides intelligent formatting of  
plaintext without the need for any kind of embedded mark-up. The module  
recognizes Internet quoting conventions, a wide range of bulleting and  
number schemes, centred text, and block quotations, and reformats each  
appropriately. Other options allow the user to adjust inter-word  
and inter-paragraph spacing, justify text, and impose various  
capitalization schemes.

**Name** : **perl-Tk-GBARR** **Relocations:** (not relocatable)  
Version : 2.08 Vendor: (none)  
Release : 1 Build Date: Thu 15 Jul 2010  
08:44:47 AM EDT  
Install Date: Mon 19 Dec 2011 12:42:28 PM EST Build Host: lorax  
Group : Applications/CPAN Source RPM: perl-Tk-GBARR-2.08-  
1.src.rpm  
Size : 48283 License: Artistic/GPL  
Signature : (none)  
Packager : Jason Messmer <Jason.Messmer@xerox.com>  
URL : <http://search.cpan.org/dist/Tk-GBARR/>  
Summary : A collection of Tk Widgets  
Description :  
A collection of Tk Widgets.

**Name** : **perl-XML-Writer-String** **Relocations:** (not relocatable)  
Version : 0.1 Vendor: (none)  
Release : 1 Build Date: Thu 15 Jul 2010  
09:29:16 AM EDT  
Install Date: Mon 19 Dec 2011 12:42:29 PM EST Build Host: lorax  
Group : Applications/CPAN Source RPM: perl-XML-Writer-  
String-0.1-1.src.rpm  
Size : 5088 License: Artistic/GPL  
Signature : (none)  
Packager : Jason Messmer <Jason.Messmer@xerox.com>  
URL : <http://search.cpan.org/dist/XML-Writer-String/>  
Summary : Capture output from XML::Writer  
Description :

Capture output from XML::Writer.

**Name** : **psipelo** **Relocations:** (not relocatable)  
Version : 3.5.2 Vendor: (none)  
Release : 1 Build Date: Sat 26 Mar 2011  
02:59:50 PM EDT  
Install Date: Mon 19 Dec 2011 12:44:04 PM EST Build Host:  
localhost.localdomain  
Group : PSIP Source RPM: psipelo-3.5.2-  
1.src.rpm  
Size : 247469 License: GPLv2n  
Signature : (none)  
Packager : Xerox Corporation  
URL : none  
Summary : Linux Driver for ELO touch screen  
Description :  
Driver files to install and configure the ELO touch screen for PSIP on Centos  
Linux.

**Name** : **flash-plugin** **Relocations:** (not relocatable)  
Version : 11.1.102.55 Vendor: Adobe Systems Inc.  
Release : release Build Date: Tue 01 Nov 2011  
03:58:53 AM EDT  
Install Date: Fri 03 Feb 2012 05:13:19 AM EST Build Host:  
frbld\_lnx\_016.macromedia.com  
Group : Applications/Internet Source RPM: flash-plugin-  
11.1.102.55-release.src.rpm  
Size : 18006721 License: Commercial  
Signature : (none)  
Packager : Adobe Systems Inc.  
URL : http://www.adobe.com/downloads/  
Summary : Adobe Flash Player 11.1  
Description :  
Adobe Flash Plugin 11.1.102.55  
Fully Supported: Mozilla SeaMonkey 1.0+, Firefox 1.5+, Mozilla 1.7.13+

**Name** : **fuse-ntfs-3g** **Relocations:** (not relocatable)  
Version : 2010.10.2 Vendor: Dag Apt Repository,  
<http://dag.wieers.com/apt/>  
Release : 1.e15.rf Build Date: Sat 30 Oct 2010  
08:27:41 PM EDT  
Install Date: Mon 06 Feb 2012 05:27:34 AM EST Build Host:  
lisse.hasselt.wieers.com  
Group : System Environment/Kernel Source RPM: fuse-ntfs-3g-  
2010.10.2-1.e15.rf.src.rpm  
Size : 1387324 License: GPL  
Signature : DSA/SHA1, Sat 30 Oct 2010 09:49:53 PM EDT, Key ID  
a20e52146b8d79e6  
Packager : Dag Wieers <dag@wieers.com>  
URL : <http://www.ntfs-3g.org/>  
Summary : Linux NTFS userspace driver  
Description :  
The ntfs-3g driver is an open source, GPL licensed, third generation Linux  
NTFS  
driver. It provides full read-write access to NTFS, excluding access to  
encrypted files, writing compressed files, changing file ownership, access  
right.

Technically it's based on and a major improvement to the third generation Linux

NTFS driver, ntfsmount. The improvements include functionality, quality and performance enhancements.

ntfs-3g features are being merged to ntfsmount. In the meanwhile, ntfs-3g is currently the only free, as in either speech or beer, NTFS driver for Linux that supports unlimited file creation and deletion.

**Name** : **xpi-xeroxutils** **Relocations:** (not relocatable)  
Version : 1.0 Vendor: Xerox Corp.  
Release : 1 Build Date: Thu 27 Oct 2011  
10:28:56 AM EDT  
Install Date: Wed 08 Feb 2012 05:11:51 AM EST Build Host: chicory  
Group : Applications/System Source RPM: xpi-xeroxutils-1.0-  
1.src.rpm  
Size : 547056 License: Xerox  
Signature : (none)  
Packager : Joel Lissade <joel.lissade@usa.xerox.com>  
Summary : XPI linux Xerox binary utilities  
Description :  
Xerox X86 binary utilities that provides the capability to perform NameLookup calls, determining boardtype and board configuration. These utilities is required by modules that are linked with the MCT Runtime.

**Name** : **setup** **Relocations:** (not relocatable)  
Version : 2.5.58 Vendor: CentOS  
Release : 7.el5 Build Date: Mon 21 Sep 2009  
07:31:10 PM EDT  
Install Date: Mon 19 Dec 2011 12:32:57 PM EST Build Host:  
builder10.centos.org  
Group : System Environment/Base Source RPM: setup-2.5.58-  
7.el5.src.rpm  
Size : 381609 License: public domain  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:07 PM EDT, Key ID  
a8a447dce8562897  
Summary : A set of system configuration and setup files.  
Description :  
The setup package contains a set of important system configuration and setup files, such as passwd, group, and profile.

**Name** : **compat-glibc-headers** **Relocations:** (not relocatable)  
Version : 2.3.4 Vendor: CentOS  
Release : 2.26 Build Date: Sat 06 Jan 2007  
03:01:09 AM EST  
Install Date: Mon 19 Dec 2011 12:32:58 PM EST Build Host:  
builder5.centos.org  
Group : Development/Libraries Source RPM: compat-glibc-2.3.4-  
2.26.src.rpm  
Size : 1966333 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:39 PM EDT, Key ID  
a8a447dce8562897  
Summary : Header files for development using standard C libraries.  
Description :  
The compat-glibc-headers package contains the header files from Red Hat Enterprise Linux 4.

**Name** : **glibc-common** **Relocations:** (not relocatable)



Version : 2.5 Vendor: CentOS  
Release : 42 Build Date: Wed 02 Sep 2009  
08:23:53 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:01 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: glibc-2.5-42.src.rpm  
Size : 66653127 License: LGPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:41 PM EDT, Key ID  
a8a447dce8562897  
Summary : Common binaries and locale data for glibc  
Description :  
The glibc-common package includes common binaries for the GNU libc  
libraries, as well as national language (locale) support.

**Name : comps-extras Relocations: (not relocatable)**  
Version : 11.1 Vendor: CentOS  
Release : 1.1.el5.centos Build Date: Wed 28 Mar 2007  
01:41:30 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:05 PM EST Build Host: builder6  
Group : Applications/System Source RPM: comps-extras-11.1-  
1.1.el5.centos.src.rpm  
Size : 46493 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:40 PM EDT, Key ID  
a8a447dce8562897  
Summary : Images for components and tools for working with the comps file  
Description :  
This package contains images for the components included in CentOS.

**Name : busybox Relocations: (not relocatable)**  
Version : 1.2.0 Vendor: CentOS  
Release : 7.el5.centos Build Date: Thu 03 Sep 2009  
01:17:34 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:05 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Shells Source RPM: busybox-1.2.0-  
7.el5.centos.src.rpm  
Size : 2135222 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:26 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.busybox.net>  
Summary : Statically linked binary providing simplified versions of  
system commands  
Description :  
Busybox is a single binary which includes versions of a large number  
of system commands, including a shell. This package can be very  
useful for recovering from certain types of system failures,  
particularly those involving broken shared libraries.

**Name : centos-release-notes Relocations: (not relocatable)**  
Version : 5.4 Vendor: CentOS  
Release : 4 Build Date: Mon 28 Sep 2009  
07:31:49 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:06 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: centos-release-notes-  
5.4-4.src.rpm  
Size : 50660 License: GPL

Signature : DSA/SHA1, Mon 28 Sep 2009 08:23:50 PM EDT, Key ID  
a8a447dce8562897  
Summary : CentOS release notes files  
Description :  
CentOS release notes files.

**Name : dump Relocations: (not relocatable)**  
Version : 0.4b41 Vendor: CentOS  
Release : 4.el5 Build Date: Mon 21 Sep 2009  
06:53:18 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:06 PM EST Build Host:  
builder10.centos.org  
Group : Applications/Archiving Source RPM: dump-0.4b41-  
4.el5.src.rpm  
Size : 2335235 License: BSD  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:05 PM EDT, Key ID  
a8a447dce8562897  
URL : http://dump.sourceforge.net/  
Summary : Programs for backing up and restoring ext2/ext3 filesystems  
Description :  
The dump package contains both dump and restore. Dump examines files  
in a filesystem, determines which ones need to be backed up, and  
copies those files to a specified disk, tape, or other storage medium.  
The restore command performs the inverse function of dump; it can  
restore a full backup of a filesystem. Subsequent incremental backups  
can then be layered on top of the full backup. Single files and  
directory subtrees may also be restored from full or partial backups.  
Install dump if you need a system for both backing up filesystems and  
restoring filesystems after backups.

**Name : gnome-backgrounds Relocations: (not relocatable)**  
Version : 2.15.92 Vendor: CentOS  
Release : 1.fc6 Build Date: Tue 09 Jan 2007  
03:49:34 PM EST  
Install Date: Mon 19 Dec 2011 12:33:07 PM EST Build Host:  
builder6.centos.org  
Group : Applications/Multimedia Source RPM: gnome-backgrounds-  
2.15.92-1.fc6.src.rpm  
Size : 1277142 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:27 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnome.org  
Summary : Desktop backgrounds packaged with the GNOME desktop  
Description :  
The gnome-backgrounds package contains images and tiles  
to use for your desktop background which are packaged  
with the GNOME desktop.

**Name : gnu-efi Relocations: (not relocatable)**  
Version : 3.0c Vendor: CentOS  
Release : 1.1 Build Date: Wed 14 Mar 2007  
12:13:14 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:09 PM EST Build Host:  
builder7.centos.org  
Group : Development/System Source RPM: gnu-efi-3.0c-  
1.1.src.rpm  
Size : 346427 License: GPL

Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:37 PM EDT, Key ID  
a8a447dce8562897

Summary : Development Libraries and headers for EFI

Description :

This package contains development headers and libraries for developing applications that run under EFI (Extensible Firmware Interface).

**Name : glib2 Relocations: (not relocatable)**

Version : 2.12.3

Vendor: CentOS

Release : 4.el5\_3.1

Build Date: Tue 24 Mar 2009

09:52:18 PM EDT

Install Date: Mon 19 Dec 2011 12:33:10 PM EST

Build Host:

builder10.centos.org

Group : System Environment/Libraries Source RPM: glib2-2.12.3-

4.el5\_3.1.src.rpm

Size : 2420929

License: LGPL

Signature : DSA/SHA1, Wed 25 Mar 2009 09:48:38 AM EDT, Key ID

a8a447dce8562897

URL : <http://www.gtk.org>

Summary : A library of handy utility functions

Description :

GLib is the low-level core library that forms the basis for projects such as GTK+ and GNOME. It provides data structure handling for C, portability wrappers, and interfaces for such runtime functionality as an event loop, threads, dynamic loading, and an object system.

This package provides version 2 of GLib.

**Name : libICE Relocations: (not relocatable)**

Version : 1.0.1

Vendor: CentOS

Release : 2.1

Build Date: Sat 06 Jan 2007

12:58:59 AM EST

Install Date: Mon 19 Dec 2011 12:33:10 PM EST

Build Host:

builder1.centos.org

Group : System Environment/Libraries Source RPM: libICE-1.0.1-

2.1.src.rpm

Size : 108941

License: MIT/X11

Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:33 PM EDT, Key ID

a8a447dce8562897

URL : <http://www.x.org>

Summary : X.Org X11 libICE runtime library

Description :

X.Org X11 libICE runtime library

**Name : pkgconfig Relocations: (not relocatable)**

Version : 0.21

Vendor: CentOS

Release : 2.el5

Build Date: Sat 24 May 2008

10:22:05 AM EDT

Install Date: Mon 19 Dec 2011 12:33:10 PM EST

Build Host:

builder16.centos.org

Group : Development/Tools Source RPM: pkgconfig-0.21-

2.el5.src.rpm

Size : 109233

License: GPL

Signature : DSA/SHA1, Sat 14 Jun 2008 07:39:59 PM EDT, Key ID

a8a447dce8562897

Summary : A tool for determining compilation options.

Description :

The pkgconfig tool determines compilation options. For each required library, it reads the configuration file and outputs the necessary compiler and linker flags.

**Name** : **expat** **Relocations:** (not relocatable)  
Version : 1.95.8 Vendor: CentOS  
Release : 8.2.1 Build Date: Sat 06 Jan 2007  
08:57:00 PM EST  
Install Date: Mon 19 Dec 2011 12:33:10 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: expat-1.95.8-  
8.2.1.src.rpm  
Size : 161370 License: BSD  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:21:37 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.libexpat.org/>  
Summary : A library for parsing XML.  
Description :  
This is expat, the C library for parsing XML, written by James Clark. Expat is a stream oriented XML parser. This means that you register handlers with the parser prior to starting the parse. These handlers are called when the parser discovers the associated structures in the document being parsed. A start tag is an example of the kind of structures for which you may register handlers.

**Name** : **cyrus-sasl-lib** **Relocations:** (not relocatable)  
Version : 2.1.22 Vendor: CentOS  
Release : 5.el5 Build Date: Thu 03 Sep 2009  
08:04:59 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:11 PM EST Build Host:  
builder10.centos.org  
Group : System Environment/Libraries Source RPM: cyrus-sasl-2.1.22-  
5.el5.src.rpm  
Size : 296095 License: Freely Distributable  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:28 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://asg.web.cmu.edu/sasl/sasl-library.html>  
Summary : Shared libraries needed by applications which use Cyrus SASL.  
Description :  
The cyrus-sasl-lib package contains shared libraries which are needed by applications which use the Cyrus SASL library.

**Name** : **info** **Relocations:** (not relocatable)  
Version : 4.8 Vendor: CentOS  
Release : 14.el5 Build Date: Wed 14 Mar 2007  
09:46:00 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:11 PM EST Build Host: builder6  
Group : System Environment/Base Source RPM: texinfo-4.8-  
14.el5.src.rpm  
Size : 273619 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:50 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.gnu.org/software/texinfo/>  
Summary : A stand-alone TTY-based reader for GNU texinfo documentation.  
Description :  
The GNU project uses the texinfo file format for much of its documentation. The info package provides a standalone TTY-based

browser program for viewing texinfo files.

**Name** : **nss** **Relocations:** (not relocatable)  
Version : 3.12.3.99.3 Vendor: CentOS  
Release : 1.el5.centos.2 Build Date: Mon 27 Jul 2009  
11:01:26 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:13 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: nss-3.12.3.99.3-  
1.el5.centos.2.src.rpm  
Size : 2725624 License: MPL/GPL/LGPL  
Signature : DSA/SHA1, Tue 28 Jul 2009 07:16:04 AM EDT, Key ID  
a8a447dce8562897  
URL : http://www.mozilla.org/projects/security/pki/nss/  
Summary : Network Security Services  
Description :  
Network Security Services (NSS) is a set of libraries designed to  
support cross-platform development of security-enabled client and  
server applications. Applications built with NSS can support SSL v2  
and v3, TLS, PKCS #5, PKCS #7, PKCS #11, PKCS #12, S/MIME, X.509  
v3 certificates, and other security standards.

**Name** : **sed** **Relocations:** /usr  
Version : 4.1.5 Vendor: CentOS  
Release : 5.fc6 Build Date: Tue 09 Jan 2007  
02:51:10 PM EST  
Install Date: Mon 19 Dec 2011 12:33:14 PM EST Build Host:  
builder6.centos.org  
Group : Applications/Text Source RPM: sed-4.1.5-  
5.fc6.src.rpm  
Size : 328527 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:38 PM EDT, Key ID  
a8a447dce8562897  
Summary : A GNU stream text editor.  
Description :  
The sed (Stream EDitor) editor is a stream or batch (non-interactive)  
editor. Sed takes text as input, performs an operation or set of  
operations on the text and outputs the modified text. The operations  
that sed performs (substitutions, deletions, insertions, etc.) can be  
specified in a script file or from the command line.

**Name** : **libXau** **Relocations:** (not relocatable)  
Version : 1.0.1 Vendor: CentOS  
Release : 3.1 Build Date: Sun 07 Jan 2007  
07:15:18 AM EST  
Install Date: Mon 19 Dec 2011 12:33:14 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: libXau-1.0.1-  
3.1.src.rpm  
Size : 29084 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:43 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXau runtime library  
Description :  
X.Org X11 libXau runtime library

**Name** : libacl **Relocations:** (not relocatable)  
Version : 2.2.39 Vendor: CentOS  
Release : 3.el5 Build Date: Sat 24 May 2008  
10:33:30 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:14 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: acl-2.2.39-  
3.el5.src.rpm  
Size : 24460 License: LGPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:36:00 PM EDT, Key ID  
a8a447dce8562897  
URL : http://oss.sgi.com/projects/xfx/  
Summary : Dynamic library for access control list support.  
Description :  
This package contains the libacl.so dynamic library which contains  
the POSIX 1003.1e draft standard 17 functions for manipulating access  
control lists.

**Name** : libpgp-error **Relocations:** (not relocatable)  
Version : 1.4 Vendor: CentOS  
Release : 2 Build Date: Sat 06 Jan 2007  
07:27:41 AM EST  
Install Date: Mon 19 Dec 2011 12:33:15 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: libpgp-error-1.4-  
2.src.rpm  
Size : 191863 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:31 PM EDT, Key ID  
a8a447dce8562897  
URL : ftp://ftp.gnupg.org/gcrypt/libpgp-error/  
Summary : libpgp-error  
Description :  
This is a library that defines common error values for all GnuPG  
components. Among these are GPG, GPGSM, GPGME, GPG-Agent, libgcrypt,  
pinentry, SmartCard Daemon and possibly more in the future.

**Name** : sqlite **Relocations:** (not relocatable)  
Version : 3.3.6 Vendor: CentOS  
Release : 5 Build Date: Sat 19 Sep 2009  
10:35:38 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:15 PM EST Build Host:  
builder10.centos.org  
Group : Applications/Databases Source RPM: sqlite-3.3.6-  
5.src.rpm  
Size : 423266 License: Public Domain  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:55:00 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.sqlite.org/  
Summary : Library that implements an embeddable SQL database engine  
Description :  
SQLite is a C library that implements an SQL database engine. A large  
subset of SQL92 is supported. A complete database is stored in a  
single disk file. The API is designed for convenience and ease of use.  
Applications that link against SQLite can enjoy the power and  
flexibility of an SQL database without the administrative hassles of  
supporting a separate database server. Version 2 and version 3 binaries  
are named to permit each to be installed on a single host

**Name** : **keyutils-libs** **Relocations:** (not relocatable)  
Version : 1.2 Vendor: CentOS  
Release : 1.el5 Build Date: Sat 06 Jan 2007  
02:57:58 AM EST  
Install Date: Mon 19 Dec 2011 12:33:15 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Base Source RPM: keyutils-1.2-  
1.el5.src.rpm  
Size : 32836 License: GPL/LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:17 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://people.redhat.com/~dhowells/keyutils/>  
Summary : Key utilities library  
Description :  
This package provides a wrapper library for the key management facility  
system  
calls.

**Name** : **grep** **Relocations:** (not relocatable)  
Version : 2.5.1 Vendor: CentOS  
Release : 55.el5 Build Date: Sat 26 Sep 2009  
01:59:07 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:17 PM EST Build Host:  
builder16.centos.org  
Group : Applications/Text Source RPM: grep-2.5.1-  
55.el5.src.rpm  
Size : 438019 License: GPL  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:06 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.gnu.org/software/grep/>  
Summary : The GNU versions of grep pattern matching utilities.  
Description :  
The GNU versions of commonly used grep utilities. Grep searches  
through textual input for lines which contain a match to a specified  
pattern and then prints the matching lines. GNU's grep utilities  
include grep, egrep and fgrep.  
You should install grep on your system, because it is a very useful  
utility for searching through text.

**Name** : **glib2-devel** **Relocations:** (not relocatable)  
Version : 2.12.3 Vendor: CentOS  
Release : 4.el5\_3.1 Build Date: Tue 24 Mar 2009  
09:52:18 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:19 PM EST Build Host:  
builder10.centos.org  
Group : Development/Libraries Source RPM: glib2-2.12.3-  
4.el5\_3.1.src.rpm  
Size : 7374022 License: LGPL  
Signature : DSA/SHA1, Wed 25 Mar 2009 09:48:38 AM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.gtk.org>  
Summary : The GIMP ToolKit (GTK+) and GIMP Drawing Kit (GDK) support  
library  
Description :  
The glib2-devel package includes the header files for  
version 2 of the GLib library.

**Name** : **procps** **Relocations:** (not relocatable)  
Version : 3.2.7 Vendor: CentOS  
Release : 11.1.el5 Build Date: Wed 21 Jan 2009  
03:39:51 AM EST  
Install Date: Mon 19 Dec 2011 12:33:19 PM EST Build Host:  
builder10.centos.org  
Group : Applications/System Source RPM: procps-3.2.7-  
11.1.el5.src.rpm  
Size : 372025 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:48:57 PM EDT, Key ID  
a8a447dce8562897  
Summary : System and process monitoring utilities.

Description :

The procps package contains a set of system utilities that provide system information. Procps includes ps, free, skill, pkill, pgrep, snice, tload, top, uptime, vmstat, w, watch and pdwx. The ps command displays a snapshot of running processes. The top command provides a repetitive update of the statuses of running processes. The free command displays the amounts of free and used memory on your system. The skill command sends a terminate command (or another specified signal) to a specified set of processes. The snice command is used to change the scheduling priority of specified processes. The tload command prints a graph of the current system load average to a specified tty. The uptime command displays the current time, how long the system has been running, how many users are logged on, and system load averages for the past one, five, and fifteen minutes. The w command displays a list of the users who are currently logged on and what they are running. The watch program watches a running program. The vmstat command displays virtual memory statistics about processes, memory, paging, block I/O, traps, and CPU activity. The pdwx command reports the current working directory of a process or processes.

**Name** : **libbonobo** **Relocations:** (not relocatable)  
Version : 2.16.0 Vendor: CentOS  
Release : 1.fc6 Build Date: Sun 07 Jan 2007  
04:18:33 AM EST  
Install Date: Mon 19 Dec 2011 12:33:20 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: libbonobo-2.16.0-  
1.fc6.src.rpm  
Size : 1796698 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:22 PM EDT, Key ID  
a8a447dce8562897  
URL : http://ftp.gnome.org  
Summary : Bonobo component system

Description :

Bonobo is a component system based on CORBA, used by the GNOME desktop.

**Name** : **libvorbis** **Relocations:** (not relocatable)  
Version : 1.1.2 Vendor: CentOS  
Release : 3.el5\_3.3 Build Date: Tue 18 Aug 2009  
03:06:12 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:20 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: libvorbis-1.1.2-



3.el5\_3.3.src.rpm  
Size : 1227673 License: BSD  
Signature : DSA/SHA1, Tue 18 Aug 2009 03:16:35 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.xiph.org/  
Summary : The Vorbis General Audio Compression Codec.  
Description :  
Ogg Vorbis is a fully open, non-proprietary, patent-and royalty-free,  
general-purpose compressed audio format for audio and music at fixed  
and variable bitrates from 16 to 128 kbps/channel.  
The libvorbis package contains runtime libraries for use in programs  
that support Ogg Voribs.

**Name : gamin Relocations: (not relocatable)**  
Version : 0.1.7 Vendor: CentOS  
Release : 8.el5 Build Date: Wed 14 Mar 2007  
10:48:35 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:23 PM EST Build Host:  
builder5.centos.org  
Group : Development/Libraries Source RPM: gamin-0.1.7-  
8.el5.src.rpm  
Size : 366472 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:00 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnome.org/~veillard/gamin/  
Summary : Library providing the FAM File Alteration Monitor API  
Description :  
This C library provides an API and ABI compatible file alteration  
monitor mechanism compatible with FAM but not dependent on a system wide  
daemon.

**Name : pcsc-lite-libs Relocations: (not relocatable)**  
Version : 1.4.4 Vendor: CentOS  
Release : 0.1.el5 Build Date: Sat 24 May 2008  
03:09:39 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:23 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: pcsc-lite-1.4.4-  
0.1.el5.src.rpm  
Size : 35428 License: BSD  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:39:49 PM EDT, Key ID  
a8a447dce8562897  
URL : http://pcsclite.alioth.debian.org/  
Summary : PC/SC Lite libraries  
Description :  
PC/SC Lite libraries.

**Name : gpm Relocations: (not relocatable)**  
Version : 1.20.1 Vendor: CentOS  
Release : 74.1 Build Date: Sat 06 Jan 2007  
09:03:13 AM EST  
Install Date: Mon 19 Dec 2011 12:33:24 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Daemons Source RPM: gpm-1.20.1-  
74.1.src.rpm  
Size : 313822 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:40 PM EDT, Key ID

a8a447dce8562897

Summary : A mouse server for the Linux console.

Description :

Gpm provides mouse support to text-based Linux applications like the Emacs editor and the Midnight Commander file management system. Gpm also provides console cut-and-paste operations using the mouse and includes a program to allow pop-up menus to appear at the click of a mouse button.

**Name** : zip **Relocations: (not relocatable)**  
Version : 2.31 Vendor: CentOS  
Release : 2.el5 Build Date: Thu 26 Feb 2009  
04:50:42 PM EST  
Install Date: Mon 19 Dec 2011 12:33:24 PM EST Build Host:  
chamkaur.karan.org  
Group : Applications/Archiving Source RPM: zip-2.31-  
2.el5.src.rpm  
Size : 302492 License: distributable  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:49:28 PM EDT, Key ID  
a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
URL : http://www.info-zip.org/pub/infozip/Zip.html  
Summary : A file compression and packaging utility compatible with PKZIP.  
Description :  
The zip program is a compression and file packaging utility. Zip is analogous to a combination of the UNIX tar and compress commands and is compatible with PKZIP (a compression and file packaging utility for MS-DOS systems).  
Install the zip package if you need to compress files using the zip program.

**Name** : php-common **Relocations: (not relocatable)**  
Version : 5.1.6 Vendor: CentOS  
Release : 23.2.el5\_3 Build Date: Tue 07 Apr 2009  
08:04:02 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:25 PM EST Build Host:  
builder10.centos.org  
Group : Development/Languages Source RPM: php-5.1.6-  
23.2.el5\_3.src.rpm  
Size : 402103 License: The PHP License v3.01  
Signature : DSA/SHA1, Tue 07 Apr 2009 08:20:04 AM EDT, Key ID  
a8a447dce8562897  
URL : http://www.php.net/  
Summary : Common files for PHP  
Description :  
The php-common package contains files used by both the php package and the php-cli package.

**Name** : flac **Relocations: (not relocatable)**  
Version : 1.1.2 Vendor: CentOS  
Release : 28.el5\_0.1 Build Date: Fri 26 Oct 2007  
08:46:05 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:25 PM EST Build Host: builder6  
Group : Applications/Multimedia Source RPM: flac-1.1.2-  
28.el5\_0.1.src.rpm  
Size : 813691 License: LGPL/GPL  
Signature : DSA/SHA1, Mon 10 Dec 2007 07:54:05 PM EST, Key ID

a8a447dce8562897

URL : <http://flac.sourceforge.net/>

Summary : An encoder/decoder for the Free Lossless Audio Codec.

Description :

FLAC stands for Free Lossless Audio Codec. Grossly oversimplified, FLAC is similar to Ogg Vorbis, but lossless. The FLAC project consists of the stream format, reference encoders and decoders in library form, flac, a command-line program to encode and decode FLAC files, metaflac, a command-line metadata editor for FLAC files and input plugins for various music players.

**Name** : **ttmkfdir** **Relocations:** (not relocatable)

Version : 3.0.9 Vendor: CentOS

Release : 23.el5 Build Date: Sat 17 Mar 2007

08:23:17 AM EDT

Install Date: Mon 19 Dec 2011 12:33:28 PM EST Build Host: builder6

Group : Applications/System Source RPM: ttmkfdir-3.0.9-

23.el5.src.rpm

Size : 100923 License: GPL

Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:13 PM EDT, Key ID

a8a447dce8562897

Summary : Utility to create fonts.scale files for truetype fonts

Description :

ttmkfdir is a utility used to create fonts.scale files in TrueType font directories in order to prepare them for use by the font server.

**Name** : **libcroco** **Relocations:** (not relocatable)

Version : 0.6.1 Vendor: CentOS

Release : 2.1 Build Date: Sat 06 Jan 2007

12:34:08 AM EST

Install Date: Mon 19 Dec 2011 12:33:29 PM EST Build Host:

builder1.centos.org

Group : System Environment/Libraries Source RPM: libcroco-0.6.1-

2.1.src.rpm

Size : 362088 License: LGPL

Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:23 PM EDT, Key ID

a8a447dce8562897

Summary : A CSS2 parsing library

Description :

CSS2 parsing and manipulation library for GNOME

**Name** : **mailx** **Relocations:** (not relocatable)

Version : 8.1.1 Vendor: CentOS

Release : 44.2.2 Build Date: Sun 07 Jan 2007

05:44:35 AM EST

Install Date: Mon 19 Dec 2011 12:33:29 PM EST Build Host:

builder5.centos.org

Group : Applications/Internet Source RPM: mailx-8.1.1-

44.2.2.src.rpm

Size : 88420 License: BSD

Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:57 PM EDT, Key ID

a8a447dce8562897

Summary : The /bin/mail program for sending e-mail messages.

Description :

The mailx package installs the /bin/mail program, which is used to send quick email messages (i.e., without opening up a full-featured

mail user agent). Mail is often used in shell scripts.  
You should install mailx because of its quick email sending ability,  
which is especially useful if you're planning on writing any shell  
scripts.

**Name** : netpbm **Relocations:** (not relocatable)  
Version : 10.35.58 Vendor: CentOS  
Release : 8.el5 Build Date: Thu 03 Sep 2009  
10:09:32 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:30 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: netpbm-10.35.58-  
8.el5.src.rpm  
Size : 2157178 License: BSD and GPLv2 and IJG  
and MIT and Public Domain  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:57 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://netpbm.sourceforge.net/>  
Summary : A library for handling different graphics file formats  
Description :  
The netpbm package contains a library of functions which support  
programs for handling various graphics file formats, including .pbm  
(portable bitmaps), .pgm (portable graymaps), .pnm (portable anymaps),  
.ppm (portable pixmaps) and others.

**Name** : cdparanoia **Relocations:** (not relocatable)  
Version : alpha9.8 Vendor: CentOS  
Release : 27.2 Build Date: Sat 06 Jan 2007  
01:50:35 PM EST  
Install Date: Mon 19 Dec 2011 12:33:30 PM EST Build Host:  
builder1.centos.org  
Group : Applications/Multimedia Source RPM: cdparanoia-alpha9.8-  
27.2.src.rpm  
Size : 91841 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:29 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.xiph.org/paranoia/index.html>  
Summary : A Compact Disc Digital Audio (CDDA) extraction tool (or  
ripper).  
Description :  
Cdparanoia (Paranoia III) reads digital audio directly from a CD, then  
writes the data to a file or pipe in WAV, AIFC or raw 16 bit linear  
PCM format. Cdparanoia doesn't contain any extra features (like the ones  
included in the cdda2wav sampling utility). Instead, cdparanoia's strength  
lies in its ability to handle a variety of hardware, including inexpensive  
drives prone to misalignment, frame jitter and loss of streaming during  
atomic reads. Cdparanoia is also good at reading and repairing data from  
damaged CDs.

**Name** : dvd+rw-tools **Relocations:** (not relocatable)  
Version : 7.0 Vendor: CentOS  
Release : 1.el5 Build Date: Sat 26 Sep 2009  
03:47:00 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:31 PM EST Build Host:  
builder10.centos.org  
Group : Applications/Multimedia Source RPM: dvd+rw-tools-7.0-  
1.el5.src.rpm

Size : 264294 License: GPL  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:05 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://fy.chalmers.se/~appro/linux/DVD+RW/>  
Summary : Toolchain to master DVD+RW/+R media  
Description :  
Collection of tools to master DVD+RW/+R media. For further  
information see <http://fy.chalmers.se/~appro/linux/DVD+RW/>.

**Name : gnome-speech Relocations: (not relocatable)**  
Version : 0.4.5 Vendor: CentOS  
Release : 1.fc6 Build Date: Sat 06 Jan 2007  
06:40:50 PM EST  
Install Date: Mon 19 Dec 2011 12:33:35 PM EST Build Host:  
builder1.centos.org  
Group : Desktop/Accessibility Source RPM: gnome-speech-0.4.5-  
1.fc6.src.rpm  
Size : 73554 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:35 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.gnome.org/>  
Summary : GNOME Text to Speech  
Description :  
GNOME Speech

**Name : bc Relocations: (not relocatable)**  
Version : 1.06 Vendor: CentOS  
Release : 21 Build Date: Tue 30 Jan 2007  
09:07:54 AM EST  
Install Date: Mon 19 Dec 2011 12:33:35 PM EST Build Host:  
builder4.centos.org  
Group : Applications/Engineering Source RPM: bc-1.06-21.src.rpm  
Size : 187904 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:21 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.gnu.org/software/bc/>  
Summary : GNU's bc (a numeric processing language) and dc (a calculator).  
Description :  
The bc package includes bc and dc. Bc is an arbitrary precision  
numeric processing arithmetic language. Dc is an interactive  
arbitrary precision stack based calculator, which can be used as a  
text mode calculator.  
Install the bc package if you need its number handling capabilities or  
if you would like to use its text mode calculator.

**Name : xmlsec1 Relocations: /usr**  
Version : 1.2.9 Vendor: CentOS  
Release : 8.1 Build Date: Sat 06 Jan 2007  
03:07:56 AM EST  
Install Date: Mon 19 Dec 2011 12:33:36 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries Source RPM: xmlsec1-1.2.9-  
8.1.src.rpm  
Size : 524822 License: MIT  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:37 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.aleksey.com/xmlsec/>

Summary : Library providing support for "XML Signature" and "XML Encryption" standards

Description :

XML Security Library is a C library based on LibXML2 and OpenSSL. The library was created with a goal to support major XML security standards "XML Digital Signature" and "XML Encryption".

**Name** : **hmaccalc** **Relocations:** (not relocatable)  
Version : 0.9.6 Vendor: CentOS  
Release : 1.el5 Build Date: Wed 02 Sep 2009  
10:16:44 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:36 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: hmaccalc-0.9.6-  
1.el5.src.rpm  
Size : 79890 License: MIT  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:42 PM EDT, Key ID  
a8a447dce8562897  
URL : <https://fedorahosted.org/hmaccalc/>  
Summary : Tools for computing and checking HMAC values for files  
Description :  
The hmaccalc package contains tools which can calculate HMAC (hash-based message authentication code) values for files. The names and interfaces are meant to mimic the sha\*sum tools provided by the coreutils package.

**Name** : **ed** **Relocations:** (not relocatable)  
Version : 0.2 Vendor: CentOS  
Release : 39.el5\_2 Build Date: Thu 23 Oct 2008  
06:43:01 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:37 PM EST Build Host:  
builder16.centos.org  
Group : Applications/Text Source RPM: ed-0.2-  
39.el5\_2.src.rpm  
Size : 63638 License: GPL  
Signature : DSA/SHA1, Thu 23 Oct 2008 07:39:05 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.gnu.org/software/ed/>  
Summary : The GNU line editor.  
Description :  
Ed is a line-oriented text editor, used to create, display, and modify text files (both interactively and via shell scripts). For most purposes, ed has been replaced in normal usage by full-screen editors (emacs and vi, for example).  
Ed was the original UNIX editor, and may be used by some programs. In general, however, you probably don't need to install it and you probably won't use it.

**Name** : **procmail** **Relocations:** (not relocatable)  
Version : 3.22 Vendor: CentOS  
Release : 17.1.el5.centos Build Date: Thu 29 Mar 2007  
07:31:53 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:38 PM EST Build Host: builder6  
Group : System Environment/Daemons Source RPM: procmail-3.22-  
17.1.el5.centos.src.rpm  
Size : 316964 License: GPL or Artistic  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:04 PM EDT, Key ID  
a8a447dce8562897

URL : http://www.procmail.org  
Summary : The procmail mail processing program.  
Description :

The procmail program is used by CentOS for all local mail delivery. In addition to just delivering mail, procmail can be used for automatic filtering, presorting, and other mail handling jobs. Procmail is also the basis for the SmartList mailing list processor.

**Name : boost Relocations: (not relocatable)**  
Version : 1.33.1 Vendor: CentOS  
Release : 10.el5 Build Date: Wed 21 Mar 2007  
06:13:50 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:40 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: boost-1.33.1-  
10.el5.src.rpm  
Size : 2467588 License: Boost Software  
License  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:24 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.boost.org/  
Summary : The Boost C++ Libraries

Description :  
Boost provides free peer-reviewed portable C++ source libraries. The emphasis is on libraries which work well with the C++ Standard Library, in the hopes of establishing "existing practice" for extensions and providing reference implementations so that the Boost libraries are suitable for eventual standardization. (Some of the libraries have already been proposed for inclusion in the C++ Standards Committee's upcoming C++ Standard Library Technical Report.)

**Name : dosfstools Relocations: (not relocatable)**  
Version : 2.11 Vendor: CentOS  
Release : 7.el5 Build Date: Wed 21 Jan 2009  
12:03:18 AM EST  
Install Date: Mon 19 Dec 2011 12:33:41 PM EST Build Host:  
builder16.centos.org  
Group : Applications/System Source RPM: dosfstools-2.11-  
7.el5.src.rpm  
Size : 120853 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:45:25 PM EDT, Key ID  
a8a447dce8562897  
Summary : Utilities for making and checking MS-DOS FAT filesystems on  
Linux.

Description :  
The dosfstools package includes the mkdosfs and dosfsck utilities, which respectively make and check MS-DOS FAT filesystems on hard drives or on floppies.

**Name : eject Relocations: (not relocatable)**  
Version : 2.1.5 Vendor: CentOS  
Release : 4.2.el5 Build Date: Wed 14 Mar 2007  
09:15:26 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:42 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Base Source RPM: eject-2.1.5-  
4.2.el5.src.rpm

Size : 129765 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:21:27 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.pobox.com/~tranter  
Summary : A program that ejects removable media using software control.  
Description :  
The eject program allows the user to eject removable media (typically  
CD-ROMs, floppy disks or Iomega Jaz or Zip disks) using software  
control. Eject can also control some multi-disk CD changers and even  
some devices' auto-eject features.  
Install eject if you'd like to eject removable media using software  
control.

**Name : compat-libf2c-34 Relocations: (not relocatable)**  
Version : 3.4.6 Vendor: CentOS  
Release : 4 Build Date: Mon 08 Jan 2007  
07:22:09 PM EST  
Install Date: Mon 19 Dec 2011 12:33:42 PM EST Build Host:  
builder4.centos.org  
Group : System Environment/Libraries Source RPM: compat-gcc-34-3.4.6-  
4.src.rpm  
Size : 107064 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:39 PM EDT, Key ID  
a8a447dce8562897  
URL : http://gcc.gnu.org  
Summary : Fortran 77 compatibility runtime  
Description :  
This package contains Fortran 77 shared library which is needed to run  
Fortran 77 dynamically linked programs.

**Name : libvolume\_id Relocations: (not relocatable)**  
Version : 095 Vendor: CentOS  
Release : 14.21.el5 Build Date: Thu 03 Sep 2009  
06:25:43 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:42 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: udev-095-  
14.21.el5.src.rpm  
Size : 30696 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:54 PM EDT, Key ID  
a8a447dce8562897  
URL : http://kernel.org/pub/linux/utils/kernel/hotplug/  
Summary : Dynamic libraries to get volume ids  
Description :  
This package contains the libvolume\_id.so dynamic library,  
which contains functions to get volume ids.

**Name : xorg-x11-filesystem Relocations: (not relocatable)**  
Version : 7.1 Vendor: CentOS  
Release : 2.fc6 Build Date: Sat 06 Jan 2007  
06:37:26 AM EST  
Install Date: Mon 19 Dec 2011 12:33:43 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Base Source RPM: xorg-x11-filesystem-  
7.1-2.fc6.src.rpm  
Size : 1322 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:42 PM EDT, Key ID



a8a447dce8562897

URL : http://www.redhat.com  
Summary : X.Org X11 filesystem layout  
Description :

This package provides some directories which are required by other packages which comprise the modularized X.Org X11R7 X Window System release. This package must be installed during OS installation or upgrade, in order to force the creation of these directories, and replace any legacy symbolic links that might be present in old locations, which could result in upgrade failures.

**Name** : **redhat-logos** **Relocations:** (not relocatable)  
Version : 4.9.99 Vendor: CentOS  
Release : 11.el5.centos Build Date: Thu 12 Mar 2009  
03:06:54 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:47 PM EST Build Host:  
chamkaur.karan.org  
Group : System Environment/Base Source RPM: redhat-logos-4.9.99-  
11.el5.centos.src.rpm  
Size : 27805586 License: Copyright -> 2003-  
2007 the CentOS Project. All rights reserved.  
Signature : DSA/SHA1, Fri 13 Mar 2009 09:09:30 AM EDT, Key ID  
a8a447dce8562897

Packager : Karanbir Singh <kbsingh@karan.org>  
Summary : CentOS-related icons and pictures.

Description :

The redhat-logos package (the "Package") contains files created by the CentOS Project to replace the Red Hat "Shadow Man" logo and RPM logo. The Red Hat "Shadow Man" logo, RPM, and the RPM logo are trademarks or registered trademarks of Red Hat, Inc. The Package and CentOS logos (the "Marks") can only be used as outlined in the included COPYING file. Please see that file for information on copying and redistribution of the CentOS Marks.

**Name** : **crontabs** **Relocations:** (not relocatable)  
Version : 1.10 Vendor: CentOS  
Release : 8 Build Date: Sat 06 Jan 2007  
08:13:53 AM EST  
Install Date: Mon 19 Dec 2011 12:33:49 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Base Source RPM: crontabs-1.10-  
8.src.rpm  
Size : 1004 License: Public Domain  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:42 PM EDT, Key ID  
a8a447dce8562897

Summary : Root crontab files used to schedule the execution of programs.

Description :

The crontabs package contains root crontab files. Crontab is the program used to install, uninstall or list the tables used to drive the cron daemon. The cron daemon checks the crontab files to see when particular commands are scheduled to be executed. If commands are scheduled, it executes them.

Crontabs handles a basic system function, so it should be installed on your system.

**Name** : **perl-Convert-ASN1** **Relocations:** (not relocatable)  
Version : 0.20 Vendor: CentOS

Release : 1.1 Build Date: Sun 21 Jan 2007  
02:33:46 PM EST  
Install Date: Mon 19 Dec 2011 12:33:50 PM EST Build Host:  
builder5.centos.org  
Group : Development/Libraries Source RPM: perl-Convert-ASN1-  
0.20-1.1.src.rpm  
Size : 119129 License: GPL or Artistic  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:53 PM EDT, Key ID  
a8a447dce8562897  
URL : http://search.cpan.org/dist/Convert-ASN1/  
Summary : Convert-ASN1 Perl module  
Description :  
Convert-ASN1 Perl module.

**Name : libXau-devel Relocations: (not relocatable)**  
Version : 1.0.1 Vendor: CentOS  
Release : 3.1 Build Date: Sun 07 Jan 2007  
07:15:18 AM EST  
Install Date: Mon 19 Dec 2011 12:33:51 PM EST Build Host:  
builder5.centos.org  
Group : Development/Libraries Source RPM: libXau-1.0.1-  
3.1.src.rpm  
Size : 6795 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:43 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXau development package  
Description :  
X.Org X11 libXau development package

**Name : libIDL-devel Relocations: (not relocatable)**  
Version : 0.8.7 Vendor: CentOS  
Release : 1.fc6 Build Date: Fri 05 Jan 2007  
11:41:55 PM EST  
Install Date: Mon 19 Dec 2011 12:33:52 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries Source RPM: libIDL-0.8.7-  
1.fc6.src.rpm  
Size : 31271 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:34 PM EDT, Key ID  
a8a447dce8562897  
Summary : Development libraries and header files for libIDL  
Description :  
libIDL is a library for parsing IDL (Interface Definition Language).  
It can be used for both COM-style and CORBA-style IDL.  
This package contains the header files and libraries needed to write  
or compile programs that use libIDL.

**Name : perl-HTML-Tagset Relocations: (not relocatable)**  
Version : 3.10 Vendor: CentOS  
Release : 2.1.1 Build Date: Sun 21 Jan 2007  
02:36:22 PM EST  
Install Date: Mon 19 Dec 2011 12:33:53 PM EST Build Host:  
builder7.centos.org  
Group : Development/Libraries Source RPM: perl-HTML-Tagset-  
3.10-2.1.1.src.rpm  
Size : 19565 License: Artistic or GPL

Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:54 PM EDT, Key ID  
a8a447dce8562897  
URL : http://search.cpan.org/dist/HTML-Tagset/  
Summary : HTML::Tagset - data tables useful in parsing HTML  
Description :  
This module contains several data tables useful in various kinds of  
HTML parsing operations, such as tag and entity names.

**Name : libgpg-error-devel Relocations: (not relocatable)**  
Version : 1.4 Vendor: CentOS  
Release : 2 Build Date: Sat 06 Jan 2007  
07:27:41 AM EST  
Install Date: Mon 19 Dec 2011 12:33:54 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries Source RPM: libgpg-error-1.4-  
2.src.rpm  
Size : 40887 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:31 PM EDT, Key ID  
a8a447dce8562897  
URL : ftp://ftp.gnupg.org/gcrypt/libgpg-error/  
Summary : Development files for the libgpg-error package  
Description :  
This is a library that defines common error values for all GnuPG  
components. Among these are GPG, GPGSM, GPGME, GPG-Agent, libgpgcrypt,  
pinentry, SmartCard Daemon and possibly more in the future. This package  
contains files necessary to develop applications using libgpg-error.

**Name : libsepol-devel Relocations: /usr**  
Version : 1.15.2 Vendor: CentOS  
Release : 2.el5 Build Date: Thu 03 Sep 2009  
04:40:27 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:54 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: libsepol-1.15.2-  
2.el5.src.rpm  
Size : 488133 License: LGPLv2+  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:53 PM EDT, Key ID  
a8a447dce8562897  
Summary : Header files and libraries used to build policy manipulation  
tools  
Description :  
The libsepol-devel package contains the static libraries and header files  
needed for developing applications that manipulate binary policies.

**Name : glibc-headers Relocations: (not relocatable)**  
Version : 2.5 Vendor: CentOS  
Release : 42 Build Date: Wed 02 Sep 2009  
08:23:53 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:55 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: glibc-2.5-42.src.rpm  
Size : 2105984 License: LGPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:41 PM EDT, Key ID  
a8a447dce8562897  
Summary : Header files for development using standard C libraries.  
Description :  
The glibc-headers package contains the header files necessary

for developing programs which use the standard C libraries (which are used by nearly all programs). If you are developing programs which will use the standard C libraries, your system needs to have these standard header files available in order to create the executables.

Install glibc-headers if you are going to develop programs which will use the standard C libraries.

**Name** : libao **Relocations:** (not relocatable)  
Version : 0.8.6 Vendor: CentOS  
Release : 7 Build Date: Sat 24 May 2008  
12:42:05 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:56 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: libao-0.8.6-  
7.src.rpm  
Size : 66325 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:36:00 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.xiph.org/  
Summary : Cross Platform Audio Output Library.  
Description :  
Libao is a cross platform audio output library. It currently supports  
ESD, OSS, Solaris, and IRIX.

**Name** : libXrender **Relocations:** (not relocatable)  
Version : 0.9.1 Vendor: CentOS  
Release : 3.1 Build Date: Tue 09 Jan 2007  
02:11:24 PM EST  
Install Date: Mon 19 Dec 2011 12:33:56 PM EST Build Host:  
builder7.centos.org  
Group : System Environment/Libraries Source RPM: libXrender-0.9.1-  
3.1.src.rpm  
Size : 46969 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:46 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXrender runtime library  
Description :  
X.Org X11 libXrender runtime library

**Name** : libXrandr **Relocations:** (not relocatable)  
Version : 1.1.1 Vendor: CentOS  
Release : 3.1 Build Date: Sun 07 Jan 2007  
04:21:17 AM EST  
Install Date: Mon 19 Dec 2011 12:33:56 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: libXrandr-1.1.1-  
3.1.src.rpm  
Size : 17914 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:46 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXrandr runtime library  
Description :  
X.Org X11 libXrandr runtime library

**Name** : libXpm **Relocations:** (not relocatable)  
Version : 3.5.5 Vendor: CentOS  
Release : 3 Build Date: Sun 07 Jan 2007  
04:57:41 AM EST  
Install Date: Mon 19 Dec 2011 12:33:57 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: libXpm-3.5.5-  
3.src.rpm  
Size : 81106 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:46 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXpm runtime library  
Description :  
X.Org X11 libXpm runtime library

**Name** : libXinerama **Relocations:** (not relocatable)  
Version : 1.0.1 Vendor: CentOS  
Release : 2.1 Build Date: Sun 07 Jan 2007  
03:11:31 AM EST  
Install Date: Mon 19 Dec 2011 12:33:57 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: libXinerama-1.0.1-  
2.1.src.rpm  
Size : 8512 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:44 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXinerama runtime library  
Description :  
X.Org X11 libXinerama runtime library

**Name** : libXScrnSaver **Relocations:** (not relocatable)  
Version : 1.1.0 Vendor: CentOS  
Release : 3.1 Build Date: Mon 08 Jan 2007  
11:16:25 PM EST  
Install Date: Mon 19 Dec 2011 12:33:57 PM EST Build Host:  
builder6.centos.org  
Group : System Environment/Libraries Source RPM: libXScrnSaver-1.1.0-  
3.1.src.rpm  
Size : 11108 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:46 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXss runtime library  
Description :  
X.Org X11 libXss runtime library

**Name** : libXres **Relocations:** (not relocatable)  
Version : 1.0.1 Vendor: CentOS  
Release : 3.1 Build Date: Sat 06 Jan 2007  
07:59:36 AM EST  
Install Date: Mon 19 Dec 2011 12:33:59 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: libXres-1.0.1-  
3.1.src.rpm  
Size : 19474 License: MIT/X11

Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:46 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXres runtime library  
Description :  
X.Org X11 libXres runtime library

**Name** : **xorg-x11-xauth** **Relocations:** (not relocatable)  
Version : 1.0.1 Vendor: CentOS  
Release : 2.1 Build Date: Sun 07 Jan 2007  
05:17:15 AM EST  
Install Date: Mon 19 Dec 2011 12:34:00 PM EST Build Host:  
builder5.centos.org  
Group : User Interface/X Source RPM: xorg-x11-xauth-1.0.1-  
2.1.src.rpm  
Size : 49706 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:47 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 X authority utilities  
Description :  
xauth is used to edit and display the authorization information  
used in connecting to an X server.

**Name** : **libXevie** **Relocations:** (not relocatable)  
Version : 1.0.1 Vendor: CentOS  
Release : 3.1 Build Date: Sun 07 Jan 2007  
06:14:03 PM EST  
Install Date: Mon 19 Dec 2011 12:34:00 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: libXevie-1.0.1-  
3.1.src.rpm  
Size : 19324 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:43 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXevie runtime library  
Description :  
X.Org X11 libXevie runtime library

**Name** : **compat-gcc-34** **Relocations:** (not relocatable)  
Version : 3.4.6 Vendor: CentOS  
Release : 4 Build Date: Mon 08 Jan 2007  
07:22:09 PM EST  
Install Date: Mon 19 Dec 2011 12:34:01 PM EST Build Host:  
builder4.centos.org  
Group : Development/Languages Source RPM: compat-gcc-34-3.4.6-  
4.src.rpm  
Size : 12175340 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:36 PM EDT, Key ID  
a8a447dce8562897  
URL : http://gcc.gnu.org  
Summary : Compatibility GNU Compiler Collection  
Description :  
This package includes a GCC 3.4.6-RH compatibility compiler.

**Name** : **tix** **Relocations:** (not relocatable)

Version : 8.4.0 Vendor: CentOS  
Release : 11.fc6 Build Date: Sun 07 Jan 2007  
05:40:23 PM EST  
Install Date: Mon 19 Dec 2011 12:34:01 PM EST Build Host:  
builder1.centos.org  
Group : Development/Languages Source RPM: tix-8.4.0-  
11.fc6.src.rpm  
Size : 1224165 License: BSD  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:10 PM EDT, Key ID  
a8a447dce8562897  
URL : http://tix.sourceforge.net/  
Summary : A set of extension widgets for Tk  
Description :  
Tix, the Tk Interface eXtension, is a powerful set of user interface  
components that expands the capabilities of your Tcl/Tk and Python  
applications. Using Tix together with Tk will greatly enhance the  
appearance and functionality of your application.

**Name : xrestop Relocations: (not relocatable)**  
Version : 0.2 Vendor: CentOS  
Release : 6.2.2 Build Date: Tue 09 Jan 2007  
03:49:48 PM EST  
Install Date: Mon 19 Dec 2011 12:34:02 PM EST Build Host:  
builder6.centos.org  
Group : Development/Tools Source RPM: xrestop-0.2-  
6.2.2.src.rpm  
Size : 39103 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:48 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.freedesktop.org/Software/xrestop  
Summary : X Resource Monitor  
Description :  
A utility to monitor application usage of X resources in the X Server, and  
display them in a manner similar to 'top'. This is a very useful utility  
for tracking down application X resource usage leaks.

**Name : anacron Relocations: (not relocatable)**  
Version : 2.3 Vendor: CentOS  
Release : 45.el5.centos Build Date: Wed 28 Mar 2007  
01:47:22 AM EDT  
Install Date: Mon 19 Dec 2011 12:34:03 PM EST Build Host:  
builder7.centos.org  
Group : System Environment/Base Source RPM: anacron-2.3-  
45.el5.centos.src.rpm  
Size : 55024 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:19:55 PM EDT, Key ID  
a8a447dce8562897  
Summary : A cron-like program that can run jobs lost during downtime.  
Description :  
Anacron (like `anac(h)ronistic') is a periodic command scheduler. It  
executes commands at intervals specified in days. Unlike cron, it  
does not assume that the system is running continuously. It can  
therefore be used to control the execution of daily, weekly and  
monthly jobs (or anything with a period of n days), on systems that  
don't run 24 hours a day. When installed and configured properly,  
Anacron will make sure that the commands are run at the specified  
intervals as closely as machine-uptime permits.

This package is pre-configured to execute the daily jobs of the CentOS system. You should install this program if your system isn't powered on 24 hours a day to make sure the maintenance jobs of other CentOS packages are executed each day.

**Name** : **lapack** **Relocations:** (not relocatable)  
Version : 3.0 Vendor: CentOS  
Release : 37.el5 Build Date: Sat 06 Jan 2007  
11:30:06 AM EST  
Install Date: Mon 19 Dec 2011 12:34:04 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries Source RPM: lapack-3.0-  
37.el5.src.rpm  
Size : 5426226 License: Freely distributable  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:19 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.netlib.org/lapack/>  
Summary : The LAPACK libraries for numerical linear algebra  
Description :  
LAPACK (Linear Algebra PACKage) is a standard library for numerical linear algebra. LAPACK provides routines for solving systems of simultaneous linear equations, least-squares solutions of linear systems of equations, eigenvalue problems, and singular value problems. Associated matrix factorizations (LU, Cholesky, QR, SVD, Schur, and generalized Schur) and related computations (i.e., reordering of Schur factorizations and estimating condition numbers) are also included. LAPACK can handle dense and banded matrices, but not general sparse matrices. Similar functionality is provided for real and complex matrices in both single and double precision. LAPACK is coded in Fortran77 and built with gcc.

**Name** : **bison** **Relocations:** (not relocatable)  
Version : 2.3 Vendor: CentOS  
Release : 2.1 Build Date: Sun 07 Jan 2007  
02:20:48 AM EST  
Install Date: Mon 19 Dec 2011 12:34:05 PM EST Build Host:  
builder5.centos.org  
Group : Development/Tools Source RPM: bison-2.3-2.1.src.rpm  
Size : 1523708 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:23 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.gnu.org/software/bison/>  
Summary : A GNU general-purpose parser generator.  
Description :  
Bison is a general purpose parser generator that converts a grammar description for an LALR(1) context-free grammar into a C program to parse that grammar. Bison can be used to develop a wide range of language parsers, from ones used in simple desk calculators to complex programming languages. Bison is upwardly compatible with Yacc, so any correctly written Yacc grammar should work with Bison without any changes. If you know Yacc, you shouldn't have any trouble using Bison. You do need to be very proficient in C programming to be able to use Bison. Bison is only needed on systems that are used for development.  
If your system will be used for C development, you should install Bison.



**Name** : **valgrind** **Relocations:** (not relocatable)  
Version : 3.2.1 Vendor: CentOS  
Release : 6.el5 Build Date: Mon 08 Jan 2007  
04:38:51 PM EST  
Install Date: Mon 19 Dec 2011 12:34:06 PM EST Build Host:  
builder5.centos.org  
Group : Development/Debuggers Source RPM: valgrind-3.2.1-  
6.el5.src.rpm  
Size : 27022854 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:18 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.valgrind.org/  
Summary : Tool for finding memory management bugs in programs  
Description :  
Valgrind is a tool to help you find memory-management problems in your  
programs. When a program is run under Valgrind's supervision, all  
reads and writes of memory are checked, and calls to  
malloc/new/free/delete are intercepted. As a result, Valgrind can  
detect a lot of problems that are otherwise very hard to  
find/diagnose.

**Name** : **ltrace** **Relocations:** /usr  
Version : 0.5 Vendor: CentOS  
Release : 13.45svn.el5 Build Date: Sun 27 Sep 2009  
08:45:20 AM EDT  
Install Date: Mon 19 Dec 2011 12:34:06 PM EST Build Host:  
builder10.centos.org  
Group : Development/Debuggers Source RPM: ltrace-0.5-  
13.45svn.el5.src.rpm  
Size : 115766 License: GPL  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:06 PM EDT, Key ID  
a8a447dce8562897  
Summary : Tracks runtime library calls from dynamically linked  
executables.  
Description :  
Ltrace is a debugging program which runs a specified command until the  
command exits. While the command is executing, ltrace intercepts and  
records both the dynamic library calls called by the executed process  
and the signals received by the executed process. Ltrace can also  
intercept and print system calls executed by the process.  
You should install ltrace if you need a sysadmin tool for tracking the  
execution of processes.

**Name** : **expect** **Relocations:** (not relocatable)  
Version : 5.43.0 Vendor: CentOS  
Release : 5.1 Build Date: Sun 07 Jan 2007  
04:58:40 AM EST  
Install Date: Mon 19 Dec 2011 12:34:07 PM EST Build Host:  
builder5.centos.org  
Group : Development/Languages Source RPM: expect-5.43.0-  
5.1.src.rpm  
Size : 275807 License: Public Domain  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:21:37 PM EDT, Key ID  
a8a447dce8562897  
URL : http://expect.nist.gov/  
Summary : A program-script interaction and testing utility  
Description :

Expect is a tcl application for automating and testing interactive applications such as telnet, ftp, passwd, fsck, rlogin, tip, etc. Expect makes it easy for a script to control another program and interact with it. This package contains expect and some scripts that use it.

**Name** : mtr **Relocations:** (not relocatable)  
Version : 0.71 Vendor: CentOS  
Release : 3.1 Build Date: Sun 07 Jan 2007  
06:24:29 AM EST  
Install Date: Mon 19 Dec 2011 12:34:07 PM EST Build Host:  
builder5.centos.org  
Group : Applications/Internet Source RPM: mtr-0.71-3.1.src.rpm  
Size : 89616 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:25:08 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.BitWizard.nl/mtr>  
Summary : A network diagnostic tool.  
Description :  
Mtr is a network diagnostic tool that combines ping and traceroute into one program. Mtr provides two interfaces: an ncurses interface, useful for using Mtr from a telnet session; and a GTK+ interface for X (provided in the mtr-gtk package).

**Name** : mgetty **Relocations:** (not relocatable)  
Version : 1.1.33 Vendor: CentOS  
Release : 9.fc6 Build Date: Sun 07 Jan 2007  
07:10:58 AM EST  
Install Date: Mon 19 Dec 2011 12:34:08 PM EST Build Host:  
builder5.centos.org  
Group : Applications/Communications Source RPM: mgetty-1.1.33-  
9.fc6.src.rpm  
Size : 925980 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:25:03 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.leo.org/~doering/mgetty/index.html>  
Summary : A getty replacement for use with data and fax modems.  
Description :  
The mgetty package contains a "smart" getty which allows logins over a serial line (i.e., through a modem). If you're using a Class 2 or 2.0 modem, mgetty can receive faxes. If you also need to send faxes, you'll need to install the sendfax program. If you'll be dialing in to your system using a modem, you should install the mgetty package. If you'd like to send faxes using mgetty and your modem, you'll need to install the mgetty-sendfax program. If you need a viewer for faxes, you'll also need to install the mgetty-viewfax package.

**Name** : ibmasm **Relocations:** (not relocatable)  
Version : 3.0 Vendor: CentOS  
Release : 9 Build Date: Wed 14 Mar 2007  
01:17:47 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:08 PM EST Build Host:  
builder4.centos.org  
Group : System Environment/Kernel Source RPM: ibmasm-3.0-9.src.rpm  
Size : 31084 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:47 PM EDT, Key ID

a8a447dce8562897

URL : <http://www.ibm.com>  
Summary : IBM Advanced System Management Drivers  
Description :

This package contains the tools necessary to set up the IBM Advanced System Management Drivers

**Name** : **rwwho** **Relocations:** (not relocatable)  
Version : 0.17 Vendor: CentOS  
Release : 26 Build Date: Sun 07 Jan 2007  
05:03:31 AM EST  
Install Date: Mon 19 Dec 2011 12:34:09 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Daemons Source RPM: rwwho-0.17-26.src.rpm  
Size : 33200 License: BSD  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:25 PM EDT, Key ID  
a8a447dce8562897  
Summary : Displays who is logged in to local network machines.  
Description :  
The rwwho command displays output similar to the output of the who command (it shows who is logged in) for all machines on the local network running the rwwho daemon.  
Install the rwwho command if you need to keep track of the users who are logged in to your local network.

**Name** : **zisofs-tools** **Relocations:** (not relocatable)  
Version : 1.0.6 Vendor: CentOS  
Release : 3.2.2 Build Date: Tue 09 Jan 2007  
02:13:54 PM EST  
Install Date: Mon 19 Dec 2011 12:34:10 PM EST Build Host:  
builder7.centos.org  
Group : Applications/System Source RPM: zisofs-tools-1.0.6-3.2.2.src.rpm  
Size : 22275 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:49 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.kernel.org/pub/linux/utils/fs/zisofs/>  
Summary : Utilities for creating compressed CD-ROM filesystems.  
Description :  
A utility which works in combination with an appropriately patched version of mkisofs to allow the creation of compressed CD-ROM filesystems.

**Name** : **hdparm** **Relocations:** (not relocatable)  
Version : 6.6 Vendor: CentOS  
Release : 2 Build Date: Sat 06 Jan 2007  
07:18:29 AM EST  
Install Date: Mon 19 Dec 2011 12:34:10 PM EST Build Host:  
builder1.centos.org  
Group : Applications/System Source RPM: hdparm-6.6-2.src.rpm  
Size : 75769 License: BSD  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:45 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://sourceforge.net/projects/hdparm/>  
Summary : A utility for displaying and/or setting hard disk parameters.  
Description :  
Hdparm is a useful system utility for setting (E)IDE hard drive

parameters. For example, `hdparm` can be used to tweak hard drive performance and to spin down hard drives for power conservation.

**Name** : **libaio** **Relocations:** (not relocatable)  
Version : 0.3.106 Vendor: CentOS  
Release : 3.2 Build Date: Sun 07 Jan 2007  
02:36:24 AM EST  
Install Date: Mon 19 Dec 2011 12:34:11 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: libaio-0.3.106-  
3.2.src.rpm  
Size : 31918 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:22 PM EDT, Key ID  
a8a447dce8562897  
Summary : Linux-native asynchronous I/O access library  
Description :  
The Linux-native asynchronous I/O facility ("async I/O", or "aio") has a  
richer API and capability set than the simple POSIX async I/O facility.  
This library, `libaio`, provides the Linux-native API for async I/O.  
The POSIX async I/O facility requires this library in order to provide  
kernel-accelerated async I/O capabilities, as do applications which  
require the Linux-native async I/O API.

**Name** : **pam\_smb** **Relocations:** (not relocatable)  
Version : 1.1.7 Vendor: CentOS  
Release : 7.2.1 Build Date: Fri 05 Jan 2007  
11:54:21 PM EST  
Install Date: Mon 19 Dec 2011 12:34:11 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Base Source RPM: pam\_smb-1.1.7-  
7.2.1.src.rpm  
Size : 67164 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:50 PM EDT, Key ID  
a8a447dce8562897  
URL : [http://www.csn.ul.ie/~airlied/pam\\_smb/](http://www.csn.ul.ie/~airlied/pam_smb/)  
Summary : A Pluggable Authentication Module (PAM) for use with SMB  
servers.  
Description :  
The `pam_smb` module can be used to authenticate users using an external  
SMB server.

**Name** : **tree** **Relocations:** /usr  
Version : 1.5.0 Vendor: CentOS  
Release : 4 Build Date: Sat 06 Jan 2007  
12:30:23 AM EST  
Install Date: Mon 19 Dec 2011 12:34:11 PM EST Build Host:  
builder5.centos.org  
Group : Applications/File Source RPM: tree-1.5.0-4.src.rpm  
Size : 41700 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:13 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://mama.indstate.edu/users/ice/tree/>  
Summary : A utility which displays a tree view of the contents of  
directories.  
Description :  
The `tree` utility recursively displays the contents of directories in a  
tree-like format. `Tree` is basically a UNIX port of the DOS `tree`

utility.

**Name** : **strace** **Relocations:** (not relocatable)  
Version : 4.5.18 Vendor: CentOS  
Release : 5.el5 Build Date: Thu 03 Sep 2009  
09:31:34 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:11 PM EST Build Host:  
builder16.centos.org  
Group : Development/Debuggers Source RPM: strace-4.5.18-  
5.el5.src.rpm  
Size : 423974 License: BSD  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:55:01 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://sourceforge.net/projects/strace/>  
Summary : Tracks and displays system calls associated with a running  
process  
Description :  
The strace program intercepts and records the system calls called and  
received by a running process. Strace can print a record of each  
system call, its arguments and its return value. Strace is useful for  
diagnosing problems and debugging, as well as for instructional  
purposes.  
Install strace if you need a tool to track the system calls made and  
received by a process.

**Name** : **rsc** **Relocations:** /usr  
Version : 5.7 Vendor: CentOS  
Release : 30.1 Build Date: Mon 08 Jan 2007  
11:05:12 PM EST  
Install Date: Mon 19 Dec 2011 12:34:11 PM EST Build Host:  
builder7.centos.org  
Group : Development/Tools Source RPM: rcs-5.7-30.1.src.rpm  
Size : 643907 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:16 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.gnu.org/software/rcs/>  
Summary : Revision Control System (RCS) file version management tools.  
Description :  
The Revision Control System (RCS) is a system for managing multiple  
versions of files. RCS automates the storage, retrieval, logging,  
identification and merging of file revisions. RCS is useful for text  
files that are revised frequently (for example, programs,  
documentation, graphics, papers and form letters).  
The rcs package should be installed if you need a system for managing  
different versions of files.

**Name** : **compat-glibc** **Relocations:** (not relocatable)  
Version : 2.3.4 Vendor: CentOS  
Release : 2.26 Build Date: Sat 06 Jan 2007  
03:01:09 AM EST  
Install Date: Mon 19 Dec 2011 12:34:12 PM EST Build Host:  
builder5.centos.org  
Group : Development/Libraries Source RPM: compat-glibc-2.3.4-  
2.26.src.rpm  
Size : 3527208 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:39 PM EDT, Key ID  
a8a447dce8562897

Summary : Compatibility C library  
Description :  
This package contains stub shared libraries and static libraries from Red Hat Enterprise Linux 4.  
To compile and link against these compatibility libraries, use  
gcc34 -I /usr/lib/i386-redhat-linux4E/include \  
-B /usr/lib/i386-redhat-linux4E/lib/

**Name** : **pfmon** **Relocations:** (not relocatable)  
Version : 3.2 Vendor: CentOS  
Release : 0.060926.5.el5 Build Date: Tue 20 Jan 2009  
11:28:25 PM EST  
Install Date: Mon 19 Dec 2011 12:34:13 PM EST Build Host:  
builder16.centos.org  
Group : Development/Tools Source RPM: pfmon-3.2-  
0.060926.5.el5.src.rpm  
Size : 1483649 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:48:55 PM EDT, Key ID  
a8a447dce8562897  
Summary : a performance monitoring tool for Linux/ia64  
Description :  
This package contains pfmon 3.x, a tool to monitor performance using the Performance Monitor Unit (PMU). Pfmon can monitor standalone programs or the entire system on both UP and SMP Linux systems. This version of pfmon requires a kernel perfmon-2.x (found in 2.6 kernels) subsystem to function properly.

**Name** : **libmng-devel** **Relocations:** (not relocatable)  
Version : 1.0.9 Vendor: CentOS  
Release : 5.1 Build Date: Sun 07 Jan 2007  
05:42:01 AM EST  
Install Date: Mon 19 Dec 2011 12:34:13 PM EST Build Host:  
builder5.centos.org  
Group : Development/Libraries Source RPM: libmng-1.0.9-  
5.1.src.rpm  
Size : 234843 License: BSD-like  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:36 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.libmng.com/>  
Summary : Development files for the Multiple-image Network Graphics library  
Description :  
LibMNG is a library for accessing MNG and JNG format graphics. The libmng-devel package contains files needed for developing or compiling applications which use MNG graphics.

**Name** : **netpbm-devel** **Relocations:** (not relocatable)  
Version : 10.35.58 Vendor: CentOS  
Release : 8.el5 Build Date: Thu 03 Sep 2009  
10:09:32 AM EDT  
Install Date: Mon 19 Dec 2011 12:34:15 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: netpbm-10.35.58-  
8.el5.src.rpm  
Size : 387073 License: BSD and GPLv2 and IJG  
and MIT and Public Domain

Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:57 PM EDT, Key ID  
a8a447dce8562897  
URL : http://netpbm.sourceforge.net/  
Summary : Development tools for programs which will use the netpbm  
libraries  
Description :  
The netpbm-devel package contains the header files and static libraries,  
etc., for developing programs which can handle the various graphics file  
formats supported by the netpbm libraries.  
Install netpbm-devel if you want to develop programs for handling the  
graphics file formats supported by the netpbm libraries. You'll also need  
to have the netpbm package installed.

**Name : pcsc-lite-devel Relocations: (not relocatable)**  
Version : 1.4.4 Vendor: CentOS  
Release : 0.1.el5 Build Date: Sat 24 May 2008  
03:09:39 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:15 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: pcsc-lite-1.4.4-  
0.1.el5.src.rpm  
Size : 31637 License: BSD  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:39:48 PM EDT, Key ID  
a8a447dce8562897  
URL : http://pcsclite.alioth.debian.org/  
Summary : PC/SC Lite development files  
Description :  
PC/SC Lite development files.

**Name : bzip2-devel Relocations: (not relocatable)**  
Version : 1.0.3 Vendor: CentOS  
Release : 4.el5\_2 Build Date: Tue 16 Sep 2008  
09:22:29 AM EDT  
Install Date: Mon 19 Dec 2011 12:34:16 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: bzip2-1.0.3-  
4.el5\_2.src.rpm  
Size : 78735 License: BSD  
Signature : DSA/SHA1, Tue 16 Sep 2008 07:56:17 PM EDT, Key ID  
a8a447dce8562897  
URL : http://sources.redhat.com/bzip2/  
Summary : Header files and libraries for developing apps which will use  
bzip2.  
Description :  
Header files and a static library of bzip2 functions, for developing apps  
which will use the library.

**Name : perl-DateManip Relocations: (not relocatable)**  
Version : 5.44 Vendor: CentOS  
Release : 1.2.1 Build Date: Sun 21 Jan 2007  
02:47:08 PM EST  
Install Date: Mon 19 Dec 2011 12:34:16 PM EST Build Host:  
builder6.centos.org  
Group : Development/Libraries Source RPM: perl-DateManip-5.44-  
1.2.1.src.rpm  
Size : 399976 License: GPL or Artistic  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:54 PM EDT, Key ID

a8a447dce8562897

URL : <http://search.cpan.org/dist/Date-Manip/>  
Summary : A Perl module containing a wide variety of date manipulation routines

Description :

This is a set of routines designed to make any common date/time manipulation easy to do. Operations such as comparing two times, calculating a time a given amount of time from another, or parsing international times are all easily done.

**Name : automake14 Relocations: (not relocatable)**

Version : 1.4p6 Vendor: CentOS  
Release : 13 Build Date: Sat 06 Jan 2007

10:33:59 AM EST

Install Date: Mon 19 Dec 2011 12:34:17 PM EST Build Host:

builder1.centos.org

Group : Development/Tools Source RPM: automake14-1.4p6-

13.src.rpm

Size : 666077 License: GPL

Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:16 PM EDT, Key ID

a8a447dce8562897

URL : <http://sources.redhat.com/automake>

Summary : A GNU tool for automatically creating Makefiles.

Description :

Automake is a tool for automatically generating `Makefile.in' files compliant with the GNU Coding Standards. This package contains Automake 1.4, an older version of Automake. You should install it if you need to run automake in a project that has not yet been updated to work with newer versions of Automake.

**Name : db4-devel Relocations: (not relocatable)**

Version : 4.3.29 Vendor: CentOS  
Release : 10.el5 Build Date: Sat 19 Sep 2009

10:06:43 PM EDT

Install Date: Mon 19 Dec 2011 12:34:19 PM EST Build Host:

builder16.centos.org

Group : Development/Libraries Source RPM: db4-4.3.29-

10.el5.src.rpm

Size : 7615273 License: GPL

Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:28 PM EDT, Key ID

a8a447dce8562897

URL : <http://www.sleepycat.com/>

Summary : Development files for the Berkeley DB (version 4) library.

Description :

The Berkeley Database (Berkeley DB) is a programmatic toolkit that provides embedded database support for both traditional and client/server applications. This package contains the header files, libraries, and documentation for building programs which use the Berkeley DB.

**Name : expat-devel Relocations: (not relocatable)**

Version : 1.95.8 Vendor: CentOS  
Release : 8.2.1 Build Date: Sat 06 Jan 2007

08:57:00 PM EST

Install Date: Mon 19 Dec 2011 12:34:19 PM EST Build Host:

builder5.centos.org

Group : Development/Libraries Source RPM: expat-1.95.8-



8.2.1.src.rpm

Size : 376491 License: BSD  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:21:37 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.libexpat.org/  
Summary : Libraries and include files to develop XML applications with  
expat.  
Description :  
The expat-devel package contains the libraries, include files and  
documentation  
to develop XML applications with expat.

**Name : perl-XML-Grove Relocations: (not relocatable)**  
Version : 0.46alpha Vendor: CentOS  
Release : 29.1.1 Build Date: Mon 08 Jan 2007  
02:08:51 PM EST  
Install Date: Mon 19 Dec 2011 12:34:22 PM EST Build Host:  
builder5.centos.org  
Group : Development/Libraries Source RPM: perl-XML-Grove-  
0.46alpha-29.1.1.src.rpm  
Size : 125893 License: Artistic  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:55 PM EDT, Key ID  
a8a447dce8562897  
URL : http://search.cpan.org/dist/XML-Grove/  
Summary : Simple access to infoset of parsed XML, HTML, or SGML instances  
Description :  
XML::Grove is a tree-based object model for accessing the information  
set of parsed or stored XML, HTML, or SGML instances. XML::Grove  
objects are Perl hashes and arrays where you access the properties of  
the objects using normal Perl syntax.

**Name : shadow-utils Relocations: (not relocatable)**  
Version : 4.0.17 Vendor: CentOS  
Release : 14.el5 Build Date: Tue 03 Mar 2009  
11:30:44 AM EST  
Install Date: Mon 19 Dec 2011 12:34:23 PM EST Build Host:  
chamkaur.karan.org  
Group : System Environment/Base Source RPM: shadow-utils-4.0.17-  
14.el5.src.rpm  
Size : 2719079 License: BSD  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:49:14 PM EDT, Key ID  
a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
URL : http://shadow.pld.org.pl/  
Summary : Utilities for managing accounts and shadow password files.  
Description :  
The shadow-utils package includes the necessary programs for  
converting UNIX password files to the shadow password format, plus  
programs for managing user and group accounts. The pwconv command  
converts passwords to the shadow password format. The pwunconv command  
unconverts shadow passwords and generates an npasswd file (a standard  
UNIX password file). The pwck command checks the integrity of password  
and shadow files. The lastlog command prints out the last login times  
for all users. The useradd, userdel, and usermod commands are used for  
managing user accounts. The groupadd, groupdel, and groupmod commands  
are used for managing group accounts.

**Name** : **coreutils** **Relocations: (not relocatable)**  
Version : 5.97 Vendor: CentOS  
Release : 23.el5 Build Date: Thu 03 Sep 2009  
06:09:06 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:24 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: coreutils-5.97-  
23.el5.src.rpm  
Size : 9054044 License: GPLv2+  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:26 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.gnu.org/software/coreutils/>  
Summary : The GNU core utilities: a set of tools commonly used in shell  
scripts  
Description :  
These are the GNU core utilities. This package is the combination of  
the old GNU fileutils, sh-utils, and textutils packages.

**Name** : **fontconfig** **Relocations: (not relocatable)**  
Version : 2.4.1 Vendor: CentOS  
Release : 7.el5 Build Date: Sat 12 Jan 2008  
09:04:29 AM EST  
Install Date: Mon 19 Dec 2011 12:34:26 PM EST Build Host: builder6  
Group : System Environment/Libraries Source RPM: fontconfig-2.4.1-  
7.el5.src.rpm  
Size : 369845 License: MIT  
Signature : DSA/SHA1, Sat 12 Jan 2008 10:31:20 PM EST, Key ID  
a8a447dce8562897  
URL : <http://fontconfig.org>  
Summary : Font configuration and customization library  
Description :  
Fontconfig is designed to locate fonts within the  
system and select them according to requirements specified by  
applications.

**Name** : **libXft** **Relocations: (not relocatable)**  
Version : 2.1.10 Vendor: CentOS  
Release : 1.1 Build Date: Sun 07 Jan 2007  
06:34:49 AM EST  
Install Date: Mon 19 Dec 2011 12:34:28 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: libXft-2.1.10-  
1.1.src.rpm  
Size : 80248 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:44 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.x.org>  
Summary : X.Org X11 libXft runtime library  
Description :  
X.Org X11 libXft runtime library

**Name** : **alsa-lib** **Relocations: (not relocatable)**  
Version : 1.0.17 Vendor: CentOS  
Release : 1.el5 Build Date: Tue 20 Jan 2009  
10:47:23 PM EST  
Install Date: Mon 19 Dec 2011 12:34:29 PM EST Build Host:  
builder16.centos.org

Group : System Environment/Libraries Source RPM: alsa-lib-1.0.17-1.el5.src.rpm  
Size : 1153127 License: LGPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:45:16 PM EDT, Key ID a8a447dce8562897  
URL : http://www.alsa-project.org/  
Summary : The Advanced Linux Sound Architecture (ALSA) library.  
Description :  
The Advanced Linux Sound Architecture (ALSA) provides audio and MIDI functionality to the Linux operating system.  
This package includes the ALSA runtime libraries to simplify application programming and provide higher level functionality as well as support for the older OSS API, providing binary compatibility for most OSS programs.

**Name : gnome-menus Relocations: (not relocatable)**  
Version : 2.16.0 Vendor: CentOS  
Release : 2.fc6 Build Date: Sat 06 Jan 2007 07:39:41 AM EST  
Install Date: Mon 19 Dec 2011 12:34:31 PM EST Build Host: builder5.centos.org  
Group : System Environment/Libraries Source RPM: gnome-menus-2.16.0-2.fc6.src.rpm  
Size : 533432 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:31 PM EDT, Key ID a8a447dce8562897  
URL : http://www.gnome.org/  
Summary : A menu system for the GNOME project  
Description :  
gnome-menus is an implementation of the draft "Desktop Menu Specification" from freedesktop.org. This package also contains the GNOME menu layout configuration files, .directory files and assorted menu related utility programs, Python bindings, and a simple menu editor.

**Name : gd Relocations: (not relocatable)**  
Version : 2.0.33 Vendor: CentOS  
Release : 9.4.el5\_1.1 Build Date: Mon 03 Mar 2008 08:52:04 AM EST  
Install Date: Mon 19 Dec 2011 12:34:33 PM EST Build Host: builder6  
Group : System Environment/Libraries Source RPM: gd-2.0.33-9.4.el5\_1.1.src.rpm  
Size : 566478 License: BSD-style  
Signature : DSA/SHA1, Mon 03 Mar 2008 02:07:38 PM EST, Key ID a8a447dce8562897  
URL : http://www.boutell.com/gd/  
Summary : A graphics library for quick creation of PNG or JPEG images  
Description :  
The gd graphics library allows your code to quickly draw images complete with lines, arcs, text, multiple colors, cut and paste from other images, and flood fills, and to write out the result as a PNG or JPEG file. This is particularly useful in Web applications, where PNG and JPEG are two of the formats accepted for inline images by most browsers. Note that gd is not a paint program.

**Name : apr Relocations: (not relocatable)**  
Version : 1.2.7 Vendor: CentOS  
Release : 11.el5\_3.1 Build Date: Mon 10 Aug 2009

05:59:59 PM EDT

Install Date: Mon 19 Dec 2011 12:34:35 PM EST      Build Host:  
builder16.centos.org  
Group           : System Environment/Libraries      Source RPM: apr-1.2.7-  
11.el5\_3.1.src.rpm  
Size            : 264919                              License: Apache Software  
License  
Signature       : DSA/SHA1, Tue 11 Aug 2009 05:18:50 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://apr.apache.org/  
Summary         : Apache Portable Runtime library  
Description :  
The mission of the Apache Portable Runtime (APR) is to provide a  
free library of C data structures and routines, forming a system  
portability layer to as many operating systems as possible,  
including Unices, MS Win32, BeOS and OS/2.

**Name            : mesa-libGLU                              Relocations: (not relocatable)**

Version         : 6.5.1                              Vendor: CentOS  
Release         : 7.7.el5                            Build Date: Wed 21 Jan 2009  
12:22:37 AM EST  
Install Date: Mon 19 Dec 2011 12:34:35 PM EST      Build Host:  
builder16.centos.org  
Group           : System Environment/Libraries      Source RPM: mesa-6.5.1-  
7.7.el5.src.rpm  
Size            : 524008                              License: MIT/X11  
Signature       : DSA/SHA1, Sun 08 Mar 2009 09:46:55 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.mesa3d.org  
Summary         : Mesa libGLU runtime library  
Description :  
Mesa libGLU runtime library

**Name            : e2fsprogs                                Relocations: (not relocatable)**

Version         : 1.39                              Vendor: CentOS  
Release         : 23.el5                            Build Date: Thu 03 Sep 2009  
03:56:48 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:36 PM EST      Build Host:  
builder16.centos.org  
Group           : System Environment/Base            Source RPM: e2fsprogs-1.39-  
23.el5.src.rpm  
Size            : 2209547                            License: GPL  
Signature       : DSA/SHA1, Sat 19 Sep 2009 11:53:29 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://e2fsprogs.sourceforge.net/  
Summary         : Utilities for managing the second and third extended  
(ext2/ext3) filesystems  
Description :  
The e2fsprogs package contains a number of utilities for creating,  
checking, modifying, and correcting any inconsistencies in second  
and third extended (ext2/ext3) filesystems. E2fsprogs contains  
e2fsck (used to repair filesystem inconsistencies after an unclean  
shutdown), mke2fs (used to initialize a partition to contain an  
empty ext2 filesystem), debugfs (used to examine the internal  
structure of a filesystem, to manually repair a corrupted  
filesystem, or to create test cases for e2fsck), tune2fs (used to  
modify filesystem parameters), and most of the other core ext2fs

filesystem utilities.

You should install the e2fsprogs package if you need to manage the performance of an ext2 and/or ext3 filesystem.

**Name** : **kpartx** **Relocations:** (not relocatable)  
Version : 0.4.7 Vendor: CentOS  
Release : 30.el5 Build Date: Thu 03 Sep 2009  
07:07:23 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:37 PM EST Build Host:  
builder10.centos.org  
Group : System Environment/Base Source RPM: device-mapper-  
multipath-0.4.7-30.el5.src.rpm  
Size : 887950 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:48 PM EDT, Key ID  
a8a447dce8562897  
URL : http://christophe.varoqui.free.fr/  
Summary : Partition device manager for device-mapper devices.  
Description :  
kpartx manages partition creation and removal for device-mapper devices.

**Name** : **sgml-common** **Relocations:** (not relocatable)  
Version : 0.6.3 Vendor: CentOS  
Release : 18 Build Date: Sat 06 Jan 2007  
01:44:08 AM EST  
Install Date: Mon 19 Dec 2011 12:34:37 PM EST Build Host:  
builder1.centos.org  
Group : Applications/Text Source RPM: sgml-common-0.6.3-  
18.src.rpm  
Size : 134158 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:40 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.iso.ch/cate/3524030.html  
Summary : Common SGML catalog and DTD files.  
Description :  
The sgml-common package contains a collection of entities and DTDs  
that are useful for processing SGML, but that don't need to be  
included in multiple packages. Sgml-common also includes an  
up-to-date Open Catalog file.

**Name** : **libxslt-devel** **Relocations:** /usr  
Version : 1.1.17 Vendor: CentOS  
Release : 2.el5\_2.2 Build Date: Thu 31 Jul 2008  
02:49:33 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:38 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: libxslt-1.1.17-  
2.el5\_2.2.src.rpm  
Size : 1031408 License: MIT  
Signature : DSA/SHA1, Thu 31 Jul 2008 05:39:08 PM EDT, Key ID  
a8a447dce8562897  
URL : http://xmlsoft.org/XSLT/  
Summary : Libraries, includes, etc. to embed the Gnome XSLT engine  
Description :  
This C library allows to transform XML files into other XML files  
(or HTML, text, ...) using the standard XSLT stylesheet transformation  
mechanism. To use it you need to have a version of libxml2 >= 2.6.25  
installed.

**Name** : **ghostscript-fonts** **Relocations:** (not relocatable)  
Version : 5.50 Vendor: CentOS  
Release : 13.1.1 Build Date: Sat 06 Jan 2007  
01:57:56 PM EST  
Install Date: Mon 19 Dec 2011 12:34:44 PM EST Build Host:  
builder3.centos.org  
Group : Applications/Publishing Source RPM: ghostscript-fonts-  
5.50-13.1.1.src.rpm  
Size : 1501946 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:09 PM EDT, Key ID  
a8a447dce8562897  
URL : http://gnu-gs.sourceforge.net/  
Summary : Fonts for the Ghostscript PostScript(TM) interpreter.  
Description :  
Ghostscript-fonts contains a set of fonts that Ghostscript, a  
PostScript interpreter, uses to render text. These fonts are in  
addition to the fonts shared by Ghostscript and the X Window System.  
You'll need to install ghostscript-fonts if you're installing  
ghostscript.

**Name** : **elfutils-libelf-devel** **Relocations:** (not relocatable)  
Version : 0.137 Vendor: CentOS  
Release : 3.el5 Build Date: Wed 21 Jan 2009  
12:03:44 AM EST  
Install Date: Mon 19 Dec 2011 12:34:47 PM EST Build Host:  
builder10.centos.org  
Group : Development/Tools Source RPM: elfutils-0.137-  
3.el5.src.rpm  
Size : 31304 License: GPLv2 with exceptions  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:45:26 PM EDT, Key ID  
a8a447dce8562897  
URL : https://fedorahosted.org/elfutils/  
Summary : Development support for libelf  
Description :  
The elfutils-libelf-devel package contains the libraries to create  
applications for handling compiled objects. libelf allows you to  
access the internals of the ELF object file format, so you can see the  
different sections of an ELF file.

**Name** : **gnome-doc-utils** **Relocations:** (not relocatable)  
Version : 0.8.0 Vendor: CentOS  
Release : 2.fc6 Build Date: Sat 06 Jan 2007  
05:40:13 AM EST  
Install Date: Mon 19 Dec 2011 12:34:47 PM EST Build Host:  
builder3.centos.org  
Group : Development/Tools Source RPM: gnome-doc-utils-  
0.8.0-2.fc6.src.rpm  
Size : 1968130 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:28 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnome.org/  
Summary : Documentation utilities for the GNOME project  
Description :  
gnome-doc-utils is a collection of documentation utilities for the GNOME  
project. Notably, it contains utilities for building documentation and  
all auxiliary files in your source tree, and it contains the DocBook

XSLT stylesheets that were once distributed with Yelp.

**Name** : **gtk2** **Relocations: (not relocatable)**  
Version : 2.10.4 Vendor: CentOS  
Release : 20.el5 Build Date: Sat 24 May 2008  
11:55:20 AM EDT  
Install Date: Mon 19 Dec 2011 12:34:53 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: gtk2-2.10.4-  
20.el5.src.rpm  
Size : 19549922 License: LGPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:32:49 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gtk.org  
Summary : The GIMP ToolKit (GTK+), a library for creating GUIs for X  
Description :  
GTK+ is a multi-platform toolkit for creating graphical user  
interfaces. Offering a complete set of widgets, GTK+ is suitable for  
projects ranging from small one-off tools to complete application  
suites.

**Name** : **libglade2** **Relocations: (not relocatable)**  
Version : 2.6.0 Vendor: CentOS  
Release : 2 Build Date: Sat 06 Jan 2007  
08:32:44 PM EST  
Install Date: Mon 19 Dec 2011 12:34:54 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: libglade2-2.6.0-  
2.src.rpm  
Size : 259751 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:28 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnome.org  
Summary : The libglade library for loading user interfaces.  
Description :  
Libglade is a small library that allows a program to load its user  
interface from an XML description at runtime. Libglade uses the XML  
file format used by the GLADE user interface builder GLADE, so  
libglade acts as an alternative to GLADE's code generation  
approach. Libglade also provides a simple interface for connecting  
handlers to the various signals in the interface (on platforms where  
the gmodule library works correctly, it is possible to connect all the  
handlers with a single function call). Once the interface has been  
instantiated, libglade gives no overhead, so other than the short  
initial interface loading time, there is no performance tradeoff.

**Name** : **at-spi** **Relocations: (not relocatable)**  
Version : 1.7.11 Vendor: CentOS  
Release : 3.el5 Build Date: Sat 24 May 2008  
03:11:37 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:55 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: at-spi-1.7.11-  
3.el5.src.rpm  
Size : 915667 License: LGPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:29:31 PM EDT, Key ID  
a8a447dce8562897

URL : <http://developer.gnome.org/projects/gap/>  
Summary : Assistive Technology Service Provider Interface  
Description :  
at-spi allows assistive technologies to access GTK-based applications. Essentially it exposes the internals of applications for automation, so tools such as screen readers, magnifiers, or even scripting interfaces can query and interact with GUI controls.

**Name** : **gettext** **Relocations:** (not relocatable)  
Version : 0.14.6 Vendor: CentOS  
Release : 4.el5 Build Date: Wed 21 Mar 2007  
04:58:59 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:01 PM EST Build Host:  
builder4.centos.org  
Group : Development/Tools Source RPM: gettext-0.14.6-  
4.el5.src.rpm  
Size : 3957159 License: GPL/LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:07 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.gnu.org/software/gettext/>  
Summary : GNU libraries and utilities for producing multi-lingual  
messages.

Description :  
The GNU gettext package provides a set of tools and documentation for producing multi-lingual messages in programs. Tools include a set of conventions about how programs should be written to support message catalogs, a directory and file naming organization for the message catalogs, a runtime library which supports the retrieval of translated messages, and stand-alone programs for handling the translatable and the already translated strings. Gettext provides an easy to use library and tools for creating, using, and modifying natural language catalogs and is a powerful and simple method for internationalizing programs.

**Name** : **libsemanage** **Relocations:** (not relocatable)  
Version : 1.9.1 Vendor: CentOS  
Release : 4.4.el5 Build Date: Thu 03 Sep 2009  
06:49:10 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:01 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: libsemanage-1.9.1-  
4.4.el5.src.rpm  
Size : 389429 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:53 PM EDT, Key ID  
a8a447dce8562897  
Summary : SELinux binary policy manipulation library

Description :  
Security-enhanced Linux is a feature of the Linux-« kernel and a number of utilities with enhanced security functionality designed to add mandatory access controls to Linux. The Security-enhanced Linux kernel contains new architectural components originally developed to improve the security of the Flask operating system. These architectural components provide general support for the enforcement of many kinds of mandatory access control policies, including those based on the concepts of Type Enforcement-«, Role-based Access Control, and Multi-level Security.  
libsemanage provides an API for the manipulation of SELinux binary policies.



It is used by checkpolicy (the policy compiler) and similar tools, as well as by programs like load\_policy that need to perform specific transformations on binary policies such as customizing policy boolean settings.

**Name** : libgssapi **Relocations:** (not relocatable)  
Version : 0.10 Vendor: CentOS  
Release : 2 Build Date: Wed 21 Mar 2007  
09:43:46 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:02 PM EST Build Host:  
builder4.centos.org  
Group : System Environment/Libraries Source RPM: libgssapi-0.10-  
2.src.rpm  
Size : 35574 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:32 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.citi.umich.edu/projects/nfsv4/linux/  
Summary : Generic Security Services Application Programming Interface  
Library  
Description :  
This library exports a gssapi interface, but doesn't implement any gssapi  
mechanisms itself; instead it calls gssapi routines in other libraries,  
depending on the mechanism.

**Name** : libutempter **Relocations:** (not relocatable)  
Version : 1.1.4 Vendor: CentOS  
Release : 4.el5 Build Date: Thu 26 Feb 2009  
05:46:57 PM EST  
Install Date: Mon 19 Dec 2011 12:35:04 PM EST Build Host:  
chamkaur.karan.org  
Group : System Environment/Libraries Source RPM: libutempter-1.1.4-  
4.el5.src.rpm  
Size : 36452 License: LGPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:46:50 PM EDT, Key ID  
a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
URL : ftp://ftp.altlinux.org/pub/people/ldv/utempter  
Summary : A privileged helper for utmp/wtmp updates  
Description :  
This library provides interface for terminal emulators such as  
screen and xterm to record user sessions to utmp and wtmp files.

**Name** : pyspi **Relocations:** (not relocatable)  
Version : 0.6.1 Vendor: CentOS  
Release : 1.el5 Build Date: Sat 06 Jan 2007  
12:12:42 AM EST  
Install Date: Mon 19 Dec 2011 12:35:04 PM EST Build Host:  
builder5.centos.org  
Group : Development/Languages Source RPM: pyspi-0.6.1-  
1.el5.src.rpm  
Size : 421999 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:08 PM EDT, Key ID  
a8a447dce8562897  
URL : http://people.redhat.com/zcerza/dogtail/  
Summary : Python bindings for AT-SPI  
Description :  
AT-SPI allows assistive technologies to access GTK-based applications. It  
exposes the internals of applications for automation, so tools such as screen

readers and scripting interfaces can query and interact with GUI controls. pyspi allows the Python language to be used to script AT-SPI-aware applications (currently mostly GTK+ based.)

**Name** : **gtkspell** **Relocations:** (not relocatable)  
Version : 2.0.11 Vendor: CentOS  
Release : 2.1 Build Date: Sun 07 Jan 2007  
02:15:18 AM EST  
Install Date: Mon 19 Dec 2011 12:35:07 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: gtkspell-2.0.11-  
2.1.src.rpm  
Size : 56831 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:43 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://gtkspell.sourceforge.net/>  
Summary : GtkSpell provides on-the-fly spell checking for GtkTextView  
widgets.  
Description :  
GtkSpell provides word-processor-style highlighting and replacement of  
misspelled words in a GtkTextView widget as you type. Right-clicking a  
misspelled word pops up a menu of suggested replacements.

**Name** : **opensp** **Relocations:** (not relocatable)  
Version : 1.5.2 Vendor: CentOS  
Release : 4 Build Date: Sat 06 Jan 2007  
11:32:38 AM EST  
Install Date: Mon 19 Dec 2011 12:35:07 PM EST Build Host:  
builder5.centos.org  
Group : Applications/Text Source RPM: opensp-1.5.2-  
4.src.rpm  
Size : 3015122 License: Distributable  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:48 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://openjade.sourceforge.net/>  
Summary : SGML and XML parser  
Description :  
OpenSP is an implementation of the ISO/IEC 8879:1986 standard SGML  
(Standard Generalized Markup Language). OpenSP is based on James  
Clark's SP implementation of SGML. OpenSP is a command-line  
application and a set of components, including a generic API.

**Name** : **libxslt-python** **Relocations:** /usr  
Version : 1.1.17 Vendor: CentOS  
Release : 2.el5\_2.2 Build Date: Thu 31 Jul 2008  
02:49:33 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:08 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: libxslt-1.1.17-  
2.el5\_2.2.src.rpm  
Size : 312851 License: MIT  
Signature : DSA/SHA1, Thu 31 Jul 2008 05:39:08 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://xmlsoft.org/XSLT/>  
Summary : Python bindings for the libxslt library  
Description :  
The libxslt-python package contains a module that permits applications

written in the Python programming language to use the interface supplied by the libxslt library to apply XSLT transformations. This library allows to parse stylesheets, uses the libxml2-python to load and save XML and HTML files. Direct access to XPath and the XSLT transformation context are possible to extend the XSLT language with XPath functions written in Python.

**Name** : **ntsysv** **Relocations:** (not relocatable)  
Version : 1.3.30.1 Vendor: CentOS  
Release : 2 Build Date: Sat 24 May 2008  
10:46:48 AM EDT  
Install Date: Mon 19 Dec 2011 12:35:09 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: chkconfig-1.3.30.1-  
2.src.rpm  
Size : 20892 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:37:13 PM EDT, Key ID  
a8a447dce8562897  
Summary : A tool to set the stop/start of system services in a runlevel.  
Description :  
Ntsysv provides a simple interface for setting which system services are started or stopped in various runlevels (instead of directly manipulating the numerous symbolic links in /etc/rc.d). Unless you specify a runlevel or runlevels on the command line (see the man page), ntsysv configures the current runlevel (5 if you're using X).

**Name** : **python-ldap** **Relocations:** (not relocatable)  
Version : 2.2.0 Vendor: CentOS  
Release : 2.1 Build Date: Tue 09 Jan 2007  
02:10:15 PM EST  
Install Date: Mon 19 Dec 2011 12:35:09 PM EST Build Host:  
builder6.centos.org  
Group : System Environment/Libraries Source RPM: python-ldap-2.2.0-  
2.1.src.rpm  
Size : 508824 License: PSF - see LICENCE  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:10 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://python-ldap.sourceforge.net/>  
Summary : An object-oriented API to access LDAP directory servers.  
Description :  
python-ldap provides an object-oriented API for working with LDAP within Python programs. It allows access to LDAP directory servers by wrapping the OpenLDAP 2.x libraries, and contains modules for other LDAP-related tasks (including processing LDIF, LDAPURLs, LDAPv3 schema, etc.).

**Name** : **python-sqlite** **Relocations:** (not relocatable)  
Version : 1.1.7 Vendor: CentOS  
Release : 1.2.1 Build Date: Sat 06 Jan 2007  
05:35:38 AM EST  
Install Date: Mon 19 Dec 2011 12:35:12 PM EST Build Host:  
builder5.centos.org  
Group : Development/Libraries Source RPM: python-sqlite-1.1.7-  
1.2.1.src.rpm  
Size : 117252 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:10 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://pysqlite.org/>

Summary : Python bindings for sqlite.  
Description :  
This packages allows you to use sqlite with python.  
sqlite is a simple database engine.

**Name** : **pygtk2** **Relocations:** (not relocatable)  
Version : 2.10.1 Vendor: CentOS  
Release : 12.el5 Build Date: Sat 24 May 2008  
05:08:07 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:13 PM EST Build Host:  
builder16.centos.org  
Group : Development/Languages Source RPM: pygtk2-2.10.1-  
12.el5.src.rpm  
Size : 3760281 License: LGPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:40:05 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.pygtk.org/  
Summary : Python bindings for the GTK+ widget set.  
Description :  
PyGTK is an extension module for python that gives you access to the GTK+  
widget set. Just about anything you can write in C with GTK+ you can write  
in python with PyGTK (within reason), but with all the benefits of python.

**Name** : **libuser** **Relocations:** (not relocatable)  
Version : 0.54.7 Vendor: CentOS  
Release : 2.el5.5 Build Date: Sat 24 May 2008  
08:52:45 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:15 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: libuser-0.54.7-  
2.el5.5.src.rpm  
Size : 1591979 License: LGPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:36:26 PM EDT, Key ID  
a8a447dce8562897  
Summary : A user and group account administration library.  
Description :  
The libuser library implements a standardized interface for manipulating  
and administering user and group accounts. The library uses pluggable  
back-ends to interface to its data sources.  
Sample applications modeled after those included with the shadow password  
suite are included.

**Name** : **passwd** **Relocations:** (not relocatable)  
Version : 0.73 Vendor: CentOS  
Release : 1 Build Date: Sat 06 Jan 2007  
11:03:50 AM EST  
Install Date: Mon 19 Dec 2011 12:35:16 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Base Source RPM: passwd-0.73-1.src.rpm  
Size : 23441 License: BSD  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:50 PM EDT, Key ID  
a8a447dce8562897  
Summary : The passwd utility for setting/changing passwords using PAM  
Description :  
The passwd package contains a system utility (passwd) which sets  
and/or changes passwords, using PAM (Pluggable Authentication  
Modules).

To use passwd, you should have PAM installed on your system.

**Name** : **at** **Relocations: (not relocatable)**  
Version : 3.1.8 Vendor: CentOS  
Release : 82.fc6 Build Date: Sat 06 Jan 2007  
12:01:13 AM EST  
Install Date: Mon 19 Dec 2011 12:35:17 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Daemons Source RPM: at-3.1.8-  
82.fc6.src.rpm  
Size : 78943 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:15 PM EDT, Key ID  
a8a447dce8562897  
Summary : Job spooling tools.  
Description :  
At and batch read commands from standard input or from a specified  
file. At allows you to specify that a command will be run at a  
particular time. Batch will execute commands when the system load  
levels drop to a particular level. Both commands use /bin/sh.  
You should install the at package if you need a utility for  
time-oriented job control. Note: If it is a recurring job that will  
need to be repeated at the same time every day/week, etc. you should  
use crontab instead.

**Name** : **pyorbit** **Relocations: (not relocatable)**  
Version : 2.14.1 Vendor: CentOS  
Release : 3.el5 Build Date: Mon 21 Sep 2009  
07:54:05 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:18 PM EST Build Host:  
builder16.centos.org  
Group : Development/Languages Source RPM: pyorbit-2.14.1-  
3.el5.src.rpm  
Size : 103369 License: LGPL  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:07 PM EDT, Key ID  
a8a447dce8562897  
Summary : Python bindings for ORBit2.  
Description :  
pyorbit is an extension module for python that gives you access  
to the ORBit2 CORBA ORB.

**Name** : **wireshark** **Relocations: (not relocatable)**  
Version : 1.0.8 Vendor: CentOS  
Release : 1.el5\_3.1 Build Date: Tue 16 Jun 2009  
07:00:21 AM EDT  
Install Date: Mon 19 Dec 2011 12:35:20 PM EST Build Host:  
builder16.centos.org  
Group : Applications/Internet Source RPM: wireshark-1.0.8-  
1.el5\_3.1.src.rpm  
Size : 42118359 License: GPL  
Signature : DSA/SHA1, Fri 19 Jun 2009 06:59:43 AM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.wireshark.org/>  
Summary : Network traffic analyzer  
Description :  
Wireshark is a network traffic analyzer for Unix-ish operating systems.  
This package lays base for libpcap, a packet capture and filtering  
library, contains command-line utilities, contains plugins and

documentation for wireshark. A graphical user interface is packaged separately to GTK+ package.

**Name** : **bind-libs** **Relocations:** (not relocatable)  
Version : 9.3.6 Vendor: CentOS  
Release : 4.P1.el5 Build Date: Thu 03 Sep 2009  
09:37:48 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:23 PM EST Build Host:  
builder16.centos.org  
Group : Applications/System Source RPM: bind-9.3.6-  
4.P1.el5.src.rpm  
Size : 2049092 License: BSD-like  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:26 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.isc.org/products/BIND/>  
Summary : Libraries used by the BIND DNS packages  
Description :  
Contains libraries used by both the bind server package as well as the utils  
packages.

**Name** : **cyrus-sasl-md5** **Relocations:** (not relocatable)  
Version : 2.1.22 Vendor: CentOS  
Release : 5.el5 Build Date: Thu 03 Sep 2009  
08:04:59 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:24 PM EST Build Host:  
builder10.centos.org  
Group : System Environment/Libraries Source RPM: cyrus-sasl-2.1.22-  
5.el5.src.rpm  
Size : 65767 License: Freely Distributable  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:28 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://asg.web.cmu.edu/sasl/sasl-library.html>  
Summary : CRAM-MD5 and DIGEST-MD5 support for Cyrus SASL.  
Description :  
The cyrus-sasl-md5 package contains the Cyrus SASL plugins which support  
CRAM-MD5 and DIGEST-MD5 authentication schemes.

**Name** : **mtools** **Relocations:** (not relocatable)  
Version : 3.9.10 Vendor: CentOS  
Release : 2.fc6 Build Date: Sat 06 Jan 2007  
07:09:29 PM EST  
Install Date: Mon 19 Dec 2011 12:35:25 PM EST Build Host:  
builder5.centos.org  
Group : Applications/System Source RPM: mtools-3.9.10-  
2.fc6.src.rpm  
Size : 326859 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:25:08 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://mtools.linux.lu/>  
Summary : Programs for accessing MS-DOS disks without mounting the disks.  
Description :  
Mtools is a collection of utilities for accessing MS-DOS files.  
Mtools allow you to read, write and move around MS-DOS filesystem  
files (normally on MS-DOS floppy disks). Mtools supports Windows95  
style long file names, OS/2 XDF disks, and 2m disks.  
Mtools should be installed if you need to use MS-DOS disks.

**Name** : **device-mapper-multipath** **Relocations:** (not relocatable)  
Version : 0.4.7 Vendor: CentOS  
Release : 30.el5 Build Date: Thu 03 Sep 2009  
07:07:23 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:26 PM EST Build Host:  
builder10.centos.org  
Group : System Environment/Base Source RPM: device-mapper-  
multipath-0.4.7-30.el5.src.rpm  
Size : 6376032 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:29 PM EDT, Key ID  
a8a447dce8562897  
URL : http://christophe.varoqui.free.fr/  
Summary : Tools to manage multipath devices using device-mapper.  
Description :  
device-mapper-multipath provides tools to manage multipath devices by  
instructing the  
device-mapper multipath kernel module what to do.  
The tools are :  
\* multipath : Scan the system for multipath devices and assemble them.  
\* multipathd : Detects when paths fail and execs multipath to update things.

**Name** : **udev** **Relocations:** (not relocatable)  
Version : 095 Vendor: CentOS  
Release : 14.21.el5 Build Date: Thu 03 Sep 2009  
06:25:43 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:28 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: udev-095-  
14.21.el5.src.rpm  
Size : 5202728 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:55:10 PM EDT, Key ID  
a8a447dce8562897  
URL : http://kernel.org/pub/linux/utils/kernel/hotplug/  
Summary : A userspace implementation of devfs  
Description :  
The udev package contains an implementation of devfs in  
userspace using sysfs and netlink.

**Name** : **which** **Relocations:** /usr  
Version : 2.16 Vendor: CentOS  
Release : 7 Build Date: Sat 06 Jan 2007  
08:16:44 PM EST  
Install Date: Mon 19 Dec 2011 12:35:30 PM EST Build Host:  
builder1.centos.org  
Group : Applications/System Source RPM: which-2.16-7.src.rpm  
Size : 31385 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:28 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.xs4all.nl/~carlo17/which/  
Summary : Displays where a particular program in your path is located.  
Description :  
The which command shows the full pathname of a specified program, if  
the specified program is in your PATH.

**Name** : **vte** **Relocations:** (not relocatable)  
Version : 0.14.0 Vendor: CentOS  
Release : 2.el5 Build Date: Wed 14 Mar 2007

11:21:32 PM EDT

Install Date: Mon 19 Dec 2011 12:35:32 PM EST      Build Host:  
builder5.centos.org  
Group           : User Interface/X                   Source RPM: vte-0.14.0-  
2.el5.src.rpm  
Size            : 1026674                            License: LGPL  
Signature      : DSA/SHA1, Tue 03 Apr 2007 08:28:27 PM EDT, Key ID  
a8a447dce8562897  
Summary        : A terminal emulator  
Description     :  
VTE is a terminal emulator widget for use with GTK+ 2.0.

**Name            : vixie-cron                           Relocations: (not relocatable)**  
Version        : 4.1                                Vendor: CentOS  
Release        : 76.el5                            Build Date: Thu 26 Feb 2009  
05:27:41 PM EST  
Install Date: Mon 19 Dec 2011 12:35:37 PM EST      Build Host:  
chamkaur.karan.org  
Group           : System Environment/Base          Source RPM: vixie-cron-4.1-  
76.el5.src.rpm  
Size            : 633357                            License: distributable  
Signature      : DSA/SHA1, Sun 08 Mar 2009 09:49:22 PM EDT, Key ID  
a8a447dce8562897  
Packager       : Karanbir Singh <kbsingh@karan.org>  
Summary        : The Vixie cron daemon for executing specified programs at set  
times.  
Description     :  
The vixie-cron package contains the Vixie version of cron. Cron is a  
standard UNIX daemon that runs specified programs at scheduled times.  
Vixie cron adds better security and more powerful configuration  
options to the standard version of cron.

**Name            : sendmail                           Relocations: (not relocatable)**  
Version        : 8.13.8                            Vendor: CentOS  
Release        : 2.el5                            Build Date: Wed 14 Mar 2007  
08:00:29 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:40 PM EST      Build Host:  
builder5.centos.org  
Group           : System Environment/Daemons       Source RPM: sendmail-8.13.8-  
2.el5.src.rpm  
Size            : 1370586                          License: Sendmail  
Signature      : DSA/SHA1, Tue 03 Apr 2007 08:27:39 PM EDT, Key ID  
a8a447dce8562897  
Summary        : A widely used Mail Transport Agent (MTA).  
Description     :  
The Sendmail program is a very widely used Mail Transport Agent (MTA).  
MTAs send mail from one machine to another. Sendmail is not a client  
program, which you use to read your email. Sendmail is a  
behind-the-scenes program which actually moves your email over  
networks or the Internet to where you want it to go.  
If you ever need to reconfigure Sendmail, you will also need to have  
the sendmail.cf package installed. If you need documentation on  
Sendmail, you can install the sendmail-doc package.

**Name            : foomatic                           Relocations: (not relocatable)**  
Version        : 3.0.2                            Vendor: CentOS  
Release        : 38.3.el5                          Build Date: Thu 03 Sep 2009



08:42:40 AM EDT

Install Date: Mon 19 Dec 2011 12:35:55 PM EST      Build Host:  
builder16.centos.org  
Group           : System Environment/Libraries      Source RPM: foomatic-3.0.2-  
38.3.el5.src.rpm  
Size            : 36957956                            License: GPL  
Signature      : DSA/SHA1, Sat 19 Sep 2009 11:53:34 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.linuxprinting.org  
Summary        : Foomatic printer database.  
Description    :  
Foomatic is a comprehensive, spooler-independent database of printers,  
printer drivers, and driver descriptions. It contains utilities to  
generate driver description files and printer queues for CUPS, LPD,  
LPRng, and PDQ using the database. There is also the possibility to  
read the PDL options out of PDL-capable laser printers and take them  
into account at the driver description file generation.  
There are spooler-independent command line interfaces to manipulate  
queues (foomatic-configure) and to print files/manipulate jobs  
(foomatic printjob).  
The site http://www.linuxprinting.org/ is based on this database.

**Name            : fetchmail                            Relocations: (not relocatable)**  
Version         : 6.3.6                                Vendor: CentOS  
Release         : 1.1.el5                             Build Date: Sun 29 Jul 2007  
10:01:52 AM EDT  
Install Date: Mon 19 Dec 2011 12:35:56 PM EST      Build Host:  
builder4.centos.org  
Group           : Applications/Internet             Source RPM: fetchmail-6.3.6-  
1.1.el5.src.rpm  
Size            : 1358306                             License: GPL  
Signature      : DSA/SHA1, Sun 29 Jul 2007 11:04:26 AM EDT, Key ID  
a8a447dce8562897  
URL             : http://fetchmail.berlios.de/  
Summary        : A remote mail retrieval and forwarding utility  
Description    :  
Fetchmail is a remote mail retrieval and forwarding utility intended  
for use over on-demand TCP/IP links, like SLIP or PPP connections.  
Fetchmail supports every remote-mail protocol currently in use on the  
Internet (POP2, POP3, RPOP, APOP, KPOP, all IMAPs, ESMTP ETRN, IPv6,  
and IPSEC) for retrieval. Then Fetchmail forwards the mail through  
SMTP so you can read it through your favorite mail client.  
Install fetchmail if you need to retrieve mail over SLIP or PPP  
connections.

**Name            : rhgb                                 Relocations: (not relocatable)**  
Version         : 0.16.4                                Vendor: CentOS  
Release         : 8.el5.centos.3                     Build Date: Sun 08 Mar 2009  
08:16:32 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:57 PM EST      Build Host:  
chamkaur.karan.org  
Group           : System Environment/Base             Source RPM: rhgb-0.16.4-  
8.el5.centos.3.src.rpm  
Size            : 389052                                License: GPL  
Signature      : DSA/SHA1, Sun 08 Mar 2009 09:49:01 PM EDT, Key ID  
a8a447dce8562897  
Packager        : Karanbir Singh <kbsingh@karan.org>

URL : <http://www.redhat.com/>  
Summary : CentOS Graphical Boot  
Description :  
CentOS Graphical Boot provides a clean and simple interface to the boot process

**Name** : **openssh-askpass** **Relocations:** (not relocatable)  
Version : 4.3p2 Vendor: CentOS  
Release : 36.el5 Build Date: Thu 03 Sep 2009  
02:12:42 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:59 PM EST Build Host:  
builder10.centos.org  
Group : Applications/Internet Source RPM: openssh-4.3p2-  
36.el5.src.rpm  
Size : 10080 License: BSD  
Signature : DSA/SHA1, Wed 09 Sep 2009 11:54:11 AM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.openssh.com/portable.html>  
Summary : A passphrase dialog for OpenSSH and X  
Description :  
OpenSSH is a free version of SSH (Secure SHell), a program for logging into and executing commands on a remote machine. This package contains an X11 passphrase dialog for OpenSSH.

**Name** : **webalizer** **Relocations:** (not relocatable)  
Version : 2.01\_10 Vendor: CentOS  
Release : 30.1 Build Date: Mon 08 Jan 2007  
11:16:07 PM EST  
Install Date: Mon 19 Dec 2011 12:36:00 PM EST Build Host:  
builder4.centos.org  
Group : Applications/Internet Source RPM: webalizer-2.01\_10-  
30.1.src.rpm  
Size : 257670 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:27 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.mrunix.net/webalizer/>  
Summary : A flexible Web server log file analysis program.  
Description :  
The Webalizer is a Web server log analysis program. It is designed to scan Web server log files in various formats and produce usage statistics in HTML format for viewing through a browser. It produces professional looking graphs which make analyzing when and where your Web traffic is coming from easy.

**Name** : **krb5-workstation** **Relocations:** (not relocatable)  
Version : 1.6.1 Vendor: CentOS  
Release : 36.el5 Build Date: Thu 03 Sep 2009  
09:02:46 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:02 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: krb5-1.6.1-  
36.el5.src.rpm  
Size : 1649886 License: MIT, freely  
distributable.  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:48 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://web.mit.edu/kerberos/www/>

Summary : Kerberos 5 programs for use on workstations.

Description :

Kerberos is a network authentication system. The krb5-workstation package contains the basic Kerberos programs (kinit, klist, kdestroy, kpasswd). If your network uses Kerberos, this package should be installed on every workstation.

**Name** : **acpid** **Relocations:** (not relocatable)  
Version : 1.0.4 Vendor: CentOS  
Release : 9.el5 Build Date: Wed 09 Sep 2009  
06:39:03 AM EDT  
Install Date: Mon 19 Dec 2011 12:36:02 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Daemons Source RPM: acpid-1.0.4-  
9.el5.src.rpm  
Size : 37181 License: GPLv2+  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:24 PM EDT, Key ID  
a8a447dce8562897  
URL : http://acpid.sourceforge.net/  
Summary : ACPI Event Daemon  
Description :  
acpid is a daemon that dispatches ACPI events to user-space programs.

**Name** : **rp-pppoe** **Relocations:** (not relocatable)  
Version : 3.5 Vendor: CentOS  
Release : 32.1 Build Date: Sun 07 Jan 2007  
12:17:01 AM EST  
Install Date: Mon 19 Dec 2011 12:36:03 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Daemons Source RPM: rp-pppoe-3.5-  
32.1.src.rpm  
Size : 229533 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:24 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.roaringpenguin.com/pppoe/  
Summary : A PPP over Ethernet client (for xDSL support).  
Description :  
PPPoE (Point-to-Point Protocol over Ethernet) is a protocol used by many ADSL Internet Service Providers. This package contains the Roaring Penguin PPPoE client, a user-mode program that does not require any kernel modifications. It is fully compliant with RFC 2516, the official PPPoE specification.

**Name** : **vnc** **Relocations:** (not relocatable)  
Version : 4.1.2 Vendor: CentOS  
Release : 14.el5\_3.1 Build Date: Tue 24 Mar 2009  
08:03:02 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:03 PM EST Build Host:  
builder10.centos.org  
Group : User Interface/Desktops Source RPM: vnc-4.1.2-  
14.el5\_3.1.src.rpm  
Size : 354612 License: GPL  
Signature : DSA/SHA1, Wed 25 Mar 2009 10:33:47 AM EDT, Key ID  
a8a447dce8562897  
URL : http://www.realvnc.com  
Summary : A remote display system.  
Description :

Virtual Network Computing (VNC) is a remote display system which allows you to view a computing 'desktop' environment not only on the machine where it is running, but from anywhere on the Internet and from a wide variety of machine architectures. This package contains a client which will allow you to connect to other desktops running a VNC server.

**Name** : **wvdial** **Relocations:** (not relocatable)  
Version : 1.54.0 Vendor: CentOS  
Release : 5.2.2.1 Build Date: Tue 09 Jan 2007  
03:42:59 PM EST  
Install Date: Mon 19 Dec 2011 12:36:05 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Daemons Source RPM: wvdial-1.54.0-  
5.2.2.1.src.rpm  
Size : 269870 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:29 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://open.nit.ca/wvdial/>  
Summary : A heuristic autodialer for PPP connections.  
Description :  
WvDial automatically locates and configures modems and can log into almost any ISP's server without special configuration. You need to input the username, password, and phone number, and then WvDial will negotiate the PPP connection using any mechanism needed.

**Name** : **ecryptfs-utils** **Relocations:** (not relocatable)  
Version : 75 Vendor: CentOS  
Release : 5.el5 Build Date: Thu 03 Sep 2009  
09:13:06 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:09 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: ecryptfs-utils-75-  
5.el5.src.rpm  
Size : 393131 License: GPLv2+  
Signature : DSA/SHA1, Wed 09 Sep 2009 11:55:56 AM EDT, Key ID  
a8a447dce8562897  
URL : <http://launchpad.net/ecryptfs>  
Summary : The eCryptfs mount helper and support libraries  
Description :  
eCryptfs is a stacked cryptographic filesystem that ships in the Linux kernel. This package provides the mount helper and supporting libraries to perform key management and mount functions. Install ecryptfs-utils if you would like to mount eCryptfs.

**Name** : **sudo** **Relocations:** (not relocatable)  
Version : 1.6.9p17 Vendor: CentOS  
Release : 5.el5 Build Date: Sat 19 Sep 2009  
10:02:06 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:10 PM EST Build Host:  
builder16.centos.org  
Group : Applications/System Source RPM: sudo-1.6.9p17-  
5.el5.src.rpm  
Size : 467528 License: BSD  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:55:01 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.courtesan.com/sudo/>

Summary : Allows restricted root access for specified users.

Description :

Sudo (superuser do) allows a system administrator to give certain users (or groups of users) the ability to run some (or all) commands as root while logging all commands and arguments. Sudo operates on a per-command basis. It is not a replacement for the shell. Features include: the ability to restrict what commands a user may run on a per-host basis, copious logging of each command (providing a clear audit trail of who did what), a configurable timeout of the sudo command, and the ability to use the same configuration file (sudoers) on many different machines.

**Name** : **python-imaging** **Relocations: (not relocatable)**  
Version : 1.1.5 Vendor: CentOS  
Release : 5.el5 Build Date: Wed 10 Jan 2007  
02:35:40 AM EST  
Install Date: Mon 19 Dec 2011 12:36:11 PM EST Build Host:  
builder5.centos.org  
Group : Development/Languages Source RPM: python-imaging-1.1.5-  
5.el5.src.rpm  
Size : 1440894 License: Distributable  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:09 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.pythonware.com/products/pil/>  
Summary : Python's own image processing library  
Description :  
Python Imaging Library  
The Python Imaging Library (PIL) adds image processing capabilities to your Python interpreter.  
This library provides extensive file format support, an efficient internal representation, and powerful image processing capabilities. Details about licensing can be found from README file.

**Name** : **xterm** **Relocations: (not relocatable)**  
Version : 215 Vendor: CentOS  
Release : 8.el5 Build Date: Thu 26 Feb 2009  
04:57:33 PM EST  
Install Date: Mon 19 Dec 2011 12:36:14 PM EST Build Host:  
chamkaur.karan.org  
Group : User Interface/X Source RPM: xterm-215-  
8.el5.src.rpm  
Size : 1264033 License: MIT  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:49:27 PM EDT, Key ID  
a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
URL : <http://dickey.his.com/xterm>  
Summary : xterm terminal emulator for the X Window System  
Description :  
The xterm program is a terminal emulator for the X Window System. It provides DEC VT102 and Tektronix 4014 compatible terminals for programs that can't use the window system directly.

**Name** : **vim-X11** **Relocations: (not relocatable)**  
Version : 7.0.109 Vendor: CentOS  
Release : 6.el5 Build Date: Sat 19 Sep 2009  
05:24:40 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:15 PM EST Build Host:

builder16.centos.org  
Group : Applications/Editors Source RPM: vim-7.0.109-6.el5.src.rpm  
Size : 3007224 License: freeware  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:55:10 PM EDT, Key ID a8a447dce8562897  
Summary : The VIM version of the vi editor for the X Window System.  
Description :  
VIM (VISual editor iMproved) is an updated and improved version of the vi editor. Vi was the first real screen-based editor for UNIX, and is still very popular. VIM improves on vi by adding new features: multiple windows, multi-level undo, block highlighting and more. VIM-X11 is a version of the VIM editor which will run within the X Window System. If you install this package, you can run VIM as an X application with a full GUI interface and mouse support. Install the vim-X11 package if you'd like to try out a version of vi with graphics and mouse capabilities. You'll also need to install the vim-common package.

**Name : glx-utils Relocations: (not relocatable)**  
Version : 6.5.1 Vendor: CentOS  
Release : 7.7.el5 Build Date: Wed 21 Jan 2009 12:22:37 AM EST  
Install Date: Mon 19 Dec 2011 12:36:17 PM EST Build Host: builder16.centos.org  
Group : Development/Libraries Source RPM: mesa-6.5.1-7.7.el5.src.rpm  
Size : 33264 License: MIT/X11  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:45:45 PM EDT, Key ID a8a447dce8562897  
URL : http://www.mesa3d.org  
Summary : GLX utilities  
Description :  
The glx-utils package provides the glxinfo and glxgears utilities.

**Name : gnuplot Relocations: (not relocatable)**  
Version : 4.0.0 Vendor: CentOS  
Release : 14.el5 Build Date: Thu 26 Feb 2009 06:42:47 PM EST  
Install Date: Mon 19 Dec 2011 12:36:18 PM EST Build Host: chamkaur.karan.org  
Group : Applications/Engineering Source RPM: gnuplot-4.0.0-14.el5.src.rpm  
Size : 3757466 License: Redistributable, with restrictions  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:45:49 PM EDT, Key ID a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
URL : http://www.gnuplot.info/  
Summary : A program for plotting mathematical expressions and data.  
Description :  
Gnuplot is a command-line driven, interactive function plotting program especially suited for scientific data representation. Gnuplot can be used to plot functions and data points in both two and three dimensions and in many different formats. Install gnuplot if you need a graphics package for scientific data representation.

**Name** : **openldap-clients** **Relocations:** (not relocatable)  
Version : 2.3.43 Vendor: CentOS  
Release : 3.el5 Build Date: Wed 21 Jan 2009  
04:00:11 AM EST  
Install Date: Mon 19 Dec 2011 12:36:21 PM EST Build Host:  
builder16.centos.org  
Group : Applications/Internet Source RPM: openldap-2.3.43-  
3.el5.src.rpm  
Size : 374655 License: OpenLDAP  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:47:04 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.openldap.org/  
Summary : Client programs for OpenLDAP.  
Description :  
OpenLDAP is an open-source suite of LDAP (Lightweight Directory Access  
Protocol) applications and development tools. LDAP is a set of  
protocols for accessing directory services (usually phone book style  
information, but other information is possible) over the Internet,  
similar to the way DNS (Domain Name System) information is propagated  
over the Internet. The openldap-clients package contains the client  
programs needed for accessing and modifying OpenLDAP directories.

**Name** : **tcpdump** **Relocations:** /usr  
Version : 3.9.4 Vendor: CentOS  
Release : 14.el5 Build Date: Tue 20 Jan 2009  
11:13:31 PM EST  
Install Date: Mon 19 Dec 2011 12:36:22 PM EST Build Host:  
builder16.centos.org  
Group : Applications/Internet Source RPM: tcpdump-3.9.4-  
14.el5.src.rpm  
Size : 964438 License: BSD  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:49:18 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.tcpdump.org  
Summary : A network traffic monitoring tool.  
Description :  
Tcpdump is a command-line tool for monitoring network traffic.  
Tcpdump can capture and display the packet headers on a particular  
network interface or on all interfaces. Tcpdump can display all of  
the packet headers, or just the ones that match particular criteria.  
Install tcpdump if you need a program to monitor network traffic.

**Name** : **dhcp** **Relocations:** (not relocatable)  
Version : 3.0.5 Vendor: CentOS  
Release : 21.el5 Build Date: Thu 03 Sep 2009  
01:23:29 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:23 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Daemons Source RPM: dhcp-3.0.5-  
21.el5.src.rpm  
Size : 2230146 License: distributable  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:29 PM EDT, Key ID  
a8a447dce8562897  
URL : http://isc.org/products/DHCP/  
Summary : DHCP (Dynamic Host Configuration Protocol) server and relay  
agent.

Description :

DHCP (Dynamic Host Configuration Protocol) is a protocol which allows individual devices on an IP network to get their own network configuration information (IP address, subnetmask, broadcast address, etc.) from a DHCP server. The overall purpose of DHCP is to make it easier to administer a large network. The dhcp package includes the ISC DHCP service and relay agent.

To use DHCP on your network, install a DHCP service (or relay agent), and on clients run a DHCP client daemon. The dhcp package provides the ISC DHCP service and relay agent.

**Name** : **a2ps** **Relocations:** (not relocatable)  
Version : 4.13b Vendor: CentOS  
Release : 57.2.el5 Build Date: Sat 24 May 2008  
02:20:12 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:25 PM EST Build Host:  
builder16.centos.org  
Group : Applications/Publishing Source RPM: a2ps-4.13b-  
57.2.el5.src.rpm  
Size : 3278702 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:29:16 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.inf.enst.fr/~demaille/a2ps/  
Summary : Converts text and other types of files to PostScript(TM).  
Description :

The a2ps filter converts text and other types of files to PostScript(TM). A2ps has pretty-printing capabilities and includes support for a wide number of programming languages, encodings (ISO Latins, Cyrillic, etc.), and medias.

**Name** : **lsuf** **Relocations:** /usr  
Version : 4.78 Vendor: CentOS  
Release : 3 Build Date: Tue 09 Jan 2007  
03:55:03 PM EST  
Install Date: Mon 19 Dec 2011 12:36:33 PM EST Build Host:  
builder5.centos.org  
Group : Development/Debuggers Source RPM: lsuf-4.78-3.src.rpm  
Size : 850358 License: Free  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:49 PM EDT, Key ID  
a8a447dce8562897  
Summary : A utility which lists open files on a Linux/UNIX system.  
Description :

Lsuf stands for LiSt Open Files, and it does just that: it lists information about files that are open by the processes running on a UNIX system.

**Name** : **gnome-icon-theme** **Relocations:** (not relocatable)  
Version : 2.16.0.1 Vendor: CentOS  
Release : 4.el5 Build Date: Wed 14 Mar 2007  
11:53:29 AM EDT  
Install Date: Mon 19 Dec 2011 12:36:36 PM EST Build Host: builder6  
Group : User Interface/Desktops Source RPM: gnome-icon-theme-  
2.16.0.1-4.el5.src.rpm  
Size : 6300759 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:30 PM EDT, Key ID  
a8a447dce8562897  
Summary : Base gnome icons



Description :

Contains the base icons needed by the Gnome desktop environment.

**Name** : libgcj-devel **Relocations:** (not relocatable)  
Version : 4.1.2 Vendor: CentOS  
Release : 46.el5 Build Date: Thu 03 Sep 2009  
12:58:45 AM EDT  
Install Date: Mon 19 Dec 2011 12:36:39 PM EST Build Host:  
builder16.centos.org  
Group : Development/Languages Source RPM: gcc-4.1.2-  
46.el5.src.rpm  
Size : 5783999 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:49 PM EDT, Key ID  
a8a447dce8562897  
URL : http://gcc.gnu.org  
Summary : Libraries for Java development using GCC  
Description :  
The Java(tm) static libraries and C header files. You will need this  
package to compile your Java programs using the GCC Java compiler (gcj).

**Name** : pykickstart **Relocations:** (not relocatable)  
Version : 0.43.5 Vendor: CentOS  
Release : 1.el5 Build Date: Thu 03 Sep 2009  
09:35:43 AM EDT  
Install Date: Mon 19 Dec 2011 12:36:40 PM EST Build Host:  
builder10.centos.org  
Group : System Environment/Libraries Source RPM: pykickstart-0.43.5-  
1.el5.src.rpm  
Size : 497727 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:54:54 PM EDT, Key ID  
a8a447dce8562897  
Summary : A python library for manipulating kickstart files  
Description :  
The pykickstart package is a python library for manipulating kickstart  
files.

**Name** : perl-IO-Socket-SSL **Relocations:** (not relocatable)  
Version : 1.01 Vendor: CentOS  
Release : 1.fc6 Build Date: Sun 21 Jan 2007  
02:36:03 PM EST  
Install Date: Mon 19 Dec 2011 12:36:42 PM EST Build Host:  
builder6.centos.org  
Group : Development/Libraries Source RPM: perl-IO-Socket-SSL-  
1.01-1.fc6.src.rpm  
Size : 103056 License: GPL or Artistic  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:54 PM EDT, Key ID  
a8a447dce8562897  
URL : http://search.cpan.org/dist/IO-Socket-SSL/  
Summary : Perl library for transparent SSL  
Description :  
This module is a true drop-in replacement for IO::Socket::INET that  
uses SSL to encrypt data before it is transferred to a remote server  
or client. IO::Socket::SSL supports all the extra features that one  
needs to write a full-featured SSL client or server application:  
multiple SSL contexts, cipher selection, certificate verification, and  
SSL version selection. As an extra bonus, it works perfectly with  
mod\_perl.

**Name** : **docbook-utils** **Relocations:** (not relocatable)  
Version : 0.6.14 Vendor: CentOS  
Release : 5.1 Build Date: Sat 06 Jan 2007  
03:36:55 AM EST  
Install Date: Mon 19 Dec 2011 12:36:42 PM EST Build Host:  
builder3.centos.org  
Group : Applications/Text Source RPM: docbook-utils-0.6.14-  
5.1.src.rpm  
Size : 148307 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:21:11 PM EDT, Key ID  
a8a447dce8562897  
URL : ftp://sources.redhat.com/pub/docbook-tools/new-trials/  
Summary : Shell scripts for managing DocBook documents.  
Description :  
This package contains scripts are for easy conversion from DocBook  
files to other formats (for example, HTML, RTF, and PostScript), and  
for comparing SGML files.

**Name** : **perl-LDAP** **Relocations:** (not relocatable)  
Version : 0.33 Vendor: CentOS  
Release : 3.fc6 Build Date: Mon 08 Jan 2007  
02:00:36 PM EST  
Install Date: Mon 19 Dec 2011 12:36:47 PM EST Build Host:  
builder7.centos.org  
Group : Development/Libraries Source RPM: perl-LDAP-0.33-  
3.fc6.src.rpm  
Size : 740140 License: GPL or Artistic  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:54 PM EDT, Key ID  
a8a447dce8562897  
URL : http://search.cpan.org/dist/perl-ldap/  
Summary : LDAP Perl module  
Description :  
Net::LDAP is a collection of modules that implements a LDAP services API  
for Perl programs. The module may be used to search directories or perform  
maintenance functions such as adding, deleting or modifying entries.

**Name** : **system-config-samba** **Relocations:** (not relocatable)  
Version : 1.2.41 Vendor: CentOS  
Release : 5.el5 Build Date: Thu 03 Sep 2009  
10:32:06 AM EDT  
Install Date: Mon 19 Dec 2011 12:36:48 PM EST Build Host:  
builder10.centos.org  
Group : System Environment/Base Source RPM: system-config-samba-  
1.2.41-5.el5.src.rpm  
Size : 1060010 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:55:01 PM EDT, Key ID  
a8a447dce8562897  
URL : http://fedoraproject.org/wiki/SystemConfig/samba  
Summary : Samba server configuration tool  
Description :  
system-config-samba is a graphical user interface for creating,  
modifying, and deleting samba shares.

**Name** : **httpd-manual** **Relocations:** (not relocatable)  
Version : 2.2.3 Vendor: CentOS  
Release : 31.el5.centos Build Date: Thu 03 Sep 2009

05:43:06 PM EDT

Install Date: Mon 19 Dec 2011 12:36:51 PM EST      Build Host:  
builder16.centos.org  
Group           : Documentation                      Source RPM: httpd-2.2.3-  
31.el5.centos.src.rpm  
Size            : 3535969                            License: Apache Software  
License  
Signature      : DSA/SHA1, Sat 19 Sep 2009 11:53:43 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://httpd.apache.org/  
Summary        : Documentation for the Apache HTTP server.  
Description :  
The httpd-manual package contains the complete manual and  
reference guide for the Apache HTTP server. The information can  
also be found at <http://httpd.apache.org/docs/2.2/>.

**Name            : pam-devel                            Relocations: (not relocatable)**  
Version         : 0.99.6.2                            Vendor: CentOS  
Release         : 6.el5                                Build Date: Thu 03 Sep 2009  
06:51:57 PM EDT

Install Date: Mon 19 Dec 2011 12:36:52 PM EST      Build Host:  
builder10.centos.org  
Group           : Development/Libraries            Source RPM: pam-0.99.6.2-  
6.el5.src.rpm  
Size            : 506422                              License: GPL or BSD  
Signature      : DSA/SHA1, Sat 19 Sep 2009 11:54:52 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.us.kernel.org/pub/linux/libs/pam/index.html  
Summary        : Files needed for developing PAM-aware applications and modules  
for PAM  
Description :  
PAM (Pluggable Authentication Modules) is a system security tool that  
allows system administrators to set authentication policy without  
having to recompile programs that handle authentication. This package  
contains header files and static libraries used for building both  
PAM-aware applications and modules for use with PAM.

**Name            : automake17                           Relocations: (not relocatable)**  
Version         : 1.7.9                                Vendor: CentOS  
Release         : 7                                    Build Date: Sat 06 Jan 2007  
02:52:06 AM EST

Install Date: Mon 19 Dec 2011 12:36:58 PM EST      Build Host:  
builder1.centos.org  
Group           : Development/Tools                Source RPM: automake17-1.7.9-  
7.src.rpm  
Size            : 944573                              License: GPL  
Signature      : DSA/SHA1, Tue 03 Apr 2007 08:20:19 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://sources.redhat.com/automake  
Summary        : A GNU tool for automatically creating Makefiles.  
Description :  
Automake is a tool for automatically generating  
'Makefile.in' files compliant with the GNU Coding Standards.  
This package contains Automake 1.7, an older version of Automake.  
You should install it if you need to run automake in a project that  
has not yet been updated to work with latest version of Automake.

**Name** : **ruby-devel** **Relocations:** (not relocatable)  
Version : 1.8.5 Vendor: CentOS  
Release : 5.el5\_3.7 Build Date: Thu 02 Jul 2009  
06:41:06 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:00 PM EST Build Host:  
builder16.centos.org  
Group : Development/Languages Source RPM: ruby-1.8.5-  
5.el5\_3.7.src.rpm  
Size : 1534449 License: Ruby License/GPL -  
see COPYING  
Signature : DSA/SHA1, Thu 02 Jul 2009 07:48:32 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.ruby-lang.org/  
Summary : A Ruby development environment.  
Description :  
Header files and libraries for building a extension library for the  
Ruby or an application embedded Ruby.

**Name** : **logwatch** **Relocations:** (not relocatable)  
Version : 7.3 Vendor: CentOS  
Release : 6.el5 Build Date: Sat 24 May 2008  
12:42:27 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:04 PM EST Build Host:  
builder10.centos.org  
Group : Applications/System Source RPM: logwatch-7.3-  
6.el5.src.rpm  
Size : 1011055 License: MIT  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:36:31 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.logwatch.org/  
Summary : A log file analysis program  
Description :  
Logwatch is a customizable, pluggable log-monitoring system. It will go  
through your logs for a given period of time and make a report in the areas  
that you wish with the detail that you wish. Easy to use - works right out  
of the package on many systems.

**Name** : **gcc-java** **Relocations:** (not relocatable)  
Version : 4.1.2 Vendor: CentOS  
Release : 46.el5 Build Date: Thu 03 Sep 2009  
12:58:45 AM EDT  
Install Date: Mon 19 Dec 2011 12:37:11 PM EST Build Host:  
builder16.centos.org  
Group : Development/Languages Source RPM: gcc-4.1.2-  
46.el5.src.rpm  
Size : 6180111 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:38 PM EDT, Key ID  
a8a447dce8562897  
URL : http://gcc.gnu.org  
Summary : Java support for GCC  
Description :  
This package adds support for compiling Java(tm) programs and  
bytecode into native code.

**Name** : **rsh-server** **Relocations:** (not relocatable)  
Version : 0.17 Vendor: CentOS  
Release : 40.el5 Build Date: Mon 21 Sep 2009



Version : 0.6.16 Vendor: CentOS  
Release : 6.el5 Build Date: Sat 19 Sep 2009  
10:04:49 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:19 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: avahi-0.6.16-  
6.el5.src.rpm  
Size : 722618 License: LGPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:25 PM EDT, Key ID  
a8a447dce8562897  
URL : http://avahi.org  
Summary : Local network service discovery  
Description :  
Avahi is a system which facilitates service discovery on  
a local network -- this means that you can plug your laptop or  
computer into a network and instantly be able to view other people who  
you can chat with, find printers to print to or find files being  
shared. This kind of technology is already found in MacOS X (branded  
'Rendezvous', 'Bonjour' and sometimes 'ZeroConf') and is very  
convenient.

**Name : rpm-python Relocations: (not relocatable)**  
Version : 4.4.2.3 Vendor: CentOS  
Release : 18.el5 Build Date: Thu 03 Sep 2009  
08:26:18 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:19 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: rpm-4.4.2.3-  
18.el5.src.rpm  
Size : 120464 License: GPLv2+  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:54:55 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.rpm.org/  
Summary : Python bindings for apps which will manipulate RPM packages  
Description :  
The rpm-python package contains a module that permits applications  
written in the Python programming language to use the interface  
supplied by RPM Package Manager libraries.  
This package should be installed if you want to develop Python  
programs that will manipulate RPM packages and databases.

**Name : notification-daemon Relocations: (not relocatable)**  
Version : 0.3.5 Vendor: CentOS  
Release : 9.el5 Build Date: Sat 24 May 2008  
04:08:20 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:19 PM EST Build Host:  
builder10.centos.org  
Group : System Environment/Libraries Source RPM: notification-daemon-  
0.3.5-9.el5.src.rpm  
Size : 105673 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:37:11 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.galago-project.org/specs/notification/  
Summary : Notification Daemon  
Description :  
notification-daemon is the server implementation of the freedesktop.org  
desktop

notification specification.

**Name** : **mkinitrd** **Relocations:** (not relocatable)  
Version : 5.1.19.6 Vendor: CentOS  
Release : 54 Build Date: Thu 03 Sep 2009  
07:58:31 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:20 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: mkinitrd-5.1.19.6-  
54.src.rpm  
Size : 937137 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:56 PM EDT, Key ID  
a8a447dce8562897  
Summary : Creates an initial ramdisk image for preloading modules.  
Description :  
Mkinitrd creates filesystem images for use as initial ramdisk (initrd)  
images. These ramdisk images are often used to preload the block  
device modules (SCSI or RAID) needed to access the root filesystem.  
In other words, generic kernels can be built without drivers for any  
SCSI adapters which load the SCSI driver as a module. Since the  
kernel needs to read those modules, but in this case it isn't able to  
address the SCSI adapter, an initial ramdisk is used. The initial  
ramdisk is loaded by the operating system loader (normally LILO) and  
is available to the kernel as soon as the ramdisk is loaded. The  
ramdisk image loads the proper SCSI adapter and allows the kernel to  
mount the root filesystem. The mkinitrd program creates such a  
ramdisk using information found in the /etc/modules.conf file.

**Name** : **rdesktop** **Relocations:** (not relocatable)  
Version : 1.6.0 Vendor: CentOS  
Release : 3 Build Date: Thu 03 Sep 2009  
10:40:41 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:24 PM EST Build Host:  
builder16.centos.org  
Group : User Interface/Desktops Source RPM: rdesktop-1.6.0-  
3.src.rpm  
Size : 371740 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:54:54 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.rdesktop.org/>  
Summary : X client for remote desktop into Windows Terminal Server  
Description :  
rdesktop is an open source client for Windows NT Terminal Server and  
Windows 2000 & 2003 Terminal Services, capable of natively speaking  
Remote Desktop Protocol (RDP) in order to present the user's NT  
desktop. Unlike Citrix ICA, no server extensions are required.

**Name** : **libpurple** **Relocations:** (not relocatable)  
Version : 2.5.9 Vendor: CentOS  
Release : 1.e15 Build Date: Tue 18 Aug 2009  
03:15:38 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:25 PM EST Build Host:  
builder16.centos.org  
Group : Applications/Internet Source RPM: pidgin-2.5.9-  
1.e15.src.rpm  
Size : 22607993 License: GPLv2+ and GPLv2 and  
MIT

Signature : DSA/SHA1, Tue 18 Aug 2009 03:23:37 PM EDT, Key ID  
a8a447dce8562897  
URL : http://pidgin.im/  
Summary : libpurple library for IM clients like Pidgin and Finch  
Description :  
libpurple contains the core IM support for IM clients such as Pidgin  
and Finch.  
libpurple supports a variety of messaging protocols including AIM, MSN,  
Yahoo!, Jabber, Bonjour, Gadu-Gadu, ICQ, IRC, Novell Groupwise, QQ,  
Lotus Sametime, SILC, Simple and Zephyr.

**Name** : man **Relocations: (not relocatable)**  
Version : 1.6d Vendor: CentOS  
Release : 1.1 Build Date: Sat 06 Jan 2007  
05:25:02 AM EST  
Install Date: Mon 19 Dec 2011 12:37:27 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Base Source RPM: man-1.6d-1.1.src.rpm  
Size : 351780 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:57 PM EDT, Key ID  
a8a447dce8562897  
Summary : A set of documentation tools: man, apropos and whatis.  
Description :  
The man package includes three tools for finding information and/or  
documentation about your Linux system: man, apropos, and whatis. The  
man system formats and displays on-line manual pages about commands or  
functions on your system. Apropos searches the whatis database  
(containing short descriptions of system commands) for a string.  
Whatis searches its own database for a complete word.  
The man package should be installed on your system because it is the  
primary way to find documentation on a Linux system.

**Name** : oddjob **Relocations: (not relocatable)**  
Version : 0.27 Vendor: CentOS  
Release : 9.el5 Build Date: Sat 24 May 2008  
11:32:14 AM EDT  
Install Date: Mon 19 Dec 2011 12:37:27 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Daemons Source RPM: oddjob-0.27-  
9.el5.src.rpm  
Size : 119831 License: BSD  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:37:16 PM EDT, Key ID  
a8a447dce8562897  
URL : http://people.redhat.com/nalin/oddjob/  
Summary : A D-BUS service which runs odd jobs on behalf of client  
applications  
Description :  
oddjob is a D-BUS service which performs particular tasks for clients which  
connect to it and issue requests using the system-wide message bus.

**Name** : fuse **Relocations: (not relocatable)**  
Version : 2.7.4 Vendor: Dag Apt Repository,  
http://dag.wieers.com/apt/  
Release : 1.el4.rf Build Date: Tue 14 Oct 2008  
08:01:56 PM EDT  
Install Date: Mon 06 Feb 2012 05:27:29 AM EST Build Host:  
lisse.hasselt.wieers.com



Group : System Environment/Kernel Source RPM: fuse-2.7.4-1.el4.rf.src.rpm  
Size : 622159 License: GPL  
Signature : DSA/SHA1, Tue 14 Oct 2008 09:56:41 PM EDT, Key ID a20e52146b8d79e6  
Packager : Dag Wieers <dag@wieers.com>  
URL : http://fuse.sourceforge.net/  
Summary : File System in Userspace (FUSE) utilities  
Description :  
With FUSE it is possible to implement a fully functional filesystem in a userspace program. This package contains the FUSE userspace tools to mount a FUSE filesystem.

**Name : libsane-hpaio Relocations: (not relocatable)**  
Version : 1.6.7 Vendor: CentOS  
Release : 4.1.el5.4 Build Date: Fri 15 Aug 2008 10:33:22 AM EDT  
Install Date: Mon 19 Dec 2011 12:37:28 PM EST Build Host: builder16.centos.org  
Group : System Environment/Daemons Source RPM: hplip-1.6.7-4.1.el5.4.src.rpm  
Size : 96732 License: GPL  
Signature : DSA/SHA1, Fri 15 Aug 2008 12:53:39 PM EDT, Key ID a8a447dce8562897  
URL : http://hplip.sourceforge.net/  
Summary : SANE driver for scanners in HP's multi-function devices  
Description :  
SANE driver for scanners in HP's multi-function devices (from HPOJ).

**Name : libXext-devel Relocations: (not relocatable)**  
Version : 1.0.1 Vendor: CentOS  
Release : 2.1 Build Date: Tue 30 Jan 2007 09:06:19 AM EST  
Install Date: Mon 19 Dec 2011 12:37:33 PM EST Build Host: builder5.centos.org  
Group : Development/Libraries Source RPM: libXext-1.0.1-2.1.src.rpm  
Size : 46634 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:44 PM EDT, Key ID a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXext development package  
Description :  
X.Org X11 libXext development package

**Name : cairo-devel Relocations: (not relocatable)**  
Version : 1.2.4 Vendor: CentOS  
Release : 5.el5 Build Date: Sat 24 May 2008 04:09:16 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:47 PM EST Build Host: builder16.centos.org  
Group : Development/Libraries Source RPM: cairo-1.2.4-5.el5.src.rpm  
Size : 846942 License: LGPL/MPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:29:39 PM EDT, Key ID a8a447dce8562897  
URL : http://cairographics.org

Summary : Cairo developmental libraries and header files  
Description :  
Developmental libraries and header files required for developing or  
compiling software which links to the cairo library, which is an open  
source vector graphics library.

**Name** : **mesa-libGL-devel** **Relocations:** (not relocatable)  
Version : 6.5.1 Vendor: CentOS  
Release : 7.7.el5 Build Date: Wed 21 Jan 2009  
12:22:37 AM EST  
Install Date: Mon 19 Dec 2011 12:37:49 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: mesa-6.5.1-  
7.7.el5.src.rpm  
Size : 961750 License: MIT/X11  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:46:55 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.mesa3d.org  
Summary : Mesa libGL development package  
Description :  
Mesa libGL development package

**Name** : **mesa-libGLU-devel** **Relocations:** (not relocatable)  
Version : 6.5.1 Vendor: CentOS  
Release : 7.7.el5 Build Date: Wed 21 Jan 2009  
12:22:37 AM EST  
Install Date: Mon 19 Dec 2011 12:37:49 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: mesa-6.5.1-  
7.7.el5.src.rpm  
Size : 82501 License: MIT/X11  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:46:55 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.mesa3d.org  
Summary : Mesa libGLU development package  
Description :  
Mesa libGLU development package

**Name** : **libXft-devel** **Relocations:** (not relocatable)  
Version : 2.1.10 Vendor: CentOS  
Release : 1.1 Build Date: Sun 07 Jan 2007  
06:34:49 AM EST  
Install Date: Mon 19 Dec 2011 12:37:50 PM EST Build Host:  
builder5.centos.org  
Group : Development/Libraries Source RPM: libXft-2.1.10-  
1.1.src.rpm  
Size : 24045 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:44 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXft development package  
Description :  
X.Org X11 libXft development package

**Name** : **libXinerama-devel** **Relocations:** (not relocatable)  
Version : 1.0.1 Vendor: CentOS  
Release : 2.1 Build Date: Sun 07 Jan 2007

03:11:31 AM EST

Install Date: Mon 19 Dec 2011 12:37:50 PM EST      Build Host:  
builder5.centos.org  
Group           : Development/Libraries           Source RPM: libXinerama-1.0.1-  
2.1.src.rpm  
Size            : 238                               License: MIT/X11  
Signature      : DSA/SHA1, Tue 03 Apr 2007 08:24:44 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.x.org  
Summary        : X.Org X11 libXinerama development package  
Description    :  
X.Org X11 libXinerama development package

**Name            : jakarta-commons-logging           Relocations: (not relocatable)**  
Version         : 1.0.4                            Vendor: CentOS  
Release         : 6jpp.1                           Build Date: Sun 07 Jan 2007  
03:00:06 AM EST

Install Date: Mon 19 Dec 2011 12:37:53 PM EST      Build Host:  
builder5.centos.org  
Group           : Development/Libraries/Java      Source RPM: jakarta-commons-  
logging-1.0.4-6jpp.1.src.rpm  
Size            : 235677                           License: Apache Software  
License  
Signature      : DSA/SHA1, Tue 03 Apr 2007 08:22:55 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://jakarta.apache.org/commons/logging/  
Summary        : Jakarta Commons Logging Package  
Description    :

The commons-logging package provides a simple, component oriented interface (org.apache.commons.logging.Log) together with wrappers for logging systems. The user can choose at runtime which system they want to use. In addition, a small number of basic implementations are provided to allow users to use the package standalone. commons-logging was heavily influenced by Avalon's Logkit and Log4J. The commons-logging abstraction is meant to minimize the differences between the two, and to allow a developer to not tie himself to a particular logging implementation.

**Name            : jakarta-commons-beanutils        Relocations: (not relocatable)**  
Version         : 1.7.0                            Vendor: CentOS  
Release         : 5jpp.1                           Build Date: Sun 07 Jan 2007  
01:59:00 AM EST

Install Date: Mon 19 Dec 2011 12:37:55 PM EST      Build Host:  
builder1.centos.org  
Group           : Development/Libraries/Java      Source RPM: jakarta-commons-  
beanutils-1.7.0-5jpp.1.src.rpm  
Size            : 1066958                           License: Apache Software  
License  
Signature      : DSA/SHA1, Tue 03 Apr 2007 08:22:52 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://jakarta.apache.org/commons/beanutils/  
Summary        : Jakarta Commons BeanUtils Package  
Description    :

The scope of this package is to create a package of Java utility methods for accessing and modifying the properties of arbitrary JavaBeans. No dependencies outside of the JDK are required, so the use of this package is very lightweight.

**Name** : **classpathx-mail** **Relocations:** (not relocatable)  
Version : 1.1.1 Vendor: CentOS  
Release : 4jpp.2 Build Date: Sun 07 Jan 2007  
04:55:10 AM EST  
Install Date: Mon 19 Dec 2011 12:37:57 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: classpathx-mail-  
1.1.1-4jpp.2.src.rpm  
Size : 2202957 License: GPL with library  
exception  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:30 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnu.org/software/classpathx/  
Summary : GNU JavaMail(tm)  
Description :  
GNU JavaMail(tm) is a free implementation of the JavaMail API.

**Name** : **libXpm-devel** **Relocations:** (not relocatable)  
Version : 3.5.5 Vendor: CentOS  
Release : 3 Build Date: Sun 07 Jan 2007  
04:57:41 AM EST  
Install Date: Mon 19 Dec 2011 12:37:59 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries Source RPM: libXpm-3.5.5-  
3.src.rpm  
Size : 54436 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:46 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXpm development package  
Description :  
X.Org X11 libXpm development package

**Name** : **pciutils** **Relocations:** (not relocatable)  
Version : 2.2.3 Vendor: CentOS  
Release : 7.el5 Build Date: Sat 26 Sep 2009  
02:43:30 PM EDT  
Install Date: Mon 19 Dec 2011 12:38:03 PM EST Build Host:  
builder16.centos.org  
Group : Applications/System Source RPM: pciutils-2.2.3-  
7.el5.src.rpm  
Size : 160286 License: GPL  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:07 PM EDT, Key ID  
a8a447dce8562897  
URL : http://atrey.karlin.mff.cuni.cz/~mj/pciutils.shtml  
Summary : PCI bus related utilities.  
Description :  
The pciutils package contains various utilities for inspecting and  
setting devices connected to the PCI bus. The utilities provided  
require kernel version 2.1.82 or newer (which support the  
/proc/bus/pci interface).

**Name** : **regexp** **Relocations:** (not relocatable)  
Version : 1.4 Vendor: CentOS  
Release : 2jpp.2 Build Date: Sun 07 Jan 2007  
06:46:38 AM EST

```

Install Date: Mon 19 Dec 2011 12:38:05 PM EST      Build Host:
builder1.centos.org
Group       : Development/Libraries/Java      Source RPM: regexp-1.4-
2jpp.2.src.rpm
Size        : 193375                          License: Apache Software
License
Signature   : DSA/SHA1, Tue 03 Apr 2007 08:27:21 PM EDT, Key ID
a8a447dce8562897
URL         : http://jakarta.apache.org/regexp/
Summary     : Simple regular expressions API
Description :
Regexp is a 100% Pure Java Regular Expression package that was
graciously donated to the Apache Software Foundation by Jonathan Locke.
He originally wrote this software back in 1996 and it has stood up quite
well to the test of time.
It includes complete Javadoc documentation as well as a simple Applet
for visual debugging and testing suite for compatibility.

```

```

Name       : bcel                                Relocations: (not relocatable)
Version     : 5.1                                  Vendor: CentOS
Release     : 8jpp.1                               Build Date: Mon 08 Jan 2007
11:01:30 PM EST

```

```

Install Date: Mon 19 Dec 2011 12:38:07 PM EST      Build Host:
builder5.centos.org
Group       : Development/Libraries/Java      Source RPM: bcel-5.1-
8jpp.1.src.rpm
Size        : 2517982                            License: Apache Software
License
Signature   : DSA/SHA1, Tue 03 Apr 2007 08:20:21 PM EDT, Key ID
a8a447dce8562897
URL         : http://jakarta.apache.org/bcel/
Summary     : Byte Code Engineering Library
Description :

```

The Byte Code Engineering Library (formerly known as JavaClass) is intended to give users a convenient possibility to analyze, create, and manipulate (binary) Java class files (those ending with .class). Classes are represented by objects which contain all the symbolic information of the given class: methods, fields and byte code instructions, in particular. Such objects can be read from an existing file, be transformed by a program (e.g. a class loader at run-time) and dumped to a file again. An even more interesting application is the creation of classes from scratch at run-time. The Byte Code Engineering Library (BCEL) may be also useful if you want to learn about the Java Virtual Machine (JVM) and the format of Java .class files. BCEL is already being used successfully in several projects such as compilers, optimizers, obfuscators and analysis tools, the most popular probably being the Xalan XSLT processor at Apache.

```

Name       : gjdoc                                Relocations: (not relocatable)
Version     : 0.7.7                                Vendor: CentOS
Release     : 12.el5                              Build Date: Wed 14 Mar 2007
11:38:54 AM EDT

```

```

Install Date: Mon 19 Dec 2011 12:38:08 PM EST      Build Host:
builder4.centos.org
Group       : Development/Tools                Source RPM: gjdoc-0.7.7-
12.el5.src.rpm
Size        : 1788404                            License: GPL

```

Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:17 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://savannah.gnu.org/projects/classpath/>  
Summary : GNU Javadoc  
Description :  
A documentation generation system for "javadoc"-style comments.

**Name : jakarta-commons-codec Relocations: (not relocatable)**  
Version : 1.3 Vendor: CentOS  
Release : 7jpp.2 Build Date: Tue 03 Apr 2007  
04:56:26 PM EDT  
Install Date: Mon 19 Dec 2011 12:38:10 PM EST Build Host:  
builder4.centos.org  
Group : Development/Libraries/Java Source RPM: jakarta-commons-  
codec-1.3-7jpp.2.src.rpm  
Size : 211868 License: Apache Software  
License  
Signature : DSA/SHA1, Tue 03 Apr 2007 09:25:49 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://jakarta.apache.org/commons/codec/>  
Summary : Jakarta Commons Codec Package  
Description :  
Commons Codec is an attempt to provide definitive implementations of  
commonly used encoders and decoders.

**Name : usbutils Relocations: (not relocatable)**  
Version : 0.71 Vendor: CentOS  
Release : 2.1 Build Date: Sun 07 Jan 2007  
05:32:48 AM EST  
Install Date: Mon 19 Dec 2011 12:38:11 PM EST Build Host:  
builder1.centos.org  
Group : Applications/System Source RPM: usbutils-0.71-  
2.1.src.rpm  
Size : 89008 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:14 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.linux-usb.org/>  
Summary : Linux USB utilities.  
Description :  
This package contains utilities for inspecting devices connected to a  
USB bus.

**Name : irda-utils Relocations: (not relocatable)**  
Version : 0.9.17 Vendor: CentOS  
Release : 2.fc6 Build Date: Sat 06 Jan 2007  
07:28:04 PM EST  
Install Date: Mon 19 Dec 2011 12:38:12 PM EST Build Host:  
builder5.centos.org  
Group : Applications/System Source RPM: irda-utils-0.9.17-  
2.fc6.src.rpm  
Size : 125500 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:51 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://irda.sourceforge.net/>  
Summary : Utilities for infrared communication between devices.  
Description :  
IrDA(TM) (Infrared Data Association) is an industry standard for

wireless, infrared communication between devices. IrDA speeds range from 9600 bps to 4 Mbps, and IrDA can be used by many modern devices including laptops, LAN adapters, PDAs, printers, and mobile phones. The Linux-IrDA project is a GPL'd implementation, written from scratch, of the IrDA protocols. Supported IrDA protocols include IrLAP, IrLMP, IrIAP, IrTTP, IrLPT, IrLAN, IrCOMM and IrOBEX. The irda-utils package contains a collection of programs that enable the use of IrDA protocols. Most IrDA features are implemented in the kernel, so IrDA support must be enabled in the kernel before any IrDA tools or programs can be used. Some configuration outside the kernel is required, however, and some IrDA features, like IrOBEX, are actually implemented outside the kernel.

**Name** : **gnome-user-share** **Relocations:** (not relocatable)  
Version : 0.10 Vendor: CentOS  
Release : 6.el5 Build Date: Wed 21 Mar 2007  
09:46:15 PM EDT  
Install Date: Mon 19 Dec 2011 12:38:13 PM EST Build Host:  
builder4.centos.org  
Group : System Environment/Libraries Source RPM: gnome-user-share-  
0.10-6.el5.src.rpm  
Size : 91135 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:36 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnome.org  
Summary : Gnome user file sharing  
Description :  
gnome-user-share

**Name** : **gail-devel** **Relocations:** (not relocatable)  
Version : 1.9.2 Vendor: CentOS  
Release : 1.fc6 Build Date: Sat 06 Jan 2007  
11:10:25 PM EST  
Install Date: Mon 19 Dec 2011 12:38:13 PM EST Build Host:  
builder5.centos.org  
Group : Development/Libraries Source RPM: gail-1.9.2-  
1.fc6.src.rpm  
Size : 63867 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:00 PM EDT, Key ID  
a8a447dce8562897  
URL : http://developer.gnome.org/projects/gap  
Summary : Files to compile applications that use GAIL  
Description :  
gail-devel contains the files required to compile applications against the  
GAIL libraries.

**Name** : **Xaw3d-devel** **Relocations:** /usr  
Version : 1.5E Vendor: CentOS  
Release : 10.1 Build Date: Sat 06 Jan 2007  
05:07:43 AM EST  
Install Date: Mon 19 Dec 2011 12:38:18 PM EST Build Host:  
builder5.centos.org  
Group : Development/Libraries Source RPM: Xaw3d-1.5E-  
10.1.src.rpm  
Size : 341095 License: MIT  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:31 PM EDT, Key ID  
a8a447dce8562897

Summary : Header files and static libraries for development using Xaw3d.  
Description :

Xaw3d is an enhanced version of the MIT Athena widget set for the X Window System. Xaw3d adds a three-dimensional look to those applications with minimal or no source code changes. Xaw3d-devel includes the header files and static libraries for developing programs that take full advantage of Xaw3d's features. You should install Xaw3d-devel if you are going to develop applications using the Xaw3d widget set. You'll also need to install the Xaw3d package.

**Name** : libXvMC-devel **Relocations:** (not relocatable)  
Version : 1.0.2 Vendor: CentOS  
Release : 2.1 Build Date: Sun 07 Jan 2007  
02:12:27 AM EST  
Install Date: Mon 19 Dec 2011 12:38:19 PM EST Build Host:  
builder5.centos.org  
Group : Development/Libraries Source RPM: libXvMC-1.0.2-  
2.1.src.rpm  
Size : 4793 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:47 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXvMC development package  
Description :  
X.Org X11 libXvMC development package

**Name** : libXdamage-devel **Relocations:** (not relocatable)  
Version : 1.0.3 Vendor: CentOS  
Release : 2.1 Build Date: Fri 05 Jan 2007  
11:22:33 PM EST  
Install Date: Mon 19 Dec 2011 12:38:27 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries Source RPM: libXdamage-1.0.3-  
2.1.src.rpm  
Size : 2441 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:43 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXdamage development package  
Description :  
X.Org X11 libXdamage development package

**Name** : libXres-devel **Relocations:** (not relocatable)  
Version : 1.0.1 Vendor: CentOS  
Release : 3.1 Build Date: Sat 06 Jan 2007  
07:59:36 AM EST  
Install Date: Mon 19 Dec 2011 12:38:27 PM EST Build Host:  
builder5.centos.org  
Group : Development/Libraries Source RPM: libXres-1.0.1-  
3.1.src.rpm  
Size : 3346 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:46 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXres development package  
Description :



X.Org X11 libXres development package

**Name** : libXfontcache-devel **Relocations:** (not relocatable)  
Version : 1.0.2 Vendor: CentOS  
Release : 3.1 Build Date: Sun 07 Jan 2007  
02:05:45 AM EST  
Install Date: Mon 19 Dec 2011 12:38:27 PM EST Build Host:  
builder5.centos.org  
Group : Development/Libraries Source RPM: libXfontcache-1.0.2-  
3.1.src.rpm  
Size : 2249 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:44 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXfontcache development package  
Description :  
X.Org X11 libXfontcache development package

**Name** : java-1.4.2-gcj-compat-javadoc **Relocations:** (not relocatable)  
Version : 1.4.2.0 Vendor: CentOS  
Release : 40jpp.115 Build Date: Sun 25 May 2008  
02:29:37 AM EDT  
Install Date: Mon 19 Dec 2011 12:38:36 PM EST Build Host:  
builder16.centos.org  
Group : Development/Documentation Source RPM: java-1.4.2-gcj-  
compat-1.4.2.0-40jpp.115.src.rpm  
Size : 235699302 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:33:25 PM EDT, Key ID  
a8a447dce8562897  
URL : ftp://sources.redhat.com/pub/rhug/java-gcj-compat  
Summary : API documentation for libgcj  
Description :  
This package installs Javadoc API documentation for libgcj.

**Name** : system-config-nfs **Relocations:** (not relocatable)  
Version : 1.3.23 Vendor: CentOS  
Release : 1.el5 Build Date: Wed 14 Mar 2007  
09:08:00 PM EDT  
Install Date: Mon 19 Dec 2011 12:38:38 PM EST Build Host:  
builder3.centos.org  
Group : System Environment/Base Source RPM: system-config-nfs-  
1.3.23-1.el5.src.rpm  
Size : 677991 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:50 PM EDT, Key ID  
a8a447dce8562897  
URL : http://fedora.redhat.com/projects/config-tools/  
Summary : NFS server configuration tool  
Description :  
system-config-nfs is a graphical user interface for creating,  
modifying, and deleting nfs shares.

**Name** : hal **Relocations:** (not relocatable)  
Version : 0.5.8.1 Vendor: CentOS  
Release : 52.el5 Build Date: Thu 03 Sep 2009  
08:38:58 PM EDT  
Install Date: Mon 19 Dec 2011 12:38:48 PM EST Build Host:  
builder16.centos.org

Group : System Environment/Libraries Source RPM: hal-0.5.8.1-52.el5.src.rpm  
Size : 1123033 License: AFL/GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:42 PM EDT, Key ID a8a447dce8562897  
URL : http://www.freedesktop.org/Software/hal  
Summary : Hardware Abstraction Layer  
Description :  
HAL is daemon for collection and maintaining information from several sources about the hardware on the system. It provides a live device list through D-BUS.

**Name : sane-backends-libs Relocations: (not relocatable)**  
Version : 1.0.18 Vendor: CentOS  
Release : 5.el5 Build Date: Tue 03 Apr 2007 02:19:19 PM EDT  
Install Date: Mon 19 Dec 2011 12:38:51 PM EST Build Host: builder4.centos.org  
Group : System Environment/Libraries Source RPM: sane-backends-1.0.18-5.el5.src.rpm  
Size : 5401272 License: GPL (programs), relaxed LGPL (libraries), and public domain (docs)  
Signature : DSA/SHA1, Tue 03 Apr 2007 09:29:08 PM EDT, Key ID a8a447dce8562897  
URL : http://www.sane-project.org  
Summary : SANE libraries  
Description :  
This package contains the SANE libraries which are needed by applications that want to access scanners.

**Name : log4j Relocations: (not relocatable)**  
Version : 1.2.13 Vendor: CentOS  
Release : 3jpp.2 Build Date: Fri 05 Jan 2007 11:16:30 PM EST  
Install Date: Mon 19 Dec 2011 12:38:54 PM EST Build Host: builder1.centos.org  
Group : System/Logging Source RPM: log4j-1.2.13-3jpp.2.src.rpm  
Size : 1503336 License: Apache Software License  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:48 PM EDT, Key ID a8a447dce8562897  
URL : http://logging.apache.org/log4j/  
Summary : Java logging package  
Description :  
Log4j is a tool to help the programmer output log statements to a variety of output targets.

**Name : pm-utils Relocations: (not relocatable)**  
Version : 0.99.3 Vendor: CentOS  
Release : 10.el5.centos Build Date: Thu 22 Jan 2009 05:49:43 AM EST  
Install Date: Mon 19 Dec 2011 12:38:57 PM EST Build Host: builder10.centos.org  
Group : System Environment/Base Source RPM: pm-utils-0.99.3-10.el5.centos.src.rpm

Size : 112098 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:48:56 PM EDT, Key ID  
a8a447dce8562897  
Summary : Power management utilities and scripts for CentOS  
Description :  
The pm-utils package contains utilities and scripts for Fedora Core  
useful for power management.

**Name : wsdl4j Relocations: (not relocatable)**  
Version : 1.5.2 Vendor: CentOS  
Release : 4jpp.1 Build Date: Sun 07 Jan 2007  
12:21:08 AM EST  
Install Date: Mon 19 Dec 2011 12:39:00 PM EST Build Host:  
builder5.centos.org  
Group : Text Processing/Markup/XML Source RPM: wsdl4j-1.5.2-  
4jpp.1.src.rpm  
Size : 880467 License: IBM Common Public  
License  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:29 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://sourceforge.net/projects/wsdl4j>  
Summary : Web Services Description Language Toolkit for Java  
Description :  
The Web Services Description Language for Java Toolkit (WSDL4J) allows the  
creation, representation, and manipulation of WSDL documents describing  
services. This codebase will eventually serve as a reference implementation  
of the standard created by JSR110.

**Name : tomcat5-server-lib Relocations: (not relocatable)**  
Version : 5.5.23 Vendor: CentOS  
Release : 0jpp.7.el5\_3.2 Build Date: Mon 27 Jul 2009  
05:32:03 PM EDT  
Install Date: Mon 19 Dec 2011 12:39:03 PM EST Build Host:  
builder16.centos.org  
Group : Development/Compilers Source RPM: tomcat5-5.5.23-  
0jpp.7.el5\_3.2.src.rpm  
Size : 8517601 License: Apache Software  
License  
Signature : DSA/SHA1, Tue 28 Jul 2009 09:00:00 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://tomcat.apache.org/>  
Summary : Libraries needed to run the Tomcat Web container (part)  
Description :  
Libraries needed to run the Tomcat Web container (part)

**Name : xorg-x11-fonts-base Relocations: (not relocatable)**  
Version : 7.1 Vendor: CentOS  
Release : 2.1.el5 Build Date: Wed 10 Jan 2007  
01:03:33 AM EST  
Install Date: Mon 19 Dec 2011 12:39:04 PM EST Build Host:  
builder3.centos.org  
Group : User Interface/X Source RPM: xorg-x11-fonts-7.1-  
2.1.el5.src.rpm  
Size : 4437373 License: Various licenses  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:42 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.x.org>

Summary : Base fonts required by the X Window System.

Description :

This package provides the base fonts, and font encoding files that are required by the X Window System.

**Name** : setroubleshoot-plugins **Relocations:** (not relocatable)  
Version : 2.0.4 Vendor: CentOS  
Release : 2.el5 Build Date: Sat 24 May 2008  
07:13:35 PM EDT  
Install Date: Mon 19 Dec 2011 12:39:11 PM EST Build Host:  
builder16.centos.org  
Group : Applications/System Source RPM: setroubleshoot-  
plugins-2.0.4-2.el5.src.rpm  
Size : 1751136 License: GPLv2+  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:40:46 PM EDT, Key ID  
a8a447dce8562897  
URL : https://fedorahosted.org/setroubleshoot  
Summary : Analysis plugins for use with setroubleshoot  
Description :  
This package provides a set of analysis plugins for use with  
setroubleshoot. Each plugin has the capacity to analyze SELinux AVC  
data and system data to provide user friendly reports describing how  
to interpret SELinux AVC denials.

**Name** : xorg-x11-fonts-ISO8859-1-75dpi **Relocations:** (not relocatable)  
Version : 7.1 Vendor: CentOS  
Release : 2.1.el5 Build Date: Wed 10 Jan 2007  
01:03:33 AM EST  
Install Date: Mon 19 Dec 2011 12:39:12 PM EST Build Host:  
builder3.centos.org  
Group : User Interface/X Source RPM: xorg-x11-fonts-7.1-  
2.1.el5.src.rpm  
Size : 920135 License: Various licenses  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:43 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : A set of 75dpi ISO-8859-1 fonts for X.  
Description :  
Contains a set of 75dpi fonts for ISO-8859-1.

**Name** : xorg-x11-fonts-misc **Relocations:** (not relocatable)  
Version : 7.1 Vendor: CentOS  
Release : 2.1.el5 Build Date: Wed 10 Jan 2007  
01:03:33 AM EST  
Install Date: Mon 19 Dec 2011 12:39:15 PM EST Build Host:  
builder3.centos.org  
Group : User Interface/X Source RPM: xorg-x11-fonts-7.1-  
2.1.el5.src.rpm  
Size : 2703433 License: Various licenses  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:44 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : misc bitmap fonts for the X Window System  
Description :  
This package contains misc bitmap Chinese, Japanese, Korean, Indic, and  
Arabic  
fonts for use with X Window System.

**Name** : **xorg-x11-fonts-truetype**                   **Relocations: (not relocatable)**  
Version : 7.1    Vendor: CentOS  
Release : 2.1.el5                                     Build Date: Wed 10 Jan 2007  
01:03:33 AM EST  
Install Date: Mon 19 Dec 2011 12:39:22 PM EST       Build Host:  
builder3.centos.org  
Group : User Interface/X                            Source RPM: xorg-x11-fonts-7.1-  
2.1.el5.src.rpm  
Size : 909077                                        License: Various licenses  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:46 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : TrueType fonts provided by the X Window System  
Description :  
A collection of truetype fonts which are part of the core X Window System  
distribution.

**Name** : **libgnomeprintui22**                       **Relocations: (not relocatable)**  
Version : 2.12.1                                     Vendor: CentOS  
Release : 6   Build Date: Sat 06 Jan 2007  
04:40:00 PM EST  
Install Date: Mon 19 Dec 2011 12:39:28 PM EST       Build Host:  
builder1.centos.org  
Group : System Environment/Libraries            Source RPM: libgnomeprintui22-  
2.12.1-6.src.rpm  
Size : 1045910                                     License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:29 PM EDT, Key ID  
a8a447dce8562897  
URL : http://ftp.gnome.org/pub/gnome/sources/libgnomeprintui/  
Summary : GUI support for libgnomeprint  
Description :  
The libgnomeprintui package contains GTK+ widgets related to printing.

**Name** : **tomcat5-common-lib**                   **Relocations: (not relocatable)**  
Version : 5.5.23                                    Vendor: CentOS  
Release : 0jpp.7.el5\_3.2                         Build Date: Mon 27 Jul 2009  
05:32:03 PM EDT  
Install Date: Mon 19 Dec 2011 12:39:30 PM EST       Build Host:  
builder16.centos.org  
Group : Development/Compilers                    Source RPM: tomcat5-5.5.23-  
0jpp.7.el5\_3.2.src.rpm  
Size : 444185                                     License: Apache Software  
License  
Signature : DSA/SHA1, Tue 28 Jul 2009 09:00:01 PM EDT, Key ID  
a8a447dce8562897  
URL : http://tomcat.apache.org/  
Summary : Libraries needed to run the Tomcat Web container (part)  
Description :  
Libraries needed to run the Tomcat Web container (part)

**Name** : **tomcat5-admin-webapps**               **Relocations: (not relocatable)**  
Version : 5.5.23                                    Vendor: CentOS  
Release : 0jpp.7.el5\_3.2                         Build Date: Mon 27 Jul 2009  
05:32:03 PM EDT  
Install Date: Mon 19 Dec 2011 12:39:32 PM EST       Build Host:  
builder16.centos.org

Group : System Environment/Applications Source RPM: tomcat5-5.5.23-0jpp.7.el5\_3.2.src.rpm  
Size : 7121908 License: Apache Software  
License  
Signature : DSA/SHA1, Tue 28 Jul 2009 09:00:01 PM EDT, Key ID a8a447dce8562897  
URL : http://tomcat.apache.org/  
Summary : The administrative web applications for Jakarta Tomcat  
Description :  
The administrative web applications (admin and manager) for Jakarta Tomcat

**Name : vnc-server Relocations: (not relocatable)**  
Version : 4.1.2 Vendor: CentOS  
Release : 14.el5\_3.1 Build Date: Tue 24 Mar 2009 08:03:02 PM EDT  
Install Date: Mon 19 Dec 2011 12:39:37 PM EST Build Host: builder10.centos.org  
Group : User Interface/X Source RPM: vnc-4.1.2-14.el5\_3.1.src.rpm  
Size : 5244898 License: GPL  
Signature : DSA/SHA1, Wed 25 Mar 2009 10:33:46 AM EDT, Key ID a8a447dce8562897  
URL : http://www.realvnc.com  
Summary : A VNC server.  
Description :  
The VNC system allows you to access the same desktop from a wide variety of platforms. This package is a VNC server, allowing others to access the desktop on your machine.

**Name : sane-frontends Relocations: (not relocatable)**  
Version : 1.0.14 Vendor: CentOS  
Release : 1.2.2 Build Date: Tue 09 Jan 2007 02:04:40 PM EST  
Install Date: Mon 19 Dec 2011 12:39:39 PM EST Build Host: builder5.centos.org  
Group : Applications/System Source RPM: sane-frontends-1.0.14-1.2.2.src.rpm  
Size : 103970 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:31 PM EDT, Key ID a8a447dce8562897  
URL : http://www.sane-project.org  
Summary : Graphical frontend to SANE  
Description :  
This packages includes the scanadf and xcam programs.

**Name : libgnomeprintui22-devel Relocations: (not relocatable)**  
Version : 2.12.1 Vendor: CentOS  
Release : 6 Build Date: Sat 06 Jan 2007 04:40:00 PM EST  
Install Date: Mon 19 Dec 2011 12:39:39 PM EST Build Host: builder1.centos.org  
Group : Development/Libraries Source RPM: libgnomeprintui22-2.12.1-6.src.rpm  
Size : 590398 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:29 PM EDT, Key ID a8a447dce8562897  
URL : http://ftp.gnome.org/pub/gnome/sources/libgnomeprintui/

Summary : Libraries and headers for libgnomeprintui

Description :

The libgnomeprintui package contains GTK+ widgets related to printing. You should install the libgnomeprintui-devel package if you would like to compile applications that use the widgets in libgnomeprintui. You do not need to install it if you just want to use precompiled applications.

**Name** : libbonoboui **Relocations:** (not relocatable)  
Version : 2.16.0 Vendor: CentOS  
Release : 1.fc6 Build Date: Sun 07 Jan 2007  
05:46:52 PM EST  
Install Date: Mon 19 Dec 2011 12:39:43 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: libbonoboui-2.16.0-  
1.fc6.src.rpm  
Size : 1271144 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:22 PM EDT, Key ID  
a8a447dce8562897  
URL : http://ftp.gnome.org  
Summary : Bonobo user interface components  
Description :  
Bonobo is a component system based on CORBA, used by the GNOME  
desktop. libbonoboui contains the user interface related components  
that come with Bonobo.

**Name** : xulrunner **Relocations:** (not relocatable)  
Version : 1.9.0.12 Vendor: CentOS  
Release : 1.el5 Build Date: Mon 27 Jul 2009  
11:29:02 AM EDT  
Install Date: Mon 19 Dec 2011 12:39:45 PM EST Build Host:  
builder10.centos.org  
Group : Applications/Internet Source RPM: xulrunner-1.9.0.12-  
1.el5.src.rpm  
Size : 25463195 License: MPLv1.1 or GPLv2+ or  
LGPLv2+  
Signature : DSA/SHA1, Tue 28 Jul 2009 07:24:53 AM EDT, Key ID  
a8a447dce8562897  
URL : http://www.mozilla.org/projects/xulrunner/  
Summary : XUL Runtime for Gecko Applications  
Description :  
XULRunner provides the XUL Runtime environment for Gecko applications.

**Name** : gnome-mount **Relocations:** (not relocatable)  
Version : 0.5 Vendor: CentOS  
Release : 3.el5 Build Date: Sat 06 Jan 2007  
11:59:12 PM EST  
Install Date: Mon 19 Dec 2011 12:39:49 PM EST Build Host:  
builder5.centos.org  
Group : Applications/System Source RPM: gnome-mount-0.5-  
3.el5.src.rpm  
Size : 233359 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:31 PM EDT, Key ID  
a8a447dce8562897  
Summary : Mount replacement which uses HAL to do the mounting  
Description :  
A replacement for the mount, umount and eject commands that

uses HAL to do all the heavy lifting.

**Name** : **libgsf** **Relocations:** (not relocatable)  
Version : 1.14.1 Vendor: CentOS  
Release : 6.1 Build Date: Wed 14 Mar 2007  
02:44:57 PM EDT  
Install Date: Mon 19 Dec 2011 12:39:53 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: libgsf-1.14.1-  
6.1.src.rpm  
Size : 264664 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:32 PM EDT, Key ID  
a8a447dce8562897  
Summary : GNOME Structured File library  
Description :  
A library for reading and writing structured files (eg MS OLE and Zip)

**Name** : **nautilus-cd-burner** **Relocations:** (not relocatable)  
Version : 2.16.0 Vendor: CentOS  
Release : 7.el5 Build Date: Wed 14 Mar 2007  
04:47:20 PM EDT  
Install Date: Mon 19 Dec 2011 12:39:58 PM EST Build Host:  
builder5.centos.org  
Group : User Interface/Desktops Source RPM: nautilus-cd-burner-  
2.16.0-7.el5.src.rpm  
Size : 1799252 License: LGPL/GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:25:12 PM EDT, Key ID  
a8a447dce8562897  
Summary : Easy to use CD burning for Gnome  
Description :  
An easy to use CD burning package, well integrated with  
Nautilus and the Gnome desktop.

**Name** : **gnome-netstatus** **Relocations:** (not relocatable)  
Version : 2.12.0 Vendor: CentOS  
Release : 5.el5 Build Date: Sun 07 Jan 2007  
04:07:05 AM EST  
Install Date: Mon 19 Dec 2011 12:40:03 PM EST Build Host:  
builder5.centos.org  
Group : User Interface/Desktops Source RPM: gnome-netstatus-  
2.12.0-5.el5.src.rpm  
Size : 994851 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:31 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.gnome.org>  
Summary : Network status applet  
Description :  
gnome-netstatus is an applet which provides information about a  
network interface on your panel.

**Name** : **gcalctool** **Relocations:** (not relocatable)  
Version : 5.8.25 Vendor: CentOS  
Release : 1.el5 Build Date: Wed 14 Mar 2007  
10:57:04 AM EDT  
Install Date: Mon 19 Dec 2011 12:40:08 PM EST Build Host:  
builder4.centos.org  
Group : Applications/System Source RPM: gcalctool-5.8.25-



1.el5.src.rpm

Size : 4294715 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:01 PM EDT, Key ID  
a8a447dce8562897

URL : <http://directory.fsf.org/gcalctool.html>

Summary : A desktop calculator

Description :

gcalctool is a powerful graphical calculator with financial, logical and scientific modes. It uses a multiple precision package to do its arithmetic to give a high degree of accuracy.

**Name : nautilus Relocations: (not relocatable)**

Version : 2.16.2 Vendor: CentOS

Release : 7.el5 Build Date: Sat 24 May 2008

01:00:04 PM EDT

Install Date: Mon 19 Dec 2011 12:40:13 PM EST Build Host:

builder16.centos.org

Group : User Interface/Desktops Source RPM: nautilus-2.16.2-

7.el5.src.rpm

Size : 13030554 License: GPL

Signature : DSA/SHA1, Sat 14 Jun 2008 07:37:09 PM EDT, Key ID

a8a447dce8562897

URL : <http://www.gnome.org/projects/nautilus/>

Summary : Nautilus is a file manager for GNOME.

Description :

Nautilus integrates access to files, applications, media, Internet-based resources and the Web. Nautilus delivers a dynamic and rich user experience. Nautilus is an free software project developed under the GNU General Public License and is a core component of the GNOME desktop project.

**Name : rhythmbox Relocations: (not relocatable)**

Version : 0.11.6 Vendor: CentOS

Release : 4.el5 Build Date: Thu 22 Jan 2009

07:46:42 AM EST

Install Date: Mon 19 Dec 2011 12:40:22 PM EST Build Host:

builder16.centos.org

Group : Applications/Multimedia Source RPM: rhythmbox-0.11.6-

4.el5.src.rpm

Size : 12129745 License: GPL

Signature : DSA/SHA1, Sun 08 Mar 2009 09:49:02 PM EDT, Key ID

a8a447dce8562897

Summary : Music Management Application

Description :

Rhythmbox is an integrated music management application based on the powerful GStreamer media framework. It has a number of features, including an easy to use music browser, searching and sorting, comprehensive audio format support through GStreamer, Internet Radio support, playlists and more.

**Name : gdm Relocations: (not relocatable)**

Version : 2.16.0 Vendor: CentOS

Release : 56.el5.centos Build Date: Sat 05 Sep 2009

05:06:42 PM EDT

Install Date: Mon 19 Dec 2011 12:40:25 PM EST Build Host:

builder16.centos.org

Group : User Interface/X Source RPM: gdm-2.16.0-

56.el5.centos.src.rpm

Size : 11601992 License: LGPL/GPL  
Signature : DSA/SHA1, Wed 09 Sep 2009 11:58:32 AM EDT, Key ID  
a8a447dce8562897  
URL : ftp://ftp.gnome.org/pub/GNOME/sources/gdm  
Summary : The GNOME Display Manager.  
Description :

Gdm (the GNOME Display Manager) is a highly configurable  
reimplementation of xdm, the X Display Manager. Gdm allows you to log  
into your system with the X Window System running and supports running  
several different X sessions on your local machine at the same time.

**Name : nautilus-sendto Relocations: (not relocatable)**  
Version : 1.0.1 Vendor: CentOS  
Release : 6.el5.centos Build Date: Thu 03 Sep 2009  
04:23:30 PM EDT  
Install Date: Mon 19 Dec 2011 12:40:32 PM EST Build Host:  
builder16.centos.org  
Group : User Interface/Desktops Source RPM: nautilus-sendto-  
1.0.1-6.el5.centos.src.rpm  
Size : 343444 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:57 PM EDT, Key ID  
a8a447dce8562897

URL : ftp://ftp.gnome.org/pub/gnome/sources/nautilus-sendto  
Summary : Nautilus context menu for sending files  
Description :

The nautilus-sendto package provides a Nautilus context menu for  
sending files via other desktop applications. These functions are  
implemented as plugins, so nautilus-sendto can be extended with  
additional features. This package provides a default plugin for  
Evolution integration.

**Name : nspluginwrapper Relocations: (not relocatable)**  
Version : 0.9.91.5 Vendor: CentOS  
Release : 22.el5 Build Date: Thu 17 Jul 2008  
10:45:53 AM EDT  
Install Date: Mon 19 Dec 2011 12:40:46 PM EST Build Host:  
builder16.centos.org  
Group : Networking/WWW Source RPM: nspluginwrapper-  
0.9.91.5-22.el5.src.rpm  
Size : 309716 License: GPL  
Signature : DSA/SHA1, Thu 17 Jul 2008 10:52:48 AM EDT, Key ID  
a8a447dce8562897

URL : http://gwenole.beauchesne.info/projects/nspluginwrapper/  
Summary : A compatibility layer for Netscape 4 plugins  
Description :

nspluginwrapper makes it possible to use Netscape 4 compatible plugins  
compiled for i386 into Mozilla for another architecture, e.g. x86\_64.  
This package consists in:

- \* npviewer: the plugin viewer
- \* npwrapper.so: the browser-side plugin
- \* mozilla-plugin-config: a tool to manage plugins installation and update

**Name : eog Relocations: (not relocatable)**  
Version : 2.16.0.1 Vendor: CentOS  
Release : 6.el5 Build Date: Wed 14 Mar 2007  
09:21:19 AM EDT  
Install Date: Mon 19 Dec 2011 12:40:50 PM EST Build Host:

builder4.centos.org  
Group : User Interface/Desktops Source RPM: eog-2.16.0.1-6.el5.src.rpm  
Size : 1934140 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:21:32 PM EDT, Key ID a8a447dce8562897  
URL : http://www.gnome.org  
Summary : Eye of GNOME image viewer  
Description :  
Eye of GNOME (EOG) is an image viewer.

**Name : gnome-power-manager Relocations: (not relocatable)**  
Version : 2.16.0 Vendor: CentOS  
Release : 10.el5 Build Date: Wed 21 Jan 2009 02:52:56 AM EST  
Install Date: Mon 19 Dec 2011 12:40:58 PM EST Build Host: builder16.centos.org  
Group : Applications/System Source RPM: gnome-power-manager-2.16.0-10.el5.src.rpm  
Size : 6374326 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:45:46 PM EDT, Key ID a8a447dce8562897  
URL : http://gnome-power.sourceforge.net/  
Summary : GNOME Power Manager  
Description :  
GNOME Power Manager uses the information and facilities provided by HAL displaying icons and handling user callbacks in an interactive GNOME session. GNOME Power Preferences allows authorised users to set policy and change preferences.

**Name : desktop-printing Relocations: (not relocatable)**  
Version : 0.19 Vendor: CentOS  
Release : 20.2.el5 Build Date: Sat 21 Jun 2008 10:27:33 PM EDT  
Install Date: Mon 19 Dec 2011 12:41:05 PM EST Build Host: builder10.centos.org  
Group : Applications/File Source RPM: desktop-printing-0.19-20.2.el5.src.rpm  
Size : 264783 License: GPL  
Signature : DSA/SHA1, Tue 24 Jun 2008 04:28:10 AM EDT, Key ID a8a447dce8562897  
Summary : Desktop print icon  
Description :  
Desktop-printing contains egg cups, a program for user print job notification and control.

**Name : krb5-auth-dialog Relocations: (not relocatable)**  
Version : 0.7 Vendor: CentOS  
Release : 1 Build Date: Sun 07 Jan 2007 06:18:26 AM EST  
Install Date: Mon 19 Dec 2011 12:41:07 PM EST Build Host: builder5.centos.org  
Group : User Interface/X Source RPM: krb5-auth-dialog-0.7-1.src.rpm  
Size : 53655 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:17 PM EDT, Key ID a8a447dce8562897

URL : http://www.redhat.com/  
Summary : Kerberos 5 authentication dialog  
Description :  
This package contains a dialog that warns the user when their Kerberos tickets are about to expire and lets them renew them.

**Name** : **gimp-data-extras** **Relocations:** (not relocatable)  
Version : 2.0.1 Vendor: CentOS  
Release : 1.1.1 Build Date: Sat 06 Jan 2007  
01:40:58 PM EST  
Install Date: Mon 19 Dec 2011 12:41:16 PM EST Build Host:  
builder3.centos.org  
Group : Applications/Multimedia Source RPM: gimp-data-extras-  
2.0.1-1.1.1.src.rpm  
Size : 7931834 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:10 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gimp.org/  
Summary : Extra files for the GIMP.  
Description :  
Patterns, gradients, and other extra files for the GIMP.

**Name** : **libgnomeui-devel** **Relocations:** (not relocatable)  
Version : 2.16.0 Vendor: CentOS  
Release : 5.el5 Build Date: Wed 14 Mar 2007  
02:47:54 PM EDT  
Install Date: Mon 19 Dec 2011 12:41:24 PM EST Build Host:  
builder7.centos.org  
Group : Development/Libraries Source RPM: libgnomeui-2.16.0-  
5.el5.src.rpm  
Size : 2311159 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:29 PM EDT, Key ID  
a8a447dce8562897  
URL : ftp://ftp.gnome.org  
Summary : Libraries and headers for libgnome  
Description :  
GNOME (GNU Network Object Model Environment) is a user-friendly set of  
GUI applications and desktop tools to be used in conjunction with a  
window manager for the X Window System. The libgnomeui-devel package  
includes the libraries and include files that you will need to  
use libgnomeui.  
You should install the libgnomeui-devel package if you would like to  
compile GNOME applications. You do not need to install  
libgnomeui-devel if you just want to use the GNOME desktop  
environment.

**Name** : **gnome-panel-devel** **Relocations:** (not relocatable)  
Version : 2.16.1 Vendor: CentOS  
Release : 7.el5 Build Date: Sat 24 May 2008  
01:17:47 PM EDT  
Install Date: Mon 19 Dec 2011 12:41:24 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: gnome-panel-2.16.1-  
7.el5.src.rpm  
Size : 173588 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:32:39 PM EDT, Key ID  
a8a447dce8562897

URL : <http://www.gnome.org>  
Summary : Headers and libraries for Panel Applet development  
Description :  
Panel Applet development package. Contains files needed for developing  
Panel Applets using the libpanel-applet library.

**Name** : **xorg-x11-drv-keyboard** **Relocations:** (not relocatable)  
Version : 1.1.0 Vendor: CentOS  
Release : 3 Build Date: Thu 29 Nov 2007  
08:14:34 PM EST  
Install Date: Mon 19 Dec 2011 12:41:25 PM EST Build Host: builder6  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
keyboard-1.1.0-3.src.rpm  
Size : 27266 License: MIT/X11  
Signature : DSA/SHA1, Sat 01 Dec 2007 06:17:32 PM EST, Key ID  
a8a447dce8562897  
URL : <http://www.x.org>  
Summary : Xorg X11 keyboard input driver  
Description :  
X.Org X11 keyboard input driver.

**Name** : **gnome-python2-extras** **Relocations:** (not relocatable)  
Version : 2.14.2 Vendor: CentOS  
Release : 6.el5 Build Date: Tue 03 Jun 2008  
05:43:12 PM EDT  
Install Date: Mon 19 Dec 2011 12:41:26 PM EST Build Host:  
builder16.centos.org  
Group : Development/Languages Source RPM: gnome-python2-extras-  
2.14.2-6.el5.src.rpm  
Size : 63223 License: GPL/LGPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:32:40 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.pygtk.org/>  
Summary : The sources for additional. PyGNOME Python extension modules.  
Description :  
The gnome-python-extra package contains the source packages for additional  
Python bindings for GNOME. It should be used together with gnome-python.

**Name** : **gnome-python2-gnomeprint** **Relocations:** (not relocatable)  
Version : 2.16.0 Vendor: CentOS  
Release : 3.el5 Build Date: Sat 19 Sep 2009  
10:09:04 PM EDT  
Install Date: Mon 19 Dec 2011 12:41:26 PM EST Build Host:  
builder10.centos.org  
Group : Development/Languages Source RPM: gnome-python2-  
desktop-2.16.0-3.el5.src.rpm  
Size : 437684 License: GPL/LGPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:42 PM EDT, Key ID  
a8a447dce8562897  
Summary : Python bindings for interacting with libgnomeprint  
Description :  
This module contains a wrapper that allows the use of libgnomeprint via  
Python.

**Name** : **sabayon** **Relocations:** (not relocatable)  
Version : 2.12.4 Vendor: CentOS  
Release : 6.el5 Build Date: Thu 26 Feb 2009

05:23:27 PM EST

Install Date: Mon 19 Dec 2011 12:41:44 PM EST      Build Host:  
chamkaur.karan.org

Group           : Applications/System               Source RPM: sabayon-2.12.4-  
6.el5.src.rpm

Size            : 489316                            License: GPL

Signature      : DSA/SHA1, Sun 08 Mar 2009 09:43:56 PM EDT, Key ID  
a8a447dce8562897

Packager       : Karanbir Singh <kbsingh@karan.org>

URL            : <http://www.gnome.org/projects/sabayon>

Summary        : Tool to maintain user profiles in a GNOME desktop

Description :

Sabayon is a tool to help sysadmins and user change and maintain the  
default behaviour of the GNOME desktop. This package contains the  
graphical tools which a sysadmin use to manage Sabayon profiles.

**Name            : system-config-network               Relocations: (not relocatable)**

Version        : 1.3.99.18                        Vendor: CentOS

Release        : 1.el5                            Build Date: Thu 03 Sep 2009  
10:38:34 PM EDT

Install Date: Mon 19 Dec 2011 12:41:45 PM EST      Build Host:

builder10.centos.org

Group           : Applications/System               Source RPM: system-config-  
network-1.3.99.18-1.el5.src.rpm

Size            : 2399727                         License: GPL

Signature      : DSA/SHA1, Sat 19 Sep 2009 11:55:01 PM EDT, Key ID  
a8a447dce8562897

URL            : [http://fedora.redhat.com/projects/config-tools/redhat-config-  
network.html](http://fedora.redhat.com/projects/config-tools/redhat-config-network.html)

Summary        : The GUI of the NETwork Administration Tool

Description :

This is the GUI of the network configuration tool,  
supporting Ethernet, Wireless, TokenRing, ADSL, ISDN and PPP.

**Name            : alacarte                            Relocations: (not relocatable)**

Version        : 0.10.0                            Vendor: CentOS

Release        : 1.fc6                            Build Date: Thu 18 Jan 2007  
01:15:50 AM EST

Install Date: Mon 19 Dec 2011 12:41:47 PM EST      Build Host:

builder6.centos.org

Group           : Applications/System               Source RPM: alacarte-0.10.0-  
1.fc6.src.rpm

Size            : 618805                           License: GPL

Signature      : DSA/SHA1, Tue 03 Apr 2007 08:19:54 PM EDT, Key ID  
a8a447dce8562897

URL            : <http://www.realistanew.com/projects/alacarte/>

Summary        : Simple menu editor for GNOME

Description :

Alacarte is a menu editor for GNOME that lets you get things done,  
simply and quickly.

Just click and type to edit, add, and delete any menu entry.

**Name            : hwbrowser                           Relocations: (not relocatable)**

Version        : 0.30                             Vendor: CentOS

Release        : 3.el5                            Build Date: Sun 27 Sep 2009  
08:38:05 AM EDT

Install Date: Mon 19 Dec 2011 12:41:48 PM EST      Build Host:

builder10.centos.org  
Group : Applications/System Source RPM: hwbrowser-0.30-3.el5.src.rpm  
Size : 312086 License: GPL  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:06 PM EDT, Key ID a8a447dce8562897  
URL : http://www.redhat.com/  
Summary : A hardware browser.  
Description :  
A browser for your current hardware configuration.

**Name : rhpxl Relocations: (not relocatable)**  
Version : 0.41.1 Vendor: CentOS  
Release : 7.el5 Build Date: Thu 26 Feb 2009 05:28:46 PM EST  
Install Date: Mon 19 Dec 2011 12:41:53 PM EST Build Host: chamkaur.karan.org  
Group : System Environment/Libraries Source RPM: rhpxl-0.41.1-7.el5.src.rpm  
Size : 388295 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:49:01 PM EDT, Key ID a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
Summary : Python library for configuring and running X.  
Description :  
The rhpxl (pronounced 'rapunzel') package contains a Python library for configuring and running X.

**Name : xorg-x11-drv-hyperpen Relocations: (not relocatable)**  
Version : 1.1.0 Vendor: CentOS  
Release : 2 Build Date: Sun 07 Jan 2007 04:26:29 AM EST  
Install Date: Mon 19 Dec 2011 12:41:53 PM EST Build Host: builder5.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-hyperpen-1.1.0-2.src.rpm  
Size : 17112 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:39 PM EDT, Key ID a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 hyperpen input driver  
Description :  
X.Org X11 hyperpen input driver.

**Name : xorg-x11-drv-ark Relocations: (not relocatable)**  
Version : 0.6.0 Vendor: CentOS  
Release : 2.1 Build Date: Thu 15 Mar 2007 12:16:16 AM EDT  
Install Date: Mon 19 Dec 2011 12:41:54 PM EST Build Host: builder6  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-ark-0.6.0-2.1.src.rpm  
Size : 18640 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:38 PM EDT, Key ID a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 ark video driver  
Description :

X.Org X11 ark video driver.

**Name** : **xorg-x11-drv-palmax** **Relocations:** (not relocatable)  
Version : 1.1.0 Vendor: CentOS  
Release : 1.1 Build Date: Sat 06 Jan 2007  
07:49:05 AM EST  
Install Date: Mon 19 Dec 2011 12:41:54 PM EST Build Host:  
builder1.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
palmax-1.1.0-1.1.src.rpm  
Size : 14266 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:40 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 palmax input driver  
Description :  
X.Org X11 palmax input driver.

**Name** : **xorg-x11-drv-ast** **Relocations:** (not relocatable)  
Version : 0.81.0 Vendor: CentOS  
Release : 3 Build Date: Sun 07 Jan 2007  
02:27:23 AM EST  
Install Date: Mon 19 Dec 2011 12:41:55 PM EST Build Host:  
builder5.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
ast-0.81.0-3.src.rpm  
Size : 43508 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:38 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 ast video driver  
Description :  
X.Org X11 ast video driver.

**Name** : **xorg-x11-drv-fbdev** **Relocations:** (not relocatable)  
Version : 0.3.0 Vendor: CentOS  
Release : 2 Build Date: Sun 07 Jan 2007  
12:14:10 AM EST  
Install Date: Mon 19 Dec 2011 12:41:55 PM EST Build Host:  
builder5.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
fbdev-0.3.0-2.src.rpm  
Size : 20123 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:39 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 fbdev video driver  
Description :  
X.Org X11 fbdev video driver.

**Name** : **xorg-x11-drv-fpfit** **Relocations:** (not relocatable)  
Version : 1.1.0 Vendor: CentOS  
Release : 1.1 Build Date: Sat 06 Jan 2007  
10:31:18 AM EST  
Install Date: Mon 19 Dec 2011 12:41:55 PM EST Build Host:  
builder1.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-



fpit-1.1.0-1.1.src.rpm  
Size : 12244 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:39 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 fpit input driver  
Description :  
X.Org X11 fpit input driver.

**Name : xorg-x11-drv-microtouch Relocations: (not relocatable)**  
Version : 1.1.0 Vendor: CentOS  
Release : 1.1 Build Date: Sun 07 Jan 2007  
05:34:08 AM EST  
Install Date: Mon 19 Dec 2011 12:41:56 PM EST Build Host:  
builder1.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
microtouch-1.1.0-1.1.src.rpm  
Size : 16037 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:40 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 microtouch input driver  
Description :  
X.Org X11 microtouch input driver.

**Name : xorg-x11-drv-savage Relocations: (not relocatable)**  
Version : 2.1.1 Vendor: CentOS  
Release : 5.fc6 Build Date: Sat 06 Jan 2007  
07:12:21 PM EST  
Install Date: Mon 19 Dec 2011 12:41:56 PM EST Build Host:  
builder5.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
savage-2.1.1-5.fc6.src.rpm  
Size : 143974 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:41 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 savage video driver  
Description :  
X.Org X11 savage video driver.

**Name : xorg-x11-drv-citron Relocations: (not relocatable)**  
Version : 2.2.0 Vendor: CentOS  
Release : 1.1 Build Date: Sat 06 Jan 2007  
01:48:03 PM EST  
Install Date: Mon 19 Dec 2011 12:41:56 PM EST Build Host:  
builder5.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
citron-2.2.0-1.1.src.rpm  
Size : 52453 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:38 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 citron input driver  
Description :  
X.Org X11 citron input driver.

**Name** : **xorg-x11-drv-sis** **Relocations:** (not relocatable)  
Version : 0.9.1 Vendor: CentOS  
Release : 7.1.el5 Build Date: Sat 24 May 2008  
10:35:01 AM EDT  
Install Date: Mon 19 Dec 2011 12:41:58 PM EST Build Host:  
builder16.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
sis-0.9.1-7.1.el5.src.rpm  
Size : 613062 License: MIT/X11  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:41:57 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 sis video driver  
Description :  
X.Org X11 sis video driver.

**Name** : **xorg-x11-drv-siliconmotion** **Relocations:** (not relocatable)  
Version : 1.4.1 Vendor: CentOS  
Release : 2.1 Build Date: Sun 07 Jan 2007  
12:10:48 AM EST  
Install Date: Mon 19 Dec 2011 12:41:58 PM EST Build Host:  
builder5.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
siliconmotion-1.4.1-2.1.src.rpm  
Size : 89615 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:41 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 siliconmotion video driver  
Description :  
X.Org X11 siliconmotion video driver.

**Name** : **xorg-x11-drv-i740** **Relocations:** (not relocatable)  
Version : 1.1.0 Vendor: CentOS  
Release : 2.1 Build Date: Thu 15 Mar 2007  
12:44:28 AM EDT  
Install Date: Mon 19 Dec 2011 12:41:58 PM EST Build Host:  
builder4.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
i740-1.1.0-2.1.src.rpm  
Size : 46296 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:39 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 i740 video driver  
Description :  
X.Org X11 i740 video driver.

**Name** : **xorg-x11-drv-magictouch** **Relocations:** (not relocatable)  
Version : 1.0.0.5 Vendor: CentOS  
Release : 2.1 Build Date: Sun 07 Jan 2007  
03:22:19 AM EST  
Install Date: Mon 19 Dec 2011 12:41:59 PM EST Build Host:  
builder5.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
magictouch-1.0.0.5-2.1.src.rpm  
Size : 2876 License: MIT/X11

Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:40 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 magictouch input driver  
Description :  
X.Org X11 magictouch input driver.

**Name : xorg-x11-drv-summa Relocations: (not relocatable)**  
Version : 1.1.0 Vendor: CentOS  
Release : 1.1 Build Date: Sat 06 Jan 2007  
01:54:13 AM EST  
Install Date: Mon 19 Dec 2011 12:41:59 PM EST Build Host:  
builder1.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
summa-1.1.0-1.1.src.rpm  
Size : 17140 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:41 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 summa input driver  
Description :  
X.Org X11 summa input driver.

**Name : firstboot Relocations: (not relocatable)**  
Version : 1.4.27.7 Vendor: CentOS  
Release : 1.el5.centos Build Date: Sun 01 Mar 2009  
09:23:02 AM EST  
Install Date: Mon 19 Dec 2011 12:42:00 PM EST Build Host:  
chamkaur.karan.org  
Group : System Environment/Base Source RPM: firstboot-1.4.27.7-  
1.el5.centos.src.rpm  
Size : 989166 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:45:27 PM EDT, Key ID  
a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
URL : http://fedora.redhat.com/projects/config-tools/  
Summary : Initial system configuration utility  
Description :  
The firstboot utility runs after installation. It guides the  
user through a series of steps that allows for easier  
configuration of the machine.

**Name : perl-Archive-Tar Relocations: (not relocatable)**  
Version : 1.38 Vendor: Dag Apt Repository,  
http://dag.wieers.com/apt/  
Release : 1.el5.rf Build Date: Wed 23 Jan 2008  
02:38:32 PM EST  
Install Date: Mon 19 Dec 2011 12:42:14 PM EST Build Host:  
lisse.leuven.wieers.com  
Group : Applications/CPAN Source RPM: perl-Archive-Tar-  
1.38-1.el5.rf.src.rpm  
Size : 117687 License: Artistic/GPL  
Signature : DSA/SHA1, Wed 23 Jan 2008 06:01:58 PM EST, Key ID  
a20e52146b8d79e6  
Packager : Dag Wieers <dag@wieers.com>  
URL : http://search.cpan.org/dist/Archive-Tar/  
Summary : Archive-Tar module for perl

Description :  
Module for manipulations of tar archives.

**Name** : perl-Expect **Relocations:** (not relocatable)  
Version : 1.21 Vendor: Dag Apt Repository,  
<http://dag.wieers.com/apt/>  
Release : 1.el5.rf Build Date: Thu 08 Nov 2007  
07:39:50 PM EST  
Install Date: Mon 19 Dec 2011 12:42:16 PM EST Build Host:  
lisse.leuven.wieers.com  
Group : Applications/CPAN Source RPM: perl-Expect-1.21-  
1.el5.rf.src.rpm  
Size : 168786 License: Artistic/GPL  
Signature : DSA/SHA1, Thu 08 Nov 2007 08:05:02 PM EST, Key ID  
a20e52146b8d79e6  
Packager : Dries Verachtert <dries@ulyssis.org>  
URL : <http://search.cpan.org/dist/Expect/>  
Summary : Expect for perl  
Description :  
This module contains a version of expect written in perl.

**Name** : perl-HTML-Template **Relocations:** (not relocatable)  
Version : 2.9 Vendor: Dag Apt Repository,  
<http://dag.wieers.com/apt/>  
Release : 1.el5.rf Build Date: Sun 29 Apr 2007  
10:32:04 AM EDT  
Install Date: Mon 19 Dec 2011 12:42:18 PM EST Build Host:  
lisse.leuven.wieers.com  
Group : Applications/CPAN Source RPM: perl-HTML-Template-  
2.9-1.el5.rf.src.rpm  
Size : 164744 License: Artistic/GPL  
Signature : DSA/SHA1, Sun 29 Apr 2007 06:02:50 PM EDT, Key ID  
a20e52146b8d79e6  
Packager : Dries Verachtert <dries@ulyssis.org>  
URL : <http://search.cpan.org/dist/HTML-Template/>  
Summary : HTML Templates for CGI scripts  
Description :  
With this module, you can use HTML templates in CGI scripts.

**Name** : perl-Pod-Simple **Relocations:** (not relocatable)  
Version : 3.05 Vendor: Dag Apt Repository,  
<http://dag.wieers.com/apt/>  
Release : 1.el5.rf Build Date: Sun 29 Apr 2007  
10:14:16 AM EDT  
Install Date: Mon 19 Dec 2011 12:42:19 PM EST Build Host:  
lisse.leuven.wieers.com  
Group : Applications/CPAN Source RPM: perl-Pod-Simple-3.05-  
1.el5.rf.src.rpm  
Size : 462637 License: Artistic  
Signature : DSA/SHA1, Sun 29 Apr 2007 06:02:25 PM EDT, Key ID  
a20e52146b8d79e6  
Packager : Dries Verachtert <dries@ulyssis.org>  
URL : <http://search.cpan.org/dist/Pod-Simple/>  
Summary : Framework for parsing Pod  
Description :  
This module contains a framework for parsing Pod.

**Name** : perl-XML-RegExp **Relocations:** (not relocatable)  
Version : 0.03 Vendor: Dag Apt Repository,  
http://dag.wieers.com/apt/  
Release : 1.2.el5.rf Build Date: Thu 08 Mar 2007  
11:15:34 AM EST  
Install Date: Mon 19 Dec 2011 12:42:21 PM EST Build Host:  
lisse.leuven.wieers.com  
Group : Applications/CPAN Source RPM: perl-XML-RegExp-0.03-  
1.2.el5.rf.src.rpm  
Size : 9357 License: Artistic  
Signature : DSA/SHA1, Fri 09 Mar 2007 04:33:13 AM EST, Key ID  
a20e52146b8d79e6  
Packager : Dries Verachtert <dries@ulyssis.org>  
URL : http://search.cpan.org/dist/XML-RegExp/  
Summary : Regular expressions for XML tokens  
Description :  
This package contains regular expressions for the following XML tokens:  
BaseChar, Ideographic, Letter, Digit, Extender, CombiningChar, NameChar,  
EntityRef, CharRef, Reference, Name, NmToken, and AttValue.

**Name** : perl-Text-Reform **Relocations:** (not relocatable)  
Version : 1.11 Vendor: Dag Apt Repository,  
http://dag.wieers.com/apt/  
Release : 1.2.el5.rf Build Date: Thu 08 Mar 2007  
11:01:14 AM EST  
Install Date: Mon 19 Dec 2011 12:42:23 PM EST Build Host:  
lisse.leuven.wieers.com  
Group : Applications/CPAN Source RPM: perl-Text-Reform-  
1.11-1.2.el5.rf.src.rpm  
Size : 74926 License: Artistic  
Signature : DSA/SHA1, Fri 09 Mar 2007 04:31:33 AM EST, Key ID  
a20e52146b8d79e6  
Packager : Dries Verachtert <dries@ulyssis.org>  
URL : http://search.cpan.org/dist/Text-Reform/  
Summary : Manual text wrapping and reformatting  
Description :  
The module supplies a re-entrant, highly configurable replacement  
for the built-in Perl format() mechanism.

**Name** : perl-perlindex **Relocations:** (not relocatable)  
Version : 1.605 Vendor: (none)  
Release : 1 Build Date: Thu 15 Jul 2010  
09:36:33 AM EDT  
Install Date: Mon 19 Dec 2011 12:42:27 PM EST Build Host: lorax  
Group : Applications/CPAN Source RPM: perl-perlindex-1.605-  
1.src.rpm  
Size : 29214 License: Artistic/GPL  
Signature : (none)  
Packager : Jason Messmer <Jason.Messmer@xerox.com>  
URL : http://search.cpan.org/dist/perlindex/  
Summary : Index and query perl manual pages  
Description :  
Index and query perl manual pages.

**Name** : perl-Tk-Pod **Relocations:** (not relocatable)  
Version : 0.9939 Vendor: (none)  
Release : 1 Build Date: Thu 15 Jul 2010

08:59:16 AM EDT

Install Date: Mon 19 Dec 2011 12:42:28 PM EST      Build Host: lorax  
Group        : Applications/CPAN                    Source RPM: perl-Tk-Pod-0.9939-  
1.src.rpm  
Size         : 204585                                License: Artistic/GPL  
Signature    : (none)  
Packager     : Jason Messmer <Jason.Messmer@xerox.com>  
URL          : http://search.cpan.org/dist/Tk-Pod/  
Summary      : Pod browser widget  
Description   :  
Pod browser widget.

**Name            : metacity                                Relocations: (not relocatable)**  
Version       : 2.16.0                                Vendor: CentOS  
Release       : 15.el5                               Build Date: Wed 31 Mar 2010

12:30:02 AM EDT

Install Date: Mon 19 Dec 2011 12:44:00 PM EST      Build Host:  
builder17.centos.org  
Group        : User Interface/Desktops            Source RPM: metacity-2.16.0-  
15.el5.src.rpm  
Size         : 9985452                              License: GPL  
Signature    : DSA/SHA1, Mon 26 Apr 2010 03:59:55 PM EDT, Key ID  
a8a447dce8562897  
URL          : http://ftp.gnome.org/pub/gnome/sources/metacity/  
Summary      : Metacity window manager  
Description   :

Metacity is a simple window manager that integrates nicely with  
GNOME 2.

**Name            : xerces-c                                    Relocations: (not relocatable)**  
Version       : 3.1.1                                    Vendor: Xerox Corp.  
Release       : 1                                     Build Date: Mon 23 Aug 2010

04:15:43 PM EDT

Install Date: Wed 08 Feb 2012 05:11:51 AM EST      Build Host: oslabpec  
Group        : Development/Libraries            Source RPM: xerces-c-3.1.1-  
1.src.rpm  
Size         : 29727729                             License: Apache  
Signature    : (none)  
Packager     : Joel Lissade <joel.lissade@usa.xerox.com>  
URL          : http://xml.apache.org/xerces-c/  
Summary      : Validating XML Parser  
Description   :

Xerces-C is a validating XML parser written in a portable subset of  
C++. Xerces-C makes it easy to give your application the ability to  
read and write XML data. A shared library is provided for parsing,  
generating, manipulating, and validating XML documents. Xerces-C is  
faithful to the XML 1.0 recommendation and associated standards ( DOM  
1.0, DOM 2.0. SAX 1.0, SAX 2.0, Namespaces).

**Name            : mailcap                                    Relocations: (not relocatable)**  
Version       : 2.1.23                                    Vendor: CentOS  
Release       : 1.fc6                                Build Date: Sat 06 Jan 2007

09:42:46 PM EST

Install Date: Mon 19 Dec 2011 12:32:58 PM EST      Build Host:  
builder6.centos.org  
Group        : System Environment/Base            Source RPM: mailcap-2.1.23-

1.fc6.src.rpm  
Size : 18295 License: public domain  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:54 PM EDT, Key ID  
a8a447dce8562897  
Summary : Associates helper applications with particular file types.  
Description :  
The mailcap file is used by the metamail program. Metamail reads the  
mailcap file to determine how it should display non-text or multimedia  
material. Basically, mailcap associates a particular type of file  
with a particular program that a mail agent or other program can call  
in order to handle the file.  
Mailcap should be installed to allow certain programs to be able to  
handle non-text files.

**Name : iso-codes Relocations: (not relocatable)**  
Version : 0.53 Vendor: CentOS  
Release : 1 Build Date: Sat 06 Jan 2007  
08:37:42 AM EST  
Install Date: Mon 19 Dec 2011 12:33:05 PM EST Build Host:  
builder3.centos.org  
Group : System Environment/Base Source RPM: iso-codes-0.53-  
1.src.rpm  
Size : 4689765 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:52 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://alioth.debian.org/projects/pkg-isocodes/>  
Summary : ISO code lists and translations  
Description :  
This package provides the ISO-639 Language code list, the ISO-3166  
Territory code list, and ISO-3166-2 sub-territory lists, and all their  
translations in gettext .po form.

**Name : pciutils-devel Relocations: (not relocatable)**  
Version : 2.2.3 Vendor: CentOS  
Release : 7.el5 Build Date: Sat 26 Sep 2009  
02:43:30 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:06 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: pciutils-2.2.3-  
7.el5.src.rpm  
Size : 103924 License: GPL  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:07 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://atrey.karlin.mff.cuni.cz/~mj/pciutils.shtml>  
Summary : Linux PCI development library.  
Description :  
This package contains a library for inspecting and setting  
devices connected to the PCI bus.

**Name : gnome-audio Relocations: (not relocatable)**  
Version : 2.0.0 Vendor: CentOS  
Release : 3.1.1 Build Date: Sat 06 Jan 2007  
05:39:39 PM EST  
Install Date: Mon 19 Dec 2011 12:33:07 PM EST Build Host:  
builder5.centos.org  
Group : Applications/Multimedia Source RPM: gnome-audio-2.0.0-  
3.1.1.src.rpm

Size : 1422144 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:27 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnome.org  
Summary : Sounds for GNOME events.  
Description :  
The gnome-audio package contains sounds for the GNOME GUI desktop  
environment. If you are installing GNOME, you may want to install this  
package of complementary sounds.

**Name : zlib Relocations: /usr**  
Version : 1.2.3 Vendor: CentOS  
Release : 3 Build Date: Tue 09 Jan 2007  
03:06:58 PM EST  
Install Date: Mon 19 Dec 2011 12:33:09 PM EST Build Host:  
builder6.centos.org  
Group : System Environment/Libraries Source RPM: zlib-1.2.3-3.src.rpm  
Size : 79276 License: BSD  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:50 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gzip.org/zlib/  
Summary : The zlib compression and decompression library.  
Description :  
Zlib is a general-purpose, patent-free, lossless data compression  
library which is used by many different programs.

**Name : libstdc++ Relocations: (not relocatable)**  
Version : 4.1.2 Vendor: CentOS  
Release : 46.el5 Build Date: Thu 03 Sep 2009  
12:58:45 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:10 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: gcc-4.1.2-  
46.el5.src.rpm  
Size : 925520 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:53 PM EDT, Key ID  
a8a447dce8562897  
URL : http://gcc.gnu.org  
Summary : GNU Standard C++ Library  
Description :  
The libstdc++ package contains a rewritten standard compliant GCC Standard  
C++ Library.

**Name : bzip2-libs Relocations: (not relocatable)**  
Version : 1.0.3 Vendor: CentOS  
Release : 4.el5\_2 Build Date: Tue 16 Sep 2008  
09:22:29 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:10 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: bzip2-1.0.3-  
4.el5\_2.src.rpm  
Size : 70404 License: BSD  
Signature : DSA/SHA1, Tue 16 Sep 2008 07:56:17 PM EDT, Key ID  
a8a447dce8562897  
URL : http://sources.redhat.com/bzip2/  
Summary : Libraries for applications using bzip2  
Description :



Libraries for applications using the bzip2 compression format.

**Name** : nspr **Relocations:** (not relocatable)  
Version : 4.7.4 Vendor: CentOS  
Release : 1.el5\_3.1 Build Date: Mon 27 Jul 2009  
10:47:19 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:13 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: nspr-4.7.4-  
1.el5\_3.1.src.rpm  
Size : 250432 License: MPL/GPL/LGPL  
Signature : DSA/SHA1, Tue 28 Jul 2009 07:16:25 AM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.mozilla.org/projects/nspr/>  
Summary : Netscape Portable Runtime  
Description :  
NSPR provides platform independence for non-GUI operating system  
facilities. These facilities include threads, thread synchronization,  
normal file and network I/O, interval timing and calendar time, basic  
memory management (malloc and free) and shared library linking.

**Name** : db4 **Relocations:** (not relocatable)  
Version : 4.3.29 Vendor: CentOS  
Release : 10.el5 Build Date: Sat 19 Sep 2009  
10:06:43 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:14 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: db4-4.3.29-  
10.el5.src.rpm  
Size : 2125026 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:28 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.sleepycat.com/>  
Summary : The Berkeley DB database library (version 4) for C.  
Description :  
The Berkeley Database (Berkeley DB) is a programmatic toolkit that  
provides embedded database support for both traditional and  
client/server applications. The Berkeley DB includes B+tree, Extended  
Linear Hashing, Fixed and Variable-length record access methods,  
transactions, locking, logging, shared memory caching, and database  
recovery. The Berkeley DB supports C, C++, Java, and Perl APIs. It is  
used by many applications, including Python and Perl, so this should  
be installed on all systems.

**Name** : elfutils-libelf **Relocations:** (not relocatable)  
Version : 0.137 Vendor: CentOS  
Release : 3.el5 Build Date: Wed 21 Jan 2009  
12:03:44 AM EST  
Install Date: Mon 19 Dec 2011 12:33:15 PM EST Build Host:  
builder10.centos.org  
Group : Development/Tools Source RPM: elfutils-0.137-  
3.el5.src.rpm  
Size : 87508 License: GPLv2 with exceptions  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:45:26 PM EDT, Key ID  
a8a447dce8562897  
URL : <https://fedorahosted.org/elfutils/>  
Summary : Library to read and write ELF files

Description :

The elfutils-libelf package provides a DSO which allows reading and writing ELF files on a high level. Third party programs depend on this package to read internals of ELF files. The programs of the elfutils package use it also to generate new ELF files.

**Name** : libogg **Relocations:** (not relocatable)  
Version : 1.1.3 Vendor: CentOS  
Release : 3.el5 Build Date: Wed 14 Mar 2007  
02:49:33 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:15 PM EST Build Host: builder6  
Group : System Environment/Libraries Source RPM: libogg-1.1.3-  
3.el5.src.rpm  
Size : 24987 License: BSD  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:36 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.xiph.org/>  
Summary : The Ogg bitstream file format library.  
Description :  
Libogg is a library for manipulating Ogg bitstream file formats.  
Libogg supports both making Ogg bitstreams and getting packets from  
Ogg bitstreams.

**Name** : perl **Relocations:** (not relocatable)  
Version : 5.8.8 Vendor: CentOS  
Release : 27.el5 Build Date: Thu 03 Sep 2009  
10:38:48 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:18 PM EST Build Host:  
builder10.centos.org  
Group : Development/Languages Source RPM: perl-5.8.8-  
27.el5.src.rpm  
Size : 29734022 License: Artistic or GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:54:53 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.perl.org/>  
Summary : The Perl programming language  
Description :  
Perl is a high-level programming language with roots in C, sed, awk  
and shell scripting. Perl is good at handling processes and files,  
and is especially good at handling text. Perl's hallmarks are  
practicality and efficiency. While it is used to do a lot of  
different things, Perl's most common applications are system  
administration utilities and web programming. A large proportion of  
the CGI scripts on the web are written in Perl. You need the perl  
package installed on your system so that your system can handle Perl  
scripts.  
Install this package if you want to program in Perl or enable your  
system to handle Perl scripts.

**Name** : ORBit2 **Relocations:** (not relocatable)  
Version : 2.14.3 Vendor: CentOS  
Release : 5.el5 Build Date: Thu 26 Feb 2009  
05:51:23 PM EST  
Install Date: Mon 19 Dec 2011 12:33:20 PM EST Build Host:  
chamkaur.karan.org  
Group : System Environment/Daemons Source RPM: ORBit2-2.14.3-  
5.el5.src.rpm

Size : 743770 License: LGPL/GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:48:52 PM EDT, Key ID  
a8a447dce8562897

Packager : Karanbir Singh <kbsingh@karan.org>  
URL : <http://www.gnome.org/projects/ORBit2/>  
Summary : A high-performance CORBA Object Request Broker

Description :

ORBit is a high-performance CORBA (Common Object Request Broker Architecture) ORB (object request broker). It allows programs to send requests and receive replies from other programs, regardless of the locations of the two programs. CORBA is an architecture that enables communication between program objects, regardless of the programming language they're written in or the operating system they run on.

You will need to install this package and ORBit-devel if you want to write programs that use CORBA technology.

**Name : bzip2 Relocations: (not relocatable)**

Version : 1.0.3 Vendor: CentOS  
Release : 4.el5\_2 Build Date: Tue 16 Sep 2008

09:22:29 AM EDT

Install Date: Mon 19 Dec 2011 12:33:21 PM EST Build Host:

builder16.centos.org

Group : Applications/File Source RPM: bzip2-1.0.3-  
4.el5\_2.src.rpm

Size : 75867 License: BSD

Signature : DSA/SHA1, Tue 16 Sep 2008 07:56:17 PM EDT, Key ID  
a8a447dce8562897

URL : <http://sources.redhat.com/bzip2/>

Summary : A file compression utility.

Description :

Bzip2 is a freely available, patent-free, high quality data compressor. Bzip2 compresses files to within 10 to 15 percent of the capabilities of the best techniques available. However, bzip2 has the added benefit of being approximately two times faster at compression and six times faster at decompression than those techniques. Bzip2 is not the fastest compression utility, but it does strike a balance between speed and compression capability.

Install bzip2 if you need a compression utility.

**Name : cpio Relocations: (not relocatable)**

Version : 2.6 Vendor: CentOS  
Release : 23.el5 Build Date: Sun 27 Sep 2009

10:52:09 AM EDT

Install Date: Mon 19 Dec 2011 12:33:24 PM EST Build Host:

builder16.centos.org

Group : Applications/Archiving Source RPM: cpio-2.6-  
23.el5.src.rpm

Size : 287167 License: GPL

Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:05 PM EDT, Key ID  
a8a447dce8562897

URL : <http://www.gnu.org/software/cpio/>

Summary : A GNU archiving program.

Description :

GNU cpio copies files into or out of a cpio or tar archive. Archives are files which contain a collection of other files plus information about them, such as their file name, owner, timestamps, and access

permissions. The archive can be another file on the disk, a magnetic tape, or a pipe. GNU cpio supports the following archive formats: binary, old ASCII, new ASCII, crc, HPUX binary, HPUX old ASCII, old tar and POSIX.1 tar. By default, cpio creates binary format archives, so that they are compatible with older cpio programs. When it is extracting files from archives, cpio automatically recognizes which kind of archive it is reading and can read archives created on machines with a different byte-order. Install cpio if you need a program to manage file archives.

**Name** : **libsfs** **Relocations:** (not relocatable)  
Version : 2.0.0 Vendor: CentOS  
Release : 6 Build Date: Sat 06 Jan 2007  
01:16:24 PM EST  
Install Date: Mon 19 Dec 2011 12:33:25 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: sysfsutils-2.0.0-  
6.src.rpm  
Size : 139226 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:40 PM EDT, Key ID  
a8a447dce8562897  
Summary : Shared library for interfacing with sysfs  
Description :  
Library used in handling linux kernel sysfs mounts and their various files.

**Name** : **gdb** **Relocations:** (not relocatable)  
Version : 6.8 Vendor: CentOS  
Release : 37.el5 Build Date: Thu 03 Sep 2009  
09:52:18 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:28 PM EST Build Host:  
builder10.centos.org  
Group : Development/Debuggers Source RPM: gdb-6.8-  
37.el5.src.rpm  
Size : 7359876 License: GPLv3+  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:38 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://gnu.org/software/gdb/>  
Summary : A GNU source-level debugger for C, C++, Java and other  
languages  
Description :  
GDB, the GNU debugger, allows you to debug programs written in C, C++,  
Java, and other languages, by executing them in a controlled fashion  
and printing their data.

**Name** : **libmusicbrainz** **Relocations:** (not relocatable)  
Version : 2.1.1 Vendor: CentOS  
Release : 4.1 Build Date: Sun 07 Jan 2007  
04:58:37 AM EST  
Install Date: Mon 19 Dec 2011 12:33:29 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: libmusicbrainz-  
2.1.1-4.1.src.rpm  
Size : 234339 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:36 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.musicbrainz.org/>  
Summary : Library for accessing MusicBrainz servers  
Description :

The MusicBrainz client library allows applications to make metadata lookup to a MusicBrainz server, generate signatures from WAV data and create CD Index Disk ids from audio CD roms.

**Name** : **lm\_sensors** **Relocations:** (not relocatable)  
Version : 2.10.7 Vendor: CentOS  
Release : 4.el5 Build Date: Wed 21 Jan 2009  
03:11:08 AM EST  
Install Date: Mon 19 Dec 2011 12:33:30 PM EST Build Host:  
builder16.centos.org  
Group : Applications/System Source RPM: lm\_sensors-2.10.7-  
4.el5.src.rpm  
Size : 1862048 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:46:51 PM EDT, Key ID  
a8a447dce8562897  
URL : http://secure.netroedge.com/~lm78/  
Summary : Hardware monitoring tools.  
Description :  
The lm\_sensors package includes a collection of modules for general SMBus access and hardware monitoring. NOTE: this requires special support which is not in standard 2.2-vintage kernels.

**Name** : **festival** **Relocations:** (not relocatable)  
Version : 1.95 Vendor: CentOS  
Release : 5.2.1 Build Date: Sat 06 Jan 2007  
04:06:28 AM EST  
Install Date: Mon 19 Dec 2011 12:33:35 PM EST Build Host:  
builder1.centos.org  
Group : Applications/Multimedia Source RPM: festival-1.95-  
5.2.1.src.rpm  
Size : 51851071 License: X11-style  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:21:40 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.cstr.ed.ac.uk/projects/festival/  
Summary : A free speech synthesizer  
Description :  
Festival is a general multi-lingual speech synthesis system developed at CSTR. It offers a full text to speech system with various APIs, as well as an environment for development and research of speech synthesis techniques. It is written in C++ with a Scheme-based command interpreter for general control.

**Name** : **libtheora** **Relocations:** (not relocatable)  
Version : 1.0alpha7 Vendor: CentOS  
Release : 1 Build Date: Sat 06 Jan 2007  
12:01:01 PM EST  
Install Date: Mon 19 Dec 2011 12:33:35 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: libtheora-1.0alpha7-  
1.src.rpm  
Size : 1183640 License: BSD  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:40 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.theora.org  
Summary : Theora Video Compression Codec  
Description :  
Theora is Xiph.Org's first publicly released video codec, intended

for use within the Ogg's project's Ogg multimedia streaming system. Theora is derived directly from On2's VP3 codec; Currently the two are nearly identical, varying only in encapsulating decoder tables in the bitstream headers, but Theora will make use of this extra freedom in the future to improve over what is possible with VP3.

**Name** : mozldap **Relocations:** (not relocatable)  
Version : 6.0.5 Vendor: CentOS  
Release : 1.el5 Build Date: Tue 18 Dec 2007  
07:04:53 PM EST  
Install Date: Mon 19 Dec 2011 12:33:37 PM EST Build Host: builder6  
Group : System Environment/Libraries Source RPM: mozldap-6.0.5-  
1.el5.src.rpm  
Size : 287634 License: MPL/GPL/LGPL  
Signature : DSA/SHA1, Thu 20 Dec 2007 06:53:54 PM EST, Key ID  
a8a447dce8562897  
URL : <http://www.mozilla.org/directory/csdk.html>  
Summary : Mozilla LDAP C SDK  
Description :  
The Mozilla LDAP C SDK is a set of libraries that allow applications to communicate with LDAP directory servers. These libraries are derived from the University of Michigan and Netscape LDAP libraries. They use Mozilla NSPR and NSS for crypto.

**Name** : unzip **Relocations:** (not relocatable)  
Version : 5.52 Vendor: CentOS  
Release : 3.el5 Build Date: Thu 26 Feb 2009  
05:42:33 PM EST  
Install Date: Mon 19 Dec 2011 12:33:38 PM EST Build Host:  
chamkaur.karan.org  
Group : Applications/Archiving Source RPM: unzip-5.52-  
3.el5.src.rpm  
Size : 291621 License: BSD  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:49:19 PM EDT, Key ID  
a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
URL : <http://www.info-zip.org/pub/infozip/UnZip.html>  
Summary : A utility for unpacking zip files.  
Description :  
The unzip utility is used to list, test, or extract files from a zip archive. Zip archives are commonly found on MS-DOS systems. The zip utility, included in the zip package, creates zip archives. Zip and unzip are both compatible with archives created by PKWARE(R)'s PKZIP for MS-DOS, but the programs' options and default behaviors do differ in some respects.  
Install the unzip package if you need to list, test or extract files from a zip archive.

**Name** : pth **Relocations:** (not relocatable)  
Version : 2.0.7 Vendor: CentOS  
Release : 6.el5 Build Date: Thu 03 Sep 2009  
01:36:14 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:41 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: pth-2.0.7-  
6.el5.src.rpm

Size : 252019 License: LGPLv2+  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:54:54 PM EDT, Key ID  
a8a447dce8562897

URL : <http://www.gnu.org/software/pth/>

Summary : The GNU Portable Threads library

Description :

Pth is a very portable POSIX/ANSI-C based library for Unix platforms which provides non-preemptive priority-based scheduling for multiple threads of execution ("multithreading") inside server applications. All threads run in the same address space of the server application, but each thread has it's own individual program-counter, run-time stack, signal mask and errno variable.

**Name : checkpolicy Relocations: (not relocatable)**  
Version : 1.33.1 Vendor: CentOS  
Release : 4.el5 Build Date: Sat 24 May 2008  
10:47:16 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:42 PM EST Build Host:  
builder16.centos.org  
Group : Development/System Source RPM: checkpolicy-1.33.1-  
4.el5.src.rpm  
Size : 538801 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:29:40 PM EDT, Key ID  
a8a447dce8562897

Summary : SELinux policy compiler

Description :

Security-enhanced Linux is a feature of the Linux-« kernel and a number of utilities with enhanced security functionality designed to add mandatory access controls to Linux. The Security-enhanced Linux kernel contains new architectural components originally developed to improve the security of the Flask operating system. These architectural components provide general support for the enforcement of many kinds of mandatory access control policies, including those based on the concepts of Type Enforcement-«, Role-based Access Control, and Multi-level Security. This package contains checkpolicy, the SELinux policy compiler. Only required for building policies.

**Name : libsilc Relocations: (not relocatable)**  
Version : 1.0.2 Vendor: CentOS  
Release : 2.fc6 Build Date: Sun 10 Dec 2006  
02:08:36 PM EST  
Install Date: Mon 19 Dec 2011 12:33:43 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: libsilc-1.0.2-  
2.fc6.src.rpm  
Size : 1035628 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:38 PM EDT, Key ID  
a8a447dce8562897

URL : <http://www.silcnet.org/>

Summary : SILC Client Library

Description :

SILC Client Library libraries for SILC clients.

**Name : perl-URI Relocations: (not relocatable)**  
Version : 1.35 Vendor: CentOS  
Release : 3 Build Date: Mon 08 Jan 2007

02:53:24 PM EST

Install Date: Mon 19 Dec 2011 12:33:47 PM EST      Build Host:  
builder6.centos.org  
Group           : Development/Libraries           Source RPM: perl-URI-1.35-  
3.src.rpm  
Size            : 251462                           License: GPL or Artistic  
Signature      : DSA/SHA1, Tue 03 Apr 2007 08:26:55 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://search.cpan.org/dist/URI/  
Summary        : A Perl module implementing URI parsing and manipulation  
Description    :  
This module implements the URI class. Objects of this class represent  
"Uniform Resource Identifier references" as specified in RFC 2396 (and  
updated by RFC 2732).

**Name            : libjpeg-devel                           Relocations: (not relocatable)**  
Version         : 6b                                Vendor: CentOS  
Release         : 37                                Build Date: Sat 06 Jan 2007  
01:10:00 AM EST  
Install Date: Mon 19 Dec 2011 12:33:51 PM EST      Build Host:  
builder1.centos.org  
Group           : Development/Libraries           Source RPM: libjpeg-6b-37.src.rpm  
Size            : 317374                           License: distributable  
Signature      : DSA/SHA1, Tue 03 Apr 2007 08:24:36 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.ijg.org/  
Summary        : Development tools for programs which will use the libjpeg  
library.  
Description    :  
The libjpeg-devel package includes the header files and static libraries  
necessary for developing programs which will manipulate JPEG files using  
the libjpeg library.  
If you are going to develop programs which will manipulate JPEG images,  
you should install libjpeg-devel. You'll also need to have the libjpeg  
package installed.

**Name            : libidn-devel                           Relocations: (not relocatable)**  
Version         : 0.6.5                            Vendor: CentOS  
Release         : 1.1                               Build Date: Sun 07 Jan 2007  
04:10:21 AM EST  
Install Date: Mon 19 Dec 2011 12:33:52 PM EST      Build Host:  
builder1.centos.org  
Group           : Development/Libraries           Source RPM: libidn-0.6.5-  
1.1.src.rpm  
Size            : 742618                           License: LGPL  
Signature      : DSA/SHA1, Tue 03 Apr 2007 08:24:35 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.gnu.org/software/libidn  
Summary        : Development files for the libidn library  
Description    :  
This package includes header files and libraries necessary for  
developing programs which use the GNU libidn library.

**Name            : libattr-devel                           Relocations: (not relocatable)**  
Version         : 2.4.32                           Vendor: CentOS  
Release         : 1.1                               Build Date: Sat 06 Jan 2007  
12:12:25 AM EST



Install Date: Mon 19 Dec 2011 12:33:54 PM EST      Build Host:  
builder1.centos.org  
Group           : Development/Libraries            Source RPM: attr-2.4.32-  
1.1.src.rpm  
Size            : 43397                            License: LGPL  
Signature       : DSA/SHA1, Tue 03 Apr 2007 08:24:22 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://oss.sgi.com/projects/xfs/  
Summary         : Extended attribute static libraries and headers.  
Description :  
This package contains the libraries and header files needed to  
develop programs which make use of extended attributes.  
For Linux programs, the documented system call API is the  
recommended interface, but an SGI IRIX compatibility interface  
is also provided.  
Currently only ext2, ext3 and XFS support extended attributes.  
The SGI IRIX compatibility API built above the Linux system calls is  
used by programs such as xfsdump(8), xfsrestore(8) and xfs\_fsr(8).  
You should install libattr-devel if you want to develop programs  
which make use of extended attributes. If you install libattr-devel,  
you'll also want to install attr.

**Name            : libstdc++-devel                    Relocations: (not relocatable)**  
Version         : 4.1.2                            Vendor: CentOS  
Release         : 46.el5                           Build Date: Thu 03 Sep 2009  
12:58:45 AM EDT

Install Date: Mon 19 Dec 2011 12:33:56 PM EST      Build Host:  
builder16.centos.org  
Group           : Development/Libraries            Source RPM: gcc-4.1.2-  
46.el5.src.rpm  
Size            : 10695835                        License: GPL  
Signature       : DSA/SHA1, Sat 19 Sep 2009 11:53:54 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://gcc.gnu.org  
Summary         : Header files and libraries for C++ development  
Description :  
This is the GNU implementation of the standard C++ libraries. This  
package includes the header files and libraries needed for C++  
development. This includes rewritten implementation of STL.

**Name            : libXmu                            Relocations: (not relocatable)**  
Version         : 1.0.2                            Vendor: CentOS  
Release         : 5                                Build Date: Sat 06 Jan 2007  
05:25:22 AM EST

Install Date: Mon 19 Dec 2011 12:33:56 PM EST      Build Host:  
builder1.centos.org  
Group           : System Environment/Libraries      Source RPM: libXmu-1.0.2-  
5.src.rpm  
Size            : 122532                           License: MIT/X11  
Signature       : DSA/SHA1, Tue 03 Apr 2007 08:24:46 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.x.org  
Summary         : X.Org X11 libXmu/libXmu runtime libraries  
Description :  
X.Org X11 libXmu/libXmu runtime libraries

**Name            : ORBit2-devel                    Relocations: (not relocatable)**

Version : 2.14.3 Vendor: CentOS  
Release : 5.el5 Build Date: Thu 26 Feb 2009  
05:51:23 PM EST  
Install Date: Mon 19 Dec 2011 12:33:57 PM EST Build Host:  
chamkaur.karan.org  
Group : Development/Libraries Source RPM: ORBit2-2.14.3-  
5.el5.src.rpm  
Size : 1920760 License: LGPL/GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:48:52 PM EDT, Key ID  
a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
URL : http://www.gnome.org/projects/ORBit2/  
Summary : Development libraries, header files and utilities for ORBit  
Description :  
ORBit is a high-performance CORBA (Common Object Request Broker  
Architecture) ORB (object request broker) with support for the  
C language.  
This package contains the header files, libraries and utilities  
necessary to write programs that use CORBA technology. If you want to  
write such programs, you'll also need to install the ORBIT package.

**Name : libxkbfile Relocations: (not relocatable)**  
Version : 1.0.3 Vendor: CentOS  
Release : 3.1 Build Date: Sun 07 Jan 2007  
01:30:27 AM EST  
Install Date: Mon 19 Dec 2011 12:33:59 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: libxkbfile-1.0.3-  
3.1.src.rpm  
Size : 146170 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:44 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libxkbfile runtime library  
Description :  
X.Org X11 libxkbfile runtime library

**Name : libXfontcache Relocations: (not relocatable)**  
Version : 1.0.2 Vendor: CentOS  
Release : 3.1 Build Date: Sun 07 Jan 2007  
02:05:45 AM EST  
Install Date: Mon 19 Dec 2011 12:34:00 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: libXfontcache-1.0.2-  
3.1.src.rpm  
Size : 7590 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:44 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXfontcache runtime library  
Description :  
X.Org X11 libXfontcache runtime library

**Name : libXcomposite Relocations: (not relocatable)**  
Version : 0.3 Vendor: CentOS  
Release : 5.1 Build Date: Sat 06 Jan 2007  
12:19:54 PM EST

Install Date: Mon 19 Dec 2011 12:34:01 PM EST      Build Host:  
builder5.centos.org  
Group        : System Environment/Libraries      Source RPM: libXcomposite-0.3-  
5.1.src.rpm  
Size         : 11375                              License: MIT/X11  
Signature    : DSA/SHA1, Tue 03 Apr 2007 08:24:43 PM EDT, Key ID  
a8a447dce8562897  
URL          : http://www.x.org  
Summary      : X.Org X11 libXcomposite runtime library  
Description :  
X.Org X11 libXcomposite runtime library

**Name            : grub                              Relocations: (not relocatable)**  
Version       : 0.97                                    Vendor: CentOS  
Release       : 13.5                                Build Date: Thu 03 Sep 2009  
10:30:03 AM EDT

Install Date: Mon 19 Dec 2011 12:34:03 PM EST      Build Host:  
builder16.centos.org  
Group        : System Environment/Base          Source RPM: grub-0.97-  
13.5.src.rpm  
Size         : 1057819                            License: GPL  
Signature    : DSA/SHA1, Sat 19 Sep 2009 11:53:42 PM EDT, Key ID  
a8a447dce8562897  
URL          : http://www.gnu.org/software/grub/  
Summary      : GRUB - the Grand Unified Boot Loader.  
Description :

GRUB (Grand Unified Boot Loader) is an experimental boot loader capable of booting into most free operating systems - Linux, FreeBSD, NetBSD, GNU Mach, and others as well as most commercial operating systems.

**Name            : dcraw                              Relocations: (not relocatable)**  
Version       : 0.0.20060521                            Vendor: CentOS  
Release       : 1.1                                    Build Date: Sat 06 Jan 2007  
07:44:37 AM EST

Install Date: Mon 19 Dec 2011 12:34:05 PM EST      Build Host:  
builder1.centos.org  
Group        : Applications/Multimedia          Source RPM: dcraw-0.0.20060521-  
1.1.src.rpm  
Size         : 143343                            License: GPL  
Signature    : DSA/SHA1, Tue 03 Apr 2007 08:20:49 PM EDT, Key ID  
a8a447dce8562897  
Summary      : A tool for decoding raw image data from digital cameras.  
Description :  
This package contains dcraw, a command line tool to decode raw image data downloaded from digital cameras.

**Name            : acl                                    Relocations: (not relocatable)**  
Version       : 2.2.39                                    Vendor: CentOS  
Release       : 3.el5                                    Build Date: Sat 24 May 2008  
10:33:30 AM EDT

Install Date: Mon 19 Dec 2011 12:34:06 PM EST      Build Host:  
builder16.centos.org  
Group        : System Environment/Base          Source RPM: acl-2.2.39-  
3.el5.src.rpm  
Size         : 149350                            License: GPL  
Signature    : DSA/SHA1, Sat 14 Jun 2008 07:29:16 PM EDT, Key ID

a8a447dce8562897

URL : <http://oss.sgi.com/projects/xfs/>

Summary : Access control list utilities.

Description :

This package contains the getfacl and setfacl utilities needed for manipulating access control lists.

**Name** : **telnet** **Relocations:** (not relocatable)  
Version : 0.17 Vendor: CentOS  
Release : 39.el5 Build Date: Sat 01 Dec 2007  
04:10:47 AM EST  
Install Date: Mon 19 Dec 2011 12:34:08 PM EST Build Host: builder6  
Group : Applications/Internet Source RPM: telnet-0.17-  
39.el5.src.rpm  
Size : 98504 License: BSD  
Signature : DSA/SHA1, Sat 01 Dec 2007 06:16:37 PM EST, Key ID  
a8a447dce8562897  
Summary : The client program for the telnet remote login protocol.  
Description :  
Telnet is a popular protocol for logging into remote systems over the Internet. The telnet package provides a command line telnet client.

**Name** : **cpuspeed** **Relocations:** (not relocatable)  
Version : 1.2.1 Vendor: CentOS  
Release : 8.el5 Build Date: Sat 26 Sep 2009  
01:58:30 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:08 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: cpuspeed-1.2.1-  
8.el5.src.rpm  
Size : 53031 License: GPL  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:05 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://carlthompson.net/Software/CPUSpeed>  
Summary : CPU frequency adjusting daemon  
Description :  
cpuspeed is a daemon that dynamically changes the speed of your processor(s) depending upon its current workload if it is capable (needs Intel Speedstep, AMD PowerNow!, or similar support).  
This package also supports enabling cpu frequency scaling via in-kernel governors on Intel Centrino and AMD Athlon64/Opteron platforms.

**Name** : **x86info** **Relocations:** (not relocatable)  
Version : 1.20 Vendor: CentOS  
Release : 1.26.fc6 Build Date: Sat 06 Jan 2007  
11:51:00 AM EST  
Install Date: Mon 19 Dec 2011 12:34:10 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Base Source RPM: x86info-1.20-  
1.26.fc6.src.rpm  
Size : 74645 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:29 PM EDT, Key ID  
a8a447dce8562897  
Summary : x86 processor information tool.  
Description :

x86info displays diagnostic information about x86 processors, such as cache configuration and supported features.

**Name** : **finger** **Relocations:** (not relocatable)  
Version : 0.17 Vendor: CentOS  
Release : 32.2.1.1 Build Date: Sat 06 Jan 2007  
12:43:18 PM EST  
Install Date: Mon 19 Dec 2011 12:34:11 PM EST Build Host:  
builder1.centos.org  
Group : Applications/Internet Source RPM: finger-0.17-  
32.2.1.1.src.rpm  
Size : 25670 License: BSD  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:21:41 PM EDT, Key ID  
a8a447dce8562897  
Summary : The finger client.  
Description :  
Finger is a utility which allows users to see information about system users (login name, home directory, name, how long they've been logged in to the system, etc.). The finger package includes a standard finger client.  
You should install finger if you'd like to retrieve finger information from other systems.

**Name** : **pam\_passwdqc** **Relocations:** (not relocatable)  
Version : 1.0.2 Vendor: CentOS  
Release : 1.2.2 Build Date: Sat 06 Jan 2007  
01:41:44 PM EST  
Install Date: Mon 19 Dec 2011 12:34:11 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Base Source RPM: pam\_passwdqc-1.0.2-  
1.2.2.src.rpm  
Size : 52094 License: BSD-compatible  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:50 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.openwall.com/passwdqc/>  
Summary : Pluggable password quality-control module.  
Description :  
pam\_passwdqc is a simple password strength checking module for PAM-aware password changing programs, such as passwd(1). In addition to checking regular passwords, it offers support for passphrases and can provide randomly generated passwords. All features are optional and can be (re-)configured without rebuilding.

**Name** : **ctags** **Relocations:** (not relocatable)  
Version : 5.6 Vendor: CentOS  
Release : 1.1 Build Date: Sat 06 Jan 2007  
02:14:28 AM EST  
Install Date: Mon 19 Dec 2011 12:34:12 PM EST Build Host:  
builder5.centos.org  
Group : Development/Tools Source RPM: ctags-5.6-1.1.src.rpm  
Size : 265309 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:42 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://ctags.sourceforge.net/>  
Summary : A C programming language indexing and/or cross-reference tool.  
Description :  
Ctags generates an index (or tag) file of C language objects found in

C source and header files. The index makes it easy for text editors or other utilities to locate the indexed items. Ctags can also generate a cross reference file which lists information about the various objects found in a set of C language files in human readable form. Exuberant Ctags improves on ctags because it can find all types of C language tags, including macro definitions, enumerated values (values inside enum{...}), function and method definitions, enum/struct/union tags, external function prototypes, typedef names and variable declarations. Exuberant Ctags is far less likely to be fooled by code containing #if preprocessor conditional constructs than ctags. Exuberant ctags supports output of Emacs style TAGS files and can be used to print out a list of selected objects found in source files.

Install ctags if you are going to use your system for C programming.

**Name** : **readline-devel** **Relocations:** (not relocatable)  
Version : 5.1 Vendor: CentOS  
Release : 3.el5 Build Date: Mon 21 Sep 2009  
06:38:37 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:13 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: readline-5.1-  
3.el5.src.rpm  
Size : 399957 License: GPL  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:07 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://cnswww.cns.cwru.edu/php/chet/readline/rltop.html>  
Summary : Files needed to develop programs which use the readline  
library.

Description :

The Readline library provides a set of functions that allow users to edit typed command lines. If you want to develop programs that will use the readline library, you need to have the readline-devel package installed. You also need to have the readline package installed.

**Name** : **pstack** **Relocations:** (not relocatable)  
Version : 1.2 Vendor: CentOS  
Release : 7.2.2 Build Date: Sat 06 Jan 2007  
06:49:08 PM EST  
Install Date: Mon 19 Dec 2011 12:34:15 PM EST Build Host:  
builder1.centos.org  
Group : Development/Debuggers Source RPM: pstack-1.2-  
7.2.2.src.rpm  
Size : 887 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:05 PM EDT, Key ID  
a8a447dce8562897  
Summary : Display stack trace of a running process

Description :

pstack dumps a stack trace for a process, given the pid of that process. If the process named is part of a thread group, then all the threads in the group are traced.

**Name** : **libgtop2-devel** **Relocations:** (not relocatable)  
Version : 2.14.4 Vendor: CentOS  
Release : 3.el5 Build Date: Wed 14 Mar 2007  
02:55:28 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:16 PM EST Build Host:

builder4.centos.org  
Group : Development/Libraries Source RPM: libgtop2-2.14.4-3.el5.src.rpm  
Size : 94965 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:32 PM EDT, Key ID a8a447dce8562897  
URL : ftp://ftp.gnome.org/pub/GNOME/sources/libgtop/2.0  
Summary : Libraries and include files for developing with libgtop.  
Description :  
This package provides the necessary development libraries and include files to allow you to develop with libgtop.

**Name : automake15 Relocations: (not relocatable)**  
Version : 1.5 Vendor: CentOS  
Release : 16 Build Date: Sat 06 Jan 2007 06:15:27 AM EST  
Install Date: Mon 19 Dec 2011 12:34:17 PM EST Build Host: builder3.centos.org  
Group : Development/Tools Source RPM: automake15-1.5-16.src.rpm  
Size : 765514 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:17 PM EDT, Key ID a8a447dce8562897  
URL : http://sources.redhat.com/automake  
Summary : A GNU tool for automatically creating Makefiles.  
Description :  
Automake is a tool for automatically generating `Makefile.in' files compliant with the GNU Coding Standards. This package contains Automake 1.5, an older version of Automake. You should install it if you need to run automake in a project that has not yet been updated to work with newer versions of Automake.

**Name : libstdc++44-devel Relocations: (not relocatable)**  
Version : 4.4.0 Vendor: CentOS  
Release : 6.el5 Build Date: Fri 04 Sep 2009 03:58:33 AM EDT  
Install Date: Mon 19 Dec 2011 12:34:21 PM EST Build Host: builder16.centos.org  
Group : Development/Libraries Source RPM: gcc44-4.4.0-6.el5.src.rpm  
Size : 15525283 License: GPLv3+, GPLv3+ with exceptions and GPLv2+ with exceptions  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:54 PM EDT, Key ID a8a447dce8562897  
URL : http://gcc.gnu.org  
Summary : Header files and libraries for C++ development  
Description :  
This is the GNU implementation of the standard C++ libraries. This package includes the header files and libraries needed for C++ development. This includes rewritten implementation of STL.

**Name : device-mapper Relocations: (not relocatable)**  
Version : 1.02.32 Vendor: CentOS  
Release : 1.el5 Build Date: Thu 03 Sep 2009 07:23:51 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:23 PM EST Build Host: builder16.centos.org

Group : System Environment/Base Source RPM: device-mapper-1.02.32-1.el5.src.rpm  
Size : 1546362 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:29 PM EDT, Key ID a8a447dce8562897  
URL : http://sources.redhat.com/lvm2  
Summary : device mapper library  
Description :  
This package contains the supporting userspace files (libdevmapper and dmsetup) for the device-mapper.

**Name : cairo Relocations: (not relocatable)**  
Version : 1.2.4 Vendor: CentOS  
Release : 5.el5 Build Date: Sat 24 May 2008 04:09:16 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:28 PM EST Build Host: builder16.centos.org  
Group : System Environment/Libraries Source RPM: cairo-1.2.4-5.el5.src.rpm  
Size : 1118786 License: LGPL/MPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:29:39 PM EDT, Key ID a8a447dce8562897  
URL : http://cairographics.org  
Summary : A vector graphics library  
Description :  
Cairo is a vector graphics library designed to provide high-quality display and print output. Currently supported output targets include the X Window System, OpenGL (via glitz), in-memory image buffers, and image files (PDF, PostScript, and SVG). Cairo is designed to produce identical output on all output media while taking advantage of display hardware acceleration when available (eg. through the X Render Extension or OpenGL).

**Name : esound Relocations: (not relocatable)**  
Version : 0.2.36 Vendor: CentOS  
Release : 3 Build Date: Sun 07 Jan 2007 06:21:15 AM EST  
Install Date: Mon 19 Dec 2011 12:34:30 PM EST Build Host: builder5.centos.org  
Group : System Environment/Daemons Source RPM: esound-0.2.36-3.src.rpm  
Size : 286074 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:21:35 PM EDT, Key ID a8a447dce8562897  
URL : ftp://ftp.gnome.org/pub/GNOME/sources/esound  
Summary : Allows several audio streams to play on a single audio device.  
Description :  
Esound, the Enlightened Sound Daemon, is a server process that mixes several audio streams for playback by a single audio device. For example, if you're listening to music on a CD and you receive a sound-related event from ICQ, the two applications won't have to queue for the use of your sound card.  
Install esound if you'd like to let sound applications share your audio device. You'll also need to install the audiofile package.

**Name : curl Relocations: (not relocatable)**  
Version : 7.15.5 Vendor: CentOS



Release : 2.1.el5\_3.5 Build Date: Thu 13 Aug 2009  
06:52:32 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:33 PM EST Build Host:  
builder16.centos.org  
Group : Applications/Internet Source RPM: curl-7.15.5-  
2.1.el5\_3.5.src.rpm  
Size : 473845 License: MIT  
Signature : DSA/SHA1, Tue 18 Aug 2009 12:36:46 PM EDT, Key ID  
a8a447dce8562897  
URL : http://curl.haxx.se/  
Summary : A utility for getting files from remote servers (FTP, HTTP, and  
others).

Description :

cURL is a tool for getting files from FTP, HTTP, Gopher, Telnet, and  
Dict servers, using any of the supported protocols. cURL is designed  
to work without user interaction or any kind of interactivity. cURL  
offers many useful capabilities, like proxy support, user  
authentication, FTP upload, HTTP post, and file transfer resume.

**Name : pycairo Relocations: (not relocatable)**  
Version : 1.2.0 Vendor: CentOS  
Release : 1.1 Build Date: Sun 07 Jan 2007  
01:53:36 AM EST  
Install Date: Mon 19 Dec 2011 12:34:36 PM EST Build Host:  
builder1.centos.org  
Group : Development/Languages Source RPM: pycairo-1.2.0-  
1.1.src.rpm  
Size : 75281 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:05 PM EDT, Key ID  
a8a447dce8562897  
URL : http://cairographics.org/  
Summary : Python bindings for the cairo library  
Description :  
Python bindings for the cairo library

**Name : hicolor-icon-theme Relocations: (not relocatable)**  
Version : 0.9 Vendor: CentOS  
Release : 2.1 Build Date: Sun 07 Jan 2007  
01:19:17 AM EST  
Install Date: Mon 19 Dec 2011 12:34:37 PM EST Build Host:  
builder3.centos.org  
Group : User Interface/Desktops Source RPM: hicolor-icon-theme-  
0.9-2.1.src.rpm  
Size : 17315 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:45 PM EDT, Key ID  
a8a447dce8562897  
URL : http://freedesktop.org/Software/icon-theme  
Summary : Basic requirement for icon themes  
Description :  
Contains the basic directories and files needed for icon theme support.

**Name : alsa-lib-devel Relocations: (not relocatable)**  
Version : 1.0.17 Vendor: CentOS  
Release : 1.el5 Build Date: Tue 20 Jan 2009  
10:47:23 PM EST  
Install Date: Mon 19 Dec 2011 12:34:39 PM EST Build Host:  
builder16.centos.org

Group : Development/Libraries Source RPM: alsa-lib-1.0.17-1.el5.src.rpm  
Size : 9941364 License: LGPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:45:17 PM EDT, Key ID a8a447dce8562897  
URL : http://www.alsa-project.org/  
Summary : Static libraries and header files from the ALSA library.  
Description :  
The Advanced Linux Sound Architecture (ALSA) provides audio and MIDI functionality to the Linux operating system.  
This package includes the ALSA development libraries for developing against the ALSA libraries and interfaces.

**Name : ruby-irb Relocations: (not relocatable)**  
Version : 1.8.5 Vendor: CentOS  
Release : 5.el5\_3.7 Build Date: Thu 02 Jul 2009 06:41:06 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:47 PM EST Build Host: builder16.centos.org  
Group : Development/Languages Source RPM: ruby-1.8.5-5.el5\_3.7.src.rpm  
Size : 141019 License: Ruby License/GPL - see COPYING  
Signature : DSA/SHA1, Thu 02 Jul 2009 07:48:32 PM EDT, Key ID a8a447dce8562897  
URL : http://www.ruby-lang.org/  
Summary : The Interactive Ruby.  
Description :  
The irb is acronym for Interactive Ruby. It evaluates ruby expression from the terminal.

**Name : GConf2 Relocations: (not relocatable)**  
Version : 2.14.0 Vendor: CentOS  
Release : 9.el5 Build Date: Wed 14 Mar 2007 11:12:24 AM EDT  
Install Date: Mon 19 Dec 2011 12:34:53 PM EST Build Host: builder7.centos.org  
Group : System Environment/Base Source RPM: GConf2-2.14.0-9.el5.src.rpm  
Size : 4868129 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:05 PM EDT, Key ID a8a447dce8562897  
URL : http://www.gnome.org  
Summary : A process-transparent configuration system  
Description :  
GConf is a process-transparent configuration database API used to store user preferences. It has pluggable backends and features to support workgroup administration.

**Name : gimp-libs Relocations: (not relocatable)**  
Version : 2.2.13 Vendor: CentOS  
Release : 2.0.7.el5 Build Date: Thu 27 Sep 2007 12:28:31 AM EDT  
Install Date: Mon 19 Dec 2011 12:34:55 PM EST Build Host: builder6  
Group : System Environment/Libraries Source RPM: gimp-2.2.13-2.0.7.el5.src.rpm  
Size : 1350708 License: GPL, LGPL

Signature : DSA/SHA1, Fri 28 Sep 2007 03:39:50 AM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gimp.org/  
Summary : GIMP libraries  
Description :  
The gimp-libs package contains shared libraries needed for the GNU Image  
Manipulation Program (GIMP).

**Name : alchemist Relocations: (not relocatable)**  
Version : 1.0.36 Vendor: CentOS  
Release : 2.el5 Build Date: Sat 17 Mar 2007  
08:49:44 AM EDT  
Install Date: Mon 19 Dec 2011 12:35:01 PM EST Build Host:  
builder7.centos.org  
Group : System Environment/Base Source RPM: alchemist-1.0.36-  
2.el5.src.rpm  
Size : 332561 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:19:54 PM EDT, Key ID  
a8a447dce8562897  
Summary : A multi-sourced configuration back-end.  
Description :  
The alchemist is a back-end configuration architecture, which provides  
multi-sourced configuration at the data level, postponing translation to  
native format until the last stage. It uses XML as an intermediary data  
encoding, and can be extended to arbitrarily large configuration scenarios.

**Name : audit Relocations: (not relocatable)**  
Version : 1.7.13 Vendor: CentOS  
Release : 2.el5 Build Date: Thu 03 Sep 2009  
03:24:07 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:02 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Daemons Source RPM: audit-1.7.13-  
2.el5.src.rpm  
Size : 904278 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:25 PM EDT, Key ID  
a8a447dce8562897  
URL : http://people.redhat.com/sgrubb/audit/  
Summary : User space tools for 2.6 kernel auditing  
Description :  
The audit package contains the user space utilities for  
storing and searching the audit records generate by  
the audit subsystem in the Linux 2.6 kernel.

**Name : java-1.6.0-openjdk Relocations: (not relocatable)**  
Version : 1.6.0.0 Vendor: CentOS  
Release : 1.2.b09.el5 Build Date: Sat 08 Aug 2009  
09:41:43 AM EDT  
Install Date: Mon 19 Dec 2011 12:35:06 PM EST Build Host:  
builder16.centos.org  
Group : Development/Languages Source RPM: java-1.6.0-openjdk-  
1.6.0.0-1.2.b09.el5.src.rpm  
Size : 79110863 License: GPLv2 with exceptions  
Signature : DSA/SHA1, Sat 08 Aug 2009 11:41:44 PM EDT, Key ID  
a8a447dce8562897  
URL : http://icedtea.classpath.org/  
Summary : OpenJDK Runtime Environment

Description :  
The OpenJDK runtime environment.

**Name** : **openjade** **Relocations:** /usr  
Version : 1.3.2 Vendor: CentOS  
Release : 27 Build Date: Sat 06 Jan 2007  
06:44:30 AM EST  
Install Date: Mon 19 Dec 2011 12:35:08 PM EST Build Host:  
builder5.centos.org  
Group : Applications/Text Source RPM: openjade-1.3.2-  
27.src.rpm  
Size : 3323622 License: Distributable  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:25:21 PM EDT, Key ID  
a8a447dce8562897  
Summary : A DSSSL implementation.

Description :  
OpenJade is an implementation of the ISO/IEC 10179:1996 standard DSSSL  
(Document Style Semantics and Specification Language). OpenJade is  
based on James Clark's Jade implementation of DSSSL. OpenJade is a  
command-line application and a set of components. The DSSSL engine  
inputs an SGML or XML document and can output a variety of formats:  
XML, RTF, TeX, MIF (FrameMaker), SGML, or XML.

**Name** : **xorg-x11-utils** **Relocations:** (not relocatable)  
Version : 7.1 Vendor: CentOS  
Release : 2.fc6 Build Date: Sat 06 Jan 2007  
04:42:17 AM EST  
Install Date: Mon 19 Dec 2011 12:35:08 PM EST Build Host:  
builder1.centos.org  
Group : User Interface/X Source RPM: xorg-x11-utils-7.1-  
2.fc6.src.rpm  
Size : 227098 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:47 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 X client utilities  
Description :  
A collection of client utilities which can be used to query the X server  
for various information, view and select fonts, etc.

**Name** : **qt** **Relocations:** (not relocatable)  
Version : 3.3.6 Vendor: CentOS  
Release : 23.el5 Build Date: Thu 13 Sep 2007  
01:39:38 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:09 PM EST Build Host:  
builder4.centos.org  
Group : System Environment/Libraries Source RPM: qt-3.3.6-  
23.el5.src.rpm  
Size : 9243246 License: GPL/QPL  
Signature : DSA/SHA1, Thu 13 Sep 2007 02:45:14 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.troll.no  
Summary : The shared library for the Qt GUI toolkit.  
Description :  
Qt is a GUI software toolkit which simplifies the task of writing and  
maintaining GUI (Graphical User Interface) applications  
for the X Window System.

Qt is written in C++ and is fully object-oriented.  
This package contains the shared library needed to run qt applications, as well as the README files for qt.

**Name** : **python-numeric** **Relocations:** (not relocatable)  
Version : 23.7 Vendor: CentOS  
Release : 2.2.2 Build Date: Sat 06 Jan 2007  
12:08:34 AM EST  
Install Date: Mon 19 Dec 2011 12:35:12 PM EST Build Host:  
builder5.centos.org  
Group : Development/Languages Source RPM: python-numeric-23.7-  
2.2.2.src.rpm  
Size : 1860684 License: Python  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:10 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://numpy.sourceforge.net>  
Summary : Numerical Extension to Python  
Description :  
Numeric is a python module that provides support for numerical operations.

**Name** : **ppp** **Relocations:** (not relocatable)  
Version : 2.4.4 Vendor: CentOS  
Release : 2.el5 Build Date: Tue 20 Jan 2009  
11:27:17 PM EST  
Install Date: Mon 19 Dec 2011 12:35:16 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Daemons Source RPM: ppp-2.4.4-  
2.el5.src.rpm  
Size : 830544 License: distributable  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:48:57 PM EDT, Key ID  
a8a447dce8562897  
Summary : The PPP (Point-to-Point Protocol) daemon.  
Description :  
The ppp package contains the PPP (Point-to-Point Protocol) daemon and documentation for PPP support. The PPP protocol provides a method for transmitting datagrams over serial point-to-point links. PPP is usually used to dial in to an ISP (Internet Service Provider) or other organization over a modem and phone line.

**Name** : **PyQt** **Relocations:** (not relocatable)  
Version : 3.16 Vendor: CentOS  
Release : 4 Build Date: Fri 05 Jan 2007  
11:51:00 PM EST  
Install Date: Mon 19 Dec 2011 12:35:18 PM EST Build Host:  
builder5.centos.org  
Group : Development/Languages Source RPM: PyQt-3.16-4.src.rpm  
Size : 8656498 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:08 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.riverbankcomputing.co.uk/pyqt/>  
Summary : Python bindings for Qt  
Description :  
These are Python bindings for Qt.

**Name** : **libwvstreams** **Relocations:** (not relocatable)  
Version : 4.2.2 Vendor: CentOS

Release : 2.1 Build Date: Sat 06 Jan 2007  
08:26:11 AM EST  
Install Date: Mon 19 Dec 2011 12:35:23 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: libwvstreams-4.2.2-  
2.1.src.rpm  
Size : 1700310 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:42 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://open.nit.ca/wiki/?page=WvStreams>  
Summary : WvStreams is a network programming library written in C++.  
Description :  
WvStreams aims to be an efficient, secure, and easy-to-use library for  
doing network applications development.

**Name : tcsh Relocations: (not relocatable)**  
Version : 6.14 Vendor: CentOS  
Release : 14.el5 Build Date: Wed 21 Jan 2009  
01:08:37 AM EST  
Install Date: Mon 19 Dec 2011 12:35:25 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Shells Source RPM: tcsh-6.14-  
14.el5.src.rpm  
Size : 1104238 License: distributable  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:49:18 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.tcsh.org/>  
Summary : An enhanced version of csh, the C shell.  
Description :  
Tcsh is an enhanced but completely compatible version of csh, the C  
shell. Tcsh is a command language interpreter which can be used both  
as an interactive login shell and as a shell script command processor.  
Tcsh includes a command line editor, programmable word completion,  
spelling correction, a history mechanism, job control and a C language  
like syntax.

**Name : MAKEDEV Relocations: (not relocatable)**  
Version : 3.23 Vendor: CentOS  
Release : 1.2 Build Date: Sat 06 Jan 2007  
01:53:07 PM EST  
Install Date: Mon 19 Dec 2011 12:35:27 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Base Source RPM: MAKEDEV-3.23-  
1.2.src.rpm  
Size : 657299 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:57 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.lanana.org/docs/device-list/>  
Summary : A program used for creating device files in /dev.  
Description :  
This package contains the MAKEDEV program, which makes it easier to create  
and maintain the files in the /dev directory. /dev directory files  
correspond to a particular device supported by Linux (serial or printer  
ports, scanners, sound cards, tape drives, CD-ROM drives, hard drives,  
etc.) and interface with the drivers in the kernel.  
You should install the MAKEDEV package because the MAKEDEV utility makes  
it easy to manage the /dev directory device files.

**Name** : portmap **Relocations:** (not relocatable)  
Version : 4.0 Vendor: CentOS  
Release : 65.2.2.1 Build Date: Sat 06 Jan 2007  
05:10:02 AM EST  
Install Date: Mon 19 Dec 2011 12:35:31 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Daemons Source RPM: portmap-4.0-  
65.2.2.1.src.rpm  
Size : 58245 License: BSD  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:00 PM EDT, Key ID  
a8a447dce8562897  
Summary : A program which manages RPC connections.  
Description :  
The portmapper program is a security tool which prevents theft of NIS  
(YP), NFS and other sensitive information via the portmapper. A  
portmapper manages RPC connections, which are used by protocols like  
NFS and NIS.  
The portmap package should be installed on any machine which acts as a  
server for protocols using RPC.

**Name** : cyrus-sasl **Relocations:** (not relocatable)  
Version : 2.1.22 Vendor: CentOS  
Release : 5.el5 Build Date: Thu 03 Sep 2009  
08:04:59 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:40 PM EST Build Host:  
builder10.centos.org  
Group : System Environment/Libraries Source RPM: cyrus-sasl-2.1.22-  
5.el5.src.rpm  
Size : 2704993 License: Freely Distributable  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:28 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://asg.web.cmu.edu/sasl/sasl-library.html>  
Summary : The Cyrus SASL library.  
Description :  
The cyrus-sasl package contains the Cyrus implementation of SASL.  
SASL is the Simple Authentication and Security Layer, a method for  
adding authentication support to connection-based protocols.

**Name** : mdadm **Relocations:** (not relocatable)  
Version : 2.6.9 Vendor: CentOS  
Release : 2.el5 Build Date: Thu 03 Sep 2009  
04:58:30 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:56 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: mdadm-2.6.9-  
2.el5.src.rpm  
Size : 1838381 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:56 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.kernel.org/pub/linux/utils/raid/mdadm/>  
Summary : mdadm controls Linux md devices (software RAID arrays)  
Description :  
mdadm is used to create, manage, and monitor Linux MD (software RAID)  
devices. As such, it provides similar functionality to the raidtools  
package. However, mdadm is a single program, and it can perform  
almost all functions without a configuration file, though a configuration

file can be used to help with some common tasks.

**Name** : **openssh-server** **Relocations: (not relocatable)**  
Version : 4.3p2 Vendor: CentOS  
Release : 36.el5 Build Date: Thu 03 Sep 2009  
02:12:42 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:59 PM EST Build Host:  
builder10.centos.org  
Group : System Environment/Daemons Source RPM: openssh-4.3p2-  
36.el5.src.rpm  
Size : 486627 License: BSD  
Signature : DSA/SHA1, Wed 09 Sep 2009 11:54:11 AM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.openssh.com/portable.html>  
Summary : The OpenSSH server daemon  
Description :  
OpenSSH is a free version of SSH (Secure SHell), a program for logging  
into and executing commands on a remote machine. This package contains  
the secure shell daemon (sshd). The sshd daemon allows SSH clients to  
securely connect to your SSH server. You also need to have the openssh  
package installed.

**Name** : **prelink** **Relocations: (not relocatable)**  
Version : 0.4.0 Vendor: CentOS  
Release : 2.el5 Build Date: Tue 20 Jan 2009  
11:58:40 PM EST  
Install Date: Mon 19 Dec 2011 12:36:02 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: prelink-0.4.0-  
2.el5.src.rpm  
Size : 1737710 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:48:57 PM EDT, Key ID  
a8a447dce8562897  
Summary : An ELF prelinking utility  
Description :  
The prelink package contains a utility which modifies ELF shared libraries  
and executables, so that far fewer relocations need to be resolved at runtime  
and thus programs come up faster.

**Name** : **ipsec-tools** **Relocations: (not relocatable)**  
Version : 0.6.5 Vendor: CentOS  
Release : 13.el5\_3.1 Build Date: Tue 19 May 2009  
09:54:35 AM EDT  
Install Date: Mon 19 Dec 2011 12:36:03 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: ipsec-tools-0.6.5-  
13.el5\_3.1.src.rpm  
Size : 883169 License: BSD  
Signature : DSA/SHA1, Tue 19 May 2009 11:04:16 AM EDT, Key ID  
a8a447dce8562897  
URL : <http://ipsec-tools.sourceforge.net/>  
Summary : Tools for configuring and using IPSEC  
Description :  
This is the IPsec-Tools package. You need this package in order to  
really use the IPsec functionality in the linux-2.5+ kernels. This  
package builds:  
- setkey, a program to directly manipulate policies and SAs



- racoon, an IKEv1 keying daemon

**Name** : **bind-utils** **Relocations:** (not relocatable)  
Version : 9.3.6 Vendor: CentOS  
Release : 4.P1.el5 Build Date: Thu 03 Sep 2009  
09:37:48 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:05 PM EST Build Host:  
builder16.centos.org  
Group : Applications/System Source RPM: bind-9.3.6-  
4.P1.el5.src.rpm  
Size : 285867 License: BSD-like  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:26 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.isc.org/products/BIND/  
Summary : Utilities for querying DNS name servers.  
Description :  
Bind-utils contains a collection of utilities for querying DNS (Domain  
Name System) name servers to find out information about Internet  
hosts. These tools will provide you with the IP addresses for given  
host names, as well as other information about registered domains and  
network addresses.  
You should install bind-utils if you need to get information from DNS name  
servers.

**Name** : **pam\_krb5** **Relocations:** (not relocatable)  
Version : 2.2.14 Vendor: CentOS  
Release : 10 Build Date: Wed 21 Jan 2009  
07:50:43 PM EST  
Install Date: Mon 19 Dec 2011 12:36:09 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: pam\_krb5-2.2.14-  
10.src.rpm  
Size : 259728 License: LGPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:48:52 PM EDT, Key ID  
a8a447dce8562897  
Summary : A Pluggable Authentication Module for Kerberos 5.  
Description :  
This is pam\_krb5, a pluggable authentication module that can be used with  
Linux-PAM and Kerberos 5. This module supports password checking, ticket  
creation, and optional TGT verification and conversion to Kerberos IV  
tickets.  
The included pam\_krb5afs module also gets AFS tokens if so configured.

**Name** : **java-1.6.0-openjdk-devel** **Relocations:** (not relocatable)  
Version : 1.6.0.0 Vendor: CentOS  
Release : 1.2.b09.el5 Build Date: Sat 08 Aug 2009  
09:41:43 AM EDT  
Install Date: Mon 19 Dec 2011 12:36:14 PM EST Build Host:  
builder16.centos.org  
Group : Development/Tools Source RPM: java-1.6.0-openjdk-  
1.6.0.0-1.2.b09.el5.src.rpm  
Size : 32002241 License: GPLv2 with exceptions  
Signature : DSA/SHA1, Sat 08 Aug 2009 11:42:00 PM EDT, Key ID  
a8a447dce8562897  
URL : http://icedtea.classpath.org/  
Summary : OpenJDK Development Environment  
Description :

The OpenJDK development tools.

**Name** : **minicom** **Relocations:** (not relocatable)  
Version : 2.1 Vendor: CentOS  
Release : 3 Build Date: Sun 07 Jan 2007  
04:49:08 AM EST  
Install Date: Mon 19 Dec 2011 12:36:16 PM EST Build Host:  
builder1.centos.org  
Group : Applications/Communications Source RPM: minicom-2.1-3.src.rpm  
Size : 606611 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:25:04 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://alioth.debian.org/projects/minicom/>  
Summary : A text-based modem control and terminal emulation program.  
Description :  
Minicom is a simple text-based modem control and terminal emulation  
program somewhat similar to MSDOS Telix. Minicom includes a dialing  
directory, full ANSI and VT100 emulation, an (external) scripting  
language, and other features.

**Name** : **autofs** **Relocations:** (not relocatable)  
Version : 5.0.1 Vendor: CentOS  
Release : 0.rc2.131.el5 Build Date: Thu 03 Sep 2009  
09:35:06 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:20 PM EST Build Host:  
builder10.centos.org  
Group : System Environment/Daemons Source RPM: autofs-5.0.1-  
0.rc2.131.el5.src.rpm  
Size : 2045857 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:25 PM EDT, Key ID  
a8a447dce8562897  
Summary : A tool for automatically mounting and unmounting filesystems.  
Description :  
autofs is a daemon which automatically mounts filesystems when you use  
them, and unmounts them later when you are not using them. This can  
include network filesystems, CD-ROMs, floppies, and so forth.

**Name** : **pkinit-nss** **Relocations:** (not relocatable)  
Version : 0.7.6 Vendor: CentOS  
Release : 1.el5 Build Date: Wed 21 Jan 2009  
02:58:25 AM EST  
Install Date: Mon 19 Dec 2011 12:36:23 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: pkinit-nss-0.7.6-  
1.el5.src.rpm  
Size : 608648 License: LGPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:48:56 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://people.redhat.com/~nalin/pkinit-nss/>  
Summary : PKINIT for MIT Kerberos  
Description :  
The pkinit-nss package implements the PKINIT standard for MIT Kerberos. It  
does so using the Mozilla NSS library.

**Name** : **mlocate** **Relocations:** (not relocatable)  
Version : 0.15 Vendor: CentOS  
Release : 1.el5.2 Build Date: Thu 03 Sep 2009

01:53:25 PM EDT

Install Date: Mon 19 Dec 2011 12:36:33 PM EST      Build Host:  
builder16.centos.org  
Group           : Applications/System            Source RPM: mlocate-0.15-  
1.el5.2.src.rpm

Size            : 87089                            License: GPLv2  
Signature      : DSA/SHA1, Sat 19 Sep 2009 11:53:56 PM EDT, Key ID  
a8a447dce8562897

Summary        : An utility for finding files by name

Description :

mlocate is a locate/updatedb implementation. It keeps a database of all existing files and allows you to lookup files by name. The 'm' stands for "merging": updatedb reuses the existing database to avoid rereading most of the file system, which makes updatedb faster and does not trash the system caches as much as traditional locate implementations.

**Name            : GConf2-devel                            Relocations: (not relocatable)**

Version        : 2.14.0                            Vendor: CentOS  
Release        : 9.el5                            Build Date: Wed 14 Mar 2007  
11:12:24 AM EDT

Install Date: Mon 19 Dec 2011 12:36:37 PM EST      Build Host:  
builder7.centos.org

Group           : Development/Libraries            Source RPM: GConf2-2.14.0-  
9.el5.src.rpm

Size            : 658753                            License: LGPL  
Signature      : DSA/SHA1, Tue 03 Apr 2007 08:22:06 PM EDT, Key ID  
a8a447dce8562897

URL            : <http://www.gnome.org>

Summary        : Headers and libraries for GConf development

Description :

GConf development package. Contains files needed for doing development using GConf.

**Name            : syslinux                                Relocations: (not relocatable)**

Version        : 3.11                            Vendor: CentOS  
Release        : 4                                Build Date: Mon 08 Jan 2007  
05:05:57 PM EST

Install Date: Mon 19 Dec 2011 12:36:42 PM EST      Build Host:  
builder6.centos.org

Group           : Applications/System            Source RPM: syslinux-3.11-  
4.src.rpm

Size            : 1311536                            License: GPL  
Signature      : DSA/SHA1, Tue 03 Apr 2007 08:27:48 PM EDT, Key ID  
a8a447dce8562897

Summary        : Simple kernel loader which boots from a FAT filesystem

Description :

SYSLINUX is a suite of bootloaders, currently supporting DOS FAT filesystems, Linux ext2/ext3 filesystems (EXTLINUX), PXE network boots (PXELINUX), or ISO 9660 CD-ROMs (ISOLINUX). It also includes a tool, MEMDISK, which loads legacy operating systems from these media.

**Name            : libgcj-src                               Relocations: (not relocatable)**

Version        : 4.1.2                            Vendor: CentOS  
Release        : 46.el5                            Build Date: Thu 03 Sep 2009  
12:58:45 AM EDT

Install Date: Mon 19 Dec 2011 12:36:47 PM EST      Build Host:  
builder16.centos.org

Group : System Environment/Libraries Source RPM: gcc-4.1.2-46.el5.src.rpm  
Size : 12234252 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:50 PM EDT, Key ID a8a447dce8562897  
URL : http://gcc.gnu.org  
Summary : Java library sources from GCC4 preview  
Description :  
The Java(tm) runtime library sources for use in Eclipse.

**Name : ruby-mode Relocations: (not relocatable)**  
Version : 1.8.5 Vendor: CentOS  
Release : 5.el5\_3.7 Build Date: Thu 02 Jul 2009 06:41:06 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:51 PM EST Build Host: builder16.centos.org  
Group : Applications/Editors Source RPM: ruby-1.8.5-5.el5\_3.7.src.rpm  
Size : 121648 License: Ruby License/GPL - see COPYING  
Signature : DSA/SHA1, Thu 02 Jul 2009 07:48:32 PM EDT, Key ID a8a447dce8562897  
URL : http://www.ruby-lang.org/  
Summary : Emacs Lisp ruby-mode for the scripting language Ruby  
Description :  
Emacs Lisp ruby-mode for the object-oriented scripting language Ruby.

**Name : libtool Relocations: (not relocatable)**  
Version : 1.5.22 Vendor: CentOS  
Release : 6.1 Build Date: Sun 07 Jan 2007 03:08:38 AM EST  
Install Date: Mon 19 Dec 2011 12:36:58 PM EST Build Host: builder5.centos.org  
Group : Development/Tools Source RPM: libtool-1.5.22-6.1.src.rpm  
Size : 2553495 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:41 PM EDT, Key ID a8a447dce8562897  
URL : http://www.gnu.org/software/libtool/  
Summary : The GNU Portable Library Tool  
Description :  
GNU Libtool is a set of shell scripts which automatically configure UNIX and UNIX-like systems to generically build shared libraries. Libtool provides a consistent, portable interface which simplifies the process of using shared libraries.  
If you are developing programs which will use shared libraries, but do not use the rest of the GNU Autotools (such as GNU Autoconf and GNU Automake), you should install the libtool package.  
The libtool package also includes all files needed to integrate the GNU Portable Library Tool (libtool) and the GNU Libtool Dynamic Module Loader (ltdl) into a package built using the GNU Autotools (including GNU Autoconf and GNU Automake).  
This package includes a modification from the original GNU Libtool to allow support for multi-architecture systems, such as the AMD64 Opteron and the

Intel  
64-bit Xeon.

**Name** : **pexpect** **Relocations:** (not relocatable)  
Version : 2.3 Vendor: CentOS  
Release : 1.el5 Build Date: Sat 24 May 2008  
09:13:12 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:04 PM EST Build Host:  
builder15.centos.org  
Group : Development/Languages Source RPM: pexpect-2.3-  
1.el5.src.rpm  
Size : 847677 License: MIT  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:39:56 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://pexpect.sourceforge.net/>  
Summary : Pure Python Expect-like module  
Description :  
Pexpect is a pure Python module for spawning child applications; controlling  
them; and responding to expected patterns in their output. Pexpect works like  
Don Libes' Expect. Pexpect allows your script to spawn a child application  
and  
control it as if a human were typing commands.  
Pexpect can be used for automating interactive applications such as ssh, ftp,  
passwd, telnet, etc. It can be used to automate setup scripts for duplicating  
software package installations on different servers. And it can be used for  
automated software testing. Pexpect is in the spirit of Don Libes' Expect,  
but  
Pexpect is pure Python. Unlike other Expect-like modules for Python, Pexpect  
does not require TCL or Expect nor does it require C extensions to be  
compiled.  
It should work on any platform that supports the standard Python pty module.

**Name** : **telnet-server** **Relocations:** (not relocatable)  
Version : 0.17 Vendor: CentOS  
Release : 39.el5 Build Date: Sat 01 Dec 2007  
04:10:47 AM EST  
Install Date: Mon 19 Dec 2011 12:37:15 PM EST Build Host: builder6  
Group : System Environment/Daemons Source RPM: telnet-0.17-  
39.el5.src.rpm  
Size : 50156 License: BSD  
Signature : DSA/SHA1, Sat 01 Dec 2007 06:16:37 PM EST, Key ID  
a8a447dce8562897  
Summary : The server program for the telnet remote login protocol.  
Description :  
Telnet is a popular protocol for logging into remote systems over the  
Internet. The telnet-server package includes a telnet daemon that  
supports remote logins into the host machine. The telnet daemon is  
disabled by default. You may enable the telnet daemon by editing  
/etc/xinetd.d/telnet.

**Name** : **dbus-libs** **Relocations:** (not relocatable)  
Version : 1.1.2 Vendor: CentOS  
Release : 12.el5 Build Date: Wed 21 Jan 2009  
04:45:09 AM EST  
Install Date: Mon 19 Dec 2011 12:37:17 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: dbus-1.1.2-

12.el5.src.rpm  
Size : 251880 License: GPLv2+ or AFL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:45:24 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.freedesktop.org/software/dbus/  
Summary : Libraries for accessing D-BUS  
Description :  
Lowlevel libraries for accessing D-BUS

**Name : pcsc-lite Relocations: (not relocatable)**  
Version : 1.4.4 Vendor: CentOS  
Release : 0.1.el5 Build Date: Sat 24 May 2008  
03:09:39 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:19 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Daemons Source RPM: pcsc-lite-1.4.4-  
0.1.el5.src.rpm  
Size : 343616 License: BSD  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:39:48 PM EDT, Key ID  
a8a447dce8562897  
URL : http://pcsc-lite.alieth.debian.org/  
Summary : PC/SC Lite smart card framework and applications  
Description :  
The purpose of PC/SC Lite is to provide a Windows(R) SCard interface  
in a very small form factor for communicating to smartcards and  
readers. PC/SC Lite uses the same winscard API as used under  
Windows(R). This package includes the PC/SC Lite daemon, a resource  
manager that coordinates communications with smart card readers and  
smart cards that are connected to the system, as well as other command  
line tools.

**Name : dmraid Relocations: (not relocatable)**  
Version : 1.0.0.rc13 Vendor: CentOS  
Release : 53.el5 Build Date: Fri 04 Sep 2009  
01:03:05 AM EDT  
Install Date: Mon 19 Dec 2011 12:37:20 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: dmraid-1.0.0.rc13-  
53.el5.src.rpm  
Size : 1629140 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:29 PM EDT, Key ID  
a8a447dce8562897  
URL : http://people.redhat.com/heinzm/sw/dmraid  
Summary : dmraid (Device-mapper RAID tool and library)  
Description :  
DMRAID supports RAID device discovery, RAID set activation and display of  
properties for ATARAID on Linux >= 2.4 using device-mapper.

**Name : net-snmp Relocations: (not relocatable)**  
Version : 5.3.2.2 Vendor: CentOS  
Release : 7.el5 Build Date: Thu 03 Sep 2009  
08:10:51 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:25 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Daemons Source RPM: net-snmp-5.3.2.2-  
7.el5.src.rpm  
Size : 2899171 License: BSDish  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:57 PM EDT, Key ID

a8a447dce8562897

URL : <http://net-snmp.sourceforge.net/>  
Summary : A collection of SNMP protocol tools and libraries.  
Description :

SNMP (Simple Network Management Protocol) is a protocol used for network management. The NET-SNMP project includes various SNMP tools: an extensible agent, an SNMP library, tools for requesting or setting information from SNMP agents, tools for generating and handling SNMP traps, a version of the netstat command which uses SNMP, and a Tk/Perl mib browser. This package contains the snmpd and snmptrapd daemons, documentation, etc.

You will probably also want to install the net-snmp-utils package, which contains NET-SNMP utilities.

Building option:

--without tcp\_wrappers : disable tcp\_wrappers support

**Name** : **java-1.4.2-gcj-compat** **Relocations: (not relocatable)**  
Version : 1.4.2.0 Vendor: CentOS  
Release : 40jpp.115 Build Date: Sun 25 May 2008  
02:29:37 AM EDT  
Install Date: Mon 19 Dec 2011 12:37:29 PM EST Build Host:  
builder16.centos.org  
Group : Development/Languages Source RPM: java-1.4.2-gcj-  
compat-1.4.2.0-40jpp.115.src.rpm  
Size : 441 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:33:17 PM EDT, Key ID  
a8a447dce8562897  
URL : <ftp://sources.redhat.com/pub/rhug/java-gcj-compat>  
Summary : JPackage runtime scripts for GCJ  
Description :  
This package installs directory structures, shell scripts and symbolic  
links to simulate a JPackage-compatible runtime environment with GCJ.

**Name** : **libXfixes-devel** **Relocations: (not relocatable)**  
Version : 4.0.1 Vendor: CentOS  
Release : 2.1 Build Date: Sat 06 Jan 2007  
05:07:53 PM EST  
Install Date: Mon 19 Dec 2011 12:37:48 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries Source RPM: libXfixes-4.0.1-  
2.1.src.rpm  
Size : 8948 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:44 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.x.org>  
Summary : X.Org X11 libXfixes development package  
Description :  
X.Org X11 libXfixes development package

**Name** : **dbus-glib-devel** **Relocations: (not relocatable)**  
Version : 0.73 Vendor: CentOS  
Release : 8.el5 Build Date: Wed 21 Jan 2009  
02:49:11 AM EST  
Install Date: Mon 19 Dec 2011 12:37:49 PM EST Build Host:  
builder10.centos.org  
Group : Development/Libraries Source RPM: dbus-glib-0.73-  
8.el5.src.rpm

Size : 261262 License: AFL/GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:45:24 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.freedesktop.org/software/dbus/  
Summary : Libraries and headers for the D-Bus GLib bindings  
Description :  
Headers and static libraries for the D-Bus GLib bindings

**Name : libXi-devel Relocations: (not relocatable)**  
Version : 1.0.1 Vendor: CentOS  
Release : 3.1 Build Date: Sat 06 Jan 2007  
01:50:28 PM EST  
Install Date: Mon 19 Dec 2011 12:37:50 PM EST Build Host:  
builder5.centos.org  
Group : Development/Libraries Source RPM: libXi-1.0.1-  
3.1.src.rpm  
Size : 42431 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:44 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXi development package  
Description :  
X.Org X11 libXi development package

**Name : jakarta-commons-digester Relocations: (not relocatable)**  
Version : 1.7 Vendor: CentOS  
Release : 5jpp.1 Build Date: Sat 06 Jan 2007  
05:29:44 AM EST  
Install Date: Mon 19 Dec 2011 12:37:55 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries/Java Source RPM: jakarta-commons-  
digester-1.7-5jpp.1.src.rpm  
Size : 711934 License: Apache Software  
License  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:53 PM EDT, Key ID  
a8a447dce8562897  
URL : http://jakarta.apache.org/commons/digester/  
Summary : Jakarta Commons Digester Package  
Description :  
The goal of Digester project is to create and maintain a XML -> Java  
object mapping package written in the Java language to be distributed  
under the ASF license.

**Name : tomcat5-jasper Relocations: (not relocatable)**  
Version : 5.5.23 Vendor: CentOS  
Release : 0jpp.7.el5\_3.2 Build Date: Mon 27 Jul 2009  
05:32:03 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:59 PM EST Build Host:  
builder16.centos.org  
Group : Development/Compilers Source RPM: tomcat5-5.5.23-  
0jpp.7.el5\_3.2.src.rpm  
Size : 2307202 License: Apache Software  
License  
Signature : DSA/SHA1, Tue 28 Jul 2009 09:00:01 PM EDT, Key ID  
a8a447dce8562897  
URL : http://tomcat.apache.org/  
Summary : Compiler JARs and associated scripts for tomcat5



Description :  
Compiler JARs and associated scripts for tomcat5

**Name** : **jakarta-oro** **Relocations:** (not relocatable)  
Version : 2.0.8 Vendor: CentOS  
Release : 3jpp.1 Build Date: Tue 03 Apr 2007  
04:55:36 PM EDT  
Install Date: Mon 19 Dec 2011 12:38:05 PM EST Build Host:  
builder4.centos.org  
Group : Development/Java Source RPM: jakarta-oro-2.0.8-  
3jpp.1.src.rpm  
Size : 394924 License: Apache License  
Signature : DSA/SHA1, Tue 03 Apr 2007 09:25:52 PM EDT, Key ID  
a8a447dce8562897  
URL : http://jakarta.apache.org/oro  
Summary : Full regular expressions API  
Description :

The Jakarta-ORO Java classes are a set of text-processing Java classes that provide Perl5 compatible regular expressions, AWK-like regular expressions, glob expressions, and utility classes for performing substitutions, splits, filtering filenames, etc. This library is the successor to the OROMatcher, AwkTools, PerlTools, and TextTools libraries from ORO, Inc. (www.oroinc.com). They have been donated to the Jakarta Project by Daniel Savarese (www.savarese.org), the copyright holder of the ORO libraries. Daniel will continue to participate in their development under the Jakarta Project.

**Name** : **jakarta-commons-daemon** **Relocations:** (not relocatable)  
Version : 1.0.1 Vendor: CentOS  
Release : 6jpp.1 Build Date: Sun 07 Jan 2007  
05:49:49 PM EST  
Install Date: Mon 19 Dec 2011 12:38:09 PM EST Build Host:  
builder1.centos.org  
Group : System/Boot Source RPM: jakarta-commons-  
daemon-1.0.1-6jpp.1.src.rpm  
Size : 114718 License: Apache Software  
License 2.0  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:53 PM EDT, Key ID  
a8a447dce8562897  
URL : http://jakarta.apache.org/commons/daemon/  
Summary : Jakarta Commons Daemon Package  
Description :

The scope of this package is to define an API in line with the current Java(tm) Platform APIs to support an alternative invocation mechanism which could be used instead of the above mentioned public static void main(String[]) method. This specification cover the behavior and life cycle of what we define as Java(tm) daemons, or, in other words, non interactive Java(tm) applications.

**Name** : **isdn4k-utils** **Relocations:** (not relocatable)  
Version : 3.2 Vendor: CentOS  
Release : 56.el5 Build Date: Sat 19 Sep 2009  
10:38:57 PM EDT  
Install Date: Mon 19 Dec 2011 12:38:12 PM EST Build Host:  
builder16.centos.org  
Group : Applications/System Source RPM: isdn4k-utils-3.2-  
56.el5.src.rpm

Size : 9782797 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:43 PM EDT, Key ID  
a8a447dce8562897  
Summary : Utilities for configuring an ISDN subsystem.  
Description :  
The isdn4k-utils package contains a collection of utilities needed for  
configuring an ISDN subsystem.

**Name : xchat Relocations: (not relocatable)**  
Version : 2.6.6 Vendor: CentOS  
Release : 8.el5 Build Date: Wed 14 Mar 2007  
11:51:13 PM EDT  
Install Date: Mon 19 Dec 2011 12:38:13 PM EST Build Host: builder6  
Group : Applications/Internet Source RPM: xchat-2.6.6-  
8.el5.src.rpm  
Size : 3417412 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:32 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.xchat.org>  
Summary : A popular and easy to use graphical IRC (chat) client  
Description :  
X-Chat is an easy to use graphical IRC chat client for the X Window  
System.

**Name : at-spi-devel Relocations: (not relocatable)**  
Version : 1.7.11 Vendor: CentOS  
Release : 3.el5 Build Date: Sat 24 May 2008  
03:11:37 PM EDT  
Install Date: Mon 19 Dec 2011 12:38:18 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: at-spi-1.7.11-  
3.el5.src.rpm  
Size : 1481689 License: LGPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:29:31 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://developer.gnome.org/projects/gap/>  
Summary : Development libraries and headers for at-spi  
Description :  
Libraries and header files allowing compilation of apps that use at-spi.

**Name : libXcomposite-devel Relocations: (not relocatable)**  
Version : 0.3 Vendor: CentOS  
Release : 5.1 Build Date: Sat 06 Jan 2007  
12:19:54 PM EST  
Install Date: Mon 19 Dec 2011 12:38:27 PM EST Build Host:  
builder5.centos.org  
Group : Development/Libraries Source RPM: libXcomposite-0.3-  
5.1.src.rpm  
Size : 4016 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:43 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.x.org>  
Summary : X.Org X11 libXcomposite development package  
Description :  
X.Org X11 libXcomposite development package

**Name : libXfont-devel Relocations: (not relocatable)**

Version : 1.2.2 Vendor: CentOS  
Release : 1.0.3.el5\_1 Build Date: Fri 18 Jan 2008  
05:26:50 PM EST  
Install Date: Mon 19 Dec 2011 12:38:27 PM EST Build Host:  
builder7.centos.org  
Group : Development/Libraries Source RPM: libXfont-1.2.2-  
1.0.3.el5\_1.src.rpm  
Size : 52591 License: MIT/X11  
Signature : DSA/SHA1, Fri 18 Jan 2008 06:14:06 PM EST, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXfont development package  
Description :  
X.Org X11 libXfont development package

**Name : mkbootdisk Relocations: (not relocatable)**  
Version : 1.5.3 Vendor: CentOS  
Release : 2.1 Build Date: Sun 07 Jan 2007  
05:48:56 AM EST  
Install Date: Mon 19 Dec 2011 12:38:39 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Base Source RPM: mkbootdisk-1.5.3-  
2.1.src.rpm  
Size : 7334 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:25:04 PM EDT, Key ID  
a8a447dce8562897  
Summary : Creates a boot floppy disk for booting a system.  
Description :  
The mkbootdisk program creates a standalone boot floppy disk for  
booting the running system. The created boot disk will look for the  
root filesystem on the device mentioned in /etc/fstab and includes an  
initial ramdisk image which will load any necessary SCSI modules for  
the system.

**Name : xalan-j2 Relocations: (not relocatable)**  
Version : 2.7.0 Vendor: CentOS  
Release : 6jpp.1 Build Date: Sun 07 Jan 2007  
04:48:27 AM EST  
Install Date: Mon 19 Dec 2011 12:38:52 PM EST Build Host:  
builder5.centos.org  
Group : Text Processing/Markup/XML Source RPM: xalan-j2-2.7.0-  
6jpp.1.src.rpm  
Size : 10729280 License: Apache Software  
License  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:30 PM EDT, Key ID  
a8a447dce8562897  
URL : http://xalan.apache.org/  
Summary : Java XSLT processor  
Description :  
Xalan is an XSLT processor for transforming XML documents into HTML,  
text, or other XML document types. It implements the W3C Recommendations  
for XSL Transformations (XSLT) and the XML Path Language (XPath). It can  
be used from the command line, in an applet or a servlet, or as a module  
in other program.

**Name : jakarta-taglibs-standard Relocations: (not relocatable)**  
Version : 1.1.1 Vendor: CentOS

Release : 7jpp.1 Build Date: Sat 06 Jan 2007  
02:52:01 AM EST  
Install Date: Mon 19 Dec 2011 12:38:57 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries/Java Source RPM: jakarta-taglibs-  
standard-1.1.1-7jpp.1.src.rpm  
Size : 1754935 License: Apache Software  
License  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:56 PM EDT, Key ID  
a8a447dce8562897  
URL : http://jakarta.apache.org/taglibs/  
Summary : An open-source implementation of the JSP Standard Tag Library  
Description :  
This directory contains releases for the 1.1.x versions of the Standard  
Tag Library, Jakarta Taglibs's open-source implementation of the JSP  
Standard Tag Library (JSTL), version 1.1. JSTL is a standard under the  
Java Community Process.

**Name : geronimo-specs Relocations: (not relocatable)**  
Version : 1.0 Vendor: CentOS  
Release : 0.M2.2jpp.12.el5.centos Build Date: Wed 28 Mar 2007  
01:45:28 AM EDT  
Install Date: Mon 19 Dec 2011 12:39:03 PM EST Build Host: builder6  
Group : Development/Libraries/Java Source RPM: geronimo-specs-1.0-  
0.M2.2jpp.12.el5.centos.src.rpm  
Size : 613608 License: Apache Software  
License 2  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:07 PM EDT, Key ID  
a8a447dce8562897  
URL : http://geronimo.apache.org  
Summary : Geronimo J2EE server J2EE specifications  
Description :  
Geronimo is Apache's ASF-licenced J2EE server project.  
These are the J2EE-Specifications

**Name : firstboot-tui Relocations: (not relocatable)**  
Version : 1.4.27.7 Vendor: CentOS  
Release : 1.el5.centos Build Date: Sun 01 Mar 2009  
09:23:02 AM EST  
Install Date: Mon 19 Dec 2011 12:39:11 PM EST Build Host:  
chamkaur.karan.org  
Group : System Environment/Base Source RPM: firstboot-1.4.27.7-  
1.el5.centos.src.rpm  
Size : 676528 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:45:27 PM EDT, Key ID  
a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
URL : http://fedora.redhat.com/projects/config-tools/  
Summary : A text interface for firstboot  
Description :  
firstboot-tui is a text interface for initial system configuration.

**Name : xorg-x11-fonts-100dpi Relocations: (not relocatable)**  
Version : 7.1 Vendor: CentOS  
Release : 2.1.el5 Build Date: Wed 10 Jan 2007  
01:03:33 AM EST  
Install Date: Mon 19 Dec 2011 12:39:21 PM EST Build Host:

builder3.centos.org  
Group : User Interface/X Source RPM: xorg-x11-fonts-7.1-2.1.el5.src.rpm  
Size : 3417965 License: Various licenses  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:42 PM EDT, Key ID a8a447dce8562897  
URL : http://www.x.org  
Summary : A set of 100dpi resolution fonts for the X Window System.  
Description :  
A set of 100 dpi fonts used by the X window system.

**Name : gimp-print Relocations: (not relocatable)**  
Version : 4.2.7 Vendor: CentOS  
Release : 22.2.el5 Build Date: Thu 26 Feb 2009 05:21:36 PM EST  
Install Date: Mon 19 Dec 2011 12:39:29 PM EST Build Host: chamkaur.karan.org  
Group : System Environment/Libraries Source RPM: gimp-print-4.2.7-22.2.el5.src.rpm  
Size : 4325843 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:45:35 PM EDT, Key ID a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
URL : http://gimp-print.sourceforge.net/  
Summary : A collection of high-quality printer drivers.  
Description :  
These drivers provide printing quality for UNIX/Linux in many cases equal to or better than proprietary vendor-supplied drivers, and can be used for many of the most demanding printing tasks.

**Name : tomcat5-webapps Relocations: (not relocatable)**  
Version : 5.5.23 Vendor: CentOS  
Release : 0jpp.7.el5\_3.2 Build Date: Mon 27 Jul 2009 05:32:03 PM EDT  
Install Date: Mon 19 Dec 2011 12:39:36 PM EST Build Host: builder16.centos.org  
Group : System Environment/Applications Source RPM: tomcat5-5.5.23-0jpp.7.el5\_3.2.src.rpm  
Size : 7249720 License: Apache Software  
License  
Signature : DSA/SHA1, Tue 28 Jul 2009 09:00:01 PM EDT, Key ID a8a447dce8562897  
URL : http://tomcat.apache.org/  
Summary : Web applications for Jakarta Tomcat  
Description :  
Web applications for Jakarta Tomcat

**Name : xsane Relocations: (not relocatable)**  
Version : 0.991 Vendor: CentOS  
Release : 5.el5 Build Date: Sat 24 May 2008 11:16:27 AM EDT  
Install Date: Mon 19 Dec 2011 12:39:39 PM EST Build Host: builder16.centos.org  
Group : Applications/Multimedia Source RPM: xsane-0.991-5.el5.src.rpm  
Size : 4704425 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:42:10 PM EDT, Key ID

a8a447dce8562897

URL : <http://www.xsane.org/>  
Summary : An X Window System front-end for the SANE scanner interface.  
Description :  
XSane is an X based interface for the SANE (Scanner Access Now Easy) library, which provides access to scanners, digital cameras, and other capture devices. XSane is written in GTK+ and provides control for performing the scan and then manipulating the captured image.

**Name** : **libgnomeui** **Relocations:** (not relocatable)  
Version : 2.16.0 Vendor: CentOS  
Release : 5.el5 Build Date: Wed 14 Mar 2007  
02:47:54 PM EDT  
Install Date: Mon 19 Dec 2011 12:39:43 PM EST Build Host:  
builder7.centos.org  
Group : System Environment/Libraries Source RPM: libgnomeui-2.16.0-5.el5.src.rpm  
Size : 3252484 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:29 PM EDT, Key ID  
a8a447dce8562897

URL : <ftp://ftp.gnome.org>  
Summary : GNOME base GUI library  
Description :  
GNOME (GNU Network Object Model Environment) is a user-friendly set of GUI applications and desktop tools to be used in conjunction with a window manager for the X Window System. The libgnomeui package includes GUI-related libraries that are needed to run GNOME. (The libgnome package includes the library features that don't use the X Window System.)

**Name** : **gststreamer-plugins-good** **Relocations:** (not relocatable)  
Version : 0.10.9 Vendor: CentOS  
Release : 1.el5\_3.2 Build Date: Thu 25 Jun 2009  
05:05:29 PM EDT  
Install Date: Mon 19 Dec 2011 12:39:49 PM EST Build Host:  
builder16.centos.org  
Group : Applications/Multimedia Source RPM: gststreamer-plugins-good-0.10.9-1.el5\_3.2.src.rpm  
Size : 2518184 License: LGPL  
Signature : DSA/SHA1, Fri 26 Jun 2009 10:00:36 AM EDT, Key ID  
a8a447dce8562897

URL : <http://gststreamer.freedesktop.org/>  
Summary : GStreamer plug-ins with good code and licensing  
Description :  
GStreamer is a streaming media framework, based on graphs of filters which operate on media data. Applications using this library can do anything from real-time sound processing to playing videos, and just about anything else media-related. Its plugin-based architecture means that new data types or processing capabilities can be added simply by installing new plug-ins.  
GStreamer Good Plug-ins is a collection of well-supported plug-ins of good quality and under the LGPL license.

**Name** : **gnome-media** **Relocations:** (not relocatable)  
Version : 2.16.1 Vendor: CentOS  
Release : 3.el5 Build Date: Sat 06 Jan 2007  
04:47:28 AM EST

Install Date: Mon 19 Dec 2011 12:39:59 PM EST      Build Host:  
builder1.centos.org  
Group           : Applications/Multimedia           Source RPM: gnome-media-2.16.1-  
3.el5.src.rpm  
Size            : 5445152                           License: GPL  
Signature      : DSA/SHA1, Tue 03 Apr 2007 08:22:31 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.gnome.org  
Summary        : GNOME media programs.  
Description :  
GNOME (GNU Network Object Model Environment) is a user-friendly set of  
GUI applications and desktop tools to be used in conjunction with a  
window manager for the X Window System. The gnome-media package will  
install media features like the GNOME CD player.

**Name            : gthumb                           Relocations: (not relocatable)**  
Version         : 2.7.8                           Vendor: CentOS  
Release         : 8.el5                           Build Date: Sat 24 May 2008  
12:10:01 PM EDT  
Install Date: Mon 19 Dec 2011 12:40:09 PM EST      Build Host:  
builder16.centos.org  
Group           : User Interface/X               Source RPM: gthumb-2.7.8-  
8.el5.src.rpm  
Size            : 5865970                        License: GPL  
Signature      : DSA/SHA1, Sat 14 Jun 2008 07:32:48 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://gthumb.sourceforge.net  
Summary        : Image viewer, editor, organizer  
Description :  
gthumb is an application for viewing, editing, and organizing  
collections of images.

**Name            : xsane-gimp                       Relocations: (not relocatable)**  
Version         : 0.991                           Vendor: CentOS  
Release         : 5.el5                           Build Date: Sat 24 May 2008  
11:16:27 AM EDT  
Install Date: Mon 19 Dec 2011 12:40:22 PM EST      Build Host:  
builder16.centos.org  
Group           : Applications/Multimedia           Source RPM: xsane-0.991-  
5.el5.src.rpm  
Size            : 633438                        License: GPL  
Signature      : DSA/SHA1, Sat 14 Jun 2008 07:42:11 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.xsane.org/  
Summary        : A GIMP plug-in which provides the SANE scanner interface.  
Description :  
This package provides the regular XSane frontend for the SANE scanner  
interface, but it works as a GIMP plug-in. You must have GIMP  
installed to use this package.

**Name            : bug-buddy                       Relocations: (not relocatable)**  
Version         : 2.16.0                        Vendor: CentOS  
Release         : 2.el5                           Build Date: Sun 07 Jan 2007  
03:34:46 AM EST  
Install Date: Mon 19 Dec 2011 12:40:33 PM EST      Build Host:  
builder1.centos.org  
Group           : Applications/System             Source RPM: bug-buddy-2.16.0-

2.el5.src.rpm

Size : 1721378 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:26 PM EDT, Key ID  
a8a447dce8562897

URL : <http://ftp.gnome.org/pub/GNOME/sources/bug-buddy/>

Summary : A bug reporting utility for GNOME

Description :

Bug-buddy is a bug reporting utility for the GNOME desktop GUI environment. Bug-buddy can obtain a stack trace from a core file or crashed application; it can determine the versions of packages installed on your system; it can be started from gmc (by double-clicking on a core file) and from the crash dialog; and it supports the GNOME, KDE, Debian, and Ximian bug tracking systems.

**Name : gconf-editor Relocations: (not relocatable)**  
Version : 2.16.0 Vendor: CentOS  
Release : 3.el5 Build Date: Sun 07 Jan 2007  
05:43:17 AM EST  
Install Date: Mon 19 Dec 2011 12:40:51 PM EST Build Host:  
builder1.centos.org  
Group : Applications/System Source RPM: gconf-editor-2.16.0-  
3.el5.src.rpm

Size : 872373 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:06 PM EDT, Key ID  
a8a447dce8562897

URL : <http://www.gnome.org>

Summary : Editor/admin tool for GConf

Description :

gconf-editor allows you to browse and modify GConf configuration sources.

**Name : im-chooser Relocations: (not relocatable)**  
Version : 0.3.3 Vendor: CentOS  
Release : 6.el5 Build Date: Wed 14 Mar 2007  
01:20:22 PM EDT  
Install Date: Mon 19 Dec 2011 12:41:05 PM EST Build Host:  
builder4.centos.org  
Group : Applications/System Source RPM: im-chooser-0.3.3-  
6.el5.src.rpm

Size : 192717 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:48 PM EDT, Key ID  
a8a447dce8562897

URL : <http://trac.tagoh.net/projects/im-chooser/>

Summary : Desktop Input Method configuration tool

Description :

im-chooser is an user GUI configuration tool to choose the Input Method to be used or disable Input Method usage on the desktop.

**Name : esc Relocations: (not relocatable)**  
Version : 1.1.0 Vendor: CentOS  
Release : 9.el5 Build Date: Thu 03 Sep 2009  
02:29:48 PM EDT  
Install Date: Mon 19 Dec 2011 12:41:16 PM EST Build Host:  
builder10.centos.org  
Group : Applications/Internet Source RPM: esc-1.1.0-  
9.el5.src.rpm

Size : 1211315 License: GPL



Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:30 PM EDT, Key ID  
a8a447dce8562897  
URL : http://directory.fedora.redhat.com/wiki/CoolKey  
Summary : Enterprise Security Client Smart Card Client  
Description :  
Enterprise Security Client allows the user to enroll and manage their  
cryptographic smartcards.

**Name** : **gnome-desktop-devel** **Relocations:** (not relocatable)  
Version : 2.16.0 Vendor: CentOS  
Release : 1.el5.centos.1 Build Date: Sun 18 Feb 2007  
01:33:27 PM EST  
Install Date: Mon 19 Dec 2011 12:41:24 PM EST Build Host:  
builder4.centos.org  
Group : Development/Libraries Source RPM: gnome-desktop-2.16.0-  
1.el5.centos.1.src.rpm  
Size : 176913 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:28 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnome.org  
Summary : Libraries and headers for libgnome-desktop  
Description :  
Libraries and header files for the GNOME-internal private library  
libgnomedesktop

**Name** : **gnome-python2-gconf** **Relocations:** (not relocatable)  
Version : 2.16.0 Vendor: CentOS  
Release : 1.fc6 Build Date: Sun 07 Jan 2007  
02:21:41 AM EST  
Install Date: Mon 19 Dec 2011 12:41:25 PM EST Build Host:  
builder1.centos.org  
Group : Development/Languages Source RPM: gnome-python2-2.16.0-  
1.fc6.src.rpm  
Size : 72412 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:32 PM EDT, Key ID  
a8a447dce8562897  
Summary : Python bindings for interacting with GConf  
Description :  
This module contains a wrapper that allows the use of GConf via Python.

**Name** : **gnome-python2-applet** **Relocations:** (not relocatable)  
Version : 2.16.0 Vendor: CentOS  
Release : 3.el5 Build Date: Sat 19 Sep 2009  
10:09:04 PM EDT  
Install Date: Mon 19 Dec 2011 12:41:26 PM EST Build Host:  
builder10.centos.org  
Group : Development/Languages Source RPM: gnome-python2-  
desktop-2.16.0-3.el5.src.rpm  
Size : 16207 License: GPL/LGPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:42 PM EDT, Key ID  
a8a447dce8562897  
Summary : Python bindings for GNOME Panel applets.  
Description :  
This module contains a wrapper that allows GNOME Panel applets to be  
written in Python.

**Name** : **pirut** **Relocations:** (not relocatable)

Version : 1.3.28 Vendor: CentOS  
Release : 13.el5.centos Build Date: Thu 05 Jun 2008  
11:25:22 AM EDT  
Install Date: Mon 19 Dec 2011 12:41:45 PM EST Build Host:  
builder16.centos.org  
Group : Applications/System Source RPM: pirut-1.3.28-  
13.el5.centos.src.rpm  
Size : 1477554 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:39:59 PM EDT, Key ID  
a8a447dce8562897  
URL : http://fedoraproject.org  
Summary : Package Installation, Removal and Update Tools  
Description :  
pirut (pronounced "pirate") provides a set of graphical tools for managing  
software.

**Name : system-config-httpd Relocations: (not relocatable)**  
Version : 1.3.3.3 Vendor: CentOS  
Release : 1.el5 Build Date: Sat 24 May 2008  
11:04:05 AM EDT  
Install Date: Mon 19 Dec 2011 12:41:48 PM EST Build Host:  
builder16.centos.org  
Group : Applications/System Source RPM: system-config-httpd-  
1.3.3.3-1.el5.src.rpm  
Size : 2203819 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:41:13 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.redhat.com/  
Summary : Apache configuration tool  
Description :  
A RHN configuration tool for apache.

**Name : xorg-x11-drv-penmount Relocations: (not relocatable)**  
Version : 1.1.0 Vendor: CentOS  
Release : 2.1 Build Date: Sat 06 Jan 2007  
07:15:18 AM EST  
Install Date: Mon 19 Dec 2011 12:41:53 PM EST Build Host:  
builder1.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
penmount-1.1.0-2.1.src.rpm  
Size : 12246 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:40 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 penmount input driver  
Description :  
X.Org X11 penmount input driver.

**Name : xorg-x11-drv-vooodoo Relocations: (not relocatable)**  
Version : 1.1.0 Vendor: CentOS  
Release : 3.1 Build Date: Fri 05 Jan 2007  
11:45:12 PM EST  
Install Date: Mon 19 Dec 2011 12:41:54 PM EST Build Host:  
builder1.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
vooodoo-1.1.0-3.1.src.rpm  
Size : 28489 License: MIT/X11

Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:42 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 voodoo video driver  
Description :  
X.Org X11 voodoo video driver.

**Name : xorg-x11-drv-magellan Relocations: (not relocatable)**  
Version : 1.1.0 Vendor: CentOS  
Release : 1.1 Build Date: Sun 07 Jan 2007  
02:31:37 AM EST  
Install Date: Mon 19 Dec 2011 12:41:55 PM EST Build Host:  
builder1.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
magellan-1.1.0-1.1.src.rpm  
Size : 10872 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:40 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 magellan input driver  
Description :  
X.Org X11 magellan input driver.

**Name : xorg-x11-drv-tek4957 Relocations: (not relocatable)**  
Version : 1.1.0 Vendor: CentOS  
Release : 1.1 Build Date: Fri 16 Mar 2007  
09:56:00 PM EDT  
Install Date: Mon 19 Dec 2011 12:41:56 PM EST Build Host:  
builder7.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
tek4957-1.1.0-1.1.src.rpm  
Size : 12295 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:41 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 tek4957 input driver  
Description :  
X.Org X11 tek4957 input driver.

**Name : xorg-x11-drv-ur98 Relocations: (not relocatable)**  
Version : 1.1.0 Vendor: CentOS  
Release : 1.1 Build Date: Sun 07 Jan 2007  
03:44:31 AM EST  
Install Date: Mon 19 Dec 2011 12:41:56 PM EST Build Host:  
builder5.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
ur98-1.1.0-1.1.src.rpm  
Size : 14432 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:41 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 ur98 input driver  
Description :  
X.Org X11 ur98 input driver.

**Name : xorg-x11-drv-via Relocations: (not relocatable)**  
Version : 0.2.1 Vendor: CentOS

Release : 9 Build Date: Thu 15 Mar 2007  
01:18:23 AM EDT  
Install Date: Mon 19 Dec 2011 12:41:58 PM EST Build Host:  
builder5.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-driv-  
via-0.2.1-9.src.rpm  
Size : 362086 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:41 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 via video driver  
Description :  
X.Org X11 via video driver.

**Name : xorg-x11-driv-nv Relocations: (not relocatable)**  
Version : 2.1.12 Vendor: CentOS  
Release : 6.el5 Build Date: Fri 04 Sep 2009  
11:18:16 AM EDT  
Install Date: Mon 19 Dec 2011 12:41:59 PM EST Build Host:  
builder16.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-driv-  
nv-2.1.12-6.el5.src.rpm  
Size : 200523 License: MIT/X11  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:55:12 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 nv video driver  
Description :  
X.Org X11 nv video driver.

**Name : system-config-display Relocations: (not relocatable)**  
Version : 1.0.48 Vendor: CentOS  
Release : 2.el5 Build Date: Wed 14 Mar 2007  
09:12:06 PM EDT  
Install Date: Mon 19 Dec 2011 12:42:00 PM EST Build Host:  
builder4.centos.org  
Group : System Environment/Base Source RPM: system-config-  
display-1.0.48-2.el5.src.rpm  
Size : 805369 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:49 PM EDT, Key ID  
a8a447dce8562897  
URL : http://fedora.redhat.com/projects/config-tools/  
Summary : A graphical interface for configuring the X Window System  
display  
Description :  
system-config-display is a graphical application for configuring an  
X Window System X server display.

**Name : perl-IO-Zlib Relocations: (not relocatable)**  
Version : 1.09 Vendor: Dag Apt Repository,  
http://dag.wieers.com/apt/  
Release : 1.el5.rf Build Date: Fri 04 Jan 2008  
02:27:03 PM EST  
Install Date: Mon 19 Dec 2011 12:42:16 PM EST Build Host:  
lisse.leuven.wieers.com  
Group : Applications/CPAN Source RPM: perl-IO-Zlib-1.09-  
1.el5.rf.src.rpm

Size : 25811 License: Artistic/GPL  
Signature : DSA/SHA1, Fri 04 Jan 2008 08:30:19 PM EST, Key ID  
a20e52146b8d79e6  
Packager : Dries Verachtert <dries@ulyssis.org>  
URL : http://search.cpan.org/dist/IO-Zlib/  
Summary : IO:: interface to Compress::Zlib  
Description :  
This modules provides an IO:: style interface to the Compress::Zlib  
package. The main advantage is that you can use an IO::Zlib object  
in much the same way as an IO::File object so you can have common  
code that doesn't know which sort of file it is using.

**Name : perl-Pod-Escapes Relocations: (not relocatable)**  
Version : 1.04 Vendor: Dag Apt Repository,  
http://dag.wieers.com/apt/  
Release : 1.2.el5.rf Build Date: Thu 08 Mar 2007  
10:44:24 AM EST  
Install Date: Mon 19 Dec 2011 12:42:19 PM EST Build Host:  
lisse.leuven.wieers.com  
Group : Applications/CPAN Source RPM: perl-Pod-Escapes-  
1.04-1.2.el5.rf.src.rpm  
Size : 24310 License: Artistic  
Signature : DSA/SHA1, Fri 09 Mar 2007 04:33:12 AM EST, Key ID  
a20e52146b8d79e6  
Packager : Dries Verachtert <dries@ulyssis.org>  
URL : http://search.cpan.org/dist/Pod-Escapes/  
Summary : Resolves Pod E sequences  
Description :  
This module provides things that are useful in decoding Pod E...  
sequences. Presumably, it should be used only by Pod parsers and/or  
formatters.  
By default, Pod::Escapes exports none of its symbols. But you can request  
any of them to be exported. Either request them individually, as with `use  
Pod::Escapes qw(symbolname symbolname2...);`, or you can do `use  
Pod::Escapes qw(:ALL);` to get all exportable symbols.

**Name : perl-XML-DOM Relocations: (not relocatable)**  
Version : 1.44 Vendor: Dag Apt Repository,  
http://dag.wieers.com/apt/  
Release : 2.el5.rf Build Date: Tue 07 Aug 2007  
06:00:22 PM EDT  
Install Date: Mon 19 Dec 2011 12:42:22 PM EST Build Host:  
lisse.leuven.wieers.com  
Group : Applications/CPAN Source RPM: perl-XML-DOM-1.44-  
2.el5.rf.src.rpm  
Size : 450116 License: Artistic/GPL  
Signature : DSA/SHA1, Tue 07 Aug 2007 08:46:51 PM EDT, Key ID  
a20e52146b8d79e6  
Packager : Dag Wieers <dag@wieers.com>  
URL : http://search.cpan.org/dist/XML-DOM/  
Summary : Perl module for building DOM Level 1 compliant document  
structures  
Description :  
This is a Perl extension to XML::Parser. It adds a new 'Style' to  
XML::Parser,  
called 'Dom', that allows XML::Parser to build an Object Oriented  
datastructure

with a DOM Level 1 compliant interface.  
For a description of the DOM (Document Object Model), see :  
<http://www.w3.org/DOM/>

**Name** : perl-Tk-JComboBox **Relocations:** (not relocatable)  
Version : 1.14 Vendor: (none)  
Release : 1 Build Date: Thu 15 Jul 2010  
08:46:11 AM EDT  
Install Date: Mon 19 Dec 2011 12:42:28 PM EST Build Host: lorax  
Group : Applications/CPAN Source RPM: perl-Tk-JComboBox-  
1.14-1.src.rpm  
Size : 162855 License: Artistic/GPL  
Signature : (none)  
Packager : Jason Messmer <Jason.Messmer@xerox.com>  
URL : <http://search.cpan.org/dist/Tk-JComboBox/>  
Summary : Provides various Combo Box implementations  
Description :  
Provides various Combo Box implementations.

**Name** : XRXTOOLS **Relocations:** (not relocatable)  
Version : 1.0.0.14 Vendor: Xerox Corporation  
Release : 1 Build Date: Wed 18 May 2011  
08:48:14 AM EDT  
Install Date: Mon 19 Dec 2011 12:45:08 PM EST Build Host: decaf  
Group : Applications/Xerox Source RPM: XRXTOOLS-1.0.0.14-  
1.src.rpm  
Size : 352367 License: Copyright 1996-2010  
Xerox Corporation  
Signature : (none)  
Packager : scmt  
Summary : Xerox Print Engine Tools  
Description :  
Xerox Print Engine Tools for Development and Debugging

**Name** : pygobject2-doc **Relocations:** (not relocatable)  
Version : 2.12.1 Vendor: CentOS  
Release : 5.el5 Build Date: Wed 14 Mar 2007  
06:48:50 PM EDT  
Install Date: Mon 19 Dec 2011 12:32:58 PM EST Build Host:  
builder4.centos.org  
Group : Development/Languages Source RPM: pygobject2-2.12.1-  
5.el5.src.rpm  
Size : 232569 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:06 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.pygtk.org/>  
Summary : Documentation files for pygobject2  
Description :  
This package contains documentation files for pygobject2.

**Name** : xkeyboard-config **Relocations:** (not relocatable)  
Version : 0.8 Vendor: CentOS  
Release : 9.el5 Build Date: Thu 03 Sep 2009  
10:01:27 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:05 PM EST Build Host:  
builder10.centos.org  
Group : User Interface/X Source RPM: xkeyboard-config-0.8-

9.el5.src.rpm  
Size : 2157664 License: MIT  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:55:11 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : xkeyboard-config alternative xkb data files  
Description :  
xkeyboard-config alternative xkb data files

**Name : libgcc Relocations: (not relocatable)**  
Version : 4.1.2 Vendor: CentOS  
Release : 46.el5 Build Date: Thu 03 Sep 2009  
12:58:45 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:06 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: gcc-4.1.2-  
46.el5.src.rpm  
Size : 72968 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:49 PM EDT, Key ID  
a8a447dce8562897  
URL : http://gcc.gnu.org  
Summary : GCC version 4.1 shared support library  
Description :  
This package contains GCC shared support library which is needed  
e.g. for exception handling support.

**Name : man-pages Relocations: (not relocatable)**  
Version : 2.39 Vendor: CentOS  
Release : 12.el5 Build Date: Thu 26 Feb 2009  
05:44:44 PM EST  
Install Date: Mon 19 Dec 2011 12:33:08 PM EST Build Host:  
chamkaur.karan.org  
Group : Documentation Source RPM: man-pages-2.39-  
12.el5.src.rpm  
Size : 3982741 License: distributable  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:46:52 PM EDT, Key ID  
a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
Summary : Man (manual) pages from the Linux Documentation Project.  
Description :  
A large collection of man pages (documentation) from the Linux  
Documentation Project (LDP).

**Name : chkconfig Relocations: (not relocatable)**  
Version : 1.3.30.1 Vendor: CentOS  
Release : 2 Build Date: Sat 24 May 2008  
10:46:48 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:10 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: chkconfig-1.3.30.1-  
2.src.rpm  
Size : 581523 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:29:40 PM EDT, Key ID  
a8a447dce8562897  
Summary : A system tool for maintaining the /etc/rc\*.d hierarchy.  
Description :  
Chkconfig is a basic system utility. It updates and queries runlevel

information for system services. Chkconfig manipulates the numerous symbolic links in /etc/rc.d, to relieve system administrators of some of the drudgery of manually editing the symbolic links.

**Name** : **libpng** **Relocations:** (not relocatable)  
Version : 1.2.10 Vendor: CentOS  
Release : 7.1.el5\_3.2 Build Date: Tue 24 Mar 2009  
09:05:03 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:10 PM EST Build Host:  
builder10.centos.org  
Group : System Environment/Libraries Source RPM: libpng-1.2.10-  
7.1.el5\_3.2.src.rpm  
Size : 580350 License: zlib  
Signature : DSA/SHA1, Wed 25 Mar 2009 10:32:25 AM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.libpng.org/pub/png/>  
Summary : A library of functions for manipulating PNG image format files  
Description :  
The libpng package contains a library of functions for creating and  
manipulating PNG (Portable Network Graphics) image format files. PNG  
is a bit-mapped graphics format similar to the GIF format. PNG was  
created to replace the GIF format, since GIF uses a patented data  
compression algorithm.  
Libpng should be installed if you need to manipulate PNG format image  
files.

**Name** : **bash** **Relocations:** (not relocatable)  
Version : 3.2 Vendor: CentOS  
Release : 24.el5 Build Date: Wed 21 Jan 2009  
08:16:53 PM EST  
Install Date: Mon 19 Dec 2011 12:33:11 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Shells Source RPM: bash-3.2-  
24.el5.src.rpm  
Size : 5349546 License: GPLv2+  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:45:18 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.gnu.org/software/bash>  
Summary : The GNU Bourne Again shell (bash) version 3.2  
Description :  
The GNU Bourne Again shell (Bash) is a shell or command language  
interpreter that is compatible with the Bourne shell (sh). Bash  
incorporates useful features from the Korn shell (ksh) and the C shell  
(csh). Most sh scripts can be run by bash without modification. This  
package (bash) contains bash version 3.2, which improves POSIX  
compliance over previous versions.

**Name** : **desktop-file-utils** **Relocations:** (not relocatable)  
Version : 0.10 Vendor: CentOS  
Release : 7 Build Date: Sat 06 Jan 2007  
06:34:31 AM EST  
Install Date: Mon 19 Dec 2011 12:33:13 PM EST Build Host:  
builder1.centos.org  
Group : Development/Tools Source RPM: desktop-file-utils-  
0.10-7.src.rpm  
Size : 119616 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:21:10 PM EDT, Key ID



a8a447dce8562897

URL : <http://www.freedesktop.org/software/desktop-file-utils>

Summary : Utilities for manipulating .desktop files

Description :

.desktop files are used to describe an application for inclusion in GNOME or KDE menus. This package contains desktop-file-validate which checks whether a .desktop file complies with the specification at <http://www.freedesktop.org/standards/>, and desktop-file-install which installs a desktop file to the standard directory, optionally fixing it up in the process.

**Name : tcl Relocations: (not relocatable)**

Version : 8.4.13 Vendor: CentOS

Release : 4.el5 Build Date: Sat 19 Sep 2009

10:34:00 PM EDT

Install Date: Mon 19 Dec 2011 12:33:14 PM EST Build Host:

builder16.centos.org

Group : Development/Languages Source RPM: tcl-8.4.13-

4.el5.src.rpm

Size : 2828797 License: BSD

Signature : DSA/SHA1, Sat 19 Sep 2009 11:55:02 PM EDT, Key ID

a8a447dce8562897

URL : <http://tcl.sourceforge.net/>

Summary : Tcl scripting language development environment

Description :

The Tcl (Tool Command Language) provides a powerful platform for creating integration applications that tie together diverse applications, protocols, devices, and frameworks. When paired with the Tk toolkit, Tcl provides a fastest and powerful way to create cross-platform GUI applications. Tcl can also be used for a variety of web-related tasks and for creating powerful command languages for applications.

**Name : gnutls Relocations: (not relocatable)**

Version : 1.4.1 Vendor: CentOS

Release : 3.el5\_2.1 Build Date: Tue 11 Nov 2008

03:56:45 PM EST

Install Date: Mon 19 Dec 2011 12:33:15 PM EST Build Host:

builder16.centos.org

Group : System Environment/Libraries Source RPM: gnutls-1.4.1-

3.el5\_2.1.src.rpm

Size : 832741 License: LGPL

Signature : DSA/SHA1, Tue 11 Nov 2008 04:04:53 PM EST, Key ID

a8a447dce8562897

URL : <http://www.gnutls.org/>

Summary : A TLS protocol implementation.

Description :

GnuTLS is a project that aims to develop a library which provides a secure layer, over a reliable transport layer. Currently the GnuTLS library implements the proposed standards by the IETF's TLS working group.

**Name : binutils Relocations: (not relocatable)**

Version : 2.17.50.0.6 Vendor: CentOS

Release : 12.el5 Build Date: Sat 26 Sep 2009

02:52:09 PM EDT

Install Date: Mon 19 Dec 2011 12:33:16 PM EST Build Host:

builder16.centos.org

Group : Development/Tools Source RPM: binutils-2.17.50.0.6-12.el5.src.rpm

Size : 7176284 License: GPL

Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:05 PM EDT, Key ID a8a447dce8562897

URL : <http://sources.redhat.com/binutils>

Summary : A GNU collection of binary utilities.

Description :

Binutils is a collection of binary utilities, including ar (for creating, modifying and extracting from archives), as (a family of GNU assemblers), gprof (for displaying call graph profile data), ld (the GNU linker), nm (for listing symbols from object files), objcopy (for copying and translating object files), objdump (for displaying information from object files), ranlib (for generating an index for the contents of an archive), size (for listing the section sizes of an object or archive file), strings (for listing printable strings from files), strip (for discarding symbols), and addr2line (for converting addresses to file and line).

**Name : libexif Relocations: (not relocatable)**

Version : 0.6.13 Vendor: CentOS

Release : 4.0.2.el5\_1.1 Build Date: Thu 20 Dec 2007 07:23:29 PM EST

Install Date: Mon 19 Dec 2011 12:33:19 PM EST Build Host: builder6

Group : System Environment/Libraries Source RPM: libexif-0.6.13-4.0.2.el5\_1.1.src.rpm

Size : 432365 License: LGPL

Signature : DSA/SHA1, Thu 20 Dec 2007 07:47:55 PM EST, Key ID a8a447dce8562897

URL : <http://libexif.sourceforge.net/>

Summary : Library for extracting extra information from image files

Description :

Most digital cameras produce EXIF files, which are JPEG files with extra tags that contain information about the image. The EXIF library allows you to parse an EXIF file and read the data from those tags.

**Name : slang Relocations: (not relocatable)**

Version : 2.0.6 Vendor: CentOS

Release : 4.el5 Build Date: Wed 14 Mar 2007 08:25:09 PM EDT

Install Date: Mon 19 Dec 2011 12:33:20 PM EST Build Host:

builder4.centos.org

Group : System Environment/Libraries Source RPM: slang-2.0.6-4.el5.src.rpm

Size : 832005 License: GPL

Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:41 PM EDT, Key ID a8a447dce8562897

URL : <http://www.s-lang.org/>

Summary : The shared library for the S-Lang extension language.

Description :

S-Lang is an interpreted language and a programming library. The S-Lang language was designed so that it can be easily embedded into a program to provide the program with a powerful extension language. The S-Lang library, provided in this package, provides the S-Lang extension language. S-Lang's syntax resembles C, which makes it easy to recode S-Lang procedures in C if you need to.

**Name** : **hesiod** **Relocations: (not relocatable)**  
Version : 3.1.0 Vendor: CentOS  
Release : 8 Build Date: Sun 07 Jan 2007  
05:52:42 PM EST  
Install Date: Mon 19 Dec 2011 12:33:23 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: hesiod-3.1.0-  
8.src.rpm  
Size : 20015 License: MIT  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:45 PM EDT, Key ID  
a8a447dce8562897  
Summary : Hesiod libraries.  
Description :  
Hesiod is a system which uses existing DNS functionality to provide access  
to databases of information that changes infrequently. It is often used to  
distribute information kept in the /etc/passwd, /etc/group, and /etc/printcap  
files, among others.

**Name** : **m4** **Relocations: (not relocatable)**  
Version : 1.4.5 Vendor: CentOS  
Release : 3.el5.1 Build Date: Wed 21 Mar 2007  
08:14:18 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:24 PM EST Build Host:  
builder4.centos.org  
Group : Applications/Text Source RPM: m4-1.4.5-  
3.el5.1.src.rpm  
Size : 247043 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:54 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.gnu.org/software/m4/>  
Summary : The GNU macro processor.  
Description :  
A GNU implementation of the traditional UNIX macro processor. M4 is  
useful for writing text files which can be logically parsed, and is used  
by many programs as part of their build process. M4 has built-in  
functions for including files, running shell commands, doing arithmetic,  
etc. The autoconf program needs m4 for generating configure scripts, but  
not for running configure scripts.  
Install m4 if you need a macro processor.

**Name** : **perl-Compress-Zlib** **Relocations: (not relocatable)**  
Version : 1.42 Vendor: CentOS  
Release : 1.fc6 Build Date: Sun 21 Jan 2007  
02:50:14 PM EST  
Install Date: Mon 19 Dec 2011 12:33:25 PM EST Build Host:  
builder4.centos.org  
Group : Development/Libraries Source RPM: perl-Compress-Zlib-  
1.42-1.fc6.src.rpm  
Size : 119650 License: GPL or Artistic  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:53 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://search.cpan.org/dist/Compress-Zlib/>  
Summary : A module providing Perl interfaces to the zlib compression  
library.  
Description :  
The Compress::Zlib module provides a Perl interface to the zlib

compression library. Most of the functionality provided by zlib is available in Compress::Zlib. The module can be split into two general areas of functionality, namely in-memory compression/decompression and read/write access to gzip files.

**Name** : **gzip** **Relocations:** (not relocatable)  
Version : 1.3.5 Vendor: CentOS  
Release : 10.el5.centos Build Date: Wed 28 May 2008  
12:19:45 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:28 PM EST Build Host:  
builder16.centos.org  
Group : Applications/File Source RPM: gzip-1.3.5-  
10.el5.centos.src.rpm  
Size : 177422 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:32:52 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.gzip.org/>  
Summary : The GNU data compression program.  
Description :  
The gzip package contains the popular GNU gzip data compression program. Gzipped files have a .gz extension. Gzip should be installed on your Red Hat Linux system, because it is a very commonly used data compression program.

**Name** : **bluez-libs** **Relocations:** (not relocatable)  
Version : 3.7 Vendor: CentOS  
Release : 1.1 Build Date: Mon 14 Jul 2008  
10:43:31 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:29 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: bluez-libs-3.7-  
1.1.src.rpm  
Size : 118245 License: GPL  
Signature : DSA/SHA1, Mon 14 Jul 2008 12:39:51 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.bluez.org/>  
Summary : Bluetooth libraries  
Description :  
Libraries for use in Bluetooth applications.  
The BLUETOOTH trademarks are owned by Bluetooth SIG, Inc., U.S.A.

**Name** : **libiec61883** **Relocations:** (not relocatable)  
Version : 1.0.0 Vendor: CentOS  
Release : 11.fc6 Build Date: Sat 06 Jan 2007  
09:37:37 PM EST  
Install Date: Mon 19 Dec 2011 12:33:30 PM EST Build Host:  
builder5.centos.org  
Group : Libraries Source RPM: libiec61883-1.0.0-  
11.fc6.src.rpm  
Size : 83352 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:35 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://linux1394.org>  
Summary : Streaming library for IEEE1394  
Description :  
The libiec61883 library provides an higher level API for streaming DV,

MPEG-2 and audio over IEEE1394. Based on the libraw1394 isochronous functionality, this library acts as a filter that accepts DV-frames, MPEG-2 frames or audio samples from the application and breaks these down to isochronous packets, which are transmitted using libraw1394.

**Name** : perl-String-CRC32 **Relocations:** (not relocatable)  
Version : 1.4 Vendor: CentOS  
Release : 2.fc6 Build Date: Mon 08 Jan 2007  
02:05:15 PM EST  
Install Date: Mon 19 Dec 2011 12:33:35 PM EST Build Host:  
builder7.centos.org  
Group : Development/Libraries Source RPM: perl-String-CRC32-  
1.4-2.fc6.src.rpm  
Size : 12556 License: Public Domain  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:55 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://search.cpan.org/dist/String-CRC32/>  
Summary : Perl interface for cyclic redundancy check generation  
Description :  
This packages provides a perl module to generate checksums from strings  
and from files.  
The checksums are the same as those calculated by ZMODEM, PKZIP,  
PICCHECK and many others.  
There's another perl module called String::CRC which allows to calculate  
not only 32 bit CRC numbers, but the generated sums differ from those of  
the programs mentioned above.

**Name** : elfutils **Relocations:** (not relocatable)  
Version : 0.137 Vendor: CentOS  
Release : 3.el5 Build Date: Wed 21 Jan 2009  
12:03:44 AM EST  
Install Date: Mon 19 Dec 2011 12:33:36 PM EST Build Host:  
builder10.centos.org  
Group : Development/Tools Source RPM: elfutils-0.137-  
3.el5.src.rpm  
Size : 492169 License: GPLv2 with exceptions  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:45:26 PM EDT, Key ID  
a8a447dce8562897  
URL : <https://fedorahosted.org/elfutils/>  
Summary : A collection of utilities and DSOs to handle compiled objects  
Description :  
Elfutils is a collection of utilities, including ld (a linker),  
nm (for listing symbols from object files), size (for listing the  
section sizes of an object or archive file), strip (for discarding  
symbols), readelf (to see the raw ELF file structures), and elflint  
(to check for well-formed ELF files).

**Name** : indent **Relocations:** (not relocatable)  
Version : 2.2.9 Vendor: CentOS  
Release : 14.fc6 Build Date: Sun 07 Jan 2007  
06:05:34 PM EST  
Install Date: Mon 19 Dec 2011 12:33:37 PM EST Build Host:  
builder5.centos.org  
Group : Applications/Text Source RPM: indent-2.2.9-  
14.fc6.src.rpm  
Size : 191548 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:50 PM EDT, Key ID

a8a447dce8562897

URL : <http://www.gnu.org/software/indent/>  
Summary : A GNU program for formatting C code.  
Description :

Indent is a GNU program for beautifying C code, so that it is easier to read. Indent can also convert from one C writing style to a different one. Indent understands correct C syntax and tries to handle incorrect C syntax.

Install the indent package if you are developing applications in C and you want a program to format your code.

**Name** : **cdrdao** **Relocations:** (not relocatable)  
Version : 1.2.1 Vendor: CentOS  
Release : 2 Build Date: Sat 06 Jan 2007  
10:34:49 AM EST  
Install Date: Mon 19 Dec 2011 12:33:39 PM EST Build Host:  
builder1.centos.org  
Group : Applications/Multimedia Source RPM: cdrdao-1.2.1-  
2.src.rpm  
Size : 1118494 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:29 PM EDT, Key ID  
a8a447dce8562897

URL : <http://cdrdao.sourceforge.net/>  
Summary : Writes audio CD-Rs in disk-at-once (DAO) mode.  
Description :

Cdrdao records audio CD-Rs in disk-at-once (DAO) mode, based on a textual description of the CD contents. Recording in DAO mode writes the complete disc (lead-in, one or more tracks, and lead-out) in a single step. DAO allows full control over the length and the contents of pre-gaps, the pause areas between tracks.

**Name** : **wireless-tools** **Relocations:** (not relocatable)  
Version : 28 Vendor: CentOS  
Release : 2.el5 Build Date: Wed 14 Mar 2007  
11:26:23 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:41 PM EST Build Host:  
builder4.centos.org  
Group : System Environment/Base Source RPM: wireless-tools-28-  
2.el5.src.rpm  
Size : 180704 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:28 PM EDT, Key ID  
a8a447dce8562897

URL : [http://www.hpl.hp.com/personal/Jean\\_Tourrilhes/Linux/Tools.html](http://www.hpl.hp.com/personal/Jean_Tourrilhes/Linux/Tools.html)  
Summary : Wireless ethernet configuration tools  
Description :

This package contain the Wireless tools, used to manipulate the Wireless Extensions. The Wireless Extension is an interface allowing you to set Wireless LAN specific parameters and get the specific stats for wireless networking equipment.

**Name** : **mingetty** **Relocations:** (not relocatable)  
Version : 1.07 Vendor: CentOS  
Release : 5.2.2 Build Date: Fri 05 Jan 2007  
11:27:25 PM EST  
Install Date: Mon 19 Dec 2011 12:33:42 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Base Source RPM: mingetty-1.07-

5.2.2.src.rpm

Size : 29596 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:25:04 PM EDT, Key ID  
a8a447dce8562897

Summary : A compact getty program for virtual consoles only.

Description :

The mingetty program is a lightweight, minimalist getty program for use only on virtual consoles. Mingetty is not suitable for serial lines (you should use the mgetty program in that case).

**Name : zlib-devel Relocations: /usr**  
Version : 1.2.3 Vendor: CentOS  
Release : 3 Build Date: Tue 09 Jan 2007  
03:06:58 PM EST  
Install Date: Mon 19 Dec 2011 12:33:43 PM EST Build Host:  
builder6.centos.org  
Group : Development/Libraries Source RPM: zlib-1.2.3-3.src.rpm  
Size : 253951 License: BSD  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:50 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gzip.org/zlib/  
Summary : Header files and libraries for Zlib development.  
Description :  
The zlib-devel package contains the header files and libraries needed to develop programs that use the zlib compression and decompression library.

**Name : xml-commons Relocations: (not relocatable)**  
Version : 1.3.02 Vendor: CentOS  
Release : 0.b2.7jpp.10 Build Date: Mon 08 Jan 2007  
11:12:15 PM EST  
Install Date: Mon 19 Dec 2011 12:33:50 PM EST Build Host:  
builder5.centos.org  
Group : Text Processing/Markup/XML Source RPM: xml-commons-1.3.02-  
0.b2.7jpp.10.src.rpm  
Size : 31158 License: Apache Software  
License  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:36 PM EDT, Key ID  
a8a447dce8562897  
URL : http://xml.apache.org/commons/  
Summary : Common code for XML projects  
Description :  
xml-commons is focused on common code and guidelines for xml projects. It's first focus will be to organize and have common packaging for the various externally-defined standards code relating to XML - things like the DOM, SAX, and JAXP interfaces.  
As the xml-commons community forms, we also hope to serve as a holding area for other common xml-related utilities and code, and to help promulgate common packaging, testing, documentation, and other guidelines across all xml.apache.org subprojects.

**Name : perl-IO-Socket-INET6 Relocations: (not relocatable)**  
Version : 2.51 Vendor: CentOS  
Release : 2.fc6 Build Date: Sun 21 Jan 2007  
02:37:00 PM EST  
Install Date: Mon 19 Dec 2011 12:33:51 PM EST Build Host:  
builder3.centos.org

Group : Development/Libraries Source RPM: perl-IO-Socket-INET6-2.51-2.fc6.src.rpm  
Size : 22457 License: Artistic or GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:54 PM EDT, Key ID a8a447dce8562897  
URL : http://search.cpan.org/~mondejar/IO-Socket-INET6/  
Summary : Perl Object interface for AF\_INET|AF\_INET6 domain sockets  
Description :  
Perl Object interface for AF\_INET|AF\_INET6 domain sockets

**Name : libogg-devel Relocations: (not relocatable)**  
Version : 1.1.3 Vendor: CentOS  
Release : 3.el5 Build Date: Wed 14 Mar 2007 02:49:33 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:54 PM EST Build Host: builder6  
Group : Development/Libraries Source RPM: libogg-1.1.3-3.el5.src.rpm  
Size : 242689 License: BSD  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:36 PM EDT, Key ID a8a447dce8562897  
URL : http://www.xiph.org/  
Summary : Files needed for development using libogg.  
Description :  
Libogg is a library used for manipulating Ogg bitstreams. The libogg-devel package contains the header files and documentation needed for development using libogg.

**Name : centos-release Relocations: (not relocatable)**  
Version : 5 Vendor: CentOS  
Release : 4.el5.centos.1 Build Date: Thu 01 Oct 2009 08:28:40 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:54 PM EST Build Host: builder16.centos.org  
Group : System Environment/Base Source RPM: centos-release-5-4.el5.centos.1.src.rpm  
Size : 35485 License: GPL  
Signature : DSA/SHA1, Thu 01 Oct 2009 08:41:26 AM EDT, Key ID a8a447dce8562897  
Summary : CentOS release file  
Description :  
CentOS release files

**Name : libX11 Relocations: (not relocatable)**  
Version : 1.0.3 Vendor: CentOS  
Release : 11.el5 Build Date: Thu 03 Sep 2009 10:06:57 PM EDT  
Install Date: Mon 19 Dec 2011 12:33:56 PM EST Build Host: builder16.centos.org  
Group : System Environment/Libraries Source RPM: libX11-1.0.3-11.el5.src.rpm  
Size : 2865482 License: MIT/X11  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:54 PM EDT, Key ID a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libX11 runtime library  
Description :  
X.Org X11 libX11 runtime library



**Name** : **xorg-x11-font-utils** **Relocations: (not relocatable)**  
Version : 7.1 Vendor: CentOS  
Release : 2 Build Date: Sat 06 Jan 2007  
07:32:40 AM EST  
Install Date: Mon 19 Dec 2011 12:33:57 PM EST Build Host:  
builder1.centos.org  
Group : User Interface/X Source RPM: xorg-x11-font-utils-  
7.1-2.src.rpm  
Size : 271107 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:46 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 font utilities  
Description :  
X.Org X11 font utilities required for font installation, conversion,  
and generation.

**Name** : **libXcursor** **Relocations: (not relocatable)**  
Version : 1.1.7 Vendor: CentOS  
Release : 1.1 Build Date: Sat 06 Jan 2007  
01:41:35 PM EST  
Install Date: Mon 19 Dec 2011 12:33:57 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Libraries Source RPM: libXcursor-1.1.7-  
1.1.src.rpm  
Size : 54334 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:43 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXcursor runtime library  
Description :  
X.Org X11 libXcursor runtime library

**Name** : **gcc** **Relocations: (not relocatable)**  
Version : 4.1.2 Vendor: CentOS  
Release : 46.el5 Build Date: Thu 03 Sep 2009  
12:58:45 AM EDT  
Install Date: Mon 19 Dec 2011 12:33:59 PM EST Build Host:  
builder16.centos.org  
Group : Development/Languages Source RPM: gcc-4.1.2-  
46.el5.src.rpm  
Size : 10087530 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:34 PM EDT, Key ID  
a8a447dce8562897  
URL : http://gcc.gnu.org  
Summary : Various compilers (C, C++, Objective-C, Java, ...)  
Description :  
The gcc package contains the GNU Compiler Collection version 4.1.  
You'll need this package in order to compile C code.

**Name** : **libXxf86dga** **Relocations: (not relocatable)**  
Version : 1.0.1 Vendor: CentOS  
Release : 3.1 Build Date: Sat 06 Jan 2007  
07:15:36 PM EST  
Install Date: Mon 19 Dec 2011 12:34:00 PM EST Build Host:  
builder1.centos.org

Group : System Environment/Libraries Source RPM: libXxf86dga-1.0.1-3.1.src.rpm  
Size : 22384 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:47 PM EDT, Key ID a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXxf86dga runtime library  
Description :  
X.Org X11 libXxf86dga runtime library

**Name : libXvMC Relocations: (not relocatable)**  
Version : 1.0.2 Vendor: CentOS  
Release : 2.1 Build Date: Sun 07 Jan 2007 02:12:27 AM EST  
Install Date: Mon 19 Dec 2011 12:34:01 PM EST Build Host: builder5.centos.org  
Group : System Environment/Libraries Source RPM: libXvMC-1.0.2-2.1.src.rpm  
Size : 28262 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:47 PM EDT, Key ID a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXvMC runtime library  
Description :  
X.Org X11 libXvMC runtime library

**Name : gcc-gfortran Relocations: (not relocatable)**  
Version : 4.1.2 Vendor: CentOS  
Release : 46.el5 Build Date: Thu 03 Sep 2009 12:58:45 AM EDT  
Install Date: Mon 19 Dec 2011 12:34:03 PM EST Build Host: builder16.centos.org  
Group : Development/Languages Source RPM: gcc-4.1.2-46.el5.src.rpm  
Size : 7184084 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:37 PM EDT, Key ID a8a447dce8562897  
URL : http://gcc.gnu.org  
Summary : Fortran 95 support  
Description :  
The gcc-gfortran package provides support for compiling Fortran 95 programs with the GNU Compiler Collection.

**Name : sysfsutils Relocations: (not relocatable)**  
Version : 2.0.0 Vendor: CentOS  
Release : 6 Build Date: Sat 06 Jan 2007 01:16:24 PM EST  
Install Date: Mon 19 Dec 2011 12:34:04 PM EST Build Host: builder1.centos.org  
Group : Development/Tools Source RPM: sysfsutils-2.0.0-6.src.rpm  
Size : 111613 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:48 PM EDT, Key ID a8a447dce8562897  
Summary : sysfsutils, library interface to sysfs.  
Description :  
This package's purpose is to provide a set of utilities for interfacing

with sysfs.

**Name** : **enscript** **Relocations:** (not relocatable)  
Version : 1.6.4 Vendor: CentOS  
Release : 4.1.1.el5\_2 Build Date: Mon 15 Dec 2008  
11:15:14 AM EST  
Install Date: Mon 19 Dec 2011 12:34:06 PM EST Build Host:  
builder16.centos.org  
Group : Applications/Publishing Source RPM: enscript-1.6.4-  
4.1.1.el5\_2.src.rpm  
Size : 1777528 License: GPL  
Signature : DSA/SHA1, Mon 15 Dec 2008 07:50:49 PM EST, Key ID  
a8a447dce8562897  
URL : http://www.codento.com/people/mtr/genscript/  
Summary : A plain ASCII to PostScript converter.  
Description :  
GNU enscript is a free replacement for Adobe's Enscript  
program. Enscript converts ASCII files to PostScript(TM) and spools  
generated PostScript output to the specified printer or saves it to a  
file. Enscript can be extended to handle different output media and  
includes many options for customizing printouts.

**Name** : **ftp** **Relocations:** (not relocatable)  
Version : 0.17 Vendor: CentOS  
Release : 35.el5 Build Date: Thu 26 Feb 2009  
05:15:00 PM EST  
Install Date: Mon 19 Dec 2011 12:34:07 PM EST Build Host:  
chamkaur.karan.org  
Group : Applications/Internet Source RPM: ftp-0.17-  
35.el5.src.rpm  
Size : 86109 License: BSD  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:45:28 PM EDT, Key ID  
a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
Summary : The standard UNIX FTP (File Transfer Protocol) client.  
Description :  
The ftp package provides the standard UNIX command-line FTP (File  
Transfer Protocol) client. FTP is a widely used protocol for  
transferring files over the Internet and for archiving files.  
If your system is on a network, you should install ftp in order to do  
file transfers.

**Name** : **units** **Relocations:** (not relocatable)  
Version : 1.85 Vendor: CentOS  
Release : 1.2.2 Build Date: Sat 06 Jan 2007  
12:18:51 AM EST  
Install Date: Mon 19 Dec 2011 12:34:08 PM EST Build Host:  
builder1.centos.org  
Group : Applications/Engineering Source RPM: units-1.85-  
1.2.2.src.rpm  
Size : 268640 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:13 PM EDT, Key ID  
a8a447dce8562897  
Summary : A utility for converting amounts from one unit to another.  
Description :  
Units converts an amount from one unit to another, or tells you what  
mathematical operation you need to perform to convert from one unit to

another. The units program can handle multiplicative scale changes as well as conversions such as Fahrenheit to Celsius.

**Name** : doxygen **Relocations:** (not relocatable)  
Version : 1.4.7 Vendor: CentOS  
Release : 1.1 Build Date: Sat 06 Jan 2007  
03:53:43 AM EST  
Install Date: Mon 19 Dec 2011 12:34:10 PM EST Build Host:  
builder5.centos.org  
Group : Development/Tools Source RPM: doxygen-1.4.7-  
1.1.src.rpm  
Size : 6563032 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:21:12 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.stack.nl/~dimitri/doxygen/index.html>  
Summary : A documentation system for C/C+.  
Description :  
Doxygen can generate an online class browser (in HTML) and/or a  
reference manual (in LaTeX) from a set of documented source files. The  
documentation is extracted directly from the sources. Doxygen can  
also be configured to extract the code structure from undocumented  
source files.

**Name** : traceroute **Relocations:** (not relocatable)  
Version : 2.0.1 Vendor: CentOS  
Release : 5.el5 Build Date: Thu 26 Feb 2009  
04:59:08 PM EST  
Install Date: Mon 19 Dec 2011 12:34:10 PM EST Build Host:  
chamkaur.karan.org  
Group : Applications/Internet Source RPM: traceroute-2.0.1-  
5.el5.src.rpm  
Size : 59806 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:49:19 PM EDT, Key ID  
a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
URL : <http://dmitry.butskoy.name/traceroute>  
Summary : Traces the route taken by packets over an IPv4/IPv6 network  
Description :  
The traceroute utility displays the route used by IP packets on their  
way to a specified network (or Internet) host. Traceroute displays  
the IP number and host name (if possible) of the machines along the  
route taken by the packets. Traceroute is used as a network debugging  
tool. If you're having network connectivity problems, traceroute will  
show you where the trouble is coming from along the route.  
Install traceroute if you need a tool for diagnosing network connectivity  
problems.

**Name** : rsh **Relocations:** (not relocatable)  
Version : 0.17 Vendor: CentOS  
Release : 40.el5 Build Date: Mon 21 Sep 2009  
06:52:58 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:11 PM EST Build Host:  
builder10.centos.org  
Group : Applications/Internet Source RPM: rsh-0.17-  
40.el5.src.rpm  
Size : 63928 License: BSD  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:07 PM EDT, Key ID

a8a447dce8562897

Summary : Clients for remote access commands (rsh, rlogin, rcp).

Description :

The rsh package contains a set of programs which allow users to run commands on remote machines, login to other machines and copy files between machines (rsh, rlogin and rcp). All three of these commands use rhosts style authentication. This package contains the clients needed for all of these services.

The rsh package should be installed to enable remote access to other machines.

**Name : splint Relocations: (not relocatable)**

Version : 3.1.1 Vendor: CentOS

Release : 16.el5 Build Date: Sat 06 Jan 2007

12:30:46 AM EST

Install Date: Mon 19 Dec 2011 12:34:11 PM EST Build Host:

builder1.centos.org

Group : Development/Tools Source RPM: splint-3.1.1-

16.el5.src.rpm

Size : 3335945 License: GPL

Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:44 PM EDT, Key ID

a8a447dce8562897

URL : <http://www.splint.org/>

Summary : An implementation of the lint program

Description :

Splint is a tool for statically checking C programs for coding errors and security vulnerabilities. With minimal effort, Splint can be used as a better lint. If additional effort is invested adding annotations to programs, Splint can perform even stronger checks than can be done by any standard lint.

**Name : compat-libstdc++-33 Relocations: (not relocatable)**

Version : 3.2.3 Vendor: CentOS

Release : 61 Build Date: Mon 08 Jan 2007

05:02:03 PM EST

Install Date: Mon 19 Dec 2011 12:34:12 PM EST Build Host:

builder6.centos.org

Group : System Environment/Libraries Source RPM: compat-gcc-32-3.2.3-

61.src.rpm

Size : 733168 License: GPL

Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:39 PM EDT, Key ID

a8a447dce8562897

URL : <http://gcc.gnu.org>

Summary : Compatibility standard C++ libraries

Description :

The compat-libstdc++ package contains compatibility standard C++ library from GCC 3.3.4.

**Name : xorg-x11-xtrans-devel Relocations: (not relocatable)**

Version : 1.0.1 Vendor: CentOS

Release : 1.1.fc6 Build Date: Sat 06 Jan 2007

08:25:23 AM EST

Install Date: Mon 19 Dec 2011 12:34:14 PM EST Build Host:

builder1.centos.org

Group : System Environment/Libraries Source RPM: xorg-x11-xtrans-

devel-1.0.1-1.1.fc6.src.rpm

Size : 289724 License: MIT/X11

Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:48 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 developmental X transport library  
Description :  
X.Org X11 developmental X transport library

**Name : hesiod-devel Relocations: (not relocatable)**  
Version : 3.1.0 Vendor: CentOS  
Release : 8 Build Date: Sun 07 Jan 2007  
05:52:42 PM EST  
Install Date: Mon 19 Dec 2011 12:34:16 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries Source RPM: hesiod-3.1.0-  
8.src.rpm  
Size : 26066 License: MIT  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:45 PM EDT, Key ID  
a8a447dce8562897  
Summary : Development libraries and headers for Hesiod  
Description :  
Hesiod is a system which uses existing DNS functionality to provide access  
to databases of information that changes infrequently. It is often used to  
distribute information which might otherwise kept in the /etc/passwd,  
/etc/group, and /etc/printcap files over a network, eliminating the need to  
ensure synchronize the files among multiple hosts. This package contains  
the header files and libraries required for building programs which use  
Hesiod.

**Name : redhat-rpm-config Relocations: (not relocatable)**  
Version : 8.0.45 Vendor: CentOS  
Release : 32.el5.centos Build Date: Mon 28 Sep 2009  
07:51:05 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:17 PM EST Build Host:  
builder10.centos.org  
Group : Development/System Source RPM: redhat-rpm-config-  
8.0.45-32.el5.centos.src.rpm  
Size : 131007 License: GPL  
Signature : DSA/SHA1, Mon 28 Sep 2009 08:23:50 PM EDT, Key ID  
a8a447dce8562897  
Summary : Red Hat specific rpm configuration files.  
Description :  
CentOS specific rpm configuration files.

**Name : memtest86+ Relocations: (not relocatable)**  
Version : 1.65 Vendor: CentOS  
Release : 4.1 Build Date: Mon 08 Jan 2007  
04:40:11 PM EST  
Install Date: Mon 19 Dec 2011 12:34:19 PM EST Build Host:  
builder4.centos.org  
Group : System Environment/Base Source RPM: memtest86+-1.65-  
4.1.src.rpm  
Size : 138863 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:25:02 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.memtest.org  
Summary : Stand-alone memory tester for x86 and x86-64 computers  
Description :

Memtest86+ is a thorough stand-alone memory test for x86 and x86-64 architecture computers. BIOS based memory tests are only a quick check and often miss many of the failures that are detected by Memtest86+.

Run 'memtest-setup' to add to your GRUB or lilo boot menu.

**Name** : perl-XML-Dumper **Relocations:** (not relocatable)  
Version : 0.81 Vendor: CentOS  
Release : 2.fc6 Build Date: Mon 08 Jan 2007  
02:06:39 PM EST  
Install Date: Mon 19 Dec 2011 12:34:23 PM EST Build Host:  
builder3.centos.org  
Group : Development/Libraries Source RPM: perl-XML-Dumper-0.81-  
2.fc6.src.rpm  
Size : 41842 License: GPL or Artistic  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:55 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://search.cpan.org/dist/XML-Dumper/>  
Summary : Perl module for dumping Perl objects from/to XML  
Description :  
XML::Dumper dumps Perl data to XML format. XML::Dumper can also read XML data that was previously dumped by the module and convert it back to Perl. Perl objects are blessed back to their original packaging; if the modules are installed on the system where the perl objects are reconstituted from xml, they will behave as expected. Intuitively, if the perl objects are converted and reconstituted in the same environment, all should be well.

**Name** : openssl **Relocations:** (not relocatable)  
Version : 0.9.8e Vendor: CentOS  
Release : 12.el5 Build Date: Thu 03 Sep 2009  
02:31:22 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:24 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: openssl-0.9.8e-  
12.el5.src.rpm  
Size : 3509247 License: BSDish  
Signature : DSA/SHA1, Wed 09 Sep 2009 11:56:46 AM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.openssl.org/>  
Summary : The OpenSSL toolkit  
Description :  
The OpenSSL toolkit provides support for secure communications between machines. OpenSSL includes a certificate management tool and shared libraries which provide various cryptographic algorithms and protocols.

**Name** : cups-libs **Relocations:** (not relocatable)  
Version : 1.3.7 Vendor: CentOS  
Release : 11.el5 Build Date: Thu 03 Sep 2009  
06:30:11 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:28 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Libraries Source RPM: cups-1.3.7-  
11.el5.src.rpm  
Size : 324608 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:27 PM EDT, Key ID

a8a447dce8562897

URL : <http://www.cups.org/>  
Summary : Common Unix Printing System - libraries  
Description :

The Common UNIX Printing System provides a portable printing layer for UNIX-« operating systems. It has been developed by Easy Software Products to promote a standard printing solution for all UNIX vendors and users. CUPS provides the System V and Berkeley command-line interfaces. The cups-libs package provides libraries used by applications to use CUPS natively, without needing the lp/lpr commands.

**Name** : **net-snmp-libs** **Relocations:** (not relocatable)  
Version : 5.3.2.2 Vendor: CentOS  
Release : 7.el5 Build Date: Thu 03 Sep 2009  
08:10:51 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:31 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: net-snmp-5.3.2.2-  
7.el5.src.rpm  
Size : 3317024 License: BSDish  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:58 PM EDT, Key ID  
a8a447dce8562897

URL : <http://net-snmp.sourceforge.net/>  
Summary : The NET-SNMP runtime libraries.  
Description :

The net-snmp-libs package contains the runtime libraries for shared binaries and applications.

**Name** : **fipscheck-lib** **Relocations:** (not relocatable)  
Version : 1.2.0 Vendor: CentOS  
Release : 1.el5 Build Date: Thu 03 Sep 2009  
04:07:06 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:35 PM EST Build Host:  
builder10.centos.org  
Group : System Environment/Libraries Source RPM: fipscheck-1.2.0-  
1.el5.src.rpm  
Size : 5257 License: BSD  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:34 PM EDT, Key ID  
a8a447dce8562897

URL : <http://people.redhat.com/tmraz/fipscheck>  
Summary : Library files for fipscheck  
Description :

This package contains the FIPSCheck library.

**Name** : **gphoto2** **Relocations:** (not relocatable)  
Version : 2.2.0 Vendor: CentOS  
Release : 3.el5 Build Date: Wed 14 Mar 2007  
12:48:35 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:36 PM EST Build Host: builder6  
Group : Applications/Multimedia Source RPM: gphoto2-2.2.0-  
3.el5.src.rpm  
Size : 4423358 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:38 PM EDT, Key ID  
a8a447dce8562897

URL : <http://www.gphoto.org/>  
Summary : Software for accessing digital cameras  
Description :



The gPhoto2 project is a universal, free application and library framework that lets you download images from several different digital camera models, including the newer models with USB connections. Note that

a) for some older camera models you must use the old "gphoto" package.

b) for USB mass storage models you must use the driver in the kernel

This package contains

i) the library that digital camera applications can use

ii) the command-line utility gphoto2

Other (GUI) frontends are available separately.

**Name** : **autoconf** **Relocations: (not relocatable)**  
Version : 2.59 Vendor: CentOS  
Release : 12 Build Date: Sat 06 Jan 2007  
08:45:53 AM EST  
Install Date: Mon 19 Dec 2011 12:34:38 PM EST Build Host:  
builder3.centos.org  
Group : Development/Tools Source RPM: autoconf-2.59-  
12.src.rpm  
Size : 1737567 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:16 PM EDT, Key ID  
a8a447dce8562897

URL : <http://www.gnu.org/software/autoconf/>

Summary : A GNU tool for automatically configuring source code.

Description :

GNU's Autoconf is a tool for configuring source code and Makefiles.

Using Autoconf, programmers can create portable and configurable

packages, since the person building the package is allowed to

specify various configuration options.

You should install Autoconf if you are developing software and

would like to create shell scripts that configure your source code

packages. If you are installing Autoconf, you will also need to

install the GNU m4 package.

Note that the Autoconf package is not required for the end-user who

may be configuring software with an Autoconf-generated script;

Autoconf is only required for the generation of the scripts, not

their use.

**Name** : **xml-common** **Relocations: (not relocatable)**  
Version : 0.6.3 Vendor: CentOS  
Release : 18 Build Date: Sat 06 Jan 2007  
01:44:08 AM EST  
Install Date: Mon 19 Dec 2011 12:34:46 PM EST Build Host:  
builder1.centos.org  
Group : Applications/Text Source RPM: sgml-common-0.6.3-  
18.src.rpm  
Size : 1085 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:36 PM EDT, Key ID  
a8a447dce8562897

URL : <http://www.iso.ch/cate/3524030.html>

Summary : Common XML catalog and DTD files.

Description :

The xml-common package contains a collection of entities and DTDs

that are useful for processing XML, but that don't need to be

included in multiple packages.

**Name** : **e2fsprogs-devel** **Relocations: (not relocatable)**

Version : 1.39 Vendor: CentOS  
Release : 23.el5 Build Date: Thu 03 Sep 2009  
03:56:48 PM EDT  
Install Date: Mon 19 Dec 2011 12:34:52 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: e2fsprogs-1.39-  
23.el5.src.rpm  
Size : 1666795 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:30 PM EDT, Key ID  
a8a447dce8562897  
URL : http://e2fsprogs.sourceforge.net/  
Summary : Ext2/3 filesystem-specific static libraries and headers  
Description :  
E2fsprogs-devel contains the libraries and header files needed to  
develop second and third extended (ext2/ext3) filesystem-specific  
programs.  
You should install e2fsprogs-devel if you want to develop ext2/ext3  
filesystem-specific programs. If you install e2fsprogs-devel, you'll  
also want to install e2fsprogs.

**Name : gail Relocations: (not relocatable)**  
Version : 1.9.2 Vendor: CentOS  
Release : 1.fc6 Build Date: Sat 06 Jan 2007  
11:10:25 PM EST  
Install Date: Mon 19 Dec 2011 12:34:55 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Libraries Source RPM: gail-1.9.2-  
1.fc6.src.rpm  
Size : 1141052 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:00 PM EDT, Key ID  
a8a447dce8562897  
URL : http://developer.gnome.org/projects/gap  
Summary : Accessibility implementation for GTK+ and GNOME libraries  
Description :  
GAIL implements the abstract interfaces found in ATK for GTK+ and  
GNOME libraries, enabling accessibility technologies such as at-spi to  
access those GUIs.

**Name : hpijs Relocations: (not relocatable)**  
Version : 1.6.7 Vendor: CentOS  
Release : 4.1.el5.4 Build Date: Fri 15 Aug 2008  
10:33:22 AM EDT  
Install Date: Mon 19 Dec 2011 12:35:00 PM EST Build Host:  
builder16.centos.org  
Group : Applications/Publishing Source RPM: hplip-1.6.7-  
4.1.el5.4.src.rpm  
Size : 602591 License: BSD  
Signature : DSA/SHA1, Fri 15 Aug 2008 12:53:38 PM EDT, Key ID  
a8a447dce8562897  
URL : http://hplip.sourceforge.net/  
Summary : HP Printer Drivers  
Description :  
hpijs is a collection of optimized drivers for HP printers.  
hpijs supports the DeskJet 350C, 600C, 600C Photo, 630C, Apollo 2000,  
Apollo 2100, Apollo 2560, DeskJet 800C, DeskJet 825, DeskJet 900,  
PhotoSmart, DeskJet 990C, and PhotoSmart 100 series.

**Name** : **elinks** **Relocations:** (not relocatable)  
Version : 0.11.1 Vendor: CentOS  
Release : 5.1.0.1.el5 Build Date: Wed 03 Oct 2007  
11:25:14 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:02 PM EST Build Host: builder6  
Group : Applications/Internet Source RPM: elinks-0.11.1-  
5.1.0.1.el5.src.rpm  
Size : 2482182 License: GPL  
Signature : DSA/SHA1, Sat 06 Oct 2007 09:03:15 AM EDT, Key ID  
a8a447dce8562897  
URL : http://elinks.or.cz/  
Summary : A text-mode Web browser.  
Description :  
Links is a text-based Web browser. Links does not display any images,  
but it does support frames, tables and most other HTML tags. Links'  
advantage over graphical browsers is its speed--Links starts and exits  
quickly and swiftly displays Web pages.

**Name** : **net-tools** **Relocations:** (not relocatable)  
Version : 1.60 Vendor: CentOS  
Release : 78.el5 Build Date: Sun 25 May 2008  
02:26:04 AM EDT  
Install Date: Mon 19 Dec 2011 12:35:04 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: net-tools-1.60-  
78.el5.src.rpm  
Size : 764183 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:37:11 PM EDT, Key ID  
a8a447dce8562897  
Summary : Basic networking tools.  
Description :  
The net-tools package contains basic networking tools, including  
ifconfig, netstat, route, and others.

**Name** : **xsri** **Relocations:** (not relocatable)  
Version : 2.1.0 Vendor: CentOS  
Release : 10.fc6 Build Date: Tue 09 Jan 2007  
03:42:00 PM EST  
Install Date: Mon 19 Dec 2011 12:35:07 PM EST Build Host:  
builder6.centos.org  
Group : System Environment/Base Source RPM: xsri-2.1.0-  
10.fc6.src.rpm  
Size : 56554 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:48 PM EDT, Key ID  
a8a447dce8562897  
Summary : X Set Root Image  
Description :  
X Set Root Image - displays images on the root window.

**Name** : **alsa-utils** **Relocations:** (not relocatable)  
Version : 1.0.17 Vendor: CentOS  
Release : 1.el5 Build Date: Wed 21 Jan 2009  
02:45:04 AM EST  
Install Date: Mon 19 Dec 2011 12:35:09 PM EST Build Host:  
builder16.centos.org  
Group : Applications/Multimedia Source RPM: alsa-utils-1.0.17-  
1.el5.src.rpm

Size : 1648395 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:45:17 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.alsa-project.org/  
Summary : Advanced Linux Sound Architecture (ALSA) utilities  
Description :  
This package contains command line utilities for the Advanced Linux Sound  
Architecture (ALSA).

**Name : python-devel Relocations: (not relocatable)**  
Version : 2.4.3 Vendor: CentOS  
Release : 27.el5 Build Date: Thu 03 Sep 2009  
03:41:41 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:11 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: python-2.4.3-  
27.el5.src.rpm  
Size : 12664412 License: PSF - see LICENSE  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:54:54 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.python.org/  
Summary : The libraries and header files needed for Python development.  
Description :  
The Python programming language's interpreter can be extended with  
dynamically loaded extensions and can be embedded in other programs.  
This package contains the header files and libraries needed to do  
these types of tasks.  
Install python-devel if you want to develop Python extensions. The  
python package will also need to be installed. You'll probably also  
want to install the python-docs package, which contains Python  
documentation.

**Name : cracklib Relocations: (not relocatable)**  
Version : 2.8.9 Vendor: CentOS  
Release : 3.3 Build Date: Sun 11 Nov 2007  
12:07:27 PM EST  
Install Date: Mon 19 Dec 2011 12:35:13 PM EST Build Host:  
builder7.centos.org  
Group : System Environment/Libraries Source RPM: cracklib-2.8.9-  
3.3.src.rpm  
Size : 143009 License: Artistic  
Signature : DSA/SHA1, Tue 20 Nov 2007 02:10:12 PM EST, Key ID  
a8a447dce8562897  
URL : http://sourceforge.net/projects/cracklib/  
Summary : A password-checking library.  
Description :  
CrackLib tests passwords to determine whether they match certain  
security-oriented characteristics, with the purpose of stopping users  
from choosing passwords that are easy to guess. CrackLib performs  
several tests on passwords: it tries to generate words from a username  
and gecost entry and checks those words against the password; it checks  
for simplistic patterns in passwords; and it checks for the password  
in a dictionary.  
CrackLib is actually a library containing a particular C function  
which is used to check the password, as well as other C  
functions. CrackLib is not a replacement for a passwd program; it must  
be used in conjunction with an existing passwd program.

Install the cracklib package if you need a program to check users' passwords to see if they are at least minimally secure. If you install CrackLib, you will also want to install the cracklib-dicts package.

**Name** : **authconfig** **Relocations:** (not relocatable)  
Version : 5.3.21 Vendor: CentOS  
Release : 6.el5 Build Date: Sat 26 Sep 2009  
01:32:35 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:17 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: authconfig-5.3.21-  
6.el5.src.rpm  
Size : 1808277 License: GPLv2+  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:05 PM EDT, Key ID  
a8a447dce8562897  
URL : http://rhlinux.redhat.com/  
Summary : Command line tool for setting up authentication from network  
services  
Description :  
Authconfig is a command line utility which can configure a workstation  
to use shadow (more secure) passwords. Authconfig can also configure a  
system to be a client for certain networked user information and  
authentication schemes.

**Name** : **wget** **Relocations:** (not relocatable)  
Version : 1.11.4 Vendor: CentOS  
Release : 2.el5 Build Date: Thu 03 Sep 2009  
09:34:09 AM EDT  
Install Date: Mon 19 Dec 2011 12:35:18 PM EST Build Host:  
builder16.centos.org  
Group : Applications/Internet Source RPM: wget-1.11.4-  
2.el5.src.rpm  
Size : 1476532 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:55:11 PM EDT, Key ID  
a8a447dce8562897  
URL : http://wget.sunsite.dk/  
Summary : A utility for retrieving files using the HTTP or FTP protocols.  
Description :  
GNU Wget is a file retrieval utility which can use either the HTTP or  
FTP protocols. Wget features include the ability to work in the  
background while you are logged out, recursive retrieval of  
directories, file name wildcard matching, remote file timestamp  
storage and comparison, use of Rest with FTP servers and Range with  
HTTP servers to retrieve files over slow or unstable connections,  
support for Proxy servers, and configurability.

**Name** : **postgresql-libs** **Relocations:** (not relocatable)  
Version : 8.1.11 Vendor: CentOS  
Release : 1.el5\_1.1 Build Date: Sat 12 Jan 2008  
09:45:09 AM EST  
Install Date: Mon 19 Dec 2011 12:35:24 PM EST Build Host: builder6  
Group : Applications/Databases Source RPM: postgresql-8.1.11-  
1.el5\_1.1.src.rpm  
Size : 507027 License: BSD  
Signature : DSA/SHA1, Sat 12 Jan 2008 10:50:36 PM EST, Key ID  
a8a447dce8562897  
URL : http://www.postgresql.org/

Summary : The shared libraries required for any PostgreSQL clients.  
Description :  
The postgresql-libs package provides the essential shared libraries for any PostgreSQL client program or interface. You will need to install this package to use any other PostgreSQL package or any clients that need to connect to a PostgreSQL server.

**Name** : parted **Relocations:** (not relocatable)  
Version : 1.8.1 Vendor: CentOS  
Release : 23.el5 Build Date: Wed 21 Jan 2009  
04:51:13 AM EST  
Install Date: Mon 19 Dec 2011 12:35:25 PM EST Build Host:  
builder16.centos.org  
Group : Applications/System Source RPM: parted-1.8.1-  
23.el5.src.rpm  
Size : 1386546 License: GPLv2+  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:48:52 PM EDT, Key ID  
a8a447dce8562897  
Summary : The GNU disk partition manipulation program  
Description :  
The GNU Parted program allows you to create, destroy, resize, move,  
and copy hard disk partitions. Parted can be used for creating space  
for new operating systems, reorganizing disk usage, and copying data  
to new hard disks.

**Name** : util-linux **Relocations:** (not relocatable)  
Version : 2.13 Vendor: CentOS  
Release : 0.52.el5 Build Date: Thu 03 Sep 2009  
03:55:19 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:28 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: util-linux-2.13-  
0.52.el5.src.rpm  
Size : 4706644 License: distributable  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:55:10 PM EDT, Key ID  
a8a447dce8562897  
Summary : A collection of basic system utilities.  
Description :  
The util-linux package contains a large variety of low-level system  
utilities that are necessary for a Linux system to function. Among  
others, Util-linux contains the fdisk configuration tool and the login  
program.

**Name** : ypbind **Relocations:** (not relocatable)  
Version : 1.19 Vendor: CentOS  
Release : 12.el5 Build Date: Mon 21 Sep 2009  
06:38:38 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:37 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Daemons Source RPM: ypbind-1.19-  
12.el5.src.rpm  
Size : 53939 License: GPL  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:07 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.linux-nis.org/nis/ypbind-mt/index.html>  
Summary : The NIS daemon which binds NIS clients to an NIS domain.  
Description :

The Network Information Service (NIS) is a system that provides network information (login names, passwords, home directories, group information) to all of the machines on a network. NIS can allow users to log in on any machine on the network, as long as the machine has the NIS client programs running and the user's password is recorded in the NIS passwd database. NIS was formerly known as Sun Yellow Pages (YP).

This package provides the ypbind daemon. The ypbind daemon binds NIS clients to an NIS domain. Ypbind must be running on any machines running NIS client programs.

Install the ypbind package on any machines running NIS client programs (included in the yp-tools package). If you need an NIS server, you also need to install the ypserv package to a machine on your network.

**Name** : samba **Relocations: (not relocatable)**  
Version : 3.0.33 Vendor: CentOS  
Release : 3.14.el5 Build Date: Thu 03 Sep 2009  
03:20:34 PM EDT  
Install Date: Mon 19 Dec 2011 12:35:51 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Daemons Source RPM: samba-3.0.33-  
3.14.el5.src.rpm  
Size : 31830127 License: GNU GPL Version 2  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:54:56 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.samba.org/  
Summary : The Samba SMB server.  
Description :  
Samba is the suite of programs by which a lot of PC-related machines share files, printers, and other information (such as lists of available files and printers). The Windows NT, OS/2, and Linux operating systems support this natively, and add-on packages can enable the same thing for DOS, Windows, VMS, UNIX of all kinds, MVS, and more. This package provides an SMB server that can be used to provide network services to SMB (sometimes called "Lan Manager") clients. Samba uses NetBIOS over TCP/IP (NetBT) protocols and does NOT need the NetBEUI (Microsoft Raw NetBIOS frame) protocol.

**Name** : sysstat **Relocations: (not relocatable)**  
Version : 7.0.2 Vendor: CentOS  
Release : 3.el5 Build Date: Thu 26 Feb 2009  
05:47:50 PM EST  
Install Date: Mon 19 Dec 2011 12:35:57 PM EST Build Host:  
chamkaur.karan.org  
Group : Applications/System Source RPM: sysstat-7.0.2-  
3.el5.src.rpm  
Size : 391884 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:49:16 PM EDT, Key ID  
a8a447dce8562897  
Packager : Karanbir Singh <kbsingh@karan.org>  
URL : http://perso.orange.fr/sebastien.godard/  
Summary : The sar and iostat system monitoring commands.  
Description :  
This package provides the sar and iostat commands for Linux. Sar and iostat enable system monitoring of disk, network, and other IO activity.

**Name** : **mod\_python** **Relocations:** (not relocatable)  
Version : 3.2.8 Vendor: CentOS  
Release : 3.1 Build Date: Sat 06 Jan 2007  
12:29:51 PM EST  
Install Date: Mon 19 Dec 2011 12:35:59 PM EST Build Host:  
builder1.centos.org  
Group : System Environment/Daemons Source RPM: mod\_python-3.2.8-  
3.1.src.rpm  
Size : 1205166 License: Apache Software  
License  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:25:07 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.modpython.org/  
Summary : An embedded Python interpreter for the Apache Web server.  
Description :  
Mod\_python is a module that embeds the Python language interpreter within  
the server, allowing Apache handlers to be written in Python.  
Mod\_python brings together the versatility of Python and the power of  
the Apache Web server for a considerable boost in flexibility and  
performance over the traditional CGI approach.

**Name** : **dhcpcv6-client** **Relocations:** (not relocatable)  
Version : 1.0.10 Vendor: CentOS  
Release : 17.el5 Build Date: Thu 03 Sep 2009  
01:18:26 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:02 PM EST Build Host:  
builder10.centos.org  
Group : System Environment/Base Source RPM: dhcpcv6-1.0.10-  
17.el5.src.rpm  
Size : 268504 License: LGPLv2+  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:29 PM EDT, Key ID  
a8a447dce8562897  
URL : http://fedorahosted.org/dhcpcv6/  
Summary : DHCPv6 client  
Description :  
Provides the client for the DHCPv6 protocol (RFC 3315) to support dynamic  
configuration of IPv6 addresses and parameters.

**Name** : **smartmontools** **Relocations:** (not relocatable)  
Version : 5.38 Vendor: CentOS  
Release : 2.el5 Build Date: Wed 21 Jan 2009  
03:42:14 AM EST  
Install Date: Mon 19 Dec 2011 12:36:03 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: smartmontools-5.38-  
2.el5.src.rpm  
Size : 756643 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:49:14 PM EDT, Key ID  
a8a447dce8562897  
URL : http://smartmontools.sourceforge.net/  
Summary : Tools for monitoring SMART capable hard disks  
Description :  
The smartmontools package contains two utility programs (smartctl  
and smartd) to control and monitor storage systems using the Self-  
Monitoring, Analysis and Reporting Technology System (SMART) built  
into most modern ATA and SCSI hard disks. In many cases, these  
utilities will provide advanced warning of disk degradation and



failure.

**Name** : **setuptools** **Relocations: (not relocatable)**  
Version : 1.19.2 Vendor: CentOS  
Release : 1.el5.centos Build Date: Thu 29 Mar 2007  
07:46:54 AM EDT  
Install Date: Mon 19 Dec 2011 12:36:07 PM EST Build Host: builder6  
Group : Applications/System Source RPM: setuptools-1.19.2-  
1.el5.centos.src.rpm  
Size : 126009 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:40 PM EDT, Key ID  
a8a447dce8562897  
Summary : A text mode system configuration tool.  
Description :  
Setuptools is a user-friendly text mode menu utility which allows you  
to access all of the text mode configuration programs included in the  
CentOS operating system.  
You should install the setuptools package because you will find  
yourself using its features for essential system administration.

**Name** : **screen** **Relocations: (not relocatable)**  
Version : 4.0.3 Vendor: CentOS  
Release : 1.el5 Build Date: Wed 21 Mar 2007  
05:56:03 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:10 PM EST Build Host:  
builder7.centos.org  
Group : Applications/System Source RPM: screen-4.0.3-  
1.el5.src.rpm  
Size : 756449 License: GPL2  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:36 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.gnu.org/software/screen>  
Summary : A screen manager that supports multiple logins on one terminal  
Description :  
The screen utility allows you to have multiple logins on just one  
terminal. Screen is useful for users who telnet into a machine or are  
connected via a dumb terminal, but want to use more than just one  
login.  
Install the screen package if you need a screen manager that can  
support multiple logins on one terminal.

**Name** : **cadaver** **Relocations: (not relocatable)**  
Version : 0.22.3 Vendor: CentOS  
Release : 4.el5 Build Date: Mon 19 Mar 2007  
01:50:00 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:14 PM EST Build Host:  
builder5.centos.org  
Group : Applications/Internet Source RPM: cadaver-0.22.3-  
4.el5.src.rpm  
Size : 269235 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:20:26 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.webdav.org/cadaver/>  
Summary : Command-line WebDAV client  
Description :  
cadaver is a command-line WebDAV client, with support for file upload,  
download, on-screen display, in-place editing, namespace operations

(move/copy), collection creation and deletion, property manipulation, and resource locking.

**Name** : gnupg **Relocations:** (not relocatable)  
Version : 1.4.5 Vendor: CentOS  
Release : 14 Build Date: Tue 20 Jan 2009  
11:07:42 PM EST  
Install Date: Mon 19 Dec 2011 12:36:18 PM EST Build Host:  
builder16.centos.org  
Group : Applications/System Source RPM: gnupg-1.4.5-  
14.src.rpm  
Size : 4696623 License: GPL  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:45:48 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnupg.org/  
Summary : A GNU utility for secure communication and data storage.  
Description :  
GnuPG (GNU Privacy Guard) is a GNU utility for encrypting data and  
creating digital signatures. GnuPG has advanced key management  
capabilities and is compliant with the proposed OpenPGP Internet  
standard described in RFC2440. Since GnuPG doesn't use any patented  
algorithm, it is not compatible with any version of PGP2 (PGP2.x uses  
only IDEA for symmetric-key encryption, which is patented worldwide).

**Name** : perl-Crypt-SSLeay **Relocations:** (not relocatable)  
Version : 0.51 Vendor: CentOS  
Release : 11.e15 Build Date: Wed 14 Mar 2007  
06:28:55 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:21 PM EST Build Host:  
builder4.centos.org  
Group : Development/Libraries Source RPM: perl-Crypt-SSLeay-  
0.51-11.e15.src.rpm  
Size : 90389 License: GPL or Artistic  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:26:54 PM EDT, Key ID  
a8a447dce8562897  
URL : http://search.cpan.org/dist/Crypt-SSLeay/  
Summary : Crypt::SSLeay - OpenSSL glue that provides LWP https support  
Description :  
This perl module provides support for the https protocol under LWP, so  
that a LWP::UserAgent can make https GET & HEAD & POST  
requests. Please see perldoc LWP for more information on POST  
requests.  
The Crypt::SSLeay package contains Net::SSL, which is automatically  
loaded by LWP::Protocol::https on https requests, and provides the  
necessary SSL glue for that module to work.

**Name** : readahead **Relocations:** (not relocatable)  
Version : 1.3 Vendor: CentOS  
Release : 7.e15 Build Date: Wed 14 Mar 2007  
07:05:40 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:25 PM EST Build Host: builder6  
Group : System Environment/Base Source RPM: readahead-1.3-  
7.e15.src.rpm  
Size : 261987 License: GPL/OSL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:19 PM EDT, Key ID  
a8a447dce8562897  
Summary : Read a preset list of files into memory.

Description :

readahead reads the contents of a list of files into memory, which causes them to be read from cache when they are actually needed. Its goal is to speed up the boot process.

**Name** : vim-enhanced **Relocations:** (not relocatable)  
Version : 7.0.109 Vendor: CentOS  
Release : 6.el5 Build Date: Sat 19 Sep 2009  
05:24:40 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:34 PM EST Build Host:  
builder16.centos.org  
Group : Applications/Editors Source RPM: vim-7.0.109-  
6.el5.src.rpm  
Size : 2729294 License: freeware  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:55:10 PM EDT, Key ID  
a8a447dce8562897  
Summary : A version of the VIM editor which includes recent enhancements.  
Description :

VIM (VISual editor iMproved) is an updated and improved version of the vi editor. Vi was the first real screen-based editor for UNIX, and is still very popular. VIM improves on vi by adding new features: multiple windows, multi-level undo, block highlighting and more. The vim-enhanced package contains a version of VIM with extra, recently introduced features like Python and Perl interpreters. Install the vim-enhanced package if you'd like to use a version of the VIM editor which includes recently added enhancements like interpreters for the Python and Perl scripting languages. You'll also need to install the vim-common package.

**Name** : python-urlgrabber **Relocations:** (not relocatable)  
Version : 3.1.0 Vendor: CentOS  
Release : 5.el5 Build Date: Wed 21 Jan 2009  
03:49:57 AM EST  
Install Date: Mon 19 Dec 2011 12:36:39 PM EST Build Host:  
builder10.centos.org  
Group : Development/Libraries Source RPM: python-urlgrabber-  
3.1.0-5.el5.src.rpm  
Size : 478241 License: LGPLv2+  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:49:00 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://linux.duke.edu/projects/urlgrabber/>  
Summary : A high-level cross-protocol url-grabber  
Description :

A high-level cross-protocol url-grabber for python supporting HTTP, FTP and file locations. Features include keepalive, byte ranges, throttling, authentication, proxies and more.

**Name** : system-config-securitylevel **Relocations:** (not relocatable)  
Version : 1.6.29.1 Vendor: CentOS  
Release : 2.1.el5 Build Date: Sat 24 May 2008  
06:46:54 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:42 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: system-config-  
securitylevel-1.6.29.1-2.1.el5.src.rpm  
Size : 1192410 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:41:14 PM EDT, Key ID

a8a447dce8562897

URL : <http://fedora.redhat.com/projects/config-tools/>  
Summary : A graphical interface for modifying the system security level  
Description :  
system-config-securitylevel is a graphical user interface for setting basic firewall rules.

**Name** : **xmlsec1-devel** **Relocations:** /usr  
Version : 1.2.9 Vendor: CentOS  
Release : 8.1 Build Date: Sat 06 Jan 2007  
03:07:56 AM EST  
Install Date: Mon 19 Dec 2011 12:36:47 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries Source RPM: xmlsec1-1.2.9-  
8.1.src.rpm  
Size : 3678467 License: MIT  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:37 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.aleksey.com/xmlsec/>  
Summary : Libraries, includes, etc. to develop applications with XML  
Digital Signatures and XML Encryption support.  
Description :  
Libraries, includes, etc. you can use to develop applications with XML  
Digital  
Signatures and XML Encryption support.

**Name** : **system-config-rootpassword** **Relocations:** (not relocatable)  
Version : 1.1.9.1 Vendor: CentOS  
Release : 1 Build Date: Wed 14 Mar 2007  
09:25:04 PM EDT  
Install Date: Mon 19 Dec 2011 12:36:51 PM EST Build Host: builder6  
Group : System Environment/Base Source RPM: system-config-  
rootpassword-1.1.9.1-1.src.rpm  
Size : 168437 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:50 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://fedora.redhat.com/>  
Summary : A graphical interface for modifying the rootpassword  
Description :  
system-config-rootpassword is a graphical user interface that allows  
the user to change the root password of the system.

**Name** : **sos** **Relocations:** (not relocatable)  
Version : 1.7 Vendor: CentOS  
Release : 9.27.el5 Build Date: Thu 03 Sep 2009  
03:05:05 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:00 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: sos-1.7-  
9.27.el5.src.rpm  
Size : 544974 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:55:00 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://sos.108.redhat.com/>  
Summary : A set of tools to gather troubleshooting information from a  
system  
Description :

Sos is a set of tools that gathers information about system hardware and configuration. The information can then be used for diagnostic purposes and debugging. Sos is commonly used to help support technicians and developers.

**Name** : **xmlrpc-javadoc** **Relocations:** (not relocatable)  
Version : 2.0.1 Vendor: CentOS  
Release : 3jpp.1 Build Date: Sun 07 Jan 2007  
05:51:11 PM EST  
Install Date: Mon 19 Dec 2011 12:37:06 PM EST Build Host:  
builder1.centos.org  
Group : Development/Java Source RPM: xmlrpc-2.0.1-  
3jpp.1.src.rpm  
Size : 1688343 License: Apache Software  
License  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:37 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://xml.apache.org/xmlrpc/>  
Summary : Javadoc for xmlrpc  
Description :  
Javadoc for xmlrpc.

**Name** : **wireshark-gnome** **Relocations:** (not relocatable)  
Version : 1.0.8 Vendor: CentOS  
Release : 1.el5\_3.1 Build Date: Tue 16 Jun 2009  
07:00:21 AM EDT  
Install Date: Mon 19 Dec 2011 12:37:15 PM EST Build Host:  
builder16.centos.org  
Group : Applications/Internet Source RPM: wireshark-1.0.8-  
1.el5\_3.1.src.rpm  
Size : 1724493 License: GPL  
Signature : DSA/SHA1, Fri 19 Jun 2009 06:59:43 AM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.wireshark.org/>  
Summary : Gnome desktop integration for wireshark and wireshark-usermode  
Description :  
Contains wireshark for Gnome 2 and desktop integration file

**Name** : **rpm** **Relocations:** (not relocatable)  
Version : 4.4.2.3 Vendor: CentOS  
Release : 18.el5 Build Date: Thu 03 Sep 2009  
08:26:18 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:18 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: rpm-4.4.2.3-  
18.el5.src.rpm  
Size : 3703742 License: GPLv2+  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:54:54 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.rpm.org/>  
Summary : The RPM package management system  
Description :  
The RPM Package Manager (RPM) is a powerful command line driven  
package management system capable of installing, uninstalling,  
verifying, querying, and updating software packages. Each software  
package consists of an archive of files along with information about  
the package like its version, a description, etc.

**Name** : ifd-egate **Relocations:** (not relocatable)  
Version : 0.05 Vendor: CentOS  
Release : 15 Build Date: Sat 06 Jan 2007  
11:00:54 AM EST  
Install Date: Mon 19 Dec 2011 12:37:19 PM EST Build Host:  
builder5.centos.org  
Group : System Environment/Base Source RPM: ifd-egate-0.05-  
15.src.rpm  
Size : 43673 License: BSD/LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:48 PM EDT, Key ID  
a8a447dce8562897  
URL : http://secure.netroedge.com/~phil/egate/  
Summary : Axalto Egate SmartCard device driver for PCSC-lite  
Description :  
The Axalto Egate device driver enables PCSC-lite to communicate with Axalto  
Egate cards, which CoolKey is based off of.

**Name** : nfs-utils **Relocations:** (not relocatable)  
Version : 1.0.9 Vendor: CentOS  
Release : 42.el5 Build Date: Thu 03 Sep 2009  
05:14:31 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:23 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Daemons Source RPM: nfs-utils-1.0.9-  
42.el5.src.rpm  
Size : 768535 License: GPL  
Signature : DSA/SHA1, Wed 09 Sep 2009 11:56:17 AM EDT, Key ID  
a8a447dce8562897  
Summary : NFS utilities and supporting clients and daemons for the kernel  
NFS server.  
Description :  
The nfs-utils package provides a daemon for the kernel NFS server and  
related tools, which provides a much higher level of performance than the  
traditional Linux NFS server used by most users.  
This package also contains the showmount program. Showmount queries the  
mount daemon on a remote host for information about the NFS (Network File  
System) server on the remote host. For example, showmount can display the  
clients which are mounted on that host.  
This package also contains the mount.nfs and umount.nfs program.

**Name** : cups **Relocations:** (not relocatable)  
Version : 1.3.7 Vendor: CentOS  
Release : 11.el5 Build Date: Thu 03 Sep 2009  
06:30:11 PM EDT  
Install Date: Mon 19 Dec 2011 12:37:27 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Daemons Source RPM: cups-1.3.7-  
11.el5.src.rpm  
Size : 10327380 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:27 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.cups.org/  
Summary : Common Unix Printing System  
Description :  
The Common UNIX Printing System provides a portable printing layer for  
UNIX-« operating systems. It has been developed by Easy Software Products

to promote a standard printing solution for all UNIX vendors and users. CUPS provides the System V and Berkeley command-line interfaces.

**Name** : **wpa\_supplicant** **Relocations:** (not relocatable)  
Version : 0.5.10 Vendor: CentOS  
Release : 8.el5 Build Date: Wed 21 Jan 2009  
06:08:37 AM EST  
Install Date: Mon 19 Dec 2011 12:37:28 PM EST Build Host:  
builder16.centos.org  
Group : System Environment/Base Source RPM: wpa\_supplicant-  
0.5.10-8.el5.src.rpm  
Size : 606077 License: BSD  
Signature : DSA/SHA1, Sun 08 Mar 2009 09:49:22 PM EDT, Key ID  
a8a447dce8562897  
URL : http://w1.fi/wpa\_supplicant/  
Summary : WPA/WPA2/IEEE 802.1X Supplicant  
Description :  
wpa\_supplicant is a WPA Supplicant for Linux, BSD and Windows with support  
for WPA and WPA2 (IEEE 802.11i / RSN). Supplicant is the IEEE 802.1X/WPA  
component that is used in the client stations. It implements key negotiation  
with a WPA Authenticator and it controls the roaming and IEEE 802.11  
authentication/association of the wlan driver.

**Name** : **libXrender-devel** **Relocations:** (not relocatable)  
Version : 0.9.1 Vendor: CentOS  
Release : 3.1 Build Date: Tue 09 Jan 2007  
02:11:24 PM EST  
Install Date: Mon 19 Dec 2011 12:37:33 PM EST Build Host:  
builder7.centos.org  
Group : Development/Libraries Source RPM: libXrender-0.9.1-  
3.1.src.rpm  
Size : 13052 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:46 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXrender development package  
Description :  
X.Org X11 libXrender development package

**Name** : **libSM-devel** **Relocations:** (not relocatable)  
Version : 1.0.1 Vendor: CentOS  
Release : 3.1 Build Date: Sat 06 Jan 2007  
05:44:53 AM EST  
Install Date: Mon 19 Dec 2011 12:37:49 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries Source RPM: libSM-1.0.1-  
3.1.src.rpm  
Size : 19452 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:38 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libSM development package  
Description :  
X.Org X11 libSM development package

**Name** : **startup-notification-devel** **Relocations:** (not relocatable)  
Version : 0.8 Vendor: CentOS

Release : 4.1 Build Date: Sat 06 Jan 2007  
01:57:35 PM EST  
Install Date: Mon 19 Dec 2011 12:37:50 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries Source RPM: startup-notification-  
0.8-4.1.src.rpm  
Size : 18624 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:27:45 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.freedesktop.org/software/startup-notification/  
Summary : Development portions of startup-notification  
Description :  
Header files and static libraries for libstartup-notification.

**Name : xml-commons-apis Relocations: (not relocatable)**  
Version : 1.3.02 Vendor: CentOS  
Release : 0.b2.7jpp.10 Build Date: Mon 08 Jan 2007  
11:12:15 PM EST  
Install Date: Mon 19 Dec 2011 12:37:54 PM EST Build Host:  
builder5.centos.org  
Group : Text Processing/Markup/XML Source RPM: xml-commons-1.3.02-  
0.b2.7jpp.10.src.rpm  
Size : 898679 License: Apache Software  
License  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:36 PM EDT, Key ID  
a8a447dce8562897  
URL : http://xml.apache.org/commons/  
Summary : APIs subproject of xml-commons  
Description :  
APIs subproject of xml-commons.

**Name : pango-devel Relocations: (not relocatable)**  
Version : 1.14.9 Vendor: CentOS  
Release : 6.el5.centos Build Date: Thu 03 Sep 2009  
09:11:07 AM EDT  
Install Date: Mon 19 Dec 2011 12:37:58 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: pango-1.14.9-  
6.el5.centos.src.rpm  
Size : 1703970 License: LGPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:54:52 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.pango.org  
Summary : System for layout and rendering of internationalized text  
Description :  
The pango-devel package includes the static libraries, header files,  
and developer docs for the pango package.  
Install pango-devel if you want to develop programs which will use  
pango.

**Name : jakarta-commons-el Relocations: (not relocatable)**  
Version : 1.0 Vendor: CentOS  
Release : 7jpp.1 Build Date: Sun 07 Jan 2007  
04:25:20 AM EST  
Install Date: Mon 19 Dec 2011 12:38:04 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries/Java Source RPM: jakarta-commons-el-



1.0-7jpp.1.src.rpm  
Size : 562731 License: Apache Software  
License  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:53 PM EDT, Key ID  
a8a447dce8562897  
URL : http://jakarta.apache.org/commons/el/  
Summary : The Jakarta Commons Extension Language  
Description :  
An implementation of standard interfaces and abstract classes for  
javax.servlet.jsp.el which is part of the JSP 2.0 specification.

**Name : jakarta-commons-discovery Relocations: (not relocatable)**  
Version : 0.3 Vendor: CentOS  
Release : 4jpp.1 Build Date: Tue 09 Jan 2007  
03:17:25 PM EST

Install Date: Mon 19 Dec 2011 12:38:07 PM EST Build Host:  
builder6.centos.org  
Group : Development/Libraries/Java Source RPM: jakarta-commons-  
discovery-0.3-4jpp.1.src.rpm  
Size : 320620 License: Apache Software  
License

Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:53 PM EDT, Key ID  
a8a447dce8562897

URL : http://jakarta.apache.org/commons/discovery/  
Summary : Jakarta Commons Discovery

Description :  
The Discovery component is about discovering, or finding, implementations for  
pluggable interfaces. Pluggable interfaces are specified with the intent  
that  
multiple implementations are, or will be, available to provide the service  
described by the interface. Discovery provides facilities for finding and  
instantiating classes, and for lifecycle management of singleton (factory)  
classes.

**Name : xmlrpc Relocations: (not relocatable)**  
Version : 2.0.1 Vendor: CentOS  
Release : 3jpp.1 Build Date: Sun 07 Jan 2007  
05:51:11 PM EST

Install Date: Mon 19 Dec 2011 12:38:11 PM EST Build Host:  
builder1.centos.org  
Group : Development/Java Source RPM: xmlrpc-2.0.1-  
3jpp.1.src.rpm  
Size : 881503 License: Apache Software  
License

Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:37 PM EDT, Key ID  
a8a447dce8562897

URL : http://xml.apache.org/xmlrpc/  
Summary : Java XML-RPC implementation

Description :  
Apache XML-RPC is a Java implementation of XML-RPC, a popular protocol  
that uses XML over HTTP to implement remote procedure calls.  
Apache XML-RPC was previously known as Helma XML-RPC. If you have code  
using the Helma library, all you should have to do is change the import  
statements in your code from helma.xmlrpc.\* to org.apache.xmlrpc.\*.

**Name : rpm-devel Relocations: (not relocatable)**  
Version : 4.4.2.3 Vendor: CentOS

Release : 18.el5 Build Date: Thu 03 Sep 2009  
08:26:18 PM EDT  
Install Date: Mon 19 Dec 2011 12:38:12 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: rpm-4.4.2.3-  
18.el5.src.rpm  
Size : 3633139 License: GPLv2+ and LGPLv2+  
with exceptions  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:54:55 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.rpm.org/  
Summary : Development files for manipulating RPM packages  
Description :  
This package contains the RPM C library and header files. These  
development files will simplify the process of writing programs that  
manipulate RPM packages and databases. These files are intended to  
simplify the process of creating graphical package managers or any  
other tools that need an intimate knowledge of RPM packages in order  
to function.  
This package should be installed if you want to develop programs that  
will manipulate RPM packages and databases.

**Name : java-1.4.2-gcj-compat-devel Relocations: (not relocatable)**  
Version : 1.4.2.0 Vendor: CentOS  
Release : 40jpp.115 Build Date: Sun 25 May 2008  
02:29:37 AM EDT  
Install Date: Mon 19 Dec 2011 12:38:18 PM EST Build Host:  
builder16.centos.org  
Group : Development/Tools Source RPM: java-1.4.2-gcj-  
compat-1.4.2.0-40jpp.115.src.rpm  
Size : 82628 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:33:17 PM EDT, Key ID  
a8a447dce8562897  
URL : ftp://sources.redhat.com/pub/rhug/java-gcj-compat  
Summary : JPackage development scripts for GCJ  
Description :  
This package installs directory structures, shell scripts and symbolic  
links to simulate a JPackage-compatible development environment with  
GCJ.

**Name : pygtk2-devel Relocations: (not relocatable)**  
Version : 2.10.1 Vendor: CentOS  
Release : 12.el5 Build Date: Sat 24 May 2008  
05:08:07 PM EDT  
Install Date: Mon 19 Dec 2011 12:38:20 PM EST Build Host:  
builder16.centos.org  
Group : Development/Languages Source RPM: pygtk2-2.10.1-  
12.el5.src.rpm  
Size : 10622611 License: LGPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:40:05 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.pygtk.org/  
Summary : files needed to build wrappers for GTK+ addon libraries  
Description :  
This package contains files required to build wrappers for GTK+ addon  
libraries so that they interoperate with pygtk.

**Name** : libXxf86dga-devel **Relocations:** (not relocatable)  
Version : 1.0.1 Vendor: CentOS  
Release : 3.1 Build Date: Sat 06 Jan 2007  
07:15:36 PM EST  
Install Date: Mon 19 Dec 2011 12:38:27 PM EST Build Host:  
builder1.centos.org  
Group : Development/Libraries Source RPM: libXxf86dga-1.0.1-  
3.1.src.rpm  
Size : 5520 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:24:47 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : X.Org X11 libXxf86dga development package  
Description :  
X.Org X11 libXxf86dga development package

**Name** : redhat-lsb **Relocations:** (not relocatable)  
Version : 3.1 Vendor: CentOS  
Release : 12.3.EL.el5.centos Build Date: Sat 10 Nov 2007  
08:05:57 AM EST  
Install Date: Mon 19 Dec 2011 12:38:38 PM EST Build Host: builder6  
Group : System Environment/Base Source RPM: redhat-lsb-3.1-  
12.3.EL.el5.centos.src.rpm  
Size : 22625 License: GPL  
Signature : DSA/SHA1, Tue 20 Nov 2007 02:16:14 PM EST, Key ID  
a8a447dce8562897  
URL : http://www.linuxbase.org/  
Summary : LSB support for Red Hat Linux  
Description :  
The Linux Standards Base (LSB) is an attempt to develop a set of  
standards that will increase compatibility among Linux distributions.  
The redhat-lsb package provides utilities needed for LSB Compliant  
Applications. It also contains requirements that will ensure that all  
components required by the LSB that are provided by CentOS are  
installed on the system.

**Name** : xerces-j2 **Relocations:** (not relocatable)  
Version : 2.7.1 Vendor: CentOS  
Release : 7jpp.2 Build Date: Sat 06 Jan 2007  
12:05:10 PM EST  
Install Date: Mon 19 Dec 2011 12:38:49 PM EST Build Host:  
builder1.centos.org  
Group : Text Processing/Markup/XML Source RPM: xerces-j2-2.7.1-  
7jpp.2.src.rpm  
Size : 7210337 License: Apache Software  
License  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:33 PM EDT, Key ID  
a8a447dce8562897  
URL : http://xerces.apache.org/  
Summary : Java XML parser  
Description :  
Welcome to the future! Xerces2 is the next generation of high  
performance, fully compliant XML parsers in the Apache Xerces family.  
This new version of Xerces introduces the Xerces Native Interface (XNI),  
a complete framework for building parser components and configurations  
that is extremely modular and easy to program.  
The Apache Xerces2 parser is the reference implementation of XNI but

other parser components, configurations, and parsers can be written using the Xerces Native Interface. For complete design and implementation documents, refer to the XNI Manual. Xerces 2 is a fully conforming XML Schema processor. For more information, refer to the XML Schema page. Xerces 2 also provides a partial implementation of Document Object Model Level 3 Core, Load and Save and Abstract Schemas [deprecated] Working Drafts. For more information, refer to the DOM Level 3 Implementation page.

```

Name           : xml-commons-resolver           Relocations: (not relocatable)
Version          : 1.1                               Vendor: CentOS
Release         : 1jpp.12                           Build Date: Sat 06 Jan 2007
01:04:00 AM EST
Install Date: Mon 19 Dec 2011 12:38:56 PM EST       Build Host:
builder5.centos.org
Group           : Text Processing/Markup/XML         Source RPM: xml-commons-resolver-
1.1-1jpp.12.src.rpm
Size           : 351658                               License: Apache Software
License
Signature      : DSA/SHA1, Tue 03 Apr 2007 08:28:37 PM EDT, Key ID
a8a447dce8562897
URL            : http://xml.apache.org/commons/
Summary        : Resolver subproject of xml-commons.
Description    :
Resolver subproject of xml-commons.

```

```

Name           : mx4j                               Relocations: (not relocatable)
Version          : 3.0.1                               Vendor: CentOS
Release         : 6jpp.4                             Build Date: Sun 07 Jan 2007
01:00:56 AM EST
Install Date: Mon 19 Dec 2011 12:39:01 PM EST       Build Host:
builder1.centos.org
Group           : Development/Libraries/Java         Source RPM: mx4j-3.0.1-
6jpp.4.src.rpm
Size           : 5103156                               License: Apache License
Signature      : DSA/SHA1, Tue 03 Apr 2007 08:25:08 PM EDT, Key ID
a8a447dce8562897
URL            : http://mx4j.sourceforge.net/
Summary        : Open source implementation of JMX Java API
Description    :
OpenJMX is an open source implementation of the
Java(TM) Management Extensions (JMX).

```

```

Name           : system-config-network-tui         Relocations: (not relocatable)
Version          : 1.3.99.18                           Vendor: CentOS
Release         : 1.el5                               Build Date: Thu 03 Sep 2009
10:38:34 PM EDT
Install Date: Mon 19 Dec 2011 12:39:11 PM EST       Build Host:
builder10.centos.org
Group           : Applications/System                 Source RPM: system-config-
network-1.3.99.18-1.el5.src.rpm
Size           : 4969400                               License: GPL
Signature      : DSA/SHA1, Sat 19 Sep 2009 11:55:01 PM EDT, Key ID
a8a447dce8562897
URL            : http://fedora.redhat.com/projects/config-tools/redhat-config-
network.html
Summary        : The NETwork Adminstration Tool

```

Description :

This is the network configuration tool,  
supporting Ethernet, Wireless, TokenRing, ADSL, ISDN and PPP.

**Name** : hal-devel **Relocations:** (not relocatable)  
Version : 0.5.8.1 Vendor: CentOS  
Release : 52.el5 Build Date: Thu 03 Sep 2009  
08:38:58 PM EDT  
Install Date: Mon 19 Dec 2011 12:39:15 PM EST Build Host:  
builder16.centos.org  
Group : Development/Libraries Source RPM: hal-0.5.8.1-  
52.el5.src.rpm  
Size : 40006 License: AFL/GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:42 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.freedesktop.org/Software/hal  
Summary : Libraries and headers for HAL  
Description :  
Headers, static libraries and API docs for HAL.

**Name** : ghostscript **Relocations:** (not relocatable)  
Version : 8.15.2 Vendor: CentOS  
Release : 9.11.el5 Build Date: Thu 03 Sep 2009  
09:41:08 AM EDT  
Install Date: Mon 19 Dec 2011 12:39:27 PM EST Build Host:  
builder16.centos.org  
Group : Applications/Publishing Source RPM: ghostscript-8.15.2-  
9.11.el5.src.rpm  
Size : 18764896 License: GPL  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:53:39 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.cups.org/esp/ps/  
Summary : A PostScript(TM) interpreter and renderer.  
Description :  
Ghostscript is a set of software that provides a PostScript(TM)  
interpreter, a set of C procedures (the Ghostscript library, which  
implements the graphics capabilities in the PostScript language) and  
an interpreter for Portable Document Format (PDF) files. Ghostscript  
translates PostScript code into many common, bitmapped formats, like  
those understood by your printer or screen. Ghostscript is normally  
used to display PostScript files and to print PostScript files to  
non-PostScript printers.  
If you need to display PostScript files or print them to  
non-PostScript printers, you should install ghostscript. If you  
install ghostscript, you also need to install the ghostscript-fonts  
package.

**Name** : xorg-x11-server-Xnest **Relocations:** (not relocatable)  
Version : 1.1.1 Vendor: CentOS  
Release : 48.67.el5 Build Date: Thu 03 Sep 2009  
11:23:05 PM EDT  
Install Date: Mon 19 Dec 2011 12:39:31 PM EST Build Host:  
builder16.centos.org  
Group : User Interface/X Source RPM: xorg-x11-server-  
1.1.1-48.67.el5.src.rpm  
Size : 3838498 License: MIT/X11  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:55:13 PM EDT, Key ID

a8a447dce8562897

URL : <http://www.x.org>

Summary : A nested server.

Description :

Xnest is an X server, which has been implemented as an ordinary X application. It runs in a window just like other X applications, but it is an X server itself in which you can run other software. It is a very useful tool for developers who wish to test their applications without running them on their real X server.

**Name** : **apmd** **Relocations:** (not relocatable)  
Version : 3.2.2 Vendor: CentOS  
Release : 5 Build Date: Wed 14 Mar 2007  
07:51:33 AM EDT  
Install Date: Mon 19 Dec 2011 12:39:38 PM EST Build Host: builder6  
Group : System Environment/Daemons Source RPM: apmd-3.2.2-5.src.rpm  
Size : 142414 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:19:58 PM EDT, Key ID  
a8a447dce8562897  
Summary : Advanced Power Management (APM) BIOS utilities for laptops.  
Description :  
APMD is a set of programs for controlling the Advanced Power Management daemon and utilities found in most modern laptop computers. APMD can watch your notebook's battery and warn users when the battery is low. APMD is also capable of shutting down the PCMCIA sockets before a suspend.  
Install the apmd package if you need to control the APM system on your laptop.

**Name** : **gnome-vfs2** **Relocations:** (not relocatable)  
Version : 2.16.2 Vendor: CentOS  
Release : 4.el5 Build Date: Wed 14 Mar 2007  
12:31:29 PM EDT  
Install Date: Mon 19 Dec 2011 12:39:42 PM EST Build Host:  
builder4.centos.org  
Group : System Environment/Libraries Source RPM: gnome-vfs2-2.16.2-4.el5.src.rpm  
Size : 4933529 License: LGPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:22:37 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://www.gnome.org/>  
Summary : The GNOME virtual file-system libraries  
Description :  
GNOME VFS is the GNOME virtual file system. It is the foundation of the Nautilus file manager. It provides a modular architecture and ships with several modules that implement support for file systems, http, ftp, and others. It provides a URI-based API, backend supporting asynchronous file operations, a MIME type manipulation library, and other features.

**Name** : **gnome-panel** **Relocations:** (not relocatable)  
Version : 2.16.1 Vendor: CentOS  
Release : 7.el5 Build Date: Sat 24 May 2008  
01:17:47 PM EDT  
Install Date: Mon 19 Dec 2011 12:39:48 PM EST Build Host:  
builder16.centos.org  
Group : User Interface/Desktops Source RPM: gnome-panel-2.16.1-

7.el5.src.rpm

Size : 10855765 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:32:39 PM EDT, Key ID  
a8a447dce8562897

URL : <http://www.gnome.org>

Summary : GNOME panel

Description :

The GNOME panel provides the window list, workspace switcher, menus, and other features for the GNOME desktop.

**Name : gimp Relocations: (not relocatable)**

Version : 2.2.13 Vendor: CentOS

Release : 2.0.7.el5 Build Date: Thu 27 Sep 2007

12:28:31 AM EDT

Install Date: Mon 19 Dec 2011 12:39:55 PM EST Build Host: builder6

Group : Applications/Multimedia Source RPM: gimp-2.2.13-

2.0.7.el5.src.rpm

Size : 26484928 License: GPL, LGPL

Signature : DSA/SHA1, Fri 28 Sep 2007 03:39:51 AM EDT, Key ID

a8a447dce8562897

URL : <http://www.gimp.org/>

Summary : GNU Image Manipulation Program

Description :

GIMP (GNU Image Manipulation Program) is a powerful image composition and editing program, which can be extremely useful for creating logos and other graphics for webpages. GIMP has many of the tools and filters you would expect to find in similar commercial offerings, and some interesting extras as well. GIMP provides a large image manipulation toolbox, including channel operations and layers, effects, sub-pixel imaging and anti-aliasing, and conversions, all with multi-level undo.

**Name : control-center Relocations: (not relocatable)**

Version : 2.16.0 Vendor: CentOS

Release : 16.el5 Build Date: Sat 24 May 2008

05:57:59 PM EDT

Install Date: Mon 19 Dec 2011 12:40:05 PM EST Build Host:

builder10.centos.org

Group : User Interface/Desktops Source RPM: control-center-

2.16.0-16.el5.src.rpm

Size : 8491048 License: GPL/LGPL

Signature : DSA/SHA1, Sat 14 Jun 2008 07:29:50 PM EDT, Key ID

a8a447dce8562897

URL : <http://www.gnome.org>

Summary : GNOME Control Center

Description :

GNOME (the GNU Network Object Model Environment) is an attractive and easy-to-use GUI desktop environment. The control-center package provides the GNOME Control Center utilities that allow you to setup and configure your system's GNOME environment (things like the desktop background and theme, the screensaver, system sounds, and mouse behavior).

If you install GNOME, you need to install control-center.

**Name** : **gnome-utils** **Relocations:** (not relocatable)  
Version : 2.16.0 Vendor: CentOS  
Release : 5.el5 Build Date: Sat 24 May 2008  
12:30:25 PM EDT  
Install Date: Mon 19 Dec 2011 12:40:15 PM EST Build Host:  
builder10.centos.org  
Group : Applications/System Source RPM: gnome-utils-2.16.0-  
5.el5.src.rpm  
Size : 8891309 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:32:44 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnome.org  
Summary : GNOME utility programs  
Description :  
GNOME (GNU Network Object Model Environment) is a user-friendly set of  
GUI applications and desktop tools to be used in conjunction with a  
window manager for the X Window System. The gnome-utils package  
includes a set of small "desk accessory" utility applications for GNOME.

**Name** : **tsclient** **Relocations:** (not relocatable)  
Version : 0.148 Vendor: CentOS  
Release : 6.el5 Build Date: Wed 14 Mar 2007  
10:07:27 PM EDT  
Install Date: Mon 19 Dec 2011 12:40:31 PM EST Build Host:  
builder4.centos.org  
Group : User Interface/X Source RPM: tsclient-0.148-  
6.el5.src.rpm  
Size : 538664 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:13 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.gnomepro.com/tsclient/  
Summary : Client for VNC and Windows Terminal Server  
Description :  
tsclient is a frontend that makes it easy to use rdesktop and vncviewer.  
You will need to install rdesktop or vnc in addition to tsclient.

**Name** : **nautilus-open-terminal** **Relocations:** (not relocatable)  
Version : 0.6 Vendor: CentOS  
Release : 6.el5 Build Date: Mon 15 Jan 2007  
05:38:02 AM EST  
Install Date: Mon 19 Dec 2011 12:40:48 PM EST Build Host:  
builder4.centos.org  
Group : User Interface/Desktops Source RPM: nautilus-open-  
terminal-0.6-6.el5.src.rpm  
Size : 58664 License: GPL  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:25:12 PM EDT, Key ID  
a8a447dce8562897  
URL : http://manny.cluecoder.org/packages/nautilus-open-terminal/  
Summary : Nautilus extension for an open terminal shortcut  
Description :  
The nautilus-open-terminal extension provides a right-click "Open  
Terminal" option for nautilus users who prefer that option.

**Name** : **gtkhtml3** **Relocations:** (not relocatable)  
Version : 3.16.3 Vendor: CentOS  
Release : 1.el5 Build Date: Sat 24 May 2008  
12:57:50 PM EDT



Install Date: Mon 19 Dec 2011 12:41:01 PM EST      Build Host:  
builder10.centos.org  
Group       : System Environment/Libraries      Source RPM: gtkhtml3-3.16.3-  
1.el5.src.rpm  
Size        : 3000880                            License: LGPL/GPL  
Signature   : DSA/SHA1, Sat 14 Jun 2008 07:32:50 PM EDT, Key ID  
a8a447dce8562897  
Summary     : gtkhtml library  
Description  :  
GtkHTML is a lightweight HTML rendering/printing/editing engine. It  
was originally based on KHTMLW, but is now being developed  
independently of it.

**Name           : libgsf-devel                            Relocations: (not relocatable)**  
Version      : 1.14.1                            Vendor: CentOS  
Release      : 6.1                              Build Date: Wed 14 Mar 2007  
02:44:57 PM EDT  
Install Date: Mon 19 Dec 2011 12:41:08 PM EST      Build Host:  
builder5.centos.org  
Group       : Development/Libraries            Source RPM: libgsf-1.14.1-  
6.1.src.rpm  
Size        : 1045344                            License: LGPL  
Signature    : DSA/SHA1, Tue 03 Apr 2007 08:24:32 PM EDT, Key ID  
a8a447dce8562897  
Summary      : Support files necessary to compile applications with libgsf.  
Description  :  
Libraries, headers, and support files necessary to compile applications using  
libgsf.

**Name           : librsvg2-devel                           Relocations: (not relocatable)**  
Version      : 2.16.1                            Vendor: CentOS  
Release      : 1.el5                            Build Date: Wed 14 Mar 2007  
03:05:52 PM EDT  
Install Date: Mon 19 Dec 2011 12:41:24 PM EST      Build Host: builder6  
Group       : Development/Libraries            Source RPM: librsvg2-2.16.1-  
1.el5.src.rpm  
Size        : 98070                              License: LGPL  
Signature    : DSA/SHA1, Tue 03 Apr 2007 08:24:37 PM EDT, Key ID  
a8a447dce8562897  
Summary      : Libraries and include files for developing with librsvg  
Description  :  
This package provides the necessary development libraries and include  
files to allow you to develop with librsvg.

**Name           : gnome-python2-desktop                   Relocations: (not relocatable)**  
Version      : 2.16.0                            Vendor: CentOS  
Release      : 3.el5                            Build Date: Sat 19 Sep 2009  
10:09:04 PM EDT  
Install Date: Mon 19 Dec 2011 12:41:25 PM EST      Build Host:  
builder10.centos.org  
Group       : Development/Languages            Source RPM: gnome-python2-  
desktop-2.16.0-3.el5.src.rpm  
Size        : 239928                            License: GPL/LGPL  
Signature    : DSA/SHA1, Sat 19 Sep 2009 11:53:42 PM EDT, Key ID  
a8a447dce8562897  
Summary      : The sources for additional PyGNOME Python extension modules for  
the GNOME desktop

Description :

The gnome-python-desktop package contains the source packages for additional Python bindings for GNOME. It should be used together with gnome-python.

**Name** : **gedit** **Relocations:** (not relocatable)  
Version : 2.16.0 Vendor: CentOS  
Release : 9.el5 Build Date: Sat 24 May 2008  
01:19:18 PM EDT  
Install Date: Mon 19 Dec 2011 12:41:29 PM EST Build Host:  
builder16.centos.org  
Group : Applications/Editors Source RPM: gedit-2.16.0-  
9.el5.src.rpm  
Size : 17719102 License: GPL  
Signature : DSA/SHA1, Sat 14 Jun 2008 07:32:08 PM EDT, Key ID  
a8a447dce8562897  
URL : <http://gedit.sourceforge.net/>  
Summary : gEdit is a small but powerful text editor for GNOME  
Description :  
gEdit is a small but powerful text editor designed specifically for  
the GNOME GUI desktop. gEdit includes a plug-in API (which supports  
extensibility while keeping the core binary small), support for  
editing multiple documents using notebook tabs, and standard text  
editor functions.  
You'll need to have GNOME and GTK+ installed to use gEdit.

**Name** : **setroubleshoot** **Relocations:** (not relocatable)  
Version : 2.0.5 Vendor: CentOS  
Release : 5.el5 Build Date: Sat 26 Sep 2009  
02:43:16 PM EDT  
Install Date: Mon 19 Dec 2011 12:41:46 PM EST Build Host:  
builder10.centos.org  
Group : Applications/System Source RPM: setroubleshoot-2.0.5-  
5.el5.src.rpm  
Size : 321434 License: GPLv2+  
Signature : DSA/SHA1, Sun 27 Sep 2009 10:20:07 PM EDT, Key ID  
a8a447dce8562897  
URL : <https://fedorahosted.org/setroubleshoot>  
Summary : Helps troubleshoot SELinux problems  
Description :  
setroubleshoot gui. Application that allows you to view setroubleshoot-server  
messages.  
Provides tools to help diagnose SELinux problems. When AVC messages  
are generated an alert can be generated that will give information  
about the problem and help track its resolution. Alerts can be configured  
to user preference. The same tools can be run on existing log files.

**Name** : **xorg-x11-drv-mouse** **Relocations:** (not relocatable)  
Version : 1.1.1 Vendor: CentOS  
Release : 1.1 Build Date: Sat 06 Jan 2007  
08:53:15 PM EST  
Install Date: Mon 19 Dec 2011 12:41:48 PM EST Build Host:  
builder5.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
mouse-1.1.1-1.1.src.rpm  
Size : 48920 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:40 PM EDT, Key ID  
a8a447dce8562897

URL : http://www.x.org  
Summary : Xorg X11 mouse input driver  
Description :  
X.Org X11 mouse input driver.

**Name** : **xorg-x11-drv-digitaledge** **Relocations:** (not relocatable)  
Version : 1.1.0 Vendor: CentOS  
Release : 1.1 Build Date: Tue 09 Jan 2007  
03:28:31 PM EST  
Install Date: Mon 19 Dec 2011 12:41:54 PM EST Build Host:  
builder6.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
digitaledge-1.1.0-1.1.src.rpm  
Size : 14204 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:38 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 digitaledge input driver  
Description :  
X.Org X11 digitaledge input driver.

**Name** : **xorg-x11-drv-ati** **Relocations:** (not relocatable)  
Version : 6.6.3 Vendor: CentOS  
Release : 3.27.el5 Build Date: Fri 04 Sep 2009  
12:37:59 AM EDT  
Install Date: Mon 19 Dec 2011 12:41:54 PM EST Build Host:  
builder10.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
ati-6.6.3-3.27.el5.src.rpm  
Size : 1333208 License: MIT/X11  
Signature : DSA/SHA1, Sat 19 Sep 2009 11:55:12 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 ati video driver  
Description :  
X.Org X11 ati video driver.

**Name** : **xorg-x11-drv-trident** **Relocations:** (not relocatable)  
Version : 1.2.1 Vendor: CentOS  
Release : 3.fc6 Build Date: Sat 06 Jan 2007  
07:56:29 PM EST  
Install Date: Mon 19 Dec 2011 12:41:55 PM EST Build Host:  
builder5.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-drv-  
trident-1.2.1-3.fc6.src.rpm  
Size : 166697 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:41 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.x.org  
Summary : Xorg X11 trident video driver  
Description :  
X.Org X11 trident video driver.

**Name** : **xorg-x11-drv-calcomp** **Relocations:** (not relocatable)  
Version : 1.1.0 Vendor: CentOS  
Release : 1.1 Build Date: Sun 07 Jan 2007  
05:28:01 AM EST

Install Date: Mon 19 Dec 2011 12:41:56 PM EST      Build Host:  
builder1.centos.org  
Group           : User Interface/X Hardware Support      Source RPM: xorg-x11-driv-  
calcomp-1.1.0-1.1.src.rpm  
Size            : 14378                                      License: MIT/X11  
Signature       : DSA/SHA1, Tue 03 Apr 2007 08:28:38 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.x.org  
Summary         : Xorg X11 calcomp input driver  
Description     :  
X.Org X11 calcomp input driver.

**Name            : xorg-x11-driv-spaceorb                      Relocations: (not relocatable)**  
Version         : 1.1.0                                      Vendor: CentOS  
Release         : 1.1                                        Build Date: Sat 06 Jan 2007  
04:50:45 AM EST  
Install Date: Mon 19 Dec 2011 12:41:57 PM EST      Build Host:  
builder5.centos.org  
Group           : User Interface/X Hardware Support      Source RPM: xorg-x11-driv-  
spaceorb-1.1.0-1.1.src.rpm  
Size            : 10264                                      License: MIT/X11  
Signature       : DSA/SHA1, Tue 03 Apr 2007 08:28:41 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.x.org  
Summary         : Xorg X11 spaceorb input driver  
Description     :  
X.Org X11 spaceorb input driver.

**Name            : xorg-x11-driv-apm                            Relocations: (not relocatable)**  
Version         : 1.1.1                                      Vendor: CentOS  
Release         : 2.1                                        Build Date: Thu 15 Mar 2007  
12:18:27 AM EDT  
Install Date: Mon 19 Dec 2011 12:41:58 PM EST      Build Host:  
builder5.centos.org  
Group           : User Interface/X Hardware Support      Source RPM: xorg-x11-driv-  
apm-1.1.1-2.1.src.rpm  
Size            : 145047                                    License: MIT/X11  
Signature       : DSA/SHA1, Tue 03 Apr 2007 08:28:38 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.x.org  
Summary         : Xorg X11 apm video driver  
Description     :  
X.Org X11 apm video driver.

**Name            : xorg-x11-driv-v4l                            Relocations: (not relocatable)**  
Version         : 0.1.1                                      Vendor: CentOS  
Release         : 4    Build Date: Thu 15 Mar 2007  
01:04:07 AM EDT  
Install Date: Mon 19 Dec 2011 12:41:59 PM EST      Build Host:  
builder4.centos.org  
Group           : User Interface/X Hardware Support      Source RPM: xorg-x11-driv-  
v4l-0.1.1-4.src.rpm  
Size            : 15240                                      License: MIT/X11  
Signature       : DSA/SHA1, Tue 03 Apr 2007 08:28:41 PM EDT, Key ID  
a8a447dce8562897  
URL             : http://www.x.org  
Summary         : Xorg X11 v4l video driver

Description :  
X.Org X11 v4l video driver.

**Name** : **xorg-x11-drivers** **Relocations:** (not relocatable)  
Version : 7.1 Vendor: CentOS  
Release : 4.1.el5 Build Date: Wed 14 Mar 2007  
11:57:45 PM EDT  
Install Date: Mon 19 Dec 2011 12:42:01 PM EST Build Host:  
builder4.centos.org  
Group : User Interface/X Hardware Support Source RPM: xorg-x11-  
drivers-7.1-4.1.el5.src.rpm  
Size : 0 License: MIT/X11  
Signature : DSA/SHA1, Tue 03 Apr 2007 08:28:38 PM EDT, Key ID  
a8a447dce8562897  
URL : http://www.redhat.com  
Summary : X.Org X11 driver installation package  
Description :

The purpose of this package is to require all of the individual X.Org driver rpms, to allow the OS installation software to install all drivers all at once, without having to track which individual drivers are present on each architecture. By installing this package, it forces all of the individual driver packages to be installed.

**Name** : **perl-File-NFSLock** **Relocations:** (not relocatable)  
Version : 1.20 Vendor: Dag Apt Repository,  
http://dag.wieers.com/apt/  
Release : 1.el5.rf Build Date: Tue 01 May 2007  
10:58:25 AM EDT  
Install Date: Mon 19 Dec 2011 12:42:17 PM EST Build Host:  
lisse.leuven.wieers.com  
Group : Applications/CPAN Source RPM: perl-File-NFSLock-  
1.20-1.el5.rf.src.rpm  
Size : 38746 License: Artistic  
Signature : DSA/SHA1, Tue 01 May 2007 12:13:52 PM EDT, Key ID  
a20e52146b8d79e6  
Packager : Dag Wieers <dag@wieers.com>  
URL : http://search.cpan.org/dist/File-NFSLock/  
Summary : Perl module to do NFS (or not) locking  
Description :  
File-NFSLock is a Perl module to do NFS (or not) locking.

**Name** : **perl-Proc-ProcessTable** **Relocations:** (not relocatable)  
Version : 0.42 Vendor: Dag Apt Repository,  
http://dag.wieers.com/apt/  
Release : 1.el5.rf Build Date: Thu 21 Feb 2008  
02:35:48 PM EST  
Install Date: Mon 19 Dec 2011 12:42:20 PM EST Build Host:  
lisse.leuven.wieers.com  
Group : Applications/CPAN Source RPM: perl-Proc-  
ProcessTable-0.42-1.el5.rf.src.rpm  
Size : 136318 License: Artistic/GPL  
Signature : DSA/SHA1, Thu 21 Feb 2008 03:41:17 PM EST, Key ID  
a20e52146b8d79e6  
Packager : Dag Wieers <dag@wieers.com>  
URL : http://search.cpan.org/dist/Proc-ProcessTable/  
Summary : Perl interface to the UNIX process table  
Description :

This module is a first crack at providing a consistent interface to Unix (and maybe other multitasking OS's) process table information. The impetus for this came about with my frustration at having to parse the output of various systems' ps commands to check whether specific processes were running on different boxes at a larged mixed UNIX site. The output format of ps was different on each OS, and sometimes changed with each new release of an OS. Also, running a ps subprocess from within a perl or shell script and parsing the output was not a very efficient or aesthetic way to do things.

**Name** : perl-Template-Toolkit **Relocations:** (not relocatable)  
Version : 2.19 Vendor: Dag Apt Repository,  
<http://dag.wieers.com/apt/>  
Release : 1.el5.rf Build Date: Sat 06 Oct 2007  
09:48:35 AM EDT  
Install Date: Mon 19 Dec 2011 12:42:24 PM EST Build Host:  
[lisse.leuven.wieers.com](http://lisse.leuven.wieers.com)  
Group : Applications/CPAN Source RPM: perl-Template-  
Toolkit-2.19-1.el5.rf.src.rpm  
Size : 2897828 License: Artistic  
Signature : DSA/SHA1, Sun 07 Oct 2007 06:05:08 AM EDT, Key ID  
a20e52146b8d79e6  
Packager : Dries Verachtert <dries@ulyssis.org>  
URL : <http://search.cpan.org/dist/Template-Toolkit/>  
Summary : Template processing system  
Description :  
The Template Toolkit is a collection of modules which implement a fast, flexible, powerful and extensible template processing system. It was originally designed and remains primarily useful for generating dynamic web content, but it can be used equally well for processing any other kind of text based documents: HTML, XML, POD, PostScript, LaTeX, and so on.

**Name** : libXp **Relocations:** (not relocatable)  
Version : 1.0.0 Vendor: CentOS  
Release : 8.1.el5 Build Date: Sat 10 Nov 2007  
09:27:45 AM EST  
Install Date: Mon 19 Dec 2011 12:42:50 PM EST Build Host:  
[builder7.centos.org](http://builder7.centos.org)  
Group : System Environment/Libraries Source RPM: libXp-1.0.0-  
8.1.el5.src.rpm  
Size : 32953 License: MIT/X11  
Signature : DSA/SHA1, Tue 20 Nov 2007 02:13:53 PM EST, Key ID  
a8a447dce8562897  
URL : <http://www.x.org>  
Summary : X.Org X11 libXp runtime library  
Description :  
X.Org X11 libXp runtime library

**Name** : 773b916a97e27d116b939250c25fd21f **Relocations:** (not  
relocatable)  
Version : 7.13.0 Vendor: The MathWorks  
Release : 0 Build Date: Mon 19 Dec 2011  
12:51:50 PM EST  
Install Date: Mon 19 Dec 2011 12:51:51 PM EST Build Host: e6psip  
Group : NA Source RPM:  
773b916a97e27d116b939250c25fd21f-7.13.0-0.src.rpm

Size : 0 License: NA  
Signature : (none)  
URL : <http://www.mathworks.com>  
Summary : NA  
Description :