

Release Note

General information	
Issue ID Number	Fiery XP-e System Update V1.0
Product Name	Fiery on XPe operating system
Issue Date	January 27, 2005

Files included in this release	
File name	File size
1-H23O1.PS	10.8Mb
System Update User Addendum (EFIGSDP)	
Release Notes	

Additional Information

1-H2301.PS will automatically install the QFE enabler patch and will also enable the Remote Desktop on the Fiery system.

Pre-Requisite

The following XP-e security patches are required, but are not available through the System Update Application. Manual installation of these patches is required. Please contact your Xerox support center for additional information.

Microsoft ID	File name	EFI ID
MS02-040 (Q326573)	1-DSRD9.PS	1-DSRD9
MS02-052 (Q329077)		
MS03-004 (Q810847)		
MS03-015 (Q813489)		
MS03-020 (Q818529)		
MS03-023 (Q823559)		
MS03-027 (Q821557)		
MS03-032 (Q822925)		
MS03-033 (Q823718)		
MS03-034 (Q824105)		
MS03-039 (Q824146)		
MS03-040 (Q828750)		
MS03-041 (Q823182)		
MS03-043 (Q828035)		
MS03-044 (Q825119)		
MS03-045 (Q824141)		
MS03-048 (Q824145)		
MS04-003 (Q832483)		
MS04-004 (Q832894)		
MS04-007 (Q828028)		
MS04-011 (Q835732)		
Microsoft Security Bulletin MS04-014	1-G6ZLT.ps	1-G6ZLT

Installation Procedure

1. Download patch 1-H2301.PS to the Fiery Server – Direct Queue
2. Allow 1-H2301.PS to process completely
3. Follow Fiery reboot procedures for your specific server
4. Print Configuration Page to confirm installation of the patch
5. Review the System Update user addendum for software configuration information

Known Issues

1. Dutch: Window titles are not localized
2. German :Title bar of available update dialog-box is not in Localized
3. French :Cannot cancel warning does not have title bar in French
4. Additional characters found in localized UI pages
5. If DNS is not configured on server, system updates cannot communicate with database
6. No LCD support is available
7. Documentation – System Update User Addendum states that the system will reboot automatically if the System Update is configured in manual mode. This is incorrect. Users must initiate the reboot.
8. Patch 1-FVWSC installation - Patch 1-FVWSC is available for download through System Update. Upon installation and reboot of the print server, patch 1-FVWSC will appear again as an available patch for download. Users should download and install patch 1-FVWSC again. No additional action is required.